


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1738G	52.72	74.00	-21.28	14.48	3	Horizontal	59	2.69	-	38.24
AV	11.16978G	39.82	54.00	-14.18	14.48	3	Horizontal	59	2.69	-	25.34
PK	16.74798G	59.32	68.20	-8.88	18.19	3	Horizontal	61	2.93	-	41.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5700MHz_TX




EUT Z_4TX
Setting 43
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7086G	116.04	Inf	-Inf	8.77	3	Vertical	80	1.90	-	107.27
AV	5.7086G	102.84	Inf	-Inf	8.77	3	Vertical	80	1.90	-	94.07
PK	5.7254G	67.54	68.20	-0.66	8.79	3	Vertical	80	1.90	-	58.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5700MHz_TX



EUT_Z_4TX
Setting 43
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6922G	106.16	Inf	-Inf	8.74	3	Horizontal	193	1.09	-	97.42
AV	5.691G	94.66	Inf	-Inf	8.73	3	Horizontal	193	1.09	-	85.93
PK	5.7432G	58.60	68.20	-9.60	8.82	3	Horizontal	193	1.09	-	49.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 43
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41392G	53.70	74.00	-20.30	14.79	3	Vertical	76	1.73	-	38.91
AV	11.41368G	40.16	54.00	-13.84	14.79	3	Vertical	76	1.73	-	25.37
PK	17.08962G	58.64	68.20	-9.56	19.84	3	Vertical	41	1.01	-	38.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5700MHz_TX




EUT Z_4TX
Setting 43
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38938G	53.65	74.00	-20.35	14.76	3	Horizontal	293	1.41	-	38.89
AV	11.41356G	40.37	54.00	-13.63	14.79	3	Horizontal	293	1.41	-	25.58
PK	17.09322G	59.22	68.20	-8.98	19.86	3	Horizontal	123	2.72	-	39.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4404G	58.40	74.00	-15.60	8.41	3	Vertical	181	2.28	-	49.99
AV	5.4452G	46.23	54.00	-7.77	8.42	3	Vertical	181	2.28	-	37.81
PK	5.462G	57.64	68.20	-10.56	8.45	3	Vertical	181	2.28	-	49.19
PK	5.7248G	125.41	Inf	-Inf	8.78	3	Vertical	181	2.28	-	116.63
AV	5.7272G	114.05	Inf	-Inf	8.80	3	Vertical	181	2.28	-	105.25
PK	5.8676G	65.80	68.20	-2.40	8.91	3	Vertical	181	2.28	-	56.89

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 120
 02-G-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	57.98	74.00	-16.02	8.44	3	Horizontal	317	2.49	-	49.54
AV	5.432G	45.74	54.00	-8.26	8.40	3	Horizontal	317	2.49	-	37.34
PK	5.468G	57.96	68.20	-10.24	8.46	3	Horizontal	317	2.49	-	49.50
PK	5.7164G	119.58	Inf	-Inf	8.77	3	Horizontal	317	2.49	-	110.81
AV	5.7116G	107.90	Inf	-Inf	8.78	3	Horizontal	317	2.49	-	99.12
PK	5.852G	60.25	68.20	-7.95	8.90	3	Horizontal	317	2.49	-	51.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4508G	54.48	74.00	-19.52	14.84	3	Vertical	343	1.69	-	39.64
AV	11.43496G	41.31	54.00	-12.69	14.82	3	Vertical	343	1.69	-	26.49
PK	17.16252G	62.83	68.20	-5.37	20.27	3	Vertical	257	1.11	-	42.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4262G	53.82	74.00	-20.18	14.81	3	Horizontal	162	2.45	-	39.01
AV	11.42902G	40.32	54.00	-13.68	14.81	3	Horizontal	162	2.45	-	25.51
PK	17.16114G	61.32	68.20	-6.88	20.26	3	Horizontal	165	2.84	-	41.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	60.89	74.00	-13.11	7.94	3	Vertical	254	2.13	-	52.95
AV	5.144G	47.95	54.00	-6.05	7.94	3	Vertical	254	2.13	-	40.01
PK	5.276G	120.27	Inf	-Inf	8.17	3	Vertical	254	2.13	-	112.10
AV	5.2772G	108.36	Inf	-Inf	8.17	3	Vertical	254	2.13	-	100.19
PK	5.3546G	70.03	74.00	-3.97	8.28	3	Vertical	254	2.13	-	61.75
AV	5.3504G	53.46	54.00	-0.54	8.28	3	Vertical	254	2.13	-	45.18

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	58.26	74.00	-15.74	7.94	3	Horizontal	317	2.63	-	50.32
AV	5.1488G	45.82	54.00	-8.18	7.94	3	Horizontal	317	2.63	-	37.88
PK	5.2586G	113.33	Inf	-Inf	8.15	3	Horizontal	317	2.63	-	105.18
AV	5.264G	101.33	Inf	-Inf	8.16	3	Horizontal	317	2.63	-	93.17
PK	5.35G	65.22	74.00	-8.78	8.28	3	Horizontal	317	2.63	-	56.94
AV	5.3528G	47.52	54.00	-6.48	8.28	3	Horizontal	317	2.63	-	39.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5270MHz_TX




EUT Z_4TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.79644G	54.05	74.00	-19.95	15.39	3	Vertical	249	2.09	-	38.66
AV	15.7959G	40.52	54.00	-13.48	15.39	3	Vertical	249	2.09	-	25.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5270MHz_TX




EUT Z_4TX
 Setting 86
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8001G	53.55	74.00	-20.45	15.38	3	Horizontal	57	2.36	-	38.17
AV	15.79938G	40.35	54.00	-13.65	15.38	3	Horizontal	57	2.36	-	24.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5310MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2986G	114.93	Inf	-Inf	8.21	3	Vertical	252	2.10	-	106.72
AV	5.2962G	101.72	Inf	-Inf	8.21	3	Vertical	252	2.10	-	93.51
PK	5.3532G	69.74	74.00	-4.26	8.28	3	Vertical	252	2.10	-	61.46
AV	5.35G	53.26	54.00	-0.74	8.28	3	Vertical	252	2.10	-	44.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5310MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3226G	108.36	Inf	-Inf	8.23	3	Horizontal	315	2.33	-	100.13
AV	5.3238G	96.49	Inf	-Inf	8.24	3	Horizontal	315	2.33	-	88.25
PK	5.3508G	65.99	74.00	-8.01	8.28	3	Horizontal	315	2.33	-	57.71
AV	5.35G	49.43	54.00	-4.57	8.28	3	Horizontal	315	2.33	-	41.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5310MHz_TX




EUT Z_4TX
 Setting 62
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93948G	53.74	74.00	-20.26	15.02	3	Vertical	292	2.85	-	38.72
AV	15.9198G	40.05	54.00	-13.95	15.06	3	Vertical	292	2.85	-	24.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5310MHz_TX




EUT Z_4TX
 Setting 62
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93354G	53.20	74.00	-20.80	15.03	3	Horizontal	338	1.20	-	38.17
AV	15.92958G	40.09	54.00	-13.91	15.04	3	Horizontal	338	1.20	-	25.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	62.84	74.00	-11.16	8.45	3	Vertical	260	2.19	-	54.39
AV	5.458G	47.63	54.00	-6.37	8.45	3	Vertical	260	2.19	-	39.18
PK	5.4696G	67.63	68.20	-0.57	8.46	3	Vertical	260	2.19	-	59.17
PK	5.4988G	114.94	Inf	-Inf	8.52	3	Vertical	260	2.19	-	106.42
AV	5.5068G	102.04	Inf	-Inf	8.52	3	Vertical	260	2.19	-	93.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	58.25	74.00	-15.75	8.44	3	Horizontal	175	2.33	-	49.81
AV	5.4288G	45.88	54.00	-8.12	8.40	3	Horizontal	175	2.33	-	37.48
PK	5.4624G	59.92	68.20	-8.28	8.45	3	Horizontal	175	2.33	-	51.47
PK	5.4912G	105.73	Inf	-Inf	8.51	3	Horizontal	175	2.33	-	97.22
AV	5.4916G	93.49	Inf	-Inf	8.51	3	Horizontal	175	2.33	-	84.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5510MHz_TX




EUT Z_4TX
Setting 58
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0287G	53.42	74.00	-20.58	14.30	3	Vertical	305	2.89	-	39.12
AV	11.02498G	39.87	54.00	-14.13	14.29	3	Vertical	305	2.89	-	25.58
PK	16.5252G	56.26	68.20	-11.94	17.20	3	Vertical	205	2.83	-	39.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5510MHz_TX




EUT Z_4TX
 Setting 58
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03092G	53.34	74.00	-20.66	14.30	3	Horizontal	359	2.18	-	39.04
AV	11.02504G	39.59	54.00	-14.41	14.29	3	Horizontal	359	2.18	-	25.30
PK	16.53384G	55.71	68.20	-12.49	17.24	3	Horizontal	50	1.72	-	38.47

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 88
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	65.41	74.00	-8.59	8.45	3	Vertical	206	2.30	-	56.96
AV	5.46G	51.64	54.00	-2.36	8.45	3	Vertical	206	2.30	-	43.19
PK	5.4678G	67.46	68.20	-0.74	8.46	3	Vertical	206	2.30	-	59.00
PK	5.5578G	118.90	Inf	-Inf	8.55	3	Vertical	206	2.30	-	110.35
AV	5.5584G	107.02	Inf	-Inf	8.56	3	Vertical	206	2.30	-	98.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 88
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.451G	62.13	74.00	-11.87	8.44	3	Horizontal	166	2.49	-	53.69
PK	5.4642G	62.25	68.20	-5.95	8.45	3	Horizontal	166	2.49	-	53.80
AV	5.46G	47.38	54.00	-6.62	8.45	3	Horizontal	166	2.49	-	38.93
PK	5.5392G	110.70	Inf	-Inf	8.54	3	Horizontal	166	2.49	-	102.16
AV	5.5422G	98.10	Inf	-Inf	8.55	3	Horizontal	166	2.49	-	89.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5550MHz_TX




EUT Z_4TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10792G	52.67	74.00	-21.33	14.41	3	Vertical	341	2.01	-	38.26
AV	11.09406G	39.73	54.00	-14.27	14.39	3	Vertical	341	2.01	-	25.34
PK	16.6479G	58.50	68.20	-9.70	17.74	3	Vertical	248	2.32	-	40.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5550MHz_TX



EUT Z_4TX
 Setting 88
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09052G	52.93	74.00	-21.07	14.38	3	Horizontal	139	2.69	-	38.55
AV	11.09922G	39.53	54.00	-14.47	14.39	3	Horizontal	139	2.69	-	25.14
PK	16.64484G	56.36	68.20	-11.84	17.73	3	Horizontal	50	2.10	-	38.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 70
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6688G	111.70	Inf	-Inf	8.70	3	Vertical	339	2.23	-	103.00
AV	5.6684G	99.16	Inf	-Inf	8.70	3	Vertical	339	2.23	-	90.46
PK	5.7252G	67.51	68.20	-0.69	8.79	3	Vertical	339	2.23	-	58.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5670MHz_TX



EUT_Z_4TX
Setting 70
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6644G	110.37	Inf	-Inf	8.69	3	Horizontal	322	2.35	-	101.68
AV	5.664G	98.53	Inf	-Inf	8.69	3	Horizontal	322	2.35	-	89.84
PK	5.7256G	66.78	68.20	-1.42	8.79	3	Horizontal	322	2.35	-	57.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5670MHz_TX




EUT Z_4TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33082G	52.35	74.00	-21.65	14.69	3	Vertical	203	2.26	-	37.66
AV	11.3493G	39.36	54.00	-14.64	14.72	3	Vertical	203	2.26	-	24.64
PK	16.9965G	57.83	68.20	-10.37	19.30	3	Vertical	83	1.04	-	38.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5670MHz_TX




EUT Z_4TX
 Setting 70
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.32824G	52.75	74.00	-21.25	14.68	3	Horizontal	336	2.85	-	38.07
AV	11.34624G	39.27	54.00	-14.73	14.71	3	Horizontal	336	2.85	-	24.56
PK	17.00688G	57.78	68.20	-10.42	19.35	3	Horizontal	63	2.71	-	38.43

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4124G	58.80	74.00	-15.20	8.36	3	Vertical	177	2.52	-	50.44
AV	5.4172G	46.24	54.00	-7.76	8.37	3	Vertical	177	2.52	-	37.87
PK	5.4664G	57.48	68.20	-10.72	8.46	3	Vertical	177	2.52	-	49.02
PK	5.6944G	121.25	Inf	-Inf	8.74	3	Vertical	177	2.52	-	112.51
AV	5.692G	109.79	Inf	-Inf	8.74	3	Vertical	177	2.52	-	101.05
PK	5.85G	67.68	68.20	-0.52	8.90	3	Vertical	177	2.52	-	58.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 93
 02-G-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.44G	58.21	74.00	-15.79	8.41	3	Horizontal	334	2.74	-	49.80
AV	5.4256G	45.90	54.00	-8.10	8.39	3	Horizontal	334	2.74	-	37.51
PK	5.46G	56.58	68.20	-11.62	8.45	3	Horizontal	334	2.74	-	48.13
PK	5.704G	115.05	Inf	-Inf	8.76	3	Horizontal	334	2.74	-	106.29
AV	5.7088G	103.52	Inf	-Inf	8.77	3	Horizontal	334	2.74	-	94.75
PK	5.8528G	61.82	68.20	-6.38	8.90	3	Horizontal	334	2.74	-	52.92

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42882G	53.96	74.00	-20.04	14.81	3	Vertical	269	1.47	-	39.15
AV	11.42672G	40.33	54.00	-13.67	14.81	3	Vertical	269	1.47	-	25.52
PK	17.12394G	59.75	68.20	-8.45	20.05	3	Vertical	303	1.48	-	39.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40674G	54.01	74.00	-19.99	14.79	3	Horizontal	312	2.29	-	39.22
AV	11.41868G	40.79	54.00	-13.21	14.79	3	Horizontal	312	2.29	-	26.00
PK	17.1441G	58.95	68.20	-9.25	20.16	3	Horizontal	122	1.33	-	38.79

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	60.03	74.00	-13.97	7.94	3	Vertical	249	2.20	-	52.09
AV	5.1476G	47.29	54.00	-6.71	7.94	3	Vertical	249	2.20	-	39.35
PK	5.2732G	112.46	Inf	-Inf	8.17	3	Vertical	249	2.20	-	104.29
AV	5.2788G	98.61	Inf	-Inf	8.17	3	Vertical	249	2.20	-	90.44
PK	5.35G	66.11	74.00	-7.89	8.28	3	Vertical	249	2.20	-	57.83
AV	5.35G	53.27	54.00	-0.73	8.28	3	Vertical	249	2.20	-	44.99
PK	5.4772G	58.48	68.20	-9.72	8.48	3	Vertical	249	2.20	-	50.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0948G	57.82	74.00	-16.18	7.82	3	Horizontal	314	2.25	-	50.00
AV	5.1412G	45.47	54.00	-8.53	7.94	3	Horizontal	314	2.25	-	37.53
PK	5.2732G	106.14	Inf	-Inf	8.17	3	Horizontal	314	2.25	-	97.97
AV	5.2788G	93.24	Inf	-Inf	8.17	3	Horizontal	314	2.25	-	85.07
PK	5.3532G	61.12	74.00	-12.88	8.28	3	Horizontal	314	2.25	-	52.84
AV	5.3516G	47.79	54.00	-6.21	8.28	3	Horizontal	314	2.25	-	39.51
PK	5.4804G	58.40	68.20	-9.80	8.48	3	Horizontal	314	2.25	-	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5290MHz_TX




EUT Z_4TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86408G	54.82	74.00	-19.18	15.22	3	Vertical	267	2.86	-	39.60
AV	15.83752G	40.93	54.00	-13.07	15.29	3	Vertical	267	2.86	-	25.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5290MHz_TX




EUT Z_4TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8804G	54.40	74.00	-19.60	15.18	3	Horizontal	89	2.02	-	39.22
AV	15.8508G	40.74	54.00	-13.26	15.25	3	Horizontal	89	2.02	-	25.49

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.33G	58.23	68.20	-9.97	8.25	3	Vertical	66	2.40	-	49.98
PK	5.459G	65.64	74.00	-8.36	8.45	3	Vertical	66	2.40	-	57.19
AV	5.46G	49.58	54.00	-4.42	8.45	3	Vertical	66	2.40	-	41.13
PK	5.47G	67.63	68.20	-0.57	8.46	3	Vertical	66	2.40	-	59.17
PK	5.512G	110.51	Inf	-Inf	8.53	3	Vertical	66	2.40	-	101.98
AV	5.515G	97.99	Inf	-Inf	8.53	3	Vertical	66	2.40	-	89.46
PK	5.748G	58.62	68.20	-9.58	8.82	3	Vertical	66	2.40	-	49.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.292G	57.75	68.20	-10.45	8.20	3	Horizontal	10	2.30	-	49.55
PK	5.454G	62.90	74.00	-11.10	8.44	3	Horizontal	10	2.30	-	54.46
AV	5.458G	46.95	54.00	-7.05	8.45	3	Horizontal	10	2.30	-	38.50
PK	5.469G	62.88	68.20	-5.32	8.46	3	Horizontal	10	2.30	-	54.42
PK	5.539G	104.62	Inf	-Inf	8.54	3	Horizontal	10	2.30	-	96.08
AV	5.54G	92.01	Inf	-Inf	8.54	3	Horizontal	10	2.30	-	83.47
PK	5.754G	58.43	68.20	-9.77	8.83	3	Horizontal	10	2.30	-	49.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5530MHz_TX




EUT Z_4TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0576G	53.29	74.00	-20.71	14.34	3	Vertical	22	1.80	-	38.95
AV	11.0248G	39.95	54.00	-14.05	14.29	3	Vertical	22	1.80	-	25.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5530MHz_TX




EUT Z_4TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.044G	53.82	74.00	-20.18	14.32	3	Horizontal	110	1.68	-	39.50
AV	11.02336G	39.91	54.00	-14.09	14.29	3	Horizontal	110	1.68	-	25.62

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	61.81	74.00	-12.19	8.44	3	Vertical	273	2.65	-	53.37
AV	5.4596G	48.27	54.00	-5.73	8.45	3	Vertical	273	2.65	-	39.82
PK	5.47G	62.22	68.20	-5.98	8.46	3	Vertical	273	2.65	-	53.76
PK	5.6396G	114.94	Inf	-Inf	8.65	3	Vertical	273	2.65	-	106.29
AV	5.5972G	102.22	Inf	-Inf	8.58	3	Vertical	273	2.65	-	93.64
PK	5.7404G	67.68	68.20	-0.52	8.80	3	Vertical	273	2.65	-	58.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	58.66	74.00	-15.34	8.44	3	Horizontal	172	2.58	-	50.22
AV	5.458G	46.17	54.00	-7.83	8.45	3	Horizontal	172	2.58	-	37.72
PK	5.47G	58.45	68.20	-9.75	8.46	3	Horizontal	172	2.58	-	49.99
PK	5.5788G	110.23	Inf	-Inf	8.57	3	Horizontal	172	2.58	-	101.66
AV	5.6124G	96.40	Inf	-Inf	8.61	3	Horizontal	172	2.58	-	87.79
PK	5.7252G	60.67	68.20	-7.53	8.79	3	Horizontal	172	2.58	-	51.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5610MHz_TX




EUT Z_4TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.20864G	53.42	74.00	-20.58	14.53	3	Vertical	180	1.12	-	38.89
AV	11.23696G	39.57	54.00	-14.43	14.57	3	Vertical	180	1.12	-	25.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5610MHz_TX




EUT Z_4TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2456G	53.14	74.00	-20.86	14.58	3	Horizontal	238	1.05	-	38.56
AV	11.24192G	39.62	54.00	-14.38	14.57	3	Horizontal	238	1.05	-	25.05

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 78
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6884G	117.19	Inf	-Inf	8.72	3	Vertical	183	2.51	-	108.47
AV	5.6924G	103.57	Inf	-Inf	8.74	3	Vertical	183	2.51	-	94.83
PK	5.8516G	67.45	68.20	-0.75	8.90	3	Vertical	183	2.51	-	58.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 78
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6596G	109.51	Inf	-Inf	8.68	3	Horizontal	6	2.21	-	100.83
AV	5.6588G	96.25	Inf	-Inf	8.68	3	Horizontal	6	2.21	-	87.57
PK	5.8524G	61.46	68.20	-6.74	8.90	3	Horizontal	6	2.21	-	52.56

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 78
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37136G	54.08	74.00	-19.92	14.75	3	Vertical	36	1.09	-	39.33
AV	11.41936G	40.45	54.00	-13.55	14.80	3	Vertical	36	1.09	-	25.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 78
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40448G	54.49	74.00	-19.51	14.77	3	Horizontal	307	1.19	-	39.72
AV	11.4152G	40.38	54.00	-13.62	14.79	3	Horizontal	307	1.19	-	25.59

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	67.31	74.00	-6.69	7.94	3	Vertical	265	2.49	-	59.37
AV	5.1444G	51.68	54.00	-2.32	7.94	3	Vertical	265	2.49	-	43.74
PK	5.2532G	106.92	Inf	-Inf	8.14	3	Vertical	265	2.49	-	98.78
AV	5.2388G	94.73	Inf	-Inf	8.12	3	Vertical	265	2.49	-	86.61
PK	5.3572G	69.72	74.00	-4.28	8.28	3	Vertical	265	2.49	-	61.44
AV	5.3684G	53.46	54.00	-0.54	8.30	3	Vertical	265	2.49	-	45.16
PK	5.4692G	58.99	68.20	-9.21	8.46	3	Vertical	265	2.49	-	50.53

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1348G	60.38	74.00	-13.62	7.92	3	Horizontal	321	2.77	-	52.46
AV	5.1396G	47.51	54.00	-6.49	7.93	3	Horizontal	321	2.77	-	39.58
PK	5.2308G	101.42	Inf	-Inf	8.11	3	Horizontal	321	2.77	-	93.31
AV	5.2292G	89.62	Inf	-Inf	8.11	3	Horizontal	321	2.77	-	81.51
PK	5.378G	64.56	74.00	-9.44	8.32	3	Horizontal	321	2.77	-	56.24
AV	5.362G	48.10	54.00	-5.90	8.29	3	Horizontal	321	2.77	-	39.81
PK	5.5876G	58.39	68.20	-9.81	8.57	3	Horizontal	321	2.77	-	49.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5250MHz_TX




EUT Z_4TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7132G	55.59	74.00	-18.41	15.62	3	Vertical	160	2.31	-	39.97
AV	15.75288G	41.92	54.00	-12.08	15.51	3	Vertical	160	2.31	-	26.41

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5250MHz_TX




EUT Z_4TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72424G	55.35	74.00	-18.65	15.59	3	Horizontal	68	2.07	-	39.76
AV	15.74472G	41.85	54.00	-12.15	15.54	3	Horizontal	68	2.07	-	26.31

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2724G	58.94	68.20	-9.26	8.17	3	Vertical	257	2.55	-	50.77
PK	5.4532G	67.22	74.00	-6.78	8.44	3	Vertical	257	2.55	-	58.78
AV	5.4564G	53.23	54.00	-0.77	8.44	3	Vertical	257	2.55	-	44.79
PK	5.4612G	65.15	68.20	-3.05	8.45	3	Vertical	257	2.55	-	56.70
AV	5.4948G	95.38	Inf	-Inf	8.51	3	Vertical	257	2.55	-	86.87
PK	5.5844G	105.83	Inf	-Inf	8.57	3	Vertical	257	2.55	-	97.26
PK	5.7348G	64.01	68.20	-4.19	8.81	3	Vertical	257	2.55	-	55.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2996G	58.17	68.20	-10.03	8.21	3	Horizontal	7	2.23	-	49.96
PK	5.45G	63.09	74.00	-10.91	8.44	3	Horizontal	7	2.23	-	54.65
AV	5.4404G	46.22	54.00	-7.78	8.41	3	Horizontal	7	2.23	-	37.81
PK	5.466G	60.64	68.20	-7.56	8.46	3	Horizontal	7	2.23	-	52.18
PK	5.5652G	99.26	Inf	-Inf	8.56	3	Horizontal	7	2.23	-	90.70
AV	5.5588G	87.46	Inf	-Inf	8.56	3	Horizontal	7	2.23	-	78.90
PK	5.7316G	60.47	68.20	-7.73	8.80	3	Horizontal	7	2.23	-	51.67

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5570MHz_TX




EUT Z_4TX
Setting 58
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.17568G	53.11	74.00	-20.89	14.48	3	Vertical	200	1.58	-	38.63
AV	11.10272G	39.95	54.00	-14.05	14.39	3	Vertical	200	1.58	-	25.56

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5570MHz_TX



EUT Z_4TX
Setting 58
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15536G	52.77	74.00	-21.23	14.45	3	Horizontal	107	1.00	-	38.32
AV	11.1792G	39.97	54.00	-14.03	14.48	3	Horizontal	107	1.00	-	25.49




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.351G	53.48	54.00	-0.52	8.28	3	Vertical	347	2.40	-

802.11ax HEW20_Nss4,(MCS0)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 110
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	64.39	74.00	-9.61	7.94	3	Vertical	338	2.49	-	56.45
AV	5.1496G	51.90	54.00	-2.10	7.94	3	Vertical	338	2.49	-	43.96
PK	5.2588G	124.65	Inf	-Inf	8.15	3	Vertical	338	2.49	-	116.50
AV	5.2558G	111.19	Inf	-Inf	8.15	3	Vertical	338	2.49	-	103.04
PK	5.35G	65.85	74.00	-8.15	8.28	3	Vertical	338	2.49	-	57.57
AV	5.35G	52.46	54.00	-1.54	8.28	3	Vertical	338	2.49	-	44.18

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 110
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	59.84	74.00	-14.16	7.94	3	Horizontal	77	2.90	-	51.90
AV	5.1442G	47.02	54.00	-6.98	7.94	3	Horizontal	77	2.90	-	39.08
PK	5.2588G	116.45	Inf	-Inf	8.15	3	Horizontal	77	2.90	-	108.30
AV	5.2594G	104.23	Inf	-Inf	8.15	3	Horizontal	77	2.90	-	96.08
PK	5.3506G	62.03	74.00	-11.97	8.28	3	Horizontal	77	2.90	-	53.75
AV	5.3506G	49.49	54.00	-4.51	8.28	3	Horizontal	77	2.90	-	41.21

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 110
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52132G	61.57	68.20	-6.63	14.57	3	Vertical	98	2.20	-	47.00
PK	15.7793G	66.83	74.00	-7.17	15.44	3	Vertical	30	1.94	-	51.39
AV	15.7775G	53.45	54.00	-0.55	15.45	3	Vertical	30	1.94	-	38.00

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 110
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5214G	56.27	68.20	-11.93	14.57	3	Horizontal	90	2.01	-	41.70
PK	15.771G	62.88	74.00	-11.12	15.45	3	Horizontal	313	1.97	-	47.43
AV	15.7771G	50.01	54.00	-3.99	15.45	3	Horizontal	313	1.97	-	34.56

802.11ax HEW20_Nss4,(MCS0)_4TX

21/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2988G	120.32	Inf	-Inf	8.21	3	Vertical	350	2.61	-	112.11
AV	5.296G	108.13	Inf	-Inf	8.21	3	Vertical	350	2.61	-	99.92
PK	5.3544G	68.01	74.00	-5.99	8.28	3	Vertical	350	2.61	-	59.73
AV	5.35G	53.44	54.00	-0.56	8.28	3	Vertical	350	2.61	-	45.16

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3056G	113.16	Inf	-Inf	8.22	3	Horizontal	178	2.41	-	104.94
AV	5.298G	100.65	Inf	-Inf	8.21	3	Horizontal	178	2.41	-	92.44
PK	5.35G	61.55	74.00	-12.45	8.28	3	Horizontal	178	2.41	-	53.27
AV	5.3504G	48.71	54.00	-5.29	8.28	3	Horizontal	178	2.41	-	40.43

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 93
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59988G	56.91	68.20	-11.29	14.51	3	Vertical	59	2.08	-	42.40
PK	15.8978G	60.23	74.00	-13.77	15.14	3	Vertical	359	1.86	-	45.09
AV	15.89516G	46.80	54.00	-7.20	15.14	3	Vertical	359	1.86	-	31.66

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5300MHz_TX



EUT_Z_4TX
Setting 93
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59612G	54.36	68.20	-13.84	14.51	3	Horizontal	29	1.97	-	39.85
PK	15.89496G	57.32	74.00	-16.68	15.14	3	Horizontal	229	1.89	-	42.18
AV	15.89828G	43.95	54.00	-10.05	15.13	3	Horizontal	229	1.89	-	28.82



802.11ax HEW20_Nss4,(MCS0)_4TX

21/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3186G	117.62	Inf	-Inf	8.23	3	Vertical	349	2.46	-	109.39
AV	5.3158G	103.92	Inf	-Inf	8.23	3	Vertical	349	2.46	-	95.69
PK	5.3506G	69.11	74.00	-4.89	8.28	3	Vertical	349	2.46	-	60.83
AV	5.3506G	53.43	54.00	-0.57	8.28	3	Vertical	349	2.46	-	45.15

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3254G	109.58	Inf	-Inf	8.25	3	Horizontal	173	2.24	-	101.33
AV	5.3182G	96.69	Inf	-Inf	8.23	3	Horizontal	173	2.24	-	88.46
PK	5.35G	61.72	74.00	-12.28	8.28	3	Horizontal	173	2.24	-	53.44
AV	5.3504G	48.71	54.00	-5.29	8.28	3	Horizontal	173	2.24	-	40.43

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6396G	53.61	74.00	-20.39	14.49	3	Vertical	66	2.05	-	39.12
AV	10.63512G	40.85	54.00	-13.15	14.49	3	Vertical	66	2.05	-	26.36
PK	15.95068G	54.66	74.00	-19.34	14.98	3	Vertical	347	1.84	-	39.68
AV	15.96072G	41.82	54.00	-12.18	14.96	3	Vertical	347	1.84	-	26.86

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5320MHz_TX



EUT_Z_4TX
Setting 75
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63532G	53.33	74.00	-20.67	14.49	3	Horizontal	86	1.82	-	38.84
AV	10.63096G	40.71	54.00	-13.29	14.49	3	Horizontal	86	1.82	-	26.22
PK	15.95144G	54.52	74.00	-19.48	14.98	3	Horizontal	323	2.02	-	39.54
AV	15.95748G	41.85	54.00	-12.15	14.97	3	Horizontal	323	2.02	-	26.88



802.11ax HEW20_Nss4,(MCS0)_4TX

21/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	59.83	74.00	-14.17	8.44	3	Vertical	162	2.65	-	51.39
AV	5.4596G	47.91	54.00	-6.09	8.45	3	Vertical	162	2.65	-	39.46
PK	5.4684G	67.56	68.20	-0.64	8.46	3	Vertical	162	2.65	-	59.10
PK	5.5064G	116.35	Inf	-Inf	8.52	3	Vertical	162	2.65	-	107.83
AV	5.504G	103.78	Inf	-Inf	8.52	3	Vertical	162	2.65	-	95.26

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5500MHz_TX



EUT_Z_4TX
Setting 75
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4356G	59.10	74.00	-14.90	8.41	3	Horizontal	171	2.55	-	50.69
AV	5.45G	46.73	54.00	-7.27	8.44	3	Horizontal	171	2.55	-	38.29
PK	5.468G	63.53	68.20	-4.67	8.46	3	Horizontal	171	2.55	-	55.07
PK	5.4956G	109.68	Inf	-Inf	8.51	3	Horizontal	171	2.55	-	101.17
AV	5.4984G	98.26	Inf	-Inf	8.52	3	Horizontal	171	2.55	-	89.74



802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.9924G	53.95	74.00	-20.05	14.27	3	Vertical	85	1.99	-	39.68
AV	10.993G	40.97	54.00	-13.03	14.26	3	Vertical	85	1.99	-	26.71

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99208G	54.16	74.00	-19.84	14.27	3	Horizontal	112	1.93	-	39.89
AV	11.00304G	40.89	54.00	-13.11	14.26	3	Horizontal	112	1.93	-	26.63

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 114
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4416G	66.89	74.00	-7.11	8.41	3	Vertical	170	2.57	-	58.48
AV	5.4592G	53.25	54.00	-0.75	8.45	3	Vertical	170	2.57	-	44.80
PK	5.4616G	67.61	68.20	-0.59	8.45	3	Vertical	170	2.57	-	59.16
PK	5.5816G	122.92	Inf	-Inf	8.57	3	Vertical	170	2.57	-	114.35
AV	5.584G	110.82	Inf	-Inf	8.57	3	Vertical	170	2.57	-	102.25
PK	5.7352G	64.83	68.20	-3.37	8.81	3	Vertical	170	2.57	-	56.02

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 114
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	61.67	74.00	-12.33	8.44	3	Horizontal	185	2.47	-	53.23
AV	5.4592G	48.96	54.00	-5.04	8.45	3	Horizontal	185	2.47	-	40.51
PK	5.4688G	63.44	68.20	-4.76	8.46	3	Horizontal	185	2.47	-	54.98
PK	5.5848G	116.64	Inf	-Inf	8.57	3	Horizontal	185	2.47	-	108.07
AV	5.5776G	105.61	Inf	-Inf	8.57	3	Horizontal	185	2.47	-	97.04
PK	5.7256G	61.11	68.20	-7.09	8.79	3	Horizontal	185	2.47	-	52.32

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5580MHz_TX



EUT_Z_4TX
Setting 114
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16284G	61.88	74.00	-12.12	14.47	3	Vertical	101	1.98	-	47.41
AV	11.15844G	48.86	54.00	-5.14	14.46	3	Vertical	101	1.98	-	34.40
PK	16.7305G	67.56	68.20	-0.64	18.11	3	Vertical	148	1.91	-	49.45



802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 114
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16304G	56.16	74.00	-17.84	14.47	3	Horizontal	191	2.03	-	41.69
AV	11.15836G	43.14	54.00	-10.86	14.46	3	Horizontal	191	2.03	-	28.68
PK	16.73044G	65.73	68.20	-2.47	18.11	3	Horizontal	232	1.97	-	47.62

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5700MHz_TX




EUT_Z_4TX
 Setting 60
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.696G	114.58	Inf	-Inf	8.74	3	Vertical	91	2.64	-	105.84
AV	5.6958G	103.05	Inf	-Inf	8.74	3	Vertical	91	2.64	-	94.31
PK	5.7252G	67.65	68.20	-0.55	8.79	3	Vertical	91	2.64	-	58.86

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 60
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7056G	110.14	Inf	-Inf	8.76	3	Horizontal	178	2.34	-	101.38
AV	5.6984G	96.92	Inf	-Inf	8.75	3	Horizontal	178	2.34	-	88.17
PK	5.7282G	61.92	68.20	-6.28	8.80	3	Horizontal	178	2.34	-	53.12

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40796G	54.22	74.00	-19.78	14.79	3	Vertical	18	1.96	-	39.43
AV	11.40748G	41.15	54.00	-12.85	14.79	3	Vertical	18	1.96	-	26.36

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39472G	53.71	74.00	-20.29	14.77	3	Horizontal	344	2.01	-	38.94
AV	11.40344G	41.07	54.00	-12.93	14.77	3	Horizontal	344	2.01	-	26.30

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.716G	124.32	Inf	-Inf	8.77	3	Vertical	184	2.48	-	115.55
AV	5.7176G	112.58	Inf	-Inf	8.77	3	Vertical	184	2.48	-	103.81
PK	5.8504G	67.11	68.20	-1.09	8.90	3	Vertical	184	2.48	-	58.21

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7264G	118.89	Inf	-Inf	8.79	3	Horizontal	179	2.48	-	110.10
AV	5.7184G	106.09	Inf	-Inf	8.77	3	Horizontal	179	2.48	-	97.32
PK	5.8504G	62.96	68.20	-5.24	8.90	3	Horizontal	179	2.48	-	54.06

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44144G	60.86	74.00	-13.14	14.82	3	Vertical	320	2.02	-	46.04
AV	11.44008G	47.88	54.00	-6.12	14.82	3	Vertical	320	2.02	-	33.06
PK	17.15048G	65.33	68.20	-2.87	20.20	3	Vertical	199	1.91	-	45.13

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 114
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44236G	54.21	74.00	-19.79	14.82	3	Horizontal	17	1.91	-	39.39
AV	11.4314G	41.56	54.00	-12.44	14.82	3	Horizontal	17	1.91	-	26.74
PK	17.15056G	64.66	68.20	-3.54	20.20	3	Horizontal	14	1.93	-	44.46



802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	62.77	74.00	-11.23	7.94	3	Vertical	347	2.40	-	54.83
AV	5.1428G	50.44	54.00	-3.56	7.94	3	Vertical	347	2.40	-	42.50
PK	5.2664G	116.84	Inf	-Inf	8.16	3	Vertical	347	2.40	-	108.68
AV	5.2694G	105.68	Inf	-Inf	8.16	3	Vertical	347	2.40	-	97.52
PK	5.3501G	68.57	74.00	-5.43	8.28	3	Vertical	347	2.40	-	60.29
AV	5.351G	53.48	54.00	-0.52	8.28	3	Vertical	347	2.40	-	45.20

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1284G	58.54	74.00	-15.46	7.91	3	Horizontal	3	2.63	-	50.63
AV	5.1446G	48.14	54.00	-5.86	7.94	3	Horizontal	3	2.63	-	40.20
PK	5.2586G	109.77	Inf	-Inf	8.15	3	Horizontal	3	2.63	-	101.62
AV	5.2676G	99.01	Inf	-Inf	8.16	3	Horizontal	3	2.63	-	90.85
PK	5.357G	60.85	74.00	-13.15	8.28	3	Horizontal	3	2.63	-	52.57
AV	5.35G	49.10	54.00	-4.90	8.28	3	Horizontal	3	2.63	-	40.82

802.11ax HEW40_Nss4,(MCS0)_4TX

06/11/2019

5270MHz_TX



EUT_Z_4TX
Setting 85
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80432G	54.77	74.00	-19.23	15.38	3	Vertical	118	2.15	-	39.39
AV	15.8048G	43.84	54.00	-10.16	15.38	3	Vertical	118	2.15	-	28.46



802.11ax HEW40_Nss4,(MCS0)_4TX

06/11/2019

5270MHz_TX




EUT_Z_4TX
 Setting 85
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80696G	55.53	74.00	-18.47	15.37	3	Horizontal	305	1.95	-	40.16
AV	15.80268G	43.91	54.00	-10.09	15.37	3	Horizontal	305	1.95	-	28.54

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5310MHz_TX




EUT_Z_4TX
Setting 63
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3064G	110.08	Inf	-Inf	8.22	3	Vertical	351	2.48	-	101.86
AV	5.2948G	99.68	Inf	-Inf	8.20	3	Vertical	351	2.48	-	91.48
PK	5.3504G	71.71	74.00	-2.29	8.28	3	Vertical	351	2.48	-	63.43
AV	5.3532G	53.46	54.00	-0.54	8.28	3	Vertical	351	2.48	-	45.18

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5310MHz_TX



EUT_Z_4TX
Setting 63
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3156G	103.45	Inf	-Inf	8.23	3	Horizontal	5	2.62	-	95.22
AV	5.318G	92.67	Inf	-Inf	8.23	3	Horizontal	5	2.62	-	84.44
PK	5.356G	66.04	74.00	-7.96	8.28	3	Horizontal	5	2.62	-	57.76
AV	5.35G	49.25	54.00	-4.75	8.28	3	Horizontal	5	2.62	-	40.97



802.11ax HEW40_Nss4,(MCS0)_4TX

06/11/2019

5310MHz_TX



EUT_Z_4TX
Setting 63
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.92276G	54.12	74.00	-19.88	15.05	3	Vertical	18	2.06	-	39.07
AV	15.93064G	43.13	54.00	-10.87	15.04	3	Vertical	18	2.06	-	28.09



802.11ax HEW40_Nss4,(MCS0)_4TX

06/11/2019

5310MHz_TX




EUT_Z_4TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.92584G	54.25	74.00	-19.75	15.06	3	Horizontal	53	1.88	-	39.19
AV	15.93036G	43.35	54.00	-10.65	15.04	3	Horizontal	53	1.88	-	28.31

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 59
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	65.17	74.00	-8.83	8.44	3	Vertical	170	2.56	-	56.73
AV	5.4584G	48.91	54.00	-5.09	8.45	3	Vertical	170	2.56	-	40.46
PK	5.464G	67.60	68.20	-0.60	8.45	3	Vertical	170	2.56	-	59.15
PK	5.5168G	109.99	Inf	-Inf	8.53	3	Vertical	170	2.56	-	101.46
AV	5.4988G	98.22	Inf	-Inf	8.52	3	Vertical	170	2.56	-	89.70

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 59
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	60.58	74.00	-13.42	8.44	3	Horizontal	183	2.40	-	52.14
AV	5.4472G	47.82	54.00	-6.18	8.42	3	Horizontal	183	2.40	-	39.40
PK	5.47G	63.90	68.20	-4.30	8.46	3	Horizontal	183	2.40	-	55.44
PK	5.5144G	103.06	Inf	-Inf	8.53	3	Horizontal	183	2.40	-	94.53
AV	5.5128G	93.02	Inf	-Inf	8.53	3	Horizontal	183	2.40	-	84.49

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 59
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01376G	53.30	74.00	-20.70	14.28	3	Vertical	313	1.95	-	39.02
AV	11.01852G	43.02	54.00	-10.98	14.28	3	Vertical	313	1.95	-	28.74

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 59
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01644G	54.00	74.00	-20.00	14.28	3	Horizontal	350	2.05	-	39.72
AV	11.01356G	42.79	54.00	-11.21	14.28	3	Horizontal	350	2.05	-	28.51

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	68.50	74.00	-5.50	8.45	3	Vertical	172	2.49	-	60.05
AV	5.458G	53.48	54.00	-0.52	8.45	3	Vertical	172	2.49	-	45.03
PK	5.4644G	67.07	68.20	-1.13	8.45	3	Vertical	172	2.49	-	58.62
PK	5.5572G	116.09	Inf	-Inf	8.55	3	Vertical	172	2.49	-	107.54
AV	5.5524G	105.19	Inf	-Inf	8.55	3	Vertical	172	2.49	-	96.64
PK	5.7324G	60.12	68.20	-8.08	8.80	3	Vertical	172	2.49	-	51.32

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5550MHz_TX



EUT_Z_4TX
Setting 85
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	62.40	74.00	-11.60	8.44	3	Horizontal	184	2.52	-	53.96
AV	5.458G	48.77	54.00	-5.23	8.45	3	Horizontal	184	2.52	-	40.32
PK	5.4676G	65.73	68.20	-2.47	8.46	3	Horizontal	184	2.52	-	57.27
PK	5.5388G	109.79	Inf	-Inf	8.54	3	Horizontal	184	2.52	-	101.25
AV	5.5532G	99.94	Inf	-Inf	8.55	3	Horizontal	184	2.52	-	91.39
PK	5.7348G	58.90	68.20	-9.30	8.81	3	Horizontal	184	2.52	-	50.09



802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 85
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10164G	53.44	74.00	-20.56	14.39	3	Vertical	31	2.09	-	39.05
AV	11.09264G	42.06	54.00	-11.94	14.38	3	Vertical	31	2.09	-	27.68

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 85
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10876G	53.03	74.00	-20.97	14.41	3	Horizontal	321	1.93	-	38.62
AV	11.09276G	42.26	54.00	-11.74	14.38	3	Horizontal	321	1.93	-	27.88

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.664G	112.89	Inf	-Inf	8.69	3	Vertical	184	2.52	-	104.20
AV	5.6672G	102.51	Inf	-Inf	8.69	3	Vertical	184	2.52	-	93.82
PK	5.7276G	67.67	68.20	-0.53	8.80	3	Vertical	184	2.52	-	58.87

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6752G	107.52	Inf	-Inf	8.72	3	Horizontal	180	2.44	-	98.80
AV	5.6728G	96.54	Inf	-Inf	8.70	3	Horizontal	180	2.44	-	87.84
PK	5.736G	61.27	68.20	-6.93	8.81	3	Horizontal	180	2.44	-	52.46

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3422G	53.09	74.00	-20.91	14.70	3	Vertical	331	1.97	-	38.39
AV	11.33464G	42.07	54.00	-11.93	14.70	3	Vertical	331	1.97	-	27.37

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5670MHz_TX



EUT_Z_4TX
Setting 65
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3377G	53.29	74.00	-20.71	14.70	3	Horizontal	349	2.10	-	38.59
AV	11.34224G	42.18	54.00	-11.82	14.70	3	Horizontal	349	2.10	-	27.48



802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6988G	118.62	Inf	-Inf	8.75	3	Vertical	186	2.50	-	109.87
AV	5.7124G	108.35	Inf	-Inf	8.78	3	Vertical	186	2.50	-	99.57
PK	5.8524G	67.52	68.20	-0.68	8.90	3	Vertical	186	2.50	-	58.62

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7156G	112.77	Inf	-Inf	8.77	3	Horizontal	179	2.49	-	104.00
AV	5.7124G	101.93	Inf	-Inf	8.78	3	Horizontal	179	2.49	-	93.15
PK	5.854G	59.44	68.20	-8.76	8.90	3	Horizontal	179	2.49	-	50.54

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41826G	57.01	74.00	-16.99	14.79	3	Vertical	233	2.01	-	42.22
AV	11.42336G	43.11	54.00	-10.89	14.80	3	Vertical	233	2.01	-	28.31

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41502G	54.39	74.00	-19.61	14.79	3	Horizontal	17	1.98	-	39.60
AV	11.4221G	43.61	54.00	-10.39	14.80	3	Horizontal	17	1.98	-	28.81

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 63
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.106G	59.52	74.00	-14.48	7.86	3	Vertical	174	2.47	-	51.66
AV	5.134G	48.47	54.00	-5.53	7.92	3	Vertical	174	2.47	-	40.55
PK	5.277G	108.04	Inf	-Inf	8.17	3	Vertical	174	2.47	-	99.87
AV	5.286G	96.46	Inf	-Inf	8.19	3	Vertical	174	2.47	-	88.27
PK	5.359G	64.25	74.00	-9.75	8.28	3	Vertical	174	2.47	-	55.97
AV	5.353G	53.39	54.00	-0.61	8.28	3	Vertical	174	2.47	-	45.11

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5290MHz_TX



EUT_Z_4TX
Setting 63
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.074G	59.10	74.00	-14.90	7.77	3	Horizontal	332	2.58	-	51.33
AV	5.051G	47.70	54.00	-6.30	7.72	3	Horizontal	332	2.58	-	39.98
PK	5.284G	102.56	Inf	-Inf	8.19	3	Horizontal	332	2.58	-	94.37
AV	5.275G	91.15	Inf	-Inf	8.17	3	Horizontal	332	2.58	-	82.98
PK	5.352G	61.25	74.00	-12.75	8.28	3	Horizontal	332	2.58	-	52.97
AV	5.35G	49.93	54.00	-4.07	8.28	3	Horizontal	332	2.58	-	41.65



802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8748G	54.76	74.00	-19.24	15.19	3	Vertical	337	2.07	-	39.57
AV	15.86646G	43.32	54.00	-10.68	15.22	3	Vertical	337	2.07	-	28.10

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5290MHz_TX



EUT_Z_4TX
Setting 63
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8707G	54.62	74.00	-19.38	15.20	3	Horizontal	308	1.94	-	39.42
AV	15.87312G	43.27	54.00	-10.73	15.20	3	Horizontal	308	1.94	-	28.07



802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5530MHz_TX



EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	68.02	74.00	-5.98	8.45	3	Vertical	84	2.67	-	59.57
AV	5.455G	52.85	54.00	-1.15	8.44	3	Vertical	84	2.67	-	44.41
PK	5.4699G	67.64	68.20	-0.56	8.46	3	Vertical	84	2.67	-	59.18
PK	5.519G	110.73	Inf	-Inf	8.53	3	Vertical	84	2.67	-	102.20
AV	5.519G	97.89	Inf	-Inf	8.53	3	Vertical	84	2.67	-	89.36
PK	5.769G	59.10	68.20	-9.10	8.85	3	Vertical	84	2.67	-	50.25



802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5530MHz_TX




EUT_Z_4TX
 Setting 65
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	60.43	74.00	-13.57	8.42	3	Horizontal	182	2.53	-	52.01
AV	5.446G	48.62	54.00	-5.38	8.42	3	Horizontal	182	2.53	-	40.20
PK	5.467G	64.25	68.20	-3.95	8.46	3	Horizontal	182	2.53	-	55.79
PK	5.555G	101.38	Inf	-Inf	8.55	3	Horizontal	182	2.53	-	92.83
AV	5.547G	91.42	Inf	-Inf	8.55	3	Horizontal	182	2.53	-	82.87
PK	5.772G	59.05	68.20	-9.15	8.85	3	Horizontal	182	2.53	-	50.20

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06048G	53.86	74.00	-20.14	14.34	3	Vertical	34	2.14	-	39.52
AV	11.06346G	42.43	54.00	-11.57	14.34	3	Vertical	34	2.14	-	28.09

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0599G	53.40	74.00	-20.60	14.34	3	Horizontal	63	1.96	-	39.06
AV	11.06162G	42.38	54.00	-11.62	14.34	3	Horizontal	63	1.96	-	28.04

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 77
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	62.73	74.00	-11.27	8.44	3	Vertical	189	2.54	-	54.29
AV	5.457G	51.23	54.00	-2.77	8.44	3	Vertical	189	2.54	-	42.79
PK	5.468G	62.35	68.20	-5.85	8.46	3	Vertical	189	2.54	-	53.89
PK	5.625G	110.82	Inf	-Inf	8.63	3	Vertical	189	2.54	-	102.19
AV	5.622G	101.30	Inf	-Inf	8.61	3	Vertical	189	2.54	-	92.69
PK	5.726G	67.64	68.20	-0.56	8.79	3	Vertical	189	2.54	-	58.85

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 77
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.441G	59.80	74.00	-14.20	8.41	3	Horizontal	169	2.70	-	51.39
AV	5.459G	48.34	54.00	-5.66	8.45	3	Horizontal	169	2.70	-	39.89
PK	5.461G	59.30	68.20	-8.90	8.45	3	Horizontal	169	2.70	-	50.85
PK	5.635G	105.04	Inf	-Inf	8.64	3	Horizontal	169	2.70	-	96.40
AV	5.602G	94.81	Inf	-Inf	8.58	3	Horizontal	169	2.70	-	86.23
PK	5.728G	61.48	68.20	-6.72	8.80	3	Horizontal	169	2.70	-	52.68

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22454G	53.16	74.00	-20.84	14.55	3	Vertical	17	2.09	-	38.61
AV	11.2241G	42.36	54.00	-11.64	14.55	3	Vertical	17	2.09	-	27.81

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2211G	53.70	74.00	-20.30	14.55	3	Horizontal	43	1.91	-	39.15
AV	11.22052G	42.03	54.00	-11.97	14.55	3	Horizontal	43	1.91	-	27.48

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 84
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.451G	59.17	74.00	-14.83	8.44	3	Vertical	191	2.52	-	50.73
AV	5.443G	48.92	54.00	-5.08	8.42	3	Vertical	191	2.52	-	40.50
PK	5.469G	61.63	68.20	-6.57	8.46	3	Vertical	191	2.52	-	53.17
PK	5.686G	114.51	Inf	-Inf	8.72	3	Vertical	191	2.52	-	105.79
AV	5.682G	103.80	Inf	-Inf	8.72	3	Vertical	191	2.52	-	95.08
PK	5.854G	67.64	68.20	-0.56	8.90	3	Vertical	191	2.52	-	58.74



802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.445G	58.53	74.00	-15.47	8.41	3	Horizontal	184	2.47	-	50.12
AV	5.45G	47.81	54.00	-6.19	8.44	3	Horizontal	184	2.47	-	39.37
PK	5.467G	58.08	68.20	-10.12	8.46	3	Horizontal	184	2.47	-	49.62
PK	5.696G	108.50	Inf	-Inf	8.74	3	Horizontal	184	2.47	-	99.76
AV	5.678G	98.06	Inf	-Inf	8.72	3	Horizontal	184	2.47	-	89.34
PK	5.857G	61.55	68.20	-6.65	8.90	3	Horizontal	184	2.47	-	52.65

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38484G	53.63	74.00	-20.37	14.75	3	Vertical	25	2.00	-	38.88
AV	11.38156G	42.82	54.00	-11.18	14.75	3	Vertical	25	2.00	-	28.07

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 84
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.384G	54.20	74.00	-19.80	14.75	3	Horizontal	49	1.95	-	39.45
AV	11.38274G	42.78	54.00	-11.22	14.75	3	Horizontal	49	1.95	-	28.03



802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 54
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1212G	63.22	74.00	-10.78	7.88	3	Vertical	77	2.62	-	55.34
AV	5.1212G	52.70	54.00	-1.30	7.88	3	Vertical	77	2.62	-	44.82
PK	5.222G	101.76	Inf	-Inf	8.10	3	Vertical	77	2.62	-	93.66
AV	5.2416G	92.74	Inf	-Inf	8.12	3	Vertical	77	2.62	-	84.62
PK	5.362G	65.97	74.00	-8.03	8.29	3	Vertical	77	2.62	-	57.68
AV	5.383G	53.47	54.00	-0.53	8.32	3	Vertical	77	2.62	-	45.15

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5250MHz_TX



EUT_Z_4TX
Setting 54
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1366G	59.71	74.00	-14.29	7.92	3	Horizontal	360	2.79	-	51.79
AV	5.1338G	48.88	54.00	-5.12	7.92	3	Horizontal	360	2.79	-	40.96
PK	5.2458G	96.39	Inf	-Inf	8.12	3	Horizontal	360	2.79	-	88.27
AV	5.257G	85.45	Inf	-Inf	8.15	3	Horizontal	360	2.79	-	77.30
PK	5.425G	58.96	74.00	-15.04	8.38	3	Horizontal	360	2.79	-	50.58
AV	5.3872G	49.26	54.00	-4.74	8.33	3	Horizontal	360	2.79	-	40.93



802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 54
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7468G	55.77	74.00	-18.23	15.53	3	Vertical	335	1.93	-	40.24
AV	15.74518G	44.48	54.00	-9.52	15.54	3	Vertical	335	1.93	-	28.94

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 54
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74786G	55.19	74.00	-18.81	15.53	3	Horizontal	315	2.09	-	39.66
AV	15.7474G	44.15	54.00	-9.85	15.53	3	Horizontal	315	2.09	-	28.62

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	64.11	74.00	-9.89	8.45	3	Vertical	162	2.97	-	55.66
AV	5.4454G	49.59	54.00	-4.41	8.42	3	Vertical	162	2.97	-	41.17
PK	5.465G	67.52	68.20	-0.68	8.45	3	Vertical	162	2.97	-	59.07
PK	5.5868G	102.12	Inf	-Inf	8.57	3	Vertical	162	2.97	-	93.55
AV	5.5784G	91.80	Inf	-Inf	8.57	3	Vertical	162	2.97	-	83.23
PK	5.7254G	66.89	68.20	-1.31	8.79	3	Vertical	162	2.97	-	58.10

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	65.41	74.00	-8.59	8.44	3	Horizontal	179	2.31	-	56.97
AV	5.4524G	49.39	54.00	-4.61	8.44	3	Horizontal	179	2.31	-	40.95
PK	5.4622G	60.78	68.20	-7.42	8.45	3	Horizontal	179	2.31	-	52.33
PK	5.5868G	99.17	Inf	-Inf	8.57	3	Horizontal	179	2.31	-	90.60
AV	5.577G	87.63	Inf	-Inf	8.57	3	Horizontal	179	2.31	-	79.06
PK	5.7268G	64.75	68.20	-3.45	8.79	3	Horizontal	179	2.31	-	55.96

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1445G	52.65	74.00	-21.35	14.45	3	Vertical	74	2.18	-	38.20
AV	11.13804G	42.10	54.00	-11.90	14.43	3	Vertical	74	2.18	-	27.67

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5570MHz_TX



EUT_Z_4TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14028G	52.46	74.00	-21.54	14.43	3	Horizontal	44	1.98	-	38.03
AV	11.1438G	42.15	54.00	-11.85	14.45	3	Horizontal	44	1.98	-	27.70




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.45	54.00	-0.55	5.44	3	Vertical	46	1.78	-

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1475G	61.02	74.00	-12.98	5.11	3	Vertical	59	1.84	-	55.91
AV	5.1445G	49.01	54.00	-4.99	5.11	3	Vertical	59	1.84	-	43.90
PK	5.2657G	119.71	Inf	-Inf	5.39	3	Vertical	59	1.84	-	114.32
AV	5.2627G	109.52	Inf	-Inf	5.37	3	Vertical	59	1.84	-	104.15
PK	5.3515G	65.37	74.00	-8.63	5.44	3	Vertical	59	1.84	-	59.93
AV	5.3653G	49.67	54.00	-4.33	5.40	3	Vertical	59	1.84	-	44.27

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.119G	57.45	74.00	-16.55	5.11	3	Horizontal	126	1.95	-	52.34
AV	5.137G	44.47	54.00	-9.53	5.11	3	Horizontal	126	1.95	-	39.36
PK	5.255G	101.92	Inf	-Inf	5.34	3	Horizontal	126	1.95	-	96.58
AV	5.253G	91.34	Inf	-Inf	5.33	3	Horizontal	126	1.95	-	86.01
PK	5.396G	57.96	74.00	-16.04	5.35	3	Horizontal	126	1.95	-	52.61
AV	5.372G	45.06	54.00	-8.94	5.39	3	Horizontal	126	1.95	-	39.67

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51818G	52.99	68.20	-15.21	12.05	3	Vertical	24	1.46	-	40.94
PK	15.78376G	59.94	74.00	-14.06	15.16	3	Vertical	41	1.49	-	44.78
AV	15.77992G	46.70	54.00	-7.30	15.16	3	Vertical	41	1.49	-	31.54

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52044G	54.03	68.20	-14.17	12.05	3	Horizontal	112	1.55	-	41.98
PK	15.7843G	60.76	74.00	-13.24	15.16	3	Horizontal	347	2.67	-	45.60
AV	15.77942G	46.86	54.00	-7.14	15.16	3	Horizontal	347	2.67	-	31.70

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5300MHz_TX




EUT Y_1TX
Setting 92
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3016G	116.50	Inf	-Inf	5.53	3	Vertical	46	1.78	-	110.97
AV	5.2978G	106.62	Inf	-Inf	5.52	3	Vertical	46	1.78	-	101.10
PK	5.3516G	70.90	74.00	-3.10	5.44	3	Vertical	46	1.78	-	65.46
AV	5.35G	53.45	54.00	-0.55	5.44	3	Vertical	46	1.78	-	48.01

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5300MHz_TX




EUT Y_1TX
Setting 92
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3016G	98.73	Inf	-Inf	5.53	3	Horizontal	51	1.44	-	93.20
AV	5.298G	88.72	Inf	-Inf	5.52	3	Horizontal	51	1.44	-	83.20
PK	5.389G	58.10	74.00	-15.90	5.36	3	Horizontal	51	1.44	-	52.74
AV	5.3526G	45.20	54.00	-8.80	5.43	3	Horizontal	51	1.44	-	39.77

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5300MHz_TX




EUT Y_1TX
Setting 92
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5943G	55.06	68.20	-13.14	12.12	3	Vertical	217	1.57	-	42.94
PK	15.90526G	60.19	74.00	-13.81	15.06	3	Vertical	278	1.42	-	45.13
AV	15.89116G	46.32	54.00	-7.68	15.08	3	Vertical	278	1.42	-	31.24

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5300MHz_TX




EUT Y_1TX
Setting 92
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5974G	53.33	68.20	-14.87	12.13	3	Horizontal	127	1.40	-	41.20
PK	15.89986G	60.96	74.00	-13.04	15.07	3	Horizontal	36	1.57	-	45.89
AV	15.90918G	46.59	54.00	-7.41	15.05	3	Horizontal	36	1.57	-	31.54

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5320MHz_TX




EUT_Y_1TX
Setting 76
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3215G	112.82	Inf	-Inf	5.49	3	Vertical	55	1.78	-	107.33
AV	5.317G	102.75	Inf	-Inf	5.50	3	Vertical	55	1.78	-	97.25
PK	5.3523G	71.63	74.00	-2.37	5.43	3	Vertical	55	1.78	-	66.20
AV	5.35G	53.43	54.00	-0.57	5.44	3	Vertical	55	1.78	-	47.99

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5320MHz_TX




EUT Y_1TX
Setting 76
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3225G	94.46	Inf	-Inf	5.48	3	Horizontal	52	1.38	-	88.98
AV	5.3216G	84.35	Inf	-Inf	5.49	3	Horizontal	52	1.38	-	78.86
PK	5.3509G	58.48	74.00	-15.52	5.44	3	Horizontal	52	1.38	-	53.04
AV	5.3509G	45.23	54.00	-8.77	5.44	3	Horizontal	52	1.38	-	39.79

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5320MHz_TX




EUT Y_1TX
Setting 76
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63782G	52.36	74.00	-21.64	12.16	3	Vertical	227	1.33	-	40.20
AV	10.63096G	39.08	54.00	-14.92	12.15	3	Vertical	227	1.33	-	26.93
PK	15.95366G	60.73	74.00	-13.27	15.02	3	Vertical	137	1.62	-	45.71
AV	15.95786G	47.10	54.00	-6.90	15.02	3	Vertical	137	1.62	-	32.08

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5320MHz_TX




EUT Y_1TX
Setting 76
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64492G	53.40	74.00	-20.60	12.17	3	Horizontal	254	1.25	-	41.23
AV	10.64188G	38.92	54.00	-15.08	12.17	3	Horizontal	254	1.25	-	26.75
PK	15.96506G	60.79	74.00	-13.21	15.01	3	Horizontal	321	1.56	-	45.78
AV	15.9694G	47.24	54.00	-6.76	15.01	3	Horizontal	321	1.56	-	32.23

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5500MHz_TX




EUT Y_1TX
 Setting 59
 04-B-4-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	59.18	74.00	-14.82	5.20	3	Vertical	56	1.68	-	53.98
AV	5.459G	46.37	54.00	-7.63	5.20	3	Vertical	56	1.68	-	41.17
PK	5.4694G	67.62	68.20	-0.58	5.18	3	Vertical	56	1.68	-	62.44
PK	5.5024G	108.68	Inf	-Inf	5.12	3	Vertical	56	1.68	-	103.56
AV	5.5041G	98.52	Inf	-Inf	5.12	3	Vertical	56	1.68	-	93.40

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5500MHz_TX




EUT_Y_1TX
Setting 59
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4557G	57.62	74.00	-16.38	5.21	3	Horizontal	10	1.49	-	52.41
AV	5.4501G	44.69	54.00	-9.31	5.22	3	Horizontal	10	1.49	-	39.47
PK	5.4635G	57.96	68.20	-10.24	5.19	3	Horizontal	10	1.49	-	52.77
PK	5.5025G	89.04	Inf	-Inf	5.12	3	Horizontal	10	1.49	-	83.92
AV	5.5041G	78.82	Inf	-Inf	5.12	3	Horizontal	10	1.49	-	73.70

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5500MHz_TX




EUT Y_1TX
 Setting 59
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00254G	53.50	74.00	-20.50	12.54	3	Vertical	125	1.83	-	40.96
AV	11.00004G	39.97	54.00	-14.03	12.53	3	Vertical	125	1.83	-	27.44
PK	16.50804G	61.76	68.20	-6.44	15.98	3	Vertical	179	1.56	-	45.78

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5500MHz_TX




EUT Y_1TX
Setting 59
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0059G	53.45	74.00	-20.55	12.54	3	Horizontal	195	1.01	-	40.91
AV	11.00578G	40.20	54.00	-13.80	12.54	3	Horizontal	195	1.01	-	27.66
PK	16.49816G	63.31	68.20	-4.89	15.98	3	Horizontal	238	1.17	-	47.33

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4504G	64.72	74.00	-9.28	5.22	3	Vertical	59	1.87	-	59.50
AV	5.4564G	48.62	54.00	-5.38	5.21	3	Vertical	59	1.87	-	43.41
PK	5.4668G	67.51	68.20	-0.69	5.19	3	Vertical	59	1.87	-	62.32
PK	5.5812G	119.98	Inf	-Inf	5.02	3	Vertical	59	1.87	-	114.96
AV	5.5824G	109.22	Inf	-Inf	5.02	3	Vertical	59	1.87	-	104.20
PK	5.7268G	61.57	68.20	-6.63	4.73	3	Vertical	59	1.87	-	56.84

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4264G	57.87	74.00	-16.13	5.29	3	Horizontal	49	1.61	-	52.58
AV	5.4016G	45.00	54.00	-9.00	5.34	3	Horizontal	49	1.61	-	39.66
PK	5.4632G	57.20	68.20	-11.00	5.19	3	Horizontal	49	1.61	-	52.01
PK	5.5788G	103.06	Inf	-Inf	5.02	3	Horizontal	49	1.61	-	98.04
AV	5.582G	92.62	Inf	-Inf	5.02	3	Horizontal	49	1.61	-	87.60
PK	5.7528G	56.56	68.20	-11.64	4.75	3	Horizontal	49	1.61	-	51.81

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15866G	57.08	74.00	-16.92	12.77	3	Vertical	139	1.53	-	44.31
AV	11.1619G	43.79	54.00	-10.21	12.77	3	Vertical	139	1.53	-	31.02
PK	16.73382G	60.85	68.20	-7.35	16.44	3	Vertical	220	1.44	-	44.41

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5580MHz_TX




EUT Y_1TX
 Setting 120
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16096G	53.72	74.00	-20.28	12.77	3	Horizontal	224	1.47	-	40.95
AV	11.1607G	40.79	54.00	-13.21	12.77	3	Horizontal	224	1.47	-	28.02
PK	16.7406G	61.59	68.20	-6.61	16.45	3	Horizontal	357	1.28	-	45.14

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5700MHz_TX




EUT Y_1TX
Setting 59
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7024G	108.40	Inf	-Inf	4.70	3	Vertical	50	1.82	-	103.70
AV	5.7041G	98.13	Inf	-Inf	4.70	3	Vertical	50	1.82	-	93.43
PK	5.7251G	67.65	68.20	-0.55	4.73	3	Vertical	50	1.82	-	62.92

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5700MHz_TX




EUT Y_1TX
Setting 59
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7024G	89.55	Inf	-Inf	4.70	3	Horizontal	50	1.50	-	84.85
AV	5.704G	79.52	Inf	-Inf	4.70	3	Horizontal	50	1.50	-	74.82
PK	5.745G	56.90	68.20	-11.30	4.75	3	Horizontal	50	1.50	-	52.15

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5700MHz_TX




EUT Y_1TX
Setting 59
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40812G	55.57	74.00	-18.43	13.16	3	Vertical	238	1.79	-	42.41
AV	11.4083G	42.04	54.00	-11.96	13.16	3	Vertical	238	1.79	-	28.88
PK	17.09914G	63.14	68.20	-5.06	17.32	3	Vertical	166	1.44	-	45.82

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5700MHz_TX




EUT Y_1TX
Setting 59
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40516G	55.48	74.00	-18.52	13.15	3	Horizontal	123	1.42	-	42.33
AV	11.40866G	41.85	54.00	-12.15	13.16	3	Horizontal	123	1.42	-	28.69
PK	17.1003G	62.96	68.20	-5.24	17.32	3	Horizontal	64	1.22	-	45.64

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4428G	61.90	74.00	-12.10	5.25	3	Vertical	51	1.79	-	56.65
AV	5.4434G	46.77	54.00	-7.23	5.25	3	Vertical	51	1.79	-	41.52
PK	5.465G	59.63	68.20	-8.57	5.19	3	Vertical	51	1.79	-	54.44
PK	5.7188G	119.45	Inf	-Inf	4.72	3	Vertical	51	1.79	-	114.73
AV	5.7224G	108.87	Inf	-Inf	4.72	3	Vertical	51	1.79	-	104.15
PK	5.8556G	62.36	68.20	-5.84	5.00	3	Vertical	51	1.79	-	57.36

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4404G	57.71	74.00	-16.29	5.26	3	Horizontal	39	1.54	-	52.45
PK	5.4638G	57.09	68.20	-11.11	5.19	3	Horizontal	39	1.54	-	51.90
AV	5.4536G	44.85	54.00	-9.15	5.21	3	Horizontal	39	1.54	-	39.64
PK	5.7236G	102.43	Inf	-Inf	4.72	3	Horizontal	39	1.54	-	97.71
AV	5.7218G	92.01	Inf	-Inf	4.72	3	Horizontal	39	1.54	-	87.29
PK	5.8946G	57.34	68.20	-10.86	5.14	3	Horizontal	39	1.54	-	52.20

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 120
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44562G	55.77	74.00	-18.23	13.21	3	Vertical	105	1.57	-	42.56
AV	11.44034G	42.23	54.00	-11.77	13.20	3	Vertical	105	1.57	-	29.03
PK	17.16968G	63.34	68.20	-4.86	17.58	3	Vertical	172	1.37	-	45.76

802.11a_Nss1,(6Mbps)_1TX

16/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44492G	55.26	74.00	-18.74	13.21	3	Horizontal	118	1.51	-	42.05
AV	11.44622G	42.30	54.00	-11.70	13.21	3	Horizontal	118	1.51	-	29.09
PK	17.16808G	63.30	68.20	-4.90	17.56	3	Horizontal	39	1.59	-	45.74

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5260MHz_TX




EUT Y_1TX
Setting 101
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1463G	61.53	74.00	-12.47	5.11	3	Vertical	53	1.87	-	56.42
AV	5.1496G	47.97	54.00	-6.03	5.11	3	Vertical	53	1.87	-	42.86
PK	5.257G	121.60	Inf	-Inf	5.34	3	Vertical	53	1.87	-	116.26
AV	5.2555G	107.18	Inf	-Inf	5.34	3	Vertical	53	1.87	-	101.84
PK	5.3539G	65.89	74.00	-8.11	5.43	3	Vertical	53	1.87	-	60.46
AV	5.3665G	48.79	54.00	-5.21	5.40	3	Vertical	53	1.87	-	43.39

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5260MHz_TX




EUT Y_1TX
Setting 101
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1277G	57.81	74.00	-16.19	5.11	3	Horizontal	45	1.49	-	52.70
AV	5.1454G	43.84	54.00	-10.16	5.11	3	Horizontal	45	1.49	-	38.73
PK	5.2567G	103.69	Inf	-Inf	5.34	3	Horizontal	45	1.49	-	98.35
AV	5.2546G	90.22	Inf	-Inf	5.33	3	Horizontal	45	1.49	-	84.89
PK	5.368G	58.00	74.00	-16.00	5.40	3	Horizontal	45	1.49	-	52.60
AV	5.3611G	44.40	54.00	-9.60	5.42	3	Horizontal	45	1.49	-	38.98

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5260MHz_TX




EUT Y_1TX
 Setting 101
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52392G	57.88	68.20	-10.32	12.05	3	Vertical	240	1.69	-	45.83
PK	15.788G	58.39	74.00	-15.61	15.16	3	Vertical	174	1.48	-	43.23
AV	15.77254G	44.32	54.00	-9.68	15.17	3	Vertical	174	1.48	-	29.15

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5260MHz_TX




EUT Y_1TX
Setting 101
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51406G	52.93	68.20	-15.27	12.04	3	Horizontal	332	1.50	-	40.89
PK	15.7847G	58.36	74.00	-15.64	15.16	3	Horizontal	249	1.39	-	43.20
AV	15.77114G	44.33	54.00	-9.67	15.17	3	Horizontal	249	1.39	-	29.16

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5300MHz_TX




EUT Y_1TX
Setting 89
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.297G	118.35	Inf	-Inf	5.52	3	Vertical	53	1.88	-	112.83
AV	5.2944G	104.05	Inf	-Inf	5.50	3	Vertical	53	1.88	-	98.55
PK	5.351G	69.78	74.00	-4.22	5.44	3	Vertical	53	1.88	-	64.34
AV	5.35G	53.30	54.00	-0.70	5.44	3	Vertical	53	1.88	-	47.86

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5300MHz_TX




EUT Y_1TX
Setting 89
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	101.37	Inf	-Inf	5.52	3	Horizontal	48	1.44	-	95.85
AV	5.2974G	87.26	Inf	-Inf	5.52	3	Horizontal	48	1.44	-	81.74
PK	5.3506G	58.69	74.00	-15.31	5.44	3	Horizontal	48	1.44	-	53.25
AV	5.3526G	44.76	54.00	-9.24	5.43	3	Horizontal	48	1.44	-	39.33

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5300MHz_TX




EUT Y_1TX
Setting 89
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59626G	53.36	68.20	-14.84	12.12	3	Vertical	328	1.00	-	41.24
PK	15.90168G	59.84	74.00	-14.16	15.07	3	Vertical	123	1.74	-	44.77
AV	15.9085G	45.69	54.00	-8.31	15.05	3	Vertical	123	1.74	-	30.64

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5300MHz_TX




EUT Y_1TX
Setting 89
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5931G	52.45	68.20	-15.75	12.12	3	Horizontal	282	1.17	-	40.33
PK	15.90844G	59.91	74.00	-14.09	15.05	3	Horizontal	231	1.40	-	44.86
AV	15.90568G	45.85	54.00	-8.15	15.06	3	Horizontal	231	1.40	-	30.79

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5320MHz_TX




EUT Y_1TX
Setting 71
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3173G	114.71	Inf	-Inf	5.50	3	Vertical	54	1.75	-	109.21
AV	5.3184G	100.23	Inf	-Inf	5.49	3	Vertical	54	1.75	-	94.74
PK	5.35G	73.39	74.00	-0.61	5.44	3	Vertical	54	1.75	-	67.95
AV	5.35G	52.07	54.00	-1.93	5.44	3	Vertical	54	1.75	-	46.63

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5320MHz_TX




EUT Y_1TX
Setting 71
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3171G	96.92	Inf	-Inf	5.50	3	Horizontal	47	1.89	-	91.42
AV	5.3185G	82.78	Inf	-Inf	5.49	3	Horizontal	47	1.89	-	77.29
PK	5.351G	58.49	74.00	-15.51	5.44	3	Horizontal	47	1.89	-	53.05
AV	5.35G	44.57	54.00	-9.43	5.44	3	Horizontal	47	1.89	-	39.13

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5320MHz_TX




EUT Y_1TX
Setting 71
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63112G	52.21	74.00	-21.79	12.15	3	Vertical	238	1.57	-	40.06
AV	10.63402G	38.19	54.00	-15.81	12.16	3	Vertical	238	1.57	-	26.03
PK	15.95198G	60.56	74.00	-13.44	15.02	3	Vertical	295	1.40	-	45.54
AV	15.9694G	46.11	54.00	-7.89	15.01	3	Vertical	295	1.40	-	31.10

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5320MHz_TX




EUT Y_1TX
Setting 71
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6399G	52.13	74.00	-21.87	12.17	3	Horizontal	149	1.45	-	39.96
AV	10.63934G	38.20	54.00	-15.80	12.17	3	Horizontal	149	1.45	-	26.03
PK	15.96874G	60.60	74.00	-13.40	15.01	3	Horizontal	96	1.22	-	45.59
AV	15.96954G	46.51	54.00	-7.49	15.01	3	Horizontal	96	1.22	-	31.50

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5500MHz_TX




EUT Y_1TX
Setting 63
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4574G	62.99	74.00	-11.01	5.21	3	Vertical	53	1.59	-	57.78
AV	5.4587G	46.15	54.00	-7.85	5.20	3	Vertical	53	1.59	-	40.95
PK	5.4692G	67.56	68.20	-0.64	5.18	3	Vertical	53	1.59	-	62.38
PK	5.493G	112.66	Inf	-Inf	5.13	3	Vertical	53	1.59	-	107.53
AV	5.4954G	98.66	Inf	-Inf	5.13	3	Vertical	53	1.59	-	93.53

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5500MHz_TX




EUT Y_1TX
Setting 63
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4544G	57.72	74.00	-16.28	5.21	3	Horizontal	18	1.40	-	52.51
AV	5.4552G	44.20	54.00	-9.80	5.21	3	Horizontal	18	1.40	-	38.99
PK	5.4618G	57.58	68.20	-10.62	5.20	3	Horizontal	18	1.40	-	52.38
PK	5.505G	93.63	Inf	-Inf	5.11	3	Horizontal	18	1.40	-	88.52
AV	5.5047G	79.81	Inf	-Inf	5.12	3	Horizontal	18	1.40	-	74.69

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5500MHz_TX




EUT Y_1TX
 Setting 63
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00426G	52.74	74.00	-21.26	12.54	3	Vertical	114	1.43	-	40.20
AV	11.0085G	38.76	54.00	-15.24	12.54	3	Vertical	114	1.43	-	26.22
PK	16.49562G	62.26	68.20	-5.94	15.97	3	Vertical	166	1.56	-	46.29

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5500MHz_TX




EUT Y_1TX
Setting 63
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00884G	53.08	74.00	-20.92	12.54	3	Horizontal	256	1.87	-	40.54
AV	11.00832G	38.93	54.00	-15.07	12.54	3	Horizontal	256	1.87	-	26.39
PK	16.50538G	61.84	68.20	-6.36	15.98	3	Horizontal	188	1.62	-	45.86

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5580MHz_TX




EUT Y_1TX
Setting 104
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	61.47	74.00	-12.53	5.25	3	Vertical	53	1.68	-	56.22
AV	5.4536G	47.01	54.00	-6.99	5.21	3	Vertical	53	1.68	-	41.80
PK	5.4688G	64.14	68.20	-4.06	5.18	3	Vertical	53	1.68	-	58.96
PK	5.5768G	121.28	Inf	-Inf	5.02	3	Vertical	53	1.68	-	116.26
AV	5.578G	106.95	Inf	-Inf	5.02	3	Vertical	53	1.68	-	101.93
PK	5.7616G	59.39	68.20	-8.81	4.76	3	Vertical	53	1.68	-	54.63

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5580MHz_TX




EUT Y_1TX
Setting 104
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3872G	58.01	74.00	-15.99	5.37	3	Horizontal	356	1.96	-	52.64
AV	5.3804G	44.42	54.00	-9.58	5.38	3	Horizontal	356	1.96	-	39.04
PK	5.4692G	57.26	68.20	-10.94	5.18	3	Horizontal	356	1.96	-	52.08
PK	5.5768G	102.74	Inf	-Inf	5.02	3	Horizontal	356	1.96	-	97.72
AV	5.5808G	89.15	Inf	-Inf	5.02	3	Horizontal	356	1.96	-	84.13
PK	5.7716G	57.33	68.20	-10.87	4.77	3	Horizontal	356	1.96	-	52.56

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5580MHz_TX




EUT Y_1TX
 Setting 104
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15344G	53.98	74.00	-20.02	12.77	3	Vertical	173	1.57	-	41.21
AV	11.15944G	39.80	54.00	-14.20	12.77	3	Vertical	173	1.57	-	27.03
PK	16.73436G	60.32	68.20	-7.88	16.44	3	Vertical	119	1.43	-	43.88

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5580MHz_TX




EUT Y_1TX
Setting 104
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16258G	55.36	74.00	-18.64	12.78	3	Horizontal	152	1.40	-	42.58
AV	11.15964G	41.69	54.00	-12.31	12.77	3	Horizontal	152	1.40	-	28.92
PK	16.7426G	60.43	68.20	-7.77	16.45	3	Horizontal	196	1.57	-	43.98

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5700MHz_TX




EUT Y_1TX
Setting 49
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7081G	108.52	Inf	-Inf	4.71	3	Vertical	42	1.77	-	103.81
AV	5.7045G	94.11	Inf	-Inf	4.70	3	Vertical	42	1.77	-	89.41
PK	5.7252G	67.54	68.20	-0.66	4.73	3	Vertical	42	1.77	-	62.81

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5700MHz_TX




EUT Y_1TX
Setting 49
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.706G	91.02	Inf	-Inf	4.71	3	Horizontal	50	1.53	-	86.31
AV	5.7048G	77.29	Inf	-Inf	4.70	3	Horizontal	50	1.53	-	72.59
PK	5.7447G	57.14	68.20	-11.06	4.74	3	Horizontal	50	1.53	-	52.40

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5700MHz_TX




EUT Y_1TX
Setting 49
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40944G	54.27	74.00	-19.73	13.16	3	Vertical	199	1.62	-	41.11
AV	11.40392G	40.49	54.00	-13.51	13.15	3	Vertical	199	1.62	-	27.34
PK	17.10824G	64.18	68.20	-4.02	17.34	3	Vertical	126	1.33	-	46.84

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5700MHz_TX




EUT Y_1TX
Setting 49
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4069G	54.73	74.00	-19.27	13.15	3	Horizontal	144	1.43	-	41.58
AV	11.4056G	40.51	54.00	-13.49	13.15	3	Horizontal	144	1.43	-	27.36
PK	17.10448G	63.25	68.20	-4.95	17.33	3	Horizontal	101	1.35	-	45.92

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4302G	60.24	74.00	-13.76	5.28	3	Vertical	57	1.74	-	54.96
AV	5.4452G	46.36	54.00	-7.64	5.25	3	Vertical	57	1.74	-	41.11
PK	5.4698G	60.13	68.20	-8.07	5.18	3	Vertical	57	1.74	-	54.95
PK	5.717G	121.39	Inf	-Inf	4.72	3	Vertical	57	1.74	-	116.67
AV	5.7218G	107.39	Inf	-Inf	4.72	3	Vertical	57	1.74	-	102.67
PK	5.8622G	65.64	68.20	-2.56	5.03	3	Vertical	57	1.74	-	60.61

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4542G	57.38	74.00	-16.62	5.21	3	Horizontal	49	1.51	-	52.17
AV	5.4428G	44.31	54.00	-9.69	5.25	3	Horizontal	49	1.51	-	39.06
PK	5.4662G	57.77	68.20	-10.43	5.19	3	Horizontal	49	1.51	-	52.58
PK	5.717G	103.64	Inf	-Inf	4.72	3	Horizontal	49	1.51	-	98.92
AV	5.7212G	90.08	Inf	-Inf	4.72	3	Horizontal	49	1.51	-	85.36
PK	5.9G	57.17	68.20	-11.03	5.16	3	Horizontal	49	1.51	-	52.01

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 120
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44224G	56.96	74.00	-17.04	13.20	3	Vertical	154	1.57	-	43.76
AV	11.44266G	40.74	54.00	-13.26	13.21	3	Vertical	154	1.57	-	27.53
PK	17.16794G	62.88	68.20	-5.32	17.56	3	Vertical	204	1.73	-	45.32

802.11ax HEW20_Nss1,(MCS0)_1TX

16/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43722G	55.24	74.00	-18.76	13.20	3	Horizontal	197	1.56	-	42.04
AV	11.44312G	41.27	54.00	-12.73	13.21	3	Horizontal	197	1.56	-	28.06
PK	17.16408G	62.92	68.20	-5.28	17.54	3	Horizontal	142	1.40	-	45.38

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5270MHz_TX




EUT Y_1TX
Setting 81
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1422G	59.30	74.00	-14.70	5.11	3	Vertical	53	1.82	-	54.19
AV	5.1476G	47.58	54.00	-6.42	5.11	3	Vertical	53	1.82	-	42.47
PK	5.255G	114.60	Inf	-Inf	5.34	3	Vertical	53	1.82	-	109.26
AV	5.2658G	102.09	Inf	-Inf	5.39	3	Vertical	53	1.82	-	96.70
PK	5.35G	67.17	74.00	-6.83	5.44	3	Vertical	53	1.82	-	61.73
AV	5.35G	53.29	54.00	-0.71	5.44	3	Vertical	53	1.82	-	47.85

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5270MHz_TX




EUT Y_1TX
Setting 81
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1461G	56.81	74.00	-17.19	5.11	3	Horizontal	42	1.50	-	51.70
AV	5.147G	45.04	54.00	-8.96	5.11	3	Horizontal	42	1.50	-	39.93
PK	5.255G	96.68	Inf	-Inf	5.34	3	Horizontal	42	1.50	-	91.34
AV	5.2565G	84.23	Inf	-Inf	5.34	3	Horizontal	42	1.50	-	78.89
PK	5.3648G	57.70	74.00	-16.30	5.41	3	Horizontal	42	1.50	-	52.29
AV	5.3621G	45.75	54.00	-8.25	5.41	3	Horizontal	42	1.50	-	40.34

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5270MHz_TX




EUT Y_1TX
Setting 81
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.53298G	52.26	68.20	-15.94	12.06	3	Vertical	200	1.52	-	40.20
PK	15.80136G	58.16	74.00	-15.84	15.14	3	Vertical	143	1.40	-	43.02
AV	15.80172G	45.04	54.00	-8.96	15.14	3	Vertical	143	1.40	-	29.90

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5270MHz_TX




EUT Y_1TX
Setting 81
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54958G	51.57	68.20	-16.63	12.07	3	Horizontal	270	1.60	-	39.50
PK	15.80374G	58.13	74.00	-15.87	15.14	3	Horizontal	217	1.48	-	42.99
AV	15.80992G	45.48	54.00	-8.52	15.14	3	Horizontal	217	1.48	-	30.34

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5310MHz_TX




EUT Y_1TX
Setting 64
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3022G	109.90	Inf	-Inf	5.52	3	Vertical	51	1.83	-	104.38
AV	5.3022G	97.30	Inf	-Inf	5.52	3	Vertical	51	1.83	-	91.78
PK	5.3518G	71.17	74.00	-2.83	5.43	3	Vertical	51	1.83	-	65.74
AV	5.35G	53.39	54.00	-0.61	5.44	3	Vertical	51	1.83	-	47.95

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5310MHz_TX




EUT Y_1TX
Setting 64
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3024G	91.49	Inf	-Inf	5.52	3	Horizontal	42	1.45	-	85.97
AV	5.3022G	79.59	Inf	-Inf	5.52	3	Horizontal	42	1.45	-	74.07
PK	5.4094G	58.00	74.00	-16.00	5.32	3	Horizontal	42	1.45	-	52.68
AV	5.3514G	45.84	54.00	-8.16	5.44	3	Horizontal	42	1.45	-	40.40

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5310MHz_TX




EUT Y_1TX
Setting 64
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62098G	52.98	74.00	-21.02	12.15	3	Vertical	160	1.36	-	40.83
AV	10.61096G	39.76	54.00	-14.24	12.14	3	Vertical	160	1.36	-	27.62
PK	15.92284G	60.01	74.00	-13.99	15.05	3	Vertical	202	1.44	-	44.96
AV	15.93476G	47.87	54.00	-6.13	15.05	3	Vertical	202	1.44	-	32.82

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5310MHz_TX




EUT Y_1TX
Setting 64
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62018G	52.68	74.00	-21.32	12.15	3	Horizontal	180	1.58	-	40.53
AV	10.62298G	40.23	54.00	-13.77	12.15	3	Horizontal	180	1.58	-	28.08
PK	15.92886G	60.50	74.00	-13.50	15.05	3	Horizontal	129	1.67	-	45.45
AV	15.93566G	47.58	54.00	-6.42	15.05	3	Horizontal	129	1.67	-	32.53

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5510MHz_TX




EUT Y_1TX
Setting 60
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	63.21	74.00	-10.79	5.20	3	Vertical	158	1.46	-	58.01
AV	5.4581G	49.08	54.00	-4.92	5.20	3	Vertical	158	1.46	-	43.88
PK	5.4692G	67.51	68.20	-0.69	5.18	3	Vertical	158	1.46	-	62.33
PK	5.5271G	108.30	Inf	-Inf	5.08	3	Vertical	158	1.46	-	103.22
AV	5.5172G	95.20	Inf	-Inf	5.09	3	Vertical	158	1.46	-	90.11

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5510MHz_TX




EUT Y_1TX
Setting 60
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4167G	58.06	74.00	-15.94	5.31	3	Horizontal	163	1.50	-	52.75
AV	5.4332G	45.84	54.00	-8.16	5.27	3	Horizontal	163	1.50	-	40.57
PK	5.4695G	57.18	68.20	-11.02	5.18	3	Horizontal	163	1.50	-	52.00
PK	5.5274G	92.37	Inf	-Inf	5.08	3	Horizontal	163	1.50	-	87.29
AV	5.5247G	80.43	Inf	-Inf	5.09	3	Horizontal	163	1.50	-	75.34

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5510MHz_TX




EUT Y_1TX
Setting 60
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1097G	53.19	74.00	-20.81	12.70	3	Vertical	119	1.73	-	40.49
AV	11.1065G	41.50	54.00	-12.50	12.69	3	Vertical	119	1.73	-	28.81
PK	16.578G	62.30	68.20	-5.90	16.13	3	Vertical	196	1.43	-	46.17

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5510MHz_TX




EUT Y_1TX
Setting 60
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1445G	52.97	74.00	-21.03	12.75	3	Horizontal	156	1.63	-	40.22
AV	11.1446G	41.12	54.00	-12.88	12.75	3	Horizontal	156	1.63	-	28.37
PK	16.5861G	62.56	68.20	-5.64	16.14	3	Horizontal	200	1.74	-	46.42

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5550MHz_TX




EUT Y_1TX
Setting 85
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4561G	65.85	74.00	-8.15	5.21	3	Vertical	159	1.30	-	60.64
AV	5.4594G	52.18	54.00	-1.82	5.20	3	Vertical	159	1.30	-	46.98
PK	5.4639G	67.54	68.20	-0.66	5.19	3	Vertical	159	1.30	-	62.35
PK	5.5659G	114.34	Inf	-Inf	5.03	3	Vertical	159	1.30	-	109.31
AV	5.5467G	102.15	Inf	-Inf	5.06	3	Vertical	159	1.30	-	97.09

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5550MHz_TX




EUT Y_1TX
Setting 85
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4096G	57.99	74.00	-16.01	5.32	3	Horizontal	162	1.46	-	52.67
AV	5.4306G	45.88	54.00	-8.12	5.28	3	Horizontal	162	1.46	-	40.60
PK	5.4618G	57.22	68.20	-10.98	5.20	3	Horizontal	162	1.46	-	52.02
PK	5.5659G	99.88	Inf	-Inf	5.03	3	Horizontal	162	1.46	-	94.85
AV	5.5542G	88.55	Inf	-Inf	5.05	3	Horizontal	162	1.46	-	83.50

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5550MHz_TX




EUT Y_1TX
Setting 85
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1879G	54.02	74.00	-19.98	12.82	3	Vertical	213	1.49	-	41.20
AV	11.2056G	41.79	54.00	-12.21	12.85	3	Vertical	213	1.49	-	28.94
PK	16.6026G	61.88	68.20	-6.32	16.17	3	Vertical	260	1.60	-	45.71

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5550MHz_TX




EUT Y_1TX
Setting 85
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2095G	53.92	74.00	-20.08	12.85	3	Horizontal	184	1.58	-	41.07
AV	11.2071G	41.71	54.00	-12.29	12.85	3	Horizontal	184	1.58	-	28.86
PK	16.5282G	61.41	68.20	-6.79	16.03	3	Horizontal	132	1.41	-	45.38

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5670MHz_TX




EUT Y_1TX
Setting 69
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6622G	109.51	Inf	-Inf	4.81	3	Vertical	158	1.51	-	104.70
AV	5.6655G	96.95	Inf	-Inf	4.80	3	Vertical	158	1.51	-	92.15
PK	5.727G	67.35	68.20	-0.85	4.73	3	Vertical	158	1.51	-	62.62

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5670MHz_TX




EUT Y_1TX
Setting 69
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6622G	93.96	Inf	-Inf	4.81	3	Horizontal	288	1.58	-	89.15
AV	5.6769G	82.04	Inf	-Inf	4.76	3	Horizontal	288	1.58	-	77.28
PK	5.7846G	57.51	68.20	-10.69	4.78	3	Horizontal	288	1.58	-	52.73

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5670MHz_TX




EUT Y_1TX
 Setting 69
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4762G	54.74	74.00	-19.26	13.26	3	Vertical	209	1.47	-	41.48
AV	11.4777G	42.96	54.00	-11.04	13.27	3	Vertical	209	1.47	-	29.69
PK	17.1501G	62.56	68.20	-5.64	17.49	3	Vertical	251	1.56	-	45.07

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5670MHz_TX




EUT Y_1TX
 Setting 69
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4759G	54.65	74.00	-19.35	13.26	3	Horizontal	140	1.53	-	41.39
AV	11.463G	43.26	54.00	-10.74	13.25	3	Horizontal	140	1.53	-	30.01
PK	17.1237G	63.56	68.20	-4.64	17.41	3	Horizontal	99	1.44	-	46.15

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 107
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7256G	116.49	Inf	-Inf	4.73	3	Vertical	163	1.40	-	111.76
AV	5.7136G	103.67	Inf	-Inf	4.71	3	Vertical	163	1.40	-	98.96
PK	5.85G	67.63	68.20	-0.57	4.98	3	Vertical	163	1.40	-	62.65

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 107
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.726G	101.11	Inf	-Inf	4.73	3	Horizontal	271	1.50	-	96.38
AV	5.6964G	89.31	Inf	-Inf	4.71	3	Horizontal	271	1.50	-	84.60
PK	5.884G	57.40	68.20	-10.80	5.10	3	Horizontal	271	1.50	-	52.30

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 107
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42054G	53.93	74.00	-20.07	13.17	3	Vertical	287	1.43	-	40.76
AV	11.4247G	41.51	54.00	-12.49	13.18	3	Vertical	287	1.43	-	28.33
PK	17.13708G	63.63	68.20	-4.57	17.45	3	Vertical	230	1.33	-	46.18

802.11ax HEW40_Nss1,(MCS0)_1TX

16/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 107
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41418G	54.14	74.00	-19.86	13.16	3	Horizontal	223	1.58	-	40.98
AV	11.42892G	41.34	54.00	-12.66	13.19	3	Horizontal	223	1.58	-	28.15
PK	17.13126G	64.29	68.20	-3.91	17.43	3	Horizontal	302	1.42	-	46.86

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5290MHz_TX




EUT Y_1TX
Setting 65
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1084G	58.94	74.00	-15.06	5.11	3	Vertical	159	1.70	-	53.83
AV	5.1496G	45.93	54.00	-8.07	5.11	3	Vertical	159	1.70	-	40.82
PK	5.28G	105.31	Inf	-Inf	5.44	3	Vertical	159	1.70	-	99.87
AV	5.2796G	93.47	Inf	-Inf	5.44	3	Vertical	159	1.70	-	88.03
PK	5.3512G	68.85	74.00	-5.15	5.44	3	Vertical	159	1.70	-	63.41
AV	5.3524G	53.44	54.00	-0.56	5.43	3	Vertical	159	1.70	-	48.01
PK	5.47G	57.43	68.20	-10.77	5.18	3	Vertical	159	1.70	-	52.25

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5290MHz_TX




EUT Y_1TX
Setting 65
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.102G	57.31	74.00	-16.69	5.11	3	Horizontal	72	1.50	-	52.20
AV	5.1492G	45.26	54.00	-8.74	5.11	3	Horizontal	72	1.50	-	40.15
PK	5.28G	88.74	Inf	-Inf	5.44	3	Horizontal	72	1.50	-	83.30
AV	5.2796G	76.97	Inf	-Inf	5.44	3	Horizontal	72	1.50	-	71.53
PK	5.3584G	59.26	74.00	-14.74	5.41	3	Horizontal	72	1.50	-	53.85
AV	5.3584G	46.45	54.00	-7.55	5.41	3	Horizontal	72	1.50	-	41.04
PK	5.464G	57.82	68.20	-10.38	5.19	3	Horizontal	72	1.50	-	52.63

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5290MHz_TX




EUT Y_1TX
Setting 65
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58854G	53.74	68.20	-14.46	12.11	3	Vertical	77	1.38	-	41.63
PK	15.87392G	59.02	74.00	-14.98	15.09	3	Vertical	138	1.59	-	43.93
AV	15.87386G	46.11	54.00	-7.89	15.09	3	Vertical	138	1.59	-	31.02

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5290MHz_TX




EUT Y_1TX
Setting 65
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58348G	53.79	68.20	-14.41	12.12	3	Horizontal	45	1.39	-	41.67
PK	15.87658G	58.53	74.00	-15.47	15.09	3	Horizontal	86	1.54	-	43.44
AV	15.86052G	45.73	54.00	-8.27	15.10	3	Horizontal	86	1.54	-	30.63

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5530MHz_TX




EUT Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.304G	58.19	68.20	-10.01	5.52	3	Vertical	161	1.48	-	52.67
PK	5.4405G	66.89	74.00	-7.11	5.26	3	Vertical	161	1.48	-	61.63
AV	5.458G	53.36	54.00	-0.64	5.20	3	Vertical	161	1.48	-	48.16
PK	5.468G	65.22	68.20	-2.98	5.18	3	Vertical	161	1.48	-	60.04
PK	5.5285G	104.32	Inf	-Inf	5.08	3	Vertical	161	1.48	-	99.24
AV	5.5425G	92.40	Inf	-Inf	5.07	3	Vertical	161	1.48	-	87.33
PK	5.772G	57.60	68.20	-10.60	4.77	3	Vertical	161	1.48	-	52.83

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5530MHz_TX




EUT Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.299G	57.95	68.20	-10.25	5.53	3	Horizontal	159	1.48	-	52.42
PK	5.403G	58.24	74.00	-15.76	5.33	3	Horizontal	159	1.48	-	52.91
AV	5.378G	45.72	54.00	-8.28	5.39	3	Horizontal	159	1.48	-	40.33
PK	5.463G	57.68	68.20	-10.52	5.19	3	Horizontal	159	1.48	-	52.49
PK	5.5285G	90.34	Inf	-Inf	5.08	3	Horizontal	159	1.48	-	85.26
AV	5.5365G	78.17	Inf	-Inf	5.07	3	Horizontal	159	1.48	-	73.10
PK	5.7735G	57.27	68.20	-10.93	4.77	3	Horizontal	159	1.48	-	52.50

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5530MHz_TX




EUT Y_1TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0516G	54.04	74.00	-19.96	12.60	3	Vertical	254	1.62	-	41.44
AV	11.06852G	40.70	54.00	-13.30	12.64	3	Vertical	254	1.62	-	28.06
PK	16.5991G	63.12	68.20	-5.08	16.17	3	Vertical	215	1.49	-	46.95

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5530MHz_TX




EUT Y_1TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0571G	53.10	74.00	-20.90	12.62	3	Horizontal	340	1.94	-	40.48
AV	11.06696G	40.68	54.00	-13.32	12.63	3	Horizontal	340	1.94	-	28.05
PK	16.581G	61.59	68.20	-6.61	16.13	3	Horizontal	214	1.11	-	45.46

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5610MHz_TX




EUT Y_1TX
Setting 78
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	65.89	74.00	-8.11	5.20	3	Vertical	158	1.21	-	60.69
AV	5.4588G	51.50	54.00	-2.50	5.20	3	Vertical	158	1.21	-	46.30
PK	5.4648G	67.63	68.20	-0.57	5.19	3	Vertical	158	1.21	-	62.44
PK	5.6088G	110.18	Inf	-Inf	4.96	3	Vertical	158	1.21	-	105.22
AV	5.6036G	98.41	Inf	-Inf	4.98	3	Vertical	158	1.21	-	93.43
PK	5.7364G	66.84	68.20	-1.36	4.74	3	Vertical	158	1.21	-	62.10

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5610MHz_TX




EUT Y_1TX
Setting 78
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4144G	57.92	74.00	-16.08	5.31	3	Horizontal	160	1.50	-	52.61
AV	5.4528G	45.82	54.00	-8.18	5.21	3	Horizontal	160	1.50	-	40.61
PK	5.4672G	57.90	68.20	-10.30	5.19	3	Horizontal	160	1.50	-	52.71
PK	5.5968G	94.24	Inf	-Inf	4.99	3	Horizontal	160	1.50	-	89.25
AV	5.578G	83.07	Inf	-Inf	5.02	3	Horizontal	160	1.50	-	78.05
PK	5.7644G	56.89	68.20	-11.31	4.76	3	Horizontal	160	1.50	-	52.13

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5610MHz_TX




EUT Y_1TX
Setting 78
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.23284G	54.65	74.00	-19.35	12.89	3	Vertical	91	1.49	-	41.76
AV	11.23662G	41.29	54.00	-12.71	12.88	3	Vertical	91	1.49	-	28.41
PK	16.82661G	62.19	68.20	-6.01	16.62	3	Vertical	139	1.33	-	45.57

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5610MHz_TX




EUT Y_1TX
Setting 78
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21871G	53.70	74.00	-20.30	12.87	3	Horizontal	171	1.58	-	40.83
AV	11.23206G	41.17	54.00	-12.83	12.88	3	Horizontal	171	1.58	-	28.29
PK	16.82214G	60.99	68.20	-7.21	16.61	3	Horizontal	230	1.38	-	44.38

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 92
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6768G	110.86	Inf	-Inf	4.76	3	Vertical	158	1.52	-	106.10
AV	5.7032G	98.75	Inf	-Inf	4.70	3	Vertical	158	1.52	-	94.05
PK	5.8584G	67.38	68.20	-0.82	5.02	3	Vertical	158	1.52	-	62.36

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 92
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6884G	95.52	Inf	-Inf	4.73	3	Horizontal	273	1.50	-	90.79
AV	5.6964G	83.58	Inf	-Inf	4.71	3	Horizontal	273	1.50	-	78.87
PK	5.8636G	57.57	68.20	-10.63	5.03	3	Horizontal	273	1.50	-	52.54

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 92
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5144G	55.35	74.00	-18.65	13.32	3	Vertical	75	1.41	-	42.03
AV	11.5G	42.83	54.00	-11.17	13.29	3	Vertical	75	1.41	-	29.54
PK	17.2128G	63.94	68.20	-4.26	17.72	3	Vertical	147	1.64	-	46.22

802.11ax HEW80_Nss1,(MCS0)_1TX

16/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 92
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5224G	55.02	74.00	-18.98	13.32	3	Horizontal	159	1.58	-	41.70
AV	11.5028G	42.85	54.00	-11.15	13.31	3	Horizontal	159	1.58	-	29.54
PK	17.2124G	64.84	68.20	-3.36	17.71	3	Horizontal	224	1.30	-	47.13

802.11ax HEW160_Nss1,(MCS0)_1TX

16/10/2019

5250MHz_TX




EUT Y_1TX
Setting 59
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0548G	60.37	74.00	-13.63	4.88	3	Vertical	216	1.65	-	55.49
AV	5.1356G	49.82	54.00	-4.18	5.11	3	Vertical	216	1.65	-	44.71
PK	5.254G	101.51	Inf	-Inf	5.33	3	Vertical	216	1.65	-	96.18
AV	5.2452G	90.23	Inf	-Inf	5.31	3	Vertical	216	1.65	-	84.92
PK	5.3788G	63.36	74.00	-10.64	5.38	3	Vertical	216	1.65	-	57.98
AV	5.374G	53.35	54.00	-0.65	5.39	3	Vertical	216	1.65	-	47.96
PK	5.57G	57.58	68.20	-10.62	5.03	3	Vertical	216	1.65	-	52.55

802.11ax HEW160_Nss1,(MCS0)_1TX

16/10/2019

5250MHz_TX




EUT Y_1TX
Setting 59
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1012G	57.89	74.00	-16.11	5.11	3	Horizontal	122	1.51	-	52.78
AV	5.0732G	46.75	54.00	-7.25	4.98	3	Horizontal	122	1.51	-	41.77
PK	5.254G	77.72	Inf	-Inf	5.33	3	Horizontal	122	1.51	-	72.39
AV	5.266G	68.14	Inf	-Inf	5.39	3	Horizontal	122	1.51	-	62.75
PK	5.4404G	57.94	74.00	-16.06	5.26	3	Horizontal	122	1.51	-	52.68
AV	5.3868G	47.00	54.00	-7.00	5.37	3	Horizontal	122	1.51	-	41.63
PK	5.59G	57.55	68.20	-10.65	5.00	3	Horizontal	122	1.51	-	52.55

802.11ax HEW160_Nss1,(MCS0)_1TX

16/10/2019

5250MHz_TX




EUT Y_1TX
Setting 59
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.49336G	51.73	68.20	-16.47	12.02	3	Vertical	203	1.56	-	39.71
PK	15.75096G	58.89	74.00	-15.11	15.18	3	Vertical	253	1.37	-	43.71
AV	15.75094G	47.91	54.00	-6.09	15.18	3	Vertical	253	1.37	-	32.73

802.11ax HEW160_Nss1,(MCS0)_1TX

16/10/2019

5250MHz_TX




EUT Y_1TX
Setting 59
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.49182G	52.04	68.20	-16.16	12.02	3	Horizontal	105	1.23	-	40.02
PK	15.75336G	59.01	74.00	-14.99	15.18	3	Horizontal	30	1.57	-	43.83
AV	15.74046G	48.05	54.00	-5.95	15.19	3	Horizontal	30	1.57	-	32.86

802.11ax HEW160_Nss1,(MCS0)_1TX

16/10/2019

5570MHz_TX




EUT Y_1TX
Setting 52
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3284G	58.28	68.20	-9.92	5.47	3	Vertical	162	1.44	-	52.81
PK	5.4588G	63.93	74.00	-10.07	5.20	3	Vertical	162	1.44	-	58.73
AV	5.454G	53.32	54.00	-0.68	5.21	3	Vertical	162	1.44	-	48.11
PK	5.4676G	62.71	68.20	-5.49	5.18	3	Vertical	162	1.44	-	57.53
PK	5.5532G	100.20	Inf	-Inf	5.05	3	Vertical	162	1.44	-	95.15
AV	5.5772G	89.06	Inf	-Inf	5.02	3	Vertical	162	1.44	-	84.04
PK	5.7636G	58.28	68.20	-9.92	4.76	3	Vertical	162	1.44	-	53.52

802.11ax HEW160_Nss1,(MCS0)_1TX

16/10/2019

5570MHz_TX




EUT Y_1TX
Setting 52
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.294G	58.57	68.20	-9.63	5.50	3	Horizontal	160	1.48	-	53.07
PK	5.4036G	57.74	74.00	-16.26	5.33	3	Horizontal	160	1.48	-	52.41
AV	5.3924G	47.28	54.00	-6.72	5.35	3	Horizontal	160	1.48	-	41.93
PK	5.4668G	56.31	68.20	-11.89	5.19	3	Horizontal	160	1.48	-	51.12
PK	5.5532G	86.39	Inf	-Inf	5.05	3	Horizontal	160	1.48	-	81.34
AV	5.5516G	75.13	Inf	-Inf	5.05	3	Horizontal	160	1.48	-	70.08
PK	5.8156G	57.08	68.20	-11.12	4.86	3	Horizontal	160	1.48	-	52.22

802.11ax HEW160_Nss1,(MCS0)_1TX

16/10/2019

5570MHz_TX




EUT Y_1TX
Setting 52
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13055G	53.24	74.00	-20.76	12.73	3	Vertical	87	1.64	-	40.51
AV	11.14543G	42.37	54.00	-11.63	12.75	3	Vertical	87	1.64	-	29.62
PK	16.70907G	60.74	68.20	-7.46	16.38	3	Vertical	129	1.49	-	44.36

802.11ax HEW160_Nss1,(MCS0)_1TX

16/10/2019

5570MHz_TX



EUT Y_1TX
Setting 52
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14984G	53.58	74.00	-20.42	12.76	3	Horizontal	164	1.79	-	40.82
AV	11.14954G	42.45	54.00	-11.55	12.76	3	Horizontal	164	1.79	-	29.69
PK	16.71591G	61.13	68.20	-7.07	16.40	3	Horizontal	113	1.57	-	44.73




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.3504G	53.48	54.00	-0.52	5.44	3	Vertical	169	1.59	-

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5260MHz_TX




EUT Y_2TX
Setting 101
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	65.31	74.00	-8.69	5.11	3	Vertical	205	1.63	-	60.20
AV	5.1487G	52.70	54.00	-1.30	5.11	3	Vertical	205	1.63	-	47.59
PK	5.266G	124.11	Inf	-Inf	5.39	3	Vertical	205	1.63	-	118.72
AV	5.2615G	114.12	Inf	-Inf	5.36	3	Vertical	205	1.63	-	108.76
PK	5.3512G	67.77	74.00	-6.23	5.44	3	Vertical	205	1.63	-	62.33
AV	5.3641G	53.37	54.00	-0.63	5.41	3	Vertical	205	1.63	-	47.96

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5260MHz_TX




EUT Y_2TX
Setting 101
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
AV	5.1439G	44.51	54.00	-9.49	5.11	3	Horizontal	226	1.50	-	39.40
PK	5.1427G	56.95	74.00	-17.05	5.11	3	Horizontal	226	1.50	-	51.84
AV	5.2666G	94.25	Inf	-Inf	5.39	3	Horizontal	226	1.50	-	88.86
PK	5.2663G	104.55	Inf	-Inf	5.39	3	Horizontal	226	1.50	-	99.16
AV	5.3746G	45.64	54.00	-8.36	5.39	3	Horizontal	226	1.50	-	40.25
PK	5.3818G	58.87	74.00	-15.13	5.37	3	Horizontal	226	1.50	-	53.50

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5260MHz_TX




EUT Y_2TX
Setting 101
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52471G	58.41	68.20	-9.79	12.05	3	Vertical	192	1.66	-	46.36
PK	15.77304G	58.61	74.00	-15.39	15.17	3	Vertical	311	1.52	-	43.44
AV	15.76842G	45.38	54.00	-8.62	15.17	3	Vertical	311	1.52	-	30.21

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5260MHz_TX




EUT Y_2TX
 Setting 101
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52366G	53.40	68.20	-14.80	12.05	3	Horizontal	338	1.45	-	41.35
PK	15.78204G	58.84	74.00	-15.16	15.16	3	Horizontal	301	1.55	-	43.68
AV	15.77886G	45.62	54.00	-8.38	15.16	3	Horizontal	301	1.55	-	30.46

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5300MHz_TX




EUT Y_2TX
 Setting 84
 04-C-4-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2967G	120.37	Inf	-Inf	5.52	3	Vertical	33	1.91	-	114.85
AV	5.3021G	110.76	Inf	-Inf	5.52	3	Vertical	33	1.91	-	105.24
PK	5.3522G	71.85	74.00	-2.15	5.43	3	Vertical	33	1.91	-	66.42
AV	5.3522G	53.32	54.00	-0.68	5.43	3	Vertical	33	1.91	-	47.89

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5300MHz_TX




EUT Y_2TX
Setting 84
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2961G	102.33	Inf	-Inf	5.51	3	Horizontal	227	1.51	-	96.82
AV	5.3009G	92.54	Inf	-Inf	5.53	3	Horizontal	227	1.51	-	87.01
PK	5.3516G	59.09	74.00	-14.91	5.44	3	Horizontal	227	1.51	-	53.65
AV	5.3531G	45.49	54.00	-8.51	5.43	3	Horizontal	227	1.51	-	40.06

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5300MHz_TX




EUT Y_2TX
Setting 84
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59559G	54.12	68.20	-14.08	12.12	3	Vertical	205	1.49	-	42.00
PK	15.90822G	59.27	74.00	-14.73	15.05	3	Vertical	168	1.34	-	44.22
AV	15.9129G	45.87	54.00	-8.13	15.05	3	Vertical	168	1.34	-	30.82

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5300MHz_TX




EUT Y_2TX
Setting 84
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59493G	53.97	68.20	-14.23	12.12	3	Horizontal	130	1.59	-	41.85
PK	15.91452G	59.02	74.00	-14.98	15.05	3	Horizontal	174	1.41	-	43.97
AV	15.91209G	45.57	54.00	-8.43	15.05	3	Horizontal	174	1.41	-	30.52

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5320MHz_TX




EUT_Y_2TX
Setting 69
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.317G	117.42	Inf	-Inf	5.50	3	Vertical	1	1.75	-	111.92
AV	5.317G	107.86	Inf	-Inf	5.50	3	Vertical	1	1.75	-	102.36
PK	5.353G	72.07	74.00	-1.93	5.43	3	Vertical	1	1.75	-	66.64
AV	5.353G	53.29	54.00	-0.71	5.43	3	Vertical	1	1.75	-	47.86
PK	5.4679G	58.49	68.20	-9.71	5.18	3	Vertical	1	1.75	-	53.31

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5320MHz_TX




EUT_Y_2TX
Setting 69
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3161G	98.65	Inf	-Inf	5.50	3	Horizontal	229	1.50	-	93.15
AV	5.3257G	88.57	Inf	-Inf	5.48	3	Horizontal	229	1.50	-	83.09
PK	5.3518G	59.11	74.00	-14.89	5.43	3	Horizontal	229	1.50	-	53.68
AV	5.35G	45.58	54.00	-8.42	5.44	3	Horizontal	229	1.50	-	40.14
PK	5.4649G	57.32	68.20	-10.88	5.19	3	Horizontal	229	1.50	-	52.13

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5320MHz_TX




EUT_Y_2TX
 Setting 69
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6373G	52.83	74.00	-21.17	12.16	3	Vertical	305	1.42	-	40.67
AV	10.63373G	39.18	54.00	-14.82	12.16	3	Vertical	305	1.42	-	27.02
PK	15.94623G	59.96	74.00	-14.04	15.03	3	Vertical	267	1.53	-	44.93
AV	15.94671G	46.61	54.00	-7.39	15.03	3	Vertical	267	1.53	-	31.58

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5320MHz_TX




EUT Y_2TX
Setting 69
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63478G	52.29	74.00	-21.71	12.16	3	Horizontal	242	1.37	-	40.13
AV	10.62512G	39.38	54.00	-14.62	12.16	3	Horizontal	242	1.37	-	27.22
PK	16.0965G	59.47	74.00	-14.53	15.19	3	Horizontal	212	1.47	-	44.28
AV	16.0914G	46.76	54.00	-7.24	15.17	3	Horizontal	212	1.47	-	31.59

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5500MHz_TX




EUT_Y_2TX
Setting 55
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4391G	60.23	74.00	-13.77	5.26	3	Vertical	353	1.77	-	54.97
AV	5.3881G	47.51	54.00	-6.49	5.37	3	Vertical	353	1.77	-	42.14
PK	5.4697G	67.40	68.20	-0.80	5.18	3	Vertical	353	1.77	-	62.22
PK	5.4958G	113.09	Inf	-Inf	5.13	3	Vertical	353	1.77	-	107.96
AV	5.4955G	103.48	Inf	-Inf	5.13	3	Vertical	353	1.77	-	98.35

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5500MHz_TX




EUT_Y_2TX
Setting 55
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4247G	58.30	74.00	-15.70	5.29	3	Horizontal	283	1.51	-	53.01
AV	5.3614G	45.32	54.00	-8.68	5.42	3	Horizontal	283	1.51	-	39.90
PK	5.4631G	57.17	68.20	-11.03	5.19	3	Horizontal	283	1.51	-	51.98
PK	5.5039G	95.74	Inf	-Inf	5.12	3	Horizontal	283	1.51	-	90.62
AV	5.5039G	85.69	Inf	-Inf	5.12	3	Horizontal	283	1.51	-	80.57

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5500MHz_TX




EUT Y_2TX
 Setting 55
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00798G	52.76	74.00	-21.24	12.54	3	Vertical	176	1.48	-	40.22
AV	11.01344G	39.45	54.00	-14.55	12.55	3	Vertical	176	1.48	-	26.90
PK	16.51356G	62.64	68.20	-5.56	16.00	3	Vertical	121	1.75	-	46.64

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5500MHz_TX




EUT Y_2TX
Setting 55
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.98536G	52.32	74.00	-21.68	12.52	3	Horizontal	163	1.14	-	39.80
AV	11.01122G	39.11	54.00	-14.89	12.54	3	Horizontal	163	1.14	-	26.57
PK	16.51056G	61.32	68.20	-6.88	15.99	3	Horizontal	335	1.26	-	45.33

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5580MHz_TX




EUT Y_2TX
Setting 98
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4552G	64.78	74.00	-9.22	5.21	3	Vertical	166	1.56	-	59.57
AV	5.4596G	49.53	54.00	-4.47	5.20	3	Vertical	166	1.56	-	44.33
PK	5.468G	67.66	68.20	-0.54	5.18	3	Vertical	166	1.56	-	62.48
PK	5.582G	122.12	Inf	-Inf	5.02	3	Vertical	166	1.56	-	117.10
AV	5.5768G	112.45	Inf	-Inf	5.02	3	Vertical	166	1.56	-	107.43
PK	5.73G	60.20	68.20	-8.00	4.73	3	Vertical	166	1.56	-	55.47

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5580MHz_TX




EUT Y_2TX
Setting 98
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	58.13	74.00	-15.87	5.21	3	Horizontal	125	1.53	-	52.92
AV	5.434G	45.11	54.00	-8.89	5.27	3	Horizontal	125	1.53	-	39.84
PK	5.464G	57.77	68.20	-10.43	5.19	3	Horizontal	125	1.53	-	52.58
PK	5.5764G	101.32	Inf	-Inf	5.02	3	Horizontal	125	1.53	-	96.30
AV	5.5764G	91.68	Inf	-Inf	5.02	3	Horizontal	125	1.53	-	86.66
PK	5.7608G	56.58	68.20	-11.62	4.76	3	Horizontal	125	1.53	-	51.82

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5580MHz_TX




EUT Y_2TX
Setting 98
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14952G	54.12	74.00	-19.88	12.76	3	Vertical	178	1.49	-	41.36
AV	11.16048G	40.70	54.00	-13.30	12.77	3	Vertical	178	1.49	-	27.93
PK	16.75668G	60.97	68.20	-7.23	16.48	3	Vertical	209	1.33	-	44.49

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5580MHz_TX




EUT Y_2TX
Setting 98
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16976G	53.37	74.00	-20.63	12.79	3	Horizontal	114	1.47	-	40.58
AV	11.15956G	40.24	54.00	-13.76	12.77	3	Horizontal	114	1.47	-	27.47
PK	16.5836G	61.06	68.20	-7.14	16.14	3	Horizontal	92	1.52	-	44.92

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5700MHz_TX




EUT_Y_2TX
Setting 54
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7075G	112.30	Inf	-Inf	4.71	3	Vertical	33	1.93	-	107.59
AV	5.7027G	102.89	Inf	-Inf	4.70	3	Vertical	33	1.93	-	98.19
PK	5.7267G	67.55	68.20	-0.65	4.73	3	Vertical	33	1.93	-	62.82

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5700MHz_TX




EUT_Y_2TX
Setting 54
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.697G	90.55	Inf	-Inf	4.71	3	Horizontal	62	1.81	-	85.84
AV	5.6922G	81.36	Inf	-Inf	4.72	3	Horizontal	62	1.81	-	76.64
PK	5.7819G	56.98	68.20	-11.22	4.78	3	Horizontal	62	1.81	-	52.20

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5700MHz_TX




EUT_Y_2TX
Setting 54
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4747G	55.32	74.00	-18.68	13.26	3	Vertical	173	1.55	-	42.06
AV	11.4741G	42.34	54.00	-11.66	13.26	3	Vertical	173	1.55	-	29.08
PK	17.1609G	63.57	68.20	-4.63	17.53	3	Vertical	143	1.26	-	46.04

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5700MHz_TX




EUT_Y_2TX
Setting 54
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5266G	54.36	74.00	-19.64	13.33	3	Horizontal	67	1.30	-	41.03
AV	11.4915G	42.04	54.00	-11.96	13.28	3	Horizontal	67	1.30	-	28.76
PK	17.2017G	63.35	68.20	-4.85	17.67	3	Horizontal	80	1.38	-	45.68

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 110
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7176G	123.19	Inf	-Inf	4.72	3	Vertical	164	1.79	-	118.47
AV	5.722G	113.05	Inf	-Inf	4.72	3	Vertical	164	1.79	-	108.33
PK	5.8524G	67.49	68.20	-0.71	4.99	3	Vertical	164	1.79	-	62.50

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 110
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7168G	104.35	Inf	-Inf	4.72	3	Horizontal	183	1.66	-	99.63
AV	5.7164G	93.75	Inf	-Inf	4.72	3	Horizontal	183	1.66	-	89.03
PK	5.8828G	57.53	68.20	-10.67	5.10	3	Horizontal	183	1.66	-	52.43

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 110
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4916G	54.73	74.00	-19.27	13.28	3	Vertical	272	1.39	-	41.45
AV	11.5056G	42.24	54.00	-11.76	13.31	3	Vertical	272	1.39	-	28.93
PK	17.3592G	63.49	68.20	-4.71	18.25	3	Vertical	291	1.27	-	45.24

802.11a_Nss1,(6Mbps)_2TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 110
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5016G	55.13	74.00	-18.87	13.30	3	Horizontal	253	1.37	-	41.83
AV	11.4904G	41.93	54.00	-12.07	13.28	3	Horizontal	253	1.37	-	28.65
PK	17.29G	63.45	68.20	-4.75	17.99	3	Horizontal	229	1.42	-	45.46

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5260MHz_TX




EUT Y_2TX
Setting 100
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1469G	63.88	74.00	-10.12	5.11	3	Vertical	171	1.75	-	58.77
AV	5.1442G	52.12	54.00	-1.88	5.11	3	Vertical	171	1.75	-	47.01
PK	5.2609G	122.72	Inf	-Inf	5.36	3	Vertical	171	1.75	-	117.36
AV	5.2669G	110.99	Inf	-Inf	5.39	3	Vertical	171	1.75	-	105.60
PK	5.3515G	68.17	74.00	-5.83	5.44	3	Vertical	171	1.75	-	62.73
AV	5.3665G	53.47	54.00	-0.53	5.40	3	Vertical	171	1.75	-	48.07

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5260MHz_TX




EUT Y_2TX
Setting 100
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1364G	57.23	74.00	-16.77	5.11	3	Horizontal	227	1.49	-	52.12
AV	5.1154G	45.21	54.00	-8.79	5.11	3	Horizontal	227	1.49	-	40.10
PK	5.2609G	103.13	Inf	-Inf	5.36	3	Horizontal	227	1.49	-	97.77
AV	5.2663G	92.04	Inf	-Inf	5.39	3	Horizontal	227	1.49	-	86.65
PK	5.3506G	58.43	74.00	-15.57	5.44	3	Horizontal	227	1.49	-	52.99
AV	5.3518G	46.14	54.00	-7.86	5.43	3	Horizontal	227	1.49	-	40.71

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5260MHz_TX




EUT Y_2TX
Setting 100
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.76025G	58.33	74.00	-15.67	15.18	3	Vertical	124	2.08	-	43.15
AV	15.7744G	46.42	54.00	-7.58	15.17	3	Vertical	124	2.08	-	31.25

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5260MHz_TX




EUT Y_2TX
Setting 100
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75635G	59.32	74.00	-14.68	15.18	3	Horizontal	248	1.33	-	44.14
AV	15.76145G	46.39	54.00	-7.61	15.18	3	Horizontal	248	1.33	-	31.21

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5300MHz_TX




EUT Y_2TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2914G	118.97	Inf	-Inf	5.49	3	Vertical	169	1.59	-	113.48
AV	5.2968G	107.39	Inf	-Inf	5.52	3	Vertical	169	1.59	-	101.87
PK	5.351G	69.51	74.00	-4.49	5.44	3	Vertical	169	1.59	-	64.07
AV	5.3504G	53.48	54.00	-0.52	5.44	3	Vertical	169	1.59	-	48.04

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5300MHz_TX




EUT Y_2TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2992G	102.19	Inf	-Inf	5.53	3	Horizontal	228	1.49	-	96.66
AV	5.2966G	90.19	Inf	-Inf	5.52	3	Horizontal	228	1.49	-	84.67
PK	5.3826G	58.23	74.00	-15.77	5.37	3	Horizontal	228	1.49	-	52.86
AV	5.3534G	46.32	54.00	-7.68	5.43	3	Horizontal	228	1.49	-	40.89

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5300MHz_TX




EUT Y_2TX
 Setting 80
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90486G	59.67	74.00	-14.33	15.06	3	Vertical	164	1.16	-	44.61
AV	15.9086G	47.59	54.00	-6.41	15.05	3	Vertical	164	1.16	-	32.54

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5300MHz_TX




EUT Y_2TX
Setting 80
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89904G	59.97	74.00	-14.03	15.07	3	Horizontal	343	2.87	-	44.90
AV	15.90538G	47.37	54.00	-6.63	15.06	3	Horizontal	343	2.87	-	32.31

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5320MHz_TX




EUT Y_2TX
Setting 65
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3146G	115.54	Inf	-Inf	5.51	3	Vertical	204	1.76	-	110.03
AV	5.3165G	103.52	Inf	-Inf	5.50	3	Vertical	204	1.76	-	98.02
PK	5.3525G	69.21	74.00	-4.79	5.43	3	Vertical	204	1.76	-	63.78
AV	5.35G	53.29	54.00	-0.71	5.44	3	Vertical	204	1.76	-	47.85

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5320MHz_TX




EUT Y_2TX
Setting 65
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3155G	99.08	Inf	-Inf	5.50	3	Horizontal	227	1.50	-	93.58
AV	5.3159G	87.01	Inf	-Inf	5.50	3	Horizontal	227	1.50	-	81.51
PK	5.3525G	59.04	74.00	-14.96	5.43	3	Horizontal	227	1.50	-	53.61
AV	5.3501G	46.18	54.00	-7.82	5.44	3	Horizontal	227	1.50	-	40.74

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5320MHz_TX




EUT Y_2TX
Setting 65
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95938G	60.34	74.00	-13.66	15.02	3	Vertical	343	2.71	-	45.32
AV	15.96544G	47.94	54.00	-6.06	15.01	3	Vertical	343	2.71	-	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5320MHz_TX




EUT Y_2TX
Setting 65
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95376G	60.94	74.00	-13.06	15.02	3	Horizontal	212	1.68	-	45.92
AV	15.95222G	48.06	54.00	-5.94	15.02	3	Horizontal	212	1.68	-	33.04

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5500MHz_TX




EUT Y_2TX
Setting 61
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4589G	60.83	74.00	-13.17	5.20	3	Vertical	166	1.63	-	55.63
AV	5.4573G	47.94	54.00	-6.06	5.21	3	Vertical	166	1.63	-	42.73
PK	5.4685G	67.64	68.20	-0.56	5.18	3	Vertical	166	1.63	-	62.46
PK	5.4918G	115.31	Inf	-Inf	5.14	3	Vertical	166	1.63	-	110.17
AV	5.4967G	102.68	Inf	-Inf	5.13	3	Vertical	166	1.63	-	97.55

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5500MHz_TX




EUT_Y_2TX
Setting 61
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.453G	58.03	74.00	-15.97	5.21	3	Horizontal	281	1.52	-	52.82
AV	5.4563G	45.65	54.00	-8.35	5.21	3	Horizontal	281	1.52	-	40.44
PK	5.4665G	58.58	68.20	-9.62	5.19	3	Horizontal	281	1.52	-	53.39
PK	5.5047G	99.10	Inf	-Inf	5.12	3	Horizontal	281	1.52	-	93.98
AV	5.5012G	86.87	Inf	-Inf	5.12	3	Horizontal	281	1.52	-	81.75

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5500MHz_TX




EUT Y_2TX
 Setting 61
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00446G	54.69	74.00	-19.31	12.54	3	Vertical	220	1.57	-	42.15
AV	11.00268G	41.54	54.00	-12.46	12.54	3	Vertical	220	1.57	-	29.00

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5500MHz_TX




EUT Y_2TX
Setting 61
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0064G	54.06	74.00	-19.94	12.54	3	Horizontal	120	1.50	-	41.52
AV	11.0025G	41.47	54.00	-12.53	12.53	3	Horizontal	120	1.50	-	28.94

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5580MHz_TX




EUT Y_2TX
Setting 98
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	66.54	74.00	-7.46	5.20	3	Vertical	170	1.74	-	61.34
AV	5.458G	51.97	54.00	-2.03	5.20	3	Vertical	170	1.74	-	46.77
PK	5.47G	67.49	68.20	-0.71	5.18	3	Vertical	170	1.74	-	62.31
PK	5.5812G	121.22	Inf	-Inf	5.02	3	Vertical	170	1.74	-	116.20
AV	5.578G	109.73	Inf	-Inf	5.02	3	Vertical	170	1.74	-	104.71
PK	5.7436G	62.51	68.20	-5.69	4.74	3	Vertical	170	1.74	-	57.77

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5580MHz_TX




EUT Y_2TX
Setting 98
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4044G	57.41	74.00	-16.59	5.33	3	Horizontal	153	1.46	-	52.08
PK	5.4684G	57.40	68.20	-10.80	5.18	3	Horizontal	153	1.46	-	52.22
AV	5.4472G	45.99	54.00	-8.01	5.25	3	Horizontal	153	1.46	-	40.74
PK	5.5828G	104.58	Inf	-Inf	5.02	3	Horizontal	153	1.46	-	99.56
AV	5.5776G	93.27	Inf	-Inf	5.02	3	Horizontal	153	1.46	-	88.25
PK	5.7696G	57.03	68.20	-11.17	4.77	3	Horizontal	153	1.46	-	52.26

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5580MHz_TX




EUT Y_2TX
Setting 98
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16704G	57.18	74.00	-16.82	12.79	3	Vertical	193	1.75	-	44.39
AV	11.16734G	46.65	54.00	-7.35	12.79	3	Vertical	193	1.75	-	33.86
PK	16.7388G	61.27	68.20	-6.93	16.44	3	Vertical	248	2.33	-	44.83

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5580MHz_TX




EUT Y_2TX
Setting 98
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16014G	54.75	74.00	-19.25	12.77	3	Horizontal	359	1.45	-	41.98
AV	11.16004G	42.43	54.00	-11.57	12.77	3	Horizontal	359	1.45	-	29.66
PK	16.74102G	61.51	68.20	-6.69	16.45	3	Horizontal	261	1.58	-	45.06

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5700MHz_TX




EUT Y_2TX
Setting 53
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7028G	112.19	Inf	-Inf	4.70	3	Vertical	127	1.80	-	107.49
AV	5.7014G	100.65	Inf	-Inf	4.70	3	Vertical	127	1.80	-	95.95
PK	5.7254G	67.65	68.20	-0.55	4.73	3	Vertical	127	1.80	-	62.92

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5700MHz_TX




EUT_Y_2TX
Setting 53
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.702G	94.14	Inf	-Inf	4.70	3	Horizontal	333	2.10	-	89.44
AV	5.7026G	82.84	Inf	-Inf	4.70	3	Horizontal	333	2.10	-	78.14
PK	5.7472G	57.34	68.20	-10.86	4.75	3	Horizontal	333	2.10	-	52.59

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5700MHz_TX




EUT Y_2TX
Setting 53
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40798G	55.56	74.00	-18.44	13.16	3	Vertical	35	1.61	-	42.40
AV	11.406G	42.89	54.00	-11.11	13.15	3	Vertical	35	1.61	-	29.74

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5700MHz_TX




EUT Y_2TX
Setting 53
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40276G	55.67	74.00	-18.33	13.15	3	Horizontal	242	2.30	-	42.52
AV	11.40271G	43.07	54.00	-10.93	13.15	3	Horizontal	242	2.30	-	29.92

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4338G	60.89	74.00	-13.11	5.27	3	Vertical	126	1.74	-	55.62
PK	5.4692G	59.44	68.20	-8.76	5.18	3	Vertical	126	1.74	-	54.26
AV	5.456G	48.36	54.00	-5.64	5.21	3	Vertical	126	1.74	-	43.15
PK	5.7212G	122.69	Inf	-Inf	4.72	3	Vertical	126	1.74	-	117.97
AV	5.7218G	111.49	Inf	-Inf	4.72	3	Vertical	126	1.74	-	106.77
PK	5.852G	67.62	68.20	-0.58	4.99	3	Vertical	126	1.74	-	62.63

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4218G	57.44	74.00	-16.56	5.30	3	Horizontal	350	1.61	-	52.14
AV	5.4308G	45.92	54.00	-8.08	5.28	3	Horizontal	350	1.61	-	40.64
PK	5.468G	57.60	68.20	-10.60	5.18	3	Horizontal	350	1.61	-	52.42
PK	5.7188G	104.32	Inf	-Inf	4.72	3	Horizontal	350	1.61	-	99.60
AV	5.7182G	93.28	Inf	-Inf	4.72	3	Horizontal	350	1.61	-	88.56
PK	5.8778G	57.21	68.20	-10.99	5.07	3	Horizontal	350	1.61	-	52.14

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44542G	56.84	74.00	-17.16	13.21	3	Vertical	88	1.82	-	43.63
AV	11.44104G	44.31	54.00	-9.69	13.20	3	Vertical	88	1.82	-	31.11
PK	17.15362G	63.14	68.20	-5.06	17.51	3	Vertical	278	1.91	-	45.63

802.11ax HEW20_Nss2,(MCS0)_2TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44166G	56.65	74.00	-17.35	13.20	3	Horizontal	137	1.07	-	43.45
AV	11.44024G	43.64	54.00	-10.36	13.20	3	Horizontal	137	1.07	-	30.44
PK	17.16426G	62.78	68.20	-5.42	17.51	3	Horizontal	138	1.80	-	45.27

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5270MHz_TX




EUT Y_2TX
Setting 78
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1479G	61.96	74.00	-12.04	5.11	3	Vertical	174	1.76	-	56.85
AV	5.1485G	48.74	54.00	-5.26	5.11	3	Vertical	174	1.76	-	43.63
PK	5.2544G	115.20	Inf	-Inf	5.33	3	Vertical	174	1.76	-	109.87
AV	5.2664G	104.01	Inf	-Inf	5.39	3	Vertical	174	1.76	-	98.62
PK	5.3504G	68.30	74.00	-5.70	5.44	3	Vertical	174	1.76	-	62.86
AV	5.3507G	53.42	54.00	-0.58	5.44	3	Vertical	174	1.76	-	47.98

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5270MHz_TX




EUT Y_2TX
Setting 78
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1269G	57.30	74.00	-16.70	5.11	3	Horizontal	231	1.53	-	52.19
AV	5.1257G	45.08	54.00	-8.92	5.11	3	Horizontal	231	1.53	-	39.97
PK	5.2841G	97.15	Inf	-Inf	5.46	3	Horizontal	231	1.53	-	91.69
AV	5.2829G	86.58	Inf	-Inf	5.46	3	Horizontal	231	1.53	-	81.12
PK	5.3615G	60.22	74.00	-13.78	5.42	3	Horizontal	231	1.53	-	54.80
AV	5.3531G	46.46	54.00	-7.54	5.43	3	Horizontal	231	1.53	-	41.03

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5270MHz_TX




EUT Y_2TX
Setting 78
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80486G	58.58	74.00	-15.42	15.14	3	Vertical	246	2.08	-	43.44
AV	15.80286G	45.40	54.00	-8.60	15.14	3	Vertical	246	2.08	-	30.26

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5270MHz_TX




EUT Y_2TX
Setting 78
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8098G	59.05	74.00	-14.95	15.14	3	Horizontal	118	1.67	-	43.91
AV	15.8028G	45.42	54.00	-8.58	15.14	3	Horizontal	118	1.67	-	30.28

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5310MHz_TX




EUT Y_2TX
Setting 57
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3006G	110.19	Inf	-Inf	5.53	3	Vertical	210	1.78	-	104.66
AV	5.3058G	98.80	Inf	-Inf	5.52	3	Vertical	210	1.78	-	93.28
PK	5.35G	72.64	74.00	-1.36	5.44	3	Vertical	210	1.78	-	67.20
AV	5.3508G	53.26	54.00	-0.74	5.44	3	Vertical	210	1.78	-	47.82

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5310MHz_TX




EUT Y_2TX
Setting 57
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3076G	93.49	Inf	-Inf	5.52	3	Horizontal	231	1.49	-	87.97
AV	5.3188G	82.08	Inf	-Inf	5.49	3	Horizontal	231	1.49	-	76.59
PK	5.3516G	59.82	74.00	-14.18	5.44	3	Horizontal	231	1.49	-	54.38
AV	5.3522G	46.47	54.00	-7.53	5.43	3	Horizontal	231	1.49	-	41.04

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5310MHz_TX




EUT Y_2TX
 Setting 57
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93858G	61.24	74.00	-12.76	15.04	3	Vertical	279	1.21	-	46.20
AV	15.93908G	47.80	54.00	-6.20	15.04	3	Vertical	279	1.21	-	32.76

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5310MHz_TX




EUT Y_2TX
Setting 57
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93126G	60.55	74.00	-13.45	15.05	3	Horizontal	325	1.56	-	45.50
AV	15.93146G	47.93	54.00	-6.07	15.05	3	Horizontal	325	1.56	-	32.88

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5510MHz_TX




EUT Y_2TX
Setting 51
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	65.84	74.00	-8.16	5.22	3	Vertical	126	1.79	-	60.62
AV	5.4586G	48.43	54.00	-5.57	5.20	3	Vertical	126	1.79	-	43.23
PK	5.468G	66.89	68.20	-1.31	5.18	3	Vertical	126	1.79	-	61.71
PK	5.5144G	109.63	Inf	-Inf	5.11	3	Vertical	126	1.79	-	104.52
AV	5.515G	97.56	Inf	-Inf	5.10	3	Vertical	126	1.79	-	92.46

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5510MHz_TX




EUT Y_2TX
Setting 51
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4158G	58.62	74.00	-15.38	5.31	3	Horizontal	281	1.52	-	53.31
AV	5.4368G	45.96	54.00	-8.04	5.27	3	Horizontal	281	1.52	-	40.69
PK	5.4614G	58.26	68.20	-9.94	5.20	3	Horizontal	281	1.52	-	53.06
PK	5.5066G	92.86	Inf	-Inf	5.11	3	Horizontal	281	1.52	-	87.75
AV	5.5038G	81.43	Inf	-Inf	5.12	3	Horizontal	281	1.52	-	76.31

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5510MHz_TX




EUT Y_2TX
Setting 51
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02316G	53.88	74.00	-20.12	12.57	3	Vertical	132	1.63	-	41.31
AV	11.02358G	41.48	54.00	-12.52	12.57	3	Vertical	132	1.63	-	28.91

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5510MHz_TX




EUT Y_2TX
Setting 51
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02228G	53.79	74.00	-20.21	12.56	3	Horizontal	219	2.16	-	41.23
AV	11.02228G	41.32	54.00	-12.68	12.56	3	Horizontal	219	2.16	-	28.76

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5550MHz_TX




EUT Y_2TX
Setting 75
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4567G	66.37	74.00	-7.63	5.21	3	Vertical	125	1.78	-	61.16
AV	5.4567G	52.39	54.00	-1.61	5.21	3	Vertical	125	1.78	-	47.18
PK	5.4627G	67.57	68.20	-0.63	5.19	3	Vertical	125	1.78	-	62.38
PK	5.5545G	115.39	Inf	-Inf	5.05	3	Vertical	125	1.78	-	110.34
AV	5.5437G	103.52	Inf	-Inf	5.07	3	Vertical	125	1.78	-	98.45

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5550MHz_TX




EUT Y_2TX
Setting 75
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	57.75	74.00	-16.25	5.21	3	Horizontal	153	1.46	-	52.54
AV	5.4282G	46.11	54.00	-7.89	5.28	3	Horizontal	153	1.46	-	40.83
PK	5.4657G	58.67	68.20	-9.53	5.19	3	Horizontal	153	1.46	-	53.48
PK	5.5464G	99.45	Inf	-Inf	5.06	3	Horizontal	153	1.46	-	94.39
AV	5.5563G	87.01	Inf	-Inf	5.04	3	Horizontal	153	1.46	-	81.97

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5550MHz_TX




EUT Y_2TX
Setting 75
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1081G	54.29	74.00	-19.71	12.70	3	Vertical	208	1.85	-	41.59
AV	11.1090G	41.34	54.00	-12.66	12.70	3	Vertical	208	1.85	-	28.64

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5550MHz_TX




EUT Y_2TX
Setting 75
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09922G	54.06	74.00	-19.94	12.69	3	Horizontal	240	1.33	-	41.37
AV	11.09958G	41.28	54.00	-12.72	12.69	3	Horizontal	240	1.33	-	28.59

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5670MHz_TX




EUT Y_2TX
Setting 53
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6774G	109.06	Inf	-Inf	4.76	3	Vertical	308	1.86	-	104.30
AV	5.6662G	97.05	Inf	-Inf	4.80	3	Vertical	308	1.86	-	92.25
PK	5.7252G	67.41	68.20	-0.79	4.73	3	Vertical	308	1.86	-	62.68

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5670MHz_TX




EUT Y_2TX
Setting 53
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6614G	89.80	Inf	-Inf	4.82	3	Horizontal	100	1.48	-	84.98
AV	5.6664G	78.65	Inf	-Inf	4.80	3	Horizontal	100	1.48	-	73.85
PK	5.7294G	57.18	68.20	-11.02	4.73	3	Horizontal	100	1.48	-	52.45

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5670MHz_TX




EUT Y_2TX
 Setting 53
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34134G	55.29	74.00	-18.71	13.05	3	Vertical	115	1.79	-	42.24
AV	11.34178G	42.79	54.00	-11.21	13.05	3	Vertical	115	1.79	-	29.74

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5670MHz_TX




EUT Y_2TX
Setting 53
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34666G	55.31	74.00	-18.69	13.05	3	Horizontal	151	1.84	-	42.26
AV	11.34248G	42.75	54.00	-11.25	13.05	3	Horizontal	151	1.84	-	29.70

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 94
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	59.90	74.00	-14.10	5.22	3	Vertical	163	1.76	-	54.68
AV	5.4196G	47.48	54.00	-6.52	5.30	3	Vertical	163	1.76	-	42.18
PK	5.4664G	59.02	68.20	-9.18	5.19	3	Vertical	163	1.76	-	53.83
PK	5.7142G	118.01	Inf	-Inf	4.71	3	Vertical	163	1.76	-	113.30
AV	5.7088G	105.83	Inf	-Inf	4.71	3	Vertical	163	1.76	-	101.12
PK	5.8522G	67.61	68.20	-0.59	4.99	3	Vertical	163	1.76	-	62.62

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 94
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.449G	57.02	74.00	-16.98	5.24	3	Horizontal	350	1.64	-	51.78
AV	5.4562G	46.03	54.00	-7.97	5.21	3	Horizontal	350	1.64	-	40.82
PK	5.4652G	57.13	68.20	-11.07	5.19	3	Horizontal	350	1.64	-	51.94
PK	5.7142G	100.63	Inf	-Inf	4.71	3	Horizontal	350	1.64	-	95.92
AV	5.7148G	89.20	Inf	-Inf	4.71	3	Horizontal	350	1.64	-	84.49
PK	5.881G	56.98	68.20	-11.22	5.08	3	Horizontal	350	1.64	-	51.90

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 94
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42036G	56.78	74.00	-17.22	13.17	3	Vertical	204	1.63	-	43.61
AV	11.42028G	42.81	54.00	-11.19	13.17	3	Vertical	204	1.63	-	29.64
PK	17.12438G	62.49	68.20	-5.71	17.41	3	Vertical	165	2.00	-	45.08

802.11ax HEW40_Nss2,(MCS0)_2TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 94
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41996G	56.32	74.00	-17.68	13.17	3	Horizontal	345	1.59	-	43.15
AV	11.41958G	43.02	54.00	-10.98	13.17	3	Horizontal	345	1.59	-	29.85
PK	17.13884G	62.70	68.20	-5.50	17.46	3	Horizontal	202	2.23	-	45.24

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5290MHz_TX




EUT Y_2TX
Setting 54
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1372G	59.05	74.00	-14.95	5.11	3	Vertical	134	1.73	-	53.94
AV	5.1456G	47.81	54.00	-6.19	5.11	3	Vertical	134	1.73	-	42.70
PK	5.2932G	106.29	Inf	-Inf	5.50	3	Vertical	134	1.73	-	100.79
AV	5.2992G	95.54	Inf	-Inf	5.53	3	Vertical	134	1.73	-	90.01
PK	5.35G	65.18	74.00	-8.82	5.44	3	Vertical	134	1.73	-	59.74
AV	5.3504G	53.26	54.00	-0.74	5.44	3	Vertical	134	1.73	-	47.82
PK	5.472G	59.57	68.20	-8.63	5.18	3	Vertical	134	1.73	-	54.39

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5290MHz_TX




EUT Y_2TX
Setting 54
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0996G	57.11	74.00	-16.89	5.11	3	Horizontal	231	1.56	-	52.00
AV	5.0956G	47.02	54.00	-6.98	5.09	3	Horizontal	231	1.56	-	41.93
PK	5.2844G	89.23	Inf	-Inf	5.46	3	Horizontal	231	1.56	-	83.77
AV	5.2808G	79.24	Inf	-Inf	5.45	3	Horizontal	231	1.56	-	73.79
PK	5.4436G	58.22	74.00	-15.78	5.25	3	Horizontal	231	1.56	-	52.97
AV	5.4232G	47.48	54.00	-6.52	5.29	3	Horizontal	231	1.56	-	42.19
PK	5.4856G	57.53	68.20	-10.67	5.15	3	Horizontal	231	1.56	-	52.38

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5290MHz_TX




EUT Y_2TX
Setting 54
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87912G	58.83	74.00	-15.17	15.08	3	Vertical	181	2.17	-	43.75
AV	15.87962G	47.90	54.00	-6.10	15.08	3	Vertical	181	2.17	-	32.82

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5290MHz_TX




EUT Y_2TX
Setting 54
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87318G	59.55	74.00	-14.45	15.09	3	Horizontal	335	1.80	-	44.46
AV	15.87328G	48.04	54.00	-5.96	15.09	3	Horizontal	335	1.80	-	32.95

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5530MHz_TX




EUT Y_2TX
Setting 55
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3295G	59.11	68.20	-9.09	5.47	3	Vertical	125	1.79	-	53.64
PK	5.459G	64.65	74.00	-9.35	5.20	3	Vertical	125	1.79	-	59.45
AV	5.4595G	53.17	54.00	-0.83	5.20	3	Vertical	125	1.79	-	47.97
PK	5.47G	67.64	68.20	-0.56	5.18	3	Vertical	125	1.79	-	62.46
PK	5.519G	107.36	Inf	-Inf	5.09	3	Vertical	125	1.79	-	102.27
AV	5.5425G	97.70	Inf	-Inf	5.07	3	Vertical	125	1.79	-	92.63
PK	5.745G	57.76	68.20	-10.44	4.75	3	Vertical	125	1.79	-	53.01

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5530MHz_TX




EUT Y_2TX
Setting 55
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.322G	58.29	68.20	-9.91	5.48	3	Horizontal	120	1.45	-	52.81
PK	5.4415G	58.25	74.00	-15.75	5.26	3	Horizontal	120	1.45	-	52.99
AV	5.384G	47.71	54.00	-6.29	5.37	3	Horizontal	120	1.45	-	42.34
PK	5.462G	57.87	68.20	-10.33	5.20	3	Horizontal	120	1.45	-	52.67
PK	5.515G	88.02	Inf	-Inf	5.10	3	Horizontal	120	1.45	-	82.92
AV	5.5165G	78.34	Inf	-Inf	5.10	3	Horizontal	120	1.45	-	73.24
PK	5.751G	57.25	68.20	-10.95	4.75	3	Horizontal	120	1.45	-	52.50

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5530MHz_TX




EUT Y_2TX
Setting 55
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06056G	54.54	74.00	-19.46	12.63	3	Vertical	227	1.94	-	41.91
AV	11.06016G	43.16	54.00	-10.84	12.63	3	Vertical	227	1.94	-	30.53

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5530MHz_TX




EUT Y_2TX
 Setting 55
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0622G	54.29	74.00	-19.71	12.62	3	Horizontal	286	1.66	-	41.67
AV	11.0622G	43.34	54.00	-10.66	12.62	3	Horizontal	286	1.66	-	30.72

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5610MHz_TX




EUT Y_2TX
Setting 70
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	64.85	74.00	-9.15	5.21	3	Vertical	207	1.65	-	59.64
AV	5.4592G	53.23	54.00	-0.77	5.20	3	Vertical	207	1.65	-	48.03
PK	5.4664G	66.20	68.20	-2.00	5.19	3	Vertical	207	1.65	-	61.01
PK	5.6128G	111.71	Inf	-Inf	4.95	3	Vertical	207	1.65	-	106.76
AV	5.5972G	100.50	Inf	-Inf	4.99	3	Vertical	207	1.65	-	95.51
PK	5.7284G	66.71	68.20	-1.49	4.73	3	Vertical	207	1.65	-	61.98

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5610MHz_TX




EUT Y_2TX
Setting 70
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4276G	58.06	74.00	-15.94	5.28	3	Horizontal	155	1.45	-	52.78
AV	5.422G	47.24	54.00	-6.76	5.30	3	Horizontal	155	1.45	-	41.94
PK	5.462G	57.90	68.20	-10.30	5.20	3	Horizontal	155	1.45	-	52.70
PK	5.5828G	94.06	Inf	-Inf	5.02	3	Horizontal	155	1.45	-	89.04
AV	5.5788G	82.72	Inf	-Inf	5.02	3	Horizontal	155	1.45	-	77.70
PK	5.7816G	57.20	68.20	-11.00	4.78	3	Horizontal	155	1.45	-	52.42

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5610MHz_TX




EUT Y_2TX
 Setting 70
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2241G	54.24	74.00	-19.76	12.87	3	Vertical	302	1.32	-	41.37
AV	11.2246G	43.17	54.00	-10.83	12.87	3	Vertical	302	1.32	-	30.30

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5610MHz_TX




EUT Y_2TX
 Setting 70
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22804G	54.51	74.00	-19.49	12.88	3	Horizontal	204	1.81	-	41.63
AV	11.22852G	43.32	54.00	-10.68	12.88	3	Horizontal	204	1.81	-	30.44

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4416G	60.41	74.00	-13.59	5.26	3	Vertical	126	1.77	-	55.15
PK	5.4698G	59.79	68.20	-8.41	5.18	3	Vertical	126	1.77	-	54.61
AV	5.4578G	49.71	54.00	-4.29	5.20	3	Vertical	126	1.77	-	44.51
PK	5.6828G	112.32	Inf	-Inf	4.74	3	Vertical	126	1.77	-	107.58
AV	5.6756G	102.33	Inf	-Inf	4.76	3	Vertical	126	1.77	-	97.57
PK	5.8574G	67.47	68.20	-0.73	5.01	3	Vertical	126	1.77	-	62.46

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.411G	57.28	74.00	-16.72	5.32	3	Horizontal	349	1.62	-	51.96
AV	5.4014G	47.68	54.00	-6.32	5.34	3	Horizontal	349	1.62	-	42.34
PK	5.4614G	56.61	68.20	-11.59	5.20	3	Horizontal	349	1.62	-	51.41
PK	5.6936G	94.48	Inf	-Inf	4.72	3	Horizontal	349	1.62	-	89.76
AV	5.6834G	84.83	Inf	-Inf	4.75	3	Horizontal	349	1.62	-	80.08
PK	5.858G	57.16	68.20	-11.04	5.01	3	Horizontal	349	1.62	-	52.15

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 80
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38228G	55.41	74.00	-18.59	13.11	3	Vertical	58	1.84	-	42.30
AV	11.38224G	44.21	54.00	-9.79	13.11	3	Vertical	58	1.84	-	31.10

802.11ax HEW80_Nss2,(MCS0)_2TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 80
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37798G	55.42	74.00	-18.58	13.11	3	Horizontal	308	1.86	-	42.31
AV	11.37794G	44.42	54.00	-9.58	13.11	3	Horizontal	308	1.86	-	31.31

802.11ax HEW160_Nss2,(MCS0)_2TX

17/10/2019

5250MHz_TX




EUT Y_2TX
Setting 49
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.126G	61.74	74.00	-12.26	5.11	3	Vertical	206	1.73	-	56.63
AV	5.1324G	51.61	54.00	-2.39	5.11	3	Vertical	206	1.73	-	46.50
PK	5.2324G	102.34	Inf	-Inf	5.25	3	Vertical	206	1.73	-	97.09
AV	5.2684G	92.08	Inf	-Inf	5.40	3	Vertical	206	1.73	-	86.68
PK	5.3732G	66.53	74.00	-7.47	5.39	3	Vertical	206	1.73	-	61.14
AV	5.3932G	53.37	54.00	-0.63	5.35	3	Vertical	206	1.73	-	48.02
PK	5.5492G	58.28	68.20	-9.92	5.06	3	Vertical	206	1.73	-	53.22

802.11ax HEW160_Nss2,(MCS0)_2TX

17/10/2019

5250MHz_TX




EUT Y_2TX
Setting 49
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0676G	57.36	74.00	-16.64	4.95	3	Horizontal	224	1.50	-	52.41
AV	5.07G	46.91	54.00	-7.09	4.96	3	Horizontal	224	1.50	-	41.95
PK	5.266G	83.13	Inf	-Inf	5.39	3	Horizontal	224	1.50	-	77.74
AV	5.2684G	72.94	Inf	-Inf	5.40	3	Horizontal	224	1.50	-	67.54
PK	5.3684G	58.82	74.00	-15.18	5.40	3	Horizontal	224	1.50	-	53.42
AV	5.3532G	47.08	54.00	-6.92	5.43	3	Horizontal	224	1.50	-	41.65
PK	5.4652G	57.85	68.20	-10.35	5.19	3	Horizontal	224	1.50	-	52.66

802.11ax HEW160_Nss2,(MCS0)_2TX

17/10/2019

5250MHz_TX




EUT Y_2TX
Setting 49
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75154G	59.44	74.00	-14.56	15.18	3	Vertical	148	1.30	-	44.26
AV	15.75152G	47.18	54.00	-6.82	15.18	3	Vertical	148	1.30	-	32.00

802.11ax HEW160_Nss2,(MCS0)_2TX

17/10/2019

5250MHz_TX




EUT Y_2TX
Setting 49
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7535G	58.57	74.00	-15.43	15.18	3	Horizontal	193	1.41	-	43.39
AV	15.75262G	47.10	54.00	-6.90	15.18	3	Horizontal	193	1.41	-	31.92

802.11ax HEW160_Nss2,(MCS0)_2TX

17/10/2019

5570MHz_TX




EUT Y_2TX
Setting 46
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2964G	58.48	68.20	-9.72	5.52	3	Vertical	174	1.76	-	52.96
PK	5.4412G	64.04	74.00	-9.96	5.26	3	Vertical	174	1.76	-	58.78
AV	5.446G	53.36	54.00	-0.64	5.25	3	Vertical	174	1.76	-	48.11
PK	5.4604G	64.06	68.20	-4.14	5.20	3	Vertical	174	1.76	-	58.86
PK	5.5524G	101.22	Inf	-Inf	5.05	3	Vertical	174	1.76	-	96.17
AV	5.5556G	90.46	Inf	-Inf	5.04	3	Vertical	174	1.76	-	85.42
PK	5.7252G	59.83	68.20	-8.37	4.73	3	Vertical	174	1.76	-	55.10

802.11ax HEW160_Nss2,(MCS0)_2TX

17/10/2019

5570MHz_TX




EUT Y_2TX
Setting 46
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2652G	58.33	68.20	-9.87	5.38	3	Horizontal	152	1.46	-	52.95
PK	5.4524G	58.18	74.00	-15.82	5.22	3	Horizontal	152	1.46	-	52.96
AV	5.3828G	47.22	54.00	-6.78	5.37	3	Horizontal	152	1.46	-	41.85
PK	5.4652G	57.06	68.20	-11.14	5.19	3	Horizontal	152	1.46	-	51.87
PK	5.5788G	84.89	Inf	-Inf	5.02	3	Horizontal	152	1.46	-	79.87
AV	5.5604G	74.98	Inf	-Inf	5.04	3	Horizontal	152	1.46	-	69.94
PK	5.8804G	57.49	68.20	-10.71	5.08	3	Horizontal	152	1.46	-	52.41

802.11ax HEW160_Nss2,(MCS0)_2TX

17/10/2019

5570MHz_TX




EUT Y_2TX
Setting 46
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14522G	54.46	74.00	-19.54	12.75	3	Vertical	139	1.47	-	41.71
AV	11.14486G	43.42	54.00	-10.58	12.75	3	Vertical	139	1.47	-	30.67

802.11ax HEW160_Nss2,(MCS0)_2TX

17/10/2019

5570MHz_TX



EUT Y_2TX
Setting 46
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13998G	55.60	74.00	-18.40	12.75	3	Horizontal	78	1.32	-	42.85
AV	11.13996G	43.19	54.00	-10.81	12.75	3	Horizontal	78	1.32	-	30.44




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.378G	53.47	54.00	-0.53	5.39	3	Horizontal	180	2.20	-

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5260MHz_TX




EUT_X_4TX
Setting 94
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1475G	60.39	74.00	-13.61	5.11	3	Vertical	86	2.05	-	55.28
AV	5.1484G	47.49	54.00	-6.51	5.11	3	Vertical	86	2.05	-	42.38
PK	5.2552G	110.27	Inf	-Inf	5.34	3	Vertical	86	2.05	-	104.93
AV	5.2555G	100.49	Inf	-Inf	5.34	3	Vertical	86	2.05	-	95.15
PK	5.3986G	61.18	74.00	-12.82	5.34	3	Vertical	86	2.05	-	55.84
AV	5.3656G	48.07	54.00	-5.93	5.40	3	Vertical	86	2.05	-	42.67

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5260MHz_TX




EUT_X_4TX
Setting 94
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	63.49	74.00	-10.51	5.11	3	Horizontal	183	2.05	-	58.38
AV	5.1445G	51.52	54.00	-2.48	5.11	3	Horizontal	183	2.05	-	46.41
PK	5.2645G	125.55	Inf	-Inf	5.37	3	Horizontal	183	2.05	-	120.18
AV	5.2639G	116.24	Inf	-Inf	5.37	3	Horizontal	183	2.05	-	110.87
PK	5.3734G	65.43	74.00	-8.57	5.39	3	Horizontal	183	2.05	-	60.04
AV	5.3719G	53.36	54.00	-0.64	5.39	3	Horizontal	183	2.05	-	47.97

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5260MHz_TX




EUT X_4TX
Setting 94
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51814G	54.58	68.20	-13.62	12.05	3	Vertical	159	1.58	-	42.53
PK	15.77211G	61.69	74.00	-12.31	15.17	3	Vertical	143	2.82	-	46.52
AV	15.78549G	45.10	54.00	-8.90	15.16	3	Vertical	143	2.82	-	29.94

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5260MHz_TX




EUT X_4TX
Setting 94
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51523G	59.18	68.20	-9.02	12.03	3	Horizontal	183	2.17	-	47.15
PK	15.77361G	62.69	74.00	-11.31	15.17	3	Horizontal	328	1.49	-	47.52
AV	15.77484G	49.26	54.00	-4.74	15.17	3	Horizontal	328	1.49	-	34.09

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5300MHz_TX




EUT_X_4TX
Setting 83
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3026G	105.76	Inf	-Inf	5.52	3	Vertical	131	2.84	-	100.24
AV	5.3026G	96.11	Inf	-Inf	5.52	3	Vertical	131	2.84	-	90.59
PK	5.3664G	61.59	74.00	-12.41	5.40	3	Vertical	131	2.84	-	56.19
AV	5.3906G	48.27	54.00	-5.73	5.36	3	Vertical	131	2.84	-	42.91

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5300MHz_TX




EUT_X_4TX
Setting 83
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3022G	122.78	Inf	-Inf	5.52	3	Horizontal	180	1.75	-	117.26
AV	5.3022G	113.57	Inf	-Inf	5.52	3	Horizontal	180	1.75	-	108.05
PK	5.3582G	69.04	74.00	-4.96	5.42	3	Horizontal	180	1.75	-	63.62
AV	5.35G	53.39	54.00	-0.61	5.44	3	Horizontal	180	1.75	-	47.95

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5300MHz_TX



EUT X_4TX
 Setting 83
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59544G	53.34	68.20	-14.86	12.12	3	Vertical	107	2.76	-	41.22
PK	15.90245G	60.22	74.00	-13.78	15.07	3	Vertical	16	1.46	-	45.15
AV	15.90022G	46.26	54.00	-7.74	15.07	3	Vertical	16	1.46	-	31.19