


802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5300MHz_TX




EUT X_4TX
 Setting 83
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59732G	53.64	68.20	-14.56	12.13	3	Horizontal	78	2.67	-	41.51
PK	15.90786G	59.51	74.00	-14.49	15.05	3	Horizontal	330	2.25	-	44.46
AV	15.89997G	46.63	54.00	-7.37	15.07	3	Horizontal	330	2.25	-	31.56

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3269G	98.79	Inf	-Inf	5.48	3	Vertical	347	1.44	-	93.31
AV	5.3266G	89.34	Inf	-Inf	5.48	3	Vertical	347	1.44	-	83.86
PK	5.3558G	58.13	74.00	-15.87	5.42	3	Vertical	347	1.44	-	52.71
AV	5.3522G	45.08	54.00	-8.92	5.43	3	Vertical	347	1.44	-	39.65

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3248G	117.50	Inf	-Inf	5.49	3	Horizontal	182	2.04	-	112.01
AV	5.324G	107.99	Inf	-Inf	5.49	3	Horizontal	182	2.04	-	102.50
PK	5.35G	73.32	74.00	-0.68	5.44	3	Horizontal	182	2.04	-	67.88
AV	5.3501G	50.56	54.00	-3.44	5.44	3	Horizontal	182	2.04	-	45.12

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5320MHz_TX




EUT_X_4TX
Setting 63
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63716G	53.80	74.00	-20.20	12.16	3	Vertical	126	1.21	-	41.64
AV	10.63752G	38.97	54.00	-15.03	12.16	3	Vertical	126	1.21	-	26.81
PK	15.96318G	60.64	74.00	-13.36	15.02	3	Vertical	124	1.95	-	45.62
AV	15.95797G	47.00	54.00	-7.00	15.02	3	Vertical	124	1.95	-	31.98

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63607G	52.15	74.00	-21.85	12.16	3	Horizontal	259	2.36	-	39.99
AV	10.63773G	38.99	54.00	-15.01	12.16	3	Horizontal	259	2.36	-	26.83
PK	15.961G	60.28	74.00	-13.72	15.02	3	Horizontal	321	1.77	-	45.26
AV	15.96048G	47.43	54.00	-6.57	15.02	3	Horizontal	321	1.77	-	32.41

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5500MHz_TX




EUT_X_4TX
Setting 54
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	57.82	74.00	-16.18	5.20	3	Vertical	78	1.49	-	52.62
AV	5.4597G	44.84	54.00	-9.16	5.20	3	Vertical	78	1.49	-	39.64
PK	5.4651G	57.64	68.20	-10.56	5.19	3	Vertical	78	1.49	-	52.45
PK	5.5069G	97.06	Inf	-Inf	5.11	3	Vertical	78	1.49	-	91.95
AV	5.5075G	87.53	Inf	-Inf	5.11	3	Vertical	78	1.49	-	82.42

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5500MHz_TX




EUT X_4TX
Setting 54
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4514G	59.38	74.00	-14.62	5.22	3	Horizontal	183	1.87	-	54.16
AV	5.4504G	46.60	54.00	-7.40	5.22	3	Horizontal	183	1.87	-	41.38
PK	5.469G	67.48	68.20	-0.72	5.18	3	Horizontal	183	1.87	-	62.30
PK	5.5048G	115.00	Inf	-Inf	5.12	3	Horizontal	183	1.87	-	109.88
AV	5.5041G	105.58	Inf	-Inf	5.12	3	Horizontal	183	1.87	-	100.46

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5500MHz_TX




EUT X_4TX
 Setting 54
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00284G	53.19	74.00	-20.81	12.54	3	Vertical	156	1.26	-	40.65
AV	11.00255G	39.44	54.00	-14.56	12.54	3	Vertical	156	1.26	-	26.90
PK	16.50077G	62.15	68.20	-6.05	15.97	3	Vertical	3	2.80	-	46.18

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5500MHz_TX




EUT X_4TX
 Setting 54
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00256G	52.64	74.00	-21.36	12.54	3	Horizontal	196	1.79	-	40.10
AV	10.99908G	39.35	54.00	-14.65	12.53	3	Horizontal	196	1.79	-	26.82
PK	16.49891G	61.47	68.20	-6.73	15.98	3	Horizontal	163	2.91	-	45.49

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5580MHz_TX




EUT_X_4TX
Setting 99
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4376G	61.25	74.00	-12.75	5.26	3	Vertical	122	1.02	-	55.99
AV	5.404G	47.88	54.00	-6.12	5.33	3	Vertical	122	1.02	-	42.55
PK	5.464G	60.58	68.20	-7.62	5.19	3	Vertical	122	1.02	-	55.39
PK	5.5724G	111.51	Inf	-Inf	5.03	3	Vertical	122	1.02	-	106.48
AV	5.5724G	100.89	Inf	-Inf	5.03	3	Vertical	122	1.02	-	95.86
PK	5.7484G	59.78	68.20	-8.42	4.75	3	Vertical	122	1.02	-	55.03

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5580MHz_TX




EUT X_4TX
Setting 99
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	64.36	74.00	-9.64	5.20	3	Horizontal	180	2.00	-	59.16
AV	5.4552G	50.90	54.00	-3.10	5.21	3	Horizontal	180	2.00	-	45.69
PK	5.4656G	67.61	68.20	-0.59	5.19	3	Horizontal	180	2.00	-	62.42
PK	5.5872G	125.92	Inf	-Inf	5.00	3	Horizontal	180	2.00	-	120.92
AV	5.5872G	115.84	Inf	-Inf	5.00	3	Horizontal	180	2.00	-	110.84
PK	5.762G	62.16	68.20	-6.04	4.76	3	Horizontal	180	2.00	-	57.40

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5580MHz_TX




EUT X_4TX
Setting 99
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15951G	53.88	74.00	-20.12	12.77	3	Vertical	14	2.28	-	41.11
AV	11.16282G	40.57	54.00	-13.43	12.78	3	Vertical	14	2.28	-	27.79
PK	16.73598G	60.96	68.20	-7.24	16.44	3	Vertical	172	2.10	-	44.52

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5580MHz_TX




EUT X_4TX
Setting 99
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16134G	54.38	74.00	-19.62	12.77	3	Horizontal	87	2.38	-	41.61
AV	11.16057G	40.73	54.00	-13.27	12.77	3	Horizontal	87	2.38	-	27.96
PK	16.73732G	61.32	68.20	-6.88	16.44	3	Horizontal	177	1.67	-	44.88

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5700MHz_TX




EUT X_4TX
Setting 50
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7048G	95.18	Inf	-Inf	4.70	3	Vertical	341	1.31	-	90.48
AV	5.704G	85.87	Inf	-Inf	4.70	3	Vertical	341	1.31	-	81.17
PK	5.7317G	57.48	68.20	-10.72	4.73	3	Vertical	341	1.31	-	52.75

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5700MHz_TX




EUT_X_4TX
Setting 50
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7048G	113.50	Inf	-Inf	4.70	3	Horizontal	182	1.75	-	108.80
AV	5.704G	103.95	Inf	-Inf	4.70	3	Horizontal	182	1.75	-	99.25
PK	5.7257G	67.49	68.20	-0.71	4.73	3	Horizontal	182	1.75	-	62.76

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5700MHz_TX




EUT X_4TX
Setting 50
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40479G	54.79	74.00	-19.21	13.15	3	Vertical	45	1.66	-	41.64
AV	11.40705G	41.43	54.00	-12.57	13.15	3	Vertical	45	1.66	-	28.28
PK	17.10446G	63.50	68.20	-4.70	17.33	3	Vertical	152	1.34	-	46.17

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5700MHz_TX




EUT X_4TX
Setting 50
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40145G	55.70	74.00	-18.30	13.14	3	Horizontal	1	2.47	-	42.56
AV	11.39657G	41.54	54.00	-12.46	13.14	3	Horizontal	1	2.47	-	28.40
PK	17.10477G	63.19	68.20	-5.01	17.33	3	Horizontal	211	1.12	-	45.86

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 120
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	61.05	74.00	-12.95	5.21	3	Vertical	348	1.58	-	55.84
AV	5.4428G	47.98	54.00	-6.02	5.25	3	Vertical	348	1.58	-	42.73
PK	5.4656G	59.93	68.20	-8.27	5.19	3	Vertical	348	1.58	-	54.74
PK	5.7272G	107.34	Inf	-Inf	4.73	3	Vertical	348	1.58	-	102.61
AV	5.726G	96.35	Inf	-Inf	4.73	3	Vertical	348	1.58	-	91.62
PK	5.9672G	60.28	68.20	-7.92	5.19	3	Vertical	348	1.58	-	55.09

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 120
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4344G	63.07	74.00	-10.93	5.27	3	Horizontal	181	1.88	-	57.80
AV	5.4494G	49.87	54.00	-4.13	5.24	3	Horizontal	181	1.88	-	44.63
PK	5.4656G	61.46	68.20	-6.74	5.19	3	Horizontal	181	1.88	-	56.27
PK	5.7236G	126.65	Inf	-Inf	4.72	3	Horizontal	181	1.88	-	121.93
AV	5.7242G	115.94	Inf	-Inf	4.72	3	Horizontal	181	1.88	-	111.22
PK	5.8532G	67.29	68.20	-0.91	4.99	3	Horizontal	181	1.88	-	62.30

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44561G	59.11	74.00	-14.89	13.21	3	Vertical	202	1.70	-	45.90
AV	11.44615G	45.24	54.00	-8.76	13.21	3	Vertical	202	1.70	-	32.03
PK	17.1543G	63.95	68.20	-4.25	17.51	3	Vertical	264	1.97	-	46.44

802.11a_Nss1,(6Mbps)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4442G	56.43	74.00	-17.57	13.21	3	Horizontal	327	1.46	-	43.22
AV	11.44591G	42.97	54.00	-11.03	13.21	3	Horizontal	327	1.46	-	29.76
PK	17.16963G	63.17	68.20	-5.03	17.56	3	Horizontal	77	1.46	-	45.61

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5260MHz_TX




EUT_X_4TX
Setting 97
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1148G	60.55	74.00	-13.45	5.11	3	Vertical	88	2.43	-	55.44
AV	5.1436G	47.86	54.00	-6.14	5.11	3	Vertical	88	2.43	-	42.75
PK	5.2567G	115.19	Inf	-Inf	5.34	3	Vertical	88	2.43	-	109.85
AV	5.2567G	102.95	Inf	-Inf	5.34	3	Vertical	88	2.43	-	97.61
PK	5.3914G	60.75	74.00	-13.25	5.36	3	Vertical	88	2.43	-	55.39
AV	5.3683G	48.15	54.00	-5.85	5.41	3	Vertical	88	2.43	-	42.74

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5260MHz_TX




EUT X_4TX
Setting 97
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	64.57	74.00	-9.43	5.11	3	Horizontal	183	2.05	-	59.46
AV	5.1478G	52.43	54.00	-1.57	5.11	3	Horizontal	183	2.05	-	47.32
PK	5.2612G	127.61	Inf	-Inf	5.36	3	Horizontal	183	2.05	-	122.25
AV	5.2609G	115.22	Inf	-Inf	5.36	3	Horizontal	183	2.05	-	109.86
PK	5.3503G	68.73	74.00	-5.27	5.44	3	Horizontal	183	2.05	-	63.29
AV	5.3608G	53.26	54.00	-0.74	5.42	3	Horizontal	183	2.05	-	47.84

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5260MHz_TX




EUT X_4TX
 Setting 97
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52465G	53.19	68.20	-15.01	12.05	3	Vertical	75	1.34	-	41.14
PK	15.77597G	59.88	74.00	-14.12	15.17	3	Vertical	240	1.27	-	44.71
AV	15.77746G	44.95	54.00	-9.05	15.17	3	Vertical	240	1.27	-	29.78

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5260MHz_TX




EUT X_4TX
Setting 97
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51647G	52.81	68.20	-15.39	12.03	3	Horizontal	336	1.27	-	40.78
PK	15.78181G	61.61	74.00	-12.39	15.16	3	Horizontal	334	2.30	-	46.45
AV	15.77702G	45.15	54.00	-8.85	15.17	3	Horizontal	334	2.30	-	29.98

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5300MHz_TX




EUT X_4TX
Setting 81
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3008G	106.07	Inf	-Inf	5.53	3	Vertical	127	2.74	-	100.54
AV	5.296G	94.34	Inf	-Inf	5.51	3	Vertical	127	2.74	-	88.83
PK	5.356G	58.43	74.00	-15.57	5.42	3	Vertical	127	2.74	-	53.01
AV	5.3516G	44.80	54.00	-9.20	5.44	3	Vertical	127	2.74	-	39.36

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5300MHz_TX




EUT X_4TX
Setting 81
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.301G	123.26	Inf	-Inf	5.53	3	Horizontal	182	2.10	-	117.73
AV	5.3008G	109.99	Inf	-Inf	5.53	3	Horizontal	182	2.10	-	104.46
PK	5.3526G	71.07	74.00	-2.93	5.43	3	Horizontal	182	2.10	-	65.64
AV	5.3506G	53.27	54.00	-0.73	5.44	3	Horizontal	182	2.10	-	47.83

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5300MHz_TX




EUT X_4TX
Setting 81
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59579G	52.58	68.20	-15.62	12.12	3	Vertical	225	2.91	-	40.46
PK	15.90144G	59.23	74.00	-14.77	15.07	3	Vertical	336	1.69	-	44.16
AV	15.90131G	45.25	54.00	-8.75	15.07	3	Vertical	336	1.69	-	30.18

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5300MHz_TX




EUT X_4TX
Setting 81
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59502G	53.15	68.20	-15.05	12.12	3	Horizontal	236	2.43	-	41.03
PK	15.89512G	59.68	74.00	-14.32	15.07	3	Horizontal	315	2.73	-	44.61
AV	15.89937G	45.59	54.00	-8.41	15.07	3	Horizontal	315	2.73	-	30.52

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3266G	103.01	Inf	-Inf	5.48	3	Vertical	127	2.69	-	97.53
AV	5.3215G	89.92	Inf	-Inf	5.49	3	Vertical	127	2.69	-	84.43
PK	5.3507G	59.41	74.00	-14.59	5.44	3	Vertical	127	2.69	-	53.97
AV	5.3508G	44.62	54.00	-9.38	5.44	3	Vertical	127	2.69	-	39.18

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3208G	118.62	Inf	-Inf	5.49	3	Horizontal	180	2.04	-	113.13
AV	5.3157G	105.47	Inf	-Inf	5.50	3	Horizontal	180	2.04	-	99.97
PK	5.3503G	73.23	74.00	-0.77	5.44	3	Horizontal	180	2.04	-	67.79
AV	5.3505G	52.18	54.00	-1.82	5.44	3	Horizontal	180	2.04	-	46.74

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63741G	52.64	74.00	-21.36	12.16	3	Vertical	322	1.20	-	40.48
AV	10.63682G	38.57	54.00	-15.43	12.16	3	Vertical	322	1.20	-	26.41
PK	15.95662G	60.28	74.00	-13.72	15.02	3	Vertical	127	1.88	-	45.26
AV	15.96082G	46.25	54.00	-7.75	15.02	3	Vertical	127	1.88	-	31.23

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63688G	52.55	74.00	-21.45	12.16	3	Horizontal	317	2.10	-	40.39
AV	10.63687G	38.43	54.00	-15.57	12.16	3	Horizontal	317	2.10	-	26.27
PK	15.96431G	60.10	74.00	-13.90	15.01	3	Horizontal	29	2.75	-	45.09
AV	15.9634G	45.86	54.00	-8.14	15.02	3	Horizontal	29	2.75	-	30.84

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5500MHz_TX




EUT X_4TX
Setting 59
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4557G	58.38	74.00	-15.62	5.21	3	Vertical	77	2.97	-	53.17
AV	5.4525G	44.26	54.00	-9.74	5.21	3	Vertical	77	2.97	-	39.05
PK	5.4686G	57.72	68.20	-10.48	5.18	3	Vertical	77	2.97	-	52.54
PK	5.4992G	101.44	Inf	-Inf	5.12	3	Vertical	77	2.97	-	96.32
AV	5.4942G	88.15	Inf	-Inf	5.13	3	Vertical	77	2.97	-	83.02

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5500MHz_TX




EUT X_4TX
Setting 59
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	62.56	74.00	-11.44	5.20	3	Horizontal	178	1.82	-	57.36
AV	5.4578G	46.55	54.00	-7.45	5.20	3	Horizontal	178	1.82	-	41.35
PK	5.468G	67.59	68.20	-0.61	5.18	3	Horizontal	178	1.82	-	62.41
PK	5.493G	118.25	Inf	-Inf	5.13	3	Horizontal	178	1.82	-	113.12
AV	5.498G	103.86	Inf	-Inf	5.12	3	Horizontal	178	1.82	-	98.74

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5500MHz_TX




EUT X_4TX
Setting 59
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00261G	53.00	74.00	-21.00	12.54	3	Vertical	251	2.17	-	40.46
AV	11.00281G	38.80	54.00	-15.20	12.54	3	Vertical	251	2.17	-	26.26
PK	16.49877G	62.52	68.20	-5.68	15.98	3	Vertical	122	2.20	-	46.54

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5500MHz_TX




EUT X_4TX
Setting 59
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99695G	52.79	74.00	-21.21	12.53	3	Horizontal	346	1.22	-	40.26
AV	10.99996G	38.88	54.00	-15.12	12.53	3	Horizontal	346	1.22	-	26.35
PK	16.49869G	62.09	68.20	-6.11	15.98	3	Horizontal	207	1.11	-	46.11

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5580MHz_TX




EUT_X_4TX
Setting 100
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	61.53	74.00	-12.47	5.21	3	Vertical	125	1.01	-	56.32
AV	5.3916G	47.18	54.00	-6.82	5.36	3	Vertical	125	1.01	-	41.82
PK	5.4624G	60.37	68.20	-7.83	5.20	3	Vertical	125	1.01	-	55.17
PK	5.5768G	104.86	Inf	-Inf	5.02	3	Vertical	125	1.01	-	99.84
AV	5.5764G	91.50	Inf	-Inf	5.02	3	Vertical	125	1.01	-	86.48
PK	5.7592G	59.98	68.20	-8.22	4.76	3	Vertical	125	1.01	-	55.22

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5580MHz_TX




EUT X_4TX
Setting 100
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	65.93	74.00	-8.07	5.20	3	Horizontal	179	1.80	-	60.73
AV	5.458G	50.89	54.00	-3.11	5.20	3	Horizontal	179	1.80	-	45.69
PK	5.4684G	67.47	68.20	-0.73	5.18	3	Horizontal	179	1.80	-	62.29
PK	5.5732G	125.02	Inf	-Inf	5.03	3	Horizontal	179	1.80	-	119.99
AV	5.5784G	113.21	Inf	-Inf	5.02	3	Horizontal	179	1.80	-	108.19
PK	5.7364G	63.12	68.20	-5.08	4.74	3	Horizontal	179	1.80	-	58.38

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5580MHz_TX




EUT X_4TX
Setting 100
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15579G	54.60	74.00	-19.40	12.76	3	Vertical	204	2.60	-	41.84
AV	11.15989G	41.03	54.00	-12.97	12.77	3	Vertical	204	2.60	-	28.26
PK	16.74307G	61.14	68.20	-7.06	16.45	3	Vertical	192	1.56	-	44.69

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5580MHz_TX




EUT X_4TX
Setting 100
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15954G	54.73	74.00	-19.27	12.77	3	Horizontal	178	2.37	-	41.96
AV	11.15998G	41.06	54.00	-12.94	12.77	3	Horizontal	178	2.37	-	28.29
PK	16.74396G	61.75	68.20	-6.45	16.45	3	Horizontal	11	3.00	-	45.30

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5700MHz_TX




EUT X_4TX
Setting 44
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.693G	96.37	Inf	-Inf	4.72	3	Vertical	339	1.49	-	91.65
AV	5.6932G	82.22	Inf	-Inf	4.72	3	Vertical	339	1.49	-	77.50
PK	5.7276G	56.99	68.20	-11.21	4.73	3	Vertical	339	1.49	-	52.26

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5700MHz_TX




EUT X_4TX
Setting 44
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6936G	113.06	Inf	-Inf	4.72	3	Horizontal	179	1.97	-	108.34
AV	5.6986G	99.79	Inf	-Inf	4.70	3	Horizontal	179	1.97	-	95.09
PK	5.7282G	67.46	68.20	-0.74	4.73	3	Horizontal	179	1.97	-	62.73

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5700MHz_TX




EUT X_4TX
Setting 44
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39866G	55.14	74.00	-18.86	13.14	3	Vertical	213	2.45	-	42.00
AV	11.39702G	40.48	54.00	-13.52	13.14	3	Vertical	213	2.45	-	27.34
PK	17.10227G	63.54	68.20	-4.66	17.33	3	Vertical	224	2.18	-	46.21

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5700MHz_TX




EUT X_4TX
 Setting 44
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40461G	54.33	74.00	-19.67	13.15	3	Horizontal	315	2.20	-	41.18
AV	11.40673G	40.51	54.00	-13.49	13.15	3	Horizontal	315	2.20	-	27.36
PK	17.10181G	63.17	68.20	-5.03	17.33	3	Horizontal	332	2.19	-	45.84

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
 Setting 104
 04-C-4-13
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7204G	107.34	Inf	-Inf	4.72	3	Vertical	338	1.48	-	102.62
AV	5.7156G	95.38	Inf	-Inf	4.72	3	Vertical	338	1.48	-	90.66
PK	5.8832G	60.13	68.20	-8.07	5.10	3	Vertical	338	1.48	-	55.03

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 104
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7124G	125.70	Inf	-Inf	4.71	3	Horizontal	182	1.78	-	120.99
AV	5.718G	113.16	Inf	-Inf	4.72	3	Horizontal	182	1.78	-	108.44
PK	5.8608G	67.43	68.20	-0.77	5.02	3	Horizontal	182	1.78	-	62.41

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 104
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43668G	55.54	74.00	-18.46	13.20	3	Vertical	11	1.78	-	42.34
AV	11.44159G	41.56	54.00	-12.44	13.20	3	Vertical	11	1.78	-	28.36
PK	17.1631G	65.08	68.20	-3.12	17.54	3	Vertical	106	2.83	-	47.54

802.11ax HEW20_Nss1,(MCS0)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 104
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4365G	56.30	74.00	-17.70	13.20	3	Horizontal	43	1.14	-	43.10
AV	11.44281G	40.81	54.00	-13.19	13.21	3	Horizontal	43	1.14	-	27.60
PK	17.16358G	63.27	68.20	-4.93	17.54	3	Horizontal	235	1.18	-	45.73

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5270MHz_TX




EUT_X_4TX
Setting 74
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0968G	59.14	74.00	-14.86	5.09	3	Vertical	126	3.00	-	54.05
AV	5.0984G	45.77	54.00	-8.23	5.10	3	Vertical	126	3.00	-	40.67
PK	5.26G	103.84	Inf	-Inf	5.36	3	Vertical	126	3.00	-	98.48
AV	5.2652G	92.50	Inf	-Inf	5.38	3	Vertical	126	3.00	-	87.12
PK	5.3528G	58.54	74.00	-15.46	5.43	3	Vertical	126	3.00	-	53.11
AV	5.4448G	46.08	54.00	-7.92	5.25	3	Vertical	126	3.00	-	40.83
PK	5.4648G	57.73	68.20	-10.47	5.19	3	Vertical	126	3.00	-	52.54

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5270MHz_TX




EUT_X_4TX
Setting 74
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.114G	60.56	74.00	-13.44	5.11	3	Horizontal	181	2.05	-	55.45
AV	5.1476G	49.31	54.00	-4.69	5.11	3	Horizontal	181	2.05	-	44.20
PK	5.2808G	118.05	Inf	-Inf	5.45	3	Horizontal	181	2.05	-	112.60
AV	5.266G	108.16	Inf	-Inf	5.39	3	Horizontal	181	2.05	-	102.77
PK	5.3524G	68.17	74.00	-5.83	5.43	3	Horizontal	181	2.05	-	62.74
AV	5.3524G	53.45	54.00	-0.55	5.43	3	Horizontal	181	2.05	-	48.02
PK	5.4608G	59.61	68.20	-8.59	5.20	3	Horizontal	181	2.05	-	54.41

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5270MHz_TX




EUT X_4TX
Setting 74
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.53849G	52.47	68.20	-15.73	12.06	3	Vertical	199	2.45	-	40.41
PK	15.81123G	58.00	74.00	-16.00	15.14	3	Vertical	249	1.51	-	42.86
AV	15.81242G	45.31	54.00	-8.69	15.14	3	Vertical	249	1.51	-	30.17

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5270MHz_TX




EUT X_4TX
Setting 74
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54284G	52.05	68.20	-16.15	12.07	3	Horizontal	360	1.56	-	39.98
PK	15.81495G	57.57	74.00	-16.43	15.14	3	Horizontal	239	1.79	-	42.43
AV	15.80702G	45.52	54.00	-8.48	15.15	3	Horizontal	239	1.79	-	30.37

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5310MHz_TX




EUT X_4TX
Setting 53
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.318G	96.33	Inf	-Inf	5.50	3	Vertical	119	2.58	-	90.83
AV	5.3178G	84.57	Inf	-Inf	5.50	3	Vertical	119	2.58	-	79.07
PK	5.3504G	58.32	74.00	-15.68	5.44	3	Vertical	119	2.58	-	52.88
AV	5.3794G	46.11	54.00	-7.89	5.38	3	Vertical	119	2.58	-	40.73

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5310MHz_TX




EUT X_4TX
 Setting 53
 04-C-4-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3176G	112.60	Inf	-Inf	5.50	3	Horizontal	182	1.93	-	107.10
AV	5.2928G	101.47	Inf	-Inf	5.50	3	Horizontal	182	1.93	-	95.97
PK	5.3512G	69.84	74.00	-4.16	5.44	3	Horizontal	182	1.93	-	64.40
AV	5.3508G	53.39	54.00	-0.61	5.44	3	Horizontal	182	1.93	-	47.95

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5310MHz_TX




EUT X_4TX
Setting 53
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62058G	52.49	74.00	-21.51	12.15	3	Vertical	267	1.18	-	40.34
AV	10.61827G	40.06	54.00	-13.94	12.15	3	Vertical	267	1.18	-	27.91
PK	15.92858G	59.68	74.00	-14.32	15.05	3	Vertical	174	2.95	-	44.63
AV	15.93446G	47.60	54.00	-6.40	15.05	3	Vertical	174	2.95	-	32.55

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5310MHz_TX




EUT X_4TX
Setting 53
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62248G	53.26	74.00	-20.74	12.15	3	Horizontal	258	2.61	-	41.11
AV	10.62043G	40.30	54.00	-13.70	12.15	3	Horizontal	258	2.61	-	28.15
PK	15.93479G	59.63	74.00	-14.37	15.05	3	Horizontal	166	1.53	-	44.58
AV	15.92854G	47.55	54.00	-6.45	15.05	3	Horizontal	166	1.53	-	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5510MHz_TX




EUT X_4TX
Setting 54
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	57.88	74.00	-16.12	5.21	3	Vertical	118	1.42	-	52.67
AV	5.4528G	45.85	54.00	-8.15	5.21	3	Vertical	118	1.42	-	40.64
PK	5.4604G	57.29	68.20	-10.91	5.20	3	Vertical	118	1.42	-	52.09
PK	5.517G	97.69	Inf	-Inf	5.09	3	Vertical	118	1.42	-	92.60
AV	5.5168G	86.27	Inf	-Inf	5.09	3	Vertical	118	1.42	-	81.18

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5510MHz_TX




EUT X_4TX
Setting 54
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4574G	64.02	74.00	-9.98	5.21	3	Horizontal	182	2.23	-	58.81
AV	5.4586G	50.65	54.00	-3.35	5.20	3	Horizontal	182	2.23	-	45.45
PK	5.463G	67.52	68.20	-0.68	5.19	3	Horizontal	182	2.23	-	62.33
PK	5.5162G	111.82	Inf	-Inf	5.10	3	Horizontal	182	2.23	-	106.72
AV	5.516G	101.75	Inf	-Inf	5.10	3	Horizontal	182	2.23	-	96.65

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5510MHz_TX




EUT X_4TX
Setting 54
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0158G	53.59	74.00	-20.41	12.55	3	Vertical	73	1.94	-	41.04
AV	11.0171G	40.79	54.00	-13.21	12.55	3	Vertical	73	1.94	-	28.24
PK	16.53118G	62.30	68.20	-5.90	16.03	3	Vertical	170	1.20	-	46.27

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5510MHz_TX




EUT X_4TX
Setting 54
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01992G	52.62	74.00	-21.38	12.57	3	Horizontal	255	2.67	-	40.05
AV	11.0195G	40.19	54.00	-13.81	12.57	3	Horizontal	255	2.67	-	27.62
PK	16.5349G	62.57	68.20	-5.63	16.04	3	Horizontal	308	2.46	-	46.53

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5550MHz_TX




EUT_X_4TX
Setting 72
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4135G	58.62	74.00	-15.38	5.31	3	Vertical	120	1.00	-	53.31
AV	5.4588G	46.04	54.00	-7.96	5.20	3	Vertical	120	1.00	-	40.84
PK	5.4696G	57.36	68.20	-10.84	5.18	3	Vertical	120	1.00	-	52.18
PK	5.5614G	101.64	Inf	-Inf	5.04	3	Vertical	120	1.00	-	96.60
AV	5.5566G	90.91	Inf	-Inf	5.04	3	Vertical	120	1.00	-	85.87

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5550MHz_TX




EUT X_4TX
Setting 72
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4573G	63.49	74.00	-10.51	5.21	3	Horizontal	178	2.24	-	58.28
AV	5.4573G	50.22	54.00	-3.78	5.21	3	Horizontal	178	2.24	-	45.01
PK	5.4624G	67.56	68.20	-0.64	5.20	3	Horizontal	178	2.24	-	62.36
PK	5.5614G	117.33	Inf	-Inf	5.04	3	Horizontal	178	2.24	-	112.29
AV	5.556G	106.10	Inf	-Inf	5.04	3	Horizontal	178	2.24	-	101.06

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5550MHz_TX




EUT X_4TX
Setting 72
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10165G	53.38	74.00	-20.62	12.68	3	Vertical	75	1.84	-	40.70
AV	11.09975G	40.99	54.00	-13.01	12.69	3	Vertical	75	1.84	-	28.30
PK	16.64905G	61.99	68.20	-6.21	16.27	3	Vertical	310	2.14	-	45.72

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5550MHz_TX




EUT X_4TX
Setting 72
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10353G	53.87	74.00	-20.13	12.69	3	Horizontal	100	2.85	-	41.18
AV	11.09592G	41.18	54.00	-12.82	12.68	3	Horizontal	100	2.85	-	28.50
PK	16.65305G	61.82	68.20	-6.38	16.27	3	Horizontal	120	1.18	-	45.55

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5670MHz_TX




EUT X_4TX
Setting 62
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6664G	95.98	Inf	-Inf	4.80	3	Vertical	170	1.43	-	91.18
AV	5.6763G	85.29	Inf	-Inf	4.76	3	Vertical	170	1.43	-	80.53
PK	5.7705G	57.42	68.20	-10.78	4.77	3	Vertical	170	1.43	-	52.65

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5670MHz_TX




EUT_X_4TX
Setting 62
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6838G	114.01	Inf	-Inf	4.75	3	Horizontal	179	2.23	-	109.26
AV	5.6736G	103.13	Inf	-Inf	4.78	3	Horizontal	179	2.23	-	98.35
PK	5.7252G	67.39	68.20	-0.81	4.73	3	Horizontal	179	2.23	-	62.66

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5670MHz_TX




EUT X_4TX
 Setting 62
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3351G	55.06	74.00	-18.94	13.04	3	Vertical	220	1.95	-	42.02
AV	11.33535G	42.68	54.00	-11.32	13.04	3	Vertical	220	1.95	-	29.64
PK	17.01209G	62.73	68.20	-5.47	17.00	3	Vertical	52	1.77	-	45.73

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5670MHz_TX




EUT X_4TX
Setting 62
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3412G	54.85	74.00	-19.15	13.05	3	Horizontal	336	1.50	-	41.80
AV	11.34418G	42.51	54.00	-11.49	13.06	3	Horizontal	336	1.50	-	29.45
PK	17.01123G	63.19	68.20	-5.01	17.00	3	Horizontal	61	1.35	-	46.19

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 94
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7204G	104.02	Inf	-Inf	4.72	3	Vertical	338	1.57	-	99.30
AV	5.7056G	92.96	Inf	-Inf	4.71	3	Vertical	338	1.57	-	88.25
PK	5.898G	57.15	68.20	-11.05	5.15	3	Vertical	338	1.57	-	52.00

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 94
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.726G	120.68	Inf	-Inf	4.73	3	Horizontal	177	2.25	-	115.95
AV	5.706G	110.00	Inf	-Inf	4.71	3	Horizontal	177	2.25	-	105.29
PK	5.8532G	67.65	68.20	-0.55	4.99	3	Horizontal	177	2.25	-	62.66

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 94
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41928G	55.25	74.00	-18.75	13.17	3	Vertical	105	1.52	-	42.08
AV	11.41627G	43.27	54.00	-10.73	13.16	3	Vertical	105	1.52	-	30.11
PK	17.12778G	63.41	68.20	-4.79	17.42	3	Vertical	135	1.25	-	45.99

802.11ax HEW40_Nss1,(MCS0)_4TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 94
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41976G	55.26	74.00	-18.74	13.17	3	Horizontal	55	1.72	-	42.09
AV	11.41683G	42.87	54.00	-11.13	13.16	3	Horizontal	55	1.72	-	29.71
PK	17.12794G	63.35	68.20	-4.85	17.42	3	Horizontal	174	1.25	-	45.93

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5290MHz_TX




EUT_X_4TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1192G	57.59	74.00	-16.41	5.11	3	Vertical	125	2.65	-	52.48
AV	5.1012G	45.32	54.00	-8.68	5.11	3	Vertical	125	2.65	-	40.21
PK	5.2704G	92.26	Inf	-Inf	5.40	3	Vertical	125	2.65	-	86.86
AV	5.2608G	80.85	Inf	-Inf	5.36	3	Vertical	125	2.65	-	75.49
PK	5.4288G	58.76	74.00	-15.24	5.28	3	Vertical	125	2.65	-	53.48
AV	5.376G	45.91	54.00	-8.09	5.38	3	Vertical	125	2.65	-	40.53
PK	5.4704G	57.38	68.20	-10.82	5.18	3	Vertical	125	2.65	-	52.20

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5290MHz_TX




EUT X_4TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1396G	59.35	74.00	-14.65	5.11	3	Horizontal	179	2.14	-	54.24
AV	5.1436G	47.05	54.00	-6.95	5.11	3	Horizontal	179	2.14	-	41.94
PK	5.2888G	109.31	Inf	-Inf	5.49	3	Horizontal	179	2.14	-	103.82
AV	5.2588G	97.31	Inf	-Inf	5.36	3	Horizontal	179	2.14	-	91.95
PK	5.3652G	68.05	74.00	-5.95	5.40	3	Horizontal	179	2.14	-	62.65
AV	5.3584G	53.42	54.00	-0.58	5.41	3	Horizontal	179	2.14	-	48.01
PK	5.4696G	58.88	68.20	-9.32	5.18	3	Horizontal	179	2.14	-	53.70

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5290MHz_TX




EUT X_4TX
 Setting 51
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58347G	54.00	68.20	-14.20	12.12	3	Vertical	115	1.57	-	41.88
PK	15.87467G	59.08	74.00	-14.92	15.09	3	Vertical	220	2.58	-	43.99
AV	15.8743G	46.64	54.00	-7.36	15.09	3	Vertical	220	2.58	-	31.55

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5290MHz_TX




EUT X_4TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5788G	53.21	68.20	-14.99	12.10	3	Horizontal	351	2.22	-	41.11
PK	15.87101G	59.18	74.00	-14.82	15.09	3	Horizontal	314	2.04	-	44.09
AV	15.87404G	46.88	54.00	-7.12	15.09	3	Horizontal	314	2.04	-	31.79

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5530MHz_TX




EUT X_4TX
Setting 55
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3404G	58.43	68.20	-9.77	5.45	3	Vertical	117	1.47	-	52.98
PK	5.438G	58.77	74.00	-15.23	5.26	3	Vertical	117	1.47	-	53.51
AV	5.4004G	45.99	54.00	-8.01	5.34	3	Vertical	117	1.47	-	40.65
PK	5.4628G	57.06	68.20	-11.14	5.19	3	Vertical	117	1.47	-	51.87
PK	5.5368G	94.58	Inf	-Inf	5.07	3	Vertical	117	1.47	-	89.51
AV	5.5364G	83.57	Inf	-Inf	5.07	3	Vertical	117	1.47	-	78.50
PK	5.7284G	56.20	68.20	-12.00	4.73	3	Vertical	117	1.47	-	51.47

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5530MHz_TX




EUT X_4TX
Setting 55
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3396G	58.79	68.20	-9.41	5.45	3	Horizontal	177	2.22	-	53.34
PK	5.46G	65.38	74.00	-8.62	5.20	3	Horizontal	177	2.22	-	60.18
AV	5.458G	53.33	54.00	-0.67	5.20	3	Horizontal	177	2.22	-	48.13
PK	5.4656G	65.90	68.20	-2.30	5.19	3	Horizontal	177	2.22	-	60.71
PK	5.5212G	109.50	Inf	-Inf	5.09	3	Horizontal	177	2.22	-	104.41
AV	5.516G	98.13	Inf	-Inf	5.10	3	Horizontal	177	2.22	-	93.03
PK	5.7268G	57.25	68.20	-10.95	4.73	3	Horizontal	177	2.22	-	52.52

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5530MHz_TX




EUT X_4TX
Setting 55
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05557G	54.10	74.00	-19.90	12.62	3	Vertical	255	1.92	-	41.48
AV	11.05953G	41.22	54.00	-12.78	12.63	3	Vertical	255	1.92	-	28.59
PK	16.58687G	62.71	68.20	-5.49	16.14	3	Vertical	183	1.23	-	46.57

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5530MHz_TX




EUT X_4TX
Setting 55
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06066G	54.00	74.00	-20.00	12.63	3	Horizontal	26	1.26	-	41.37
AV	11.05672G	41.73	54.00	-12.27	12.62	3	Horizontal	26	1.26	-	29.11
PK	16.58683G	62.88	68.20	-5.32	16.14	3	Horizontal	360	2.69	-	46.74

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5610MHz_TX




EUT X_4TX
Setting 68
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4156G	58.54	74.00	-15.46	5.31	3	Vertical	187	1.57	-	53.23
AV	5.4156G	45.91	54.00	-8.09	5.31	3	Vertical	187	1.57	-	40.60
PK	5.4676G	57.65	68.20	-10.55	5.18	3	Vertical	187	1.57	-	52.47
PK	5.6012G	95.66	Inf	-Inf	4.99	3	Vertical	187	1.57	-	90.67
AV	5.596G	84.43	Inf	-Inf	4.99	3	Vertical	187	1.57	-	79.44
PK	5.7604G	57.39	68.20	-10.81	4.76	3	Vertical	187	1.57	-	52.63

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5610MHz_TX




EUT X_4TX
Setting 68
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	63.73	74.00	-10.27	5.21	3	Horizontal	177	1.72	-	58.52
AV	5.4576G	50.14	54.00	-3.86	5.20	3	Horizontal	177	1.72	-	44.94
PK	5.4684G	64.65	68.20	-3.55	5.18	3	Horizontal	177	1.72	-	59.47
PK	5.6024G	112.71	Inf	-Inf	4.98	3	Horizontal	177	1.72	-	107.73
AV	5.5976G	101.84	Inf	-Inf	4.99	3	Horizontal	177	1.72	-	96.85
PK	5.7252G	67.43	68.20	-0.77	4.73	3	Horizontal	177	1.72	-	62.70

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5610MHz_TX




EUT X_4TX
 Setting 68
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21547G	54.39	74.00	-19.61	12.86	3	Vertical	264	2.72	-	41.53
AV	11.22G	41.40	54.00	-12.60	12.87	3	Vertical	264	2.72	-	28.53
PK	16.83059G	61.11	68.20	-7.09	16.62	3	Vertical	346	2.39	-	44.49

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5610MHz_TX




EUT X_4TX
 Setting 68
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21913G	53.78	74.00	-20.22	12.87	3	Horizontal	235	2.35	-	40.91
AV	11.21806G	41.57	54.00	-12.43	12.87	3	Horizontal	235	2.35	-	28.70
PK	16.82686G	61.77	68.20	-6.43	16.62	3	Horizontal	236	2.50	-	45.15

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6828G	97.26	Inf	-Inf	4.74	3	Vertical	341	1.48	-	92.52
AV	5.6832G	86.67	Inf	-Inf	4.74	3	Vertical	341	1.48	-	81.93
PK	5.858G	57.61	68.20	-10.59	5.01	3	Vertical	341	1.48	-	52.60

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6812G	114.89	Inf	-Inf	4.75	3	Horizontal	181	2.26	-	110.14
AV	5.6964G	103.90	Inf	-Inf	4.71	3	Horizontal	181	2.26	-	99.19
PK	5.8572G	67.65	68.20	-0.55	5.01	3	Horizontal	181	2.26	-	62.64

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37589G	55.71	74.00	-18.29	13.10	3	Vertical	224	2.58	-	42.61
AV	11.3794G	43.00	54.00	-11.00	13.11	3	Vertical	224	2.58	-	29.89
PK	17.06531G	63.19	68.20	-5.01	17.19	3	Vertical	344	2.14	-	46.00

802.11ax HEW80_Nss1,(MCS0)_4TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37616G	55.27	74.00	-18.73	13.10	3	Horizontal	234	2.18	-	42.17
AV	11.38184G	42.54	54.00	-11.46	13.11	3	Horizontal	234	2.18	-	29.43
PK	17.06541G	62.91	68.20	-5.29	17.19	3	Horizontal	175	2.22	-	45.72

802.11ax HEW160_Nss1,(MCS0)_4TX

17/10/2019

5250MHz_TX




EUT_X_4TX
Setting 44
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	57.57	74.00	-16.43	5.11	3	Vertical	91	2.54	-	52.46
AV	5.138G	47.48	54.00	-6.52	5.11	3	Vertical	91	2.54	-	42.37
PK	5.222G	93.42	Inf	-Inf	5.21	3	Vertical	91	2.54	-	88.21
AV	5.222G	83.45	Inf	-Inf	5.21	3	Vertical	91	2.54	-	78.24
PK	5.3596G	57.80	74.00	-16.20	5.42	3	Vertical	91	2.54	-	52.38
AV	5.3588G	47.42	54.00	-6.58	5.41	3	Vertical	91	2.54	-	42.01
PK	5.4868G	57.71	68.20	-10.49	5.15	3	Vertical	91	2.54	-	52.56

802.11ax HEW160_Nss1,(MCS0)_4TX

17/10/2019

5250MHz_TX




EUT_X_4TX
Setting 44
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	62.75	74.00	-11.25	5.11	3	Horizontal	180	2.20	-	57.64
AV	5.1164G	52.26	54.00	-1.74	5.11	3	Horizontal	180	2.20	-	47.15
PK	5.254G	104.98	Inf	-Inf	5.33	3	Horizontal	180	2.20	-	99.65
AV	5.2132G	95.05	Inf	-Inf	5.17	3	Horizontal	180	2.20	-	89.88
PK	5.358G	64.35	74.00	-9.65	5.42	3	Horizontal	180	2.20	-	58.93
AV	5.378G	53.47	54.00	-0.53	5.39	3	Horizontal	180	2.20	-	48.08
PK	5.5356G	59.06	68.20	-9.14	5.07	3	Horizontal	180	2.20	-	53.99

802.11ax HEW160_Nss1,(MCS0)_4TX

17/10/2019

5250MHz_TX




EUT X_4TX
Setting 44
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.49908G	52.45	68.20	-15.75	12.03	3	Vertical	339	2.50	-	40.42
PK	15.74631G	60.17	74.00	-13.83	15.19	3	Vertical	47	2.89	-	44.98
AV	15.7466G	48.14	54.00	-5.86	15.19	3	Vertical	47	2.89	-	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

17/10/2019

5250MHz_TX




EUT X_4TX
Setting 44
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.49653G	52.23	68.20	-15.97	12.03	3	Horizontal	211	2.41	-	40.20
PK	15.75257G	59.19	74.00	-14.81	15.18	3	Horizontal	295	1.42	-	44.01
AV	15.74768G	48.01	54.00	-5.99	15.19	3	Horizontal	295	1.42	-	32.82

802.11ax HEW160_Nss1,(MCS0)_4TX

17/10/2019

5570MHz_TX




EUT_X_4TX
Setting 43
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2924G	58.15	68.20	-10.05	5.50	3	Vertical	120	1.38	-	52.65
PK	5.4468G	58.02	74.00	-15.98	5.25	3	Vertical	120	1.38	-	52.77
AV	5.3956G	47.41	54.00	-6.59	5.35	3	Vertical	120	1.38	-	42.06
PK	5.4636G	57.19	68.20	-11.01	5.19	3	Vertical	120	1.38	-	52.00
PK	5.5764G	88.98	Inf	-Inf	5.02	3	Vertical	120	1.38	-	83.96
AV	5.5812G	77.99	Inf	-Inf	5.02	3	Vertical	120	1.38	-	72.97
PK	5.934G	58.33	68.20	-9.87	5.18	3	Vertical	120	1.38	-	53.15

802.11ax HEW160_Nss1,(MCS0)_4TX

17/10/2019

5570MHz_TX




EUT X_4TX
Setting 43
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3468G	59.30	68.20	-8.90	5.44	3	Horizontal	180	2.26	-	53.86
PK	5.4588G	65.06	74.00	-8.94	5.20	3	Horizontal	180	2.26	-	59.86
AV	5.4572G	53.24	54.00	-0.76	5.21	3	Horizontal	180	2.26	-	48.03
PK	5.4684G	61.95	68.20	-6.25	5.18	3	Horizontal	180	2.26	-	56.77
PK	5.5532G	104.77	Inf	-Inf	5.05	3	Horizontal	180	2.26	-	99.72
AV	5.534G	93.47	Inf	-Inf	5.08	3	Horizontal	180	2.26	-	88.39
PK	5.7284G	60.07	68.20	-8.13	4.73	3	Horizontal	180	2.26	-	55.34

802.11ax HEW160_Nss1,(MCS0)_4TX

17/10/2019

5570MHz_TX




EUT X_4TX
Setting 43
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14495G	53.20	74.00	-20.80	12.75	3	Vertical	92	2.56	-	40.45
AV	11.13785G	42.74	54.00	-11.26	12.75	3	Vertical	92	2.56	-	29.99
PK	16.71388G	61.29	68.20	-6.91	16.39	3	Vertical	79	1.72	-	44.90

802.11ax HEW160_Nss1,(MCS0)_4TX

17/10/2019

5570MHz_TX



EUT X_4TX
Setting 43
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13674G	53.84	74.00	-20.16	12.74	3	Horizontal	144	1.07	-	41.10
AV	11.14247G	42.68	54.00	-11.32	12.74	3	Horizontal	144	1.07	-	29.94
PK	16.71499G	61.30	68.20	-6.90	16.39	3	Horizontal	322	1.74	-	44.91



RSE TX above 1GHz Result_ Radio 2 / External Antenna 7 Appendix D.9

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3536G	53.49	54.00	-0.51	8.28	3	Horizontal	117	1.44	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5260MHz_TX



EUT_X_4TX
Setting 83
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1214G	58.04	74.00	-15.96	7.88	3	Vertical	265	2.78	-	50.16
AV	5.1406G	45.66	54.00	-8.34	7.93	3	Vertical	265	2.78	-	37.73
PK	5.2684G	107.94	Inf	-Inf	8.16	3	Vertical	265	2.78	-	99.78
AV	5.2672G	95.85	Inf	-Inf	8.16	3	Vertical	265	2.78	-	87.69
PK	5.3752G	58.63	74.00	-15.37	8.31	3	Vertical	265	2.78	-	50.32
AV	5.3608G	45.93	54.00	-8.07	8.29	3	Vertical	265	2.78	-	37.64



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5260MHz_TX



EUT_X_4TX
Setting 83
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	65.48	74.00	-8.52	7.94	3	Horizontal	159	1.49	-	57.54
AV	5.1472G	53.48	54.00	-0.52	7.94	3	Horizontal	159	1.49	-	45.54
PK	5.2564G	128.70	Inf	-Inf	8.15	3	Horizontal	159	1.49	-	120.55
AV	5.2534G	116.49	Inf	-Inf	8.14	3	Horizontal	159	1.49	-	108.35
PK	5.3608G	65.73	74.00	-8.27	8.29	3	Horizontal	159	1.49	-	57.44
AV	5.3608G	53.21	54.00	-0.79	8.29	3	Horizontal	159	1.49	-	44.92



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5260MHz_TX



EUT_X_4TX
Setting 83
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.76548G	59.76	74.00	-14.24	13.71	3	Vertical	135	1.04	-	46.05
AV	15.77898G	47.88	54.00	-6.12	13.67	3	Vertical	135	1.04	-	34.21



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5260MHz_TX



EUT_X_4TX
Setting 83
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77226G	58.86	74.00	-15.14	13.70	3	Horizontal	214	1.76	-	45.16
AV	15.77232G	45.88	54.00	-8.12	13.70	3	Horizontal	214	1.76	-	32.18



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5300MHz_TX



EUT_X_4TX
Setting 78
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.291G	108.74	Inf	-Inf	8.20	3	Vertical	187	2.99	-	100.54
AV	5.291G	96.95	Inf	-Inf	8.20	3	Vertical	187	2.99	-	88.75
PK	5.4296G	58.52	74.00	-15.48	8.40	3	Vertical	187	2.99	-	50.12
AV	5.4176G	45.84	54.00	-8.16	8.37	3	Vertical	187	2.99	-	37.47



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5300MHz_TX



EUT_X_4TX
Setting 78
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3006G	125.65	Inf	-Inf	8.21	3	Horizontal	327	2.08	-	117.44
AV	5.3012G	114.05	Inf	-Inf	8.21	3	Horizontal	327	2.08	-	105.84
PK	5.35G	71.21	74.00	-2.79	8.28	3	Horizontal	327	2.08	-	62.93
AV	5.35G	53.28	54.00	-0.72	8.28	3	Horizontal	327	2.08	-	45.00



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5300MHz_TX



EUT_X_4TX
Setting 78
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89724G	59.84	74.00	-14.16	13.28	3	Vertical	205	1.99	-	46.56
AV	15.88512G	45.77	54.00	-8.23	13.31	3	Vertical	205	1.99	-	32.46



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5300MHz_TX



EUT_X_4TX
Setting 78
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90888G	58.85	74.00	-15.15	13.24	3	Horizontal	358	2.42	-	45.61
AV	15.89094G	44.56	54.00	-9.44	13.30	3	Horizontal	358	2.42	-	31.26



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5320MHz_TX



EUT_X_4TX
Setting 63
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3172G	102.11	Inf	-Inf	8.23	3	Vertical	186	2.45	-	93.88
AV	5.3132G	89.77	Inf	-Inf	8.22	3	Vertical	186	2.45	-	81.55
PK	5.4164G	57.86	74.00	-16.14	8.36	3	Vertical	186	2.45	-	49.50
AV	5.3536G	45.78	54.00	-8.22	8.28	3	Vertical	186	2.45	-	37.50



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5320MHz_TX



EUT_X_4TX
Setting 63
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3116G	121.03	Inf	-Inf	8.22	3	Horizontal	344	1.50	-	112.81
AV	5.3112G	109.33	Inf	-Inf	8.22	3	Horizontal	344	1.50	-	101.11
PK	5.3536G	72.27	74.00	-1.73	8.28	3	Horizontal	344	1.50	-	63.99
AV	5.3508G	53.48	54.00	-0.52	8.28	3	Horizontal	344	1.50	-	45.20



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5320MHz_TX



EUT_X_4TX
Setting 63
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95994G	57.83	74.00	-16.17	13.07	3	Vertical	175	2.18	-	44.76
AV	15.95058G	44.79	54.00	-9.21	13.09	3	Vertical	175	2.18	-	31.70



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5320MHz_TX



EUT_X_4TX
Setting 63
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95298G	57.81	74.00	-16.19	13.08	3	Horizontal	156	1.60	-	44.73
AV	15.94524G	43.85	54.00	-10.15	13.11	3	Horizontal	156	1.60	-	30.74



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5500MHz_TX



EUT_X_4TX
Setting 54
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4372G	58.78	74.00	-15.22	8.41	3	Vertical	357	2.99	-	50.37
AV	5.4284G	45.83	54.00	-8.17	8.40	3	Vertical	357	2.99	-	37.43
PK	5.4624G	58.12	68.20	-10.08	8.45	3	Vertical	357	2.99	-	49.67
PK	5.4992G	101.22	Inf	-Inf	8.52	3	Vertical	357	2.99	-	92.70
AV	5.496G	89.22	Inf	-Inf	8.51	3	Vertical	357	2.99	-	80.71



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5500MHz_TX



EUT_X_4TX
Setting 54
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	60.73	74.00	-13.27	8.45	3	Horizontal	96	1.52	-	52.28
AV	5.4004G	47.97	54.00	-6.03	8.34	3	Horizontal	96	1.52	-	39.63
PK	5.47G	67.69	68.20	-0.51	8.46	3	Horizontal	96	1.52	-	59.23
PK	5.4992G	121.91	Inf	-Inf	8.52	3	Horizontal	96	1.52	-	113.39
AV	5.4984G	109.43	Inf	-Inf	8.52	3	Horizontal	96	1.52	-	100.91



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5500MHz_TX



EUT X_4TX
Setting 54
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01404G	56.74	74.00	-17.26	14.14	3	Vertical	33	1.21	-	42.60
AV	11.00834G	43.11	54.00	-10.89	14.15	3	Vertical	33	1.21	-	28.96



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5500MHz_TX



EUT X_4TX
Setting 54
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.012G	57.16	74.00	-16.84	14.14	3	Horizontal	145	2.71	-	43.02
AV	10.98938G	43.54	54.00	-10.46	14.15	3	Horizontal	145	2.71	-	29.39



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5580MHz_TX



EUT_X_4TX
Setting 96
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4224G	58.63	74.00	-15.37	8.38	3	Vertical	307	1.36	-	50.25
AV	5.416G	45.66	54.00	-8.34	8.36	3	Vertical	307	1.36	-	37.30
PK	5.4624G	57.81	68.20	-10.39	8.45	3	Vertical	307	1.36	-	49.36
PK	5.5744G	111.14	Inf	-Inf	8.56	3	Vertical	307	1.36	-	102.58
AV	5.576G	98.95	Inf	-Inf	8.57	3	Vertical	307	1.36	-	90.38
PK	5.7704G	59.01	68.20	-9.19	8.85	3	Vertical	307	1.36	-	50.16



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5580MHz_TX



EUT_X_4TX
Setting 96
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	63.78	74.00	-10.22	8.45	3	Horizontal	163	1.91	-	55.33
AV	5.4232G	49.92	54.00	-4.08	8.38	3	Horizontal	163	1.91	-	41.54
PK	5.4688G	67.62	68.20	-0.58	8.46	3	Horizontal	163	1.91	-	59.16
PK	5.5888G	128.76	Inf	-Inf	8.57	3	Horizontal	163	1.91	-	120.19
AV	5.5888G	117.93	Inf	-Inf	8.57	3	Horizontal	163	1.91	-	109.36
PK	5.728G	64.99	68.20	-3.21	8.80	3	Horizontal	163	1.91	-	56.19



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5580MHz_TX



EUT_X_4TX
Setting 96
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1615G	56.47	74.00	-17.53	13.88	3	Vertical	294	2.53	-	42.59
AV	11.17332G	43.22	54.00	-10.78	13.86	3	Vertical	294	2.53	-	29.36



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5580MHz_TX



EUT X_4TX
Setting 96
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.17128G	56.23	74.00	-17.77	13.86	3	Horizontal	354	1.93	-	42.37
AV	11.1732G	42.28	54.00	-11.72	13.86	3	Horizontal	354	1.93	-	28.42



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5700MHz_TX



EUT_X_4TX
Setting 46
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6916G	101.98	Inf	-Inf	8.73	3	Vertical	111	1.41	-	93.25
AV	5.6934G	88.70	Inf	-Inf	8.74	3	Vertical	111	1.41	-	79.96
PK	5.7318G	59.13	68.20	-9.07	8.80	3	Vertical	111	1.41	-	50.33



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5700MHz_TX



EUT_X_4TX
Setting 46
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7018G	121.47	Inf	-Inf	8.75	3	Horizontal	315	1.51	-	112.72
AV	5.7018G	108.91	Inf	-Inf	8.75	3	Horizontal	315	1.51	-	100.16
PK	5.7264G	67.69	68.20	-0.51	8.79	3	Horizontal	315	1.51	-	58.90



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5700MHz_TX



EUT X_4TX
Setting 46
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39598G	55.93	74.00	-18.07	13.48	3	Vertical	226	2.45	-	42.45
AV	11.39112G	42.68	54.00	-11.32	13.48	3	Vertical	226	2.45	-	29.20



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5700MHz_TX



EUT X_4TX
Setting 46
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39982G	55.50	74.00	-18.50	13.46	3	Horizontal	4	2.71	-	42.04
AV	11.39304G	42.65	54.00	-11.35	13.48	3	Horizontal	4	2.71	-	29.17



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 99
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4308G	58.49	74.00	-15.51	8.40	3	Vertical	84	1.57	-	50.09
AV	5.4212G	45.66	54.00	-8.34	8.38	3	Vertical	84	1.57	-	37.28
PK	5.468G	57.59	68.20	-10.61	8.46	3	Vertical	84	1.57	-	49.13
PK	5.7212G	109.01	Inf	-Inf	8.78	3	Vertical	84	1.57	-	100.23
AV	5.72G	96.84	Inf	-Inf	8.78	3	Vertical	84	1.57	-	88.06
PK	5.9864G	59.52	68.20	-8.68	8.93	3	Vertical	84	1.57	-	50.59



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 99
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	61.41	74.00	-12.59	8.45	3	Horizontal	261	1.51	-	52.96
AV	5.4452G	48.65	54.00	-5.35	8.42	3	Horizontal	261	1.51	-	40.23
PK	5.4692G	61.46	68.20	-6.74	8.46	3	Horizontal	261	1.51	-	53.00
PK	5.7212G	130.58	Inf	-Inf	8.78	3	Horizontal	261	1.51	-	121.80
AV	5.714G	118.93	Inf	-Inf	8.77	3	Horizontal	261	1.51	-	110.16
PK	5.852G	67.41	68.20	-0.79	8.90	3	Horizontal	261	1.51	-	58.51



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 99
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43478G	55.48	74.00	-18.52	13.40	3	Vertical	43	2.54	-	42.08
AV	11.42818G	42.18	54.00	-11.82	13.42	3	Vertical	43	2.54	-	28.76



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/11/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 99
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43202G	55.61	74.00	-18.39	13.40	3	Horizontal	151	1.18	-	42.21
AV	11.43778G	42.25	54.00	-11.75	13.39	3	Horizontal	151	1.18	-	28.86



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5270MHz_TX



EUT_X_4TX
Setting 72
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1398G	58.38	74.00	-15.62	7.93	3	Vertical	286	1.47	-	50.45
AV	5.1284G	45.52	54.00	-8.48	7.91	3	Vertical	286	1.47	-	37.61
PK	5.2736G	103.88	Inf	-Inf	8.17	3	Vertical	286	1.47	-	95.71
AV	5.2742G	90.82	Inf	-Inf	8.17	3	Vertical	286	1.47	-	82.65
PK	5.42G	59.11	74.00	-14.89	8.38	3	Vertical	286	1.47	-	50.73
AV	5.384G	45.67	54.00	-8.33	8.32	3	Vertical	286	1.47	-	37.35



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5270MHz_TX



EUT_X_4TX
Setting 72
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	63.16	74.00	-10.84	7.94	3	Horizontal	181	1.53	-	55.22
AV	5.1464G	50.39	54.00	-3.61	7.94	3	Horizontal	181	1.53	-	42.45
PK	5.2544G	123.28	Inf	-Inf	8.15	3	Horizontal	181	1.53	-	115.13
AV	5.2532G	110.49	Inf	-Inf	8.14	3	Horizontal	181	1.53	-	102.35
PK	5.351G	69.61	74.00	-4.39	8.28	3	Horizontal	181	1.53	-	61.33
AV	5.35G	53.22	54.00	-0.78	8.28	3	Horizontal	181	1.53	-	44.94



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5270MHz_TX



EUT_X_4TX
Setting 72
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.82176G	58.94	74.00	-15.06	13.52	3	Vertical	56	1.35	-	45.42
AV	15.81108G	45.74	54.00	-8.26	13.56	3	Vertical	56	1.35	-	32.18



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5270MHz_TX



EUT_X_4TX
Setting 72
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.82266G	58.98	74.00	-15.02	13.52	3	Horizontal	284	2.87	-	45.46
AV	15.82482G	45.90	54.00	-8.10	13.51	3	Horizontal	284	2.87	-	32.39



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5310MHz_TX



EUT_X_4TX
Setting 53
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3136G	102.29	Inf	-Inf	8.22	3	Vertical	233	2.47	-	94.07
AV	5.2948G	89.61	Inf	-Inf	8.20	3	Vertical	233	2.47	-	81.41
PK	5.3696G	60.56	74.00	-13.44	8.30	3	Vertical	233	2.47	-	52.26
AV	5.3508G	45.73	54.00	-8.27	8.28	3	Vertical	233	2.47	-	37.45



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5310MHz_TX



EUT_X_4TX
Setting 53
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.294G	118.89	Inf	-Inf	8.20	3	Horizontal	117	1.44	-	110.69
AV	5.2924G	107.20	Inf	-Inf	8.20	3	Horizontal	117	1.44	-	99.00
PK	5.3512G	69.49	74.00	-4.51	8.28	3	Horizontal	117	1.44	-	61.21
AV	5.3536G	53.49	54.00	-0.51	8.28	3	Horizontal	117	1.44	-	45.21



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5310MHz_TX



EUT X_4TX
Setting 53
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9213G	58.31	74.00	-15.69	13.19	3	Vertical	59	1.49	-	45.12
AV	15.92734G	44.09	54.00	-9.91	13.17	3	Vertical	59	1.49	-	30.92



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5310MHz_TX



EUT_X_4TX
Setting 53
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93678G	58.00	74.00	-16.00	13.14	3	Horizontal	169	1.32	-	44.86
AV	15.9195G	44.95	54.00	-9.05	13.19	3	Horizontal	169	1.32	-	31.76



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5510MHz_TX



EUT_X_4TX
Setting 47
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.412G	58.53	74.00	-15.47	8.36	3	Vertical	101	2.99	-	50.17
AV	5.424G	45.98	54.00	-8.02	8.38	3	Vertical	101	2.99	-	37.60
PK	5.466G	59.30	68.20	-8.90	8.46	3	Vertical	101	2.99	-	50.84
PK	5.4996G	98.57	Inf	-Inf	8.52	3	Vertical	101	2.99	-	90.05
AV	5.4936G	85.80	Inf	-Inf	8.51	3	Vertical	101	2.99	-	77.29



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5510MHz_TX



EUT_X_4TX
Setting 47
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	63.96	74.00	-10.04	8.45	3	Horizontal	80	1.69	-	55.51
AV	5.46G	48.40	54.00	-5.60	8.45	3	Horizontal	80	1.69	-	39.95
PK	5.4692G	67.67	68.20	-0.53	8.46	3	Horizontal	80	1.69	-	59.21
PK	5.4996G	117.45	Inf	-Inf	8.52	3	Horizontal	80	1.69	-	108.93
AV	5.4948G	104.81	Inf	-Inf	8.51	3	Horizontal	80	1.69	-	96.30



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5510MHz_TX



EUT_X_4TX
Setting 47
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02612G	56.88	74.00	-17.12	14.11	3	Vertical	263	2.79	-	42.77
AV	11.03086G	41.92	54.00	-12.08	14.10	3	Vertical	263	2.79	-	27.82



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5510MHz_TX



EUT_X_4TX
Setting 47
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0284G	56.53	74.00	-17.47	14.11	3	Horizontal	300	2.45	-	42.42
AV	11.02826G	43.12	54.00	-10.88	14.12	3	Horizontal	300	2.45	-	29.00



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5550MHz_TX



EUT_X_4TX
Setting 71
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3596G	58.73	74.00	-15.27	8.29	3	Vertical	44	2.96	-	50.44
AV	5.4284G	45.81	54.00	-8.19	8.40	3	Vertical	44	2.96	-	37.41
PK	5.4612G	58.42	68.20	-9.78	8.45	3	Vertical	44	2.96	-	49.97
PK	5.534G	106.40	Inf	-Inf	8.54	3	Vertical	44	2.96	-	97.86
AV	5.5332G	93.60	Inf	-Inf	8.54	3	Vertical	44	2.96	-	85.06
PK	5.7316G	59.34	68.20	-8.86	8.80	3	Vertical	44	2.96	-	50.54



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5550MHz_TX



EUT_X_4TX
Setting 71
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	65.72	74.00	-8.28	8.44	3	Horizontal	143	1.80	-	57.28
AV	5.4372G	50.02	54.00	-3.98	8.41	3	Horizontal	143	1.80	-	41.61
PK	5.47G	67.62	68.20	-0.58	8.46	3	Horizontal	143	1.80	-	59.16
PK	5.5532G	123.83	Inf	-Inf	8.55	3	Horizontal	143	1.80	-	115.28
AV	5.5532G	110.93	Inf	-Inf	8.55	3	Horizontal	143	1.80	-	102.38
PK	5.7492G	61.90	68.20	-6.30	8.82	3	Horizontal	143	1.80	-	53.08



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5550MHz_TX



EUT X_4TX
Setting 71
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10336G	56.13	74.00	-17.87	13.97	3	Vertical	4	2.40	-	42.16
AV	11.0928G	42.94	54.00	-11.06	13.99	3	Vertical	4	2.40	-	28.95



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5550MHz_TX



EUT_X_4TX
Setting 71
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.08932G	55.94	74.00	-18.06	14.00	3	Horizontal	183	1.26	-	41.94
AV	11.09574G	43.01	54.00	-10.99	13.99	3	Horizontal	183	1.26	-	29.02



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5670MHz_TX



Lim.PK
 PK
 Lim.AV
 AV

EUT_X_4TX
 Setting 52
 02-M-1-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6544G	104.53	Inf	-Inf	8.67	3	Vertical	168	2.46	-	95.86
AV	5.652G	92.32	Inf	-Inf	8.66	3	Vertical	168	2.46	-	83.66
PK	5.7608G	60.10	68.20	-8.10	8.85	3	Vertical	168	2.46	-	51.25



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5670MHz_TX



EUT_X_4TX
Setting 52
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6796G	120.34	Inf	-Inf	8.72	3	Horizontal	292	2.11	-	111.62
AV	5.676G	108.16	Inf	-Inf	8.72	3	Horizontal	292	2.11	-	99.44
PK	5.7264G	67.60	68.20	-0.60	8.79	3	Horizontal	292	2.11	-	58.81



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5670MHz_TX



EUT X_4TX
Setting 52
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.32554G	55.92	74.00	-18.08	13.59	3	Vertical	156	2.64	-	42.33
AV	11.33208G	42.80	54.00	-11.20	13.57	3	Vertical	156	2.64	-	29.23



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5670MHz_TX



EUT_X_4TX
Setting 52
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.35266G	56.15	74.00	-17.85	13.54	3	Horizontal	349	2.08	-	42.61
AV	11.35536G	42.95	54.00	-11.05	13.59	3	Horizontal	349	2.08	-	29.36



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 86
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.428G	58.99	74.00	-15.01	8.40	3	Vertical	153	2.49	-	50.59
AV	5.422G	45.81	54.00	-8.19	8.38	3	Vertical	153	2.49	-	37.43
PK	5.47G	57.84	68.20	-10.36	8.46	3	Vertical	153	2.49	-	49.38
PK	5.7052G	111.17	Inf	-Inf	8.76	3	Vertical	153	2.49	-	102.41
AV	5.704G	99.35	Inf	-Inf	8.76	3	Vertical	153	2.49	-	90.59
PK	5.9332G	59.68	68.20	-8.52	8.93	3	Vertical	153	2.49	-	50.75



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 86
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4388G	60.83	74.00	-13.17	8.41	3	Horizontal	69	1.35	-	52.42
AV	5.4388G	48.37	54.00	-5.63	8.41	3	Horizontal	69	1.35	-	39.96
PK	5.4664G	61.09	68.20	-7.11	8.46	3	Horizontal	69	1.35	-	52.63
PK	5.7052G	129.44	Inf	-Inf	8.76	3	Horizontal	69	1.35	-	120.68
AV	5.7052G	115.95	Inf	-Inf	8.76	3	Horizontal	69	1.35	-	107.19
PK	5.866G	67.37	68.20	-0.83	8.91	3	Horizontal	69	1.35	-	58.46



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 86
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43158G	56.08	74.00	-17.92	13.40	3	Vertical	148	1.53	-	42.68
AV	11.42G	42.37	54.00	-11.63	13.43	3	Vertical	148	1.53	-	28.94



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/11/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 86
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42162G	55.54	74.00	-18.46	13.43	3	Horizontal	88	2.64	-	42.11
AV	11.41472G	42.54	54.00	-11.46	13.44	3	Horizontal	88	2.64	-	29.10



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5290MHz_TX



EUT_X_4TX
Setting 52
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	58.77	74.00	-15.23	7.94	3	Vertical	298	2.99	-	50.83
AV	5.0908G	45.22	54.00	-8.78	7.82	3	Vertical	298	2.99	-	37.40
PK	5.2556G	94.02	Inf	-Inf	8.15	3	Vertical	298	2.99	-	85.87
AV	5.3196G	80.81	Inf	-Inf	8.23	3	Vertical	298	2.99	-	72.58
PK	5.3588G	58.49	74.00	-15.51	8.28	3	Vertical	298	2.99	-	50.21
AV	5.358G	45.32	54.00	-8.68	8.28	3	Vertical	298	2.99	-	37.04
PK	5.4868G	58.70	68.20	-9.50	8.50	3	Vertical	298	2.99	-	50.20



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5290MHz_TX



EUT_X_4TX
Setting 52
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1444G	61.00	74.00	-13.00	7.94	3	Horizontal	193	1.73	-	53.06
AV	5.1444G	47.55	54.00	-6.45	7.94	3	Horizontal	193	1.73	-	39.61
PK	5.262G	116.41	Inf	-Inf	8.15	3	Horizontal	193	1.73	-	108.26
AV	5.274G	101.86	Inf	-Inf	8.17	3	Horizontal	193	1.73	-	93.69
PK	5.3516G	69.36	74.00	-4.64	8.28	3	Horizontal	193	1.73	-	61.08
AV	5.35G	53.38	54.00	-0.62	8.28	3	Horizontal	193	1.73	-	45.10
PK	5.466G	59.67	68.20	-8.53	8.46	3	Horizontal	193	1.73	-	51.21



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5290MHz_TX



EUT_X_4TX
Setting 52
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8796G	58.85	74.00	-15.15	13.33	3	Vertical	54	1.54	-	45.52
AV	15.87318G	43.22	54.00	-10.78	13.35	3	Vertical	54	1.54	-	29.87



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5290MHz_TX



EUT_X_4TX
Setting 52
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.85608G	58.93	74.00	-15.07	13.41	3	Horizontal	277	1.63	-	45.52
AV	15.85716G	45.28	54.00	-8.72	13.41	3	Horizontal	277	1.63	-	31.87



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5530MHz_TX



EUT_X_4TX
Setting 51
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.336G	58.42	68.20	-9.78	8.26	3	Vertical	331	2.70	-	50.16
PK	5.431G	60.11	74.00	-13.89	8.40	3	Vertical	331	2.70	-	51.71
AV	5.434G	45.66	54.00	-8.34	8.40	3	Vertical	331	2.70	-	37.26
PK	5.47G	58.40	68.20	-9.80	8.46	3	Vertical	331	2.70	-	49.94
PK	5.526G	97.42	Inf	-Inf	8.54	3	Vertical	331	2.70	-	88.88
AV	5.531G	84.60	Inf	-Inf	8.54	3	Vertical	331	2.70	-	76.06
PK	5.753G	59.47	68.20	-8.73	8.83	3	Vertical	331	2.70	-	50.64



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5530MHz_TX



EUT_X_4TX
Setting 51
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.342G	59.54	68.20	-8.66	8.27	3	Horizontal	283	1.51	-	51.27
PK	5.456G	65.41	74.00	-8.59	8.44	3	Horizontal	283	1.51	-	56.97
AV	5.447G	49.96	54.00	-4.04	8.42	3	Horizontal	283	1.51	-	41.54
PK	5.466G	67.56	68.20	-0.64	8.46	3	Horizontal	283	1.51	-	59.10
PK	5.551G	115.03	Inf	-Inf	8.55	3	Horizontal	283	1.51	-	106.48
AV	5.55G	102.48	Inf	-Inf	8.54	3	Horizontal	283	1.51	-	93.94
PK	5.737G	61.39	68.20	-6.81	8.81	3	Horizontal	283	1.51	-	52.58



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5530MHz_TX



EUT X_4TX
Setting 51
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0732G	56.29	74.00	-17.71	14.03	3	Vertical	299	2.85	-	42.26
AV	11.04554G	43.03	54.00	-10.97	14.08	3	Vertical	299	2.85	-	28.95



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5530MHz_TX



EUT_X_4TX
Setting 51
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06288G	56.68	74.00	-17.32	14.05	3	Horizontal	126	1.96	-	42.63
AV	11.0516G	43.09	54.00	-10.91	14.07	3	Horizontal	126	1.96	-	29.02



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5610MHz_TX



EUT_X_4TX
Setting 64
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.379G	58.56	74.00	-15.44	8.32	3	Vertical	332	2.84	-	50.24
AV	5.422G	45.39	54.00	-8.61	8.38	3	Vertical	332	2.84	-	37.01
PK	5.461G	58.29	68.20	-9.91	8.45	3	Vertical	332	2.84	-	49.84
PK	5.619G	99.83	Inf	-Inf	8.61	3	Vertical	332	2.84	-	91.22
AV	5.62G	87.04	Inf	-Inf	8.61	3	Vertical	332	2.84	-	78.43
PK	5.849G	59.43	68.20	-8.77	8.92	3	Vertical	332	2.84	-	50.51



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5610MHz_TX



EUT_X_4TX
Setting 64
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	61.84	74.00	-12.16	8.45	3	Horizontal	245	1.66	-	53.39
AV	5.457G	48.51	54.00	-5.49	8.44	3	Horizontal	245	1.66	-	40.07
PK	5.468G	62.47	68.20	-5.73	8.46	3	Horizontal	245	1.66	-	54.01
PK	5.582G	119.95	Inf	-Inf	8.57	3	Horizontal	245	1.66	-	111.38
AV	5.58G	104.76	Inf	-Inf	8.57	3	Horizontal	245	1.66	-	96.19
PK	5.727G	67.67	68.20	-0.53	8.80	3	Horizontal	245	1.66	-	58.87



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5610MHz_TX



EUT X_4TX
Setting 64
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21904G	56.55	74.00	-17.45	13.78	3	Vertical	127	1.18	-	42.77
AV	11.21478G	41.99	54.00	-12.01	13.79	3	Vertical	127	1.18	-	28.20



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5610MHz_TX



EUT_X_4TX
Setting 64
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21082G	56.46	74.00	-17.54	13.79	3	Horizontal	180	1.96	-	42.67
AV	11.21058G	42.72	54.00	-11.28	13.79	3	Horizontal	180	1.96	-	28.93



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 70
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.39G	57.90	74.00	-16.10	8.33	3	Vertical	159	1.64	-	49.57
AV	5.4272G	45.23	54.00	-8.77	8.40	3	Vertical	159	1.64	-	36.83
PK	5.4608G	57.71	68.20	-10.49	8.45	3	Vertical	159	1.64	-	49.26
PK	5.6996G	98.98	Inf	-Inf	8.75	3	Vertical	159	1.64	-	90.23
AV	5.6996G	86.24	Inf	-Inf	8.75	3	Vertical	159	1.64	-	77.49
PK	5.966G	58.93	68.20	-9.27	8.93	3	Vertical	159	1.64	-	50.00



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 70
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4236G	61.00	74.00	-13.00	8.38	3	Horizontal	181	1.49	-	52.62
AV	5.426G	47.52	54.00	-6.48	8.39	3	Horizontal	181	1.49	-	39.13
PK	5.4656G	61.48	68.20	-6.72	8.46	3	Horizontal	181	1.49	-	53.02
PK	5.7044G	121.89	Inf	-Inf	8.76	3	Horizontal	181	1.49	-	113.13
AV	5.7044G	109.45	Inf	-Inf	8.76	3	Horizontal	181	1.49	-	100.69
PK	5.8508G	67.67	68.20	-0.53	8.90	3	Horizontal	181	1.49	-	58.77



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT X_4TX
Setting 70
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.36728G	55.63	74.00	-18.37	13.51	3	Vertical	81	2.05	-	42.12
AV	11.38732G	40.72	54.00	-13.28	13.49	3	Vertical	81	2.05	-	27.23



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/11/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT X_4TX
Setting 70
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39254G	55.39	74.00	-18.61	13.48	3	Horizontal	50	1.77	-	41.91
AV	11.3944G	41.96	54.00	-12.04	13.48	3	Horizontal	50	1.77	-	28.48



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/11/2019

5250MHz_TX



EUT_X_4TX
Setting 44
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1316G	58.15	74.00	-15.85	7.91	3	Vertical	303	1.59	-	50.24
AV	5.1364G	45.95	54.00	-8.05	7.92	3	Vertical	303	1.59	-	38.03
PK	5.2164G	88.71	Inf	-Inf	8.08	3	Vertical	303	1.59	-	80.63
AV	5.1764G	78.89	Inf	-Inf	8.01	3	Vertical	303	1.59	-	70.88
PK	5.378G	59.52	74.00	-14.48	8.32	3	Vertical	303	1.59	-	51.20
AV	5.3796G	45.94	54.00	-8.06	8.32	3	Vertical	303	1.59	-	37.62
PK	5.6196G	58.41	68.20	-9.79	8.61	3	Vertical	303	1.59	-	49.80



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/11/2019

5250MHz_TX



EUT_X_4TX
Setting 44
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	73.48	74.00	-0.52	7.94	3	Horizontal	192	1.46	-	65.54
AV	5.1412G	50.92	54.00	-3.08	7.94	3	Horizontal	192	1.46	-	42.98
PK	5.2356G	110.75	Inf	-Inf	8.11	3	Horizontal	192	1.46	-	102.64
AV	5.1812G	99.22	Inf	-Inf	8.02	3	Horizontal	192	1.46	-	91.20
PK	5.3924G	72.18	74.00	-1.82	8.33	3	Horizontal	192	1.46	-	63.85
AV	5.3524G	51.93	54.00	-2.07	8.28	3	Horizontal	192	1.46	-	43.65
PK	5.4692G	59.28	68.20	-8.92	8.46	3	Horizontal	192	1.46	-	50.82



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/11/2019

5250MHz_TX



EUT_X_4TX
Setting 44
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74256G	60.13	74.00	-13.87	15.55	3	Vertical	165	1.38	-	44.58
AV	15.76128G	44.99	54.00	-9.01	15.48	3	Vertical	165	1.38	-	29.51



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/11/2019

5250MHz_TX



EUT_X_4TX
Setting 44
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75648G	60.69	74.00	-13.31	15.50	3	Horizontal	31	1.41	-	45.19
AV	15.76188G	45.92	54.00	-8.08	15.48	3	Horizontal	31	1.41	-	30.44



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/11/2019

5570MHz_TX



EUT_X_4TX
Setting 43
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3124G	58.19	68.20	-10.01	8.22	3	Vertical	280	1.89	-	49.97
PK	5.458G	60.49	74.00	-13.51	8.45	3	Vertical	280	1.89	-	52.04
AV	5.458G	50.03	54.00	-3.97	8.45	3	Vertical	280	1.89	-	41.58
PK	5.4644G	63.10	68.20	-5.10	8.45	3	Vertical	280	1.89	-	54.65
PK	5.5092G	90.90	Inf	-Inf	8.53	3	Vertical	280	1.89	-	82.37
AV	5.5124G	78.21	Inf	-Inf	8.53	3	Vertical	280	1.89	-	69.68
PK	5.7876G	58.86	68.20	-9.34	8.87	3	Vertical	280	1.89	-	49.99



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/11/2019

5570MHz_TX



EUT_X_4TX
Setting 43
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3364G	59.72	68.20	-8.48	8.26	3	Horizontal	183	1.74	-	51.46
PK	5.458G	71.77	74.00	-2.23	8.45	3	Horizontal	183	1.74	-	63.32
AV	5.4548G	46.92	54.00	-7.08	8.44	3	Horizontal	183	1.74	-	38.48
PK	5.4676G	67.58	68.20	-0.62	8.46	3	Horizontal	183	1.74	-	59.12
PK	5.5044G	113.18	Inf	-Inf	8.52	3	Horizontal	183	1.74	-	104.66
AV	5.506G	100.42	Inf	-Inf	8.52	3	Horizontal	183	1.74	-	91.90
PK	5.73G	62.89	68.20	-5.31	8.80	3	Horizontal	183	1.74	-	54.09



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/11/2019

5570MHz_TX



EUT X_4TX
Setting 43
06-C-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13334G	56.72	74.00	-17.28	13.93	3	Vertical	302	1.89	-	42.79
AV	11.1439G	42.97	54.00	-11.03	13.91	3	Vertical	302	1.89	-	29.06



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/11/2019

5570MHz_TX



EUT_X_4TX
Setting 43
06-C-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14768G	56.07	74.00	-17.93	13.91	3	Horizontal	0	1.79	-	42.16
AV	11.15158G	43.16	54.00	-10.84	13.90	3	Horizontal	0	1.79	-	29.26




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	5.7288G	67.65	68.20	-0.55	4.73	3	Horizontal	178	2.12	-

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5260MHz_TX




EUT_X_4TX
Setting 98
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1475G	60.55	74.00	-13.45	5.11	3	Vertical	92	2.43	-	55.44
AV	5.1499G	48.97	54.00	-5.03	5.11	3	Vertical	92	2.43	-	43.86
PK	5.2588G	112.50	Inf	-Inf	5.36	3	Vertical	92	2.43	-	107.14
AV	5.2549G	101.59	Inf	-Inf	5.33	3	Vertical	92	2.43	-	96.26
PK	5.3683G	61.52	74.00	-12.48	5.41	3	Vertical	92	2.43	-	56.11
AV	5.3524G	49.16	54.00	-4.84	5.43	3	Vertical	92	2.43	-	43.73

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5260MHz_TX




EUT_X_4TX
Setting 98
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	66.11	74.00	-7.89	5.11	3	Horizontal	178	2.09	-	61.00
AV	5.1469G	52.90	54.00	-1.10	5.11	3	Horizontal	178	2.09	-	47.79
PK	5.2657G	125.17	Inf	-Inf	5.39	3	Horizontal	178	2.09	-	119.78
AV	5.266G	112.07	Inf	-Inf	5.39	3	Horizontal	178	2.09	-	106.68
PK	5.35G	66.36	74.00	-7.64	5.44	3	Horizontal	178	2.09	-	60.92
AV	5.3509G	53.23	54.00	-0.77	5.44	3	Horizontal	178	2.09	-	47.79

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5260MHz_TX




EUT X_4TX
 Setting 98
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52987G	51.88	68.20	-16.32	12.05	3	Vertical	272	2.17	-	39.83
PK	15.77199G	58.75	74.00	-15.25	15.17	3	Vertical	95	2.29	-	43.58
AV	15.76545G	45.98	54.00	-8.02	15.17	3	Vertical	95	2.29	-	30.81

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5260MHz_TX




EUT X_4TX
Setting 98
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51391G	52.54	68.20	-15.66	12.04	3	Horizontal	274	1.60	-	40.50
PK	15.77379G	58.93	74.00	-15.07	15.17	3	Horizontal	181	2.24	-	43.76
AV	15.77946G	46.02	54.00	-7.98	15.16	3	Horizontal	181	2.24	-	30.86

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5300MHz_TX




EUT X_4TX
Setting 80
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2931G	107.89	Inf	-Inf	5.50	3	Vertical	86	2.27	-	102.39
AV	5.2952G	96.25	Inf	-Inf	5.51	3	Vertical	86	2.27	-	90.74
PK	5.3534G	58.29	74.00	-15.71	5.43	3	Vertical	86	2.27	-	52.86
AV	5.378G	46.37	54.00	-7.63	5.39	3	Vertical	86	2.27	-	40.98

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5300MHz_TX




EUT X_4TX
Setting 80
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3015G	119.95	Inf	-Inf	5.53	3	Horizontal	180	1.97	-	114.42
AV	5.2961G	107.90	Inf	-Inf	5.51	3	Horizontal	180	1.97	-	102.39
PK	5.3546G	68.45	74.00	-5.55	5.43	3	Horizontal	180	1.97	-	63.02
AV	5.3504G	53.19	54.00	-0.81	5.44	3	Horizontal	180	1.97	-	47.75

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5300MHz_TX




EUT X_4TX
Setting 80
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58539G	52.67	68.20	-15.53	12.12	3	Vertical	345	2.41	-	40.55
PK	15.91053G	59.28	74.00	-14.72	15.05	3	Vertical	321	2.65	-	44.23
AV	15.91146G	47.48	54.00	-6.52	15.05	3	Vertical	321	2.65	-	32.43

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5300MHz_TX




EUT X_4TX
 Setting 80
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59289G	53.29	68.20	-14.91	12.12	3	Horizontal	340	2.20	-	41.17
PK	15.88809G	59.65	74.00	-14.35	15.08	3	Horizontal	216	2.21	-	44.57
AV	15.90993G	47.15	54.00	-6.85	15.05	3	Horizontal	216	2.21	-	32.10

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3193G	96.60	Inf	-Inf	5.49	3	Vertical	121	1.42	-	91.11
AV	5.316G	85.48	Inf	-Inf	5.50	3	Vertical	121	1.42	-	79.98
PK	5.3524G	58.69	74.00	-15.31	5.43	3	Vertical	121	1.42	-	53.26
AV	5.3605G	46.05	54.00	-7.95	5.42	3	Vertical	121	1.42	-	40.63

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3162G	117.20	Inf	-Inf	5.50	3	Horizontal	181	2.04	-	111.70
AV	5.3159G	104.76	Inf	-Inf	5.50	3	Horizontal	181	2.04	-	99.26
PK	5.3516G	69.96	74.00	-4.04	5.44	3	Horizontal	181	2.04	-	64.52
AV	5.35G	53.32	54.00	-0.68	5.44	3	Horizontal	181	2.04	-	47.88

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62725G	52.69	74.00	-21.31	12.16	3	Vertical	324	2.63	-	40.53
AV	10.63172G	40.01	54.00	-13.99	12.15	3	Vertical	324	2.63	-	27.86
PK	15.95601G	60.32	74.00	-13.68	15.02	3	Vertical	203	1.19	-	45.30
AV	15.96036G	47.55	54.00	-6.45	15.02	3	Vertical	203	1.19	-	32.53

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62857G	53.24	74.00	-20.76	12.16	3	Horizontal	209	1.04	-	41.08
AV	10.62857G	40.31	54.00	-13.69	12.16	3	Horizontal	209	1.04	-	28.15
PK	15.95994G	60.37	74.00	-13.63	15.02	3	Horizontal	335	1.60	-	45.35
AV	15.97203G	47.96	54.00	-6.04	15.01	3	Horizontal	335	1.60	-	32.95

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5500MHz_TX




EUT X_4TX
Setting 59
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4598G	58.88	74.00	-15.12	5.20	3	Vertical	16	1.61	-	53.68
AV	5.4501G	45.85	54.00	-8.15	5.22	3	Vertical	16	1.61	-	40.63
PK	5.4651G	58.38	68.20	-9.82	5.19	3	Vertical	16	1.61	-	53.19
PK	5.4962G	99.20	Inf	-Inf	5.13	3	Vertical	16	1.61	-	94.07
AV	5.5059G	86.85	Inf	-Inf	5.11	3	Vertical	16	1.61	-	81.74

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5500MHz_TX




EUT_X_4TX
Setting 59
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4522G	60.79	74.00	-13.21	5.22	3	Horizontal	181	2.07	-	55.57
AV	5.4521G	48.35	54.00	-5.65	5.22	3	Horizontal	181	2.07	-	43.13
PK	5.4695G	67.54	68.20	-0.66	5.18	3	Horizontal	181	2.07	-	62.36
PK	5.4964G	116.03	Inf	-Inf	5.13	3	Horizontal	181	2.07	-	110.90
AV	5.496G	103.40	Inf	-Inf	5.13	3	Horizontal	181	2.07	-	98.27

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5500MHz_TX




EUT X_4TX
Setting 59
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01158G	53.82	74.00	-20.18	12.54	3	Vertical	64	1.08	-	41.28
AV	11.01137G	41.00	54.00	-13.00	12.54	3	Vertical	64	1.08	-	28.46
PK	16.51143G	62.23	68.20	-5.97	16.00	3	Vertical	215	1.71	-	46.23

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5500MHz_TX




EUT X_4TX
 Setting 59
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00531G	53.30	74.00	-20.70	12.54	3	Horizontal	131	1.25	-	40.76
AV	10.99127G	40.48	54.00	-13.52	12.53	3	Horizontal	131	1.25	-	27.95
PK	16.5129G	62.21	68.20	-5.99	16.00	3	Horizontal	6	1.25	-	46.21

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5580MHz_TX




EUT_X_4TX
Setting 101
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	61.47	74.00	-12.53	5.21	3	Vertical	124	2.08	-	56.26
AV	5.4376G	49.09	54.00	-4.91	5.26	3	Vertical	124	2.08	-	43.83
PK	5.4676G	60.88	68.20	-7.32	5.18	3	Vertical	124	2.08	-	55.70
PK	5.5732G	104.68	Inf	-Inf	5.03	3	Vertical	124	2.08	-	99.65
AV	5.576G	93.50	Inf	-Inf	5.02	3	Vertical	124	2.08	-	88.48
PK	5.7412G	59.69	68.20	-8.51	4.74	3	Vertical	124	2.08	-	54.95

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5580MHz_TX




EUT_X_4TX
Setting 101
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	65.82	74.00	-8.18	5.20	3	Horizontal	179	2.10	-	60.62
AV	5.4572G	52.47	54.00	-1.53	5.21	3	Horizontal	179	2.10	-	47.26
PK	5.4684G	67.63	68.20	-0.57	5.18	3	Horizontal	179	2.10	-	62.45
PK	5.5876G	124.29	Inf	-Inf	5.00	3	Horizontal	179	2.10	-	119.29
AV	5.582G	111.87	Inf	-Inf	5.02	3	Horizontal	179	2.10	-	106.85
PK	5.7316G	62.88	68.20	-5.32	4.73	3	Horizontal	179	2.10	-	58.15

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5580MHz_TX




EUT X_4TX
Setting 101
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16255G	53.65	74.00	-20.35	12.78	3	Vertical	286	2.75	-	40.87
AV	11.16033G	41.03	54.00	-12.97	12.77	3	Vertical	286	2.75	-	28.26
PK	16.73904G	61.00	68.20	-7.20	16.44	3	Vertical	77	2.64	-	44.56

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5580MHz_TX




EUT X_4TX
 Setting 101
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15121G	53.78	74.00	-20.22	12.76	3	Horizontal	31	2.75	-	41.02
AV	11.16099G	41.10	54.00	-12.90	12.77	3	Horizontal	31	2.75	-	28.33
PK	16.7283G	60.81	68.20	-7.39	16.42	3	Horizontal	125	1.64	-	44.39

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5700MHz_TX




EUT X_4TX
Setting 58
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.696G	93.33	Inf	-Inf	4.71	3	Vertical	160	2.00	-	88.62
AV	5.6925G	82.55	Inf	-Inf	4.72	3	Vertical	160	2.00	-	77.83
PK	5.7314G	57.09	68.20	-11.11	4.73	3	Vertical	160	2.00	-	52.36

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5700MHz_TX




EUT X_4TX
Setting 58
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6961G	112.98	Inf	-Inf	4.71	3	Horizontal	178	2.12	-	108.27
AV	5.6935G	101.36	Inf	-Inf	4.72	3	Horizontal	178	2.12	-	96.64
PK	5.7288G	67.65	68.20	-0.55	4.73	3	Horizontal	178	2.12	-	62.92

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5700MHz_TX




EUT X_4TX
Setting 58
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41491G	54.36	74.00	-19.64	13.16	3	Vertical	327	1.33	-	41.20
AV	11.40288G	41.79	54.00	-12.21	13.15	3	Vertical	327	1.33	-	28.64
PK	17.08686G	63.71	68.20	-4.49	17.27	3	Vertical	62	1.75	-	46.44

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5700MHz_TX




EUT X_4TX
Setting 58
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39874G	55.48	74.00	-18.52	13.14	3	Horizontal	219	2.92	-	42.34
AV	11.40837G	41.79	54.00	-12.21	13.16	3	Horizontal	219	2.92	-	28.63
PK	17.11203G	63.68	68.20	-4.52	17.35	3	Horizontal	57	1.37	-	46.33

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7216G	102.35	Inf	-Inf	4.72	3	Vertical	92	1.97	-	97.63
AV	5.7244G	90.94	Inf	-Inf	4.72	3	Vertical	92	1.97	-	86.22
PK	5.8512G	60.04	68.20	-8.16	4.98	3	Vertical	92	1.97	-	55.06

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.724G	123.58	Inf	-Inf	4.72	3	Horizontal	182	1.84	-	118.86
AV	5.716G	111.91	Inf	-Inf	4.72	3	Horizontal	182	1.84	-	107.19
PK	5.85G	65.01	68.20	-3.19	4.98	3	Horizontal	182	1.84	-	60.03

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44261G	54.12	74.00	-19.88	13.21	3	Vertical	23	2.91	-	40.91
AV	11.45455G	41.96	54.00	-12.04	13.22	3	Vertical	23	2.91	-	28.74
PK	17.1747G	64.20	68.20	-4.00	17.59	3	Vertical	34	2.38	-	46.61

802.11ax HEW20_Nss4,(MCS0)_4TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43088G	55.76	74.00	-18.24	13.19	3	Horizontal	183	1.71	-	42.57
AV	11.44534G	42.85	54.00	-11.15	13.21	3	Horizontal	183	1.71	-	29.64
PK	17.15712G	63.56	68.20	-4.64	17.52	3	Horizontal	319	1.41	-	46.04

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5270MHz_TX




EUT X_4TX
Setting 75
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1407G	57.59	74.00	-16.41	5.11	3	Vertical	55	2.93	-	52.48
AV	5.147G	46.84	54.00	-7.16	5.11	3	Vertical	55	2.93	-	41.73
PK	5.2589G	102.26	Inf	-Inf	5.36	3	Vertical	55	2.93	-	96.90
AV	5.2664G	90.80	Inf	-Inf	5.39	3	Vertical	55	2.93	-	85.41
PK	5.39G	58.45	74.00	-15.55	5.36	3	Vertical	55	2.93	-	53.09
AV	5.351G	47.41	54.00	-6.59	5.44	3	Vertical	55	2.93	-	41.97

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5270MHz_TX




EUT X_4TX
Setting 75
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1467G	60.87	74.00	-13.13	5.11	3	Horizontal	180	1.73	-	55.76
AV	5.1455G	50.17	54.00	-3.83	5.11	3	Horizontal	180	1.73	-	45.06
PK	5.2634G	116.23	Inf	-Inf	5.37	3	Horizontal	180	1.73	-	110.86
AV	5.2667G	106.47	Inf	-Inf	5.39	3	Horizontal	180	1.73	-	101.08
PK	5.3522G	67.39	74.00	-6.61	5.43	3	Horizontal	180	1.73	-	61.96
AV	5.3525G	53.44	54.00	-0.56	5.43	3	Horizontal	180	1.73	-	48.01

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5270MHz_TX




EUT X_4TX
Setting 75
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54069G	52.54	68.20	-15.66	12.07	3	Vertical	140	2.72	-	40.47
PK	15.79704G	58.40	74.00	-15.60	15.14	3	Vertical	11	1.40	-	43.26
AV	15.8007G	46.94	54.00	-7.06	15.14	3	Vertical	11	1.40	-	31.80

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5270MHz_TX




EUT X_4TX
Setting 75
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54684G	52.82	68.20	-15.38	12.07	3	Horizontal	211	1.50	-	40.75
PK	15.80754G	58.87	74.00	-15.13	15.14	3	Horizontal	96	2.68	-	43.73
AV	15.80046G	47.28	54.00	-6.72	15.14	3	Horizontal	96	2.68	-	32.14

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5310MHz_TX




EUT X_4TX
Setting 54
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2926G	91.85	Inf	-Inf	5.50	3	Vertical	344	2.62	-	86.35
AV	5.2948G	81.53	Inf	-Inf	5.50	3	Vertical	344	2.62	-	76.03
PK	5.4066G	57.94	74.00	-16.06	5.33	3	Vertical	344	2.62	-	52.61
AV	5.3856G	47.47	54.00	-6.53	5.36	3	Vertical	344	2.62	-	42.11

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5310MHz_TX




EUT X_4TX
Setting 54
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.294G	110.53	Inf	-Inf	5.50	3	Horizontal	181	1.71	-	105.03
AV	5.3064G	100.83	Inf	-Inf	5.52	3	Horizontal	181	1.71	-	95.31
PK	5.3552G	67.12	74.00	-6.88	5.42	3	Horizontal	181	1.71	-	61.70
AV	5.3532G	53.33	54.00	-0.67	5.43	3	Horizontal	181	1.71	-	47.90

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5310MHz_TX




EUT X_4TX
Setting 54
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60767G	52.97	74.00	-21.03	12.13	3	Vertical	346	1.06	-	40.84
AV	10.61145G	42.34	54.00	-11.66	12.14	3	Vertical	346	1.06	-	30.20
PK	15.93783G	60.01	74.00	-13.99	15.04	3	Vertical	224	1.38	-	44.97
AV	15.93579G	49.35	54.00	-4.65	15.04	3	Vertical	224	1.38	-	34.31

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5310MHz_TX




EUT X_4TX
Setting 54
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62927G	53.34	74.00	-20.66	12.16	3	Horizontal	250	1.26	-	41.18
AV	10.60761G	42.17	54.00	-11.83	12.13	3	Horizontal	250	1.26	-	30.04
PK	15.93861G	61.29	74.00	-12.71	15.04	3	Horizontal	295	2.77	-	46.25
AV	15.93714G	49.16	54.00	-4.84	15.04	3	Horizontal	295	2.77	-	34.12

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5510MHz_TX




EUT X_4TX
Setting 56
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	57.60	74.00	-16.40	5.20	3	Vertical	17	1.66	-	52.40
AV	5.4358G	47.32	54.00	-6.68	5.27	3	Vertical	17	1.66	-	42.05
PK	5.4604G	57.99	68.20	-10.21	5.20	3	Vertical	17	1.66	-	52.79
PK	5.5188G	97.36	Inf	-Inf	5.09	3	Vertical	17	1.66	-	92.27
AV	5.5222G	85.94	Inf	-Inf	5.09	3	Vertical	17	1.66	-	80.85

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5510MHz_TX




EUT X_4TX
Setting 56
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4598G	65.17	74.00	-8.83	5.20	3	Horizontal	182	1.85	-	59.97
AV	5.4592G	52.58	54.00	-1.42	5.20	3	Horizontal	182	1.85	-	47.38
PK	5.4696G	67.42	68.20	-0.78	5.18	3	Horizontal	182	1.85	-	62.24
PK	5.5154G	111.52	Inf	-Inf	5.10	3	Horizontal	182	1.85	-	106.42
AV	5.5066G	100.59	Inf	-Inf	5.11	3	Horizontal	182	1.85	-	95.48

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5510MHz_TX




EUT X_4TX
Setting 56
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01522G	54.21	74.00	-19.79	12.55	3	Vertical	353	2.17	-	41.66
AV	11.01604G	42.64	54.00	-11.36	12.55	3	Vertical	353	2.17	-	30.09
PK	16.52334G	62.80	68.20	-5.40	16.01	3	Vertical	178	2.62	-	46.79

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5510MHz_TX




EUT X_4TX
Setting 56
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02816G	53.08	74.00	-20.92	12.58	3	Horizontal	271	1.51	-	40.50
AV	11.02832G	42.36	54.00	-11.64	12.58	3	Horizontal	271	1.51	-	29.78
PK	16.52996G	62.53	68.20	-5.67	16.03	3	Horizontal	140	1.88	-	46.50

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5550MHz_TX




EUT_X_4TX
Setting 75
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4411G	58.14	74.00	-15.86	5.26	3	Vertical	16	1.57	-	52.88
AV	5.4498G	47.24	54.00	-6.76	5.24	3	Vertical	16	1.57	-	42.00
PK	5.4663G	57.85	68.20	-10.35	5.19	3	Vertical	16	1.57	-	52.66
PK	5.5386G	100.92	Inf	-Inf	5.07	3	Vertical	16	1.57	-	95.85
AV	5.5407G	89.92	Inf	-Inf	5.07	3	Vertical	16	1.57	-	84.85

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5550MHz_TX




EUT X_4TX
Setting 75
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.83	74.00	-9.17	5.20	3	Horizontal	177	1.93	-	59.63
AV	5.4588G	52.67	54.00	-1.33	5.20	3	Horizontal	177	1.93	-	47.47
PK	5.4675G	67.11	68.20	-1.09	5.19	3	Horizontal	177	1.93	-	61.92
PK	5.5548G	116.87	Inf	-Inf	5.05	3	Horizontal	177	1.93	-	111.82
AV	5.5566G	105.67	Inf	-Inf	5.04	3	Horizontal	177	1.93	-	100.63

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5550MHz_TX




EUT X_4TX
Setting 75
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09696G	54.35	74.00	-19.65	12.68	3	Vertical	39	1.01	-	41.67
AV	11.1G	42.64	54.00	-11.36	12.69	3	Vertical	39	1.01	-	29.95
PK	16.6446G	61.91	68.20	-6.29	16.25	3	Vertical	52	2.81	-	45.66

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5550MHz_TX




EUT X_4TX
Setting 75
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10564G	54.25	74.00	-19.75	12.69	3	Horizontal	226	1.58	-	41.56
AV	11.10648G	42.52	54.00	-11.48	12.69	3	Horizontal	226	1.58	-	29.83
PK	16.6411G	61.59	68.20	-6.61	16.25	3	Horizontal	8	1.99	-	45.34

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5670MHz_TX




EUT X_4TX
Setting 63
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.682G	94.48	Inf	-Inf	4.74	3	Vertical	339	2.28	-	89.74
AV	5.6802G	84.96	Inf	-Inf	4.75	3	Vertical	339	2.28	-	80.21
PK	5.7648G	57.49	68.20	-10.71	4.76	3	Vertical	339	2.28	-	52.73

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5670MHz_TX




EUT X_4TX
Setting 63
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6786G	114.35	Inf	-Inf	4.75	3	Horizontal	355	1.92	-	109.60
AV	5.6834G	102.20	Inf	-Inf	4.75	3	Horizontal	355	1.92	-	97.45
PK	5.7256G	67.50	68.20	-0.70	4.73	3	Horizontal	355	1.92	-	62.77

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5670MHz_TX




EUT X_4TX
 Setting 63
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34458G	54.77	74.00	-19.23	13.06	3	Vertical	204	1.06	-	41.71
AV	11.34158G	43.80	54.00	-10.20	13.05	3	Vertical	204	1.06	-	30.75
PK	17.00562G	63.17	68.20	-5.03	16.98	3	Vertical	198	1.52	-	46.19

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5670MHz_TX




EUT X_4TX
Setting 63
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33084G	55.22	74.00	-18.78	13.04	3	Horizontal	185	1.91	-	42.18
AV	11.3463G	44.36	54.00	-9.64	13.05	3	Horizontal	185	1.91	-	31.31
PK	17.01702G	63.51	68.20	-4.69	17.02	3	Horizontal	25	2.03	-	46.49

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 94
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4448G	57.68	74.00	-16.32	5.25	3	Vertical	338	1.37	-	52.43
AV	5.4532G	47.32	54.00	-6.68	5.21	3	Vertical	338	1.37	-	42.11
PK	5.4652G	56.45	68.20	-11.75	5.19	3	Vertical	338	1.37	-	51.26
PK	5.7118G	100.79	Inf	-Inf	4.71	3	Vertical	338	1.37	-	96.08
AV	5.7142G	90.96	Inf	-Inf	4.71	3	Vertical	338	1.37	-	86.25
PK	5.95G	57.15	68.20	-11.05	5.18	3	Vertical	338	1.37	-	51.97

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 94
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4334G	60.23	74.00	-13.77	5.27	3	Horizontal	177	1.84	-	54.96
AV	5.4442G	49.89	54.00	-4.11	5.25	3	Horizontal	177	1.84	-	44.64
PK	5.4688G	60.06	68.20	-8.14	5.18	3	Horizontal	177	1.84	-	54.88
PK	5.7154G	119.72	Inf	-Inf	4.72	3	Horizontal	177	1.84	-	115.00
AV	5.7172G	108.84	Inf	-Inf	4.72	3	Horizontal	177	1.84	-	104.12
PK	5.8504G	67.31	68.20	-0.89	4.98	3	Horizontal	177	1.84	-	62.33

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 94
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41896G	54.96	74.00	-19.04	13.17	3	Vertical	76	1.50	-	41.79
AV	11.41676G	43.96	54.00	-10.04	13.16	3	Vertical	76	1.50	-	30.80
PK	17.12164G	63.76	68.20	-4.44	17.40	3	Vertical	110	2.67	-	46.36

802.11ax HEW40_Nss4,(MCS0)_4TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
 Setting 94
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42028G	54.81	74.00	-19.19	13.17	3	Horizontal	127	1.99	-	41.64
AV	11.41018G	44.63	54.00	-9.37	13.16	3	Horizontal	127	1.99	-	31.47
PK	17.12608G	63.42	68.20	-4.78	17.41	3	Horizontal	114	1.43	-	46.01

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5290MHz_TX




EUT_X_4TX
Setting 51
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1372G	57.35	74.00	-16.65	5.11	3	Vertical	132	2.72	-	52.24
AV	5.0936G	46.93	54.00	-7.07	5.08	3	Vertical	132	2.72	-	41.85
PK	5.2788G	91.05	Inf	-Inf	5.44	3	Vertical	132	2.72	-	85.61
AV	5.2988G	80.74	Inf	-Inf	5.53	3	Vertical	132	2.72	-	75.21
PK	5.4176G	58.36	74.00	-15.64	5.30	3	Vertical	132	2.72	-	53.06
AV	5.4452G	47.24	54.00	-6.76	5.25	3	Vertical	132	2.72	-	41.99
PK	5.4816G	57.19	68.20	-11.01	5.16	3	Vertical	132	2.72	-	52.03

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5290MHz_TX




EUT_X_4TX
Setting 51
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	58.92	74.00	-15.08	5.11	3	Horizontal	182	1.99	-	53.81
AV	5.1292G	48.53	54.00	-5.47	5.11	3	Horizontal	182	1.99	-	43.42
PK	5.2956G	107.62	Inf	-Inf	5.51	3	Horizontal	182	1.99	-	102.11
AV	5.2816G	97.21	Inf	-Inf	5.45	3	Horizontal	182	1.99	-	91.76
PK	5.3544G	63.57	74.00	-10.43	5.43	3	Horizontal	182	1.99	-	58.14
AV	5.3504G	53.30	54.00	-0.70	5.44	3	Horizontal	182	1.99	-	47.86
PK	5.4788G	58.32	68.20	-9.88	5.16	3	Horizontal	182	1.99	-	53.16

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5290MHz_TX




EUT X_4TX
Setting 51
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.57958G	52.41	68.20	-15.79	12.10	3	Vertical	314	2.76	-	40.31
PK	15.86836G	59.20	74.00	-14.80	15.09	3	Vertical	132	2.03	-	44.11
AV	15.87054G	48.38	54.00	-5.62	15.09	3	Vertical	132	2.03	-	33.29

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5290MHz_TX




EUT X_4TX
 Setting 51
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.57484G	52.90	68.20	-15.30	12.09	3	Horizontal	335	1.43	-	40.81
PK	15.87272G	59.68	74.00	-14.32	15.09	3	Horizontal	9	2.47	-	44.59
AV	15.86486G	48.46	54.00	-5.54	15.10	3	Horizontal	9	2.47	-	33.36

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5530MHz_TX




EUT_X_4TX
Setting 53
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.342G	57.18	68.20	-11.02	5.45	3	Vertical	16	1.68	-	51.73
PK	5.424G	57.87	74.00	-16.13	5.29	3	Vertical	16	1.68	-	52.58
AV	5.434G	47.48	54.00	-6.52	5.27	3	Vertical	16	1.68	-	42.21
PK	5.4665G	57.44	68.20	-10.76	5.19	3	Vertical	16	1.68	-	52.25
PK	5.519G	93.25	Inf	-Inf	5.09	3	Vertical	16	1.68	-	88.16
AV	5.5165G	82.12	Inf	-Inf	5.10	3	Vertical	16	1.68	-	77.02
PK	5.771G	56.93	68.20	-11.27	4.77	3	Vertical	16	1.68	-	52.16

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5530MHz_TX




EUT X_4TX
Setting 53
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3395G	59.09	68.20	-9.11	5.45	3	Horizontal	176	1.92	-	53.64
PK	5.4595G	64.95	74.00	-9.05	5.20	3	Horizontal	176	1.92	-	59.75
AV	5.4565G	53.34	54.00	-0.66	5.21	3	Horizontal	176	1.92	-	48.13
PK	5.469G	64.00	68.20	-4.20	5.18	3	Horizontal	176	1.92	-	58.82
PK	5.5135G	107.39	Inf	-Inf	5.11	3	Horizontal	176	1.92	-	102.28
AV	5.517G	96.46	Inf	-Inf	5.09	3	Horizontal	176	1.92	-	91.37
PK	5.748G	57.43	68.20	-10.77	4.75	3	Horizontal	176	1.92	-	52.68

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5530MHz_TX




EUT X_4TX
Setting 53
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06858G	53.83	74.00	-20.17	12.64	3	Vertical	231	1.03	-	41.19
AV	11.06538G	42.87	54.00	-11.13	12.63	3	Vertical	231	1.03	-	30.24
PK	16.5996G	63.21	68.20	-4.99	16.17	3	Vertical	185	2.08	-	47.04

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5530MHz_TX




EUT X_4TX
Setting 53
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06018G	53.74	74.00	-20.26	12.63	3	Horizontal	27	2.89	-	41.11
AV	11.06474G	42.76	54.00	-11.24	12.63	3	Horizontal	27	2.89	-	30.13
PK	16.58528G	62.36	68.20	-5.84	16.14	3	Horizontal	69	1.61	-	46.22

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5610MHz_TX




EUT_X_4TX
Setting 70
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.424G	57.66	74.00	-16.34	5.29	3	Vertical	15	1.62	-	52.37
AV	5.4392G	47.49	54.00	-6.51	5.26	3	Vertical	15	1.62	-	42.23
PK	5.4612G	57.73	68.20	-10.47	5.20	3	Vertical	15	1.62	-	52.53
PK	5.5988G	94.18	Inf	-Inf	4.99	3	Vertical	15	1.62	-	89.19
AV	5.5992G	82.69	Inf	-Inf	4.99	3	Vertical	15	1.62	-	77.70
PK	5.7336G	58.20	68.20	-10.00	4.73	3	Vertical	15	1.62	-	53.47

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5610MHz_TX




EUT_X_4TX
Setting 70
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4476G	64.73	74.00	-9.27	5.24	3	Horizontal	358	1.81	-	59.49
PK	5.4632G	65.66	68.20	-2.54	5.19	3	Horizontal	358	1.81	-	60.47
AV	5.4588G	53.26	54.00	-0.74	5.20	3	Horizontal	358	1.81	-	48.06
PK	5.5988G	112.85	Inf	-Inf	4.99	3	Horizontal	358	1.81	-	107.86
AV	5.6032G	101.34	Inf	-Inf	4.98	3	Horizontal	358	1.81	-	96.36
PK	5.7288G	66.42	68.20	-1.78	4.73	3	Horizontal	358	1.81	-	61.69

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5610MHz_TX




EUT X_4TX
Setting 70
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22952G	53.64	74.00	-20.36	12.88	3	Vertical	263	1.76	-	40.76
AV	11.21572G	43.23	54.00	-10.77	12.86	3	Vertical	263	1.76	-	30.37
PK	16.82664G	61.03	68.20	-7.17	16.62	3	Vertical	337	2.60	-	44.41

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5610MHz_TX




EUT X_4TX
 Setting 70
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22266G	54.26	74.00	-19.74	12.88	3	Horizontal	76	2.62	-	41.38
AV	11.22366G	42.92	54.00	-11.08	12.87	3	Horizontal	76	2.62	-	30.05
PK	16.82506G	61.29	68.20	-6.91	16.62	3	Horizontal	235	1.03	-	44.67

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 82
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4104G	57.44	74.00	-16.56	5.32	3	Vertical	339	1.32	-	52.12
AV	5.4236G	47.18	54.00	-6.82	5.29	3	Vertical	339	1.32	-	41.89
PK	5.46G	57.24	68.20	-10.96	5.20	3	Vertical	339	1.32	-	52.04
PK	5.7038G	96.99	Inf	-Inf	4.70	3	Vertical	339	1.32	-	92.29
AV	5.7008G	85.69	Inf	-Inf	4.70	3	Vertical	339	1.32	-	80.99
PK	5.8706G	56.82	68.20	-11.38	5.06	3	Vertical	339	1.32	-	51.76

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 82
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	60.09	74.00	-13.91	5.22	3	Horizontal	177	2.00	-	54.87
AV	5.453G	49.65	54.00	-4.35	5.21	3	Horizontal	177	2.00	-	44.44
PK	5.4674G	61.83	68.20	-6.37	5.19	3	Horizontal	177	2.00	-	56.64
PK	5.6816G	114.10	Inf	-Inf	4.75	3	Horizontal	177	2.00	-	109.35
AV	5.6834G	102.25	Inf	-Inf	4.75	3	Horizontal	177	2.00	-	97.50
PK	5.8532G	67.40	68.20	-0.80	4.99	3	Horizontal	177	2.00	-	62.41

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 82
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38528G	55.98	74.00	-18.02	13.11	3	Vertical	196	2.12	-	42.87
AV	11.37954G	44.27	54.00	-9.73	13.11	3	Vertical	196	2.12	-	31.16
PK	17.0646G	63.64	68.20	-4.56	17.19	3	Vertical	73	2.60	-	46.45

802.11ax HEW80_Nss4,(MCS0)_4TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 82
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3771G	54.91	74.00	-19.09	13.10	3	Horizontal	140	2.36	-	41.81
AV	11.38388G	43.95	54.00	-10.05	13.12	3	Horizontal	140	2.36	-	30.83
PK	17.06424G	63.00	68.20	-5.20	17.19	3	Horizontal	354	1.21	-	45.81

802.11ax HEW160_Nss4,(MCS0)_4TX

18/10/2019

5250MHz_TX




EUT X_4TX
Setting 46
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0988G	57.13	74.00	-16.87	5.10	3	Vertical	296	2.50	-	52.03
AV	5.0668G	47.01	54.00	-6.99	4.94	3	Vertical	296	2.50	-	42.07
PK	5.2436G	88.79	Inf	-Inf	5.30	3	Vertical	296	2.50	-	83.49
AV	5.2428G	79.22	Inf	-Inf	5.30	3	Vertical	296	2.50	-	73.92
PK	5.4004G	57.70	74.00	-16.30	5.34	3	Vertical	296	2.50	-	52.36
PK	5.4652G	58.02	68.20	-10.18	5.19	3	Vertical	296	2.50	-	52.83
AV	5.4404G	47.49	54.00	-6.51	5.26	3	Vertical	296	2.50	-	42.23

802.11ax HEW160_Nss4,(MCS0)_4TX

18/10/2019

5250MHz_TX




EUT_X_4TX
Setting 46
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	63.22	74.00	-10.78	5.11	3	Horizontal	180	2.07	-	58.11
AV	5.146G	52.56	54.00	-1.44	5.11	3	Horizontal	180	2.07	-	47.45
PK	5.2588G	103.33	Inf	-Inf	5.36	3	Horizontal	180	2.07	-	97.97
AV	5.246G	93.35	Inf	-Inf	5.31	3	Horizontal	180	2.07	-	88.04
PK	5.3716G	62.54	74.00	-11.46	5.40	3	Horizontal	296	2.50	-	57.14
AV	5.378G	52.88	54.00	-1.12	5.39	3	Horizontal	296	2.50	-	47.49
PK	5.46G	58.55	68.20	-9.65	5.20	3	Horizontal	180	2.07	-	53.35

802.11ax HEW160_Nss4,(MCS0)_4TX

18/10/2019

5250MHz_TX




EUT X_4TX
Setting 46
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48932G	52.42	68.20	-15.78	12.02	3	Vertical	197	1.41	-	40.40
PK	15.73572G	58.72	74.00	-15.28	15.19	3	Vertical	178	2.76	-	43.53
AV	15.74076G	48.05	54.00	-5.95	15.19	3	Vertical	178	2.76	-	32.86

802.11ax HEW160_Nss4,(MCS0)_4TX

18/10/2019

5250MHz_TX




EUT X_4TX
 Setting 46
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.49271G	52.46	68.20	-15.74	12.02	3	Horizontal	192	1.75	-	40.44
PK	15.74925G	59.24	74.00	-14.76	15.19	3	Horizontal	274	2.71	-	44.05
AV	15.74052G	48.07	54.00	-5.93	15.19	3	Horizontal	274	2.71	-	32.88

802.11ax HEW160_Nss4,(MCS0)_4TX

18/10/2019

5570MHz_TX




EUT_X_4TX
Setting 42
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2668G	58.16	68.20	-10.04	5.39	3	Vertical	17	1.65	-	52.77
PK	5.4588G	57.63	74.00	-16.37	5.20	3	Vertical	17	1.65	-	52.43
AV	5.3764G	47.38	54.00	-6.62	5.38	3	Vertical	17	1.65	-	42.00
PK	5.4628G	57.69	68.20	-10.51	5.19	3	Vertical	17	1.65	-	52.50
PK	5.5212G	86.56	Inf	-Inf	5.09	3	Vertical	17	1.65	-	81.47
AV	5.5212G	76.60	Inf	-Inf	5.09	3	Vertical	17	1.65	-	71.51
PK	5.7924G	56.68	68.20	-11.52	4.79	3	Vertical	17	1.65	-	51.89

802.11ax HEW160_Nss4,(MCS0)_4TX

18/10/2019

5570MHz_TX




EUT_X_4TX
Setting 42
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2588G	58.68	68.20	-9.52	5.36	3	Horizontal	178	1.87	-	53.32
PK	5.4588G	63.30	74.00	-10.70	5.20	3	Horizontal	178	1.87	-	58.10
AV	5.4572G	53.19	54.00	-0.81	5.21	3	Horizontal	178	1.87	-	47.98
PK	5.4612G	60.82	68.20	-7.38	5.20	3	Horizontal	178	1.87	-	55.62
PK	5.5756G	103.10	Inf	-Inf	5.02	3	Horizontal	178	1.87	-	98.08
AV	5.5596G	91.70	Inf	-Inf	5.04	3	Horizontal	178	1.87	-	86.66
PK	5.786G	58.51	68.20	-9.69	4.79	3	Horizontal	178	1.87	-	53.72

802.11ax HEW160_Nss4,(MCS0)_4TX

18/10/2019

5570MHz_TX




EUT X_4TX
Setting 42
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15326G	54.01	74.00	-19.99	12.77	3	Vertical	137	1.73	-	41.24
AV	11.14021G	42.80	54.00	-11.20	12.75	3	Vertical	137	1.73	-	30.05
PK	16.6998G	61.43	68.20	-6.77	16.37	3	Vertical	210	1.19	-	45.06

802.11ax HEW160_Nss4,(MCS0)_4TX

18/10/2019

5570MHz_TX



EUT X_4TX
Setting 42
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14978G	53.50	74.00	-20.50	12.76	3	Horizontal	225	1.70	-	40.74
AV	11.13061G	42.83	54.00	-11.17	12.73	3	Horizontal	225	1.70	-	30.10
PK	16.71999G	60.91	68.20	-7.29	16.41	3	Horizontal	6	1.53	-	44.50




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.4693G	67.69	68.20	-0.51	5.18	3	Vertical	172	1.79	-

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	62.38	74.00	-11.62	5.11	3	Vertical	175	1.98	-	57.27
AV	5.1481G	49.21	54.00	-4.79	5.11	3	Vertical	175	1.98	-	44.10
PK	5.2648G	119.42	Inf	-Inf	5.37	3	Vertical	175	1.98	-	114.05
AV	5.2627G	109.11	Inf	-Inf	5.37	3	Vertical	175	1.98	-	103.74
PK	5.356G	65.76	74.00	-8.24	5.42	3	Vertical	175	1.98	-	60.34
AV	5.35G	50.20	54.00	-3.80	5.44	3	Vertical	175	1.98	-	44.76

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1118G	57.63	74.00	-16.37	5.11	3	Horizontal	216	1.51	-	52.52
AV	5.1442G	44.55	54.00	-9.45	5.11	3	Horizontal	216	1.51	-	39.44
PK	5.2651G	106.35	Inf	-Inf	5.38	3	Horizontal	216	1.51	-	100.97
AV	5.2627G	96.31	Inf	-Inf	5.37	3	Horizontal	216	1.51	-	90.94
PK	5.3674G	58.36	74.00	-15.64	5.40	3	Horizontal	216	1.51	-	52.96
AV	5.3725G	45.23	54.00	-8.77	5.39	3	Horizontal	216	1.51	-	39.84

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78097G	58.74	74.00	-15.26	15.16	3	Vertical	331	1.92	-	43.58
AV	15.78076G	45.01	54.00	-8.99	15.16	3	Vertical	331	1.92	-	29.85

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78272G	58.90	74.00	-15.10	15.16	3	Horizontal	156	2.08	-	43.74
AV	15.7877G	45.61	54.00	-8.39	15.16	3	Horizontal	156	2.08	-	30.45

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 91
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3014G	117.83	Inf	-Inf	5.53	3	Vertical	167	1.87	-	112.30
AV	5.302G	107.68	Inf	-Inf	5.52	3	Vertical	167	1.87	-	102.16
PK	5.3502G	70.75	74.00	-3.25	5.44	3	Vertical	167	1.87	-	65.31
AV	5.3502G	53.42	54.00	-0.58	5.44	3	Vertical	167	1.87	-	47.98

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 91
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3016G	104.03	Inf	-Inf	5.53	3	Horizontal	215	1.61	-	98.50
AV	5.3026G	94.05	Inf	-Inf	5.52	3	Horizontal	215	1.61	-	88.53
PK	5.353G	59.15	74.00	-14.85	5.43	3	Horizontal	215	1.61	-	53.72
AV	5.3524G	45.72	54.00	-8.28	5.43	3	Horizontal	215	1.61	-	40.29

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 91
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90264G	59.60	74.00	-14.40	15.07	3	Vertical	106	1.88	-	44.53
AV	15.90254G	46.55	54.00	-7.45	15.07	3	Vertical	106	1.88	-	31.48

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 91
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90526G	60.50	74.00	-13.50	15.06	3	Horizontal	121	1.74	-	45.44
AV	15.90596G	46.85	54.00	-7.15	15.06	3	Horizontal	121	1.74	-	31.79

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 75
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3215G	114.00	Inf	-Inf	5.49	3	Vertical	173	1.70	-	108.51
AV	5.3241G	103.79	Inf	-Inf	5.49	3	Vertical	173	1.70	-	98.30
PK	5.3525G	71.95	74.00	-2.05	5.43	3	Vertical	173	1.70	-	66.52
AV	5.35G	53.47	54.00	-0.53	5.44	3	Vertical	173	1.70	-	48.03

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 75
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3214G	100.00	Inf	-Inf	5.49	3	Horizontal	216	1.48	-	94.51
AV	5.324G	89.89	Inf	-Inf	5.49	3	Horizontal	216	1.48	-	84.40
PK	5.3508G	59.27	74.00	-14.73	5.44	3	Horizontal	216	1.48	-	53.83
AV	5.3502G	45.77	54.00	-8.23	5.44	3	Horizontal	216	1.48	-	40.33

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 75
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96834G	60.78	74.00	-13.22	15.01	3	Vertical	171	1.22	-	45.77
AV	15.9682G	47.36	54.00	-6.64	15.01	3	Vertical	171	1.22	-	32.35

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 75
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96608G	60.65	74.00	-13.35	15.01	3	Horizontal	134	2.14	-	45.64
AV	15.96706G	47.32	54.00	-6.68	15.01	3	Horizontal	134	2.14	-	32.31

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 56
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4519G	60.25	74.00	-13.75	5.22	3	Vertical	172	1.79	-	55.03
AV	5.4534G	46.72	54.00	-7.28	5.21	3	Vertical	172	1.79	-	41.51
PK	5.4693G	67.69	68.20	-0.51	5.18	3	Vertical	172	1.79	-	62.51
PK	5.4933G	110.66	Inf	-Inf	5.13	3	Vertical	172	1.79	-	105.53
AV	5.4952G	100.50	Inf	-Inf	5.13	3	Vertical	172	1.79	-	95.37

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 56
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4558G	57.97	74.00	-16.03	5.21	3	Horizontal	227	1.60	-	52.76
AV	5.4532G	45.07	54.00	-8.93	5.21	3	Horizontal	227	1.60	-	39.86
PK	5.4651G	58.41	68.20	-9.79	5.19	3	Horizontal	227	1.60	-	53.22
PK	5.5024G	96.04	Inf	-Inf	5.12	3	Horizontal	227	1.60	-	90.92
AV	5.5041G	86.04	Inf	-Inf	5.12	3	Horizontal	227	1.60	-	80.92

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 56
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00258G	53.47	74.00	-20.53	12.54	3	Vertical	61	1.96	-	40.93
AV	11.00258G	40.26	54.00	-13.74	12.54	3	Vertical	61	1.96	-	27.72

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 56
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00568G	54.02	74.00	-19.98	12.54	3	Horizontal	196	1.78	-	41.48
AV	11.0056G	40.34	54.00	-13.66	12.54	3	Horizontal	196	1.78	-	27.80

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 105
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4312G	61.52	74.00	-12.48	5.28	3	Vertical	174	1.81	-	56.24
AV	5.4464G	48.58	54.00	-5.42	5.25	3	Vertical	174	1.81	-	43.33
PK	5.4676G	63.15	68.20	-5.05	5.18	3	Vertical	174	1.81	-	57.97
PK	5.5852G	119.73	Inf	-Inf	5.00	3	Vertical	174	1.81	-	114.73
AV	5.582G	109.69	Inf	-Inf	5.02	3	Vertical	174	1.81	-	104.67
PK	5.7728G	59.48	68.20	-8.72	4.77	3	Vertical	174	1.81	-	54.71

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 105
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4192G	58.34	74.00	-15.66	5.30	3	Horizontal	225	1.53	-	53.04
PK	5.4684G	57.37	68.20	-10.83	5.18	3	Horizontal	225	1.53	-	52.19
AV	5.4596G	45.08	54.00	-8.92	5.20	3	Horizontal	225	1.53	-	39.88
PK	5.5792G	103.58	Inf	-Inf	5.02	3	Horizontal	225	1.53	-	98.56
AV	5.5824G	93.29	Inf	-Inf	5.02	3	Horizontal	225	1.53	-	88.27
PK	5.7512G	56.93	68.20	-11.27	4.75	3	Horizontal	225	1.53	-	52.18

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 105
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15948G	55.02	74.00	-18.98	12.77	3	Vertical	104	1.50	-	42.25
AV	11.1601G	41.66	54.00	-12.34	12.77	3	Vertical	104	1.50	-	28.89
PK	16.74066G	60.95	68.20	-7.25	16.45	3	Vertical	307	1.10	-	44.50

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
 Setting 105
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16032G	55.21	74.00	-18.79	12.77	3	Horizontal	130	1.77	-	42.44
AV	11.16074G	40.85	54.00	-13.15	12.77	3	Horizontal	130	1.77	-	28.08
PK	16.73962G	60.82	68.20	-7.38	16.45	3	Horizontal	207	1.83	-	44.37

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5700MHz_TX




EUT_Y_1TX
Setting 58
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7016G	109.64	Inf	-Inf	4.70	3	Vertical	169	1.71	-	104.94
AV	5.6954G	99.40	Inf	-Inf	4.71	3	Vertical	169	1.71	-	94.69
PK	5.7258G	67.45	68.20	-0.75	4.73	3	Vertical	169	1.71	-	62.72

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5700MHz_TX




EUT_Y_1TX
Setting 58
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6933G	94.04	Inf	-Inf	4.72	3	Horizontal	217	1.52	-	89.32
AV	5.6954G	84.20	Inf	-Inf	4.71	3	Horizontal	217	1.52	-	79.49
PK	5.7349G	57.28	68.20	-10.92	4.73	3	Horizontal	217	1.52	-	52.55

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 58
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39422G	55.68	74.00	-18.32	13.14	3	Vertical	242	2.41	-	42.54
AV	11.39388G	42.27	54.00	-11.73	13.14	3	Vertical	242	2.41	-	29.13

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 58
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40298G	55.53	74.00	-18.47	13.15	3	Horizontal	197	2.14	-	42.38
AV	11.40288G	42.08	54.00	-11.92	13.15	3	Horizontal	197	2.14	-	28.93

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4482G	61.31	74.00	-12.69	5.24	3	Vertical	163	1.80	-	56.07
AV	5.4518G	47.26	54.00	-6.74	5.22	3	Vertical	163	1.80	-	42.04
PK	5.4662G	61.16	68.20	-7.04	5.19	3	Vertical	163	1.80	-	55.97
PK	5.7188G	120.55	Inf	-Inf	4.72	3	Vertical	163	1.80	-	115.83
AV	5.7176G	109.77	Inf	-Inf	4.72	3	Vertical	163	1.80	-	105.05
PK	5.8604G	62.20	68.20	-6.00	5.02	3	Vertical	163	1.80	-	57.18

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4338G	57.51	74.00	-16.49	5.27	3	Horizontal	217	1.42	-	52.24
AV	5.4296G	45.04	54.00	-8.96	5.28	3	Horizontal	217	1.42	-	39.76
PK	5.4638G	57.34	68.20	-10.86	5.19	3	Horizontal	217	1.42	-	52.15
PK	5.7254G	103.96	Inf	-Inf	4.73	3	Horizontal	217	1.42	-	99.23
AV	5.7224G	93.67	Inf	-Inf	4.72	3	Horizontal	217	1.42	-	88.95
PK	5.8652G	57.21	68.20	-10.99	5.04	3	Horizontal	217	1.42	-	52.17

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44038G	55.95	74.00	-18.05	13.20	3	Vertical	243	1.51	-	42.75
AV	11.44061G	42.99	54.00	-11.01	13.20	3	Vertical	243	1.51	-	29.79
PK	17.1603G	62.70	68.20	-5.50	17.53	3	Vertical	360	2.37	-	45.17

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44088G	57.48	74.00	-16.52	13.20	3	Horizontal	243	1.51	-	44.28
AV	11.44056G	43.15	54.00	-10.85	13.20	3	Horizontal	243	1.51	-	29.95
PK	17.16006G	63.19	68.20	-5.01	17.53	3	Horizontal	158	1.46	-	45.66

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	63.68	74.00	-10.32	5.11	3	Vertical	175	1.87	-	58.57
AV	5.1499G	48.64	54.00	-5.36	5.11	3	Vertical	175	1.87	-	43.53
PK	5.257G	121.60	Inf	-Inf	5.34	3	Vertical	175	1.87	-	116.26
AV	5.2627G	107.31	Inf	-Inf	5.37	3	Vertical	175	1.87	-	101.94
PK	5.3539G	68.51	74.00	-5.49	5.43	3	Vertical	175	1.87	-	63.08
AV	5.35G	51.01	54.00	-2.99	5.44	3	Vertical	175	1.87	-	45.57

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1373G	57.26	74.00	-16.74	5.11	3	Horizontal	219	1.49	-	52.15
AV	5.1496G	44.24	54.00	-9.76	5.11	3	Horizontal	219	1.49	-	39.13
PK	5.257G	108.35	Inf	-Inf	5.34	3	Horizontal	219	1.49	-	103.01
AV	5.263G	94.50	Inf	-Inf	5.37	3	Horizontal	219	1.49	-	89.13
PK	5.3635G	57.83	74.00	-16.17	5.41	3	Horizontal	219	1.49	-	52.42
AV	5.3503G	44.69	54.00	-9.31	5.44	3	Horizontal	219	1.49	-	39.25

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7796G	59.27	74.00	-14.73	15.16	3	Vertical	119	1.25	-	44.11
AV	15.77926G	44.70	54.00	-9.30	15.16	3	Vertical	119	1.25	-	29.54

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 102
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78308G	58.57	74.00	-15.43	15.16	3	Horizontal	316	1.55	-	43.41
AV	15.78312G	44.34	54.00	-9.66	15.16	3	Horizontal	316	1.55	-	29.18

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 87
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	119.21	Inf	-Inf	5.52	3	Vertical	171	1.86	-	113.69
AV	5.2982G	105.88	Inf	-Inf	5.52	3	Vertical	171	1.86	-	100.36
PK	5.3516G	70.18	74.00	-3.82	5.44	3	Vertical	171	1.86	-	64.74
AV	5.3502G	53.12	54.00	-0.88	5.44	3	Vertical	171	1.86	-	47.68

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 87
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	106.39	Inf	-Inf	5.52	3	Horizontal	217	1.46	-	100.87
AV	5.2946G	92.09	Inf	-Inf	5.50	3	Horizontal	217	1.46	-	86.59
PK	5.3576G	59.26	74.00	-14.74	5.42	3	Horizontal	217	1.46	-	53.84
AV	5.35G	45.04	54.00	-8.96	5.44	3	Horizontal	217	1.46	-	39.60

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
 Setting 87
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90806G	60.18	74.00	-13.82	15.05	3	Vertical	215	1.47	-	45.13
AV	15.90864G	45.84	54.00	-8.16	15.05	3	Vertical	215	1.47	-	30.79

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
 Setting 87
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89928G	59.76	74.00	-14.24	15.07	3	Horizontal	104	2.15	-	44.69
AV	15.90866G	45.77	54.00	-8.23	15.05	3	Horizontal	104	2.15	-	30.72

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 72
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3169G	115.18	Inf	-Inf	5.50	3	Vertical	171	1.85	-	109.68
AV	5.3184G	101.00	Inf	-Inf	5.49	3	Vertical	171	1.85	-	95.51
PK	5.3518G	73.29	74.00	-0.71	5.43	3	Vertical	171	1.85	-	67.86
AV	5.35G	52.81	54.00	-1.19	5.44	3	Vertical	171	1.85	-	47.37

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 72
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3169G	101.44	Inf	-Inf	5.50	3	Horizontal	214	1.52	-	95.94
AV	5.3184G	87.40	Inf	-Inf	5.49	3	Horizontal	214	1.52	-	81.91
PK	5.35G	61.03	74.00	-12.97	5.44	3	Horizontal	214	1.52	-	55.59
AV	5.35G	45.48	54.00	-8.52	5.44	3	Horizontal	214	1.52	-	40.04

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
 Setting 72
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96296G	60.45	74.00	-13.55	15.02	3	Vertical	54	1.52	-	45.43
AV	15.96276G	46.37	54.00	-7.63	15.02	3	Vertical	54	1.52	-	31.35

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 72
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96742G	60.58	74.00	-13.42	15.01	3	Horizontal	196	1.76	-	45.57
AV	15.9683G	46.44	54.00	-7.56	15.01	3	Horizontal	196	1.76	-	31.43

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 61
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4595G	60.85	74.00	-13.15	5.20	3	Vertical	182	1.72	-	55.65
AV	5.4562G	46.16	54.00	-7.84	5.21	3	Vertical	182	1.72	-	40.95
PK	5.4682G	67.57	68.20	-0.63	5.18	3	Vertical	182	1.72	-	62.39
PK	5.4969G	113.76	Inf	-Inf	5.13	3	Vertical	182	1.72	-	108.63
AV	5.4982G	99.64	Inf	-Inf	5.12	3	Vertical	182	1.72	-	94.52

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 61
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4553G	58.15	74.00	-15.85	5.21	3	Horizontal	229	1.51	-	52.94
AV	5.4513G	44.36	54.00	-9.64	5.22	3	Horizontal	229	1.51	-	39.14
PK	5.4637G	58.59	68.20	-9.61	5.19	3	Horizontal	229	1.51	-	53.40
PK	5.4931G	98.54	Inf	-Inf	5.13	3	Horizontal	229	1.51	-	93.41
AV	5.4927G	84.70	Inf	-Inf	5.13	3	Horizontal	229	1.51	-	79.57

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
 Setting 61
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99248G	53.89	74.00	-20.11	12.53	3	Vertical	154	1.53	-	41.36
AV	11.00848G	39.69	54.00	-14.31	12.54	3	Vertical	154	1.53	-	27.15

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 61
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00926G	53.83	74.00	-20.17	12.54	3	Horizontal	319	1.70	-	41.29
AV	10.99996G	39.66	54.00	-14.34	12.53	3	Horizontal	319	1.70	-	27.13

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 105
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	62.27	74.00	-11.73	5.20	3	Vertical	183	1.79	-	57.07
AV	5.4584G	47.79	54.00	-6.21	5.20	3	Vertical	183	1.79	-	42.59
PK	5.47G	65.36	68.20	-2.84	5.18	3	Vertical	183	1.79	-	60.18
PK	5.5768G	120.63	Inf	-Inf	5.02	3	Vertical	183	1.79	-	115.61
AV	5.5784G	106.71	Inf	-Inf	5.02	3	Vertical	183	1.79	-	101.69
PK	5.7392G	59.51	68.20	-8.69	4.74	3	Vertical	183	1.79	-	54.77

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 105
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	57.86	74.00	-16.14	5.22	3	Horizontal	221	1.65	-	52.64
AV	5.444G	44.43	54.00	-9.57	5.25	3	Horizontal	221	1.65	-	39.18
PK	5.4668G	57.72	68.20	-10.48	5.19	3	Horizontal	221	1.65	-	52.53
PK	5.5812G	106.22	Inf	-Inf	5.02	3	Horizontal	221	1.65	-	101.20
AV	5.5808G	92.95	Inf	-Inf	5.02	3	Horizontal	221	1.65	-	87.93
PK	5.7624G	57.38	68.20	-10.82	4.76	3	Horizontal	221	1.65	-	52.62

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 105
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16006G	54.54	74.00	-19.46	12.77	3	Vertical	122	1.45	-	41.77
AV	11.16008G	40.72	54.00	-13.28	12.77	3	Vertical	122	1.45	-	27.95
PK	16.7398G	61.14	68.20	-7.06	16.45	3	Vertical	296	2.11	-	44.69

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 105
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1617G	53.88	74.00	-20.12	12.77	3	Horizontal	252	1.20	-	41.11
AV	11.1613G	40.07	54.00	-13.93	12.77	3	Horizontal	252	1.20	-	27.30
PK	16.7424G	61.09	68.20	-7.11	16.45	3	Horizontal	67	2.37	-	44.64

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 48
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6931G	109.66	Inf	-Inf	4.72	3	Vertical	163	1.68	-	104.94
AV	5.6976G	95.46	Inf	-Inf	4.71	3	Vertical	163	1.68	-	90.75
PK	5.7252G	67.55	68.20	-0.65	4.73	3	Vertical	163	1.68	-	62.82

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 48
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6969G	93.49	Inf	-Inf	4.71	3	Horizontal	214	1.50	-	88.78
AV	5.7029G	79.98	Inf	-Inf	4.70	3	Horizontal	214	1.50	-	75.28
PK	5.7267G	57.19	68.20	-11.01	4.73	3	Horizontal	214	1.50	-	52.46

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 48
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40778G	56.12	74.00	-17.88	13.16	3	Vertical	278	1.62	-	42.96
AV	11.40834G	41.32	54.00	-12.68	13.16	3	Vertical	278	1.62	-	28.16

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 48
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40514G	55.47	74.00	-18.53	13.15	3	Horizontal	84	1.78	-	42.32
AV	11.40572G	41.38	54.00	-12.62	13.15	3	Horizontal	84	1.78	-	28.23

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	60.68	74.00	-13.32	5.20	3	Vertical	165	1.78	-	55.48
AV	5.4518G	46.53	54.00	-7.47	5.22	3	Vertical	165	1.78	-	41.31
PK	5.4644G	59.66	68.20	-8.54	5.19	3	Vertical	165	1.78	-	54.47
PK	5.717G	122.18	Inf	-Inf	4.72	3	Vertical	165	1.78	-	117.46
AV	5.7182G	107.91	Inf	-Inf	4.72	3	Vertical	165	1.78	-	103.19
PK	5.8514G	65.10	68.20	-3.10	4.98	3	Vertical	165	1.78	-	60.12

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4434G	57.58	74.00	-16.42	5.25	3	Horizontal	213	1.66	-	52.33
AV	5.453G	44.39	54.00	-9.61	5.21	3	Horizontal	213	1.66	-	39.18
PK	5.4686G	56.62	68.20	-11.58	5.18	3	Horizontal	213	1.66	-	51.44
PK	5.717G	106.45	Inf	-Inf	4.72	3	Horizontal	213	1.66	-	101.73
AV	5.723G	92.77	Inf	-Inf	4.72	3	Horizontal	213	1.66	-	88.05
PK	5.8616G	57.72	68.20	-10.48	5.02	3	Horizontal	213	1.66	-	52.70

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43656G	56.28	74.00	-17.72	13.20	3	Vertical	154	1.48	-	43.08
AV	11.43986G	42.27	54.00	-11.73	13.20	3	Vertical	154	1.48	-	29.07
PK	17.1628G	63.27	68.20	-4.93	17.54	3	Vertical	280	1.91	-	45.73

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44066G	55.49	74.00	-18.51	13.20	3	Horizontal	122	2.37	-	42.29
AV	11.44008G	41.26	54.00	-12.74	13.20	3	Horizontal	122	2.37	-	28.06
PK	17.16224G	63.07	68.20	-5.13	17.53	3	Horizontal	285	1.16	-	45.54

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5270MHz_TX




EUT Y_1TX
Setting 80
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	59.82	74.00	-14.18	5.11	3	Vertical	175	1.79	-	54.71
AV	5.1485G	47.82	54.00	-6.18	5.11	3	Vertical	175	1.79	-	42.71
PK	5.2622G	114.68	Inf	-Inf	5.37	3	Vertical	175	1.79	-	109.31
AV	5.2658G	102.36	Inf	-Inf	5.39	3	Vertical	175	1.79	-	96.97
PK	5.3522G	68.06	74.00	-5.94	5.43	3	Vertical	175	1.79	-	62.63
AV	5.3504G	53.34	54.00	-0.66	5.44	3	Vertical	175	1.79	-	47.90

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5270MHz_TX




EUT Y_1TX
Setting 80
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1455G	56.86	74.00	-17.14	5.11	3	Horizontal	218	1.50	-	51.75
AV	5.1281G	45.37	54.00	-8.63	5.11	3	Horizontal	218	1.50	-	40.26
PK	5.2622G	101.40	Inf	-Inf	5.37	3	Horizontal	218	1.50	-	96.03
AV	5.2655G	89.10	Inf	-Inf	5.39	3	Horizontal	218	1.50	-	83.71
PK	5.3645G	59.12	74.00	-14.88	5.41	3	Horizontal	218	1.50	-	53.71
AV	5.3543G	46.08	54.00	-7.92	5.43	3	Horizontal	218	1.50	-	40.65

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5270MHz_TX




EUT Y_1TX
 Setting 80
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80862G	57.82	74.00	-16.18	15.14	3	Vertical	273	1.51	-	42.68
AV	15.80872G	45.63	54.00	-8.37	15.14	3	Vertical	273	1.51	-	30.49

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5270MHz_TX




EUT Y_1TX
Setting 80
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81176G	58.03	74.00	-15.97	15.14	3	Horizontal	92	1.99	-	42.89
AV	15.81116G	45.24	54.00	-8.76	15.14	3	Horizontal	92	1.99	-	30.10

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5310MHz_TX




EUT Y_1TX
Setting 65
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3022G	110.32	Inf	-Inf	5.52	3	Vertical	169	1.63	-	104.80
AV	5.3142G	97.87	Inf	-Inf	5.51	3	Vertical	169	1.63	-	92.36
PK	5.3508G	70.73	74.00	-3.27	5.44	3	Vertical	169	1.63	-	65.29
AV	5.35G	53.47	54.00	-0.53	5.44	3	Vertical	169	1.63	-	48.03

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5310MHz_TX




EUT Y_1TX
Setting 65
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.295G	96.57	Inf	-Inf	5.50	3	Horizontal	214	1.51	-	91.07
AV	5.2924G	84.06	Inf	-Inf	5.50	3	Horizontal	214	1.51	-	78.56
PK	5.3506G	59.47	74.00	-14.53	5.44	3	Horizontal	214	1.51	-	54.03
AV	5.3538G	46.06	54.00	-7.94	5.43	3	Horizontal	214	1.51	-	40.63

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5310MHz_TX




EUT Y_1TX
Setting 65
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93652G	60.23	74.00	-13.77	15.04	3	Vertical	73	1.88	-	45.19
AV	15.93698G	47.56	54.00	-6.44	15.04	3	Vertical	73	1.88	-	32.52

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5310MHz_TX




EUT Y_1TX
Setting 65
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93356G	61.12	74.00	-12.88	15.05	3	Horizontal	329	2.08	-	46.07
AV	15.93346G	47.85	54.00	-6.15	15.05	3	Horizontal	329	2.08	-	32.80

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5510MHz_TX




EUT Y_1TX
Setting 56
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	65.39	74.00	-8.61	5.21	3	Vertical	179	1.75	-	60.18
AV	5.4582G	49.63	54.00	-4.37	5.20	3	Vertical	179	1.75	-	44.43
PK	5.4696G	67.60	68.20	-0.60	5.18	3	Vertical	179	1.75	-	62.42
PK	5.5022G	110.18	Inf	-Inf	5.12	3	Vertical	179	1.75	-	105.06
AV	5.4956G	97.59	Inf	-Inf	5.13	3	Vertical	179	1.75	-	92.46

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5510MHz_TX




EUT Y_1TX
Setting 56
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4594G	58.00	74.00	-16.00	5.20	3	Horizontal	218	1.87	-	52.80
AV	5.4558G	45.77	54.00	-8.23	5.21	3	Horizontal	218	1.87	-	40.56
PK	5.4694G	58.52	68.20	-9.68	5.18	3	Horizontal	218	1.87	-	53.34
PK	5.5022G	95.74	Inf	-Inf	5.12	3	Horizontal	218	1.87	-	90.62
AV	5.504G	83.25	Inf	-Inf	5.12	3	Horizontal	218	1.87	-	78.13

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5510MHz_TX




EUT Y_1TX
Setting 56
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02558G	53.51	74.00	-20.49	12.57	3	Vertical	264	1.85	-	40.94
AV	11.02542G	41.21	54.00	-12.79	12.57	3	Vertical	264	1.85	-	28.64

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5510MHz_TX




EUT Y_1TX
 Setting 56
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02192G	53.67	74.00	-20.33	12.56	3	Horizontal	147	1.71	-	41.11
AV	11.02108G	40.94	54.00	-13.06	12.56	3	Horizontal	147	1.71	-	28.38

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5550MHz_TX




EUT Y_1TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.451G	65.20	74.00	-8.80	5.22	3	Vertical	174	1.68	-	59.98
AV	5.46G	52.22	54.00	-1.78	5.20	3	Vertical	174	1.68	-	47.02
PK	5.469G	67.48	68.20	-0.72	5.18	3	Vertical	174	1.68	-	62.30
PK	5.5422G	114.53	Inf	-Inf	5.07	3	Vertical	174	1.68	-	109.46
AV	5.5542G	102.02	Inf	-Inf	5.05	3	Vertical	174	1.68	-	96.97

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5550MHz_TX




EUT Y_1TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4237G	58.21	74.00	-15.79	5.29	3	Horizontal	226	1.60	-	52.92
PK	5.4609G	58.53	68.20	-9.67	5.20	3	Horizontal	226	1.60	-	53.33
AV	5.454G	45.94	54.00	-8.06	5.21	3	Horizontal	226	1.60	-	40.73
PK	5.535G	99.30	Inf	-Inf	5.07	3	Horizontal	226	1.60	-	94.23
AV	5.5329G	87.03	Inf	-Inf	5.08	3	Horizontal	226	1.60	-	81.95

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5550MHz_TX




EUT Y_1TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10286G	54.01	74.00	-19.99	12.69	3	Vertical	235	1.24	-	41.32
AV	11.10132G	41.31	54.00	-12.69	12.69	3	Vertical	235	1.24	-	28.62

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5550MHz_TX




EUT Y_1TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1045G	54.08	74.00	-19.92	12.69	3	Horizontal	148	1.88	-	41.39
AV	11.1067G	41.52	54.00	-12.48	12.69	3	Horizontal	148	1.88	-	28.83

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5670MHz_TX




EUT Y_1TX
Setting 66
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6622G	111.82	Inf	-Inf	4.81	3	Vertical	168	1.76	-	107.01
AV	5.676G	99.27	Inf	-Inf	4.76	3	Vertical	168	1.76	-	94.51
PK	5.726G	67.62	68.20	-0.58	4.73	3	Vertical	168	1.76	-	62.89

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5670MHz_TX




EUT Y_1TX
Setting 66
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6622G	96.35	Inf	-Inf	4.81	3	Horizontal	215	1.64	-	91.54
AV	5.6828G	84.37	Inf	-Inf	4.74	3	Horizontal	215	1.64	-	79.63
PK	5.7274G	57.48	68.20	-10.72	4.73	3	Horizontal	215	1.64	-	52.75

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5670MHz_TX




EUT Y_1TX
Setting 66
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3445G	55.51	74.00	-18.49	13.06	3	Vertical	139	1.89	-	42.45
AV	11.3442G	42.80	54.00	-11.20	13.06	3	Vertical	139	1.89	-	29.74

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5670MHz_TX




EUT Y_1TX
Setting 66
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3431G	55.35	74.00	-18.65	13.06	3	Horizontal	353	1.46	-	42.29
AV	11.34288G	43.05	54.00	-10.95	13.06	3	Horizontal	353	1.46	-	29.99

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 104
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	60.22	74.00	-13.78	5.20	3	Vertical	171	1.64	-	55.02
AV	5.4484G	48.31	54.00	-5.69	5.24	3	Vertical	171	1.64	-	43.07
PK	5.4646G	60.58	68.20	-7.62	5.19	3	Vertical	171	1.64	-	55.39
PK	5.7256G	118.40	Inf	-Inf	4.73	3	Vertical	171	1.64	-	113.67
AV	5.7058G	105.95	Inf	-Inf	4.71	3	Vertical	171	1.64	-	101.24
PK	5.851G	67.50	68.20	-0.70	4.98	3	Vertical	171	1.64	-	62.52

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

18/10/2019




EUT Y_1TX
 Setting 104
 04-B-4-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4268G	57.64	74.00	-16.36	5.29	3	Horizontal	218	1.51	-	52.35
AV	5.416G	45.81	54.00	-8.19	5.31	3	Horizontal	218	1.51	-	40.50
PK	5.467G	56.97	68.20	-11.23	5.19	3	Horizontal	218	1.51	-	51.78
PK	5.695G	103.33	Inf	-Inf	4.72	3	Horizontal	218	1.51	-	98.61
AV	5.6986G	90.92	Inf	-Inf	4.70	3	Horizontal	218	1.51	-	86.22
PK	5.9206G	57.57	68.20	-10.63	5.17	3	Horizontal	218	1.51	-	52.40

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 104
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42318G	55.21	74.00	-18.79	13.18	3	Vertical	201	1.58	-	42.03
AV	11.42342G	42.96	54.00	-11.04	13.18	3	Vertical	201	1.58	-	29.78
PK	17.12954G	63.35	68.20	-4.85	17.42	3	Vertical	300	1.88	-	45.93

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 104
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42382G	55.39	74.00	-18.61	13.18	3	Horizontal	59	1.23	-	42.21
AV	11.42302G	42.83	54.00	-11.17	13.18	3	Horizontal	59	1.23	-	29.65
PK	17.13056G	63.23	68.20	-4.97	17.43	3	Horizontal	267	1.19	-	45.80

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5290MHz_TX




EUT Y_1TX
Setting 64
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	58.77	74.00	-15.23	5.11	3	Vertical	183	1.99	-	53.66
AV	5.15G	46.89	54.00	-7.11	5.11	3	Vertical	183	1.99	-	41.78
PK	5.28G	107.00	Inf	-Inf	5.44	3	Vertical	183	1.99	-	101.56
AV	5.2796G	95.28	Inf	-Inf	5.44	3	Vertical	183	1.99	-	89.84
PK	5.3648G	68.13	74.00	-5.87	5.41	3	Vertical	183	1.99	-	62.72
AV	5.354G	53.27	54.00	-0.73	5.43	3	Vertical	183	1.99	-	47.84
PK	5.4708G	58.14	68.20	-10.06	5.18	3	Vertical	183	1.99	-	52.96

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5290MHz_TX




EUT_Y_1TX
Setting 64
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0992G	57.12	74.00	-16.88	5.11	3	Horizontal	217	1.47	-	52.01
AV	5.1064G	45.31	54.00	-8.69	5.11	3	Horizontal	217	1.47	-	40.20
PK	5.2772G	93.98	Inf	-Inf	5.43	3	Horizontal	217	1.47	-	88.55
AV	5.2796G	82.08	Inf	-Inf	5.44	3	Horizontal	217	1.47	-	76.64
PK	5.474G	57.42	68.20	-10.78	5.17	3	Horizontal	217	1.47	-	52.25
AV	5.3612G	46.26	54.00	-7.74	5.42	3	Horizontal	217	1.47	-	40.84
PK	5.398G	58.95	74.00	-15.05	5.35	3	Horizontal	217	1.47	-	53.60

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5290MHz_TX




EUT Y_1TX
 Setting 64
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87638G	59.05	74.00	-14.95	15.09	3	Vertical	83	1.79	-	43.96
AV	15.87882G	46.09	54.00	-7.91	15.08	3	Vertical	83	1.79	-	31.01

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5290MHz_TX




EUT Y_1TX
Setting 64
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87316G	59.04	74.00	-14.96	15.09	3	Horizontal	216	1.76	-	43.95
AV	15.87342G	46.39	54.00	-7.61	15.09	3	Horizontal	216	1.76	-	31.30

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5530MHz_TX




EUT Y_1TX
Setting 58
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3385G	59.12	68.20	-9.08	5.45	3	Vertical	174	1.83	-	53.67
PK	5.448G	65.60	74.00	-8.40	5.24	3	Vertical	174	1.83	-	60.36
AV	5.458G	53.40	54.00	-0.60	5.20	3	Vertical	174	1.83	-	48.20
PK	5.4685G	66.44	68.20	-1.76	5.18	3	Vertical	174	1.83	-	61.26
PK	5.52G	106.84	Inf	-Inf	5.09	3	Vertical	174	1.83	-	101.75
AV	5.5195G	95.08	Inf	-Inf	5.09	3	Vertical	174	1.83	-	89.99
PK	5.7405G	58.25	68.20	-9.95	4.74	3	Vertical	174	1.83	-	53.51

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5530MHz_TX




EUT Y_1TX
Setting 58
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3055G	57.98	68.20	-10.22	5.52	3	Horizontal	227	1.59	-	52.46
PK	5.4425G	58.81	74.00	-15.19	5.26	3	Horizontal	227	1.59	-	53.55
PK	5.465G	59.56	68.20	-8.64	5.19	3	Horizontal	227	1.59	-	54.37
AV	5.459G	46.41	54.00	-7.59	5.20	3	Horizontal	227	1.59	-	41.21
PK	5.517G	92.33	Inf	-Inf	5.09	3	Horizontal	227	1.59	-	87.24
AV	5.514G	80.40	Inf	-Inf	5.11	3	Horizontal	227	1.59	-	75.29
PK	5.752G	57.31	68.20	-10.89	4.75	3	Horizontal	227	1.59	-	52.56

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5530MHz_TX




EUT Y_1TX
Setting 58
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06008G	54.25	74.00	-19.75	12.63	3	Vertical	215	1.64	-	41.62
AV	11.06066G	41.91	54.00	-12.09	12.63	3	Vertical	215	1.64	-	29.28

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5530MHz_TX




EUT Y_1TX
 Setting 58
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05912G	54.58	74.00	-19.42	12.63	3	Horizontal	144	2.49	-	41.95
AV	11.05944G	41.70	54.00	-12.30	12.63	3	Horizontal	144	2.49	-	29.07

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5610MHz_TX




EUT Y_1TX
Setting 71
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4595G	63.55	74.00	-10.45	5.20	3	Vertical	169	1.81	-	58.35
AV	5.459G	50.01	54.00	-3.99	5.20	3	Vertical	169	1.81	-	44.81
PK	5.4685G	65.26	68.20	-2.94	5.18	3	Vertical	169	1.81	-	60.08
PK	5.597G	109.27	Inf	-Inf	4.99	3	Vertical	169	1.81	-	104.28
AV	5.6165G	97.90	Inf	-Inf	4.94	3	Vertical	169	1.81	-	92.96
PK	5.7265G	67.59	68.20	-0.61	4.73	3	Vertical	169	1.81	-	62.86

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5610MHz_TX




EUT Y_1TX
Setting 71
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3655G	58.15	74.00	-15.85	5.40	3	Horizontal	218	1.65	-	52.75
PK	5.4665G	58.12	68.20	-10.08	5.19	3	Horizontal	218	1.65	-	52.93
AV	5.4555G	46.28	54.00	-7.72	5.21	3	Horizontal	218	1.65	-	41.07
PK	5.6365G	94.50	Inf	-Inf	4.88	3	Horizontal	218	1.65	-	89.62
AV	5.5995G	82.51	Inf	-Inf	4.99	3	Horizontal	218	1.65	-	77.52
PK	5.811G	57.26	68.20	-10.94	4.84	3	Horizontal	218	1.65	-	52.42

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5610MHz_TX




EUT Y_1TX
Setting 71
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22674G	53.97	74.00	-20.03	12.87	3	Vertical	79	1.56	-	41.10
AV	11.22842G	41.69	54.00	-12.31	12.88	3	Vertical	79	1.56	-	28.81

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5610MHz_TX




EUT Y_1TX
Setting 71
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22496G	54.51	74.00	-19.49	12.87	3	Horizontal	156	1.48	-	41.64
AV	11.2248G	41.52	54.00	-12.48	12.87	3	Horizontal	156	1.48	-	28.65

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 87
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	62.57	74.00	-11.43	5.22	3	Vertical	162	1.85	-	57.35
AV	5.4476G	49.23	54.00	-4.77	5.24	3	Vertical	162	1.85	-	43.99
PK	5.4632G	63.11	68.20	-5.09	5.19	3	Vertical	162	1.85	-	57.92
PK	5.6768G	113.24	Inf	-Inf	4.76	3	Vertical	162	1.85	-	108.48
AV	5.6792G	101.13	Inf	-Inf	4.75	3	Vertical	162	1.85	-	96.38
PK	5.858G	67.51	68.20	-0.69	5.01	3	Vertical	162	1.85	-	62.50

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 87
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4374G	58.19	74.00	-15.81	5.27	3	Horizontal	214	1.62	-	52.92
AV	5.4488G	46.10	54.00	-7.90	5.24	3	Horizontal	214	1.62	-	40.86
PK	5.4692G	56.76	68.20	-11.44	5.18	3	Horizontal	214	1.62	-	51.58
PK	5.6768G	98.09	Inf	-Inf	4.76	3	Horizontal	214	1.62	-	93.33
AV	5.6792G	86.33	Inf	-Inf	4.75	3	Horizontal	214	1.62	-	81.58
PK	5.852G	57.04	68.20	-11.16	4.99	3	Horizontal	214	1.62	-	52.05

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 87
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37646G	55.02	74.00	-18.98	13.10	3	Vertical	275	1.64	-	41.92
AV	11.3767G	42.78	54.00	-11.22	13.10	3	Vertical	275	1.64	-	29.68

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 87
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3795G	55.29	74.00	-18.71	13.11	3	Horizontal	315	1.34	-	42.18
AV	11.3822G	42.67	54.00	-11.33	13.11	3	Horizontal	315	1.34	-	29.56

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5250MHz_TX



EUT Y_1TX
Setting 61
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1444G	63.58	74.00	-10.42	5.11	3	Vertical	170	2.02	-	58.47
AV	5.1484G	53.27	54.00	-0.73	5.11	3	Vertical	170	2.02	-	48.16
PK	5.254G	103.36	Inf	-Inf	5.33	3	Vertical	170	2.02	-	98.03
AV	5.2572G	92.50	Inf	-Inf	5.34	3	Vertical	170	2.02	-	87.16
PK	5.3788G	65.54	74.00	-8.46	5.38	3	Vertical	170	2.02	-	60.16
AV	5.3876G	52.99	54.00	-1.01	5.37	3	Vertical	170	2.02	-	47.62
PK	5.4676G	60.49	68.20	-7.71	5.18	3	Vertical	170	2.02	-	55.31