


802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5250MHz_TX




EUT Y_1TX
Setting 61
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1052G	57.48	74.00	-16.52	5.11	3	Horizontal	217	1.53	-	52.37
AV	5.1268G	47.23	54.00	-6.77	5.11	3	Horizontal	217	1.53	-	42.12
PK	5.254G	90.76	Inf	-Inf	5.33	3	Horizontal	217	1.53	-	85.43
AV	5.242G	79.61	Inf	-Inf	5.29	3	Horizontal	217	1.53	-	74.32
PK	5.39G	57.93	74.00	-16.07	5.36	3	Horizontal	217	1.53	-	52.57
AV	5.394G	47.53	54.00	-6.47	5.35	3	Horizontal	217	1.53	-	42.18
PK	5.5436G	57.86	68.20	-10.34	5.07	3	Horizontal	217	1.53	-	52.79

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5250MHz_TX




EUT Y_1TX
Setting 61
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75206G	59.40	74.00	-14.60	15.18	3	Vertical	135	2.26	-	44.22
AV	15.75191G	48.36	54.00	-5.64	15.18	3	Vertical	135	2.26	-	33.18

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5250MHz_TX




EUT Y_1TX
Setting 61
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75313G	58.83	74.00	-15.17	15.18	3	Horizontal	208	1.40	-	43.65
AV	15.75245G	48.09	54.00	-5.91	15.18	3	Horizontal	208	1.40	-	32.91

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5570MHz_TX




EUT Y_1TX
Setting 48
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3428G	58.54	68.20	-9.66	5.45	3	Vertical	180	1.85	-	53.09
PK	5.4452G	64.11	74.00	-9.89	5.25	3	Vertical	180	1.85	-	58.86
PK	5.4652G	64.78	68.20	-3.42	5.19	3	Vertical	180	1.85	-	59.59
AV	5.4572G	53.42	54.00	-0.58	5.21	3	Vertical	180	1.85	-	48.21
PK	5.5532G	100.29	Inf	-Inf	5.05	3	Vertical	180	1.85	-	95.24
AV	5.5548G	88.93	Inf	-Inf	5.05	3	Vertical	180	1.85	-	83.88
PK	5.7732G	58.97	68.20	-9.23	4.77	3	Vertical	180	1.85	-	54.20

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5570MHz_TX




EUT Y_1TX
Setting 48
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.266G	58.51	68.20	-9.69	5.39	3	Horizontal	220	1.73	-	53.12
PK	5.3564G	57.39	74.00	-16.61	5.42	3	Horizontal	220	1.73	-	51.97
PK	5.4652G	57.34	68.20	-10.86	5.19	3	Horizontal	220	1.73	-	52.15
AV	5.4588G	48.32	54.00	-5.68	5.20	3	Horizontal	220	1.73	-	43.12
AV	5.4964G	75.17	Inf	-Inf	5.13	3	Horizontal	220	1.73	-	70.04
PK	5.5532G	86.63	Inf	-Inf	5.05	3	Horizontal	220	1.73	-	81.58
PK	5.8292G	57.76	68.20	-10.44	4.90	3	Horizontal	220	1.73	-	52.86

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5570MHz_TX




EUT Y_1TX
Setting 48
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13803G	54.13	74.00	-19.87	12.75	3	Vertical	323	1.54	-	41.38
AV	11.13895G	43.41	54.00	-10.59	12.75	3	Vertical	323	1.54	-	30.66

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5570MHz_TX



EUT Y_1TX
Setting 48
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14065G	54.26	74.00	-19.74	12.75	3	Horizontal	157	1.66	-	41.51
AV	11.13984G	43.43	54.00	-10.57	12.75	3	Horizontal	157	1.66	-	30.68




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.49	54.00	-0.51	5.44	3	Vertical	177	1.76	-

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 100
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	66.39	74.00	-7.61	5.11	3	Vertical	182	1.67	-	61.28
AV	5.1469G	53.31	54.00	-0.69	5.11	3	Vertical	182	1.67	-	48.20
PK	5.2645G	125.14	Inf	-Inf	5.37	3	Vertical	182	1.67	-	119.77
AV	5.2639G	114.29	Inf	-Inf	5.37	3	Vertical	182	1.67	-	108.92
PK	5.3692G	69.10	74.00	-4.90	5.40	3	Vertical	182	1.67	-	63.70
AV	5.3671G	53.29	54.00	-0.71	5.40	3	Vertical	182	1.67	-	47.89

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 100
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1454G	58.04	74.00	-15.96	5.11	3	Horizontal	232	1.72	-	52.93
AV	5.1448G	45.07	54.00	-8.93	5.11	3	Horizontal	232	1.72	-	39.96
PK	5.2672G	111.00	Inf	-Inf	5.39	3	Horizontal	232	1.72	-	105.61
AV	5.2621G	100.64	Inf	-Inf	5.37	3	Horizontal	232	1.72	-	95.27
PK	5.365G	58.63	74.00	-15.37	5.40	3	Horizontal	232	1.72	-	53.23
AV	5.3707G	45.69	54.00	-8.31	5.40	3	Horizontal	232	1.72	-	40.29

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 100
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78057G	58.82	74.00	-15.18	15.16	3	Vertical	49	2.06	-	43.66
AV	15.77978G	45.25	54.00	-8.75	15.16	3	Vertical	49	2.06	-	30.09

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 100
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78483G	58.62	74.00	-15.38	15.16	3	Horizontal	341	1.35	-	43.46
AV	15.77883G	45.21	54.00	-8.79	15.16	3	Horizontal	341	1.35	-	30.05

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 83
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2944G	121.38	Inf	-Inf	5.50	3	Vertical	174	1.84	-	115.88
AV	5.3042G	111.98	Inf	-Inf	5.52	3	Vertical	174	1.84	-	106.46
PK	5.3506G	72.84	74.00	-1.16	5.44	3	Vertical	174	1.84	-	67.40
AV	5.35G	53.37	54.00	-0.63	5.44	3	Vertical	174	1.84	-	47.93

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 83
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.297G	107.30	Inf	-Inf	5.52	3	Horizontal	231	1.77	-	101.78
AV	5.2972G	97.54	Inf	-Inf	5.52	3	Horizontal	231	1.77	-	92.02
PK	5.3522G	58.81	74.00	-15.19	5.43	3	Horizontal	231	1.77	-	53.38
AV	5.3524G	45.52	54.00	-8.48	5.43	3	Horizontal	231	1.77	-	40.09

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 83
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8999G	60.01	74.00	-13.99	15.07	3	Vertical	320	2.39	-	44.94
AV	15.90291G	46.15	54.00	-7.85	15.07	3	Vertical	320	2.39	-	31.08

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 83
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90413G	59.34	74.00	-14.66	15.06	3	Horizontal	176	2.46	-	44.28
AV	15.89686G	45.92	54.00	-8.08	15.07	3	Horizontal	176	2.46	-	30.85

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 65
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3238G	116.59	Inf	-Inf	5.49	3	Vertical	175	1.69	-	111.10
AV	5.324G	107.69	Inf	-Inf	5.49	3	Vertical	175	1.69	-	102.20
PK	5.3503G	73.32	74.00	-0.68	5.44	3	Vertical	175	1.69	-	67.88
AV	5.3501G	51.65	54.00	-2.35	5.44	3	Vertical	175	1.69	-	46.21

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 65
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3169G	102.64	Inf	-Inf	5.50	3	Horizontal	231	1.70	-	97.14
AV	5.3172G	93.07	Inf	-Inf	5.50	3	Horizontal	231	1.70	-	87.57
PK	5.3546G	58.73	74.00	-15.27	5.43	3	Horizontal	231	1.70	-	53.30
AV	5.3522G	45.33	54.00	-8.67	5.43	3	Horizontal	231	1.70	-	39.90

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 65
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96426G	60.60	74.00	-13.40	15.02	3	Vertical	167	1.32	-	45.58
AV	15.9606G	47.02	54.00	-6.98	15.02	3	Vertical	167	1.32	-	32.00

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 65
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96136G	60.53	74.00	-13.47	15.02	3	Horizontal	8	1.92	-	45.51
AV	15.96325G	47.17	54.00	-6.83	15.02	3	Horizontal	8	1.92	-	32.15

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 51
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4573G	59.59	74.00	-14.41	5.21	3	Vertical	175	1.87	-	54.38
AV	5.4549G	47.23	54.00	-6.77	5.21	3	Vertical	175	1.87	-	42.02
PK	5.4691G	67.22	68.20	-0.98	5.18	3	Vertical	175	1.87	-	62.04
PK	5.4937G	113.49	Inf	-Inf	5.13	3	Vertical	175	1.87	-	108.36
AV	5.5041G	104.27	Inf	-Inf	5.12	3	Vertical	175	1.87	-	99.15

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 51
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4595G	58.44	74.00	-15.56	5.20	3	Horizontal	210	1.74	-	53.24
AV	5.4518G	45.03	54.00	-8.97	5.22	3	Horizontal	210	1.74	-	39.81
PK	5.4685G	57.62	68.20	-10.58	5.18	3	Horizontal	210	1.74	-	52.44
PK	5.505G	96.99	Inf	-Inf	5.11	3	Horizontal	210	1.74	-	91.88
AV	5.5052G	87.09	Inf	-Inf	5.11	3	Horizontal	210	1.74	-	81.98

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00074G	54.00	74.00	-20.00	12.53	3	Vertical	197	2.29	-	41.47
AV	11.00271G	40.23	54.00	-13.77	12.54	3	Vertical	197	2.29	-	27.69

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00104G	54.13	74.00	-19.87	12.53	3	Horizontal	13	2.18	-	41.60
AV	11.00258G	40.39	54.00	-13.61	12.54	3	Horizontal	13	2.18	-	27.85

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 99
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	63.70	74.00	-10.30	5.21	3	Vertical	170	1.83	-	58.49
AV	5.4564G	49.79	54.00	-4.21	5.21	3	Vertical	170	1.83	-	44.58
PK	5.468G	65.88	68.20	-2.32	5.18	3	Vertical	170	1.83	-	60.70
PK	5.5764G	124.23	Inf	-Inf	5.02	3	Vertical	170	1.83	-	119.21
AV	5.5816G	114.12	Inf	-Inf	5.02	3	Vertical	170	1.83	-	109.10
PK	5.7312G	60.96	68.20	-7.24	4.73	3	Vertical	170	1.83	-	56.23

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 99
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.398G	58.29	74.00	-15.71	5.35	3	Horizontal	228	1.00	-	52.94
AV	5.39G	45.29	54.00	-8.71	5.36	3	Horizontal	228	1.00	-	39.93
PK	5.4688G	57.86	68.20	-10.34	5.18	3	Horizontal	228	1.00	-	52.68
PK	5.5824G	107.44	Inf	-Inf	5.02	3	Horizontal	228	1.00	-	102.42
AV	5.5824G	98.20	Inf	-Inf	5.02	3	Horizontal	228	1.00	-	93.18
PK	5.766G	57.04	68.20	-11.16	4.77	3	Horizontal	228	1.00	-	52.27

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 99
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16471G	54.20	74.00	-19.80	12.78	3	Vertical	360	2.28	-	41.42
AV	11.15966G	40.45	54.00	-13.55	12.77	3	Vertical	360	2.28	-	27.68

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 99
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16484G	53.94	74.00	-20.06	12.78	3	Horizontal	347	2.30	-	41.16
AV	11.15704G	40.28	54.00	-13.72	12.76	3	Horizontal	347	2.30	-	27.52

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5700MHz_TX




EUT Z_2TX
Setting 52
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6969G	112.02	Inf	-Inf	4.71	3	Vertical	170	1.84	-	107.31
AV	5.6971G	102.55	Inf	-Inf	4.71	3	Vertical	170	1.84	-	97.84
PK	5.7266G	67.50	68.20	-0.70	4.73	3	Vertical	170	1.84	-	62.77

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 52
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7057G	96.23	Inf	-Inf	4.71	3	Horizontal	220	1.03	-	91.52
AV	5.7057G	86.66	Inf	-Inf	4.71	3	Horizontal	220	1.03	-	81.95
PK	5.7293G	56.83	68.20	-11.37	4.73	3	Horizontal	220	1.03	-	52.10

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 52
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39939G	55.18	74.00	-18.82	13.14	3	Vertical	343	2.41	-	42.04
AV	11.39673G	41.69	54.00	-12.31	13.14	3	Vertical	343	2.41	-	28.55

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 52
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39568G	54.94	74.00	-19.06	13.14	3	Horizontal	325	2.36	-	41.80
AV	11.39684G	41.79	54.00	-12.21	13.14	3	Horizontal	325	2.36	-	28.65

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 111
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7268G	125.52	Inf	-Inf	4.73	3	Vertical	178	1.74	-	120.79
AV	5.7224G	115.22	Inf	-Inf	4.72	3	Vertical	178	1.74	-	110.50
PK	5.8524G	67.62	68.20	-0.58	4.99	3	Vertical	178	1.74	-	62.63

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 111
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7192G	106.38	Inf	-Inf	4.72	3	Horizontal	122	1.84	-	101.66
AV	5.7192G	95.72	Inf	-Inf	4.72	3	Horizontal	122	1.84	-	91.00
PK	5.896G	60.21	68.20	-7.99	5.15	3	Horizontal	122	1.84	-	55.06

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 111
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44306G	55.05	74.00	-18.95	13.21	3	Vertical	342	1.43	-	41.84
AV	11.43998G	41.44	54.00	-12.56	13.20	3	Vertical	342	1.43	-	28.24

802.11a_Nss1,(6Mbps)_2TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 111
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44133G	54.63	74.00	-19.37	13.20	3	Horizontal	188	1.24	-	41.43
AV	11.44285G	41.61	54.00	-12.39	13.21	3	Horizontal	188	1.24	-	28.40

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 97
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1454G	63.63	74.00	-10.37	5.11	3	Vertical	175	1.84	-	58.52
AV	5.1472G	52.29	54.00	-1.71	5.11	3	Vertical	175	1.84	-	47.18
PK	5.2636G	122.89	Inf	-Inf	5.37	3	Vertical	175	1.84	-	117.52
AV	5.2618G	111.36	Inf	-Inf	5.37	3	Vertical	175	1.84	-	105.99
PK	5.3641G	68.29	74.00	-5.71	5.41	3	Vertical	175	1.84	-	62.88
AV	5.35G	53.28	54.00	-0.72	5.44	3	Vertical	175	1.84	-	47.84

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5260MHz_TX




EUT Z_2TX
Setting 97
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1475G	60.93	74.00	-13.07	5.11	3	Horizontal	164	1.76	-	55.82
AV	5.1499G	48.36	54.00	-5.64	5.11	3	Horizontal	164	1.76	-	43.25
PK	5.2549G	103.36	Inf	-Inf	5.33	3	Horizontal	164	1.76	-	98.03
AV	5.2612G	91.88	Inf	-Inf	5.36	3	Horizontal	164	1.76	-	86.52
PK	5.356G	61.24	74.00	-12.76	5.42	3	Horizontal	164	1.76	-	55.82
AV	5.3608G	48.91	54.00	-5.09	5.42	3	Horizontal	164	1.76	-	43.49

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 97
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77791G	59.65	74.00	-14.35	15.17	3	Vertical	326	2.55	-	44.48
AV	15.77567G	46.12	54.00	-7.88	15.17	3	Vertical	326	2.55	-	30.95

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 97
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77526G	58.71	74.00	-15.29	15.17	3	Horizontal	335	1.08	-	43.54
AV	15.77633G	46.12	54.00	-7.88	15.17	3	Horizontal	335	1.08	-	30.95

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5300MHz_TX




EUT Z_2TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3028G	119.97	Inf	-Inf	5.52	3	Vertical	176	1.76	-	114.45
AV	5.3014G	108.35	Inf	-Inf	5.53	3	Vertical	176	1.76	-	102.82
PK	5.3514G	70.35	74.00	-3.65	5.44	3	Vertical	176	1.76	-	64.91
AV	5.35G	53.37	54.00	-0.63	5.44	3	Vertical	176	1.76	-	47.93

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5300MHz_TX




EUT Z_2TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3046G	104.58	Inf	-Inf	5.53	3	Horizontal	113	1.54	-	99.05
AV	5.296G	92.92	Inf	-Inf	5.51	3	Horizontal	113	1.54	-	87.41
PK	5.3724G	58.21	74.00	-15.79	5.39	3	Horizontal	113	1.54	-	52.82
AV	5.365G	46.12	54.00	-7.88	5.40	3	Horizontal	113	1.54	-	40.72

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5300MHz_TX




EUT_Z_2TX
 Setting 79
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89698G	60.40	74.00	-13.60	15.07	3	Vertical	252	1.68	-	45.33
AV	15.8972G	47.17	54.00	-6.83	15.07	3	Vertical	252	1.68	-	32.10

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89583G	59.42	74.00	-14.58	15.07	3	Horizontal	259	2.39	-	44.35
AV	15.89634G	46.83	54.00	-7.17	15.07	3	Horizontal	259	2.39	-	31.76

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 64
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3235G	116.35	Inf	-Inf	5.49	3	Vertical	183	1.74	-	110.86
AV	5.3158G	104.28	Inf	-Inf	5.50	3	Vertical	183	1.74	-	98.78
PK	5.3531G	70.30	74.00	-3.70	5.43	3	Vertical	183	1.74	-	64.87
AV	5.3501G	53.33	54.00	-0.67	5.44	3	Vertical	183	1.74	-	47.89

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5320MHz_TX




EUT Z_2TX
Setting 64
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.319G	96.29	Inf	-Inf	5.49	3	Horizontal	167	1.66	-	90.80
AV	5.316G	83.93	Inf	-Inf	5.50	3	Horizontal	167	1.66	-	78.43
PK	5.356G	57.89	74.00	-16.11	5.42	3	Horizontal	167	1.66	-	52.47
AV	5.3505G	45.89	54.00	-8.11	5.44	3	Horizontal	167	1.66	-	40.45

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 64
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96259G	59.98	74.00	-14.02	15.02	3	Vertical	152	1.79	-	44.96
AV	15.96169G	47.61	54.00	-6.39	15.02	3	Vertical	152	1.79	-	32.59

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 64
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96072G	60.47	74.00	-13.53	15.02	3	Horizontal	57	1.33	-	45.45
AV	15.9603G	47.86	54.00	-6.14	15.02	3	Horizontal	57	1.33	-	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 59
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	61.18	74.00	-12.82	5.21	3	Vertical	172	1.79	-	55.97
AV	5.4574G	48.57	54.00	-5.43	5.21	3	Vertical	172	1.79	-	43.36
PK	5.4684G	67.49	68.20	-0.71	5.18	3	Vertical	172	1.79	-	62.31
PK	5.4951G	115.43	Inf	-Inf	5.13	3	Vertical	172	1.79	-	110.30
AV	5.4951G	104.28	Inf	-Inf	5.13	3	Vertical	172	1.79	-	99.15

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 59
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	58.01	74.00	-15.99	5.20	3	Horizontal	136	1.87	-	52.81
AV	5.4552G	45.82	54.00	-8.18	5.21	3	Horizontal	136	1.87	-	40.61
PK	5.4628G	58.17	68.20	-10.03	5.19	3	Horizontal	136	1.87	-	52.98
PK	5.5082G	98.42	Inf	-Inf	5.11	3	Horizontal	136	1.87	-	93.31
AV	5.4955G	86.20	Inf	-Inf	5.13	3	Horizontal	136	1.87	-	81.07

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 59
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99708G	54.12	74.00	-19.88	12.53	3	Vertical	193	2.63	-	41.59
AV	10.99982G	40.98	54.00	-13.02	12.53	3	Vertical	193	2.63	-	28.45

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 59
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99652G	53.57	74.00	-20.43	12.53	3	Horizontal	116	2.71	-	41.04
AV	10.99713G	41.12	54.00	-12.88	12.53	3	Horizontal	116	2.71	-	28.59

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5580MHz_TX




EUT Z_2TX
 Setting 99
 04-C-4-13
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	65.96	74.00	-8.04	5.21	3	Vertical	172	1.77	-	60.75
AV	5.458G	52.54	54.00	-1.46	5.20	3	Vertical	172	1.77	-	47.34
PK	5.4688G	67.54	68.20	-0.66	5.18	3	Vertical	172	1.77	-	62.36
PK	5.5752G	123.34	Inf	-Inf	5.02	3	Vertical	172	1.77	-	118.32
AV	5.5784G	112.16	Inf	-Inf	5.02	3	Vertical	172	1.77	-	107.14
PK	5.7408G	62.94	68.20	-5.26	4.74	3	Vertical	172	1.77	-	58.20

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 99
04-C-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4012G	61.09	74.00	-12.91	5.34	3	Horizontal	136	1.92	-	55.75
AV	5.4328G	49.00	54.00	-5.00	5.27	3	Horizontal	136	1.92	-	43.73
PK	5.4684G	60.28	68.20	-7.92	5.18	3	Horizontal	136	1.92	-	55.10
PK	5.5736G	105.13	Inf	-Inf	5.03	3	Horizontal	136	1.92	-	100.10
AV	5.5728G	93.67	Inf	-Inf	5.03	3	Horizontal	136	1.92	-	88.64
PK	5.7312G	59.92	68.20	-8.28	4.73	3	Horizontal	136	1.92	-	55.19

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 99
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15681G	54.13	74.00	-19.87	12.76	3	Vertical	125	2.17	-	41.37
AV	11.16051G	41.49	54.00	-12.51	12.77	3	Vertical	125	2.17	-	28.72

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 99
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16157G	53.92	74.00	-20.08	12.77	3	Horizontal	215	2.03	-	41.15
AV	11.16191G	41.70	54.00	-12.30	12.77	3	Horizontal	215	2.03	-	28.93

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5700MHz_TX




EUT Z_2TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6986G	111.62	Inf	-Inf	4.70	3	Vertical	172	1.83	-	106.92
AV	5.6966G	100.21	Inf	-Inf	4.71	3	Vertical	172	1.83	-	95.50
PK	5.7252G	67.39	68.20	-0.81	4.73	3	Vertical	172	1.83	-	62.66

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7038G	95.49	Inf	-Inf	4.70	3	Horizontal	218	1.80	-	90.79
AV	5.6966G	83.95	Inf	-Inf	4.71	3	Horizontal	218	1.80	-	79.24
PK	5.7578G	57.81	68.20	-10.39	4.76	3	Horizontal	218	1.80	-	53.05

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5700MHz_TX




EUT_Z_2TX
 Setting 51
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40494G	55.27	74.00	-18.73	13.15	3	Vertical	17	1.28	-	42.12
AV	11.40693G	42.18	54.00	-11.82	13.15	3	Vertical	17	1.28	-	29.03

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40264G	54.66	74.00	-19.34	13.15	3	Horizontal	98	2.88	-	41.51
AV	11.40776G	42.12	54.00	-11.88	13.15	3	Horizontal	98	2.88	-	28.97

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 120
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.429G	61.43	74.00	-12.57	5.28	3	Vertical	178	1.69	-	56.15
AV	5.45G	49.09	54.00	-4.91	5.23	3	Vertical	178	1.69	-	43.86
PK	5.4608G	60.78	68.20	-7.42	5.20	3	Vertical	178	1.69	-	55.58
PK	5.714G	122.49	Inf	-Inf	4.71	3	Vertical	178	1.69	-	117.78
AV	5.7218G	111.31	Inf	-Inf	4.72	3	Vertical	178	1.69	-	106.59
PK	5.852G	66.02	68.20	-2.18	4.99	3	Vertical	178	1.69	-	61.03

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 120
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	57.88	74.00	-16.12	5.21	3	Horizontal	148	1.90	-	52.67
AV	5.447G	45.84	54.00	-8.16	5.25	3	Horizontal	148	1.90	-	40.59
PK	5.4632G	57.45	68.20	-10.75	5.19	3	Horizontal	148	1.90	-	52.26
PK	5.723G	97.76	Inf	-Inf	4.72	3	Horizontal	148	1.90	-	93.04
AV	5.7218G	86.60	Inf	-Inf	4.72	3	Horizontal	148	1.90	-	81.88
PK	5.8904G	57.89	68.20	-10.31	5.12	3	Horizontal	148	1.90	-	52.77

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 120
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43993G	55.61	74.00	-18.39	13.20	3	Vertical	309	2.75	-	42.41
AV	11.44434G	43.03	54.00	-10.97	13.21	3	Vertical	309	2.75	-	29.82

802.11ax HEW20_Nss2,(MCS0)_2TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 120
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43981G	56.11	74.00	-17.89	13.20	3	Horizontal	24	2.69	-	42.91
AV	11.44291G	43.01	54.00	-10.99	13.21	3	Horizontal	24	2.69	-	29.80

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 76
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	62.56	74.00	-11.44	5.11	3	Vertical	181	1.75	-	57.45
AV	5.144G	49.02	54.00	-4.98	5.11	3	Vertical	181	1.75	-	43.91
PK	5.2661G	115.27	Inf	-Inf	5.39	3	Vertical	181	1.75	-	109.88
AV	5.2664G	104.56	Inf	-Inf	5.39	3	Vertical	181	1.75	-	99.17
PK	5.3654G	68.91	74.00	-5.09	5.40	3	Vertical	181	1.75	-	63.51
AV	5.3507G	53.36	54.00	-0.64	5.44	3	Vertical	181	1.75	-	47.92

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 76
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1212G	57.00	74.00	-17.00	5.11	3	Horizontal	143	1.92	-	51.89
AV	5.12G	45.35	54.00	-8.65	5.11	3	Horizontal	143	1.92	-	40.24
PK	5.2523G	93.86	Inf	-Inf	5.33	3	Horizontal	143	1.92	-	88.53
AV	5.2559G	82.43	Inf	-Inf	5.34	3	Horizontal	143	1.92	-	77.09
PK	5.3837G	58.39	74.00	-15.61	5.37	3	Horizontal	143	1.92	-	53.02
AV	5.3753G	45.92	54.00	-8.08	5.38	3	Horizontal	143	1.92	-	40.54

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 76
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80518G	58.27	74.00	-15.73	15.14	3	Vertical	345	2.20	-	43.13
AV	15.80832G	45.36	54.00	-8.64	15.14	3	Vertical	345	2.20	-	30.22

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 76
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81239G	58.50	74.00	-15.50	15.14	3	Horizontal	144	3.00	-	43.36
AV	15.8073G	45.57	54.00	-8.43	15.14	3	Horizontal	144	3.00	-	30.43

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 56
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.316G	110.87	Inf	-Inf	5.50	3	Vertical	177	1.76	-	105.37
AV	5.3037G	99.40	Inf	-Inf	5.52	3	Vertical	177	1.76	-	93.88
PK	5.3523G	71.55	74.00	-2.45	5.43	3	Vertical	177	1.76	-	66.12
AV	5.35G	53.49	54.00	-0.51	5.44	3	Vertical	177	1.76	-	48.05

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5310MHz_TX




EUT Z_2TX
Setting 56
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3067G	95.70	Inf	-Inf	5.52	3	Horizontal	116	1.78	-	90.18
AV	5.2968G	84.50	Inf	-Inf	5.52	3	Horizontal	116	1.78	-	78.98
PK	5.3535G	58.35	74.00	-15.65	5.43	3	Horizontal	116	1.78	-	52.92
AV	5.3568G	46.13	54.00	-7.87	5.42	3	Horizontal	116	1.78	-	40.71

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 56
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9272G	60.07	74.00	-13.93	15.05	3	Vertical	40	1.31	-	45.02
AV	15.92903G	47.64	54.00	-6.36	15.05	3	Vertical	40	1.31	-	32.59

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 56
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93435G	60.26	74.00	-13.74	15.05	3	Horizontal	60	2.70	-	45.21
AV	15.93143G	47.72	54.00	-6.28	15.05	3	Horizontal	60	2.70	-	32.67

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 49
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4546G	66.49	74.00	-7.51	5.21	3	Vertical	172	1.81	-	61.28
AV	5.4584G	48.79	54.00	-5.21	5.20	3	Vertical	172	1.81	-	43.59
PK	5.4698G	67.61	68.20	-0.59	5.18	3	Vertical	172	1.81	-	62.43
PK	5.5066G	109.85	Inf	-Inf	5.11	3	Vertical	172	1.81	-	104.74
AV	5.5064G	98.40	Inf	-Inf	5.11	3	Vertical	172	1.81	-	93.29

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 49
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4598G	58.05	74.00	-15.95	5.20	3	Horizontal	133	1.75	-	52.85
AV	5.442G	45.73	54.00	-8.27	5.26	3	Horizontal	133	1.75	-	40.47
PK	5.4634G	58.35	68.20	-9.85	5.19	3	Horizontal	133	1.75	-	53.16
PK	5.5036G	93.22	Inf	-Inf	5.12	3	Horizontal	133	1.75	-	88.10
AV	5.5018G	81.92	Inf	-Inf	5.12	3	Horizontal	133	1.75	-	76.80

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 49
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01902G	52.95	74.00	-21.05	12.57	3	Vertical	81	1.83	-	40.38
AV	11.02024G	40.77	54.00	-13.23	12.57	3	Vertical	81	1.83	-	28.20

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 49
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02462G	54.31	74.00	-19.69	12.57	3	Horizontal	238	1.28	-	41.74
AV	11.02485G	40.77	54.00	-13.23	12.57	3	Horizontal	238	1.28	-	28.20

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 68
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4459G	62.48	74.00	-11.52	5.25	3	Vertical	171	1.87	-	57.23
AV	5.4531G	49.65	54.00	-4.35	5.21	3	Vertical	171	1.87	-	44.44
PK	5.4663G	67.52	68.20	-0.68	5.19	3	Vertical	171	1.87	-	62.33
PK	5.5461G	113.52	Inf	-Inf	5.06	3	Vertical	171	1.87	-	108.46
AV	5.5539G	102.33	Inf	-Inf	5.05	3	Vertical	171	1.87	-	97.28

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 68
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4504G	58.64	74.00	-15.36	5.22	3	Horizontal	134	1.76	-	53.42
AV	5.4288G	46.03	54.00	-7.97	5.28	3	Horizontal	134	1.76	-	40.75
PK	5.4666G	57.92	68.20	-10.28	5.19	3	Horizontal	134	1.76	-	52.73
PK	5.5557G	97.36	Inf	-Inf	5.04	3	Horizontal	134	1.76	-	92.32
AV	5.562G	85.38	Inf	-Inf	5.04	3	Horizontal	134	1.76	-	80.34

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 68
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10118G	53.35	74.00	-20.65	12.69	3	Vertical	52	2.11	-	40.66
AV	11.09704G	40.96	54.00	-13.04	12.68	3	Vertical	52	2.11	-	28.28

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 68
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09696G	53.58	74.00	-20.42	12.68	3	Horizontal	163	1.32	-	40.90
AV	11.1001G	41.02	54.00	-12.98	12.69	3	Horizontal	163	1.32	-	28.33

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5670MHz_TX




EUT Z_2TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6798G	109.76	Inf	-Inf	4.75	3	Vertical	181	1.82	-	105.01
AV	5.6662G	97.59	Inf	-Inf	4.80	3	Vertical	181	1.82	-	92.79
PK	5.7252G	67.50	68.20	-0.70	4.73	3	Vertical	181	1.82	-	62.77

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6684G	92.22	Inf	-Inf	4.79	3	Horizontal	122	1.83	-	87.43
AV	5.6692G	80.24	Inf	-Inf	4.79	3	Horizontal	122	1.83	-	75.45
PK	5.7642G	57.66	68.20	-10.54	4.76	3	Horizontal	122	1.83	-	52.90

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34407G	53.98	74.00	-20.02	13.06	3	Vertical	136	2.18	-	40.92
AV	11.34283G	41.80	54.00	-12.20	13.06	3	Vertical	136	2.18	-	28.74

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34091G	54.94	74.00	-19.06	13.05	3	Horizontal	213	2.75	-	41.89
AV	11.34452G	41.81	54.00	-12.19	13.06	3	Horizontal	213	2.75	-	28.75

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 92
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4334G	60.68	74.00	-13.32	5.27	3	Vertical	178	1.80	-	55.41
AV	5.4556G	48.91	54.00	-5.09	5.21	3	Vertical	178	1.80	-	43.70
PK	5.4652G	60.01	68.20	-8.19	5.19	3	Vertical	178	1.80	-	54.82
PK	5.7142G	118.36	Inf	-Inf	4.71	3	Vertical	178	1.80	-	113.65
AV	5.704G	106.38	Inf	-Inf	4.70	3	Vertical	178	1.80	-	101.68
PK	5.8612G	67.57	68.20	-0.63	5.02	3	Vertical	178	1.80	-	62.55

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 92
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4436G	57.91	74.00	-16.09	5.25	3	Horizontal	127	1.98	-	52.66
AV	5.4478G	46.05	54.00	-7.95	5.24	3	Horizontal	127	1.98	-	40.81
PK	5.467G	57.32	68.20	-10.88	5.19	3	Horizontal	127	1.98	-	52.13
PK	5.7214G	98.59	Inf	-Inf	4.72	3	Horizontal	127	1.98	-	93.87
AV	5.7166G	86.03	Inf	-Inf	4.72	3	Horizontal	127	1.98	-	81.31
PK	5.9194G	57.72	68.20	-10.48	5.17	3	Horizontal	127	1.98	-	52.55

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 92
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42062G	55.13	74.00	-18.87	13.17	3	Vertical	90	1.41	-	41.96
AV	11.42254G	41.84	54.00	-12.16	13.18	3	Vertical	90	1.41	-	28.66

802.11ax HEW40_Nss2,(MCS0)_2TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 92
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41701G	54.16	74.00	-19.84	13.16	3	Horizontal	104	2.10	-	41.00
AV	11.41984G	41.73	54.00	-12.27	13.17	3	Horizontal	104	2.10	-	28.56

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 54
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1432G	58.94	74.00	-15.06	5.11	3	Vertical	180	1.78	-	53.83
AV	5.142G	48.99	54.00	-5.01	5.11	3	Vertical	180	1.78	-	43.88
PK	5.2928G	107.40	Inf	-Inf	5.50	3	Vertical	180	1.78	-	101.90
AV	5.2808G	97.01	Inf	-Inf	5.45	3	Vertical	180	1.78	-	91.56
PK	5.3528G	67.40	74.00	-6.60	5.43	3	Vertical	180	1.78	-	61.97
AV	5.3536G	53.45	54.00	-0.55	5.43	3	Vertical	180	1.78	-	48.02
PK	5.4664G	59.21	68.20	-8.99	5.19	3	Vertical	180	1.78	-	54.02

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 54
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1008G	57.73	74.00	-16.27	5.11	3	Horizontal	132	1.80	-	52.62
AV	5.13G	46.81	54.00	-7.19	5.11	3	Horizontal	132	1.80	-	41.70
PK	5.2592G	89.48	Inf	-Inf	5.36	3	Horizontal	132	1.80	-	84.12
AV	5.2668G	79.52	Inf	-Inf	5.39	3	Horizontal	132	1.80	-	74.13
PK	5.3636G	58.25	74.00	-15.75	5.41	3	Horizontal	132	1.80	-	52.84
AV	5.396G	47.44	54.00	-6.56	5.35	3	Horizontal	132	1.80	-	42.09
PK	5.4656G	57.92	68.20	-10.28	5.19	3	Horizontal	132	1.80	-	52.73

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 54
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87096G	58.66	74.00	-15.34	15.09	3	Vertical	22	1.60	-	43.57
AV	15.87277G	47.72	54.00	-6.28	15.09	3	Vertical	22	1.60	-	32.63

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5290MHz_TX




EUT_Z_2TX
 Setting 54
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8668G	59.04	74.00	-14.96	15.09	3	Horizontal	277	1.11	-	43.95
AV	15.8721G	48.12	54.00	-5.88	15.09	3	Horizontal	277	1.11	-	33.03

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.344G	59.71	68.20	-8.49	5.45	3	Vertical	171	1.85	-	54.26
PK	5.46G	63.65	74.00	-10.35	5.20	3	Vertical	171	1.85	-	58.45
AV	5.4595G	53.39	54.00	-0.61	5.20	3	Vertical	171	1.85	-	48.19
PK	5.469G	64.99	68.20	-3.21	5.18	3	Vertical	171	1.85	-	59.81
PK	5.513G	107.03	Inf	-Inf	5.11	3	Vertical	171	1.85	-	101.92
AV	5.5395G	96.09	Inf	-Inf	5.07	3	Vertical	171	1.85	-	91.02
PK	5.76G	58.56	68.20	-9.64	4.76	3	Vertical	171	1.85	-	53.80

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.296G	58.04	68.20	-10.16	5.51	3	Horizontal	113	1.92	-	52.53
PK	5.3585G	58.01	74.00	-15.99	5.41	3	Horizontal	113	1.92	-	52.60
AV	5.434G	47.34	54.00	-6.66	5.27	3	Horizontal	113	1.92	-	42.07
PK	5.4665G	57.80	68.20	-10.40	5.19	3	Horizontal	113	1.92	-	52.61
PK	5.513G	89.72	Inf	-Inf	5.11	3	Horizontal	113	1.92	-	84.61
AV	5.502G	79.21	Inf	-Inf	5.12	3	Horizontal	113	1.92	-	74.09
PK	5.754G	56.95	68.20	-11.25	4.75	3	Horizontal	113	1.92	-	52.20

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06278G	54.13	74.00	-19.87	12.63	3	Vertical	164	1.45	-	41.50
AV	11.06325G	43.29	54.00	-10.71	12.63	3	Vertical	164	1.45	-	30.66

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06345G	53.97	74.00	-20.03	12.63	3	Horizontal	250	2.40	-	41.34
AV	11.06233G	42.94	54.00	-11.06	12.62	3	Horizontal	250	2.40	-	30.32

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 68
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	65.03	74.00	-8.97	5.20	3	Vertical	181	1.79	-	59.83
AV	5.4556G	53.36	54.00	-0.64	5.21	3	Vertical	181	1.79	-	48.15
PK	5.4684G	66.13	68.20	-2.07	5.18	3	Vertical	181	1.79	-	60.95
PK	5.5948G	111.04	Inf	-Inf	5.00	3	Vertical	181	1.79	-	106.04
AV	5.6016G	100.57	Inf	-Inf	4.99	3	Vertical	181	1.79	-	95.58
PK	5.7308G	66.52	68.20	-1.68	4.73	3	Vertical	181	1.79	-	61.79

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 68
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4472G	57.92	74.00	-16.08	5.25	3	Horizontal	121	1.83	-	52.67
AV	5.4388G	47.27	54.00	-6.73	5.26	3	Horizontal	121	1.83	-	42.01
PK	5.466G	57.67	68.20	-10.53	5.19	3	Horizontal	121	1.83	-	52.48
PK	5.5944G	92.13	Inf	-Inf	5.00	3	Horizontal	121	1.83	-	87.13
AV	5.6228G	82.56	Inf	-Inf	4.93	3	Horizontal	121	1.83	-	77.63
PK	5.7868G	57.49	68.20	-10.71	4.79	3	Horizontal	121	1.83	-	52.70

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 68
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21944G	54.21	74.00	-19.79	12.87	3	Vertical	215	2.85	-	41.34
AV	11.21751G	43.24	54.00	-10.76	12.87	3	Vertical	215	2.85	-	30.37

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 68
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2155G	54.42	74.00	-19.58	12.86	3	Horizontal	62	1.97	-	41.56
AV	11.2183G	43.45	54.00	-10.55	12.87	3	Horizontal	62	1.97	-	30.58

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	60.83	74.00	-13.17	5.20	3	Vertical	181	1.83	-	55.63
AV	5.4524G	50.69	54.00	-3.31	5.22	3	Vertical	181	1.83	-	45.47
PK	5.4638G	61.17	68.20	-7.03	5.19	3	Vertical	181	1.83	-	55.98
PK	5.6666G	112.59	Inf	-Inf	4.80	3	Vertical	181	1.83	-	107.79
AV	5.681G	102.68	Inf	-Inf	4.75	3	Vertical	181	1.83	-	97.93
PK	5.8538G	67.44	68.20	-0.76	4.99	3	Vertical	181	1.83	-	62.45

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4488G	58.71	74.00	-15.29	5.24	3	Horizontal	121	1.89	-	53.47
AV	5.4476G	47.48	54.00	-6.52	5.24	3	Horizontal	121	1.89	-	42.24
PK	5.4608G	57.39	68.20	-10.81	5.20	3	Horizontal	121	1.89	-	52.19
PK	5.7098G	95.18	Inf	-Inf	4.71	3	Horizontal	121	1.89	-	90.47
AV	5.7032G	84.95	Inf	-Inf	4.70	3	Horizontal	121	1.89	-	80.25
PK	5.8514G	58.01	68.20	-10.19	4.98	3	Horizontal	121	1.89	-	53.03

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37747G	54.87	74.00	-19.13	13.10	3	Vertical	43	2.72	-	41.77
AV	11.38048G	44.01	54.00	-9.99	13.11	3	Vertical	43	2.72	-	30.90

802.11ax HEW80_Nss2,(MCS0)_2TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37662G	54.38	74.00	-19.62	13.10	3	Horizontal	52	1.27	-	41.28
AV	11.3828G	43.61	54.00	-10.39	13.12	3	Horizontal	52	1.27	-	30.49

802.11ax HEW160_Nss2,(MCS0)_2TX

18/10/2019

5250MHz_TX




EUT_Z_2TX
Setting 47
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1324G	63.46	74.00	-10.54	5.11	3	Vertical	178	1.80	-	58.35
AV	5.1324G	52.63	54.00	-1.37	5.11	3	Vertical	178	1.80	-	47.52
PK	5.2724G	102.21	Inf	-Inf	5.41	3	Vertical	178	1.80	-	96.80
AV	5.2636G	92.46	Inf	-Inf	5.37	3	Vertical	178	1.80	-	87.09
PK	5.3868G	63.11	74.00	-10.89	5.37	3	Vertical	178	1.80	-	57.74
AV	5.3732G	53.33	54.00	-0.67	5.39	3	Vertical	178	1.80	-	47.94
PK	5.5404G	59.11	68.20	-9.09	5.07	3	Vertical	178	1.80	-	54.04

802.11ax HEW160_Nss2,(MCS0)_2TX

18/10/2019

5250MHz_TX




EUT_Z_2TX
Setting 47
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.086G	57.59	74.00	-16.41	5.04	3	Horizontal	112	1.96	-	52.55
AV	5.0548G	47.01	54.00	-6.99	4.88	3	Horizontal	112	1.96	-	42.13
PK	5.274G	89.62	Inf	-Inf	5.42	3	Horizontal	112	1.96	-	84.20
AV	5.2628G	78.43	Inf	-Inf	5.37	3	Horizontal	112	1.96	-	73.06
PK	5.3764G	57.95	74.00	-16.05	5.38	3	Horizontal	112	1.96	-	52.57
AV	5.3916G	47.40	54.00	-6.60	5.36	3	Horizontal	112	1.96	-	42.04
PK	5.5588G	57.85	68.20	-10.35	5.04	3	Horizontal	112	1.96	-	52.81

802.11ax HEW160_Nss2,(MCS0)_2TX

18/10/2019

5250MHz_TX




EUT_Z_2TX
Setting 47
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75093G	59.40	74.00	-14.60	15.18	3	Vertical	211	2.95	-	44.22
AV	15.74721G	48.20	54.00	-5.80	15.19	3	Vertical	211	2.95	-	33.01

802.11ax HEW160_Nss2,(MCS0)_2TX

18/10/2019

5250MHz_TX




EUT_Z_2TX
Setting 47
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74789G	59.30	74.00	-14.70	15.19	3	Horizontal	190	2.53	-	44.11
AV	15.7478G	48.13	54.00	-5.87	15.19	3	Horizontal	190	2.53	-	32.94

802.11ax HEW160_Nss2,(MCS0)_2TX

18/10/2019

5570MHz_TX




EUT_Z_2TX
Setting 41
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2852G	59.21	68.20	-8.99	5.47	3	Vertical	173	1.85	-	53.74
PK	5.4556G	64.13	74.00	-9.87	5.21	3	Vertical	173	1.85	-	58.92
AV	5.4596G	53.22	54.00	-0.78	5.20	3	Vertical	173	1.85	-	48.02
PK	5.4604G	63.51	68.20	-4.69	5.20	3	Vertical	173	1.85	-	58.31
PK	5.5964G	101.26	Inf	-Inf	4.99	3	Vertical	173	1.85	-	96.27
AV	5.5428G	91.32	Inf	-Inf	5.07	3	Vertical	173	1.85	-	86.25
PK	5.7516G	59.58	68.20	-8.62	4.75	3	Vertical	173	1.85	-	54.83

802.11ax HEW160_Nss2,(MCS0)_2TX

18/10/2019

5570MHz_TX




EUT_Z_2TX
Setting 41
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2772G	58.58	68.20	-9.62	5.43	3	Horizontal	236	1.82	-	53.15
PK	5.4076G	58.24	74.00	-15.76	5.32	3	Horizontal	236	1.82	-	52.92
AV	5.3588G	47.25	54.00	-6.75	5.41	3	Horizontal	236	1.82	-	41.84
PK	5.4612G	56.99	68.20	-11.21	5.20	3	Horizontal	236	1.82	-	51.79
PK	5.574G	85.27	Inf	-Inf	5.03	3	Horizontal	236	1.82	-	80.24
AV	5.5444G	74.14	Inf	-Inf	5.07	3	Horizontal	236	1.82	-	69.07
PK	5.7676G	56.93	68.20	-11.27	4.77	3	Horizontal	236	1.82	-	52.16

802.11ax HEW160_Nss2,(MCS0)_2TX

18/10/2019

5570MHz_TX




EUT_Z_2TX
Setting 41
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14094G	54.02	74.00	-19.98	12.75	3	Vertical	313	2.23	-	41.27
AV	11.14372G	43.02	54.00	-10.98	12.75	3	Vertical	313	2.23	-	30.27

802.11ax HEW160_Nss2,(MCS0)_2TX

18/10/2019

5570MHz_TX



EUT_Z_2TX
Setting 41
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14211G	53.75	74.00	-20.25	12.74	3	Horizontal	197	2.94	-	41.01
AV	11.13608G	43.19	54.00	-10.81	12.74	3	Horizontal	197	2.94	-	30.45




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.3662G	53.49	54.00	-0.51	5.40	3	Vertical	176	1.47	-

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5260MHz_TX




EUT_X_4TX
Setting 86
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1442G	61.70	74.00	-12.30	5.11	3	Vertical	176	1.48	-	56.59
AV	5.146G	48.69	54.00	-5.31	5.11	3	Vertical	176	1.48	-	43.58
PK	5.2657G	125.86	Inf	-Inf	5.39	3	Vertical	176	1.48	-	120.47
AV	5.2657G	116.31	Inf	-Inf	5.39	3	Vertical	176	1.48	-	110.92
PK	5.3728G	64.89	74.00	-9.11	5.39	3	Vertical	176	1.48	-	59.50
AV	5.3734G	53.38	54.00	-0.62	5.39	3	Vertical	176	1.48	-	47.99

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5260MHz_TX




EUT_X_4TX
Setting 86
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1451G	58.26	74.00	-15.74	5.11	3	Horizontal	243	1.68	-	53.15
AV	5.1454G	45.85	54.00	-8.15	5.11	3	Horizontal	243	1.68	-	40.74
PK	5.2537G	113.29	Inf	-Inf	5.33	3	Horizontal	243	1.68	-	107.96
AV	5.254G	103.94	Inf	-Inf	5.33	3	Horizontal	243	1.68	-	98.61
PK	5.3689G	58.00	74.00	-16.00	5.40	3	Horizontal	243	1.68	-	52.60
AV	5.3623G	45.39	54.00	-8.61	5.41	3	Horizontal	243	1.68	-	39.98

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5260MHz_TX




EUT X_4TX
Setting 86
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77778G	58.69	74.00	-15.31	15.17	3	Vertical	202	2.55	-	43.52
AV	15.78267G	45.08	54.00	-8.92	15.16	3	Vertical	202	2.55	-	29.92

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5260MHz_TX




EUT X_4TX
Setting 86
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78026G	59.02	74.00	-14.98	15.16	3	Horizontal	113	1.16	-	43.86
AV	15.77502G	45.10	54.00	-8.90	15.17	3	Horizontal	113	1.16	-	29.93

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 85
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3036G	124.50	Inf	-Inf	5.52	3	Vertical	182	1.67	-	118.98
AV	5.3039G	115.17	Inf	-Inf	5.52	3	Vertical	182	1.67	-	109.65
PK	5.35G	71.85	74.00	-2.15	5.44	3	Vertical	182	1.67	-	66.41
AV	5.3504G	53.43	54.00	-0.57	5.44	3	Vertical	182	1.67	-	47.99

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 85
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2994G	111.83	Inf	-Inf	5.53	3	Horizontal	222	1.76	-	106.30
AV	5.2994G	102.19	Inf	-Inf	5.53	3	Horizontal	222	1.76	-	96.66
PK	5.3528G	61.68	74.00	-12.32	5.43	3	Horizontal	222	1.76	-	56.25
AV	5.354G	45.99	54.00	-8.01	5.43	3	Horizontal	222	1.76	-	40.56

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 85
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89537G	59.70	74.00	-14.30	15.07	3	Vertical	331	2.10	-	44.63
AV	15.90456G	46.44	54.00	-7.56	15.06	3	Vertical	331	2.10	-	31.38

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 85
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90274G	59.72	74.00	-14.28	15.07	3	Horizontal	305	2.13	-	44.65
AV	15.89963G	46.47	54.00	-7.53	15.07	3	Horizontal	305	2.13	-	31.40

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5320MHz_TX




EUT_X_4TX
Setting 69
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.325G	121.16	Inf	-Inf	5.48	3	Vertical	182	1.73	-	115.68
AV	5.324G	111.73	Inf	-Inf	5.49	3	Vertical	182	1.73	-	106.24
PK	5.35G	71.88	74.00	-2.12	5.44	3	Vertical	182	1.73	-	66.44
AV	5.35G	53.41	54.00	-0.59	5.44	3	Vertical	182	1.73	-	47.97

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 69
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3192G	107.81	Inf	-Inf	5.49	3	Horizontal	221	1.63	-	102.32
AV	5.3192G	98.22	Inf	-Inf	5.49	3	Horizontal	221	1.63	-	92.73
PK	5.3504G	60.18	74.00	-13.82	5.44	3	Horizontal	221	1.63	-	54.74
AV	5.3544G	45.70	54.00	-8.30	5.43	3	Horizontal	221	1.63	-	40.27

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 69
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95611G	60.68	74.00	-13.32	15.02	3	Vertical	311	1.54	-	45.66
AV	15.95984G	47.53	54.00	-6.47	15.02	3	Vertical	311	1.54	-	32.51

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 69
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95637G	61.19	74.00	-12.81	15.02	3	Horizontal	268	2.31	-	46.17
AV	15.95733G	47.58	54.00	-6.42	15.02	3	Horizontal	268	2.31	-	32.56

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5500MHz_TX




EUT_X_4TX
Setting 53
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.449G	60.23	74.00	-13.77	5.24	3	Vertical	190	1.80	-	54.99
AV	5.4564G	47.33	54.00	-6.67	5.21	3	Vertical	190	1.80	-	42.12
PK	5.4684G	67.58	68.20	-0.62	5.18	3	Vertical	190	1.80	-	62.40
PK	5.5038G	117.19	Inf	-Inf	5.12	3	Vertical	190	1.80	-	112.07
AV	5.504G	107.93	Inf	-Inf	5.12	3	Vertical	190	1.80	-	102.81

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5500MHz_TX




EUT_X_4TX
Setting 53
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4522G	58.51	74.00	-15.49	5.22	3	Horizontal	252	1.68	-	53.29
AV	5.4278G	45.25	54.00	-8.75	5.28	3	Horizontal	252	1.68	-	39.97
PK	5.464G	57.80	68.20	-10.40	5.19	3	Horizontal	252	1.68	-	52.61
PK	5.507G	101.02	Inf	-Inf	5.11	3	Horizontal	252	1.68	-	95.91
AV	5.5076G	91.33	Inf	-Inf	5.11	3	Horizontal	252	1.68	-	86.22

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5500MHz_TX




EUT X_4TX
Setting 53
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00437G	53.01	74.00	-20.99	12.54	3	Vertical	331	1.60	-	40.47
AV	11.00287G	39.86	54.00	-14.14	12.54	3	Vertical	331	1.60	-	27.32

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5500MHz_TX




EUT X_4TX
Setting 53
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99913G	54.13	74.00	-19.87	12.53	3	Horizontal	286	2.39	-	41.60
AV	11.00265G	39.94	54.00	-14.06	12.54	3	Horizontal	286	2.39	-	27.40

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5580MHz_TX




EUT X_4TX
Setting 97
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4492G	65.05	74.00	-8.95	5.24	3	Vertical	191	1.77	-	59.81
AV	5.4564G	49.54	54.00	-4.46	5.21	3	Vertical	191	1.77	-	44.33
PK	5.4668G	67.58	68.20	-0.62	5.19	3	Vertical	191	1.77	-	62.39
PK	5.5848G	127.12	Inf	-Inf	5.01	3	Vertical	191	1.77	-	122.11
AV	5.584G	116.55	Inf	-Inf	5.01	3	Vertical	191	1.77	-	111.54
PK	5.7712G	61.93	68.20	-6.27	4.77	3	Vertical	191	1.77	-	57.16

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5580MHz_TX




EUT_X_4TX
Setting 97
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4196G	58.59	74.00	-15.41	5.30	3	Horizontal	230	1.86	-	53.29
AV	5.4144G	45.40	54.00	-8.60	5.31	3	Horizontal	230	1.86	-	40.09
PK	5.4672G	57.81	68.20	-10.39	5.19	3	Horizontal	230	1.86	-	52.62
PK	5.5812G	110.84	Inf	-Inf	5.02	3	Horizontal	230	1.86	-	105.82
AV	5.5824G	101.32	Inf	-Inf	5.02	3	Horizontal	230	1.86	-	96.30
PK	5.7512G	57.56	68.20	-10.64	4.75	3	Horizontal	230	1.86	-	52.81

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5580MHz_TX




EUT X_4TX
Setting 97
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1624G	54.18	74.00	-19.82	12.77	3	Vertical	268	1.93	-	41.41
AV	11.16007G	40.56	54.00	-13.44	12.77	3	Vertical	268	1.93	-	27.79

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5580MHz_TX




EUT X_4TX
Setting 97
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16069G	54.73	74.00	-19.27	12.77	3	Horizontal	342	1.76	-	41.96
AV	11.15987G	40.50	54.00	-13.50	12.77	3	Horizontal	342	1.76	-	27.73

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7038G	115.00	Inf	-Inf	4.70	3	Vertical	181	1.86	-	110.30
AV	5.7039G	105.85	Inf	-Inf	4.70	3	Vertical	181	1.86	-	101.15
PK	5.7252G	67.52	68.20	-0.68	4.73	3	Vertical	181	1.86	-	62.79

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7037G	100.86	Inf	-Inf	4.70	3	Horizontal	195	1.99	-	96.16
AV	5.7039G	91.77	Inf	-Inf	4.70	3	Horizontal	195	1.99	-	87.07
PK	5.7255G	58.76	68.20	-9.44	4.73	3	Horizontal	195	1.99	-	54.03

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39945G	55.31	74.00	-18.69	13.14	3	Vertical	23	1.24	-	42.17
AV	11.39626G	41.87	54.00	-12.13	13.14	3	Vertical	23	1.24	-	28.73

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39682G	55.57	74.00	-18.43	13.14	3	Horizontal	349	2.25	-	42.43
AV	11.40246G	41.77	54.00	-12.23	13.14	3	Horizontal	349	2.25	-	28.63

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 105
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.725G	127.03	Inf	-Inf	4.73	3	Vertical	183	1.95	-	122.30
AV	5.724G	116.80	Inf	-Inf	4.72	3	Vertical	183	1.95	-	112.08
PK	5.8524G	67.62	68.20	-0.58	4.99	3	Vertical	183	1.95	-	62.63

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 105
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.726G	113.49	Inf	-Inf	4.73	3	Horizontal	196	2.01	-	108.76
AV	5.726G	102.69	Inf	-Inf	4.73	3	Horizontal	196	2.01	-	97.96
PK	5.8976G	57.82	68.20	-10.38	5.15	3	Horizontal	196	2.01	-	52.67

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 105
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43966G	55.27	74.00	-18.73	13.20	3	Vertical	78	1.02	-	42.07
AV	11.44296G	41.99	54.00	-12.01	13.21	3	Vertical	78	1.02	-	28.78

802.11a_Nss1,(6Mbps)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 105
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44306G	54.92	74.00	-19.08	13.21	3	Horizontal	101	2.15	-	41.71
AV	11.4429G	42.01	54.00	-11.99	13.21	3	Horizontal	101	2.15	-	28.80

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5260MHz_TX




EUT X_4TX
Setting 94
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	65.66	74.00	-8.34	5.11	3	Vertical	176	1.47	-	60.55
AV	5.1499G	52.96	54.00	-1.04	5.11	3	Vertical	176	1.47	-	47.85
PK	5.2582G	127.94	Inf	-Inf	5.35	3	Vertical	176	1.47	-	122.59
AV	5.2633G	115.16	Inf	-Inf	5.37	3	Vertical	176	1.47	-	109.79
PK	5.3617G	65.98	74.00	-8.02	5.41	3	Vertical	176	1.47	-	60.57
AV	5.3662G	53.49	54.00	-0.51	5.40	3	Vertical	176	1.47	-	48.09

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5260MHz_TX




EUT_X_4TX
Setting 94
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1139G	60.65	74.00	-13.35	5.11	3	Horizontal	241	1.60	-	55.54
AV	5.1487G	47.66	54.00	-6.34	5.11	3	Horizontal	241	1.60	-	42.55
PK	5.2567G	116.93	Inf	-Inf	5.34	3	Horizontal	241	1.60	-	111.59
AV	5.2615G	103.00	Inf	-Inf	5.36	3	Horizontal	241	1.60	-	97.64
PK	5.3554G	62.14	74.00	-11.86	5.42	3	Horizontal	241	1.60	-	56.72
AV	5.359G	47.79	54.00	-6.21	5.41	3	Horizontal	241	1.60	-	42.38

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5260MHz_TX




EUT X_4TX
Setting 94
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77876G	58.92	74.00	-15.08	15.16	3	Vertical	19	1.33	-	43.76
AV	15.77572G	44.21	54.00	-9.79	15.17	3	Vertical	19	1.33	-	29.04

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5260MHz_TX




EUT X_4TX
Setting 94
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77756G	58.56	74.00	-15.44	15.17	3	Horizontal	84	2.24	-	43.39
AV	15.776G	44.21	54.00	-9.79	15.17	3	Horizontal	84	2.24	-	29.04

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3009G	124.64	Inf	-Inf	5.53	3	Vertical	179	1.50	-	119.11
AV	5.3006G	111.65	Inf	-Inf	5.53	3	Vertical	179	1.50	-	106.12
PK	5.3513G	72.44	74.00	-1.56	5.44	3	Vertical	179	1.50	-	67.00
AV	5.35G	53.27	54.00	-0.73	5.44	3	Vertical	179	1.50	-	47.83

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5300MHz_TX




EUT_X_4TX
 Setting 80
 04-L-3-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3051G	111.81	Inf	-Inf	5.52	3	Horizontal	222	1.67	-	106.29
AV	5.2952G	98.40	Inf	-Inf	5.51	3	Horizontal	222	1.67	-	92.89
PK	5.3549G	58.91	74.00	-15.09	5.43	3	Horizontal	222	1.67	-	53.48
AV	5.35G	45.72	54.00	-8.28	5.44	3	Horizontal	222	1.67	-	40.28

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 80
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89978G	59.86	74.00	-14.14	15.07	3	Vertical	80	1.24	-	44.79
AV	15.8999G	45.53	54.00	-8.47	15.07	3	Vertical	80	1.24	-	30.46

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
 Setting 80
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90309G	60.28	74.00	-13.72	15.07	3	Horizontal	275	1.05	-	45.21
AV	15.90273G	45.52	54.00	-8.48	15.07	3	Horizontal	275	1.05	-	30.45

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 61
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3131G	121.04	Inf	-Inf	5.50	3	Vertical	176	1.60	-	115.54
AV	5.3231G	106.67	Inf	-Inf	5.49	3	Vertical	176	1.60	-	101.18
AV	5.3533G	50.20	54.00	-3.80	5.43	3	Vertical	176	1.60	-	44.77
PK	5.3529G	73.41	74.00	-0.59	5.43	3	Vertical	176	1.60	-	67.98

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
 Setting 61
 04-L-3-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3167G	107.72	Inf	-Inf	5.50	3	Horizontal	241	1.50	-	102.22
AV	5.3166G	93.53	Inf	-Inf	5.50	3	Horizontal	241	1.50	-	88.03
PK	5.3616G	59.85	74.00	-14.15	5.42	3	Horizontal	241	1.50	-	54.43
AV	5.3514G	44.82	54.00	-9.18	5.44	3	Horizontal	241	1.50	-	39.38

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 61
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9595G	61.44	74.00	-12.56	15.02	3	Vertical	288	2.75	-	46.42
AV	15.96341G	46.41	54.00	-7.59	15.02	3	Vertical	288	2.75	-	31.39

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 61
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95878G	60.74	74.00	-13.26	15.02	3	Horizontal	203	1.43	-	45.72
AV	15.95772G	46.39	54.00	-7.61	15.02	3	Horizontal	203	1.43	-	31.37

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5500MHz_TX




EUT X_4TX
Setting 54
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	64.34	74.00	-9.66	5.20	3	Vertical	184	1.77	-	59.14
AV	5.4578G	46.82	54.00	-7.18	5.20	3	Vertical	184	1.77	-	41.62
PK	5.4672G	67.66	68.20	-0.54	5.19	3	Vertical	184	1.77	-	62.47
PK	5.493G	120.08	Inf	-Inf	5.13	3	Vertical	184	1.77	-	114.95
AV	5.503G	105.25	Inf	-Inf	5.12	3	Vertical	184	1.77	-	100.13

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5500MHz_TX




EUT X_4TX
Setting 54
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4571G	58.42	74.00	-15.58	5.21	3	Horizontal	225	1.74	-	53.21
AV	5.4533G	44.45	54.00	-9.55	5.21	3	Horizontal	225	1.74	-	39.24
PK	5.4665G	57.89	68.20	-10.31	5.19	3	Horizontal	225	1.74	-	52.70
PK	5.4931G	104.10	Inf	-Inf	5.13	3	Horizontal	225	1.74	-	98.97
AV	5.5027G	91.12	Inf	-Inf	5.12	3	Horizontal	225	1.74	-	86.00

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5500MHz_TX




EUT X_4TX
Setting 54
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99521G	52.97	74.00	-21.03	12.52	3	Vertical	318	2.26	-	40.45
AV	11.00281G	38.90	54.00	-15.10	12.54	3	Vertical	318	2.26	-	26.36
PK	16.50252G	62.03	68.20	-6.17	15.97	3	Vertical	151	2.29	-	46.06

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5500MHz_TX




EUT X_4TX
Setting 54
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99958G	53.76	74.00	-20.24	12.53	3	Horizontal	246	1.36	-	41.23
AV	11.00242G	39.32	54.00	-14.68	12.53	3	Horizontal	246	1.36	-	26.79
PK	16.50956G	62.45	68.20	-5.75	15.99	3	Horizontal	243	2.93	-	46.46

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5580MHz_TX




EUT X_4TX
 Setting 96
 04-L-3-13
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	65.20	74.00	-8.80	5.20	3	Vertical	174	1.78	-	60.00
AV	5.4548G	50.72	54.00	-3.28	5.21	3	Vertical	174	1.78	-	45.51
PK	5.4692G	67.40	68.20	-0.80	5.18	3	Vertical	174	1.78	-	62.22
PK	5.5812G	127.42	Inf	-Inf	5.02	3	Vertical	174	1.78	-	122.40
AV	5.5808G	114.51	Inf	-Inf	5.02	3	Vertical	174	1.78	-	109.49
PK	5.7484G	62.75	68.20	-5.45	4.75	3	Vertical	174	1.78	-	58.00

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5580MHz_TX




EUT_X_4TX
Setting 96
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	61.00	74.00	-13.00	5.22	3	Horizontal	127	1.78	-	55.78
AV	5.444G	47.63	54.00	-6.37	5.25	3	Horizontal	127	1.78	-	42.38
PK	5.4636G	60.79	68.20	-7.41	5.19	3	Horizontal	127	1.78	-	55.60
PK	5.5728G	114.74	Inf	-Inf	5.03	3	Horizontal	127	1.78	-	109.71
AV	5.5776G	101.52	Inf	-Inf	5.02	3	Horizontal	127	1.78	-	96.50
PK	5.7608G	60.42	68.20	-7.78	4.76	3	Horizontal	127	1.78	-	55.66

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5580MHz_TX




EUT X_4TX
Setting 96
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16421G	54.15	74.00	-19.85	12.78	3	Vertical	91	2.31	-	41.37
AV	11.16269G	39.56	54.00	-14.44	12.78	3	Vertical	91	2.31	-	26.78
PK	16.74151G	61.20	68.20	-7.00	16.45	3	Vertical	77	1.53	-	44.75

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5580MHz_TX




EUT X_4TX
Setting 96
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15539G	54.08	74.00	-19.92	12.77	3	Horizontal	105	2.53	-	41.31
AV	11.15989G	39.73	54.00	-14.27	12.77	3	Horizontal	105	2.53	-	26.96
PK	16.74176G	60.94	68.20	-7.26	16.45	3	Horizontal	183	1.40	-	44.49

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 38
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6931G	114.42	Inf	-Inf	4.72	3	Vertical	191	1.74	-	109.70
AV	5.703G	100.08	Inf	-Inf	4.70	3	Vertical	191	1.74	-	95.38
PK	5.7276G	67.54	68.20	-0.66	4.73	3	Vertical	191	1.74	-	62.81

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 38
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6932G	102.07	Inf	-Inf	4.72	3	Horizontal	190	1.71	-	97.35
AV	5.7034G	89.15	Inf	-Inf	4.70	3	Horizontal	190	1.71	-	84.45
PK	5.7302G	60.52	68.20	-7.68	4.73	3	Horizontal	190	1.71	-	55.79

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 38
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4042G	55.42	74.00	-18.58	13.15	3	Vertical	190	1.76	-	42.27
AV	11.39699G	40.82	54.00	-13.18	13.14	3	Vertical	190	1.76	-	27.68

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 38
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40485G	54.63	74.00	-19.37	13.15	3	Horizontal	75	2.26	-	41.48
AV	11.39685G	40.66	54.00	-13.34	13.14	3	Horizontal	75	2.26	-	27.52

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 99
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4398G	62.94	74.00	-11.06	5.26	3	Vertical	191	1.82	-	57.68
AV	5.4446G	49.19	54.00	-4.81	5.25	3	Vertical	191	1.82	-	43.94
PK	5.4698G	62.74	68.20	-5.46	5.18	3	Vertical	191	1.82	-	57.56
PK	5.7128G	126.89	Inf	-Inf	4.71	3	Vertical	191	1.82	-	122.18
AV	5.723G	113.96	Inf	-Inf	4.72	3	Vertical	191	1.82	-	109.24
PK	5.8514G	66.10	68.20	-2.10	4.98	3	Vertical	191	1.82	-	61.12

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 99
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4206G	60.19	74.00	-13.81	5.30	3	Horizontal	191	1.79	-	54.89
AV	5.4398G	47.49	54.00	-6.51	5.26	3	Horizontal	191	1.79	-	42.23
PK	5.4674G	60.91	68.20	-7.29	5.19	3	Horizontal	191	1.79	-	55.72
PK	5.714G	110.53	Inf	-Inf	4.71	3	Horizontal	191	1.79	-	105.82
AV	5.7188G	99.35	Inf	-Inf	4.72	3	Horizontal	191	1.79	-	94.63
PK	5.9492G	60.61	68.20	-7.59	5.19	3	Horizontal	191	1.79	-	55.42

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 99
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43956G	54.80	74.00	-19.20	13.20	3	Vertical	211	2.09	-	41.60
AV	11.44304G	40.96	54.00	-13.04	13.21	3	Vertical	211	2.09	-	27.75

802.11ax HEW20_Nss1,(MCS0)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 99
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44244G	54.89	74.00	-19.11	13.20	3	Horizontal	68	1.12	-	41.69
AV	11.44297G	40.95	54.00	-13.05	13.21	3	Horizontal	68	1.12	-	27.74

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5270MHz_TX




EUT X_4TX
Setting 74
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2806G	121.74	Inf	-Inf	5.44	3	Vertical	180	1.67	-	116.30
AV	5.2658G	109.80	Inf	-Inf	5.39	3	Vertical	180	1.67	-	104.41
PK	5.3512G	70.07	74.00	-3.93	5.44	3	Vertical	180	1.67	-	64.63
AV	5.3506G	53.17	54.00	-0.83	5.44	3	Vertical	180	1.67	-	47.73

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5270MHz_TX




EUT X_4TX
Setting 74
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2618G	108.64	Inf	-Inf	5.37	3	Horizontal	241	1.59	-	103.27
AV	5.2768G	97.31	Inf	-Inf	5.43	3	Horizontal	241	1.59	-	91.88
PK	5.3616G	59.03	74.00	-14.97	5.42	3	Horizontal	241	1.59	-	53.61
AV	5.3522G	46.45	54.00	-7.55	5.43	3	Horizontal	241	1.59	-	41.02

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5270MHz_TX




EUT X_4TX
Setting 74
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8081G	58.54	74.00	-15.46	15.14	3	Vertical	180	1.94	-	43.40
AV	15.80248G	45.46	54.00	-8.54	15.14	3	Vertical	180	1.94	-	30.32

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5270MHz_TX




EUT X_4TX
Setting 74
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80934G	58.70	74.00	-15.30	15.14	3	Horizontal	172	2.83	-	43.56
AV	15.80872G	45.40	54.00	-8.60	15.14	3	Horizontal	172	2.83	-	30.26

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5310MHz_TX




EUT X_4TX
Setting 47
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3006G	114.31	Inf	-Inf	5.53	3	Vertical	180	1.76	-	108.78
AV	5.3058G	102.11	Inf	-Inf	5.52	3	Vertical	180	1.76	-	96.59
PK	5.351G	66.62	74.00	-7.38	5.44	3	Vertical	180	1.76	-	61.18
AV	5.3504G	53.23	54.00	-0.77	5.44	3	Vertical	180	1.76	-	47.79

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5310MHz_TX




EUT_X_4TX
Setting 47
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3002G	100.93	Inf	-Inf	5.53	3	Horizontal	222	1.68	-	95.40
AV	5.3052G	89.01	Inf	-Inf	5.52	3	Horizontal	222	1.68	-	83.49
PK	5.35G	58.59	74.00	-15.41	5.44	3	Horizontal	222	1.68	-	53.15
AV	5.3504G	46.54	54.00	-7.46	5.44	3	Horizontal	222	1.68	-	41.10

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5310MHz_TX




EUT X_4TX
Setting 47
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6139G	53.08	74.00	-20.92	12.14	3	Vertical	107	1.88	-	40.94
AV	10.61114G	40.12	54.00	-13.88	12.14	3	Vertical	107	1.88	-	27.98
PK	15.92522G	60.81	74.00	-13.19	15.05	3	Vertical	135	2.26	-	45.76
AV	15.92882G	48.07	54.00	-5.93	15.05	3	Vertical	135	2.26	-	33.02

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5310MHz_TX




EUT X_4TX
Setting 47
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61902G	52.29	74.00	-21.71	12.15	3	Horizontal	151	1.84	-	40.14
AV	10.6137G	40.03	54.00	-13.97	12.14	3	Horizontal	151	1.84	-	27.89
PK	15.9331G	60.66	74.00	-13.34	15.05	3	Horizontal	57	1.90	-	45.61
AV	15.93186G	47.83	54.00	-6.17	15.05	3	Horizontal	57	1.90	-	32.78

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5510MHz_TX




EUT X_4TX
Setting 51
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4546G	62.94	74.00	-11.06	5.21	3	Vertical	173	1.87	-	57.73
AV	5.4562G	49.71	54.00	-4.29	5.21	3	Vertical	173	1.87	-	44.50
PK	5.4698G	67.64	68.20	-0.56	5.18	3	Vertical	173	1.87	-	62.46
PK	5.5054G	113.36	Inf	-Inf	5.11	3	Vertical	173	1.87	-	108.25
AV	5.5058G	103.53	Inf	-Inf	5.11	3	Vertical	173	1.87	-	98.42

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5510MHz_TX




EUT X_4TX
Setting 51
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4526G	58.05	74.00	-15.95	5.21	3	Horizontal	123	1.64	-	52.84
AV	5.441G	45.90	54.00	-8.10	5.26	3	Horizontal	123	1.64	-	40.64
PK	5.4696G	57.98	68.20	-10.22	5.18	3	Horizontal	123	1.64	-	52.80
PK	5.5204G	100.16	Inf	-Inf	5.09	3	Horizontal	123	1.64	-	95.07
AV	5.5152G	88.26	Inf	-Inf	5.10	3	Horizontal	123	1.64	-	83.16

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5510MHz_TX




EUT X_4TX
Setting 51
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02454G	53.47	74.00	-20.53	12.57	3	Vertical	304	2.05	-	40.90
AV	11.02002G	40.81	54.00	-13.19	12.57	3	Vertical	304	2.05	-	28.24

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5510MHz_TX




EUT X_4TX
Setting 51
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02762G	53.02	74.00	-20.98	12.58	3	Horizontal	212	2.71	-	40.44
AV	11.0276G	40.65	54.00	-13.35	12.58	3	Horizontal	212	2.71	-	28.07

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5550MHz_TX




EUT X_4TX
Setting 74
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	66.60	74.00	-7.40	5.21	3	Vertical	173	1.88	-	61.39
AV	5.4576G	51.72	54.00	-2.28	5.20	3	Vertical	173	1.88	-	46.52
PK	5.4696G	67.52	68.20	-0.68	5.18	3	Vertical	173	1.88	-	62.34
PK	5.5608G	120.50	Inf	-Inf	5.04	3	Vertical	173	1.88	-	115.46
AV	5.5458G	108.81	Inf	-Inf	5.06	3	Vertical	173	1.88	-	103.75

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5550MHz_TX




EUT_X_4TX
Setting 74
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4387G	59.27	74.00	-14.73	5.26	3	Horizontal	122	1.55	-	54.01
AV	5.4465G	46.21	54.00	-7.79	5.25	3	Horizontal	122	1.55	-	40.96
PK	5.4651G	57.79	68.20	-10.41	5.19	3	Horizontal	122	1.55	-	52.60
PK	5.535G	105.76	Inf	-Inf	5.07	3	Horizontal	122	1.55	-	100.69
AV	5.5548G	94.41	Inf	-Inf	5.05	3	Horizontal	122	1.55	-	89.36

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5550MHz_TX




EUT X_4TX
Setting 74
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09882G	53.82	74.00	-20.18	12.69	3	Vertical	286	1.03	-	41.13
AV	11.09416G	40.89	54.00	-13.11	12.68	3	Vertical	286	1.03	-	28.21

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5550MHz_TX




EUT X_4TX
 Setting 74
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09618G	53.77	74.00	-20.23	12.68	3	Horizontal	71	2.15	-	41.09
AV	11.0999G	40.87	54.00	-13.13	12.69	3	Horizontal	71	2.15	-	28.18

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5670MHz_TX




EUT X_4TX
Setting 60
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6806G	116.07	Inf	-Inf	4.75	3	Vertical	188	1.75	-	111.32
AV	5.6654G	103.93	Inf	-Inf	4.80	3	Vertical	188	1.75	-	99.13
PK	5.7256G	67.31	68.20	-0.89	4.73	3	Vertical	188	1.75	-	62.58

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5670MHz_TX




EUT X_4TX
Setting 60
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6634G	100.93	Inf	-Inf	4.81	3	Horizontal	190	1.84	-	96.12
AV	5.6734G	90.45	Inf	-Inf	4.78	3	Horizontal	190	1.84	-	85.67
PK	5.729G	57.31	68.20	-10.89	4.73	3	Horizontal	190	1.84	-	52.58

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5670MHz_TX




EUT X_4TX
Setting 60
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33536G	55.45	74.00	-18.55	13.04	3	Vertical	177	2.69	-	42.41
AV	11.3326G	42.59	54.00	-11.41	13.04	3	Vertical	177	2.69	-	29.55

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5670MHz_TX




EUT X_4TX
Setting 60
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33302G	55.06	74.00	-18.94	13.04	3	Horizontal	170	1.52	-	42.02
AV	11.3465G	42.27	54.00	-11.73	13.05	3	Horizontal	170	1.52	-	29.22

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 93
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.416G	61.02	74.00	-12.98	5.31	3	Vertical	187	1.70	-	55.71
PK	5.4658G	60.41	68.20	-7.79	5.19	3	Vertical	187	1.70	-	55.22
AV	5.4538G	48.87	54.00	-5.13	5.21	3	Vertical	187	1.70	-	43.66
PK	5.7208G	123.70	Inf	-Inf	4.72	3	Vertical	187	1.70	-	118.98
AV	5.7058G	111.83	Inf	-Inf	4.71	3	Vertical	187	1.70	-	107.12
PK	5.8516G	67.55	68.20	-0.65	4.98	3	Vertical	187	1.70	-	62.57

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 93
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.443G	58.15	74.00	-15.85	5.25	3	Horizontal	190	1.77	-	52.90
AV	5.434G	46.00	54.00	-8.00	5.27	3	Horizontal	190	1.77	-	40.73
PK	5.4688G	57.82	68.20	-10.38	5.18	3	Horizontal	190	1.77	-	52.64
PK	5.7184G	107.44	Inf	-Inf	4.72	3	Horizontal	190	1.77	-	102.72
AV	5.7034G	97.61	Inf	-Inf	4.70	3	Horizontal	190	1.77	-	92.91
PK	5.8936G	57.77	68.20	-10.43	5.13	3	Horizontal	190	1.77	-	52.64

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 93
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41526G	55.52	74.00	-18.48	13.16	3	Vertical	2	1.61	-	42.36
AV	11.41672G	42.47	54.00	-11.53	13.16	3	Vertical	2	1.61	-	29.31

802.11ax HEW40_Nss1,(MCS0)_4TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 93
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41362G	54.99	74.00	-19.01	13.16	3	Horizontal	349	1.74	-	41.83
AV	11.41134G	42.51	54.00	-11.49	13.16	3	Horizontal	349	1.74	-	29.35

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5290MHz_TX




EUT_X_4TX
Setting 45
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.142G	59.88	74.00	-14.12	5.11	3	Vertical	175	1.72	-	54.77
AV	5.1188G	46.82	54.00	-7.18	5.11	3	Vertical	175	1.72	-	41.71
PK	5.3032G	110.00	Inf	-Inf	5.52	3	Vertical	175	1.72	-	104.48
AV	5.2832G	98.71	Inf	-Inf	5.46	3	Vertical	175	1.72	-	93.25
PK	5.3632G	65.84	74.00	-8.16	5.41	3	Vertical	175	1.72	-	60.43
AV	5.3532G	52.86	54.00	-1.14	5.43	3	Vertical	175	1.72	-	47.43
PK	5.462G	58.54	68.20	-9.66	5.20	3	Vertical	175	1.72	-	53.34

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5290MHz_TX




EUT X_4TX
Setting 45
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1044G	57.84	74.00	-16.16	5.11	3	Horizontal	239	1.55	-	52.73
AV	5.0948G	45.67	54.00	-8.33	5.08	3	Horizontal	239	1.55	-	40.59
PK	5.2764G	97.49	Inf	-Inf	5.43	3	Horizontal	239	1.55	-	92.06
AV	5.2612G	86.42	Inf	-Inf	5.36	3	Horizontal	239	1.55	-	81.06
PK	5.3708G	58.29	74.00	-15.71	5.40	3	Horizontal	239	1.55	-	52.89
AV	5.3692G	46.20	54.00	-7.80	5.40	3	Horizontal	239	1.55	-	40.80
PK	5.468G	57.37	68.20	-10.83	5.18	3	Horizontal	239	1.55	-	52.19

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5290MHz_TX




EUT X_4TX
Setting 45
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87794G	59.49	74.00	-14.51	15.09	3	Vertical	77	2.24	-	44.40
AV	15.87626G	46.43	54.00	-7.57	15.09	3	Vertical	77	2.24	-	31.34

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5290MHz_TX




EUT X_4TX
Setting 45
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87558G	59.04	74.00	-14.96	15.09	3	Horizontal	307	1.79	-	43.95
AV	15.87942G	46.75	54.00	-7.25	15.08	3	Horizontal	307	1.79	-	31.67

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5530MHz_TX




EUT X_4TX
Setting 54
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3465G	58.96	68.20	-9.24	5.44	3	Vertical	188	1.83	-	53.52
PK	5.4485G	65.31	74.00	-8.69	5.24	3	Vertical	188	1.83	-	60.07
AV	5.455G	51.80	54.00	-2.20	5.21	3	Vertical	188	1.83	-	46.59
PK	5.4655G	67.58	68.20	-0.62	5.19	3	Vertical	188	1.83	-	62.39
PK	5.5205G	112.86	Inf	-Inf	5.09	3	Vertical	188	1.83	-	107.77
AV	5.5355G	100.72	Inf	-Inf	5.07	3	Vertical	188	1.83	-	95.65
PK	5.754G	58.30	68.20	-9.90	4.75	3	Vertical	188	1.83	-	53.55

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5530MHz_TX




EUT X_4TX
Setting 54
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.332G	58.50	68.20	-9.70	5.47	3	Horizontal	123	1.55	-	53.03
PK	5.356G	58.39	74.00	-15.61	5.42	3	Horizontal	123	1.55	-	52.97
PK	5.47G	57.88	68.20	-10.32	5.18	3	Horizontal	123	1.55	-	52.70
AV	5.445G	46.24	54.00	-7.76	5.25	3	Horizontal	123	1.55	-	40.99
PK	5.52G	98.52	Inf	-Inf	5.09	3	Horizontal	123	1.55	-	93.43
AV	5.525G	86.32	Inf	-Inf	5.09	3	Horizontal	123	1.55	-	81.23
PK	5.7745G	56.88	68.20	-11.32	4.77	3	Horizontal	123	1.55	-	52.11

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5530MHz_TX




EUT X_4TX
Setting 54
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06484G	54.62	74.00	-19.38	12.63	3	Vertical	341	1.80	-	41.99
AV	11.0542G	41.38	54.00	-12.62	12.61	3	Vertical	341	1.80	-	28.77

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5530MHz_TX




EUT X_4TX
Setting 54
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05996G	54.10	74.00	-19.90	12.63	3	Horizontal	354	1.42	-	41.47
AV	11.06442G	41.22	54.00	-12.78	12.63	3	Horizontal	354	1.42	-	28.59

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5610MHz_TX




EUT X_4TX
Setting 66
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	62.60	74.00	-11.40	5.21	3	Vertical	188	1.90	-	57.39
AV	5.4596G	50.68	54.00	-3.32	5.20	3	Vertical	188	1.90	-	45.48
PK	5.4684G	67.25	68.20	-0.95	5.18	3	Vertical	188	1.90	-	62.07
PK	5.6004G	115.36	Inf	-Inf	4.99	3	Vertical	188	1.90	-	110.37
AV	5.5952G	103.54	Inf	-Inf	4.99	3	Vertical	188	1.90	-	98.55
PK	5.7256G	67.34	68.20	-0.86	4.73	3	Vertical	188	1.90	-	62.61

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5610MHz_TX




EUT_X_4TX
Setting 66
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	57.89	74.00	-16.11	5.21	3	Horizontal	224	1.70	-	52.68
AV	5.4572G	46.02	54.00	-7.98	5.21	3	Horizontal	224	1.70	-	40.81
PK	5.4632G	57.79	68.20	-10.41	5.19	3	Horizontal	224	1.70	-	52.60
PK	5.5876G	99.42	Inf	-Inf	5.00	3	Horizontal	224	1.70	-	94.42
AV	5.598G	88.87	Inf	-Inf	4.99	3	Horizontal	224	1.70	-	83.88
PK	5.802G	57.29	68.20	-10.91	4.81	3	Horizontal	224	1.70	-	52.48

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5610MHz_TX




EUT X_4TX
Setting 66
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2104G	54.77	74.00	-19.23	12.85	3	Vertical	316	2.12	-	41.92
AV	11.21988G	41.84	54.00	-12.16	12.87	3	Vertical	316	2.12	-	28.97

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5610MHz_TX




EUT X_4TX
Setting 66
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22488G	54.70	74.00	-19.30	12.87	3	Horizontal	156	2.88	-	41.83
AV	11.22848G	41.65	54.00	-12.35	12.88	3	Horizontal	156	2.88	-	28.77

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4554G	61.30	74.00	-12.70	5.21	3	Vertical	177	2.06	-	56.09
PK	5.462G	61.85	68.20	-6.35	5.20	3	Vertical	177	2.06	-	56.65
AV	5.46G	49.28	54.00	-4.72	5.20	3	Vertical	177	2.06	-	44.08
PK	5.7032G	118.07	Inf	-Inf	4.70	3	Vertical	177	2.06	-	113.37
AV	5.7032G	106.68	Inf	-Inf	4.70	3	Vertical	177	2.06	-	101.98
PK	5.8532G	67.46	68.20	-0.74	4.99	3	Vertical	177	2.06	-	62.47

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

19/10/2019




EUT X_4TX
 Setting 79
 04-L-3-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3918G	58.00	74.00	-16.00	5.35	3	Horizontal	221	1.36	-	52.65
PK	5.462G	58.00	68.20	-10.20	5.20	3	Horizontal	221	1.36	-	52.80
AV	5.4512G	46.59	54.00	-7.41	5.22	3	Horizontal	221	1.36	-	41.37
PK	5.6684G	101.36	Inf	-Inf	4.79	3	Horizontal	221	1.36	-	96.57
AV	5.6792G	89.92	Inf	-Inf	4.75	3	Horizontal	221	1.36	-	85.17
PK	5.9432G	57.83	68.20	-10.37	5.18	3	Horizontal	221	1.36	-	52.65

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3795G	54.73	74.00	-19.27	13.11	3	Vertical	164	1.90	-	41.62
AV	11.38184G	42.67	54.00	-11.33	13.11	3	Vertical	164	1.90	-	29.56

802.11ax HEW80_Nss1,(MCS0)_4TX

19/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37254G	55.04	74.00	-18.96	13.10	3	Horizontal	286	1.64	-	41.94
AV	11.3766G	42.33	54.00	-11.67	13.10	3	Horizontal	286	1.64	-	29.23

802.11ax HEW160_Nss1,(MCS0)_4TX

19/10/2019

5250MHz_TX




EUT_X_4TX
Setting 40
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1388G	63.23	74.00	-10.77	5.11	3	Vertical	176	1.69	-	58.12
AV	5.1388G	52.58	54.00	-1.42	5.11	3	Vertical	176	1.69	-	47.47
PK	5.2332G	106.67	Inf	-Inf	5.25	3	Vertical	176	1.69	-	101.42
AV	5.2636G	96.12	Inf	-Inf	5.37	3	Vertical	176	1.69	-	90.75
PK	5.46G	59.65	74.00	-14.35	5.20	3	Vertical	176	1.69	-	54.45
AV	5.374G	53.48	54.00	-0.52	5.39	3	Vertical	176	1.69	-	48.09
PK	5.3764G	64.55	74.00	-9.45	5.38	3	Vertical	176	1.69	-	59.17

802.11ax HEW160_Nss1,(MCS0)_4TX

19/10/2019

5250MHz_TX




EUT_X_4TX
 Setting 40
 04-L-3-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0228G	58.05	74.00	-15.95	4.73	3	Horizontal	241	1.69	-	53.32
AV	5.1492G	47.34	54.00	-6.66	5.11	3	Horizontal	241	1.69	-	42.23
PK	5.222G	94.15	Inf	-Inf	5.21	3	Horizontal	241	1.69	-	88.94
AV	5.2668G	84.45	Inf	-Inf	5.39	3	Horizontal	241	1.69	-	79.06
PK	5.3532G	58.58	74.00	-15.42	5.43	3	Horizontal	241	1.69	-	53.15
PK	5.4604G	58.24	68.20	-9.96	5.20	3	Horizontal	241	1.69	-	53.04
AV	5.4204G	47.38	54.00	-6.62	5.30	3	Horizontal	241	1.69	-	42.08

802.11ax HEW160_Nss1,(MCS0)_4TX

19/10/2019

5250MHz_TX




EUT X_4TX
Setting 40
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74346G	59.54	74.00	-14.46	15.19	3	Vertical	7	1.13	-	44.35
AV	15.74062G	48.22	54.00	-5.78	15.19	3	Vertical	7	1.13	-	33.03

802.11ax HEW160_Nss1,(MCS0)_4TX

19/10/2019

5250MHz_TX




EUT X_4TX
Setting 40
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7521G	59.37	74.00	-14.63	15.18	3	Horizontal	50	2.80	-	44.19
AV	15.74836G	48.29	54.00	-5.71	15.19	3	Horizontal	50	2.80	-	33.10

802.11ax HEW160_Nss1,(MCS0)_4TX

19/10/2019

5570MHz_TX




EUT X_4TX
Setting 45
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2444G	59.62	68.20	-8.58	5.30	3	Vertical	173	1.93	-	54.32
PK	5.4548G	64.57	74.00	-9.43	5.21	3	Vertical	173	1.93	-	59.36
AV	5.454G	53.28	54.00	-0.72	5.21	3	Vertical	173	1.93	-	48.07
PK	5.4604G	61.95	68.20	-6.25	5.20	3	Vertical	173	1.93	-	56.75
PK	5.546G	108.26	Inf	-Inf	5.06	3	Vertical	173	1.93	-	103.20
AV	5.5604G	96.36	Inf	-Inf	5.04	3	Vertical	173	1.93	-	91.32
PK	5.7252G	59.48	68.20	-8.72	4.73	3	Vertical	173	1.93	-	54.75

802.11ax HEW160_Nss1,(MCS0)_4TX

19/10/2019

5570MHz_TX




EUT_X_4TX
Setting 45
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2516G	58.67	68.20	-9.53	5.32	3	Horizontal	198	1.74	-	53.35
PK	5.4452G	58.26	74.00	-15.74	5.25	3	Horizontal	198	1.74	-	53.01
PK	5.4612G	57.70	68.20	-10.50	5.20	3	Horizontal	198	1.74	-	52.50
AV	5.454G	48.36	54.00	-5.64	5.21	3	Horizontal	198	1.74	-	43.15
PK	5.5532G	92.89	Inf	-Inf	5.05	3	Horizontal	198	1.74	-	87.84
AV	5.558G	81.33	Inf	-Inf	5.04	3	Horizontal	198	1.74	-	76.29
PK	5.9612G	57.10	68.20	-11.10	5.19	3	Horizontal	198	1.74	-	51.91

802.11ax HEW160_Nss1,(MCS0)_4TX

19/10/2019

5570MHz_TX




EUT X_4TX
Setting 45
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.146G	53.83	74.00	-20.17	12.75	3	Vertical	325	2.88	-	41.08
AV	11.14848G	43.42	54.00	-10.58	12.76	3	Vertical	325	2.88	-	30.66

802.11ax HEW160_Nss1,(MCS0)_4TX

19/10/2019

5570MHz_TX



EUT X_4TX
 Setting 45
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.145G	54.19	74.00	-19.81	12.75	3	Horizontal	8	1.66	-	41.44
AV	11.14868G	42.84	54.00	-11.16	12.76	3	Horizontal	8	1.66	-	30.08




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4692G	67.69	68.20	-0.51	8.46	3	Vertical	342	1.85	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5260MHz_TX




EUT_X_4TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	65.19	74.00	-8.81	7.94	3	Vertical	344	2.19	-	57.25
AV	5.15G	51.91	54.00	-2.09	7.94	3	Vertical	344	2.19	-	43.97
PK	5.2666G	129.01	Inf	-Inf	8.16	3	Vertical	344	2.19	-	120.85
AV	5.2672G	117.54	Inf	-Inf	8.16	3	Vertical	344	2.19	-	109.38
PK	5.377G	65.73	74.00	-8.27	8.31	3	Vertical	344	2.19	-	57.42
AV	5.3758G	53.33	54.00	-0.67	8.31	3	Vertical	344	2.19	-	45.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5260MHz_TX




EUT_X_4TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1442G	58.78	74.00	-15.22	7.94	3	Horizontal	57	1.04	-	50.84
AV	5.15G	45.90	54.00	-8.10	7.94	3	Horizontal	57	1.04	-	37.96
PK	5.2618G	114.45	Inf	-Inf	8.15	3	Horizontal	57	1.04	-	106.30
AV	5.2612G	102.72	Inf	-Inf	8.15	3	Horizontal	57	1.04	-	94.57
PK	5.3602G	58.30	74.00	-15.70	8.29	3	Horizontal	57	1.04	-	50.01
AV	5.35G	45.80	54.00	-8.20	8.28	3	Horizontal	57	1.04	-	37.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5260MHz_TX




EUT X_4TX
Setting 85
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77514G	66.88	74.00	-7.12	15.45	3	Vertical	129	1.51	-	51.43
AV	15.77578G	53.10	54.00	-0.90	15.45	3	Vertical	129	1.51	-	37.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5260MHz_TX




EUT X_4TX
 Setting 85
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77376G	65.50	74.00	-8.50	15.46	3	Horizontal	124	2.44	-	50.04
AV	15.7746G	51.62	54.00	-2.38	15.45	3	Horizontal	124	2.44	-	36.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5300MHz_TX




EUT X_4TX
Setting 77
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3084G	128.45	Inf	-Inf	8.22	3	Vertical	344	1.99	-	120.23
AV	5.3072G	115.78	Inf	-Inf	8.22	3	Vertical	344	1.99	-	107.56
PK	5.3508G	70.81	74.00	-3.19	8.28	3	Vertical	344	1.99	-	62.53
AV	5.35G	53.34	54.00	-0.66	8.28	3	Vertical	344	1.99	-	45.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5300MHz_TX




EUT X_4TX
Setting 77
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2972G	111.68	Inf	-Inf	8.21	3	Horizontal	51	1.39	-	103.47
AV	5.2976G	100.02	Inf	-Inf	8.21	3	Horizontal	51	1.39	-	91.81
PK	5.378G	58.45	74.00	-15.55	8.32	3	Horizontal	51	1.39	-	50.13
AV	5.3808G	45.62	54.00	-8.38	8.32	3	Horizontal	51	1.39	-	37.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5300MHz_TX




EUT X_4TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89832G	59.33	74.00	-14.67	15.13	3	Vertical	128	1.52	-	44.20
AV	15.89796G	45.14	54.00	-8.86	15.14	3	Vertical	128	1.52	-	30.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5300MHz_TX




EUT X_4TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89622G	55.39	74.00	-18.61	15.14	3	Horizontal	151	2.04	-	40.25
AV	15.89742G	42.32	54.00	-11.68	15.14	3	Horizontal	151	2.04	-	27.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3116G	124.65	Inf	-Inf	8.22	3	Vertical	356	1.87	-	116.43
AV	5.3112G	113.02	Inf	-Inf	8.22	3	Vertical	356	1.87	-	104.80
PK	5.3556G	70.04	74.00	-3.96	8.28	3	Vertical	356	1.87	-	61.76
AV	5.3508G	53.07	54.00	-0.93	8.28	3	Vertical	356	1.87	-	44.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3284G	108.41	Inf	-Inf	8.25	3	Horizontal	43	1.09	-	100.16
AV	5.329G	95.14	Inf	-Inf	8.25	3	Horizontal	43	1.09	-	86.89
PK	5.3556G	60.85	74.00	-13.15	8.28	3	Horizontal	43	1.09	-	52.57
AV	5.3516G	45.94	54.00	-8.06	8.28	3	Horizontal	43	1.09	-	37.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95478G	54.54	74.00	-19.46	14.98	3	Vertical	15	1.62	-	39.56
AV	15.9495G	40.85	54.00	-13.15	14.99	3	Vertical	15	1.62	-	25.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5320MHz_TX




EUT X_4TX
Setting 63
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.97044G	53.52	74.00	-20.48	14.94	3	Horizontal	153	2.25	-	38.58
AV	15.96024G	40.21	54.00	-13.79	14.97	3	Horizontal	153	2.25	-	25.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5500MHz_TX




EUT X_4TX
Setting 53
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4598G	61.04	74.00	-12.96	8.45	3	Vertical	12	2.45	-	52.59
AV	5.459G	47.33	54.00	-6.67	8.45	3	Vertical	12	2.45	-	38.88
PK	5.4698G	67.68	68.20	-0.52	8.46	3	Vertical	12	2.45	-	59.22
PK	5.5054G	117.26	Inf	-Inf	8.52	3	Vertical	12	2.45	-	108.74
AV	5.507G	101.61	Inf	-Inf	8.52	3	Vertical	12	2.45	-	93.09

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5500MHz_TX




EUT X_4TX
Setting 53
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.453G	58.30	74.00	-15.70	8.44	3	Horizontal	55	1.85	-	49.86
AV	5.4542G	45.38	54.00	-8.62	8.44	3	Horizontal	55	1.85	-	36.94
PK	5.4612G	57.61	68.20	-10.59	8.45	3	Horizontal	55	1.85	-	49.16
PK	5.5084G	102.24	Inf	-Inf	8.53	3	Horizontal	55	1.85	-	93.71
AV	5.5072G	89.02	Inf	-Inf	8.52	3	Horizontal	55	1.85	-	80.50

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5500MHz_TX




EUT X_4TX
Setting 53
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00528G	53.77	74.00	-20.23	14.26	3	Vertical	243	2.03	-	39.51
AV	11.015G	39.69	54.00	-14.31	14.28	3	Vertical	243	2.03	-	25.41
PK	16.51374G	56.75	68.20	-11.45	17.14	3	Vertical	95	2.55	-	39.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5500MHz_TX




EUT X_4TX
Setting 53
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01194G	52.71	74.00	-21.29	14.28	3	Horizontal	156	2.15	-	38.43
AV	11.0081G	39.54	54.00	-14.46	14.27	3	Horizontal	156	2.15	-	25.27
PK	16.5066G	57.45	68.20	-10.75	17.12	3	Horizontal	264	2.88	-	40.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5580MHz_TX




EUT_X_4TX
Setting 97
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	66.65	74.00	-7.35	8.44	3	Vertical	358	1.84	-	58.21
PK	5.4632G	67.63	68.20	-0.57	8.45	3	Vertical	358	1.84	-	59.18
AV	5.4592G	51.07	54.00	-2.93	8.45	3	Vertical	358	1.84	-	42.62
PK	5.5816G	129.96	Inf	-Inf	8.57	3	Vertical	358	1.84	-	121.39
AV	5.5872G	119.17	Inf	-Inf	8.57	3	Vertical	358	1.84	-	110.60
PK	5.7264G	64.85	68.20	-3.35	8.79	3	Vertical	358	1.84	-	56.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5580MHz_TX




EUT_X_4TX
Setting 97
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4168G	57.50	74.00	-16.50	8.37	3	Horizontal	318	1.03	-	49.13
AV	5.4192G	45.53	54.00	-8.47	8.37	3	Horizontal	318	1.03	-	37.16
PK	5.4624G	57.72	68.20	-10.48	8.45	3	Horizontal	318	1.03	-	49.27
PK	5.5792G	113.71	Inf	-Inf	8.57	3	Horizontal	318	1.03	-	105.14
AV	5.5784G	102.21	Inf	-Inf	8.57	3	Horizontal	318	1.03	-	93.64
PK	5.7552G	58.99	68.20	-9.21	8.83	3	Horizontal	318	1.03	-	50.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5580MHz_TX




EUT X_4TX
Setting 97
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.166G	55.13	74.00	-18.87	14.47	3	Vertical	306	2.09	-	40.66
AV	11.1675G	40.67	54.00	-13.33	14.47	3	Vertical	306	2.09	-	26.20
PK	16.73748G	60.83	68.20	-7.37	18.14	3	Vertical	253	1.57	-	42.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5580MHz_TX




EUT X_4TX
Setting 97
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15328G	52.71	74.00	-21.29	14.45	3	Horizontal	51	1.09	-	38.26
AV	11.1669G	39.64	54.00	-14.36	14.47	3	Horizontal	51	1.09	-	25.17
PK	16.7331G	61.82	68.20	-6.38	18.13	3	Horizontal	101	2.99	-	43.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5700MHz_TX




EUT X_4TX
Setting 48
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6912G	119.55	Inf	-Inf	8.73	3	Vertical	4	1.85	-	110.82
AV	5.6926G	107.16	Inf	-Inf	8.74	3	Vertical	4	1.85	-	98.42
PK	5.7254G	67.47	68.20	-0.73	8.79	3	Vertical	4	1.85	-	58.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5700MHz_TX




EUT X_4TX
Setting 48
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6992G	103.54	Inf	-Inf	8.75	3	Horizontal	305	2.08	-	94.79
AV	5.6984G	90.93	Inf	-Inf	8.75	3	Horizontal	305	2.08	-	82.18
PK	5.743G	58.69	68.20	-9.51	8.82	3	Horizontal	305	2.08	-	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5700MHz_TX




EUT X_4TX
Setting 48
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39628G	53.49	74.00	-20.51	14.77	3	Vertical	299	1.52	-	38.72
AV	11.41128G	40.16	54.00	-13.84	14.79	3	Vertical	299	1.52	-	25.37
PK	17.08578G	58.96	68.20	-9.24	19.81	3	Vertical	18	1.85	-	39.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5700MHz_TX




EUT X_4TX
Setting 48
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40144G	53.56	74.00	-20.44	14.77	3	Horizontal	266	2.43	-	38.79
AV	11.41266G	39.99	54.00	-14.01	14.79	3	Horizontal	266	2.43	-	25.20
PK	17.0895G	59.18	68.20	-9.02	19.84	3	Horizontal	333	2.80	-	39.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 98
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4224G	61.90	74.00	-12.10	8.38	3	Vertical	344	1.84	-	53.52
PK	5.4608G	61.52	68.20	-6.68	8.45	3	Vertical	344	1.84	-	53.07
AV	5.4536G	48.41	54.00	-5.59	8.44	3	Vertical	344	1.84	-	39.97
PK	5.7212G	126.77	Inf	-Inf	8.78	3	Vertical	344	1.84	-	117.99
AV	5.714G	115.28	Inf	-Inf	8.77	3	Vertical	344	1.84	-	106.51
PK	5.85G	67.59	68.20	-0.61	8.90	3	Vertical	344	1.84	-	58.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 98
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4452G	57.64	74.00	-16.36	8.42	3	Horizontal	302	1.97	-	49.22
AV	5.4212G	45.37	54.00	-8.63	8.38	3	Horizontal	302	1.97	-	36.99
PK	5.4692G	57.24	68.20	-10.96	8.46	3	Horizontal	302	1.97	-	48.78
PK	5.7104G	112.07	Inf	-Inf	8.77	3	Horizontal	302	1.97	-	103.30
AV	5.7104G	100.30	Inf	-Inf	8.77	3	Horizontal	302	1.97	-	91.53
PK	5.8688G	59.04	68.20	-9.16	8.91	3	Horizontal	302	1.97	-	50.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 98
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4346G	54.92	74.00	-19.08	14.82	3	Vertical	92	1.57	-	40.10
AV	11.446G	41.66	54.00	-12.34	14.84	3	Vertical	92	1.57	-	26.82
PK	17.17446G	62.00	68.20	-6.20	20.35	3	Vertical	114	1.51	-	41.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 98
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43496G	56.28	74.00	-17.72	14.82	3	Horizontal	136	1.61	-	41.46
AV	11.43772G	43.25	54.00	-10.75	14.82	3	Horizontal	136	1.61	-	28.43
PK	17.16966G	62.53	68.20	-5.67	20.33	3	Horizontal	126	2.92	-	42.20

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5270MHz_TX




EUT X_4TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	62.47	74.00	-11.53	7.94	3	Vertical	359	2.25	-	54.53
AV	5.1482G	49.93	54.00	-4.07	7.94	3	Vertical	359	2.25	-	41.99
PK	5.2676G	120.68	Inf	-Inf	8.16	3	Vertical	359	2.25	-	112.52
AV	5.255G	109.63	Inf	-Inf	8.15	3	Vertical	359	2.25	-	101.48
PK	5.3516G	67.89	74.00	-6.11	8.28	3	Vertical	359	2.25	-	59.61
AV	5.35G	53.31	54.00	-0.69	8.28	3	Vertical	359	2.25	-	45.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5270MHz_TX




EUT_X_4TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1338G	57.96	74.00	-16.04	7.92	3	Horizontal	45	1.03	-	50.04
AV	5.1236G	45.37	54.00	-8.63	7.89	3	Horizontal	45	1.03	-	37.48
PK	5.2598G	107.91	Inf	-Inf	8.15	3	Horizontal	45	1.03	-	99.76
AV	5.255G	95.58	Inf	-Inf	8.15	3	Horizontal	45	1.03	-	87.43
PK	5.3744G	58.32	74.00	-15.68	8.30	3	Horizontal	45	1.03	-	50.02
AV	5.3708G	45.74	54.00	-8.26	8.30	3	Horizontal	45	1.03	-	37.44

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5270MHz_TX




EUT X_4TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80592G	56.53	74.00	-17.47	15.37	3	Vertical	133	1.40	-	41.16
AV	15.80424G	42.97	54.00	-11.03	15.38	3	Vertical	133	1.40	-	27.59

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5270MHz_TX




EUT X_4TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.79068G	54.52	74.00	-19.48	15.41	3	Horizontal	164	2.52	-	39.11
AV	15.78432G	41.46	54.00	-12.54	15.43	3	Horizontal	164	2.52	-	26.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5310MHz_TX




EUT X_4TX
Setting 47
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3116G	117.99	Inf	-Inf	8.22	3	Vertical	359	2.15	-	109.77
AV	5.3112G	106.14	Inf	-Inf	8.22	3	Vertical	359	2.15	-	97.92
PK	5.35G	67.64	74.00	-6.36	8.28	3	Vertical	359	2.15	-	59.36
AV	5.3532G	53.29	54.00	-0.71	8.28	3	Vertical	359	2.15	-	45.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5310MHz_TX




EUT_X_4TX
Setting 47
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2996G	102.03	Inf	-Inf	8.21	3	Horizontal	42	1.79	-	93.82
AV	5.2984G	89.23	Inf	-Inf	8.21	3	Horizontal	42	1.79	-	81.02
PK	5.3544G	58.43	74.00	-15.57	8.28	3	Horizontal	42	1.79	-	50.15
AV	5.384G	45.60	54.00	-8.40	8.32	3	Horizontal	42	1.79	-	37.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5310MHz_TX




EUT X_4TX
Setting 47
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60136G	53.39	74.00	-20.61	14.51	3	Vertical	256	1.07	-	38.88
AV	10.63104G	40.42	54.00	-13.58	14.49	3	Vertical	256	1.07	-	25.93
PK	15.92028G	54.12	74.00	-19.88	15.06	3	Vertical	157	1.48	-	39.06
AV	15.93624G	41.11	54.00	-12.89	15.02	3	Vertical	157	1.48	-	26.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5310MHz_TX




EUT X_4TX
Setting 47
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61652G	53.39	74.00	-20.61	14.50	3	Horizontal	132	1.63	-	38.89
AV	10.61856G	40.24	54.00	-13.76	14.50	3	Horizontal	132	1.63	-	25.74
PK	15.94332G	55.10	74.00	-18.90	15.00	3	Horizontal	244	2.04	-	40.10
AV	15.94848G	40.95	54.00	-13.05	14.99	3	Horizontal	244	2.04	-	25.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5510MHz_TX




EUT_X_4TX
Setting 47
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4566G	61.91	74.00	-12.09	8.44	3	Vertical	355	1.64	-	53.47
AV	5.46G	48.15	54.00	-5.85	8.45	3	Vertical	355	1.64	-	39.70
PK	5.4686G	67.29	68.20	-0.91	8.46	3	Vertical	355	1.64	-	58.83
PK	5.501G	113.90	Inf	-Inf	8.52	3	Vertical	355	1.64	-	105.38
AV	5.5088G	100.80	Inf	-Inf	8.53	3	Vertical	355	1.64	-	92.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5510MHz_TX




EUT X_4TX
Setting 47
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.381G	58.26	74.00	-15.74	8.32	3	Horizontal	52	2.03	-	49.94
PK	5.468G	57.99	68.20	-10.21	8.46	3	Horizontal	52	2.03	-	49.53
AV	5.4344G	45.54	54.00	-8.46	8.40	3	Horizontal	52	2.03	-	37.14
PK	5.5064G	98.50	Inf	-Inf	8.52	3	Horizontal	52	2.03	-	89.98
AV	5.5076G	86.43	Inf	-Inf	8.52	3	Horizontal	52	2.03	-	77.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5510MHz_TX




EUT X_4TX
Setting 47
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02396G	53.47	74.00	-20.53	14.29	3	Vertical	44	2.28	-	39.18
AV	11.01736G	40.37	54.00	-13.63	14.28	3	Vertical	44	2.28	-	26.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5510MHz_TX




EUT X_4TX
Setting 47
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99756G	54.04	74.00	-19.96	14.26	3	Horizontal	14	1.18	-	39.78
AV	11.02888G	40.29	54.00	-13.71	14.30	3	Horizontal	14	1.18	-	25.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5550MHz_TX




EUT X_4TX
Setting 70
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	66.17	74.00	-7.83	8.45	3	Vertical	350	1.85	-	57.72
AV	5.4594G	51.63	54.00	-2.37	8.45	3	Vertical	350	1.85	-	43.18
PK	5.4672G	67.56	68.20	-0.64	8.46	3	Vertical	350	1.85	-	59.10
PK	5.5446G	122.95	Inf	-Inf	8.55	3	Vertical	350	1.85	-	114.40
AV	5.5674G	110.39	Inf	-Inf	8.56	3	Vertical	350	1.85	-	101.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5550MHz_TX




EUT_X_4TX
Setting 70
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4462G	58.25	74.00	-15.75	8.42	3	Horizontal	52	2.09	-	49.83
AV	5.442G	45.56	54.00	-8.44	8.41	3	Horizontal	52	2.09	-	37.15
PK	5.4618G	58.02	68.20	-10.18	8.45	3	Horizontal	52	2.09	-	49.57
PK	5.5602G	107.36	Inf	-Inf	8.56	3	Horizontal	52	2.09	-	98.80
AV	5.553G	95.19	Inf	-Inf	8.55	3	Horizontal	52	2.09	-	86.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5550MHz_TX




EUT X_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.088G	52.95	74.00	-21.05	14.38	3	Vertical	87	1.39	-	38.57
AV	11.0754G	39.90	54.00	-14.10	14.36	3	Vertical	87	1.39	-	25.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5550MHz_TX




EUT X_4TX
 Setting 70
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0916G	53.17	74.00	-20.83	14.38	3	Horizontal	62	1.31	-	38.79
AV	11.07984G	39.85	54.00	-14.15	14.36	3	Horizontal	62	1.31	-	25.49

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5670MHz_TX




EUT X_4TX
Setting 53
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.68G	119.00	Inf	-Inf	8.72	3	Vertical	12	2.17	-	110.28
AV	5.678G	105.93	Inf	-Inf	8.72	3	Vertical	12	2.17	-	97.21
PK	5.7252G	67.45	68.20	-0.75	8.79	3	Vertical	12	2.17	-	58.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5670MHz_TX




EUT X_4TX
Setting 53
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6596G	101.71	Inf	-Inf	8.68	3	Horizontal	321	1.22	-	93.03
AV	5.6672G	90.36	Inf	-Inf	8.69	3	Horizontal	321	1.22	-	81.67
PK	5.7504G	58.86	68.20	-9.34	8.83	3	Horizontal	321	1.22	-	50.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5670MHz_TX




EUT X_4TX
Setting 53
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.31432G	53.01	74.00	-20.99	14.67	3	Vertical	234	1.40	-	38.34
AV	11.36904G	40.07	54.00	-13.93	14.75	3	Vertical	234	1.40	-	25.32

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5670MHz_TX




EUT X_4TX
Setting 53
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.36832G	53.40	74.00	-20.60	14.74	3	Horizontal	52	1.31	-	38.66
AV	11.36844G	40.26	54.00	-13.74	14.74	3	Horizontal	52	1.31	-	25.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.44G	61.54	74.00	-12.46	8.41	3	Vertical	10	2.34	-	53.13
AV	5.4172G	48.68	54.00	-5.32	8.37	3	Vertical	10	2.34	-	40.31
PK	5.4616G	60.74	68.20	-7.46	8.45	3	Vertical	10	2.34	-	52.29
PK	5.692G	124.67	Inf	-Inf	8.74	3	Vertical	10	2.34	-	115.93
AV	5.692G	111.58	Inf	-Inf	8.74	3	Vertical	10	2.34	-	102.84
PK	5.8732G	67.37	68.20	-0.83	8.91	3	Vertical	10	2.34	-	58.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.428G	57.88	74.00	-16.12	8.40	3	Horizontal	303	2.00	-	49.48
AV	5.4424G	45.57	54.00	-8.43	8.42	3	Horizontal	303	2.00	-	37.15
PK	5.4652G	57.94	68.20	-10.26	8.45	3	Horizontal	303	2.00	-	49.49
PK	5.6992G	109.24	Inf	-Inf	8.75	3	Horizontal	303	2.00	-	100.49
AV	5.7004G	96.22	Inf	-Inf	8.75	3	Horizontal	303	2.00	-	87.47
PK	5.9368G	58.70	68.20	-9.50	8.93	3	Horizontal	303	2.00	-	49.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41592G	54.38	74.00	-19.62	14.79	3	Vertical	264	2.43	-	39.59
AV	11.42G	41.15	54.00	-12.85	14.80	3	Vertical	264	2.43	-	26.35
PK	17.1228G	60.52	68.20	-7.68	20.04	3	Vertical	114	1.63	-	40.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

28/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40152G	53.92	74.00	-20.08	14.77	3	Horizontal	29	2.65	-	39.15
AV	11.4272G	40.69	54.00	-13.31	14.81	3	Horizontal	29	2.65	-	25.88
PK	17.15124G	59.90	68.20	-8.30	20.20	3	Horizontal	152	1.48	-	39.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5290MHz_TX




EUT_X_4TX
Setting 45
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	60.10	74.00	-13.90	7.92	3	Vertical	344	2.23	-	52.18
AV	5.1492G	47.48	54.00	-6.52	7.94	3	Vertical	344	2.23	-	39.54
PK	5.3116G	112.87	Inf	-Inf	8.22	3	Vertical	344	2.23	-	104.65
AV	5.3084G	100.37	Inf	-Inf	8.22	3	Vertical	344	2.23	-	92.15
PK	5.3532G	66.83	74.00	-7.17	8.28	3	Vertical	344	2.23	-	58.55
AV	5.3508G	53.40	54.00	-0.60	8.28	3	Vertical	344	2.23	-	45.12
PK	5.4636G	59.18	68.20	-9.02	8.45	3	Vertical	344	2.23	-	50.73

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5290MHz_TX



EUT_X_4TX
Setting 45
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	57.92	74.00	-16.08	7.94	3	Horizontal	44	1.01	-	49.98
AV	5.0908G	45.05	54.00	-8.95	7.82	3	Horizontal	44	1.01	-	37.23
PK	5.2732G	98.97	Inf	-Inf	8.17	3	Horizontal	44	1.01	-	90.80
AV	5.274G	86.44	Inf	-Inf	8.17	3	Horizontal	44	1.01	-	78.27
PK	5.3988G	58.31	74.00	-15.69	8.34	3	Horizontal	44	1.01	-	49.97
AV	5.3508G	45.41	54.00	-8.59	8.28	3	Horizontal	44	1.01	-	37.13
PK	5.4676G	57.38	68.20	-10.82	8.46	3	Horizontal	44	1.01	-	48.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5290MHz_TX




EUT X_4TX
Setting 45
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.84792G	53.63	74.00	-20.37	15.26	3	Vertical	95	1.80	-	38.37
AV	15.84672G	40.16	54.00	-13.84	15.26	3	Vertical	95	1.80	-	24.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5290MHz_TX




EUT X_4TX
Setting 45
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8532G	54.04	74.00	-19.96	15.25	3	Horizontal	3	2.59	-	38.79
AV	15.84744G	40.27	54.00	-13.73	15.26	3	Horizontal	3	2.59	-	25.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5530MHz_TX




EUT_X_4TX
Setting 49
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.337G	59.09	68.20	-9.11	8.26	3	Vertical	28	2.13	-	50.83
PK	5.459G	65.96	74.00	-8.04	8.45	3	Vertical	28	2.13	-	57.51
AV	5.46G	48.60	54.00	-5.40	8.45	3	Vertical	28	2.13	-	40.15
PK	5.464G	67.68	68.20	-0.52	8.45	3	Vertical	28	2.13	-	59.23
PK	5.523G	111.43	Inf	-Inf	8.53	3	Vertical	28	2.13	-	102.90
AV	5.525G	98.71	Inf	-Inf	8.53	3	Vertical	28	2.13	-	90.18
PK	5.733G	59.58	68.20	-8.62	8.80	3	Vertical	28	2.13	-	50.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5530MHz_TX




EUT_X_4TX
Setting 49
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.34G	57.83	68.20	-10.37	8.26	3	Horizontal	56	2.04	-	49.57
PK	5.452G	57.96	74.00	-16.04	8.44	3	Horizontal	56	2.04	-	49.52
AV	5.439G	45.15	54.00	-8.85	8.41	3	Horizontal	56	2.04	-	36.74
PK	5.464G	57.10	68.20	-11.10	8.45	3	Horizontal	56	2.04	-	48.65
PK	5.549G	97.10	Inf	-Inf	8.55	3	Horizontal	56	2.04	-	88.55
AV	5.552G	84.62	Inf	-Inf	8.55	3	Horizontal	56	2.04	-	76.07
PK	5.761G	58.62	68.20	-9.58	8.85	3	Horizontal	56	2.04	-	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5530MHz_TX




EUT X_4TX
Setting 49
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03456G	53.55	74.00	-20.45	14.31	3	Vertical	195	2.99	-	39.24
AV	11.03012G	39.56	54.00	-14.44	14.30	3	Vertical	195	2.99	-	25.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5530MHz_TX




EUT X_4TX
Setting 49
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.04152G	53.08	74.00	-20.92	14.31	3	Horizontal	42	2.53	-	38.77
AV	11.03408G	39.49	54.00	-14.51	14.31	3	Horizontal	42	2.53	-	25.18

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5610MHz_TX




EUT X_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.453G	61.75	74.00	-12.25	8.44	3	Vertical	5	1.85	-	53.31
AV	5.459G	49.03	54.00	-4.97	8.45	3	Vertical	5	1.85	-	40.58
PK	5.467G	63.10	68.20	-5.10	8.46	3	Vertical	5	1.85	-	54.64
PK	5.603G	119.88	Inf	-Inf	8.58	3	Vertical	5	1.85	-	111.30
AV	5.599G	106.77	Inf	-Inf	8.58	3	Vertical	5	1.85	-	98.19
PK	5.733G	67.54	68.20	-0.66	8.80	3	Vertical	5	1.85	-	58.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5610MHz_TX




EUT_X_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.369G	58.04	74.00	-15.96	8.30	3	Horizontal	329	1.03	-	49.74
PK	5.464G	57.12	68.20	-11.08	8.45	3	Horizontal	329	1.03	-	48.67
AV	5.44G	45.15	54.00	-8.85	8.41	3	Horizontal	329	1.03	-	36.74
PK	5.646G	101.85	Inf	-Inf	8.66	3	Horizontal	329	1.03	-	93.19
AV	5.58G	88.64	Inf	-Inf	8.57	3	Horizontal	329	1.03	-	80.07
PK	5.726G	59.43	68.20	-8.77	8.79	3	Horizontal	329	1.03	-	50.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5610MHz_TX




EUT X_4TX
 Setting 61
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2344G	53.09	74.00	-20.91	14.56	3	Vertical	298	2.49	-	38.53
AV	11.24448G	39.24	54.00	-14.76	14.58	3	Vertical	298	2.49	-	24.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5610MHz_TX




EUT X_4TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22828G	53.89	74.00	-20.11	14.55	3	Horizontal	150	2.16	-	39.34
AV	11.24004G	39.18	54.00	-14.82	14.57	3	Horizontal	150	2.16	-	24.61

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 70
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6612G	119.59	Inf	-Inf	8.69	3	Vertical	10	1.84	-	110.90
AV	5.6772G	106.62	Inf	-Inf	8.72	3	Vertical	10	1.84	-	97.90
PK	5.8516G	67.65	68.20	-0.55	8.90	3	Vertical	10	1.84	-	58.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 70
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6804G	99.28	Inf	-Inf	8.72	3	Horizontal	55	1.36	-	90.56
AV	5.6804G	86.56	Inf	-Inf	8.72	3	Horizontal	55	1.36	-	77.84
PK	5.8556G	59.58	68.20	-8.62	8.90	3	Horizontal	55	1.36	-	50.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40184G	53.61	74.00	-20.39	14.77	3	Vertical	196	2.11	-	38.84
AV	11.40016G	39.89	54.00	-14.11	14.77	3	Vertical	196	2.11	-	25.12
PK	17.07156G	58.87	68.20	-9.33	19.73	3	Vertical	319	2.63	-	39.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3752G	53.39	74.00	-20.61	14.74	3	Horizontal	126	2.35	-	38.65
AV	11.39836G	39.83	54.00	-14.17	14.77	3	Horizontal	126	2.35	-	25.06
PK	17.07648G	58.53	68.20	-9.67	19.77	3	Horizontal	86	2.17	-	38.76

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

28/10/2019

5250MHz_TX




EUT_X_4TX
Setting 44
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	73.48	74.00	-0.52	7.92	3	Vertical	22	1.94	-	65.56
AV	5.146G	48.53	54.00	-5.47	7.94	3	Vertical	22	1.94	-	40.59
PK	5.2772G	108.84	Inf	-Inf	8.17	3	Vertical	22	1.94	-	100.67
AV	5.274G	95.67	Inf	-Inf	8.17	3	Vertical	22	1.94	-	87.50
PK	5.3844G	70.74	74.00	-3.26	8.32	3	Vertical	22	1.94	-	62.42
AV	5.354G	49.38	54.00	-4.62	8.28	3	Vertical	22	1.94	-	41.10
PK	5.5124G	60.67	68.20	-7.53	8.53	3	Vertical	22	1.94	-	52.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

28/10/2019

5250MHz_TX




EUT_X_4TX
Setting 44
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1412G	58.53	74.00	-15.47	7.94	3	Horizontal	39	2.17	-	50.59
AV	5.1444G	45.58	54.00	-8.42	7.94	3	Horizontal	39	2.17	-	37.64
PK	5.1828G	99.45	Inf	-Inf	8.02	3	Horizontal	39	2.17	-	91.43
AV	5.1844G	84.48	Inf	-Inf	8.03	3	Horizontal	39	2.17	-	76.45
PK	5.378G	58.67	74.00	-15.33	8.32	3	Horizontal	39	2.17	-	50.35
AV	5.4084G	45.43	54.00	-8.57	8.35	3	Horizontal	39	2.17	-	37.08
PK	5.5076G	58.21	68.20	-9.99	8.52	3	Horizontal	39	2.17	-	49.69

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

28/10/2019

5250MHz_TX




EUT X_4TX
Setting 44
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7246G	54.51	74.00	-19.49	15.59	3	Vertical	141	1.97	-	38.92
AV	15.7156G	41.52	54.00	-12.48	15.61	3	Vertical	141	1.97	-	25.91

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

28/10/2019

5250MHz_TX




EUT X_4TX
Setting 44
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7236G	54.75	74.00	-19.25	15.59	3	Horizontal	248	1.49	-	39.16
AV	15.7204G	41.56	54.00	-12.44	15.60	3	Horizontal	248	1.49	-	25.96

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

28/10/2019

5570MHz_TX




EUT X_4TX
Setting 39
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3396G	58.42	68.20	-9.78	8.26	3	Vertical	342	1.85	-	50.16
PK	5.4564G	60.64	74.00	-13.36	8.44	3	Vertical	342	1.85	-	52.20
AV	5.426G	46.75	54.00	-7.25	8.39	3	Vertical	342	1.85	-	38.36
PK	5.4692G	67.69	68.20	-0.51	8.46	3	Vertical	342	1.85	-	59.23
PK	5.5012G	109.63	Inf	-Inf	8.52	3	Vertical	342	1.85	-	101.11
AV	5.586G	96.03	Inf	-Inf	8.57	3	Vertical	342	1.85	-	87.46
PK	5.738G	60.13	68.20	-8.07	8.80	3	Vertical	342	1.85	-	51.33

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

28/10/2019

5570MHz_TX




EUT_X_4TX
Setting 39
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2468G	58.19	68.20	-10.01	8.13	3	Horizontal	55	2.01	-	50.06
PK	5.3716G	57.96	74.00	-16.04	8.30	3	Horizontal	55	2.01	-	49.66
PK	5.4676G	57.26	68.20	-10.94	8.46	3	Horizontal	55	2.01	-	48.80
AV	5.4212G	45.37	54.00	-8.63	8.38	3	Horizontal	55	2.01	-	36.99
PK	5.5508G	92.05	Inf	-Inf	8.55	3	Horizontal	55	2.01	-	83.50
AV	5.5556G	80.83	Inf	-Inf	8.55	3	Horizontal	55	2.01	-	72.28
PK	5.7652G	59.59	68.20	-8.61	8.84	3	Horizontal	55	2.01	-	50.75

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

28/10/2019

5570MHz_TX




EUT X_4TX
Setting 39
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.108G	52.56	74.00	-21.44	14.41	3	Vertical	152	2.03	-	38.15
AV	11.1802G	39.57	54.00	-14.43	14.49	3	Vertical	152	2.03	-	25.08

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

28/10/2019

5570MHz_TX



EUT X_4TX
 Setting 39
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1056G	53.05	74.00	-20.95	14.40	3	Horizontal	318	2.00	-	38.65
AV	11.0904G	39.64	54.00	-14.36	14.38	3	Horizontal	318	2.00	-	25.26




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	PK	5.7264G	67.67	68.20	-0.53	4.73	3	Vertical	177	1.75	-

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5260MHz_TX




EUT_X_4TX
Setting 96
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	64.21	74.00	-9.79	5.11	3	Vertical	176	1.48	-	59.10
AV	5.1442G	52.67	54.00	-1.33	5.11	3	Vertical	176	1.48	-	47.56
PK	5.2663G	126.79	Inf	-Inf	5.39	3	Vertical	176	1.48	-	121.40
AV	5.2582G	113.89	Inf	-Inf	5.35	3	Vertical	176	1.48	-	108.54
PK	5.3506G	66.73	74.00	-7.27	5.44	3	Vertical	176	1.48	-	61.29
AV	5.3665G	53.43	54.00	-0.57	5.40	3	Vertical	176	1.48	-	48.03

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5260MHz_TX




EUT_X_4TX
Setting 96
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.137G	58.20	74.00	-15.80	5.11	3	Horizontal	242	1.50	-	53.09
AV	5.1481G	46.22	54.00	-7.78	5.11	3	Horizontal	242	1.50	-	41.11
PK	5.2555G	112.99	Inf	-Inf	5.34	3	Horizontal	242	1.50	-	107.65
AV	5.2615G	100.82	Inf	-Inf	5.36	3	Horizontal	242	1.50	-	95.46
PK	5.3704G	57.98	74.00	-16.02	5.40	3	Horizontal	242	1.50	-	52.58
AV	5.3515G	46.46	54.00	-7.54	5.44	3	Horizontal	242	1.50	-	41.02

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5260MHz_TX




EUT X_4TX
Setting 96
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78472G	58.66	74.00	-15.34	15.16	3	Vertical	266	1.95	-	43.50
AV	15.78446G	46.12	54.00	-7.88	15.16	3	Vertical	266	1.95	-	30.96

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5260MHz_TX




EUT X_4TX
Setting 96
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7864G	58.59	74.00	-15.41	15.16	3	Horizontal	89	1.53	-	43.43
AV	15.78674G	46.01	54.00	-7.99	15.15	3	Horizontal	89	1.53	-	30.86

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3062G	122.32	Inf	-Inf	5.52	3	Vertical	177	1.57	-	116.80
AV	5.298G	110.12	Inf	-Inf	5.52	3	Vertical	177	1.57	-	104.60
PK	5.3546G	67.34	74.00	-6.66	5.43	3	Vertical	177	1.57	-	61.91
AV	5.3504G	53.38	54.00	-0.62	5.44	3	Vertical	177	1.57	-	47.94

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.296G	107.54	Inf	-Inf	5.51	3	Horizontal	234	1.55	-	102.03
AV	5.2976G	96.36	Inf	-Inf	5.52	3	Horizontal	234	1.55	-	90.84
PK	5.3816G	59.15	74.00	-14.85	5.38	3	Horizontal	234	1.55	-	53.77
AV	5.3536G	46.28	54.00	-7.72	5.43	3	Horizontal	234	1.55	-	40.85

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9096G	60.07	74.00	-13.93	15.05	3	Vertical	338	1.27	-	45.02
AV	15.90944G	47.71	54.00	-6.29	15.05	3	Vertical	338	1.27	-	32.66

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5300MHz_TX




EUT X_4TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90556G	60.11	74.00	-13.89	15.06	3	Horizontal	66	1.94	-	45.05
AV	15.90554G	47.33	54.00	-6.67	15.06	3	Horizontal	66	1.94	-	32.27

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 62
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3159G	117.40	Inf	-Inf	5.50	3	Vertical	178	1.45	-	111.90
AV	5.3182G	105.17	Inf	-Inf	5.50	3	Vertical	178	1.45	-	99.67
PK	5.3503G	69.77	74.00	-4.23	5.44	3	Vertical	178	1.45	-	64.33
AV	5.3502G	52.74	54.00	-1.26	5.44	3	Vertical	178	1.45	-	47.30

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 62
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3265G	102.65	Inf	-Inf	5.48	3	Horizontal	229	1.74	-	97.17
AV	5.3284G	91.66	Inf	-Inf	5.47	3	Horizontal	229	1.74	-	86.19
PK	5.3653G	58.81	74.00	-15.19	5.40	3	Horizontal	229	1.74	-	53.41
AV	5.3503G	46.36	54.00	-7.64	5.44	3	Horizontal	229	1.74	-	40.92

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 62
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96574G	60.98	74.00	-13.02	15.01	3	Vertical	269	2.05	-	45.97
AV	15.96626G	47.83	54.00	-6.17	15.01	3	Vertical	269	2.05	-	32.82

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5320MHz_TX




EUT X_4TX
Setting 62
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96682G	60.70	74.00	-13.30	15.01	3	Horizontal	259	1.93	-	45.69
AV	15.96602G	48.01	54.00	-5.99	15.01	3	Horizontal	259	1.93	-	33.00

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5500MHz_TX




EUT_X_4TX
Setting 59
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.453G	60.95	74.00	-13.05	5.21	3	Vertical	179	1.66	-	55.74
AV	5.4577G	48.94	54.00	-5.06	5.20	3	Vertical	179	1.66	-	43.74
PK	5.47G	67.53	68.20	-0.67	5.18	3	Vertical	179	1.66	-	62.35
PK	5.5032G	117.18	Inf	-Inf	5.12	3	Vertical	179	1.66	-	112.06
AV	5.4962G	104.84	Inf	-Inf	5.13	3	Vertical	179	1.66	-	99.71

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5500MHz_TX




EUT X_4TX
Setting 59
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	58.58	74.00	-15.42	5.21	3	Horizontal	224	1.78	-	53.37
AV	5.4508G	45.88	54.00	-8.12	5.22	3	Horizontal	224	1.78	-	40.66
PK	5.4662G	57.75	68.20	-10.45	5.19	3	Horizontal	224	1.78	-	52.56
PK	5.5037G	103.47	Inf	-Inf	5.12	3	Horizontal	224	1.78	-	98.35
AV	5.498G	90.63	Inf	-Inf	5.12	3	Horizontal	224	1.78	-	85.51

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5500MHz_TX




EUT X_4TX
Setting 59
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00816G	54.20	74.00	-19.80	12.54	3	Vertical	145	2.36	-	41.66
AV	11.00518G	41.27	54.00	-12.73	12.54	3	Vertical	145	2.36	-	28.73

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5500MHz_TX




EUT X_4TX
Setting 59
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00475G	53.68	74.00	-20.32	12.54	3	Horizontal	81	2.22	-	41.14
AV	11.00476G	41.17	54.00	-12.83	12.54	3	Horizontal	81	2.22	-	28.63

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5580MHz_TX




EUT X_4TX
Setting 98
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	65.49	74.00	-8.51	5.20	3	Vertical	174	1.62	-	60.29
AV	5.4584G	51.96	54.00	-2.04	5.20	3	Vertical	174	1.62	-	46.76
PK	5.4632G	67.57	68.20	-0.63	5.19	3	Vertical	174	1.62	-	62.38
PK	5.5824G	124.38	Inf	-Inf	5.02	3	Vertical	174	1.62	-	119.36
AV	5.5764G	113.00	Inf	-Inf	5.02	3	Vertical	174	1.62	-	107.98
PK	5.7468G	63.14	68.20	-5.06	4.75	3	Vertical	174	1.62	-	58.39

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5580MHz_TX




EUT_X_4TX
Setting 98
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	58.19	74.00	-15.81	5.21	3	Horizontal	230	1.76	-	52.98
AV	5.4492G	46.48	54.00	-7.52	5.24	3	Horizontal	230	1.76	-	41.24
PK	5.464G	58.18	68.20	-10.02	5.19	3	Horizontal	230	1.76	-	52.99
PK	5.5836G	110.08	Inf	-Inf	5.01	3	Horizontal	230	1.76	-	105.07
AV	5.5772G	98.68	Inf	-Inf	5.02	3	Horizontal	230	1.76	-	93.66
PK	5.7536G	57.65	68.20	-10.55	4.75	3	Horizontal	230	1.76	-	52.90

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5580MHz_TX




EUT X_4TX
Setting 98
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16284G	54.64	74.00	-19.36	12.78	3	Vertical	187	1.09	-	41.86
AV	11.1629G	42.19	54.00	-11.81	12.78	3	Vertical	187	1.09	-	29.41
PK	16.7402G	61.57	68.20	-6.63	16.45	3	Vertical	211	2.47	-	45.12

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5580MHz_TX




EUT X_4TX
Setting 98
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1592G	53.88	74.00	-20.12	12.77	3	Horizontal	287	1.63	-	41.11
AV	11.1599G	42.11	54.00	-11.89	12.77	3	Horizontal	287	1.63	-	29.34
PK	16.7401G	61.12	68.20	-7.08	16.45	3	Horizontal	99	1.36	-	44.67

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 56
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7037G	115.54	Inf	-Inf	4.70	3	Vertical	181	1.69	-	110.84
AV	5.6966G	102.78	Inf	-Inf	4.71	3	Vertical	181	1.69	-	98.07
PK	5.7254G	67.51	68.20	-0.69	4.73	3	Vertical	181	1.69	-	62.78

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 56
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6964G	98.71	Inf	-Inf	4.71	3	Horizontal	189	1.50	-	94.00
AV	5.7025G	86.51	Inf	-Inf	4.70	3	Horizontal	189	1.50	-	81.81
PK	5.7491G	57.52	68.20	-10.68	4.75	3	Horizontal	189	1.50	-	52.77

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 56
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40996G	55.83	74.00	-18.17	13.16	3	Vertical	137	1.76	-	42.67
AV	11.40981G	43.27	54.00	-10.73	13.16	3	Vertical	137	1.76	-	30.11

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5700MHz_TX




EUT X_4TX
Setting 56
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40678G	55.49	74.00	-18.51	13.15	3	Horizontal	232	2.36	-	42.34
AV	11.40673G	42.75	54.00	-11.25	13.15	3	Horizontal	232	2.36	-	29.60

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
 Setting 102
 04-B-4-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4416G	62.57	74.00	-11.43	5.26	3	Vertical	184	1.78	-	57.31
PK	5.4662G	61.60	68.20	-6.60	5.19	3	Vertical	184	1.78	-	56.41
AV	5.4554G	49.42	54.00	-4.58	5.21	3	Vertical	184	1.78	-	44.21
PK	5.7266G	124.33	Inf	-Inf	4.73	3	Vertical	184	1.78	-	119.60
AV	5.7188G	112.77	Inf	-Inf	4.72	3	Vertical	184	1.78	-	108.05
PK	5.852G	67.52	68.20	-0.68	4.99	3	Vertical	184	1.78	-	62.53

802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

19/10/2019




EUT X_4TX
 Setting 102
 04-B-4-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4278G	57.89	74.00	-16.11	5.28	3	Horizontal	192	1.70	-	52.61
PK	5.4698G	57.44	68.20	-10.76	5.18	3	Horizontal	192	1.70	-	52.26
AV	5.4578G	45.86	54.00	-8.14	5.20	3	Horizontal	192	1.70	-	40.66
PK	5.7116G	108.71	Inf	-Inf	4.71	3	Horizontal	192	1.70	-	104.00
AV	5.7158G	98.44	Inf	-Inf	4.72	3	Horizontal	192	1.70	-	93.72
PK	5.894G	57.60	68.20	-10.60	5.14	3	Horizontal	192	1.70	-	52.46

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 102
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44034G	55.28	74.00	-18.72	13.20	3	Vertical	297	2.20	-	42.08
AV	11.44032G	44.32	54.00	-9.68	13.20	3	Vertical	297	2.20	-	31.12
PK	17.1631G	63.33	68.20	-4.87	17.54	3	Vertical	70	1.07	-	45.79

802.11ax HEW20_Nss4,(MCS0)_4TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 102
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44263G	55.70	74.00	-18.30	13.21	3	Horizontal	175	1.38	-	42.49
AV	11.44286G	43.35	54.00	-10.65	13.21	3	Horizontal	175	1.38	-	30.14
PK	17.16028G	63.11	68.20	-5.09	17.53	3	Horizontal	267	1.88	-	45.58

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5270MHz_TX




EUT X_4TX
Setting 73
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1344G	60.16	74.00	-13.84	5.11	3	Vertical	175	1.51	-	55.05
AV	5.1491G	50.23	54.00	-3.77	5.11	3	Vertical	175	1.51	-	45.12
PK	5.2589G	118.49	Inf	-Inf	5.36	3	Vertical	175	1.51	-	113.13
AV	5.2781G	106.23	Inf	-Inf	5.43	3	Vertical	175	1.51	-	100.80
PK	5.3579G	63.98	74.00	-10.02	5.42	3	Vertical	175	1.51	-	58.56
AV	5.351G	53.34	54.00	-0.66	5.44	3	Vertical	175	1.51	-	47.90

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5270MHz_TX




EUT_X_4TX
Setting 73
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	58.09	74.00	-15.91	5.11	3	Horizontal	242	1.48	-	52.98
AV	5.1311G	47.31	54.00	-6.69	5.11	3	Horizontal	242	1.48	-	42.20
PK	5.2658G	104.97	Inf	-Inf	5.39	3	Horizontal	242	1.48	-	99.58
AV	5.2727G	93.83	Inf	-Inf	5.41	3	Horizontal	242	1.48	-	88.42
PK	5.3972G	58.33	74.00	-15.67	5.35	3	Horizontal	242	1.48	-	52.98
AV	5.3579G	47.37	54.00	-6.63	5.42	3	Horizontal	242	1.48	-	41.95

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5270MHz_TX




EUT X_4TX
Setting 73
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81046G	57.71	74.00	-16.29	15.14	3	Vertical	160	1.66	-	42.57
AV	15.81036G	47.29	54.00	-6.71	15.14	3	Vertical	160	1.66	-	32.15

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5270MHz_TX




EUT X_4TX
Setting 73
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80113G	58.53	74.00	-15.47	15.14	3	Horizontal	155	1.59	-	43.39
AV	15.80112G	47.27	54.00	-6.73	15.14	3	Horizontal	155	1.59	-	32.13

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5310MHz_TX




EUT X_4TX
Setting 49
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2988G	111.94	Inf	-Inf	5.53	3	Vertical	177	1.44	-	106.41
AV	5.3182G	99.76	Inf	-Inf	5.50	3	Vertical	177	1.44	-	94.26
PK	5.35G	63.50	74.00	-10.50	5.44	3	Vertical	177	1.44	-	58.06
AV	5.353G	53.34	54.00	-0.66	5.43	3	Vertical	177	1.44	-	47.91

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5310MHz_TX




EUT X_4TX
Setting 49
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3038G	97.84	Inf	-Inf	5.52	3	Horizontal	231	1.55	-	92.32
AV	5.3004G	86.92	Inf	-Inf	5.53	3	Horizontal	231	1.55	-	81.39
PK	5.3724G	58.27	74.00	-15.73	5.39	3	Horizontal	231	1.55	-	52.88
AV	5.3564G	48.28	54.00	-5.72	5.42	3	Horizontal	231	1.55	-	42.86

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5310MHz_TX




EUT X_4TX
Setting 49
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93418G	60.72	74.00	-13.28	15.05	3	Vertical	174	2.32	-	45.67
AV	15.93446G	49.38	54.00	-4.62	15.05	3	Vertical	174	2.32	-	34.33

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5310MHz_TX




EUT X_4TX
 Setting 49
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93028G	60.42	74.00	-13.58	15.05	3	Horizontal	165	2.18	-	45.37
AV	15.9304G	49.68	54.00	-4.32	15.05	3	Horizontal	165	2.18	-	34.63

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5510MHz_TX




EUT_X_4TX
Setting 54
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	65.91	74.00	-8.09	5.21	3	Vertical	175	1.67	-	60.70
AV	5.4588G	51.68	54.00	-2.32	5.20	3	Vertical	175	1.67	-	46.48
PK	5.4678G	67.49	68.20	-0.71	5.18	3	Vertical	175	1.67	-	62.31
PK	5.5154G	113.33	Inf	-Inf	5.10	3	Vertical	175	1.67	-	108.23
AV	5.5234G	101.71	Inf	-Inf	5.09	3	Vertical	175	1.67	-	96.62

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5510MHz_TX




EUT_X_4TX
Setting 54
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.44G	58.80	74.00	-15.20	5.26	3	Horizontal	226	1.74	-	53.54
AV	5.449G	47.44	54.00	-6.56	5.24	3	Horizontal	226	1.74	-	42.20
PK	5.4648G	57.81	68.20	-10.39	5.19	3	Horizontal	226	1.74	-	52.62
PK	5.499G	99.09	Inf	-Inf	5.12	3	Horizontal	226	1.74	-	93.97
AV	5.517G	87.80	Inf	-Inf	5.09	3	Horizontal	226	1.74	-	82.71

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5510MHz_TX




EUT X_4TX
Setting 54
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0257G	54.04	74.00	-19.96	12.57	3	Vertical	100	1.13	-	41.47
AV	11.02572G	42.89	54.00	-11.11	12.57	3	Vertical	100	1.13	-	30.32

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5510MHz_TX




EUT X_4TX
Setting 54
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02012G	53.89	74.00	-20.11	12.57	3	Horizontal	342	1.93	-	41.32
AV	11.02012G	42.97	54.00	-11.03	12.57	3	Horizontal	342	1.93	-	30.40

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5550MHz_TX




EUT X_4TX
Setting 75
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4591G	65.52	74.00	-8.48	5.20	3	Vertical	176	1.53	-	60.32
AV	5.4597G	52.99	54.00	-1.01	5.20	3	Vertical	176	1.53	-	47.79
PK	5.4699G	67.58	68.20	-0.62	5.18	3	Vertical	176	1.53	-	62.40
PK	5.554G	117.93	Inf	-Inf	5.04	3	Vertical	176	1.53	-	112.89
AV	5.5527G	107.05	Inf	-Inf	5.05	3	Vertical	176	1.53	-	102.00

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5550MHz_TX




EUT X_4TX
Setting 75
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	58.73	74.00	-15.27	5.20	3	Horizontal	224	1.64	-	53.53
AV	5.4198G	47.87	54.00	-6.13	5.30	3	Horizontal	224	1.64	-	42.57
PK	5.4657G	58.27	68.20	-9.93	5.19	3	Horizontal	224	1.64	-	53.08
PK	5.5569G	103.37	Inf	-Inf	5.04	3	Horizontal	224	1.64	-	98.33
AV	5.5554G	92.77	Inf	-Inf	5.04	3	Horizontal	224	1.64	-	87.73

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5550MHz_TX




EUT X_4TX
Setting 75
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1017G	54.27	74.00	-19.73	12.68	3	Vertical	45	1.76	-	41.59
AV	11.10198G	43.41	54.00	-10.59	12.68	3	Vertical	45	1.76	-	30.73

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5550MHz_TX




EUT X_4TX
Setting 75
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10928G	54.60	74.00	-19.40	12.70	3	Horizontal	169	1.39	-	41.90
AV	11.10964G	43.23	54.00	-10.77	12.70	3	Horizontal	169	1.39	-	30.53

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5670MHz_TX




EUT X_4TX
Setting 60
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6788G	113.89	Inf	-Inf	4.75	3	Vertical	177	1.75	-	109.14
AV	5.6726G	102.04	Inf	-Inf	4.78	3	Vertical	177	1.75	-	97.26
PK	5.7264G	67.67	68.20	-0.53	4.73	3	Vertical	177	1.75	-	62.94

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5670MHz_TX




EUT X_4TX
Setting 60
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6756G	96.98	Inf	-Inf	4.76	3	Horizontal	228	1.44	-	92.22
AV	5.6824G	86.81	Inf	-Inf	4.74	3	Horizontal	228	1.44	-	82.07
PK	5.7254G	57.21	68.20	-10.99	4.73	3	Horizontal	228	1.44	-	52.48

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5670MHz_TX




EUT X_4TX
Setting 60
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34164G	56.15	74.00	-17.85	13.05	3	Vertical	124	2.26	-	43.10
AV	11.34136G	44.86	54.00	-9.14	13.05	3	Vertical	124	2.26	-	31.81

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5670MHz_TX




EUT X_4TX
Setting 60
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34238G	55.88	74.00	-18.12	13.05	3	Horizontal	174	1.85	-	42.83
AV	11.34238G	44.90	54.00	-9.10	13.05	3	Horizontal	174	1.85	-	31.85

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 93
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4454G	61.30	74.00	-12.70	5.25	3	Vertical	182	1.74	-	56.05
AV	5.4532G	50.41	54.00	-3.59	5.21	3	Vertical	182	1.74	-	45.20
PK	5.4694G	61.56	68.20	-6.64	5.18	3	Vertical	182	1.74	-	56.38
PK	5.7154G	120.60	Inf	-Inf	4.72	3	Vertical	182	1.74	-	115.88
AV	5.7088G	109.67	Inf	-Inf	4.71	3	Vertical	182	1.74	-	104.96
PK	5.851G	67.45	68.20	-0.75	4.98	3	Vertical	182	1.74	-	62.47

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 93
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4226G	57.61	74.00	-16.39	5.29	3	Horizontal	190	1.70	-	52.32
AV	5.425G	47.46	54.00	-6.54	5.29	3	Horizontal	190	1.70	-	42.17
PK	5.4604G	57.21	68.20	-10.99	5.20	3	Horizontal	190	1.70	-	52.01
PK	5.6986G	106.19	Inf	-Inf	4.70	3	Horizontal	190	1.70	-	101.49
AV	5.7052G	95.49	Inf	-Inf	4.71	3	Horizontal	190	1.70	-	90.78
PK	5.9806G	57.74	68.20	-10.46	5.20	3	Horizontal	190	1.70	-	52.54

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 93
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42442G	57.18	74.00	-16.82	13.18	3	Vertical	274	1.59	-	44.00
AV	11.42448G	45.83	54.00	-8.17	13.18	3	Vertical	274	1.59	-	32.65
PK	17.1303G	64.53	68.20	-3.67	17.42	3	Vertical	148	1.37	-	47.11

802.11ax HEW40_Nss4,(MCS0)_4TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 93
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42656G	56.29	74.00	-17.71	13.18	3	Horizontal	82	1.72	-	43.11
AV	11.42678G	45.14	54.00	-8.86	13.18	3	Horizontal	82	1.72	-	31.96
PK	17.13028G	63.96	68.20	-4.24	17.42	3	Horizontal	14	1.47	-	46.54

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5290MHz_TX




EUT_X_4TX
Setting 47
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.098G	58.72	74.00	-15.28	5.10	3	Vertical	177	1.72	-	53.62
AV	5.1476G	48.03	54.00	-5.97	5.11	3	Vertical	177	1.72	-	42.92
PK	5.2788G	108.97	Inf	-Inf	5.44	3	Vertical	177	1.72	-	103.53
AV	5.2976G	96.70	Inf	-Inf	5.52	3	Vertical	177	1.72	-	91.18
PK	5.3524G	63.57	74.00	-10.43	5.43	3	Vertical	177	1.72	-	58.14
AV	5.3552G	53.29	54.00	-0.71	5.42	3	Vertical	177	1.72	-	47.87
PK	5.4616G	59.17	68.20	-9.03	5.20	3	Vertical	177	1.72	-	53.97

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5290MHz_TX




EUT_X_4TX
Setting 47
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1076G	57.12	74.00	-16.88	5.11	3	Horizontal	239	1.56	-	52.01
AV	5.0932G	46.70	54.00	-7.30	5.08	3	Horizontal	239	1.56	-	41.62
PK	5.2824G	94.81	Inf	-Inf	5.46	3	Horizontal	239	1.56	-	89.35
AV	5.2812G	83.92	Inf	-Inf	5.45	3	Horizontal	239	1.56	-	78.47
PK	5.3624G	58.41	74.00	-15.59	5.41	3	Horizontal	239	1.56	-	53.00
AV	5.364G	47.39	54.00	-6.61	5.41	3	Horizontal	239	1.56	-	41.98
PK	5.486G	58.62	68.20	-9.58	5.15	3	Horizontal	239	1.56	-	53.47

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5290MHz_TX




EUT X_4TX
Setting 47
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87314G	59.18	74.00	-14.82	15.09	3	Vertical	269	1.55	-	44.09
AV	15.87362G	48.29	54.00	-5.71	15.09	3	Vertical	269	1.55	-	33.20

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5290MHz_TX




EUT X_4TX
Setting 47
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8775G	60.18	74.00	-13.82	15.09	3	Horizontal	66	2.30	-	45.09
AV	15.8774G	48.37	54.00	-5.63	15.09	3	Horizontal	66	2.30	-	33.28

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5530MHz_TX




EUT X_4TX
Setting 55
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3465G	59.55	68.20	-8.65	5.44	3	Vertical	177	1.71	-	54.11
PK	5.455G	63.84	74.00	-10.16	5.21	3	Vertical	177	1.71	-	58.63
AV	5.455G	53.33	54.00	-0.67	5.21	3	Vertical	177	1.71	-	48.12
PK	5.4675G	66.13	68.20	-2.07	5.19	3	Vertical	177	1.71	-	60.94
PK	5.5155G	109.83	Inf	-Inf	5.10	3	Vertical	177	1.71	-	104.73
AV	5.5185G	98.67	Inf	-Inf	5.09	3	Vertical	177	1.71	-	93.58
PK	5.767G	58.81	68.20	-9.39	4.77	3	Vertical	177	1.71	-	54.04

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5530MHz_TX




EUT_X_4TX
Setting 55
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.347G	57.78	68.20	-10.42	5.44	3	Horizontal	226	1.73	-	52.34
PK	5.4245G	58.24	74.00	-15.76	5.29	3	Horizontal	226	1.73	-	52.95
AV	5.4405G	47.82	54.00	-6.18	5.26	3	Horizontal	226	1.73	-	42.56
PK	5.4695G	57.81	68.20	-10.39	5.18	3	Horizontal	226	1.73	-	52.63
PK	5.5175G	95.99	Inf	-Inf	5.09	3	Horizontal	226	1.73	-	90.90
AV	5.517G	84.68	Inf	-Inf	5.09	3	Horizontal	226	1.73	-	79.59
PK	5.7655G	57.18	68.20	-11.02	4.77	3	Horizontal	226	1.73	-	52.41

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5530MHz_TX




EUT X_4TX
 Setting 55
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06076G	54.79	74.00	-19.21	12.63	3	Vertical	83	1.56	-	42.16
AV	11.06168G	43.36	54.00	-10.64	12.62	3	Vertical	83	1.56	-	30.74

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5530MHz_TX



EUT X_4TX
Setting 55
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05856G	55.05	74.00	-18.95	12.63	3	Horizontal	130	1.13	-	42.42
AV	11.0586G	43.72	54.00	-10.28	12.63	3	Horizontal	130	1.13	-	31.09