


802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5610MHz_TX




EUT_X_4TX
Setting 67
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	64.74	74.00	-9.26	5.21	3	Vertical	184	1.68	-	59.53
AV	5.4552G	53.31	54.00	-0.69	5.21	3	Vertical	184	1.68	-	48.10
PK	5.4624G	65.26	68.20	-2.94	5.20	3	Vertical	184	1.68	-	60.06
PK	5.5988G	113.36	Inf	-Inf	4.99	3	Vertical	184	1.68	-	108.37
AV	5.6032G	101.64	Inf	-Inf	4.98	3	Vertical	184	1.68	-	96.66
PK	5.7252G	66.66	68.20	-1.54	4.73	3	Vertical	184	1.68	-	61.93

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5610MHz_TX




EUT_X_4TX
Setting 67
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	59.04	74.00	-14.96	5.20	3	Horizontal	224	1.69	-	53.84
AV	5.4584G	47.57	54.00	-6.43	5.20	3	Horizontal	224	1.69	-	42.37
PK	5.4668G	58.48	68.20	-9.72	5.19	3	Horizontal	224	1.69	-	53.29
PK	5.5976G	99.85	Inf	-Inf	4.99	3	Horizontal	224	1.69	-	94.86
AV	5.5976G	88.74	Inf	-Inf	4.99	3	Horizontal	224	1.69	-	83.75
PK	5.798G	58.02	68.20	-10.18	4.80	3	Horizontal	224	1.69	-	53.22

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5610MHz_TX




EUT X_4TX
Setting 67
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22096G	55.26	74.00	-18.74	12.87	3	Vertical	275	1.48	-	42.39
AV	11.2239G	44.08	54.00	-9.92	12.87	3	Vertical	275	1.48	-	31.21

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5610MHz_TX




EUT X_4TX
Setting 67
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21744G	55.44	74.00	-18.56	12.86	3	Horizontal	208	1.55	-	42.58
AV	11.21798G	44.22	54.00	-9.78	12.87	3	Horizontal	208	1.55	-	31.35

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4488G	61.00	74.00	-13.00	5.24	3	Vertical	178	1.78	-	55.76
PK	5.4626G	60.92	68.20	-7.28	5.19	3	Vertical	178	1.78	-	55.73
AV	5.4596G	50.43	54.00	-3.57	5.20	3	Vertical	178	1.78	-	45.23
PK	5.6786G	116.21	Inf	-Inf	4.75	3	Vertical	178	1.78	-	111.46
AV	5.6816G	104.68	Inf	-Inf	4.75	3	Vertical	178	1.78	-	99.93
PK	5.8538G	67.64	68.20	-0.56	4.99	3	Vertical	178	1.78	-	62.65

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	57.79	74.00	-16.21	5.22	3	Horizontal	223	1.61	-	52.57
AV	5.4518G	47.54	54.00	-6.46	5.22	3	Horizontal	223	1.61	-	42.32
PK	5.465G	57.94	68.20	-10.26	5.19	3	Horizontal	223	1.61	-	52.75
PK	5.6786G	99.67	Inf	-Inf	4.75	3	Horizontal	223	1.61	-	94.92
AV	5.6786G	88.32	Inf	-Inf	4.75	3	Horizontal	223	1.61	-	83.57
PK	5.9642G	58.79	68.20	-9.41	5.19	3	Horizontal	223	1.61	-	53.60

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37924G	56.45	74.00	-17.55	13.11	3	Vertical	254	2.31	-	43.34
AV	11.37966G	45.61	54.00	-8.39	13.11	3	Vertical	254	2.31	-	32.50

802.11ax HEW80_Nss4,(MCS0)_4TX

19/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38694G	56.66	74.00	-17.34	13.11	3	Horizontal	272	1.64	-	43.55
AV	11.38696G	45.24	54.00	-8.76	13.11	3	Horizontal	272	1.64	-	32.13

802.11ax HEW160_Nss4,(MCS0)_4TX

19/10/2019

5250MHz_TX




EUT_X_4TX
Setting 41
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1372G	63.12	74.00	-10.88	5.11	3	Vertical	178	1.59	-	58.01
AV	5.138G	53.26	54.00	-0.74	5.11	3	Vertical	178	1.59	-	48.15
PK	5.2588G	103.70	Inf	-Inf	5.36	3	Vertical	178	1.59	-	98.34
AV	5.2796G	93.13	Inf	-Inf	5.44	3	Vertical	178	1.59	-	87.69
PK	5.398G	63.96	74.00	-10.04	5.35	3	Vertical	178	1.59	-	58.61
AV	5.378G	53.01	54.00	-0.99	5.39	3	Vertical	178	1.59	-	47.62
PK	5.4628G	58.45	68.20	-9.75	5.19	3	Vertical	178	1.59	-	53.26

802.11ax HEW160_Nss4,(MCS0)_4TX

19/10/2019

5250MHz_TX




EUT_X_4TX
Setting 41
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0652G	57.27	74.00	-16.73	4.94	3	Horizontal	239	1.55	-	52.33
AV	5.1212G	47.22	54.00	-6.78	5.11	3	Horizontal	239	1.55	-	42.11
PK	5.2636G	92.33	Inf	-Inf	5.37	3	Horizontal	239	1.55	-	86.96
AV	5.2428G	81.19	Inf	-Inf	5.30	3	Horizontal	239	1.55	-	75.89
AV	5.3596G	47.21	54.00	-6.79	5.42	3	Horizontal	239	1.55	-	41.79
PK	5.4556G	57.99	74.00	-16.01	5.21	3	Horizontal	239	1.55	-	52.78
PK	5.47G	58.30	68.20	-9.90	5.18	3	Horizontal	239	1.55	-	53.12

802.11ax HEW160_Nss4,(MCS0)_4TX

19/10/2019

5250MHz_TX




EUT X_4TX
Setting 41
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7501G	59.10	74.00	-14.90	15.18	3	Vertical	244	2.38	-	43.92
AV	15.74076G	48.35	54.00	-5.65	15.19	3	Vertical	244	2.38	-	33.16

802.11ax HEW160_Nss4,(MCS0)_4TX

19/10/2019

5250MHz_TX




EUT X_4TX
Setting 41
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75314G	59.49	74.00	-14.51	15.18	3	Horizontal	256	1.53	-	44.31
AV	15.74162G	48.78	54.00	-5.22	15.19	3	Horizontal	236	1.53	-	33.59

802.11ax HEW160_Nss4,(MCS0)_4TX

19/10/2019

5570MHz_TX




EUT_X_4TX
Setting 44
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.25G	59.20	68.20	-9.00	5.33	3	Vertical	178	1.68	-	53.87
PK	5.4516G	64.52	74.00	-9.48	5.22	3	Vertical	178	1.68	-	59.30
AV	5.4524G	53.22	54.00	-0.78	5.22	3	Vertical	178	1.68	-	48.00
PK	5.4676G	62.54	68.20	-5.66	5.18	3	Vertical	178	1.68	-	57.36
PK	5.5788G	103.20	Inf	-Inf	5.02	3	Vertical	178	1.68	-	98.18
AV	5.558G	93.57	Inf	-Inf	5.04	3	Vertical	178	1.68	-	88.53
PK	5.726G	61.01	68.20	-7.19	4.73	3	Vertical	178	1.68	-	56.28

802.11ax HEW160_Nss4,(MCS0)_4TX

19/10/2019

5570MHz_TX




EUT_X_4TX
Setting 44
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3492G	58.18	68.20	-10.02	5.43	3	Horizontal	226	1.72	-	52.75
PK	5.4052G	58.68	74.00	-15.32	5.33	3	Horizontal	226	1.72	-	53.35
PK	5.4676G	57.27	68.20	-10.93	5.18	3	Horizontal	226	1.72	-	52.09
AV	5.4564G	47.76	54.00	-6.24	5.21	3	Horizontal	226	1.72	-	42.55
PK	5.5788G	88.88	Inf	-Inf	5.02	3	Horizontal	226	1.72	-	83.86
AV	5.5516G	79.08	Inf	-Inf	5.05	3	Horizontal	226	1.72	-	74.03
PK	5.89G	57.01	68.20	-11.19	5.12	3	Horizontal	226	1.72	-	51.89

802.11ax HEW160_Nss4,(MCS0)_4TX

19/10/2019

5570MHz_TX




EUT X_4TX
Setting 44
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1417G	54.19	74.00	-19.81	12.75	3	Vertical	160	2.45	-	41.44
AV	11.14172G	43.01	54.00	-10.99	12.75	3	Vertical	160	2.45	-	30.26

802.11ax HEW160_Nss4,(MCS0)_4TX

19/10/2019

5570MHz_TX



EUT X_4TX
 Setting 44
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1405G	54.29	74.00	-19.71	12.75	3	Horizontal	196	1.86	-	41.54
AV	11.14088G	42.50	54.00	-11.50	12.75	3	Horizontal	196	1.86	-	29.75




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.3516G	53.49	54.00	-0.51	8.28	3	Vertical	41	2.14	-

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 110
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	66.40	74.00	-7.60	7.94	3	Vertical	13	2.22	-	58.46
AV	5.1496G	49.38	54.00	-4.62	7.94	3	Vertical	13	2.22	-	41.44
PK	5.2594G	117.28	Inf	-Inf	8.15	3	Vertical	13	2.22	-	109.13
AV	5.2576G	106.60	Inf	-Inf	8.15	3	Vertical	13	2.22	-	98.45
PK	5.35G	70.44	74.00	-3.56	8.28	3	Vertical	13	2.22	-	62.16
AV	5.3506G	53.38	54.00	-0.62	8.28	3	Vertical	13	2.22	-	45.10

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 110
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1334G	63.60	74.00	-10.40	7.92	3	Horizontal	14	2.97	-	55.68
AV	5.1454G	48.02	54.00	-5.98	7.94	3	Horizontal	14	2.97	-	40.08
PK	5.254G	115.90	Inf	-Inf	8.14	3	Horizontal	14	2.97	-	107.76
AV	5.2576G	105.14	Inf	-Inf	8.15	3	Horizontal	14	2.97	-	96.99
PK	5.35G	66.68	74.00	-7.32	8.28	3	Horizontal	14	2.97	-	58.40
AV	5.353G	50.05	54.00	-3.95	8.28	3	Horizontal	14	2.97	-	41.77

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
 Setting 110
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7677G	55.12	74.00	-18.88	15.46	3	Vertical	182	1.12	-	39.66
AV	15.77376G	42.13	54.00	-11.87	15.46	3	Vertical	182	1.12	-	26.67

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 110
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7851G	55.30	74.00	-18.70	15.42	3	Horizontal	254	1.32	-	39.88
AV	15.7722G	41.40	54.00	-12.60	15.45	3	Horizontal	254	1.32	-	25.95

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 104
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2958G	114.97	Inf	-Inf	8.20	3	Vertical	341	2.33	-	106.77
AV	5.2976G	105.01	Inf	-Inf	8.21	3	Vertical	341	2.33	-	96.80
PK	5.35G	72.11	74.00	-1.89	8.28	3	Vertical	341	2.33	-	63.83
AV	5.35G	53.11	54.00	-0.89	8.28	3	Vertical	341	2.33	-	44.83

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 104
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2958G	113.54	Inf	-Inf	8.20	3	Horizontal	338	2.91	-	105.34
AV	5.2982G	103.57	Inf	-Inf	8.21	3	Horizontal	338	2.91	-	95.36
PK	5.35G	69.80	74.00	-4.20	8.28	3	Horizontal	338	2.91	-	61.52
AV	5.35G	51.32	54.00	-2.68	8.28	3	Horizontal	338	2.91	-	43.04

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 104
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8913G	54.05	74.00	-19.95	15.15	3	Vertical	237	2.97	-	38.90
AV	15.90918G	40.52	54.00	-13.48	15.10	3	Vertical	237	2.97	-	25.42

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
 Setting 104
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89172G	53.79	74.00	-20.21	15.14	3	Horizontal	315	2.64	-	38.65
AV	15.91212G	40.67	54.00	-13.33	15.09	3	Horizontal	315	2.64	-	25.58

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 93
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3224G	112.23	Inf	-Inf	8.23	3	Vertical	328	2.20	-	104.00
AV	5.324G	101.98	Inf	-Inf	8.24	3	Vertical	328	2.20	-	93.74
PK	5.3548G	72.75	74.00	-1.25	8.28	3	Vertical	328	2.20	-	64.47
AV	5.3508G	53.35	54.00	-0.65	8.28	3	Vertical	328	2.20	-	45.07

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 93
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3224G	110.56	Inf	-Inf	8.23	3	Horizontal	325	2.90	-	102.33
AV	5.324G	100.50	Inf	-Inf	8.24	3	Horizontal	325	2.90	-	92.26
PK	5.3512G	71.32	74.00	-2.68	8.28	3	Horizontal	325	2.90	-	63.04
AV	5.35G	52.98	54.00	-1.02	8.28	3	Horizontal	325	2.90	-	44.70

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
 Setting 93
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94806G	54.40	74.00	-19.60	14.99	3	Vertical	215	1.46	-	39.41
AV	15.9576G	40.78	54.00	-13.22	14.97	3	Vertical	215	1.46	-	25.81

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
 Setting 93
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94968G	54.54	74.00	-19.46	14.99	3	Horizontal	347	1.59	-	39.55
AV	15.95646G	41.03	54.00	-12.97	14.98	3	Horizontal	347	1.59	-	26.05

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5500MHz_TX




EUT_Y_1TX
Setting 86
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	64.19	74.00	-9.81	8.44	3	Vertical	317	2.91	-	55.75
AV	5.4028G	46.55	54.00	-7.45	8.34	3	Vertical	317	2.91	-	38.21
PK	5.4684G	67.49	68.20	-0.71	8.46	3	Vertical	317	2.91	-	59.03
PK	5.5024G	111.11	Inf	-Inf	8.52	3	Vertical	317	2.91	-	102.59
AV	5.502G	100.76	Inf	-Inf	8.52	3	Vertical	317	2.91	-	92.24

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 86
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	64.44	74.00	-9.56	8.44	3	Horizontal	139	2.30	-	56.00
AV	5.4596G	46.72	54.00	-7.28	8.45	3	Horizontal	139	2.30	-	38.27
PK	5.47G	67.43	68.20	-0.77	8.46	3	Horizontal	139	2.30	-	58.97
PK	5.5016G	111.44	Inf	-Inf	8.52	3	Horizontal	139	2.30	-	102.92
AV	5.504G	101.47	Inf	-Inf	8.52	3	Horizontal	139	2.30	-	92.95

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99832G	53.43	74.00	-20.57	14.26	3	Vertical	318	2.63	-	39.17
AV	11.00324G	40.29	54.00	-13.71	14.26	3	Vertical	318	2.63	-	26.03

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99262G	53.93	74.00	-20.07	14.27	3	Horizontal	189	1.21	-	39.66
AV	11.00924G	40.42	54.00	-13.58	14.27	3	Horizontal	189	1.21	-	26.15

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	63.93	74.00	-10.07	8.44	3	Vertical	274	2.26	-	55.49
AV	5.46G	48.51	54.00	-5.49	8.45	3	Vertical	274	2.26	-	40.06
PK	5.4696G	65.98	68.20	-2.22	8.46	3	Vertical	274	2.26	-	57.52
PK	5.5832G	117.99	Inf	-Inf	8.57	3	Vertical	274	2.26	-	109.42
AV	5.5824G	106.72	Inf	-Inf	8.57	3	Vertical	274	2.26	-	98.15
PK	5.7544G	61.74	68.20	-6.46	8.83	3	Vertical	274	2.26	-	52.91

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	61.24	74.00	-12.76	8.44	3	Horizontal	266	1.97	-	52.80
AV	5.4592G	47.44	54.00	-6.56	8.45	3	Horizontal	266	1.97	-	38.99
PK	5.4656G	64.80	68.20	-3.40	8.46	3	Horizontal	266	1.97	-	56.34
PK	5.5872G	116.21	Inf	-Inf	8.57	3	Horizontal	266	1.97	-	107.64
AV	5.5824G	105.01	Inf	-Inf	8.57	3	Horizontal	266	1.97	-	96.44
PK	5.7256G	61.15	68.20	-7.05	8.79	3	Horizontal	266	1.97	-	52.36

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16978G	53.35	74.00	-20.65	14.48	3	Vertical	132	2.43	-	38.87
AV	11.1639G	39.67	54.00	-14.33	14.47	3	Vertical	132	2.43	-	25.20

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
 Setting 120
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15424G	53.81	74.00	-20.19	14.45	3	Horizontal	287	1.21	-	39.36
AV	11.1606G	40.18	54.00	-13.82	14.47	3	Horizontal	287	1.21	-	25.71

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 81
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7024G	110.26	Inf	-Inf	8.75	3	Vertical	254	2.38	-	101.51
AV	5.7016G	99.97	Inf	-Inf	8.75	3	Vertical	254	2.38	-	91.22
PK	5.7252G	67.52	68.20	-0.68	8.79	3	Vertical	254	2.38	-	58.73

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5700MHz_TX




EUT_Y_1TX
Setting 81
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7024G	109.43	Inf	-Inf	8.75	3	Horizontal	118	2.11	-	100.68
AV	5.704G	99.15	Inf	-Inf	8.76	3	Horizontal	118	2.11	-	90.39
PK	5.7252G	66.82	68.20	-1.38	8.79	3	Horizontal	118	2.11	-	58.03

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40258G	54.04	74.00	-19.96	14.77	3	Vertical	165	1.60	-	39.27
AV	11.41338G	40.38	54.00	-13.62	14.79	3	Vertical	165	1.60	-	25.59

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
 Setting 81
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38602G	53.64	74.00	-20.36	14.75	3	Horizontal	21	1.72	-	38.89
AV	11.40006G	40.61	54.00	-13.39	14.77	3	Horizontal	21	1.72	-	25.84

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
 Setting 120
 02-B-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	58.30	74.00	-15.70	8.45	3	Vertical	223	2.71	-	49.85
AV	5.4296G	45.74	54.00	-8.26	8.40	3	Vertical	223	2.71	-	37.34
PK	5.47G	57.80	68.20	-10.40	8.46	3	Vertical	223	2.71	-	49.34
PK	5.7236G	115.22	Inf	-Inf	8.78	3	Vertical	223	2.71	-	106.44
AV	5.7176G	103.92	Inf	-Inf	8.77	3	Vertical	223	2.71	-	95.15
PK	5.8532G	65.50	68.20	-2.70	8.90	3	Vertical	223	2.71	-	56.60

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4332G	58.15	74.00	-15.85	8.40	3	Horizontal	222	2.38	-	49.75
AV	5.4236G	45.67	54.00	-8.33	8.38	3	Horizontal	222	2.38	-	37.29
PK	5.46G	58.06	68.20	-10.14	8.45	3	Horizontal	222	2.38	-	49.61
PK	5.7272G	115.10	Inf	-Inf	8.80	3	Horizontal	222	2.38	-	106.30
AV	5.7224G	104.29	Inf	-Inf	8.78	3	Horizontal	222	2.38	-	95.51
PK	5.85G	66.69	68.20	-1.51	8.90	3	Horizontal	222	2.38	-	57.79

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44666G	54.42	74.00	-19.58	14.84	3	Vertical	22	2.97	-	39.58
AV	11.44546G	40.52	54.00	-13.48	14.84	3	Vertical	22	2.97	-	25.68

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 120
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44774G	54.49	74.00	-19.51	14.84	3	Horizontal	310	1.78	-	39.65
AV	11.4382G	40.60	54.00	-13.40	14.82	3	Horizontal	310	1.78	-	25.78

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 107
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	63.13	74.00	-10.87	7.94	3	Vertical	39	2.24	-	55.19
AV	5.15G	48.70	54.00	-5.30	7.94	3	Vertical	39	2.24	-	40.76
PK	5.257G	118.49	Inf	-Inf	8.15	3	Vertical	39	2.24	-	110.34
AV	5.263G	105.62	Inf	-Inf	8.16	3	Vertical	39	2.24	-	97.46
PK	5.3512G	69.12	74.00	-4.88	8.28	3	Vertical	39	2.24	-	60.84
AV	5.3512G	51.59	54.00	-2.41	8.28	3	Vertical	39	2.24	-	43.31

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 107
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1442G	63.04	74.00	-10.96	7.94	3	Horizontal	353	2.96	-	55.10
AV	5.15G	47.79	54.00	-6.21	7.94	3	Horizontal	353	2.96	-	39.85
PK	5.257G	118.33	Inf	-Inf	8.15	3	Horizontal	353	2.96	-	110.18
AV	5.263G	105.40	Inf	-Inf	8.16	3	Horizontal	353	2.96	-	97.24
PK	5.3506G	66.85	74.00	-7.15	8.28	3	Horizontal	353	2.96	-	58.57
AV	5.353G	50.49	54.00	-3.51	8.28	3	Horizontal	353	2.96	-	42.21

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 107
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77094G	55.20	74.00	-18.80	15.45	3	Vertical	290	1.81	-	39.75
AV	15.77292G	41.95	54.00	-12.05	15.46	3	Vertical	290	1.81	-	26.49

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
 Setting 107
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78156G	54.90	74.00	-19.10	15.43	3	Horizontal	353	2.71	-	39.47
AV	15.77844G	41.78	54.00	-12.22	15.44	3	Horizontal	353	2.71	-	26.34

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	117.28	Inf	-Inf	8.21	3	Vertical	44	2.24	-	109.07
AV	5.3028G	103.96	Inf	-Inf	8.21	3	Vertical	44	2.24	-	95.75
PK	5.35G	70.97	74.00	-3.03	8.28	3	Vertical	44	2.24	-	62.69
AV	5.35G	52.88	54.00	-1.12	8.28	3	Vertical	44	2.24	-	44.60

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2972G	116.88	Inf	-Inf	8.21	3	Horizontal	360	2.90	-	108.67
AV	5.298G	103.55	Inf	-Inf	8.21	3	Horizontal	360	2.90	-	95.34
PK	5.35G	72.40	74.00	-1.60	8.28	3	Horizontal	360	2.90	-	64.12
AV	5.35G	53.32	54.00	-0.68	8.28	3	Horizontal	360	2.90	-	45.04

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90636G	54.10	74.00	-19.90	15.11	3	Vertical	303	2.72	-	38.99
AV	15.90444G	40.40	54.00	-13.60	15.12	3	Vertical	303	2.72	-	25.28

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89496G	54.76	74.00	-19.24	15.14	3	Horizontal	342	1.75	-	39.62
AV	15.89508G	41.30	54.00	-12.70	15.14	3	Horizontal	342	1.75	-	26.16

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	112.33	Inf	-Inf	8.23	3	Vertical	42	2.20	-	104.10
AV	5.318G	99.14	Inf	-Inf	8.23	3	Vertical	42	2.20	-	90.91
PK	5.3512G	72.90	74.00	-1.10	8.28	3	Vertical	42	2.20	-	64.62
AV	5.3506G	51.49	54.00	-2.51	8.28	3	Vertical	42	2.20	-	43.21

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	113.17	Inf	-Inf	8.23	3	Horizontal	358	2.89	-	104.94
AV	5.3228G	100.37	Inf	-Inf	8.24	3	Horizontal	358	2.89	-	92.13
PK	5.3512G	72.87	74.00	-1.13	8.28	3	Horizontal	358	2.89	-	64.59
AV	5.3504G	51.47	54.00	-2.53	8.28	3	Horizontal	358	2.89	-	43.19

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 85
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94584G	54.39	74.00	-19.61	15.00	3	Vertical	276	1.11	-	39.39
AV	15.95472G	40.74	54.00	-13.26	14.98	3	Vertical	276	1.11	-	25.76

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
 Setting 85
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96078G	54.20	74.00	-19.80	14.96	3	Horizontal	56	2.64	-	39.24
AV	15.95856G	40.81	54.00	-13.19	14.97	3	Horizontal	56	2.64	-	25.84

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	59.59	74.00	-14.41	8.45	3	Vertical	48	2.23	-	51.14
AV	5.4598G	46.72	54.00	-7.28	8.45	3	Vertical	48	2.23	-	38.27
PK	5.4686G	67.05	68.20	-1.15	8.46	3	Vertical	48	2.23	-	58.59
PK	5.497G	112.60	Inf	-Inf	8.52	3	Vertical	48	2.23	-	104.08
AV	5.498G	99.44	Inf	-Inf	8.52	3	Vertical	48	2.23	-	90.92

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4538G	59.83	74.00	-14.17	8.44	3	Horizontal	60	2.76	-	51.39
AV	5.4592G	46.77	54.00	-7.23	8.45	3	Horizontal	60	2.76	-	38.32
PK	5.4688G	67.33	68.20	-0.87	8.46	3	Horizontal	60	2.76	-	58.87
PK	5.4968G	113.16	Inf	-Inf	8.52	3	Horizontal	60	2.76	-	104.64
AV	5.505G	100.13	Inf	-Inf	8.52	3	Horizontal	60	2.76	-	91.61

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01284G	53.60	74.00	-20.40	14.28	3	Vertical	320	2.94	-	39.32
AV	11.01032G	39.84	54.00	-14.16	14.28	3	Vertical	320	2.94	-	25.56

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00288G	53.17	74.00	-20.83	14.26	3	Horizontal	156	2.63	-	38.91
AV	11.00462G	40.01	54.00	-13.99	14.26	3	Horizontal	156	2.63	-	25.75

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	65.65	74.00	-8.35	8.45	3	Vertical	52	2.97	-	57.20
AV	5.46G	49.97	54.00	-4.03	8.45	3	Vertical	52	2.97	-	41.52
PK	5.4696G	65.95	68.20	-2.25	8.46	3	Vertical	52	2.97	-	57.49
PK	5.5768G	117.46	Inf	-Inf	8.57	3	Vertical	52	2.97	-	108.89
AV	5.5784G	104.30	Inf	-Inf	8.57	3	Vertical	52	2.97	-	95.73
PK	5.7288G	61.38	68.20	-6.82	8.80	3	Vertical	52	2.97	-	52.58

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.432G	64.37	74.00	-9.63	8.40	3	Horizontal	42	2.25	-	55.97
PK	5.4696G	65.81	68.20	-2.39	8.46	3	Horizontal	42	2.25	-	57.35
AV	5.46G	49.35	54.00	-4.65	8.45	3	Horizontal	42	2.25	-	40.90
PK	5.5768G	116.38	Inf	-Inf	8.57	3	Horizontal	42	2.25	-	107.81
AV	5.5832G	103.57	Inf	-Inf	8.57	3	Horizontal	42	2.25	-	95.00
PK	5.7288G	61.63	68.20	-6.57	8.80	3	Horizontal	42	2.25	-	52.83

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
 Setting 120
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1648G	53.69	74.00	-20.31	14.47	3	Vertical	12	2.64	-	39.22
AV	11.16138G	40.37	54.00	-13.63	14.47	3	Vertical	12	2.64	-	25.90

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1609G	53.09	74.00	-20.91	14.47	3	Horizontal	69	1.54	-	38.62
AV	11.16618G	39.82	54.00	-14.18	14.47	3	Horizontal	69	1.54	-	25.35

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 73
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6968G	108.19	Inf	-Inf	8.75	3	Vertical	354	2.72	-	99.44
AV	5.702G	95.10	Inf	-Inf	8.75	3	Vertical	354	2.72	-	86.35
PK	5.7252G	64.37	68.20	-3.83	8.79	3	Vertical	354	2.72	-	55.58

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 73
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.697G	109.95	Inf	-Inf	8.75	3	Horizontal	60	2.41	-	101.20
AV	5.7028G	96.99	Inf	-Inf	8.75	3	Horizontal	60	2.41	-	88.24
PK	5.7252G	67.63	68.20	-0.57	8.79	3	Horizontal	60	2.41	-	58.84

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41098G	54.27	74.00	-19.73	14.79	3	Vertical	226	2.88	-	39.48
AV	11.41116G	40.14	54.00	-13.86	14.79	3	Vertical	226	2.88	-	25.35

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
 Setting 73
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.388G	53.43	74.00	-20.57	14.76	3	Horizontal	9	1.81	-	38.67
AV	11.41266G	40.27	54.00	-13.73	14.79	3	Horizontal	9	1.81	-	25.48

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4404G	57.88	74.00	-16.12	8.41	3	Vertical	358	1.30	-	49.47
AV	5.444G	45.75	54.00	-8.25	8.42	3	Vertical	358	1.30	-	37.33
PK	5.4692G	57.16	68.20	-11.04	8.46	3	Vertical	358	1.30	-	48.70
PK	5.7176G	114.29	Inf	-Inf	8.77	3	Vertical	358	1.30	-	105.52
AV	5.7212G	101.38	Inf	-Inf	8.78	3	Vertical	358	1.30	-	92.60
PK	5.8508G	62.29	68.20	-5.91	8.90	3	Vertical	358	1.30	-	53.39

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	58.34	74.00	-15.66	8.45	3	Horizontal	51	2.40	-	49.89
AV	5.426G	45.76	54.00	-8.24	8.39	3	Horizontal	51	2.40	-	37.37
PK	5.462G	58.10	68.20	-10.10	8.45	3	Horizontal	51	2.40	-	49.65
PK	5.7176G	117.30	Inf	-Inf	8.77	3	Horizontal	51	2.40	-	108.53
AV	5.7188G	104.15	Inf	-Inf	8.77	3	Horizontal	51	2.40	-	95.38
PK	5.85G	66.48	68.20	-1.72	8.90	3	Horizontal	51	2.40	-	57.58

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44006G	54.17	74.00	-19.83	14.82	3	Vertical	133	2.55	-	39.35
AV	11.43124G	40.29	54.00	-13.71	14.81	3	Vertical	133	2.55	-	25.48

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44732G	53.91	74.00	-20.09	14.84	3	Horizontal	12	1.40	-	39.07
AV	11.4523G	40.26	54.00	-13.74	14.84	3	Horizontal	12	1.40	-	25.42

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5270MHz_TX




EUT Y_1TX
Setting 97
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	61.70	74.00	-12.30	7.94	3	Vertical	37	2.25	-	53.76
AV	5.1494G	48.19	54.00	-5.81	7.94	3	Vertical	37	2.25	-	40.25
PK	5.255G	113.12	Inf	-Inf	8.15	3	Vertical	37	2.25	-	104.97
AV	5.2742G	101.00	Inf	-Inf	8.17	3	Vertical	37	2.25	-	92.83
PK	5.3618G	67.96	74.00	-6.04	8.29	3	Vertical	37	2.25	-	59.67
AV	5.351G	53.10	54.00	-0.90	8.28	3	Vertical	37	2.25	-	44.82

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5270MHz_TX




EUT Y_1TX
Setting 97
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	63.31	74.00	-10.69	7.94	3	Horizontal	356	2.93	-	55.37
AV	5.147G	48.03	54.00	-5.97	7.94	3	Horizontal	356	2.93	-	40.09
PK	5.2862G	113.03	Inf	-Inf	8.19	3	Horizontal	356	2.93	-	104.84
AV	5.2742G	101.50	Inf	-Inf	8.17	3	Horizontal	356	2.93	-	93.33
PK	5.3522G	67.52	74.00	-6.48	8.28	3	Horizontal	356	2.93	-	59.24
AV	5.35G	53.35	54.00	-0.65	8.28	3	Horizontal	356	2.93	-	45.07

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5270MHz_TX




EUT Y_1TX
Setting 97
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80112G	54.40	74.00	-19.60	15.38	3	Vertical	257	2.97	-	39.02
AV	15.81588G	41.40	54.00	-12.60	15.34	3	Vertical	257	2.97	-	26.06

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5270MHz_TX




EUT Y_1TX
Setting 97
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81552G	54.28	74.00	-19.72	15.34	3	Horizontal	214	1.28	-	38.94
AV	15.82002G	41.30	54.00	-12.70	15.33	3	Horizontal	214	1.28	-	25.97

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5310MHz_TX




EUT Y_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.302G	108.80	Inf	-Inf	8.21	3	Vertical	52	2.20	-	100.59
AV	5.3044G	96.19	Inf	-Inf	8.21	3	Vertical	52	2.20	-	87.98
PK	5.3508G	71.25	74.00	-2.75	8.28	3	Vertical	52	2.20	-	62.97
AV	5.3504G	52.92	54.00	-1.08	8.28	3	Vertical	52	2.20	-	44.64

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5310MHz_TX




EUT Y_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3048G	108.32	Inf	-Inf	8.22	3	Horizontal	44	2.10	-	100.10
AV	5.3056G	94.90	Inf	-Inf	8.22	3	Horizontal	44	2.10	-	86.68
PK	5.3508G	68.60	74.00	-5.40	8.28	3	Horizontal	44	2.10	-	60.32
AV	5.3504G	51.18	54.00	-2.82	8.28	3	Horizontal	44	2.10	-	42.90

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5310MHz_TX




EUT Y_1TX
 Setting 79
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.92622G	54.66	74.00	-19.34	15.05	3	Vertical	123	2.14	-	39.61
AV	15.93228G	41.65	54.00	-12.35	15.04	3	Vertical	123	2.14	-	26.61

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5310MHz_TX




EUT Y_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.92616G	54.25	74.00	-19.75	15.05	3	Horizontal	243	2.76	-	39.20
AV	15.945G	41.27	54.00	-12.73	15.00	3	Horizontal	243	2.76	-	26.27

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5510MHz_TX




EUT Y_1TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	62.31	74.00	-11.69	8.44	3	Vertical	38	2.21	-	53.87
AV	5.4592G	48.48	54.00	-5.52	8.45	3	Vertical	38	2.21	-	40.03
PK	5.4692G	67.44	68.20	-0.76	8.46	3	Vertical	38	2.21	-	58.98
PK	5.502G	108.80	Inf	-Inf	8.52	3	Vertical	38	2.21	-	100.28
AV	5.514G	96.86	Inf	-Inf	8.53	3	Vertical	38	2.21	-	88.33

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5510MHz_TX




EUT Y_1TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	61.41	74.00	-12.59	8.45	3	Horizontal	67	2.75	-	52.96
AV	5.4592G	48.66	54.00	-5.34	8.45	3	Horizontal	67	2.75	-	40.21
PK	5.4696G	66.10	68.20	-2.10	8.46	3	Horizontal	67	2.75	-	57.64
PK	5.526G	109.29	Inf	-Inf	8.54	3	Horizontal	67	2.75	-	100.75
AV	5.516G	97.26	Inf	-Inf	8.53	3	Horizontal	67	2.75	-	88.73

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5510MHz_TX




EUT Y_1TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03062G	53.69	74.00	-20.31	14.30	3	Vertical	273	2.32	-	39.39
AV	11.0098G	40.96	54.00	-13.04	14.28	3	Vertical	273	2.32	-	26.68

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5510MHz_TX




EUT Y_1TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0188G	54.13	74.00	-19.87	14.29	3	Horizontal	166	1.85	-	39.84
AV	11.03308G	40.69	54.00	-13.31	14.31	3	Horizontal	166	1.85	-	26.38

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5550MHz_TX




EUT Y_1TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4378G	65.41	74.00	-8.59	8.41	3	Vertical	20	2.98	-	57.00
PK	5.47G	66.68	68.20	-1.52	8.46	3	Vertical	20	2.98	-	58.22
AV	5.4588G	51.74	54.00	-2.26	8.45	3	Vertical	20	2.98	-	43.29
PK	5.5656G	114.20	Inf	-Inf	8.56	3	Vertical	20	2.98	-	105.64
AV	5.5626G	102.02	Inf	-Inf	8.56	3	Vertical	20	2.98	-	93.46

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5550MHz_TX




EUT Y_1TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4582G	65.71	74.00	-8.29	8.45	3	Horizontal	46	2.10	-	57.26
AV	5.4594G	51.83	54.00	-2.17	8.45	3	Horizontal	46	2.10	-	43.38
PK	5.47G	67.46	68.20	-0.74	8.46	3	Horizontal	46	2.10	-	59.00
PK	5.5614G	111.93	Inf	-Inf	8.56	3	Horizontal	46	2.10	-	103.37
AV	5.5542G	99.78	Inf	-Inf	8.55	3	Horizontal	46	2.10	-	91.23

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5550MHz_TX




EUT Y_1TX
 Setting 100
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09142G	53.68	74.00	-20.32	14.38	3	Vertical	1	1.23	-	39.30
AV	11.09922G	40.92	54.00	-13.08	14.39	3	Vertical	1	1.23	-	26.53

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5550MHz_TX




EUT Y_1TX
Setting 100
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.08854G	53.52	74.00	-20.48	14.38	3	Horizontal	138	2.03	-	39.14
AV	11.08866G	40.60	54.00	-13.40	14.38	3	Horizontal	138	2.03	-	26.22

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5670MHz_TX




EUT Y_1TX
 Setting 87
 02-G-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6548G	109.74	Inf	-Inf	8.67	3	Vertical	352	2.86	-	101.07
AV	5.6744G	97.32	Inf	-Inf	8.70	3	Vertical	352	2.86	-	88.62
PK	5.7324G	64.76	68.20	-3.44	8.80	3	Vertical	352	2.86	-	55.96

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5670MHz_TX




EUT Y_1TX
Setting 87
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6876G	111.29	Inf	-Inf	8.72	3	Horizontal	51	2.41	-	102.57
AV	5.6772G	98.60	Inf	-Inf	8.72	3	Horizontal	51	2.41	-	89.88
PK	5.7256G	67.46	68.20	-0.74	8.79	3	Horizontal	51	2.41	-	58.67

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5670MHz_TX




EUT Y_1TX
Setting 87
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34306G	52.61	74.00	-21.39	14.70	3	Vertical	84	1.95	-	37.91
AV	11.32854G	40.10	54.00	-13.90	14.68	3	Vertical	84	1.95	-	25.42

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5670MHz_TX




EUT Y_1TX
Setting 87
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.35278G	52.63	74.00	-21.37	14.72	3	Horizontal	139	2.17	-	37.91
AV	11.32536G	40.18	54.00	-13.82	14.68	3	Horizontal	139	2.17	-	25.50

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.434G	58.55	74.00	-15.45	8.40	3	Vertical	352	2.58	-	50.15
AV	5.4412G	46.73	54.00	-7.27	8.41	3	Vertical	352	2.58	-	38.32
PK	5.464G	57.87	68.20	-10.33	8.45	3	Vertical	352	2.58	-	49.42
PK	5.7256G	112.43	Inf	-Inf	8.79	3	Vertical	352	2.58	-	103.64
AV	5.7052G	100.03	Inf	-Inf	8.76	3	Vertical	352	2.58	-	91.27
PK	5.86G	65.13	68.20	-3.07	8.91	3	Vertical	352	2.58	-	56.22

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4316G	58.53	74.00	-15.47	8.40	3	Horizontal	52	2.20	-	50.13
PK	5.4616G	58.40	68.20	-9.80	8.45	3	Horizontal	52	2.20	-	49.95
AV	5.452G	46.94	54.00	-7.06	8.44	3	Horizontal	52	2.20	-	38.50
PK	5.6944G	114.19	Inf	-Inf	8.74	3	Horizontal	52	2.20	-	105.45
AV	5.6968G	101.75	Inf	-Inf	8.75	3	Horizontal	52	2.20	-	93.00
PK	5.85G	67.67	68.20	-0.53	8.90	3	Horizontal	52	2.20	-	58.77

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40548G	53.54	74.00	-20.46	14.77	3	Vertical	175	2.23	-	38.77
AV	11.42822G	41.01	54.00	-12.99	14.81	3	Vertical	175	2.23	-	26.20

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43236G	53.93	74.00	-20.07	14.82	3	Horizontal	224	1.67	-	39.11
AV	11.41646G	41.41	54.00	-12.59	14.79	3	Horizontal	224	1.67	-	26.62

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5290MHz_TX




EUT Y_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1372G	60.01	74.00	-13.99	7.92	3	Vertical	41	2.14	-	52.09
AV	5.1476G	47.79	54.00	-6.21	7.94	3	Vertical	41	2.14	-	39.85
PK	5.2764G	106.55	Inf	-Inf	8.17	3	Vertical	41	2.14	-	98.38
AV	5.2748G	94.32	Inf	-Inf	8.17	3	Vertical	41	2.14	-	86.15
PK	5.3516G	70.35	74.00	-3.65	8.28	3	Vertical	41	2.14	-	62.07
AV	5.3516G	53.49	54.00	-0.51	8.28	3	Vertical	41	2.14	-	45.21
PK	5.4684G	59.23	68.20	-8.97	8.46	3	Vertical	41	2.14	-	50.77

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5290MHz_TX




EUT Y_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1052G	59.64	74.00	-14.36	7.85	3	Horizontal	0	2.97	-	51.79
AV	5.1308G	47.55	54.00	-6.45	7.91	3	Horizontal	0	2.97	-	39.64
PK	5.2684G	105.83	Inf	-Inf	8.16	3	Horizontal	0	2.97	-	97.67
AV	5.2748G	93.92	Inf	-Inf	8.17	3	Horizontal	0	2.97	-	85.75
PK	5.366G	69.88	74.00	-4.12	8.29	3	Horizontal	0	2.97	-	61.59
AV	5.3524G	53.14	54.00	-0.86	8.28	3	Horizontal	0	2.97	-	44.86
PK	5.486G	58.57	68.20	-9.63	8.50	3	Horizontal	0	2.97	-	50.07

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5290MHz_TX




EUT Y_1TX
 Setting 79
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.85866G	53.72	74.00	-20.28	15.23	3	Vertical	311	1.78	-	38.49
AV	15.85914G	41.32	54.00	-12.68	15.23	3	Vertical	311	1.78	-	26.09

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5290MHz_TX




EUT Y_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86928G	53.97	74.00	-20.03	15.21	3	Horizontal	243	1.86	-	38.76
AV	15.86874G	41.22	54.00	-12.78	15.21	3	Horizontal	243	1.86	-	26.01

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5530MHz_TX




EUT Y_1TX
Setting 78
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.349G	58.33	68.20	-9.87	8.27	3	Vertical	22	2.90	-	50.06
PK	5.458G	63.91	74.00	-10.09	8.45	3	Vertical	22	2.90	-	55.46
AV	5.459G	50.16	54.00	-3.84	8.45	3	Vertical	22	2.90	-	41.71
PK	5.47G	66.89	68.20	-1.31	8.46	3	Vertical	22	2.90	-	58.43
PK	5.509G	105.73	Inf	-Inf	8.53	3	Vertical	22	2.90	-	97.20
AV	5.515G	93.54	Inf	-Inf	8.53	3	Vertical	22	2.90	-	85.01
PK	5.742G	59.36	68.20	-8.84	8.81	3	Vertical	22	2.90	-	50.55

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5530MHz_TX




EUT Y_1TX
Setting 78
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.348G	58.24	68.20	-9.96	8.27	3	Horizontal	43	2.73	-	49.97
PK	5.459G	66.63	74.00	-7.37	8.45	3	Horizontal	43	2.73	-	58.18
AV	5.456G	50.15	54.00	-3.85	8.44	3	Horizontal	43	2.73	-	41.71
PK	5.468G	66.68	68.20	-1.52	8.46	3	Horizontal	43	2.73	-	58.22
PK	5.544G	106.53	Inf	-Inf	8.55	3	Horizontal	43	2.73	-	97.98
AV	5.543G	94.65	Inf	-Inf	8.55	3	Horizontal	43	2.73	-	86.10
PK	5.731G	59.12	68.20	-9.08	8.80	3	Horizontal	43	2.73	-	50.32

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5530MHz_TX




EUT Y_1TX
Setting 78
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06492G	53.76	74.00	-20.24	14.34	3	Vertical	345	2.73	-	39.42
AV	11.05892G	40.62	54.00	-13.38	14.34	3	Vertical	345	2.73	-	26.28

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5530MHz_TX




EUT Y_1TX
 Setting 78
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0522G	53.31	74.00	-20.69	14.33	3	Horizontal	356	2.19	-	38.98
AV	11.06804G	40.66	54.00	-13.34	14.35	3	Horizontal	356	2.19	-	26.31

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5610MHz_TX




EUT Y_1TX
Setting 94
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	63.20	74.00	-10.80	8.42	3	Vertical	341	2.90	-	54.78
PK	5.463G	65.68	68.20	-2.52	8.45	3	Vertical	341	2.90	-	57.23
AV	5.456G	50.22	54.00	-3.78	8.44	3	Vertical	341	2.90	-	41.78
PK	5.609G	108.67	Inf	-Inf	8.60	3	Vertical	341	2.90	-	100.07
AV	5.603G	96.46	Inf	-Inf	8.58	3	Vertical	341	2.90	-	87.88
PK	5.743G	67.59	68.20	-0.61	8.82	3	Vertical	341	2.90	-	58.77

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5610MHz_TX




EUT Y_1TX
Setting 94
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	63.67	74.00	-10.33	8.42	3	Horizontal	30	2.14	-	55.25
PK	5.464G	65.56	68.20	-2.64	8.45	3	Horizontal	30	2.14	-	57.11
AV	5.458G	49.91	54.00	-4.09	8.45	3	Horizontal	30	2.14	-	41.46
PK	5.623G	108.69	Inf	-Inf	8.61	3	Horizontal	30	2.14	-	100.08
AV	5.616G	96.69	Inf	-Inf	8.61	3	Horizontal	30	2.14	-	88.08
PK	5.731G	67.48	68.20	-0.72	8.80	3	Horizontal	30	2.14	-	58.68

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5610MHz_TX




EUT Y_1TX
 Setting 94
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22624G	52.62	74.00	-21.38	14.55	3	Vertical	103	2.22	-	38.07
AV	11.22492G	40.28	54.00	-13.72	14.55	3	Vertical	103	2.22	-	25.73

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5610MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22516G	53.07	74.00	-20.93	14.55	3	Horizontal	237	1.71	-	38.52
AV	11.2068G	40.31	54.00	-13.69	14.53	3	Horizontal	237	1.71	-	25.78

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.449G	59.18	74.00	-14.82	8.42	3	Vertical	30	2.85	-	50.76
AV	5.451G	46.74	54.00	-7.26	8.44	3	Vertical	30	2.85	-	38.30
PK	5.465G	59.33	68.20	-8.87	8.45	3	Vertical	30	2.85	-	50.88
PK	5.704G	109.32	Inf	-Inf	8.76	3	Vertical	30	2.85	-	100.56
AV	5.703G	97.26	Inf	-Inf	8.75	3	Vertical	30	2.85	-	88.51
PK	5.85G	66.59	68.20	-1.61	8.90	3	Vertical	30	2.85	-	57.69

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	59.11	74.00	-14.89	8.44	3	Horizontal	48	2.22	-	50.67
AV	5.459G	47.07	54.00	-6.93	8.45	3	Horizontal	48	2.22	-	38.62
PK	5.468G	59.38	68.20	-8.82	8.46	3	Horizontal	48	2.22	-	50.92
PK	5.703G	108.87	Inf	-Inf	8.75	3	Horizontal	48	2.22	-	100.12
AV	5.696G	96.92	Inf	-Inf	8.74	3	Horizontal	48	2.22	-	88.18
PK	5.854G	67.59	68.20	-0.61	8.90	3	Horizontal	48	2.22	-	58.69

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39488G	53.72	74.00	-20.28	14.77	3	Vertical	306	1.00	-	38.95
AV	11.389G	40.83	54.00	-13.17	14.76	3	Vertical	306	1.00	-	26.07

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_1TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39068G	53.71	74.00	-20.29	14.76	3	Horizontal	220	2.04	-	38.95
AV	11.3905G	41.22	54.00	-12.78	14.76	3	Horizontal	220	2.04	-	26.46




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.15436G	67.67	68.20	-0.53	20.23	3	Vertical	326	2.02	-

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




EUT_Z_2TX
 Setting 102
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	63.01	74.00	-10.99	7.94	3	Vertical	3	2.52	-	55.07
AV	5.15G	47.64	54.00	-6.36	7.94	3	Vertical	3	2.52	-	39.70
PK	5.2666G	120.89	Inf	-Inf	8.16	3	Vertical	3	2.52	-	112.73
AV	5.2624G	110.64	Inf	-Inf	8.15	3	Vertical	3	2.52	-	102.49
PK	5.3572G	68.07	74.00	-5.93	8.28	3	Vertical	3	2.52	-	59.79
AV	5.362G	50.99	54.00	-3.01	8.29	3	Vertical	3	2.52	-	42.70

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 102
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	60.80	74.00	-13.20	7.94	3	Horizontal	300	2.94	-	52.86
AV	5.15G	47.09	54.00	-6.91	7.94	3	Horizontal	300	2.94	-	39.15
PK	5.266G	120.02	Inf	-Inf	8.16	3	Horizontal	300	2.94	-	111.86
AV	5.2612G	109.78	Inf	-Inf	8.15	3	Horizontal	300	2.94	-	101.63
PK	5.3506G	64.45	74.00	-9.55	8.28	3	Horizontal	300	2.94	-	56.17
AV	5.3656G	49.97	54.00	-4.03	8.29	3	Horizontal	300	2.94	-	41.68

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 102
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52036G	55.60	68.20	-12.60	14.57	3	Vertical	16	1.91	-	41.03
PK	15.77298G	59.58	74.00	-14.42	15.46	3	Vertical	131	1.79	-	44.12
AV	15.78246G	46.06	54.00	-7.94	15.43	3	Vertical	131	1.79	-	30.63

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 102
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52474G	53.55	68.20	-14.65	14.56	3	Horizontal	52	1.89	-	38.99
PK	15.78126G	55.64	74.00	-18.36	15.43	3	Horizontal	317	2.00	-	40.21
AV	15.78216G	42.93	54.00	-11.07	15.43	3	Horizontal	317	2.00	-	27.50

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 97
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2976G	119.31	Inf	-Inf	8.21	3	Vertical	5	2.37	-	111.10
AV	5.3024G	109.51	Inf	-Inf	8.21	3	Vertical	5	2.37	-	101.30
PK	5.3501G	73.44	74.00	-0.56	8.28	3	Vertical	5	2.37	-	65.16
AV	5.3501G	53.27	54.00	-0.73	8.28	3	Vertical	5	2.37	-	44.99

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 97
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2952G	117.88	Inf	-Inf	8.20	3	Horizontal	303	2.77	-	109.68
AV	5.2952G	108.08	Inf	-Inf	8.20	3	Horizontal	303	2.77	-	99.88
PK	5.3528G	70.43	74.00	-3.57	8.28	3	Horizontal	303	2.77	-	62.15
AV	5.3504G	50.93	54.00	-3.07	8.28	3	Horizontal	303	2.77	-	42.65

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
 Setting 97
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60736G	52.66	74.00	-21.34	14.50	3	Vertical	124	2.85	-	38.16
AV	10.60268G	40.25	54.00	-13.75	14.52	3	Vertical	124	2.85	-	25.73
PK	15.90036G	56.31	74.00	-17.69	15.13	3	Vertical	267	1.71	-	41.18
AV	15.9021G	43.63	54.00	-10.37	15.12	3	Vertical	267	1.71	-	28.51

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 97
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60052G	53.21	74.00	-20.79	14.51	3	Horizontal	215	1.59	-	38.70
AV	10.60636G	39.84	54.00	-14.16	14.51	3	Horizontal	223	1.50	-	25.33
PK	15.91416G	54.12	74.00	-19.88	15.09	3	Horizontal	170	1.11	-	39.03
AV	15.89352G	40.52	54.00	-13.48	15.14	3	Horizontal	170	1.11	-	25.38

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 86
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.317G	116.02	Inf	-Inf	8.23	3	Vertical	2	2.37	-	107.79
AV	5.322G	106.55	Inf	-Inf	8.23	3	Vertical	2	2.37	-	98.32
PK	5.352G	72.75	74.00	-1.25	8.28	3	Vertical	2	2.37	-	64.47
AV	5.352G	53.33	54.00	-0.67	8.28	3	Vertical	2	2.37	-	45.05

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 86
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3158G	114.49	Inf	-Inf	8.23	3	Horizontal	301	2.88	-	106.26
AV	5.321G	105.09	Inf	-Inf	8.23	3	Horizontal	301	2.88	-	96.86
PK	5.3556G	71.99	74.00	-2.01	8.28	3	Horizontal	301	2.88	-	63.71
AV	5.3508G	52.72	54.00	-1.28	8.28	3	Horizontal	301	2.88	-	44.44

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 86
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.634G	53.31	74.00	-20.69	14.49	3	Vertical	103	2.68	-	38.82
AV	10.63364G	39.94	54.00	-14.06	14.49	3	Vertical	103	2.68	-	25.45
PK	15.94614G	54.67	74.00	-19.33	15.00	3	Vertical	190	1.69	-	39.67
AV	15.96048G	42.63	54.00	-11.37	14.96	3	Vertical	190	1.69	-	27.67

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
 Setting 86
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64128G	53.53	74.00	-20.47	14.49	3	Horizontal	84	1.60	-	39.04
AV	10.63116G	39.91	54.00	-14.09	14.49	3	Horizontal	84	1.60	-	25.42
PK	15.96624G	53.90	74.00	-20.10	14.95	3	Horizontal	343	2.68	-	38.95
AV	15.94524G	40.56	54.00	-13.44	15.00	3	Horizontal	343	2.68	-	25.56

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	59.20	74.00	-14.80	8.45	3	Vertical	15	2.35	-	50.75
AV	5.4586G	46.68	54.00	-7.32	8.45	3	Vertical	15	2.35	-	38.23
PK	5.4684G	67.50	68.20	-0.70	8.46	3	Vertical	15	2.35	-	59.04
PK	5.5044G	112.92	Inf	-Inf	8.52	3	Vertical	15	2.35	-	104.40
AV	5.504G	104.07	Inf	-Inf	8.52	3	Vertical	15	2.35	-	95.55

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4526G	59.02	74.00	-14.98	8.44	3	Horizontal	325	2.33	-	50.58
AV	5.4598G	45.98	54.00	-8.02	8.45	3	Horizontal	325	2.33	-	37.53
PK	5.469G	63.23	68.20	-4.97	8.46	3	Horizontal	325	2.33	-	54.77
PK	5.5036G	109.42	Inf	-Inf	8.52	3	Horizontal	325	2.33	-	100.90
AV	5.504G	100.17	Inf	-Inf	8.52	3	Horizontal	325	2.33	-	91.65

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5500MHz_TX




EUT Z_2TX
 Setting 72
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99184G	53.80	74.00	-20.20	14.27	3	Vertical	90	2.34	-	39.53
AV	11.00834G	39.93	54.00	-14.07	14.27	3	Vertical	90	2.34	-	25.66

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 72
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00744G	53.60	74.00	-20.40	14.27	3	Horizontal	78	1.18	-	39.33
AV	11.003G	40.18	54.00	-13.82	14.26	3	Horizontal	78	1.18	-	25.92

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 103
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4528G	62.32	74.00	-11.68	8.44	3	Vertical	69	2.14	-	53.88
AV	5.46G	47.59	54.00	-6.41	8.45	3	Vertical	69	2.14	-	39.14
PK	5.4656G	64.80	68.20	-3.40	8.46	3	Vertical	69	2.14	-	56.34
PK	5.5776G	119.84	Inf	-Inf	8.57	3	Vertical	69	2.14	-	111.27
AV	5.5824G	109.50	Inf	-Inf	8.57	3	Vertical	69	2.14	-	100.93
PK	5.7288G	61.08	68.20	-7.12	8.80	3	Vertical	69	2.14	-	52.28

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 103
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	61.04	74.00	-12.96	8.44	3	Horizontal	326	2.43	-	52.60
AV	5.4584G	46.62	54.00	-7.38	8.45	3	Horizontal	326	2.43	-	38.17
PK	5.4696G	61.16	68.20	-7.04	8.46	3	Horizontal	326	2.43	-	52.70
PK	5.5792G	116.54	Inf	-Inf	8.57	3	Horizontal	326	2.43	-	107.97
AV	5.584G	105.91	Inf	-Inf	8.57	3	Horizontal	326	2.43	-	97.34
PK	5.7328G	59.04	68.20	-9.16	8.80	3	Horizontal	326	2.43	-	50.24

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 103
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15142G	54.63	74.00	-19.37	14.45	3	Vertical	14	2.04	-	40.18
AV	11.16096G	41.70	54.00	-12.30	14.47	3	Vertical	14	2.04	-	27.23
PK	16.74768G	67.56	68.20	-0.64	18.19	3	Vertical	330	1.86	-	49.37

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 103
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.17254G	53.61	74.00	-20.39	14.48	3	Horizontal	346	2.82	-	39.13
AV	11.1726G	39.83	54.00	-14.17	14.48	3	Horizontal	346	2.82	-	25.35
PK	16.74684G	63.42	68.20	-4.78	18.19	3	Horizontal	213	1.83	-	45.23

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6968G	112.66	Inf	-Inf	8.75	3	Vertical	64	2.29	-	103.91
AV	5.7022G	103.10	Inf	-Inf	8.75	3	Vertical	64	2.29	-	94.35
PK	5.7274G	67.59	68.20	-0.61	8.80	3	Vertical	64	2.29	-	58.79

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




EUT Z_2TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6974G	110.09	Inf	-Inf	8.75	3	Horizontal	270	2.49	-	101.34
AV	5.698G	100.72	Inf	-Inf	8.75	3	Horizontal	270	2.49	-	91.97
PK	5.729G	63.14	68.20	-5.06	8.80	3	Horizontal	270	2.49	-	54.34

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4036G	53.61	74.00	-20.39	14.77	3	Vertical	57	2.09	-	38.84
AV	11.40204G	40.67	54.00	-13.33	14.77	3	Vertical	57	2.09	-	25.90

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




EUT Z_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41272G	53.51	74.00	-20.49	14.79	3	Horizontal	48	2.73	-	38.72
AV	11.4147G	40.51	54.00	-13.49	14.79	3	Horizontal	48	2.73	-	25.72

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7272G	117.79	Inf	-Inf	8.80	3	Vertical	70	2.24	-	108.99
AV	5.7224G	108.26	Inf	-Inf	8.78	3	Vertical	70	2.24	-	99.48
PK	5.8888G	59.50	68.20	-8.70	8.91	3	Vertical	70	2.24	-	50.59

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7136G	114.28	Inf	-Inf	8.77	3	Horizontal	265	2.54	-	105.51
AV	5.7184G	104.97	Inf	-Inf	8.77	3	Horizontal	265	2.54	-	96.20
PK	5.8992G	59.33	68.20	-8.87	8.92	3	Horizontal	265	2.54	-	50.41

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44624G	55.45	74.00	-18.55	14.84	3	Vertical	176	2.01	-	40.61
AV	11.44162G	42.35	54.00	-11.65	14.82	3	Vertical	176	2.01	-	27.53
PK	17.15436G	67.67	68.20	-0.53	20.23	3	Vertical	326	2.02	-	47.44

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4511G	53.81	74.00	-20.19	14.84	3	Horizontal	157	2.01	-	38.97
AV	11.43532G	41.10	54.00	-12.90	14.82	3	Horizontal	157	2.01	-	26.28
PK	17.15418G	65.13	68.20	-3.07	20.23	3	Horizontal	224	1.89	-	44.90

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 101
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	61.81	74.00	-12.19	7.94	3	Vertical	9	2.38	-	53.87
AV	5.15G	48.58	54.00	-5.42	7.94	3	Vertical	9	2.38	-	40.64
PK	5.2624G	118.45	Inf	-Inf	8.15	3	Vertical	9	2.38	-	110.30
AV	5.2618G	106.76	Inf	-Inf	8.15	3	Vertical	9	2.38	-	98.61
PK	5.3506G	68.61	74.00	-5.39	8.28	3	Vertical	9	2.38	-	60.33
AV	5.3518G	51.62	54.00	-2.38	8.28	3	Vertical	9	2.38	-	43.34

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 101
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	63.09	74.00	-10.91	7.94	3	Horizontal	299	2.34	-	55.15
AV	5.15G	49.21	54.00	-4.79	7.94	3	Horizontal	299	2.34	-	41.27
PK	5.2528G	118.91	Inf	-Inf	8.14	3	Horizontal	299	2.34	-	110.77
AV	5.263G	108.31	Inf	-Inf	8.16	3	Horizontal	299	2.34	-	100.15
PK	5.3542G	67.38	74.00	-6.62	8.28	3	Horizontal	299	2.34	-	59.10
AV	5.3524G	51.74	54.00	-2.26	8.28	3	Horizontal	299	2.34	-	43.46

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT Z_2TX
Setting 101
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51744G	55.99	68.20	-12.21	14.57	3	Vertical	2	2.47	-	41.42
PK	15.77732G	59.89	74.00	-14.11	15.45	3	Vertical	262	1.85	-	44.44
AV	15.77956G	46.81	54.00	-7.19	15.44	3	Vertical	262	1.85	-	31.37

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT Z_2TX
 Setting 101
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52152G	54.21	68.20	-13.99	14.56	3	Horizontal	105	2.09	-	39.65
PK	15.7716G	55.92	74.00	-18.08	15.45	3	Horizontal	300	2.65	-	40.47
AV	15.77296G	43.03	54.00	-10.97	15.46	3	Horizontal	300	2.65	-	27.57

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3024G	116.92	Inf	-Inf	8.21	3	Vertical	9	2.36	-	108.71
AV	5.3012G	106.29	Inf	-Inf	8.21	3	Vertical	9	2.36	-	98.08
PK	5.3504G	70.27	74.00	-3.73	8.28	3	Vertical	9	2.36	-	61.99
AV	5.35G	52.90	54.00	-1.10	8.28	3	Vertical	9	2.36	-	44.62

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2952G	115.88	Inf	-Inf	8.20	3	Horizontal	294	2.64	-	107.68
AV	5.2952G	104.51	Inf	-Inf	8.20	3	Horizontal	294	2.64	-	96.31
PK	5.3534G	66.70	74.00	-7.30	8.28	3	Horizontal	294	2.64	-	58.42
AV	5.3504G	50.62	54.00	-3.38	8.28	3	Horizontal	294	2.64	-	42.34

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 93
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6096G	53.23	74.00	-20.77	14.50	3	Vertical	115	2.40	-	38.73
AV	10.60016G	41.24	54.00	-12.76	14.51	3	Vertical	115	2.40	-	26.73
PK	15.89856G	53.93	74.00	-20.07	15.13	3	Vertical	38	2.21	-	38.80
AV	15.8946G	41.02	54.00	-12.98	15.15	3	Vertical	38	2.21	-	25.87

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 93
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60008G	53.41	74.00	-20.59	14.51	3	Horizontal	308	1.79	-	38.90
AV	10.60056G	41.45	54.00	-12.55	14.51	3	Horizontal	308	1.79	-	26.94
PK	15.89332G	54.39	74.00	-19.61	15.14	3	Horizontal	68	2.61	-	39.25
AV	15.90172G	42.18	54.00	-11.82	15.13	3	Horizontal	68	2.61	-	27.05

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT Z_2TX
Setting 81
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3264G	114.98	Inf	-Inf	8.25	3	Vertical	337	2.60	-	106.73
AV	5.3228G	102.89	Inf	-Inf	8.24	3	Vertical	337	2.60	-	94.65
PK	5.3532G	70.54	74.00	-3.46	8.28	3	Vertical	337	2.60	-	62.26
AV	5.35G	53.25	54.00	-0.75	8.28	3	Vertical	337	2.60	-	44.97

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 81
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3188G	112.56	Inf	-Inf	8.23	3	Horizontal	265	2.91	-	104.33
AV	5.3168G	100.86	Inf	-Inf	8.23	3	Horizontal	265	2.91	-	92.63
PK	5.35G	66.34	74.00	-7.66	8.28	3	Horizontal	265	2.91	-	58.06
AV	5.3508G	50.95	54.00	-3.05	8.28	3	Horizontal	265	2.91	-	42.67

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 81
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64348G	53.74	74.00	-20.26	14.49	3	Vertical	294	2.56	-	39.25
AV	10.64688G	40.76	54.00	-13.24	14.48	3	Vertical	294	2.56	-	26.28
PK	15.95796G	53.72	74.00	-20.28	14.97	3	Vertical	248	1.81	-	38.75
AV	15.95488G	40.98	54.00	-13.02	14.98	3	Vertical	248	1.81	-	26.00

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 81
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64896G	53.69	74.00	-20.31	14.48	3	Horizontal	338	1.29	-	39.21
AV	10.63232G	41.00	54.00	-13.00	14.49	3	Horizontal	338	1.29	-	26.51
PK	15.96392G	54.33	74.00	-19.67	14.95	3	Horizontal	297	2.66	-	39.38
AV	15.95808G	41.02	54.00	-12.98	14.97	3	Horizontal	297	2.66	-	26.05

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 80
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	61.95	74.00	-12.05	8.44	3	Vertical	316	2.36	-	53.51
AV	5.4596G	49.08	54.00	-4.92	8.45	3	Vertical	316	2.36	-	40.63
PK	5.47G	67.63	68.20	-0.57	8.46	3	Vertical	316	2.36	-	59.17
PK	5.5048G	115.56	Inf	-Inf	8.52	3	Vertical	316	2.36	-	107.04
AV	5.496G	103.25	Inf	-Inf	8.51	3	Vertical	316	2.36	-	94.74

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 80
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	59.95	74.00	-14.05	8.44	3	Horizontal	66	2.47	-	51.51
AV	5.46G	47.83	54.00	-6.17	8.45	3	Horizontal	66	2.47	-	39.38
PK	5.47G	63.70	68.20	-4.50	8.46	3	Horizontal	66	2.47	-	55.24
PK	5.5008G	112.31	Inf	-Inf	8.52	3	Horizontal	66	2.47	-	103.79
AV	5.4952G	100.52	Inf	-Inf	8.51	3	Horizontal	66	2.47	-	92.01

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 80
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99488G	53.20	74.00	-20.80	14.26	3	Vertical	191	2.36	-	38.94
AV	11.00488G	40.83	54.00	-13.17	14.26	3	Vertical	191	2.36	-	26.57

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 80
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99568G	53.58	74.00	-20.42	14.26	3	Horizontal	261	2.99	-	39.32
AV	10.99984G	40.78	54.00	-13.22	14.26	3	Horizontal	261	2.99	-	26.52

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 108
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	66.02	74.00	-7.98	8.45	3	Vertical	232	2.45	-	57.57
AV	5.4576G	52.80	54.00	-1.20	8.44	3	Vertical	232	2.45	-	44.36
PK	5.4656G	67.44	68.20	-0.76	8.46	3	Vertical	232	2.45	-	58.98
PK	5.5792G	121.36	Inf	-Inf	8.57	3	Vertical	232	2.45	-	112.79
AV	5.5784G	109.23	Inf	-Inf	8.57	3	Vertical	232	2.45	-	100.66
PK	5.732G	63.73	68.20	-4.47	8.80	3	Vertical	232	2.45	-	54.93

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 108
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	65.83	74.00	-8.17	8.45	3	Horizontal	223	2.24	-	57.38
AV	5.46G	51.97	54.00	-2.03	8.45	3	Horizontal	223	2.24	-	43.52
PK	5.468G	66.74	68.20	-1.46	8.46	3	Horizontal	223	2.24	-	58.28
PK	5.5792G	120.66	Inf	-Inf	8.57	3	Horizontal	223	2.24	-	112.09
AV	5.5816G	108.50	Inf	-Inf	8.57	3	Horizontal	223	2.24	-	99.93
PK	5.728G	62.89	68.20	-5.31	8.80	3	Horizontal	223	2.24	-	54.09

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT Z_2TX
Setting 108
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1564G	54.13	74.00	-19.87	14.46	3	Vertical	23	2.91	-	39.67
AV	11.16036G	41.40	54.00	-12.60	14.46	3	Vertical	23	2.91	-	26.94
PK	16.7361G	65.18	68.20	-3.02	18.14	3	Vertical	236	1.97	-	47.04

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT Z_2TX
 Setting 108
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15754G	53.33	74.00	-20.67	14.46	3	Horizontal	15	2.98	-	38.87
AV	11.17272G	40.47	54.00	-13.53	14.48	3	Horizontal	15	2.98	-	25.99
PK	16.7313G	60.05	68.20	-8.15	18.12	3	Horizontal	2	2.91	-	41.93

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 67
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.696G	112.48	Inf	-Inf	8.74	3	Vertical	322	2.35	-	103.74
AV	5.7032G	100.77	Inf	-Inf	8.75	3	Vertical	322	2.35	-	92.02
PK	5.7252G	67.43	68.20	-0.77	8.79	3	Vertical	322	2.35	-	58.64

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 67
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6992G	110.14	Inf	-Inf	8.75	3	Horizontal	8	2.63	-	101.39
AV	5.6952G	97.96	Inf	-Inf	8.74	3	Horizontal	8	2.63	-	89.22
PK	5.7252G	64.84	68.20	-3.36	8.79	3	Horizontal	8	2.63	-	56.05

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39188G	54.31	74.00	-19.69	14.76	3	Vertical	122	1.14	-	39.55
AV	11.39068G	41.51	54.00	-12.49	14.76	3	Vertical	122	1.14	-	26.75

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3942G	54.88	74.00	-19.12	14.77	3	Horizontal	133	1.89	-	40.11
AV	11.39032G	41.37	54.00	-12.63	14.76	3	Horizontal	133	1.89	-	26.61

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 120
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	58.20	74.00	-15.80	8.45	3	Vertical	295	2.30	-	49.75
AV	5.456G	46.59	54.00	-7.41	8.44	3	Vertical	295	2.30	-	38.15
PK	5.46G	58.20	68.20	-10.00	8.45	3	Vertical	295	2.30	-	49.75
PK	5.7236G	120.06	Inf	-Inf	8.78	3	Vertical	295	2.30	-	111.28
AV	5.7212G	108.68	Inf	-Inf	8.78	3	Vertical	295	2.30	-	99.90
PK	5.852G	67.57	68.20	-0.63	8.90	3	Vertical	295	2.30	-	58.67

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 120
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4452G	58.33	74.00	-15.67	8.42	3	Horizontal	338	2.39	-	49.91
AV	5.4428G	46.51	54.00	-7.49	8.42	3	Horizontal	338	2.39	-	38.09
PK	5.462G	58.19	68.20	-10.01	8.45	3	Horizontal	338	2.39	-	49.74
PK	5.7116G	117.44	Inf	-Inf	8.78	3	Horizontal	338	2.39	-	108.66
AV	5.7116G	105.66	Inf	-Inf	8.78	3	Horizontal	338	2.39	-	96.88
PK	5.852G	62.76	68.20	-5.44	8.90	3	Horizontal	338	2.39	-	53.86

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 120
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43586G	55.34	74.00	-18.66	14.82	3	Vertical	286	2.04	-	40.52
AV	11.44306G	42.63	54.00	-11.37	14.82	3	Vertical	286	2.04	-	27.81
PK	17.1729G	65.13	68.20	-3.07	20.35	3	Vertical	44	2.00	-	44.78

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 120
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44666G	54.27	74.00	-19.73	14.84	3	Horizontal	224	2.82	-	39.43
AV	11.44558G	41.30	54.00	-12.70	14.84	3	Horizontal	224	2.82	-	26.46
PK	17.16708G	60.47	68.20	-7.73	20.31	3	Horizontal	16	2.66	-	40.16

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	61.04	74.00	-12.96	7.94	3	Vertical	215	2.40	-	53.10
AV	5.1458G	47.71	54.00	-6.29	7.94	3	Vertical	215	2.40	-	39.77
PK	5.2742G	114.20	Inf	-Inf	8.17	3	Vertical	215	2.40	-	106.03
AV	5.2754G	102.02	Inf	-Inf	8.17	3	Vertical	215	2.40	-	93.85
PK	5.363G	69.88	74.00	-4.12	8.29	3	Vertical	215	2.40	-	61.59
AV	5.35G	53.44	54.00	-0.56	8.28	3	Vertical	215	2.40	-	45.16

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	62.56	74.00	-11.44	7.94	3	Horizontal	160	2.65	-	54.62
AV	5.1494G	47.97	54.00	-6.03	7.94	3	Horizontal	160	2.65	-	40.03
PK	5.2538G	112.43	Inf	-Inf	8.14	3	Horizontal	160	2.65	-	104.29
AV	5.2664G	101.20	Inf	-Inf	8.16	3	Horizontal	160	2.65	-	93.04
PK	5.3612G	70.09	74.00	-3.91	8.29	3	Horizontal	160	2.65	-	61.80
AV	5.3504G	52.83	54.00	-1.17	8.28	3	Horizontal	160	2.65	-	44.55

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80898G	55.05	74.00	-18.95	15.36	3	Vertical	258	2.05	-	39.69
AV	15.80759G	41.88	54.00	-12.12	15.37	3	Vertical	258	2.05	-	26.51

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80928G	54.66	74.00	-19.34	15.36	3	Horizontal	17	2.79	-	39.30
AV	15.81064G	41.98	54.00	-12.02	15.36	3	Horizontal	17	2.79	-	26.62

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5310MHz_TX




EUT Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3136G	110.04	Inf	-Inf	8.22	3	Vertical	169	2.36	-	101.82
AV	5.3108G	97.56	Inf	-Inf	8.22	3	Vertical	169	2.36	-	89.34
PK	5.352G	73.19	74.00	-0.81	8.28	3	Vertical	169	2.36	-	64.91
AV	5.3508G	52.55	54.00	-1.45	8.28	3	Vertical	169	2.36	-	44.27

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2944G	107.94	Inf	-Inf	8.20	3	Horizontal	90	2.63	-	99.74
AV	5.2976G	96.30	Inf	-Inf	8.21	3	Horizontal	90	2.63	-	88.09
PK	5.35G	72.01	74.00	-1.99	8.28	3	Horizontal	90	2.63	-	63.73
AV	5.35G	51.22	54.00	-2.78	8.28	3	Horizontal	90	2.63	-	42.94

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62004G	53.00	74.00	-21.00	14.51	3	Vertical	117	2.76	-	38.49
AV	10.61791G	40.62	54.00	-13.38	14.50	3	Vertical	117	2.76	-	26.12
PK	15.93089G	53.91	74.00	-20.09	15.04	3	Vertical	318	1.40	-	38.87
AV	15.93189G	41.22	54.00	-12.78	15.04	3	Vertical	318	1.40	-	26.18

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61911G	53.62	74.00	-20.38	14.51	3	Horizontal	65	1.51	-	39.11
AV	10.6202G	40.60	54.00	-13.40	14.51	3	Horizontal	65	1.51	-	26.09
PK	15.93169G	53.98	74.00	-20.02	15.04	3	Horizontal	224	1.40	-	38.94
AV	15.93031G	41.27	54.00	-12.73	15.04	3	Horizontal	224	1.40	-	26.23

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	64.17	74.00	-9.83	8.44	3	Vertical	78	2.38	-	55.73
AV	5.4588G	48.10	54.00	-5.90	8.45	3	Vertical	78	2.38	-	39.65
PK	5.47G	67.46	68.20	-0.74	8.46	3	Vertical	78	2.38	-	59.00
PK	5.5196G	109.35	Inf	-Inf	8.53	3	Vertical	78	2.38	-	100.82
AV	5.5228G	97.03	Inf	-Inf	8.53	3	Vertical	78	2.38	-	88.50

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	63.02	74.00	-10.98	8.45	3	Horizontal	277	2.40	-	54.57
AV	5.4572G	47.90	54.00	-6.10	8.44	3	Horizontal	277	2.40	-	39.46
PK	5.47G	67.47	68.20	-0.73	8.46	3	Horizontal	277	2.40	-	59.01
PK	5.5196G	106.68	Inf	-Inf	8.53	3	Horizontal	277	2.40	-	98.15
AV	5.514G	94.86	Inf	-Inf	8.53	3	Horizontal	277	2.40	-	86.33

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02186G	53.27	74.00	-20.73	14.29	3	Vertical	31	1.37	-	38.98
AV	11.02096G	40.50	54.00	-13.50	14.29	3	Vertical	31	1.37	-	26.21

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02178G	53.08	74.00	-20.92	14.29	3	Horizontal	90	1.01	-	38.79
AV	11.01608G	40.44	54.00	-13.56	14.28	3	Horizontal	90	1.01	-	26.16

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4498G	63.41	74.00	-10.59	8.42	3	Vertical	75	2.38	-	54.99
AV	5.4348G	48.06	54.00	-5.94	8.41	3	Vertical	75	2.38	-	39.65
PK	5.47G	67.62	68.20	-0.58	8.46	3	Vertical	75	2.38	-	59.16
PK	5.5344G	114.13	Inf	-Inf	8.54	3	Vertical	75	2.38	-	105.59
AV	5.5464G	101.75	Inf	-Inf	8.55	3	Vertical	75	2.38	-	93.20

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4546G	63.90	74.00	-10.10	8.44	3	Horizontal	233	2.47	-	55.46
AV	5.4582G	47.85	54.00	-6.15	8.45	3	Horizontal	233	2.47	-	39.40
PK	5.47G	65.86	68.20	-2.34	8.46	3	Horizontal	233	2.47	-	57.40
PK	5.5596G	110.45	Inf	-Inf	8.56	3	Horizontal	233	2.47	-	101.89
AV	5.5644G	98.83	Inf	-Inf	8.56	3	Horizontal	233	2.47	-	90.27

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5550MHz_TX




EUT_Z_2TX
 Setting 88
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10086G	53.20	74.00	-20.80	14.39	3	Vertical	341	2.09	-	38.81
AV	11.10117G	40.65	54.00	-13.35	14.39	3	Vertical	341	2.09	-	26.26

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5550MHz_TX




EUT_Z_2TX
 Setting 88
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10056G	53.98	74.00	-20.02	14.39	3	Horizontal	218	1.93	-	39.59
AV	11.10227G	40.69	54.00	-13.31	14.39	3	Horizontal	218	1.93	-	26.30

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5670MHz_TX




EUT Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6744G	111.58	Inf	-Inf	8.70	3	Vertical	169	2.31	-	102.88
AV	5.6748G	99.44	Inf	-Inf	8.70	3	Vertical	169	2.31	-	90.74
PK	5.7432G	67.59	68.20	-0.61	8.82	3	Vertical	169	2.31	-	58.77

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6676G	109.19	Inf	-Inf	8.69	3	Horizontal	212	2.64	-	100.50
AV	5.6784G	97.30	Inf	-Inf	8.72	3	Horizontal	212	2.64	-	88.58
PK	5.7256G	64.27	68.20	-3.93	8.79	3	Horizontal	212	2.64	-	55.48

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3389G	53.01	74.00	-20.99	14.70	3	Vertical	214	2.01	-	38.31
AV	11.34008G	40.22	54.00	-13.78	14.70	3	Vertical	214	2.01	-	25.52

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34182G	52.74	74.00	-21.26	14.70	3	Horizontal	287	1.50	-	38.04
AV	11.34154G	39.99	54.00	-14.01	14.70	3	Horizontal	287	1.50	-	25.29

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 95
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	57.92	74.00	-16.08	8.44	3	Vertical	134	2.38	-	49.48
AV	5.4196G	46.77	54.00	-7.23	8.38	3	Vertical	134	2.38	-	38.39
PK	5.4628G	57.87	68.20	-10.33	8.45	3	Vertical	134	2.38	-	49.42
PK	5.7052G	116.27	Inf	-Inf	8.76	3	Vertical	134	2.38	-	107.51
AV	5.7088G	104.01	Inf	-Inf	8.77	3	Vertical	134	2.38	-	95.24
PK	5.8528G	67.61	68.20	-0.59	8.90	3	Vertical	134	2.38	-	58.71

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 95
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4328G	59.25	74.00	-14.75	8.40	3	Horizontal	181	2.39	-	50.85
PK	5.4628G	58.12	68.20	-10.08	8.45	3	Horizontal	181	2.39	-	49.67
AV	5.4508G	46.81	54.00	-7.19	8.44	3	Horizontal	181	2.39	-	38.37
PK	5.7016G	113.16	Inf	-Inf	8.75	3	Horizontal	181	2.39	-	104.41
AV	5.7064G	101.87	Inf	-Inf	8.76	3	Horizontal	181	2.39	-	93.11
PK	5.8636G	63.29	68.20	-4.91	8.91	3	Horizontal	181	2.39	-	54.38

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 95
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41975G	54.09	74.00	-19.91	14.80	3	Vertical	61	1.57	-	39.29
AV	11.41884G	40.96	54.00	-13.04	14.80	3	Vertical	61	1.57	-	26.16
PK	17.1394G	67.03	68.20	-1.17	20.14	3	Vertical	314	1.94	-	46.89

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 95
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42001G	53.61	74.00	-20.39	14.80	3	Horizontal	282	1.37	-	38.81
AV	11.42172G	40.91	54.00	-13.09	14.80	3	Horizontal	282	1.37	-	26.11
PK	17.12971G	61.39	68.20	-6.81	20.08	3	Horizontal	64	1.89	-	41.31

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	59.45	74.00	-14.55	7.92	3	Vertical	52	2.26	-	51.53
AV	5.138G	48.75	54.00	-5.25	7.92	3	Vertical	52	2.26	-	40.83
PK	5.2964G	105.79	Inf	-Inf	8.21	3	Vertical	52	2.26	-	97.58
AV	5.2988G	95.70	Inf	-Inf	8.21	3	Vertical	52	2.26	-	87.49
PK	5.3508G	65.79	74.00	-8.21	8.28	3	Vertical	52	2.26	-	57.51
AV	5.3524G	53.23	54.00	-0.77	8.28	3	Vertical	52	2.26	-	44.95

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1268G	59.02	74.00	-14.98	7.90	3	Horizontal	337	2.62	-	51.12
AV	5.1404G	48.49	54.00	-5.51	7.93	3	Horizontal	337	2.62	-	40.56
PK	5.2724G	104.74	Inf	-Inf	8.17	3	Horizontal	337	2.62	-	96.57
AV	5.2812G	93.95	Inf	-Inf	8.18	3	Horizontal	337	2.62	-	85.77
PK	5.35G	65.02	74.00	-8.98	8.28	3	Horizontal	337	2.62	-	56.74
AV	5.3516G	52.28	54.00	-1.72	8.28	3	Horizontal	337	2.62	-	44.00

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 69
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86672G	53.15	74.00	-20.85	15.22	3	Vertical	283	1.60	-	37.93
AV	15.87078G	42.45	54.00	-11.55	15.20	3	Vertical	283	1.60	-	27.25

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5290MHz_TX




EUT Z_2TX
 Setting 69
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87426G	53.35	74.00	-20.65	15.19	3	Horizontal	126	2.15	-	38.16
AV	15.86628G	42.36	54.00	-11.64	15.22	3	Horizontal	126	2.15	-	27.14

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 74
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	66.53	74.00	-7.47	8.44	3	Vertical	306	2.47	-	58.09
AV	5.46G	53.46	54.00	-0.54	8.45	3	Vertical	306	2.47	-	45.01
PK	5.465G	67.48	68.20	-0.72	8.45	3	Vertical	306	2.47	-	59.03
PK	5.546G	107.46	Inf	-Inf	8.55	3	Vertical	306	2.47	-	98.91
AV	5.542G	97.69	Inf	-Inf	8.55	3	Vertical	306	2.47	-	89.14
PK	5.77G	59.77	68.20	-8.43	8.85	3	Vertical	306	2.47	-	50.92

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 74
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	64.19	74.00	-9.81	8.44	3	Horizontal	141	2.47	-	55.75
AV	5.46G	51.22	54.00	-2.78	8.45	3	Horizontal	141	2.47	-	42.77
PK	5.466G	67.01	68.20	-1.19	8.46	3	Horizontal	141	2.47	-	58.55
PK	5.533G	105.69	Inf	-Inf	8.54	3	Horizontal	141	2.47	-	97.15
AV	5.525G	94.61	Inf	-Inf	8.53	3	Horizontal	141	2.47	-	86.08
PK	5.745G	59.77	68.20	-8.43	8.82	3	Horizontal	141	2.47	-	50.95

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5530MHz_TX




EUT_Z_2TX
 Setting 74
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.059G	54.02	74.00	-19.98	14.34	3	Vertical	25	2.73	-	39.68
AV	11.059G	42.00	54.00	-12.00	14.34	3	Vertical	25	2.73	-	27.66

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5530MHz_TX




EUT_Z_2TX
 Setting 74
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05644G	52.93	74.00	-21.07	14.34	3	Horizontal	26	2.88	-	38.59
AV	11.05766G	42.17	54.00	-11.83	14.34	3	Horizontal	26	2.88	-	27.83

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	62.69	74.00	-11.31	8.45	3	Vertical	286	2.43	-	54.24
AV	5.456G	52.22	54.00	-1.78	8.44	3	Vertical	286	2.43	-	43.78
PK	5.462G	63.67	68.20	-4.53	8.45	3	Vertical	286	2.43	-	55.22
PK	5.596G	110.39	Inf	-Inf	8.58	3	Vertical	286	2.43	-	101.81
AV	5.601G	99.63	Inf	-Inf	8.58	3	Vertical	286	2.43	-	91.05
PK	5.738G	67.52	68.20	-0.68	8.80	3	Vertical	286	2.43	-	58.72

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	60.77	74.00	-13.23	8.45	3	Horizontal	108	2.44	-	52.32
AV	5.456G	50.22	54.00	-3.78	8.44	3	Horizontal	108	2.44	-	41.78
PK	5.464G	61.23	68.20	-6.97	8.45	3	Horizontal	108	2.44	-	52.78
PK	5.604G	107.26	Inf	-Inf	8.59	3	Horizontal	108	2.44	-	98.67
AV	5.607G	96.93	Inf	-Inf	8.59	3	Horizontal	108	2.44	-	88.34
PK	5.729G	65.77	68.20	-2.43	8.80	3	Horizontal	108	2.44	-	56.97

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 85
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21926G	52.81	74.00	-21.19	14.55	3	Vertical	92	2.28	-	38.26
AV	11.22188G	42.13	54.00	-11.87	14.55	3	Vertical	92	2.28	-	27.58

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 85
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21862G	53.81	74.00	-20.19	14.54	3	Horizontal	165	2.14	-	39.27
AV	11.22162G	42.32	54.00	-11.68	14.55	3	Horizontal	165	2.14	-	27.77

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 89
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	58.93	74.00	-15.07	8.45	3	Vertical	276	2.28	-	50.48
AV	5.3924G	48.60	54.00	-5.40	8.33	3	Vertical	276	2.28	-	40.27
PK	5.47G	60.52	68.20	-7.68	8.46	3	Vertical	276	2.28	-	52.06
PK	5.6768G	111.71	Inf	-Inf	8.72	3	Vertical	276	2.28	-	102.99
AV	5.6864G	100.94	Inf	-Inf	8.72	3	Vertical	276	2.28	-	92.22
PK	5.8616G	67.48	68.20	-0.72	8.91	3	Vertical	276	2.28	-	58.57

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 89
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4212G	58.46	74.00	-15.54	8.38	3	Horizontal	84	2.63	-	50.08
PK	5.468G	58.68	68.20	-9.52	8.46	3	Horizontal	84	2.63	-	50.22
AV	5.4572G	48.04	54.00	-5.96	8.44	3	Horizontal	84	2.63	-	39.60
PK	5.6732G	108.47	Inf	-Inf	8.70	3	Horizontal	84	2.63	-	99.77
AV	5.6816G	98.37	Inf	-Inf	8.72	3	Horizontal	84	2.63	-	89.65
PK	5.852G	64.01	68.20	-4.19	8.90	3	Horizontal	84	2.63	-	55.11

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 89
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38308G	53.79	74.00	-20.21	14.75	3	Vertical	15	2.14	-	39.04
AV	11.37576G	42.56	54.00	-11.44	14.74	3	Vertical	15	2.14	-	27.82

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 89
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37866G	53.99	74.00	-20.01	14.74	3	Horizontal	185	2.09	-	39.25
AV	11.3836G	42.41	54.00	-11.59	14.75	3	Horizontal	185	2.09	-	27.66




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.726G	67.69	68.20	-0.51	8.79	3	Vertical	67	2.30	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 99
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1454G	64.50	74.00	-9.50	7.94	3	Vertical	49	2.81	-	56.56
AV	5.15G	49.55	54.00	-4.45	7.94	3	Vertical	49	2.81	-	41.61
PK	5.2642G	118.83	Inf	-Inf	8.16	3	Vertical	49	2.81	-	110.67
AV	5.2654G	107.44	Inf	-Inf	8.16	3	Vertical	49	2.81	-	99.28
PK	5.35G	67.74	74.00	-6.26	8.28	3	Vertical	49	2.81	-	59.46
AV	5.3512G	51.77	54.00	-2.23	8.28	3	Vertical	49	2.81	-	43.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 99
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1436G	64.80	74.00	-9.20	7.94	3	Horizontal	305	2.57	-	56.86
AV	5.15G	48.20	54.00	-5.80	7.94	3	Horizontal	305	2.57	-	40.26
PK	5.2666G	117.92	Inf	-Inf	8.16	3	Horizontal	305	2.57	-	109.76
AV	5.2672G	106.10	Inf	-Inf	8.16	3	Horizontal	305	2.57	-	97.94
PK	5.3524G	67.60	74.00	-6.40	8.28	3	Horizontal	305	2.57	-	59.32
AV	5.3524G	51.90	54.00	-2.10	8.28	3	Horizontal	305	2.57	-	43.62

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 99
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.526G	56.17	68.20	-12.03	14.56	3	Vertical	8	2.44	-	41.61
PK	15.78408G	64.39	74.00	-9.61	15.43	3	Vertical	309	1.90	-	48.96
AV	15.78096G	52.20	54.00	-1.80	15.44	3	Vertical	309	1.90	-	36.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
 Setting 99
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54088G	53.47	68.20	-14.73	14.55	3	Horizontal	113	2.12	-	38.92
PK	15.78384G	59.49	74.00	-14.51	15.43	3	Horizontal	142	1.86	-	44.06
AV	15.7818G	46.65	54.00	-7.35	15.43	3	Horizontal	142	1.86	-	31.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 94
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2922G	119.14	Inf	-Inf	8.20	3	Vertical	10	2.62	-	110.94
AV	5.2928G	107.51	Inf	-Inf	8.20	3	Vertical	10	2.62	-	99.31
PK	5.3501G	72.69	74.00	-1.31	8.28	3	Vertical	10	2.62	-	64.41
AV	5.3501G	53.47	54.00	-0.53	8.28	3	Vertical	10	2.62	-	45.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 94
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3048G	117.29	Inf	-Inf	8.22	3	Horizontal	335	2.43	-	109.07
AV	5.297G	104.81	Inf	-Inf	8.21	3	Horizontal	335	2.43	-	96.60
PK	5.35G	70.41	74.00	-3.59	8.28	3	Horizontal	335	2.43	-	62.13
AV	5.35G	50.97	54.00	-3.03	8.28	3	Horizontal	335	2.43	-	42.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 94
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60092G	55.88	74.00	-18.12	14.51	3	Vertical	351	2.38	-	41.37
AV	10.60048G	42.96	54.00	-11.04	14.51	3	Vertical	351	2.38	-	28.45
PK	15.89784G	60.24	74.00	-13.76	15.14	3	Vertical	320	2.45	-	45.10
AV	15.89748G	48.10	54.00	-5.90	15.14	3	Vertical	320	2.45	-	32.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 94
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60168G	54.24	74.00	-19.76	14.51	3	Horizontal	96	1.50	-	39.73
AV	10.62712G	39.82	54.00	-14.18	14.49	3	Horizontal	96	1.50	-	25.33
PK	15.90408G	58.61	74.00	-15.39	15.12	3	Horizontal	222	1.89	-	43.49
AV	15.89796G	44.96	54.00	-9.04	15.14	3	Horizontal	222	1.89	-	29.82

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3164G	118.50	Inf	-Inf	8.23	3	Vertical	49	2.42	-	110.27
AV	5.314G	104.90	Inf	-Inf	8.23	3	Vertical	49	2.42	-	96.67
PK	5.352G	73.43	74.00	-0.57	8.28	3	Vertical	49	2.42	-	65.15
AV	5.35G	52.08	Inf	-Inf	8.28	3	Vertical	49	2.42	-	43.80

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.312G	116.43	Inf	-Inf	8.22	3	Horizontal	329	2.35	-	108.21
AV	5.312G	104.42	Inf	-Inf	8.22	3	Horizontal	329	2.35	-	96.20
PK	5.356G	72.29	74.00	-1.71	8.28	3	Horizontal	329	2.35	-	64.01
AV	5.35G	50.78	54.00	-3.22	8.28	3	Horizontal	329	2.35	-	42.50

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 84
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63652G	53.64	74.00	-20.36	14.49	3	Vertical	40	1.42	-	39.15
AV	10.6478G	40.24	54.00	-13.76	14.48	3	Vertical	40	1.42	-	25.76
PK	15.966G	58.35	74.00	-15.65	14.95	3	Vertical	323	1.97	-	43.40
AV	15.95832G	42.51	54.00	-11.49	14.97	3	Vertical	323	1.97	-	27.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 84
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61492G	53.84	74.00	-20.16	14.50	3	Horizontal	294	1.79	-	39.34
AV	10.63712G	40.30	54.00	-13.70	14.49	3	Horizontal	294	1.79	-	25.81
PK	15.98472G	53.75	74.00	-20.25	14.89	3	Horizontal	246	1.25	-	38.86
AV	15.95136G	40.75	54.00	-13.25	14.98	3	Horizontal	246	1.25	-	25.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 74
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	62.56	74.00	-11.44	8.45	3	Vertical	74	2.39	-	54.11
AV	5.4598G	47.19	54.00	-6.81	8.45	3	Vertical	74	2.39	-	38.74
PK	5.47G	67.55	68.20	-0.65	8.46	3	Vertical	74	2.39	-	59.09
PK	5.5084G	116.11	Inf	-Inf	8.53	3	Vertical	74	2.39	-	107.58
AV	5.503G	103.50	Inf	-Inf	8.52	3	Vertical	74	2.39	-	94.98

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 74
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	58.28	74.00	-15.72	8.44	3	Horizontal	4	2.39	-	49.84
AV	5.4518G	45.87	54.00	-8.13	8.44	3	Horizontal	4	2.39	-	37.43
PK	5.4676G	63.49	68.20	-4.71	8.46	3	Horizontal	4	2.39	-	55.03
PK	5.5084G	114.55	Inf	-Inf	8.53	3	Horizontal	4	2.39	-	106.02
AV	5.5088G	101.56	Inf	-Inf	8.53	3	Horizontal	4	2.39	-	93.03

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.98884G	53.47	74.00	-20.53	14.27	3	Vertical	294	2.67	-	39.20
AV	11.01788G	39.81	54.00	-14.19	14.28	3	Vertical	294	2.67	-	25.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.027G	54.05	74.00	-19.95	14.29	3	Horizontal	351	2.73	-	39.76
AV	11.02076G	39.97	54.00	-14.03	14.29	3	Horizontal	351	2.73	-	25.68

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT Z_2TX
Setting 100
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	64.71	74.00	-9.29	8.44	3	Vertical	70	2.41	-	56.27
AV	5.46G	50.14	54.00	-3.86	8.45	3	Vertical	70	2.41	-	41.69
PK	5.4696G	67.62	68.20	-0.58	8.46	3	Vertical	70	2.41	-	59.16
PK	5.5864G	122.55	Inf	-Inf	8.57	3	Vertical	70	2.41	-	113.98
AV	5.5848G	110.09	Inf	-Inf	8.57	3	Vertical	70	2.41	-	101.52
PK	5.7264G	66.40	68.20	-1.80	8.79	3	Vertical	70	2.41	-	57.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 100
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	61.54	74.00	-12.46	8.45	3	Horizontal	1	1.18	-	53.09
AV	5.4592G	48.00	54.00	-6.00	8.45	3	Horizontal	1	1.18	-	39.55
PK	5.4648G	63.81	68.20	-4.39	8.45	3	Horizontal	1	1.18	-	55.36
PK	5.5808G	117.14	Inf	-Inf	8.57	3	Horizontal	1	1.18	-	108.57
AV	5.576G	104.35	Inf	-Inf	8.57	3	Horizontal	1	1.18	-	95.78
PK	5.7312G	60.16	68.20	-8.04	8.80	3	Horizontal	1	1.18	-	51.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT Z_2TX
 Setting 100
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16012G	54.72	74.00	-19.28	14.46	3	Vertical	153	1.93	-	40.26
AV	11.15772G	41.99	54.00	-12.01	14.46	3	Vertical	153	1.93	-	27.53
PK	16.7268G	64.58	68.20	-3.62	18.09	3	Vertical	177	2.70	-	46.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT Z_2TX
 Setting 100
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16612G	53.13	74.00	-20.87	14.47	3	Horizontal	5	1.53	-	38.66
AV	11.15844G	39.66	54.00	-14.34	14.46	3	Horizontal	5	1.53	-	25.20
PK	16.73772G	66.95	68.20	-1.25	18.14	3	Horizontal	249	1.92	-	48.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7084G	117.14	Inf	-Inf	8.77	3	Vertical	23	2.51	-	108.37
AV	5.7072G	103.92	Inf	-Inf	8.76	3	Vertical	23	2.51	-	95.16
PK	5.7252G	67.53	68.20	-0.67	8.79	3	Vertical	23	2.51	-	58.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7084G	112.76	Inf	-Inf	8.77	3	Horizontal	308	2.96	-	103.99
AV	5.7072G	99.59	Inf	-Inf	8.76	3	Horizontal	308	2.96	-	90.83
PK	5.7276G	65.94	68.20	-2.26	8.80	3	Horizontal	308	2.96	-	57.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
 Setting 65
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37384G	53.51	74.00	-20.49	14.75	3	Vertical	103	1.42	-	38.76
AV	11.41524G	40.38	54.00	-13.62	14.79	3	Vertical	103	1.42	-	25.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42004G	54.28	74.00	-19.72	14.80	3	Horizontal	213	1.41	-	39.48
AV	11.39424G	40.40	54.00	-13.60	14.77	3	Horizontal	213	1.41	-	25.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.728G	118.26	Inf	-Inf	8.80	3	Vertical	74	2.32	-	109.46
AV	5.7288G	105.50	Inf	-Inf	8.80	3	Vertical	74	2.32	-	96.70
PK	5.8704G	59.34	68.20	-8.86	8.91	3	Vertical	74	2.32	-	50.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7232G	115.00	Inf	-Inf	8.78	3	Horizontal	145	2.84	-	106.22
AV	5.7272G	101.65	Inf	-Inf	8.80	3	Horizontal	145	2.84	-	92.85
PK	5.8536G	59.37	68.20	-8.83	8.90	3	Horizontal	145	2.84	-	50.47

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 75
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44108G	53.73	74.00	-20.27	14.82	3	Vertical	112	1.90	-	38.91
AV	11.43508G	40.79	54.00	-13.21	14.82	3	Vertical	112	1.90	-	25.97
PK	17.18376G	67.63	68.20	-0.57	20.40	3	Vertical	242	2.54	-	47.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.45836G	54.25	74.00	-19.75	14.85	3	Horizontal	14	1.89	-	39.40
AV	11.41228G	40.62	54.00	-13.38	14.79	3	Horizontal	14	1.89	-	25.83
PK	17.16612G	60.77	68.20	-7.43	20.29	3	Horizontal	214	2.59	-	40.48

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	59.97	74.00	-14.03	7.94	3	Vertical	54	2.29	-	52.03
AV	5.15G	46.44	54.00	-7.56	7.94	3	Vertical	54	2.29	-	38.50
PK	5.288G	115.53	Inf	-Inf	8.20	3	Vertical	54	2.29	-	107.33
AV	5.288G	104.02	Inf	-Inf	8.20	3	Vertical	54	2.29	-	95.82
PK	5.35G	70.57	74.00	-3.43	8.28	3	Vertical	54	2.29	-	62.29
AV	5.35G	53.38	54.00	-0.62	8.28	3	Vertical	54	2.29	-	45.10

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1404G	60.80	74.00	-13.20	7.93	3	Horizontal	298	2.80	-	52.87
AV	5.1482G	46.85	54.00	-7.15	7.94	3	Horizontal	298	2.80	-	38.91
PK	5.2832G	115.35	Inf	-Inf	8.18	3	Horizontal	298	2.80	-	107.17
AV	5.2844G	103.33	Inf	-Inf	8.19	3	Horizontal	298	2.80	-	95.14
PK	5.3534G	65.70	74.00	-8.30	8.28	3	Horizontal	298	2.80	-	57.42
AV	5.3504G	50.20	54.00	-3.80	8.28	3	Horizontal	298	2.80	-	41.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 88
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.55824G	53.68	68.20	-14.52	14.54	3	Vertical	312	1.47	-	39.14
PK	15.78984G	56.11	74.00	-17.89	15.41	3	Vertical	90	1.88	-	40.70
AV	15.78072G	43.99	54.00	-10.01	15.44	3	Vertical	90	1.88	-	28.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5270MHz_TX




EUT Z_2TX
 Setting 88
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.53792G	53.46	68.20	-14.74	14.55	3	Horizontal	330	1.21	-	38.91
PK	15.78792G	54.09	74.00	-19.91	15.42	3	Horizontal	162	2.55	-	38.67
AV	15.77416G	40.78	54.00	-13.22	15.45	3	Horizontal	162	2.55	-	25.33

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5310MHz_TX




EUT Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3144G	111.96	Inf	-Inf	8.23	3	Vertical	176	2.44	-	103.73
AV	5.3156G	98.87	Inf	-Inf	8.23	3	Vertical	176	2.44	-	90.64
PK	5.3501G	72.96	74.00	-1.04	8.28	3	Vertical	176	2.44	-	64.68
AV	5.3501G	53.46	54.00	-0.54	8.28	3	Vertical	176	2.44	-	45.18

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2988G	111.25	Inf	-Inf	8.21	3	Horizontal	328	2.29	-	103.04
AV	5.2956G	97.85	Inf	-Inf	8.20	3	Horizontal	328	2.29	-	89.65
PK	5.3516G	70.95	74.00	-3.05	8.28	3	Horizontal	328	2.29	-	62.67
AV	5.3516G	50.33	54.00	-3.67	8.28	3	Horizontal	328	2.29	-	42.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62528G	53.83	74.00	-20.17	14.49	3	Vertical	298	1.79	-	39.34
AV	10.63328G	39.89	54.00	-14.11	14.49	3	Vertical	298	1.79	-	25.40
PK	15.89688G	53.33	74.00	-20.67	15.14	3	Vertical	182	1.07	-	38.19
AV	15.92456G	40.10	54.00	-13.90	15.06	3	Vertical	182	1.07	-	25.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6592G	53.45	74.00	-20.55	14.48	3	Horizontal	114	2.03	-	38.97
AV	10.60352G	40.27	54.00	-13.73	14.52	3	Horizontal	114	2.03	-	25.75
PK	15.90888G	53.82	74.00	-20.18	15.10	3	Horizontal	109	1.07	-	38.72
AV	15.91128G	40.02	54.00	-13.98	15.10	3	Horizontal	109	1.07	-	24.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	66.52	74.00	-7.48	8.44	3	Vertical	71	2.36	-	58.08
AV	5.4584G	48.44	54.00	-5.56	8.45	3	Vertical	71	2.36	-	39.99
PK	5.4672G	67.55	68.20	-0.65	8.46	3	Vertical	71	2.36	-	59.09
PK	5.5128G	111.90	Inf	-Inf	8.53	3	Vertical	71	2.36	-	103.37
AV	5.516G	99.39	Inf	-Inf	8.53	3	Vertical	71	2.36	-	90.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	63.54	74.00	-10.46	8.45	3	Horizontal	333	2.57	-	55.09
AV	5.46G	47.63	54.00	-6.37	8.45	3	Horizontal	333	2.57	-	39.18
PK	5.4696G	67.41	68.20	-0.79	8.46	3	Horizontal	333	2.57	-	58.95
PK	5.4948G	111.57	Inf	-Inf	8.51	3	Horizontal	333	2.57	-	103.06
AV	5.4928G	98.97	Inf	-Inf	8.51	3	Horizontal	333	2.57	-	90.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5510MHz_TX




EUT_Z_2TX
 Setting 69
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00976G	53.02	74.00	-20.98	14.28	3	Vertical	32	1.91	-	38.74
AV	11.02976G	39.71	54.00	-14.29	14.30	3	Vertical	32	1.91	-	25.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 69
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02944G	53.21	74.00	-20.79	14.30	3	Horizontal	284	2.81	-	38.91
AV	11.02608G	39.77	54.00	-14.23	14.29	3	Horizontal	284	2.81	-	25.48

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	63.86	74.00	-10.14	8.45	3	Vertical	74	2.47	-	55.41
AV	5.4596G	49.52	54.00	-4.48	8.45	3	Vertical	74	2.47	-	41.07
PK	5.4676G	67.03	68.20	-1.17	8.46	3	Vertical	74	2.47	-	58.57
PK	5.5388G	118.30	Inf	-Inf	8.54	3	Vertical	74	2.47	-	109.76
AV	5.5324G	105.31	Inf	-Inf	8.54	3	Vertical	74	2.47	-	96.77
PK	5.7364G	60.21	68.20	-7.99	8.81	3	Vertical	74	2.47	-	51.40

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	65.30	74.00	-8.70	8.44	3	Horizontal	300	3.00	-	56.86
AV	5.458G	50.16	54.00	-3.84	8.45	3	Horizontal	300	3.00	-	41.71
PK	5.47G	67.48	68.20	-0.72	8.46	3	Horizontal	300	3.00	-	59.02
PK	5.5396G	114.75	Inf	-Inf	8.54	3	Horizontal	300	3.00	-	106.21
AV	5.5508G	103.64	Inf	-Inf	8.55	3	Horizontal	300	3.00	-	95.09
PK	5.7396G	58.91	68.20	-9.29	8.80	3	Horizontal	300	3.00	-	50.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1G	54.58	74.00	-19.42	14.39	3	Vertical	142	1.36	-	40.19
AV	11.07936G	40.00	54.00	-14.00	14.36	3	Vertical	142	1.36	-	25.64
PK	16.62888G	63.32	68.20	-4.88	17.66	3	Vertical	326	1.91	-	45.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5550MHz_TX




EUT Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0784G	53.69	74.00	-20.31	14.36	3	Horizontal	115	1.19	-	39.33
AV	11.068G	39.67	54.00	-14.33	14.35	3	Horizontal	115	1.19	-	25.32
PK	16.61592G	57.10	68.20	-11.10	17.60	3	Horizontal	329	2.70	-	39.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5670MHz_TX




EUT Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6676G	115.03	Inf	-Inf	8.69	3	Vertical	67	2.30	-	106.34
AV	5.6664G	102.32	Inf	-Inf	8.69	3	Vertical	67	2.30	-	93.63
PK	5.726G	67.69	68.20	-0.51	8.79	3	Vertical	67	2.30	-	58.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6544G	113.48	Inf	-Inf	8.67	3	Horizontal	309	2.76	-	104.81
AV	5.6528G	100.67	Inf	-Inf	8.66	3	Horizontal	309	2.76	-	92.01
PK	5.7252G	63.93	68.20	-4.27	8.79	3	Horizontal	309	2.76	-	55.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.36432G	53.46	74.00	-20.54	14.73	3	Vertical	305	2.22	-	38.73
AV	11.37744G	39.90	54.00	-14.10	14.74	3	Vertical	305	2.22	-	25.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33408G	52.96	74.00	-21.04	14.70	3	Horizontal	23	1.42	-	38.26
AV	11.37872G	40.14	54.00	-13.86	14.74	3	Horizontal	23	1.42	-	25.40

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 81
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6988G	115.31	Inf	-Inf	8.75	3	Vertical	69	2.55	-	106.56
AV	5.7236G	103.18	Inf	-Inf	8.78	3	Vertical	69	2.55	-	94.40
PK	5.8548G	60.13	68.20	-8.07	8.90	3	Vertical	69	2.55	-	51.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 81
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7124G	111.56	Inf	-Inf	8.78	3	Horizontal	120	2.44	-	102.78
AV	5.7244G	99.34	Inf	-Inf	8.78	3	Horizontal	120	2.44	-	90.56
PK	5.8572G	58.65	68.20	-9.55	8.90	3	Horizontal	120	2.44	-	49.75

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 81
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39504G	54.26	74.00	-19.74	14.77	3	Vertical	37	1.21	-	39.49
AV	11.42032G	40.23	54.00	-13.77	14.80	3	Vertical	37	1.21	-	25.43
PK	17.108G	67.61	68.20	-0.59	19.95	3	Vertical	327	2.00	-	47.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 81
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4104G	53.19	74.00	-20.81	14.79	3	Horizontal	220	2.00	-	38.40
AV	11.4032G	40.44	54.00	-13.56	14.77	3	Horizontal	220	2.00	-	25.67
PK	17.12584G	62.45	68.20	-5.75	20.06	3	Horizontal	145	1.85	-	42.39

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 68
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	59.63	74.00	-14.37	7.94	3	Vertical	355	2.40	-	51.69
AV	5.1468G	46.59	54.00	-7.41	7.94	3	Vertical	355	2.40	-	38.65
PK	5.2716G	108.76	Inf	-Inf	8.17	3	Vertical	355	2.40	-	100.59
AV	5.2732G	96.39	Inf	-Inf	8.17	3	Vertical	355	2.40	-	88.22
PK	5.3532G	73.08	74.00	-0.92	8.28	3	Vertical	355	2.40	-	64.80
AV	5.35G	53.43	54.00	-0.57	8.28	3	Vertical	355	2.40	-	45.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 68
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1164G	59.77	74.00	-14.23	7.87	3	Horizontal	306	2.38	-	51.90
AV	5.1468G	46.78	54.00	-7.22	7.94	3	Horizontal	306	2.38	-	38.84
PK	5.266G	110.21	Inf	-Inf	8.16	3	Horizontal	306	2.38	-	102.05
AV	5.2796G	95.91	Inf	-Inf	8.18	3	Horizontal	306	2.38	-	87.73
PK	5.3644G	70.45	74.00	-3.55	8.29	3	Horizontal	306	2.38	-	62.16
AV	5.35G	52.05	54.00	-1.95	8.28	3	Horizontal	306	2.38	-	43.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89064G	53.72	74.00	-20.28	15.15	3	Vertical	10	1.04	-	38.57
AV	15.86136G	39.85	54.00	-14.15	15.22	3	Vertical	10	1.04	-	24.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.84984G	53.79	74.00	-20.21	15.26	3	Horizontal	140	2.97	-	38.53
AV	15.83976G	39.83	54.00	-14.17	15.28	3	Horizontal	140	2.97	-	24.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 63
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	65.37	74.00	-8.63	8.45	3	Vertical	286	2.43	-	56.92
AV	5.46G	49.87	54.00	-4.13	8.45	3	Vertical	286	2.43	-	41.42
PK	5.467G	67.63	68.20	-0.57	8.46	3	Vertical	286	2.43	-	59.17
PK	5.501G	110.33	Inf	-Inf	8.52	3	Vertical	286	2.43	-	101.81
AV	5.544G	96.88	Inf	-Inf	8.55	3	Vertical	286	2.43	-	88.33
PK	5.757G	59.30	68.20	-8.90	8.83	3	Vertical	286	2.43	-	50.47

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 63
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	61.69	74.00	-12.31	8.44	3	Horizontal	279	2.34	-	53.25
AV	5.46G	47.37	54.00	-6.63	8.45	3	Horizontal	279	2.34	-	38.92
PK	5.47G	64.54	68.20	-3.66	8.46	3	Horizontal	279	2.34	-	56.08
PK	5.501G	107.30	Inf	-Inf	8.52	3	Horizontal	279	2.34	-	98.78
AV	5.502G	94.86	Inf	-Inf	8.52	3	Horizontal	279	2.34	-	86.34
PK	5.763G	58.60	68.20	-9.60	8.84	3	Horizontal	279	2.34	-	49.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06016G	53.26	74.00	-20.74	14.34	3	Vertical	282	2.41	-	38.92
AV	11.02352G	39.42	54.00	-14.58	14.29	3	Vertical	282	2.41	-	25.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02928G	52.84	74.00	-21.16	14.30	3	Horizontal	346	1.26	-	38.54
AV	11.02624G	39.37	54.00	-14.63	14.29	3	Horizontal	346	1.26	-	25.08

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 82
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	63.65	74.00	-10.35	8.42	3	Vertical	208	2.47	-	55.23
PK	5.462G	64.57	68.20	-3.63	8.45	3	Vertical	208	2.47	-	56.12
AV	5.46G	49.66	54.00	-4.34	8.45	3	Vertical	208	2.47	-	41.21
PK	5.586G	115.92	Inf	-Inf	8.57	3	Vertical	208	2.47	-	107.35
AV	5.605G	100.77	Inf	-Inf	8.59	3	Vertical	208	2.47	-	92.18
PK	5.73G	67.44	68.20	-0.76	8.80	3	Vertical	208	2.47	-	58.64

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 82
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	61.72	74.00	-12.28	8.45	3	Horizontal	193	2.47	-	53.27
AV	5.46G	47.78	54.00	-6.22	8.45	3	Horizontal	193	2.47	-	39.33
PK	5.465G	62.86	68.20	-5.34	8.45	3	Horizontal	193	2.47	-	54.41
PK	5.616G	111.10	Inf	-Inf	8.61	3	Horizontal	193	2.47	-	102.49
AV	5.613G	98.50	Inf	-Inf	8.61	3	Horizontal	193	2.47	-	89.89
PK	5.73G	64.96	68.20	-3.24	8.80	3	Horizontal	193	2.47	-	56.16

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2312G	53.21	74.00	-20.79	14.55	3	Vertical	355	1.26	-	38.66
AV	11.25536G	39.19	54.00	-14.81	14.59	3	Vertical	355	1.26	-	24.60

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.23296G	52.88	74.00	-21.12	14.56	3	Horizontal	360	2.58	-	38.32
AV	11.23824G	39.21	54.00	-14.79	14.57	3	Horizontal	360	2.58	-	24.64

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	60.32	74.00	-13.68	8.44	3	Vertical	213	2.47	-	51.88
AV	5.4512G	46.69	54.00	-7.31	8.44	3	Vertical	213	2.47	-	38.25
PK	5.4692G	59.98	68.20	-8.22	8.46	3	Vertical	213	2.47	-	51.52
PK	5.6792G	114.43	Inf	-Inf	8.72	3	Vertical	213	2.47	-	105.71
AV	5.678G	101.18	Inf	-Inf	8.72	3	Vertical	213	2.47	-	92.46
PK	5.85G	67.65	68.20	-0.55	8.90	3	Vertical	213	2.47	-	58.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4044G	58.46	74.00	-15.54	8.35	3	Horizontal	195	2.26	-	50.11
PK	5.4608G	57.92	68.20	-10.28	8.45	3	Horizontal	195	2.26	-	49.47
AV	5.4584G	45.95	54.00	-8.05	8.45	3	Horizontal	195	2.26	-	37.50
PK	5.6804G	113.65	Inf	-Inf	8.72	3	Horizontal	195	2.26	-	104.93
AV	5.6804G	101.98	Inf	-Inf	8.72	3	Horizontal	195	2.26	-	93.26
PK	5.8556G	63.62	68.20	-4.58	8.90	3	Horizontal	195	2.26	-	54.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38768G	54.05	74.00	-19.95	14.76	3	Vertical	26	2.71	-	39.29
AV	11.38824G	39.95	54.00	-14.05	14.76	3	Vertical	26	2.71	-	25.19
PK	17.0679G	65.68	68.20	-2.52	19.71	3	Vertical	191	2.65	-	45.97

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37048G	53.50	74.00	-20.50	14.75	3	Horizontal	26	2.92	-	38.75
AV	11.3852G	39.94	54.00	-14.06	14.75	3	Horizontal	26	2.92	-	25.19
PK	17.0512G	62.91	68.20	-5.29	19.61	3	Horizontal	210	1.93	-	43.30




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	17.1612G	67.69	68.20	-0.51	20.26	3	Vertical	122	2.62	-

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5260MHz_TX




EUT_Z_1TX
Setting 92
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1394G	58.60	74.00	-15.40	7.93	3	Vertical	173	1.20	-	50.67
AV	5.1238G	45.65	54.00	-8.35	7.89	3	Vertical	173	1.20	-	37.76
PK	5.2618G	103.45	Inf	-Inf	8.15	3	Vertical	173	1.20	-	95.30
AV	5.2624G	92.86	Inf	-Inf	8.15	3	Vertical	173	1.20	-	84.71
PK	5.3902G	59.07	74.00	-14.93	8.33	3	Vertical	173	1.20	-	50.74
AV	5.3524G	45.96	54.00	-8.04	8.28	3	Vertical	173	1.20	-	37.68

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5260MHz_TX




EUT_Z_1TX
Setting 92
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	66.06	74.00	-7.94	7.94	3	Horizontal	360	2.95	-	58.12
AV	5.149G	49.33	54.00	-4.67	7.94	3	Horizontal	360	2.95	-	41.39
PK	5.2648G	122.18	Inf	-Inf	8.16	3	Horizontal	360	2.95	-	114.02
AV	5.2624G	111.74	Inf	-Inf	8.15	3	Horizontal	360	2.95	-	103.59
PK	5.35G	69.75	74.00	-4.25	8.28	3	Horizontal	360	2.95	-	61.47
AV	5.3614G	50.99	54.00	-3.01	8.29	3	Horizontal	360	2.95	-	42.70

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5260MHz_TX




EUT Z_1TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78396G	58.34	74.00	-15.66	15.43	3	Vertical	281	2.82	-	42.91
AV	15.78048G	44.95	54.00	-9.05	15.44	3	Vertical	281	2.82	-	29.51

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5260MHz_TX




EUT Z_1TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78102G	56.67	74.00	-17.33	15.44	3	Horizontal	112	2.68	-	41.23
AV	15.77994G	43.20	54.00	-10.80	15.44	3	Horizontal	112	2.68	-	27.76

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5300MHz_TX




EUT_Z_1TX
Setting 87
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3024G	102.29	Inf	-Inf	8.21	3	Vertical	176	1.28	-	94.08
AV	5.3042G	92.50	Inf	-Inf	8.21	3	Vertical	176	1.28	-	84.29
PK	5.354G	58.95	74.00	-15.05	8.28	3	Vertical	176	1.28	-	50.67
AV	5.3516G	45.73	54.00	-8.27	8.28	3	Vertical	176	1.28	-	37.45

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5300MHz_TX




EUT_Z_1TX
Setting 87
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3024G	119.78	Inf	-Inf	8.21	3	Horizontal	358	2.91	-	111.57
AV	5.3024G	109.74	Inf	-Inf	8.21	3	Horizontal	358	2.91	-	101.53
PK	5.351G	73.48	74.00	-0.52	8.28	3	Horizontal	358	2.91	-	65.20
AV	5.3501G	52.80	54.00	-1.20	8.28	3	Horizontal	358	2.91	-	44.52

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5300MHz_TX




EUT Z_1TX
 Setting 87
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9027G	54.86	74.00	-19.14	15.12	3	Vertical	91	2.85	-	39.74
AV	15.90162G	41.48	54.00	-12.52	15.13	3	Vertical	91	2.85	-	26.35

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5300MHz_TX




EUT Z_1TX
 Setting 87
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90222G	54.68	74.00	-19.32	15.12	3	Horizontal	82	2.46	-	39.56
AV	15.89868G	40.40	54.00	-13.60	15.13	3	Horizontal	82	2.46	-	25.27

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5320MHz_TX




EUT_Z_1TX
Setting 70
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3216G	100.65	Inf	-Inf	8.23	3	Vertical	249	2.20	-	92.42
AV	5.3152G	90.68	Inf	-Inf	8.23	3	Vertical	249	2.20	-	82.45
PK	5.3812G	58.85	74.00	-15.15	8.32	3	Vertical	249	2.20	-	50.53
AV	5.376G	45.62	54.00	-8.38	8.31	3	Vertical	249	2.20	-	37.31

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5320MHz_TX




EUT_Z_1TX
Setting 70
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3224G	115.64	Inf	-Inf	8.23	3	Horizontal	339	2.89	-	107.41
AV	5.324G	105.49	Inf	-Inf	8.24	3	Horizontal	339	2.89	-	97.25
PK	5.35G	73.30	74.00	-0.70	8.28	3	Horizontal	339	2.89	-	65.02
AV	5.35G	50.80	54.00	-3.20	8.28	3	Horizontal	339	2.89	-	42.52

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5320MHz_TX




EUT Z_1TX
 Setting 70
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94836G	53.26	74.00	-20.74	14.99	3	Vertical	345	2.71	-	38.27
AV	15.94788G	40.08	54.00	-13.92	14.99	3	Vertical	345	2.71	-	25.09

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5320MHz_TX




EUT Z_1TX
 Setting 70
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94578G	53.64	74.00	-20.36	15.00	3	Horizontal	190	2.13	-	38.64
AV	15.9657G	40.11	54.00	-13.89	14.95	3	Horizontal	190	2.13	-	25.16

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5500MHz_TX




EUT_Z_1TX
Setting 64
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4116G	58.37	74.00	-15.63	8.36	3	Vertical	161	2.33	-	50.01
AV	5.4036G	45.62	54.00	-8.38	8.34	3	Vertical	161	2.33	-	37.28
PK	5.4684G	57.81	68.20	-10.39	8.46	3	Vertical	161	2.33	-	49.35
PK	5.5024G	102.12	Inf	-Inf	8.52	3	Vertical	161	2.33	-	93.60
AV	5.504G	91.93	Inf	-Inf	8.52	3	Vertical	161	2.33	-	83.41

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5500MHz_TX




EUT_Z_1TX
Setting 64
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4028G	58.93	74.00	-15.07	8.34	3	Horizontal	324	2.87	-	50.59
AV	5.4016G	46.89	54.00	-7.11	8.34	3	Horizontal	324	2.87	-	38.55
PK	5.4696G	67.56	68.20	-0.64	8.46	3	Horizontal	324	2.87	-	59.10
PK	5.5024G	114.37	Inf	-Inf	8.52	3	Horizontal	324	2.87	-	105.85
AV	5.5016G	103.94	Inf	-Inf	8.52	3	Horizontal	324	2.87	-	95.42

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5500MHz_TX




EUT_Z_1TX
 Setting 64
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01446G	52.99	74.00	-21.01	14.28	3	Vertical	83	1.13	-	38.71
AV	10.98914G	39.62	54.00	-14.38	14.27	3	Vertical	83	1.13	-	25.35
PK	16.50024G	56.25	68.20	-11.95	17.09	3	Vertical	185	2.15	-	39.16

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5500MHz_TX




EUT_Z_1TX
 Setting 64
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0117G	53.30	74.00	-20.70	14.28	3	Horizontal	108	2.77	-	39.02
AV	11.0078G	39.58	54.00	-14.42	14.27	3	Horizontal	108	2.77	-	25.31
PK	16.49436G	56.50	68.20	-11.70	17.06	3	Horizontal	178	1.08	-	39.44

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5580MHz_TX




EUT_Z_1TX
Setting 91
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.448G	58.18	74.00	-15.82	8.42	3	Vertical	136	2.28	-	49.76
AV	5.4176G	45.63	54.00	-8.37	8.37	3	Vertical	136	2.28	-	37.26
PK	5.4672G	57.28	68.20	-10.92	8.46	3	Vertical	136	2.28	-	48.82
PK	5.5848G	109.75	Inf	-Inf	8.57	3	Vertical	136	2.28	-	101.18
AV	5.5824G	99.74	Inf	-Inf	8.57	3	Vertical	136	2.28	-	91.17
PK	5.7592G	58.39	68.20	-9.81	8.85	3	Vertical	136	2.28	-	49.54

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5580MHz_TX




EUT_Z_1TX
Setting 91
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	61.35	74.00	-12.65	8.45	3	Horizontal	125	2.63	-	52.90
AV	5.46G	48.39	54.00	-5.61	8.45	3	Horizontal	125	2.63	-	39.94
PK	5.4624G	63.45	68.20	-4.75	8.45	3	Horizontal	125	2.63	-	55.00
PK	5.5848G	122.57	Inf	-Inf	8.57	3	Horizontal	125	2.63	-	114.00
AV	5.5824G	112.22	Inf	-Inf	8.57	3	Horizontal	125	2.63	-	103.65
PK	5.728G	61.16	68.20	-7.04	8.80	3	Horizontal	125	2.63	-	52.36

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5580MHz_TX




EUT Z_1TX
 Setting 91
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16642G	52.87	74.00	-21.13	14.47	3	Vertical	148	1.28	-	38.40
AV	11.17212G	39.52	54.00	-14.48	14.48	3	Vertical	148	1.28	-	25.04
PK	16.73898G	64.27	68.20	-3.93	18.15	3	Vertical	93	2.53	-	46.12

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5580MHz_TX




EUT_Z_1TX
Setting 91
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15376G	52.99	74.00	-21.01	14.45	3	Horizontal	139	1.87	-	38.54
AV	11.1732G	39.58	54.00	-14.42	14.48	3	Horizontal	139	1.87	-	25.10
PK	16.74648G	61.55	68.20	-6.65	18.19	3	Horizontal	354	2.99	-	43.36

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5700MHz_TX




EUT_Z_1TX
Setting 61
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7016G	101.76	Inf	-Inf	8.75	3	Vertical	167	2.18	-	93.01
AV	5.6952G	91.72	Inf	-Inf	8.74	3	Vertical	167	2.18	-	82.98
PK	5.786G	59.66	68.20	-8.54	8.88	3	Vertical	167	2.18	-	50.78

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5700MHz_TX




EUT_Z_1TX
Setting 61
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7024G	113.90	Inf	-Inf	8.75	3	Horizontal	103	2.65	-	105.15
AV	5.704G	103.58	Inf	-Inf	8.76	3	Horizontal	103	2.65	-	94.82
PK	5.7296G	67.49	68.20	-0.71	8.80	3	Horizontal	103	2.65	-	58.69

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5700MHz_TX




EUT Z_1TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40246G	53.32	74.00	-20.68	14.77	3	Vertical	186	1.17	-	38.55
AV	11.4021G	40.41	54.00	-13.59	14.77	3	Vertical	186	1.17	-	25.64
PK	17.09472G	58.87	68.20	-9.33	19.87	3	Vertical	67	1.30	-	39.00

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5700MHz_TX




EUT Z_1TX
 Setting 61
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39682G	53.75	74.00	-20.25	14.77	3	Horizontal	12	1.32	-	38.98
AV	11.3991G	40.21	54.00	-13.79	14.77	3	Horizontal	12	1.32	-	25.44
PK	17.09052G	59.87	68.20	-8.33	19.85	3	Horizontal	328	1.90	-	40.02

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	58.37	74.00	-15.63	8.44	3	Vertical	205	2.32	-	49.93
AV	5.4272G	45.48	54.00	-8.52	8.40	3	Vertical	205	2.32	-	37.08
PK	5.4692G	57.53	68.20	-10.67	8.46	3	Vertical	205	2.32	-	49.07
PK	5.7212G	102.83	Inf	-Inf	8.78	3	Vertical	205	2.32	-	94.05
AV	5.7212G	92.80	Inf	-Inf	8.78	3	Vertical	205	2.32	-	84.02
PK	5.9096G	59.08	68.20	-9.12	8.93	3	Vertical	205	2.32	-	50.15

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4356G	58.14	74.00	-15.86	8.41	3	Horizontal	181	2.54	-	49.73
AV	5.4368G	46.05	54.00	-7.95	8.41	3	Horizontal	181	2.54	-	37.64
PK	5.462G	58.90	68.20	-9.30	8.45	3	Horizontal	181	2.54	-	50.45
PK	5.7224G	116.86	Inf	-Inf	8.78	3	Horizontal	181	2.54	-	108.08
AV	5.7236G	106.76	Inf	-Inf	8.78	3	Horizontal	181	2.54	-	97.98
PK	5.9264G	60.44	68.20	-7.76	8.93	3	Horizontal	181	2.54	-	51.51

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.45404G	57.67	74.00	-16.33	14.84	3	Vertical	303	1.10	-	42.83
AV	11.45116G	42.26	54.00	-11.74	14.84	3	Vertical	303	1.10	-	27.42
PK	17.1612G	67.69	68.20	-0.51	20.26	3	Vertical	122	2.62	-	47.43

802.11a_Nss1,(6Mbps)_1TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43076G	53.88	74.00	-20.12	14.81	3	Horizontal	300	1.62	-	39.07
AV	11.43208G	40.33	54.00	-13.67	14.82	3	Horizontal	300	1.62	-	25.51
PK	17.16084G	62.31	68.20	-5.89	20.26	3	Horizontal	42	2.98	-	42.05

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5260MHz_TX




EUT Z_1TX
Setting 92
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1406G	58.08	74.00	-15.92	7.93	3	Vertical	172	2.44	-	50.15
AV	5.15G	45.13	54.00	-8.87	7.94	3	Vertical	172	2.44	-	37.19
PK	5.257G	109.46	Inf	-Inf	8.15	3	Vertical	172	2.44	-	101.31
AV	5.2582G	95.50	Inf	-Inf	8.15	3	Vertical	172	2.44	-	87.35
PK	5.35G	58.98	74.00	-15.02	8.28	3	Vertical	172	2.44	-	50.70
AV	5.3506G	45.30	54.00	-8.70	8.28	3	Vertical	172	2.44	-	37.02

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5260MHz_TX




EUT_Z_1TX
Setting 92
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1418G	66.56	74.00	-7.44	7.94	3	Horizontal	85	2.76	-	58.62
AV	5.15G	50.22	54.00	-3.78	7.94	3	Horizontal	85	2.76	-	42.28
PK	5.257G	122.98	Inf	-Inf	8.15	3	Horizontal	85	2.76	-	114.83
AV	5.2558G	108.64	Inf	-Inf	8.15	3	Horizontal	85	2.76	-	100.49
PK	5.3536G	72.29	74.00	-1.71	8.28	3	Horizontal	85	2.76	-	64.01
AV	5.3512G	53.26	54.00	-0.74	8.28	3	Horizontal	85	2.76	-	44.98

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5260MHz_TX




EUT Z_1TX
 Setting 92
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77262G	58.28	74.00	-15.72	15.45	3	Vertical	114	2.86	-	42.83
AV	15.77796G	44.05	54.00	-9.95	15.44	3	Vertical	114	2.86	-	28.61

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5260MHz_TX




EUT Z_1TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.76962G	54.28	74.00	-19.72	15.46	3	Horizontal	109	2.86	-	38.82
AV	15.76554G	40.32	54.00	-13.68	15.47	3	Horizontal	109	2.86	-	24.85

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5300MHz_TX




EUT_Z_1TX
Setting 86
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.297G	106.70	Inf	-Inf	8.21	3	Vertical	115	2.23	-	98.49
AV	5.2928G	92.90	Inf	-Inf	8.20	3	Vertical	115	2.23	-	84.70
PK	5.3528G	61.29	74.00	-12.71	8.28	3	Vertical	115	2.23	-	53.01
AV	5.35G	45.65	54.00	-8.35	8.28	3	Vertical	115	2.23	-	37.37

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5300MHz_TX




EUT_Z_1TX
Setting 86
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.297G	121.20	Inf	-Inf	8.21	3	Horizontal	207	2.92	-	112.99
AV	5.3024G	106.96	Inf	-Inf	8.21	3	Horizontal	207	2.92	-	98.75
PK	5.35G	73.07	74.00	-0.93	8.28	3	Horizontal	207	2.92	-	64.79
AV	5.35G	53.23	54.00	-0.77	8.28	3	Horizontal	207	2.92	-	44.95

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5300MHz_TX




EUT Z_1TX
 Setting 86
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9015G	53.91	74.00	-20.09	15.13	3	Vertical	102	1.12	-	38.78
AV	15.89046G	39.36	54.00	-14.64	15.15	3	Vertical	102	1.12	-	24.21

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5300MHz_TX




EUT Z_1TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90702G	53.32	74.00	-20.68	15.11	3	Horizontal	162	2.43	-	38.21
AV	15.90168G	39.39	54.00	-14.61	15.13	3	Horizontal	162	2.43	-	24.26

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5320MHz_TX




EUT_Z_1TX
Setting 68
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	103.01	Inf	-Inf	8.23	3	Vertical	103	2.20	-	94.78
AV	5.318G	88.88	Inf	-Inf	8.23	3	Vertical	103	2.20	-	80.65
PK	5.3532G	60.97	74.00	-13.03	8.28	3	Vertical	103	2.20	-	52.69
AV	5.3504G	45.09	54.00	-8.91	8.28	3	Vertical	103	2.20	-	36.81

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5320MHz_TX




EUT_Z_1TX
 Setting 68
 02-B-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	115.87	Inf	-Inf	8.23	3	Horizontal	19	2.69	-	107.64
AV	5.3228G	101.86	Inf	-Inf	8.24	3	Horizontal	19	2.69	-	93.62
PK	5.3516G	73.45	74.00	-0.55	8.28	3	Horizontal	19	2.69	-	65.17
AV	5.3504G	51.14	54.00	-2.86	8.28	3	Horizontal	19	2.69	-	42.86

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5320MHz_TX




EUT Z_1TX
 Setting 68
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94902G	56.39	74.00	-17.61	14.99	3	Vertical	29	1.00	-	41.40
AV	15.94674G	40.32	54.00	-13.68	14.99	3	Vertical	29	1.00	-	25.33

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5320MHz_TX




EUT Z_1TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95142G	53.45	74.00	-20.55	14.98	3	Horizontal	232	2.49	-	38.47
AV	15.94512G	39.22	54.00	-14.78	15.00	3	Horizontal	232	2.49	-	24.22

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5500MHz_TX




EUT_Z_1TX
Setting 64
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4196G	57.70	74.00	-16.30	8.38	3	Vertical	335	2.39	-	49.32
AV	5.4252G	45.02	54.00	-8.98	8.39	3	Vertical	335	2.39	-	36.63
PK	5.4684G	57.98	68.20	-10.22	8.46	3	Vertical	335	2.39	-	49.52
PK	5.4952G	104.18	Inf	-Inf	8.51	3	Vertical	335	2.39	-	95.67
AV	5.5028G	90.08	Inf	-Inf	8.52	3	Vertical	335	2.39	-	81.56

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5500MHz_TX



EUT_Z_1TX
Setting 64
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	63.24	74.00	-10.76	8.45	3	Horizontal	348	2.57	-	54.79
AV	5.4596G	46.77	54.00	-7.23	8.45	3	Horizontal	348	2.57	-	38.32
PK	5.4664G	67.46	68.20	-0.74	8.46	3	Horizontal	348	2.57	-	59.00
PK	5.5012G	116.02	Inf	-Inf	8.52	3	Horizontal	348	2.57	-	107.50
AV	5.508G	102.43	Inf	-Inf	8.52	3	Horizontal	348	2.57	-	93.91

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5500MHz_TX




EUT Z_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99982G	53.12	74.00	-20.88	14.26	3	Vertical	98	2.88	-	38.86
AV	11.0135G	38.83	54.00	-15.17	14.28	3	Vertical	98	2.88	-	24.55
PK	16.48878G	56.58	68.20	-11.62	17.04	3	Vertical	15	1.88	-	39.54

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5500MHz_TX




EUT Z_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99508G	53.13	74.00	-20.87	14.26	3	Horizontal	183	2.71	-	38.87
AV	11.00804G	38.84	54.00	-15.16	14.27	3	Horizontal	183	2.71	-	24.57
PK	16.5006G	56.08	68.20	-12.12	17.09	3	Horizontal	52	2.29	-	38.99

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5580MHz_TX




EUT_Z_1TX
Setting 91
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.388G	57.92	74.00	-16.08	8.33	3	Vertical	306	2.28	-	49.59
AV	5.4248G	45.01	54.00	-8.99	8.38	3	Vertical	306	2.28	-	36.63
PK	5.4648G	57.52	68.20	-10.68	8.45	3	Vertical	306	2.28	-	49.07
PK	5.5784G	109.20	Inf	-Inf	8.57	3	Vertical	306	2.28	-	100.63
AV	5.5824G	97.66	Inf	-Inf	8.57	3	Vertical	306	2.28	-	89.09
PK	5.776G	58.59	68.20	-9.61	8.87	3	Vertical	306	2.28	-	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5580MHz_TX




EUT_Z_1TX
Setting 91
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	61.39	74.00	-12.61	8.44	3	Horizontal	304	2.62	-	52.95
AV	5.4592G	47.91	54.00	-6.09	8.45	3	Horizontal	304	2.62	-	39.46
PK	5.4688G	64.19	68.20	-4.01	8.46	3	Horizontal	304	2.62	-	55.73
PK	5.5784G	122.12	Inf	-Inf	8.57	3	Horizontal	304	2.62	-	113.55
AV	5.5784G	110.29	Inf	-Inf	8.57	3	Horizontal	304	2.62	-	101.72
PK	5.7344G	61.23	68.20	-6.97	8.80	3	Horizontal	304	2.62	-	52.43

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5580MHz_TX




EUT Z_1TX
Setting 91
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16858G	54.68	74.00	-19.32	14.47	3	Vertical	106	2.15	-	40.21
AV	11.17128G	39.71	54.00	-14.29	14.48	3	Vertical	106	2.15	-	25.23
PK	16.74402G	63.36	68.20	-4.84	18.17	3	Vertical	36	2.37	-	45.19

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5580MHz_TX




EUT Z_1TX
Setting 91
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.17122G	52.91	74.00	-21.09	14.48	3	Horizontal	329	2.24	-	38.43
AV	11.17368G	38.65	54.00	-15.35	14.48	3	Horizontal	329	2.24	-	24.17
PK	16.7415G	60.41	68.20	-7.79	18.16	3	Horizontal	84	2.14	-	42.25

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5700MHz_TX




EUT_Z_1TX
Setting 50
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6968G	102.42	Inf	-Inf	8.75	3	Vertical	347	2.38	-	93.67
AV	5.6984G	88.41	Inf	-Inf	8.75	3	Vertical	347	2.38	-	79.66
PK	5.7376G	58.92	68.20	-9.28	8.80	3	Vertical	347	2.38	-	50.12

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5700MHz_TX




EUT Z_1TX
Setting 50
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6968G	113.61	Inf	-Inf	8.75	3	Horizontal	102	2.70	-	104.86
AV	5.6976G	99.34	Inf	-Inf	8.75	3	Horizontal	102	2.70	-	90.59
PK	5.7252G	67.58	68.20	-0.62	8.79	3	Horizontal	102	2.70	-	58.79

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5700MHz_TX




EUT Z_1TX
Setting 50
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39586G	53.71	74.00	-20.29	14.77	3	Vertical	178	2.55	-	38.94
AV	11.41056G	39.33	54.00	-14.67	14.79	3	Vertical	178	2.55	-	24.54
PK	17.09706G	58.96	68.20	-9.24	19.88	3	Vertical	127	2.88	-	39.08

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5700MHz_TX




EUT Z_1TX
 Setting 50
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40042G	53.70	74.00	-20.30	14.77	3	Horizontal	43	1.22	-	38.93
AV	11.39916G	39.26	54.00	-14.74	14.77	3	Horizontal	43	1.22	-	24.49
PK	17.1081G	58.33	68.20	-9.87	19.95	3	Horizontal	253	2.79	-	38.38

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	57.86	74.00	-16.14	8.44	3	Vertical	266	2.36	-	49.42
AV	5.4272G	45.07	54.00	-8.93	8.40	3	Vertical	266	2.36	-	36.67
PK	5.47G	57.66	68.20	-10.54	8.46	3	Vertical	266	2.36	-	49.20
PK	5.7176G	108.10	Inf	-Inf	8.77	3	Vertical	266	2.36	-	99.33
AV	5.7224G	94.40	Inf	-Inf	8.78	3	Vertical	266	2.36	-	85.62
PK	5.9456G	59.10	68.20	-9.10	8.94	3	Vertical	266	2.36	-	50.16

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4464G	58.12	74.00	-15.88	8.42	3	Horizontal	1	2.68	-	49.70
AV	5.42G	45.82	54.00	-8.18	8.38	3	Horizontal	1	2.68	-	37.44
PK	5.47G	57.56	68.20	-10.64	8.46	3	Horizontal	1	2.68	-	49.10
PK	5.7152G	119.95	Inf	-Inf	8.77	3	Horizontal	1	2.68	-	111.18
AV	5.7224G	106.00	Inf	-Inf	8.78	3	Horizontal	1	2.68	-	97.22
PK	5.9336G	60.93	68.20	-7.27	8.93	3	Horizontal	1	2.68	-	52.00

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4256G	53.28	74.00	-20.72	14.81	3	Vertical	188	1.48	-	38.47
AV	11.43148G	39.38	54.00	-14.62	14.82	3	Vertical	188	1.48	-	24.56
PK	17.151G	67.52	68.20	-0.68	20.20	3	Vertical	49	2.01	-	47.32

802.11ax HEW20_Nss1,(MCS0)_1TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44078G	53.40	74.00	-20.60	14.82	3	Horizontal	313	2.05	-	38.58
AV	11.43376G	39.33	54.00	-14.67	14.82	3	Horizontal	313	2.05	-	24.51
PK	17.1582G	62.32	68.20	-5.88	20.25	3	Horizontal	55	2.66	-	42.07

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5270MHz_TX




EUT_Z_1TX
Setting 82
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1242G	58.43	74.00	-15.57	7.89	3	Vertical	309	2.44	-	50.54
AV	5.1404G	46.27	54.00	-7.73	7.93	3	Vertical	309	2.44	-	38.34
PK	5.2622G	103.30	Inf	-Inf	8.15	3	Vertical	309	2.44	-	95.15
AV	5.2586G	90.92	Inf	-Inf	8.15	3	Vertical	309	2.44	-	82.77
PK	5.3618G	58.10	74.00	-15.90	8.29	3	Vertical	309	2.44	-	49.81
AV	5.3774G	46.26	54.00	-7.74	8.32	3	Vertical	309	2.44	-	37.94

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5270MHz_TX




EUT_Z_1TX
Setting 82
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	62.08	74.00	-11.92	7.94	3	Horizontal	35	2.95	-	54.14
AV	5.1482G	49.54	54.00	-4.46	7.94	3	Horizontal	35	2.95	-	41.60
PK	5.255G	117.48	Inf	-Inf	8.15	3	Horizontal	35	2.95	-	109.33
AV	5.2742G	105.04	Inf	-Inf	8.17	3	Horizontal	35	2.95	-	96.87
PK	5.3534G	68.61	74.00	-5.39	8.28	3	Horizontal	35	2.95	-	60.33
AV	5.351G	53.41	54.00	-0.59	8.28	3	Horizontal	35	2.95	-	45.13

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5270MHz_TX




EUT Z_1TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81426G	55.32	74.00	-18.68	15.35	3	Vertical	99	2.73	-	39.97
AV	15.79878G	41.98	54.00	-12.02	15.38	3	Vertical	99	2.73	-	26.60

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5270MHz_TX




EUT Z_1TX
 Setting 82
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.79536G	53.91	74.00	-20.09	15.39	3	Horizontal	145	2.10	-	38.52
AV	15.79806G	41.06	54.00	-12.94	15.39	3	Horizontal	145	2.10	-	25.67

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5310MHz_TX




EUT_Z_1TX
Setting 65
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3192G	99.39	Inf	-Inf	8.23	3	Vertical	297	2.53	-	91.16
AV	5.314G	87.36	Inf	-Inf	8.23	3	Vertical	297	2.53	-	79.13
PK	5.35G	59.36	74.00	-14.64	8.28	3	Vertical	297	2.53	-	51.08
AV	5.3524G	46.41	54.00	-7.59	8.28	3	Vertical	297	2.53	-	38.13

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5310MHz_TX




EUT Z_1TX
Setting 65
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.302G	113.09	Inf	-Inf	8.21	3	Horizontal	27	2.91	-	104.88
AV	5.3024G	100.43	Inf	-Inf	8.21	3	Horizontal	27	2.91	-	92.22
PK	5.3508G	71.07	74.00	-2.93	8.28	3	Horizontal	27	2.91	-	62.79
AV	5.3504G	53.46	54.00	-0.54	8.28	3	Horizontal	27	2.91	-	45.18

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5310MHz_TX




EUT Z_1TX
 Setting 65
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94272G	52.97	74.00	-21.03	15.01	3	Vertical	292	2.37	-	37.96
AV	15.93732G	40.52	54.00	-13.48	15.02	3	Vertical	292	2.37	-	25.50

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5310MHz_TX




EUT Z_1TX
 Setting 65
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9303G	53.40	74.00	-20.60	15.04	3	Horizontal	84	1.67	-	38.36
AV	15.92226G	40.47	54.00	-13.53	15.06	3	Horizontal	84	1.67	-	25.41

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5510MHz_TX




EUT_Z_1TX
Setting 61
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4236G	58.72	74.00	-15.28	8.38	3	Vertical	195	2.46	-	50.34
PK	5.4684G	58.18	68.20	-10.02	8.46	3	Vertical	195	2.46	-	49.72
AV	5.4528G	46.14	54.00	-7.86	8.44	3	Vertical	195	2.46	-	37.70
PK	5.5196G	100.79	Inf	-Inf	8.53	3	Vertical	195	2.46	-	92.26
AV	5.5144G	88.02	Inf	-Inf	8.53	3	Vertical	195	2.46	-	79.49

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5510MHz_TX




EUT_Z_1TX
Setting 61
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	61.91	74.00	-12.09	8.44	3	Horizontal	23	2.73	-	53.47
AV	5.4592G	48.71	54.00	-5.29	8.45	3	Horizontal	23	2.73	-	40.26
PK	5.4688G	67.41	68.20	-0.79	8.46	3	Horizontal	23	2.73	-	58.95
PK	5.5024G	112.62	Inf	-Inf	8.52	3	Horizontal	23	2.73	-	104.10
AV	5.514G	100.42	Inf	-Inf	8.53	3	Horizontal	23	2.73	-	91.89

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5510MHz_TX




EUT Z_1TX
 Setting 61
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02894G	53.22	74.00	-20.78	14.30	3	Vertical	333	1.05	-	38.92
AV	11.02744G	40.34	54.00	-13.66	14.29	3	Vertical	333	1.05	-	26.05
PK	16.53798G	56.94	68.20	-11.26	17.25	3	Vertical	61	2.71	-	39.69

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5510MHz_TX




EUT Z_1TX
 Setting 61
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01784G	53.56	74.00	-20.44	14.28	3	Horizontal	357	2.07	-	39.28
AV	11.02456G	40.35	54.00	-13.65	14.29	3	Horizontal	357	2.07	-	26.06
PK	16.5384G	55.86	68.20	-12.34	17.26	3	Horizontal	159	2.77	-	38.60

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5550MHz_TX




EUT_Z_1TX
Setting 79
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4462G	58.11	74.00	-15.89	8.42	3	Vertical	172	2.61	-	49.69
AV	5.4312G	46.32	54.00	-7.68	8.40	3	Vertical	172	2.61	-	37.92
PK	5.469G	58.97	68.20	-9.23	8.46	3	Vertical	172	2.61	-	50.51
PK	5.5422G	105.03	Inf	-Inf	8.55	3	Vertical	172	2.61	-	96.48
AV	5.5542G	93.16	Inf	-Inf	8.55	3	Vertical	172	2.61	-	84.61

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5550MHz_TX




EUT_Z_1TX
Setting 79
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4558G	64.62	74.00	-9.38	8.44	3	Horizontal	160	2.66	-	56.18
AV	5.4516G	50.14	54.00	-3.86	8.44	3	Horizontal	160	2.66	-	41.70
PK	5.4696G	67.69	68.20	-0.51	8.46	3	Horizontal	160	2.66	-	59.23
PK	5.5422G	118.56	Inf	-Inf	8.55	3	Horizontal	160	2.66	-	110.01
AV	5.5422G	106.01	Inf	-Inf	8.55	3	Horizontal	160	2.66	-	97.46

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5550MHz_TX




EUT Z_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.08734G	53.12	74.00	-20.88	14.38	3	Vertical	166	2.12	-	38.74
AV	11.08962G	40.30	54.00	-13.70	14.38	3	Vertical	166	2.12	-	25.92
PK	16.6518G	57.15	68.20	-11.05	17.76	3	Vertical	80	2.03	-	39.39

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5550MHz_TX




EUT Z_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.08644G	53.01	74.00	-20.99	14.38	3	Horizontal	360	2.18	-	38.63
AV	11.09292G	40.08	54.00	-13.92	14.38	3	Horizontal	360	2.18	-	25.70
PK	16.66332G	56.90	68.20	-11.30	17.81	3	Horizontal	258	2.90	-	39.09

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5670MHz_TX




EUT Z_1TX
Setting 68
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.686G	103.11	Inf	-Inf	8.72	3	Vertical	194	2.38	-	94.39
AV	5.6744G	91.10	Inf	-Inf	8.70	3	Vertical	194	2.38	-	82.40
PK	5.73G	59.55	68.20	-8.65	8.80	3	Vertical	194	2.38	-	50.75

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5670MHz_TX




EUT Z_1TX
Setting 68
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.662G	114.20	Inf	-Inf	8.69	3	Horizontal	144	2.45	-	105.51
AV	5.6744G	101.91	Inf	-Inf	8.70	3	Horizontal	144	2.45	-	93.21
PK	5.73G	67.53	68.20	-0.67	8.80	3	Horizontal	144	2.45	-	58.73

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5670MHz_TX




EUT Z_1TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33994G	53.01	74.00	-20.99	14.70	3	Vertical	233	1.15	-	38.31
AV	11.334G	40.07	54.00	-13.93	14.70	3	Vertical	233	1.15	-	25.37
PK	17.02056G	58.24	68.20	-9.96	19.43	3	Vertical	62	3.00	-	38.81

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5670MHz_TX



EUT Z_1TX
 Setting 68
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.32998G	53.22	74.00	-20.78	14.68	3	Horizontal	0	1.79	-	38.54
AV	11.3271G	40.08	54.00	-13.92	14.68	3	Horizontal	0	1.79	-	25.40
PK	17.0082G	58.13	68.20	-10.07	19.36	3	Horizontal	216	1.14	-	38.77