


802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4424G	57.87	74.00	-16.13	8.42	3	Vertical	256	2.37	-	49.45
AV	5.4196G	46.36	54.00	-7.64	8.38	3	Vertical	256	2.37	-	37.98
PK	5.4676G	57.55	68.20	-10.65	8.46	3	Vertical	256	2.37	-	49.09
PK	5.6944G	108.12	Inf	-Inf	8.74	3	Vertical	256	2.37	-	99.38
AV	5.7016G	95.66	Inf	-Inf	8.75	3	Vertical	256	2.37	-	86.91
PK	5.8636G	59.20	68.20	-9.00	8.91	3	Vertical	256	2.37	-	50.29

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4424G	59.08	74.00	-14.92	8.42	3	Horizontal	360	2.71	-	50.66
AV	5.4184G	46.95	54.00	-7.05	8.37	3	Horizontal	360	2.71	-	38.58
PK	5.4664G	58.58	68.20	-9.62	8.46	3	Horizontal	360	2.71	-	50.12
PK	5.6944G	118.19	Inf	-Inf	8.74	3	Horizontal	360	2.71	-	109.45
AV	5.7052G	105.90	Inf	-Inf	8.76	3	Horizontal	360	2.71	-	97.14
PK	5.8516G	63.91	68.20	-4.29	8.90	3	Horizontal	360	2.71	-	55.01

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43104G	53.57	74.00	-20.43	14.81	3	Vertical	76	1.50	-	38.76
AV	11.42006G	40.97	54.00	-13.03	14.80	3	Vertical	76	1.50	-	26.17
PK	17.1213G	67.54	68.20	-0.66	20.03	3	Vertical	52	2.02	-	47.51

802.11ax HEW40_Nss1,(MCS0)_1TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41808G	53.40	74.00	-20.60	14.79	3	Horizontal	154	2.37	-	38.61
AV	11.41412G	41.11	54.00	-12.89	14.79	3	Horizontal	154	2.37	-	26.32
PK	17.13918G	61.70	68.20	-6.50	20.14	3	Horizontal	345	1.12	-	41.56

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5290MHz_TX




EUT_Z_1TX
Setting 69
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1156G	58.85	74.00	-15.15	7.87	3	Vertical	123	2.44	-	50.98
AV	5.09G	46.20	54.00	-7.80	7.82	3	Vertical	123	2.44	-	38.38
PK	5.2804G	95.66	Inf	-Inf	8.18	3	Vertical	123	2.44	-	87.48
AV	5.2604G	84.39	Inf	-Inf	8.15	3	Vertical	123	2.44	-	76.24
AV	5.3676G	46.65	54.00	-7.35	8.29	3	Vertical	123	2.44	-	38.36
PK	5.3524G	60.65	74.00	-13.35	8.28	3	Vertical	123	2.44	-	52.37

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5290MHz_TX




EUT_Z_1TX
Setting 69
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1444G	61.81	74.00	-12.19	7.94	3	Horizontal	247	2.95	-	53.87
AV	5.1492G	49.61	54.00	-4.39	7.94	3	Horizontal	247	2.95	-	41.67
PK	5.2684G	110.07	Inf	-Inf	8.16	3	Horizontal	247	2.95	-	101.91
AV	5.2748G	97.99	Inf	-Inf	8.17	3	Horizontal	247	2.95	-	89.82
PK	5.366G	70.52	74.00	-3.48	8.29	3	Horizontal	247	2.95	-	62.23
AV	5.3524G	53.44	54.00	-0.56	8.28	3	Horizontal	247	2.95	-	45.16

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5290MHz_TX




EUT Z_1TX
 Setting 69
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87342G	53.33	74.00	-20.67	15.20	3	Vertical	322	2.60	-	38.13
AV	15.86652G	40.76	54.00	-13.24	15.22	3	Vertical	322	2.60	-	25.54

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5290MHz_TX




EUT Z_1TX
 Setting 69
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.85746G	53.32	74.00	-20.68	15.23	3	Horizontal	245	1.54	-	38.09
AV	15.86022G	40.89	54.00	-13.11	15.23	3	Horizontal	245	1.54	-	25.66

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5530MHz_TX




EUT_Z_1TX
Setting 65
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.386G	57.89	74.00	-16.11	8.32	3	Vertical	29	2.45	-	49.57
AV	5.425G	46.11	54.00	-7.89	8.38	3	Vertical	29	2.45	-	37.73
PK	5.468G	57.63	68.20	-10.57	8.46	3	Vertical	29	2.45	-	49.17
PK	5.529G	97.43	Inf	-Inf	8.54	3	Vertical	29	2.45	-	88.89
AV	5.533G	85.48	Inf	-Inf	8.54	3	Vertical	29	2.45	-	76.94
PK	5.765G	58.61	68.20	-9.59	8.84	3	Vertical	29	2.45	-	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5530MHz_TX




EUT_Z_1TX
Setting 65
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	63.21	74.00	-10.79	8.45	3	Horizontal	15	2.66	-	54.76
AV	5.459G	49.90	54.00	-4.10	8.45	3	Horizontal	15	2.66	-	41.45
PK	5.469G	67.37	68.20	-0.83	8.46	3	Horizontal	15	2.66	-	58.91
PK	5.543G	110.97	Inf	-Inf	8.55	3	Horizontal	15	2.66	-	102.42
AV	5.543G	98.78	Inf	-Inf	8.55	3	Horizontal	15	2.66	-	90.23
PK	5.763G	59.60	68.20	-8.60	8.84	3	Horizontal	15	2.66	-	50.76

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5530MHz_TX




EUT Z_1TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.07344G	53.61	74.00	-20.39	14.36	3	Vertical	25	2.03	-	39.25
AV	11.04674G	41.04	54.00	-12.96	14.32	3	Vertical	25	2.03	-	26.72
PK	16.58082G	56.60	68.20	-11.60	17.45	3	Vertical	72	2.39	-	39.15

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5530MHz_TX




EUT Z_1TX
 Setting 65
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05166G	54.10	74.00	-19.90	14.33	3	Horizontal	214	1.62	-	39.77
AV	11.0543G	40.92	54.00	-13.08	14.33	3	Horizontal	214	1.62	-	26.59
PK	16.6047G	56.32	68.20	-11.88	17.55	3	Horizontal	244	1.95	-	38.77

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5610MHz_TX




EUT_Z_1TX
Setting 71
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.38G	58.21	74.00	-15.79	8.32	3	Vertical	6	2.28	-	49.89
AV	5.421G	46.27	54.00	-7.73	8.38	3	Vertical	6	2.28	-	37.89
PK	5.463G	57.53	68.20	-10.67	8.45	3	Vertical	6	2.28	-	49.08
PK	5.589G	97.66	Inf	-Inf	8.57	3	Vertical	6	2.28	-	89.09
AV	5.582G	85.84	Inf	-Inf	8.57	3	Vertical	6	2.28	-	77.27
PK	5.842G	59.06	68.20	-9.14	8.92	3	Vertical	6	2.28	-	50.14

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5610MHz_TX




EUT_Z_1TX
Setting 71
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	60.55	74.00	-13.45	8.45	3	Horizontal	355	2.98	-	52.10
AV	5.458G	48.74	54.00	-5.26	8.45	3	Horizontal	355	2.98	-	40.29
PK	5.468G	61.95	68.20	-6.25	8.46	3	Horizontal	355	2.98	-	53.49
PK	5.609G	110.48	Inf	-Inf	8.60	3	Horizontal	355	2.98	-	101.88
AV	5.599G	98.70	Inf	-Inf	8.58	3	Horizontal	355	2.98	-	90.12
PK	5.727G	67.59	68.20	-0.61	8.80	3	Horizontal	355	2.98	-	58.79

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5610MHz_TX




EUT Z_1TX
Setting 71
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22426G	53.34	74.00	-20.66	14.55	3	Vertical	113	2.30	-	38.79
AV	11.22318G	41.04	54.00	-12.96	14.55	3	Vertical	113	2.30	-	26.49
PK	16.82862G	58.54	68.20	-9.66	18.55	3	Vertical	110	1.70	-	39.99

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5610MHz_TX




EUT Z_1TX
Setting 71
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2317G	53.41	74.00	-20.59	14.56	3	Horizontal	111	1.00	-	38.85
AV	11.2224G	40.85	54.00	-13.15	14.55	3	Horizontal	111	1.00	-	26.30
PK	16.83258G	58.39	68.20	-9.81	18.56	3	Horizontal	34	1.50	-	39.83

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 79
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4296G	58.39	74.00	-15.61	8.40	3	Vertical	42	2.38	-	49.99
AV	5.42G	46.15	54.00	-7.85	8.38	3	Vertical	42	2.38	-	37.77
PK	5.462G	56.88	68.20	-11.32	8.45	3	Vertical	42	2.38	-	48.43
PK	5.7032G	102.08	Inf	-Inf	8.75	3	Vertical	42	2.38	-	93.33
AV	5.6984G	90.13	Inf	-Inf	8.75	3	Vertical	42	2.38	-	81.38
PK	5.9588G	58.65	68.20	-9.55	8.93	3	Vertical	42	2.38	-	49.72

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 79
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4008G	58.80	74.00	-15.20	8.34	3	Horizontal	155	2.70	-	50.46
AV	5.3924G	47.10	54.00	-6.90	8.33	3	Horizontal	155	2.70	-	38.77
PK	5.462G	57.86	68.20	-10.34	8.45	3	Horizontal	155	2.70	-	49.41
PK	5.7032G	113.01	Inf	-Inf	8.75	3	Horizontal	155	2.70	-	104.26
AV	5.702G	100.76	Inf	-Inf	8.75	3	Horizontal	155	2.70	-	92.01
PK	5.8664G	67.46	68.20	-0.74	8.91	3	Horizontal	155	2.70	-	58.55

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39104G	53.58	74.00	-20.42	14.76	3	Vertical	296	1.93	-	38.82
AV	11.38252G	40.58	54.00	-13.42	14.75	3	Vertical	296	1.93	-	25.83
PK	17.0829G	60.64	68.20	-7.56	19.80	3	Vertical	118	2.25	-	40.84

802.11ax HEW80_Nss1,(MCS0)_1TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Z_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39176G	53.34	74.00	-20.66	14.76	3	Horizontal	279	1.13	-	38.58
AV	11.395G	40.71	54.00	-13.29	14.77	3	Horizontal	279	1.13	-	25.94
PK	17.07498G	58.93	68.20	-9.27	19.76	3	Horizontal	189	2.14	-	39.17




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.3504G	53.49	54.00	-0.51	8.28	3	Horizontal	2	2.41	-

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 89
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1142G	58.41	74.00	-15.59	7.87	3	Vertical	206	2.40	-	50.54
AV	5.1322G	45.61	54.00	-8.39	7.92	3	Vertical	206	2.40	-	37.69
PK	5.2636G	108.13	Inf	-Inf	8.16	3	Vertical	206	2.40	-	99.97
AV	5.2642G	98.96	Inf	-Inf	8.16	3	Vertical	206	2.40	-	90.80
PK	5.4016G	58.17	74.00	-15.83	8.34	3	Vertical	206	2.40	-	49.83
AV	5.3632G	45.76	54.00	-8.24	8.29	3	Vertical	206	2.40	-	37.47

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 89
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1208G	61.12	74.00	-12.88	7.88	3	Horizontal	360	2.85	-	53.24
AV	5.1484G	48.13	54.00	-5.87	7.94	3	Horizontal	360	2.85	-	40.19
PK	5.2564G	123.13	Inf	-Inf	8.15	3	Horizontal	360	2.85	-	114.98
AV	5.257G	113.32	Inf	-Inf	8.15	3	Horizontal	360	2.85	-	105.17
PK	5.362G	64.65	74.00	-9.35	8.29	3	Horizontal	360	2.85	-	56.36
AV	5.362G	53.40	54.00	-0.60	8.29	3	Horizontal	360	2.85	-	45.11

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 89
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51742G	56.59	68.20	-11.61	14.57	3	Vertical	4	2.38	-	42.02
PK	15.77982G	57.90	74.00	-16.10	15.44	3	Vertical	166	1.40	-	42.46
AV	15.77514G	44.37	54.00	-9.63	15.45	3	Vertical	166	1.40	-	28.92

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 89
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51394G	53.43	68.20	-14.77	14.56	3	Horizontal	311	1.34	-	38.87
PK	15.77928G	60.57	74.00	-13.43	15.44	3	Horizontal	7	1.98	-	45.13
AV	15.77922G	46.70	54.00	-7.30	15.44	3	Horizontal	7	1.98	-	31.26

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2924G	105.38	Inf	-Inf	8.20	3	Vertical	199	2.73	-	97.18
AV	5.2924G	96.03	Inf	-Inf	8.20	3	Vertical	199	2.73	-	87.83
PK	5.3944G	58.23	74.00	-15.77	8.33	3	Vertical	199	2.73	-	49.90
AV	5.3972G	45.77	54.00	-8.23	8.34	3	Vertical	199	2.73	-	37.43

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3044G	121.96	Inf	-Inf	8.21	3	Horizontal	1	2.92	-	113.75
AV	5.304G	112.80	Inf	-Inf	8.21	3	Horizontal	1	2.92	-	104.59
PK	5.3536G	73.37	74.00	-0.63	8.28	3	Horizontal	1	2.92	-	65.09
AV	5.35G	52.43	54.00	-1.57	8.28	3	Horizontal	1	2.92	-	44.15

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 83
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6066G	53.66	74.00	-20.34	14.51	3	Vertical	235	2.08	-	39.15
AV	10.60534G	39.55	54.00	-14.45	14.52	3	Vertical	235	2.08	-	25.03
PK	15.8892G	53.87	74.00	-20.13	15.15	3	Vertical	97	1.78	-	38.72
AV	15.89736G	41.70	54.00	-12.30	15.14	3	Vertical	97	1.78	-	26.56

802.11a_Nss1,(6Mbps)_2TX

25/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 83
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60056G	53.55	74.00	-20.45	14.51	3	Horizontal	244	1.15	-	39.04
AV	10.60226G	39.76	54.00	-14.24	14.52	3	Horizontal	244	1.15	-	25.24
PK	15.89322G	54.28	74.00	-19.72	15.14	3	Horizontal	111	2.68	-	39.14
AV	15.90408G	40.73	54.00	-13.27	15.12	3	Horizontal	111	2.68	-	25.61

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 68
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3244G	102.04	Inf	-Inf	8.24	3	Vertical	205	2.34	-	93.80
AV	5.3242G	92.87	Inf	-Inf	8.24	3	Vertical	205	2.34	-	84.63
PK	5.3618G	58.67	74.00	-15.33	8.29	3	Vertical	205	2.34	-	50.38
AV	5.3514G	45.59	54.00	-8.41	8.28	3	Vertical	205	2.34	-	37.31

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 68
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3238G	118.00	Inf	-Inf	8.24	3	Horizontal	2	2.51	-	109.76
AV	5.324G	108.80	Inf	-Inf	8.24	3	Horizontal	2	2.51	-	100.56
PK	5.35G	73.26	74.00	-0.74	8.28	3	Horizontal	2	2.51	-	64.98
AV	5.3534G	52.24	54.00	-1.76	8.28	3	Horizontal	2	2.51	-	43.96

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5320MHz_TX




EUT_Z_2TX
 Setting 68
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63586G	53.05	74.00	-20.95	14.49	3	Vertical	147	2.39	-	38.56
AV	10.63376G	39.68	54.00	-14.32	14.49	3	Vertical	147	2.39	-	25.19
PK	15.95538G	53.64	74.00	-20.36	14.98	3	Vertical	172	1.35	-	38.66
AV	15.9483G	39.86	54.00	-14.14	14.99	3	Vertical	172	1.35	-	24.87

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 68
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6382G	52.93	74.00	-21.07	14.49	3	Horizontal	90	2.80	-	38.44
AV	10.64018G	39.64	54.00	-14.36	14.49	3	Horizontal	90	2.80	-	25.15
PK	15.95004G	52.90	74.00	-21.10	14.98	3	Horizontal	223	1.22	-	37.92
AV	15.95628G	39.84	54.00	-14.16	14.98	3	Horizontal	223	1.22	-	24.86

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	57.92	74.00	-16.08	8.44	3	Vertical	199	2.58	-	49.48
AV	5.4564G	45.44	54.00	-8.56	8.44	3	Vertical	199	2.58	-	37.00
PK	5.4648G	58.38	68.20	-9.82	8.45	3	Vertical	199	2.58	-	49.93
PK	5.498G	102.02	Inf	-Inf	8.52	3	Vertical	199	2.58	-	93.50
AV	5.498G	92.52	Inf	-Inf	8.52	3	Vertical	199	2.58	-	84.00

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4598G	60.53	74.00	-13.47	8.45	3	Horizontal	1	2.74	-	52.08
AV	5.4594G	47.70	54.00	-6.30	8.45	3	Horizontal	1	2.74	-	39.25
PK	5.469G	67.65	68.20	-0.55	8.46	3	Horizontal	1	2.74	-	59.19
PK	5.5038G	116.30	Inf	-Inf	8.52	3	Horizontal	1	2.74	-	107.78
AV	5.504G	107.48	Inf	-Inf	8.52	3	Horizontal	1	2.74	-	98.96

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00378G	53.20	74.00	-20.80	14.26	3	Vertical	255	1.19	-	38.94
AV	11.0138G	39.50	54.00	-14.50	14.28	3	Vertical	255	1.19	-	25.22

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0144G	52.68	74.00	-21.32	14.28	3	Horizontal	217	1.82	-	38.40
AV	11.00294G	39.56	54.00	-14.44	14.26	3	Horizontal	217	1.82	-	25.30

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 86
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4472G	58.12	74.00	-15.88	8.42	3	Vertical	337	2.44	-	49.70
AV	5.4408G	45.45	54.00	-8.55	8.41	3	Vertical	337	2.44	-	37.04
PK	5.4696G	57.79	68.20	-10.41	8.46	3	Vertical	337	2.44	-	49.33
PK	5.5776G	107.41	Inf	-Inf	8.57	3	Vertical	337	2.44	-	98.84
AV	5.5776G	98.34	Inf	-Inf	8.57	3	Vertical	337	2.44	-	89.77
PK	5.752G	58.36	68.20	-9.84	8.83	3	Vertical	337	2.44	-	49.53

802.11a_Nss1,(6Mbps)_2TX

25/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 86
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4216G	60.02	74.00	-13.98	8.38	3	Horizontal	1	2.82	-	51.64
AV	5.4512G	47.63	54.00	-6.37	8.44	3	Horizontal	1	2.82	-	39.19
PK	5.4664G	60.13	68.20	-8.07	8.46	3	Horizontal	1	2.82	-	51.67
PK	5.5776G	122.28	Inf	-Inf	8.57	3	Horizontal	1	2.82	-	113.71
AV	5.5824G	113.03	Inf	-Inf	8.57	3	Horizontal	1	2.82	-	104.46
PK	5.7416G	60.83	68.20	-7.37	8.80	3	Horizontal	1	2.82	-	52.03

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5580MHz_TX




EUT_Z_2TX
 Setting 86
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15652G	52.75	74.00	-21.25	14.46	3	Vertical	313	1.22	-	38.29
AV	11.1687G	39.44	54.00	-14.56	14.47	3	Vertical	313	1.22	-	24.97
PK	16.7334G	67.63	68.20	-0.57	18.13	3	Vertical	52	1.84	-	49.50

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5580MHz_TX




EUT_Z_2TX
 Setting 86
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16324G	54.01	74.00	-19.99	14.47	3	Horizontal	205	2.29	-	39.54
AV	11.16252G	41.33	54.00	-12.67	14.47	3	Horizontal	205	2.29	-	26.86
PK	16.73334G	67.41	68.20	-0.79	18.13	3	Horizontal	27	1.96	-	49.28

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 57
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6944G	101.90	Inf	-Inf	8.74	3	Vertical	210	2.34	-	93.16
AV	5.695G	92.53	Inf	-Inf	8.74	3	Vertical	210	2.34	-	83.79
PK	5.7278G	59.21	68.20	-8.99	8.80	3	Vertical	210	2.34	-	50.41

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5700MHz_TX




EUT Z_2TX
Setting 57
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7038G	116.39	Inf	-Inf	8.75	3	Horizontal	2	2.71	-	107.64
AV	5.704G	107.43	Inf	-Inf	8.76	3	Horizontal	2	2.71	-	98.67
PK	5.7252G	66.60	68.20	-1.60	8.79	3	Horizontal	2	2.71	-	57.81

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5700MHz_TX




EUT_Z_2TX
 Setting 57
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4087G	53.43	74.00	-20.57	14.79	3	Vertical	182	1.58	-	38.64
AV	11.3964G	40.00	54.00	-14.00	14.77	3	Vertical	182	1.58	-	25.23

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 57
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38638G	53.29	74.00	-20.71	14.75	3	Horizontal	50	1.78	-	38.54
AV	11.38962G	40.06	54.00	-13.94	14.76	3	Horizontal	50	1.78	-	25.30

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.724G	101.50	Inf	-Inf	8.78	3	Vertical	208	2.75	-	92.72
AV	5.7192G	92.18	Inf	-Inf	8.77	3	Vertical	208	2.75	-	83.41
PK	5.8664G	58.54	68.20	-9.66	8.91	3	Vertical	208	2.75	-	49.63

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7216G	118.36	Inf	-Inf	8.78	3	Horizontal	2	2.69	-	109.58
AV	5.7216G	108.83	Inf	-Inf	8.78	3	Horizontal	2	2.69	-	100.05
PK	5.8632G	60.36	68.20	-7.84	8.91	3	Horizontal	2	2.69	-	51.45

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 69
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43886G	52.82	74.00	-21.18	14.82	3	Vertical	216	1.52	-	38.00
AV	11.449G	40.07	54.00	-13.93	14.84	3	Vertical	216	1.52	-	25.23
PK	17.15892G	67.58	68.20	-0.62	20.25	3	Vertical	338	1.99	-	47.33

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 69
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44528G	52.96	74.00	-21.04	14.84	3	Horizontal	175	2.24	-	38.12
AV	11.43004G	40.17	54.00	-13.83	14.81	3	Horizontal	175	2.24	-	25.36
PK	17.16534G	61.31	68.20	-6.89	20.29	3	Horizontal	2	2.87	-	41.02

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 91
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.131G	58.95	74.00	-15.05	7.91	3	Vertical	243	2.40	-	51.04
AV	5.143G	46.19	54.00	-7.81	7.94	3	Vertical	243	2.40	-	38.25
PK	5.2594G	108.15	Inf	-Inf	8.15	3	Vertical	243	2.40	-	100.00
AV	5.2582G	96.91	Inf	-Inf	8.15	3	Vertical	243	2.40	-	88.76
PK	5.3554G	58.55	74.00	-15.45	8.28	3	Vertical	243	2.40	-	50.27
AV	5.3512G	46.64	54.00	-7.36	8.28	3	Vertical	243	2.40	-	38.36

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 91
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1442G	63.25	74.00	-10.75	7.94	3	Horizontal	1	2.97	-	55.31
AV	5.15G	51.87	54.00	-2.13	7.94	3	Horizontal	1	2.97	-	43.93
PK	5.263G	123.98	Inf	-Inf	8.16	3	Horizontal	1	2.97	-	115.82
AV	5.2558G	112.41	Inf	-Inf	8.15	3	Horizontal	1	2.97	-	104.26
PK	5.35G	67.58	74.00	-6.42	8.28	3	Horizontal	1	2.97	-	59.30
AV	5.3512G	52.02	54.00	-1.98	8.28	3	Horizontal	1	2.97	-	43.74

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52114G	56.39	68.20	-11.81	14.57	3	Vertical	6	1.00	-	41.82
PK	15.78336G	56.37	74.00	-17.63	15.43	3	Vertical	169	1.38	-	40.94
AV	15.7794G	44.44	54.00	-9.56	15.44	3	Vertical	169	1.38	-	29.00

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51916G	53.67	68.20	-14.53	14.57	3	Horizontal	194	1.89	-	39.10
PK	15.77952G	59.08	74.00	-14.92	15.44	3	Horizontal	7	1.89	-	43.64
AV	15.77784G	46.33	54.00	-7.67	15.44	3	Horizontal	7	1.89	-	30.89

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3048G	107.04	Inf	-Inf	8.22	3	Vertical	322	2.40	-	98.82
AV	5.3012G	95.18	Inf	-Inf	8.21	3	Vertical	322	2.40	-	86.97
PK	5.3656G	58.59	74.00	-15.41	8.29	3	Vertical	322	2.40	-	50.30
AV	5.35G	46.38	54.00	-7.62	8.28	3	Vertical	322	2.40	-	38.10

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3028G	121.53	Inf	-Inf	8.21	3	Horizontal	2	2.55	-	113.32
AV	5.3016G	109.92	Inf	-Inf	8.21	3	Horizontal	2	2.55	-	101.71
PK	5.35G	69.98	74.00	-4.02	8.28	3	Horizontal	2	2.55	-	61.70
AV	5.35G	53.47	54.00	-0.53	8.28	3	Horizontal	2	2.55	-	45.19

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5300MHz_TX




EUT_Z_2TX
 Setting 82
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61392G	53.10	74.00	-20.90	14.50	3	Vertical	98	1.76	-	38.60
AV	10.60058G	40.52	54.00	-13.48	14.51	3	Vertical	98	1.76	-	26.01
PK	15.90444G	53.27	74.00	-20.73	15.12	3	Vertical	194	1.60	-	38.15
AV	15.8997G	40.81	54.00	-13.19	15.13	3	Vertical	194	1.60	-	25.68

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 82
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60858G	53.89	74.00	-20.11	14.50	3	Horizontal	90	2.18	-	39.39
AV	10.60312G	41.10	54.00	-12.90	14.52	3	Horizontal	90	2.18	-	26.58
PK	15.89754G	53.89	74.00	-20.11	15.14	3	Horizontal	152	2.98	-	38.75
AV	15.90822G	40.71	54.00	-13.29	15.11	3	Horizontal	152	2.98	-	25.60

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5320MHz_TX




EUT Z_2TX
Setting 67
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.316G	103.30	Inf	-Inf	8.23	3	Vertical	250	2.37	-	95.07
AV	5.3172G	90.66	Inf	-Inf	8.23	3	Vertical	250	2.37	-	82.43
PK	5.3506G	58.70	74.00	-15.30	8.28	3	Vertical	250	2.37	-	50.42
AV	5.3522G	46.67	54.00	-7.33	8.28	3	Vertical	250	2.37	-	38.39

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 67
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3238G	117.51	Inf	-Inf	8.24	3	Horizontal	2	2.41	-	109.27
AV	5.3212G	106.60	Inf	-Inf	8.23	3	Horizontal	2	2.41	-	98.37
PK	5.3512G	69.13	74.00	-4.87	8.28	3	Horizontal	2	2.41	-	60.85
AV	5.3504G	53.49	54.00	-0.51	8.28	3	Horizontal	2	2.41	-	45.21

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64084G	53.57	74.00	-20.43	14.49	3	Vertical	211	2.66	-	39.08
AV	10.64G	40.65	54.00	-13.35	14.49	3	Vertical	211	2.66	-	26.16
PK	15.94902G	53.50	74.00	-20.50	14.99	3	Vertical	235	2.82	-	38.51
AV	15.96576G	40.66	54.00	-13.34	14.95	3	Vertical	235	2.82	-	25.71

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62668G	52.67	74.00	-21.33	14.49	3	Horizontal	103	1.44	-	38.18
AV	10.6424G	40.54	54.00	-13.46	14.49	3	Horizontal	103	1.44	-	26.05
PK	15.95124G	53.21	74.00	-20.79	14.98	3	Horizontal	219	1.79	-	38.23
AV	15.95352G	40.73	54.00	-13.27	14.97	3	Horizontal	219	1.79	-	25.76

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 67
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	58.18	74.00	-15.82	8.45	3	Vertical	200	2.39	-	49.73
AV	5.4564G	46.17	54.00	-7.83	8.44	3	Vertical	200	2.39	-	37.73
PK	5.47G	59.91	68.20	-8.29	8.46	3	Vertical	200	2.39	-	51.45
PK	5.505G	105.25	Inf	-Inf	8.52	3	Vertical	200	2.39	-	96.73
AV	5.5076G	93.36	Inf	-Inf	8.52	3	Vertical	200	2.39	-	84.84

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 67
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	62.66	74.00	-11.34	8.45	3	Horizontal	3	2.74	-	54.21
AV	5.4594G	49.95	54.00	-4.05	8.45	3	Horizontal	3	2.74	-	41.50
PK	5.4692G	67.51	68.20	-0.69	8.46	3	Horizontal	3	2.74	-	59.05
PK	5.4988G	117.75	Inf	-Inf	8.52	3	Horizontal	3	2.74	-	109.23
AV	5.495G	106.31	Inf	-Inf	8.51	3	Horizontal	3	2.74	-	97.80

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 67
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01068G	53.46	74.00	-20.54	14.28	3	Vertical	326	2.57	-	39.18
AV	10.98542G	40.27	54.00	-13.73	14.27	3	Vertical	326	2.57	-	26.00

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00672G	52.57	74.00	-21.43	14.27	3	Horizontal	305	2.22	-	38.30
AV	11.00996G	40.20	54.00	-13.80	14.28	3	Horizontal	305	2.22	-	25.92

802.11ax HEW20_Nss2,(MCS0)_2TX

25/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.412G	58.26	74.00	-15.74	8.36	3	Vertical	204	2.33	-	49.90
AV	5.436G	46.44	54.00	-7.56	8.41	3	Vertical	204	2.33	-	38.03
PK	5.4664G	57.69	68.20	-10.51	8.46	3	Vertical	204	2.33	-	49.23
PK	5.5736G	111.63	Inf	-Inf	8.56	3	Vertical	204	2.33	-	103.07
AV	5.576G	100.28	Inf	-Inf	8.57	3	Vertical	204	2.33	-	91.71
PK	5.7256G	59.02	68.20	-9.18	8.79	3	Vertical	204	2.33	-	50.23

802.11ax HEW20_Nss2,(MCS0)_2TX

25/10/2019

5580MHz_TX




EUT Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	64.08	74.00	-9.92	8.44	3	Horizontal	359	2.79	-	55.64
AV	5.46G	51.55	54.00	-2.45	8.45	3	Horizontal	359	2.79	-	43.10
PK	5.4672G	66.33	68.20	-1.87	8.46	3	Horizontal	359	2.79	-	57.87
PK	5.5824G	124.60	Inf	-Inf	8.57	3	Horizontal	359	2.79	-	116.03
AV	5.5848G	113.13	Inf	-Inf	8.57	3	Horizontal	359	2.79	-	104.56
PK	5.7304G	62.99	68.20	-5.21	8.80	3	Horizontal	359	2.79	-	54.19

802.11ax HEW20_Nss2,(MCS0)_2TX

25/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16612G	53.50	74.00	-20.50	14.47	3	Vertical	306	1.66	-	39.03
AV	11.16876G	40.32	54.00	-13.68	14.48	3	Vertical	306	1.66	-	25.84
PK	16.73988G	64.71	68.20	-3.49	18.15	3	Vertical	252	2.94	-	46.56

802.11ax HEW20_Nss2,(MCS0)_2TX

25/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16582G	55.91	74.00	-18.09	14.47	3	Horizontal	3	2.28	-	41.44
AV	11.1594G	44.00	54.00	-10.00	14.46	3	Horizontal	3	2.28	-	29.54
PK	16.74264G	64.93	68.20	-3.27	18.16	3	Horizontal	223	1.86	-	46.77

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 54
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.702G	102.23	Inf	-Inf	8.75	3	Vertical	210	2.54	-	93.48
AV	5.6958G	89.74	Inf	-Inf	8.74	3	Vertical	210	2.54	-	81.00
PK	5.7482G	58.95	68.20	-9.25	8.82	3	Vertical	210	2.54	-	50.13

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5700MHz_TX




EUT Z_2TX
Setting 54
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6986G	115.93	Inf	-Inf	8.75	3	Horizontal	1	2.71	-	107.18
AV	5.7066G	104.23	Inf	-Inf	8.76	3	Horizontal	1	2.71	-	95.47
PK	5.7252G	67.59	68.20	-0.61	8.79	3	Horizontal	1	2.71	-	58.80

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 54
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38704G	53.10	74.00	-20.90	14.76	3	Vertical	60	2.64	-	38.34
AV	11.39892G	40.88	54.00	-13.12	14.77	3	Vertical	60	2.64	-	26.11

802.11ax HEW20_Nss2,(MCS0)_2TX

24/10/2019

5700MHz_TX




EUT_Z_2TX
 Setting 54
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39664G	53.80	74.00	-20.20	14.77	3	Horizontal	175	1.34	-	39.03
AV	11.41182G	41.04	54.00	-12.96	14.79	3	Horizontal	175	1.34	-	26.25

802.11ax HEW20_Nss2,(MCS0)_2TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7256G	106.75	Inf	-Inf	8.79	3	Vertical	253	2.32	-	97.96
AV	5.7184G	94.74	Inf	-Inf	8.77	3	Vertical	253	2.32	-	85.97
PK	5.8744G	58.58	68.20	-9.62	8.91	3	Vertical	253	2.32	-	49.67

802.11ax HEW20_Nss2,(MCS0)_2TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 70
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7184G	119.43	Inf	-Inf	8.77	3	Horizontal	4	2.71	-	110.66
AV	5.7168G	107.86	Inf	-Inf	8.77	3	Horizontal	4	2.71	-	99.09
PK	5.8776G	59.97	68.20	-8.23	8.92	3	Horizontal	4	2.71	-	51.05

802.11ax HEW20_Nss2,(MCS0)_2TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43886G	53.84	74.00	-20.16	14.82	3	Vertical	229	2.04	-	39.02
AV	11.43454G	41.40	54.00	-12.60	14.82	3	Vertical	229	2.04	-	26.58
PK	17.17098G	67.65	68.20	-0.55	20.34	3	Vertical	26	1.97	-	47.31

802.11ax HEW20_Nss2,(MCS0)_2TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43394G	53.62	74.00	-20.38	14.82	3	Horizontal	48	2.33	-	38.80
AV	11.43658G	41.41	54.00	-12.59	14.82	3	Horizontal	48	2.33	-	26.59
PK	17.15934G	60.94	68.20	-7.26	20.25	3	Horizontal	220	2.82	-	40.69

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 79
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	57.65	74.00	-16.35	7.94	3	Vertical	215	2.40	-	49.71
AV	5.1488G	46.17	54.00	-7.83	7.94	3	Vertical	215	2.40	-	38.23
PK	5.2682G	102.82	Inf	-Inf	8.16	3	Vertical	215	2.40	-	94.66
AV	5.2694G	90.67	Inf	-Inf	8.16	3	Vertical	215	2.40	-	82.51
PK	5.3534G	59.30	74.00	-14.70	8.28	3	Vertical	215	2.40	-	51.02
AV	5.3522G	46.52	54.00	-7.48	8.28	3	Vertical	215	2.40	-	38.24

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 79
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	64.23	74.00	-9.77	7.94	3	Horizontal	1	2.96	-	56.29
AV	5.1488G	50.28	54.00	-3.72	7.94	3	Horizontal	1	2.96	-	42.34
PK	5.2652G	118.24	Inf	-Inf	8.16	3	Horizontal	1	2.96	-	110.08
AV	5.2742G	106.64	Inf	-Inf	8.17	3	Horizontal	1	2.96	-	98.47
PK	5.3501G	72.22	74.00	-1.78	8.28	3	Horizontal	1	2.96	-	63.94
AV	5.3501G	53.45	54.00	-0.55	8.28	3	Horizontal	1	2.96	-	45.17

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5270MHz_TX




EUT Z_2TX
Setting 79
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78852G	54.42	74.00	-19.58	15.41	3	Vertical	137	2.68	-	39.01
AV	15.79524G	42.14	54.00	-11.86	15.39	3	Vertical	137	2.68	-	26.75

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 79
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80928G	54.01	74.00	-19.99	15.36	3	Horizontal	162	1.97	-	38.65
AV	15.79332G	41.71	54.00	-12.29	15.40	3	Horizontal	162	1.97	-	26.31

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5310MHz_TX




EUT Z_2TX
Setting 60
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.308G	98.01	Inf	-Inf	8.22	3	Vertical	210	2.13	-	89.79
AV	5.3084G	86.08	Inf	-Inf	8.22	3	Vertical	210	2.13	-	77.86
PK	5.35G	59.81	74.00	-14.19	8.28	3	Vertical	210	2.13	-	51.53
AV	5.3532G	46.27	54.00	-7.73	8.28	3	Vertical	210	2.13	-	37.99

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 60
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3048G	114.56	Inf	-Inf	8.22	3	Horizontal	3	2.93	-	106.34
AV	5.3064G	101.73	Inf	-Inf	8.22	3	Horizontal	3	2.93	-	93.51
PK	5.3501G	73.49	74.00	-0.51	8.28	3	Horizontal	3	2.93	-	65.21
AV	5.3501G	53.21	54.00	-0.79	8.28	3	Horizontal	3	2.93	-	44.93

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63608G	53.02	74.00	-20.98	14.49	3	Vertical	207	1.63	-	38.53
AV	10.6464G	40.54	54.00	-13.46	14.48	3	Vertical	207	1.63	-	26.06
PK	15.94476G	53.76	74.00	-20.24	15.00	3	Vertical	249	1.16	-	38.76
AV	15.95208G	41.12	54.00	-12.88	14.98	3	Vertical	249	1.16	-	26.14

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61256G	53.19	74.00	-20.81	14.50	3	Horizontal	203	2.02	-	38.69
AV	10.63632G	40.82	54.00	-13.18	14.49	3	Horizontal	203	2.02	-	26.33
PK	15.912G	53.71	74.00	-20.29	15.10	3	Horizontal	188	2.78	-	38.61
AV	15.90948G	41.44	54.00	-12.56	15.10	3	Horizontal	188	2.78	-	26.34

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 55
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4324G	57.78	74.00	-16.22	8.40	3	Vertical	203	2.32	-	49.38
AV	5.4504G	46.36	54.00	-7.64	8.44	3	Vertical	203	2.32	-	37.92
PK	5.4632G	57.93	68.20	-10.27	8.45	3	Vertical	203	2.32	-	49.48
PK	5.5084G	98.19	Inf	-Inf	8.53	3	Vertical	203	2.32	-	89.66
AV	5.5092G	86.08	Inf	-Inf	8.53	3	Vertical	203	2.32	-	77.55

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 55
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	64.83	74.00	-9.17	8.45	3	Horizontal	2	2.75	-	56.38
AV	5.4592G	49.83	54.00	-4.17	8.45	3	Horizontal	2	2.75	-	41.38
PK	5.47G	66.46	68.20	-1.74	8.46	3	Horizontal	2	2.75	-	58.00
PK	5.5048G	113.74	Inf	-Inf	8.52	3	Horizontal	2	2.75	-	105.22
AV	5.5064G	100.63	Inf	-Inf	8.52	3	Horizontal	2	2.75	-	92.11

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5510MHz_TX




EUT Z_2TX
Setting 55
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00548G	53.86	74.00	-20.14	14.26	3	Vertical	219	1.23	-	39.60
AV	11.01472G	41.54	54.00	-12.46	14.28	3	Vertical	219	1.23	-	27.26

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 55
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0236G	53.54	74.00	-20.46	14.29	3	Horizontal	298	1.56	-	39.25
AV	11.00428G	40.69	54.00	-13.31	14.26	3	Horizontal	298	1.56	-	26.43

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4252G	58.57	74.00	-15.43	8.39	3	Vertical	206	2.34	-	50.18
AV	5.4092G	46.36	54.00	-7.64	8.35	3	Vertical	206	2.34	-	38.01
PK	5.4684G	59.19	68.20	-9.01	8.46	3	Vertical	206	2.34	-	50.73
PK	5.5468G	105.04	Inf	-Inf	8.55	3	Vertical	206	2.34	-	96.49
AV	5.5532G	92.55	Inf	-Inf	8.55	3	Vertical	206	2.34	-	84.00
PK	5.7364G	57.82	68.20	-10.38	8.81	3	Vertical	206	2.34	-	49.01

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4516G	65.51	74.00	-8.49	8.44	3	Horizontal	1	2.70	-	57.07
AV	5.4524G	49.98	54.00	-4.02	8.44	3	Horizontal	1	2.70	-	41.54
PK	5.4699G	67.69	68.20	-0.51	8.46	3	Horizontal	1	2.70	-	59.23
PK	5.546G	116.66	Inf	-Inf	8.55	3	Horizontal	1	2.70	-	108.11
AV	5.546G	105.47	Inf	-Inf	8.55	3	Horizontal	1	2.70	-	96.92
PK	5.7402G	62.55	68.20	-5.65	8.80	3	Horizontal	1	2.70	-	53.75

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.07192G	52.50	74.00	-21.50	14.36	3	Vertical	171	1.68	-	38.14
AV	11.08068G	40.73	54.00	-13.27	14.36	3	Vertical	171	1.68	-	26.37
PK	16.67172G	56.73	68.20	-11.47	17.85	3	Vertical	46	1.04	-	38.88

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5550MHz_TX




EUT Z_2TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.08008G	53.56	74.00	-20.44	14.36	3	Horizontal	349	1.32	-	39.20
AV	11.09304G	40.62	54.00	-13.38	14.38	3	Horizontal	349	1.32	-	26.24
PK	16.64064G	56.56	68.20	-11.64	17.71	3	Horizontal	205	1.69	-	38.85

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 57
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6616G	100.12	Inf	-Inf	8.69	3	Vertical	97	2.23	-	91.43
AV	5.6564G	88.17	Inf	-Inf	8.67	3	Vertical	97	2.23	-	79.50
PK	5.7304G	59.19	68.20	-9.01	8.80	3	Vertical	97	2.23	-	50.39

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 57
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6712G	112.85	Inf	-Inf	8.70	3	Horizontal	1	2.74	-	104.15
AV	5.674G	101.61	Inf	-Inf	8.70	3	Horizontal	1	2.74	-	92.91
PK	5.7272G	67.67	68.20	-0.53	8.80	3	Horizontal	1	2.74	-	58.87

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 57
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3472G	52.82	74.00	-21.18	14.71	3	Vertical	4	1.05	-	38.11
AV	11.31132G	40.38	54.00	-13.62	14.66	3	Vertical	4	1.05	-	25.72

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 57
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.35092G	52.24	74.00	-21.76	14.72	3	Horizontal	77	2.98	-	37.52
AV	11.36832G	40.72	54.00	-13.28	14.74	3	Horizontal	77	2.98	-	25.98

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.706G	106.67	Inf	-Inf	8.76	3	Vertical	254	2.31	-	97.91
AV	5.7068G	93.92	Inf	-Inf	8.76	3	Vertical	254	2.31	-	85.16
PK	5.8788G	58.51	68.20	-9.69	8.92	3	Vertical	254	2.31	-	49.59

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7196G	118.79	Inf	-Inf	8.78	3	Horizontal	3	2.70	-	110.01
AV	5.7068G	107.01	Inf	-Inf	8.76	3	Horizontal	3	2.70	-	98.25
PK	5.8772G	62.51	68.20	-5.69	8.92	3	Horizontal	3	2.70	-	53.59

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39708G	53.29	74.00	-20.71	14.77	3	Vertical	15	1.66	-	38.52
AV	11.44988G	41.41	54.00	-12.59	14.84	3	Vertical	15	1.66	-	26.57
PK	17.13924G	67.67	68.20	-0.53	20.14	3	Vertical	24	2.01	-	47.53

802.11ax HEW40_Nss2,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4182G	54.21	74.00	-19.79	14.79	3	Horizontal	326	1.24	-	39.42
AV	11.41364G	41.27	54.00	-12.73	14.79	3	Horizontal	326	1.24	-	26.48
PK	17.12196G	63.84	68.20	-4.36	20.04	3	Horizontal	30	1.91	-	43.80

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 61
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.135G	58.15	74.00	-15.85	7.92	3	Vertical	215	2.03	-	50.23
AV	5.096G	47.69	54.00	-6.31	7.83	3	Vertical	215	2.03	-	39.86
PK	5.274G	93.71	Inf	-Inf	8.17	3	Vertical	215	2.03	-	85.54
AV	5.277G	83.88	Inf	-Inf	8.17	3	Vertical	215	2.03	-	75.71
PK	5.395G	58.40	74.00	-15.60	8.33	3	Vertical	215	2.03	-	50.07
AV	5.431G	47.89	54.00	-6.11	8.40	3	Vertical	215	2.03	-	39.49

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 61
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14G	60.61	74.00	-13.39	7.93	3	Horizontal	1	2.94	-	52.68
AV	5.135G	50.37	54.00	-3.63	7.92	3	Horizontal	1	2.94	-	42.45
PK	5.282G	110.09	Inf	-Inf	8.18	3	Horizontal	1	2.94	-	101.91
AV	5.273G	99.55	Inf	-Inf	8.17	3	Horizontal	1	2.94	-	91.38
PK	5.357G	66.37	74.00	-7.63	8.28	3	Horizontal	1	2.94	-	58.09
AV	5.3501G	53.43	54.00	-0.57	8.28	3	Horizontal	1	2.94	-	45.15

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5290MHz_TX




EUT_Z_2TX
 Setting 61
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87096G	53.72	74.00	-20.28	15.20	3	Vertical	308	2.61	-	38.52
AV	15.87G	42.57	54.00	-11.43	15.21	3	Vertical	308	2.61	-	27.36

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86472G	53.29	74.00	-20.71	15.22	3	Horizontal	25	1.78	-	38.07
AV	15.86232G	42.84	54.00	-11.16	15.22	3	Horizontal	25	1.78	-	27.62

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5530MHz_TX




EUT Z_2TX
Setting 64
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.437G	59.15	74.00	-14.85	8.41	3	Vertical	207	2.37	-	50.74
AV	5.401G	47.68	54.00	-6.32	8.34	3	Vertical	207	2.37	-	39.34
PK	5.47G	60.15	68.20	-8.05	8.46	3	Vertical	207	2.37	-	51.69
PK	5.55G	97.45	Inf	-Inf	8.54	3	Vertical	207	2.37	-	88.91
AV	5.516G	86.96	Inf	-Inf	8.53	3	Vertical	207	2.37	-	78.43
PK	5.775G	58.58	68.20	-9.62	8.86	3	Vertical	207	2.37	-	49.72

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 64
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.457G	67.06	74.00	-6.94	8.44	3	Horizontal	1	2.71	-	58.62
AV	5.46G	52.76	54.00	-1.24	8.45	3	Horizontal	1	2.71	-	44.31
PK	5.462G	67.61	68.20	-0.59	8.45	3	Horizontal	1	2.71	-	59.16
PK	5.546G	110.62	Inf	-Inf	8.55	3	Horizontal	1	2.71	-	102.07
AV	5.542G	100.59	Inf	-Inf	8.55	3	Horizontal	1	2.71	-	92.04
PK	5.729G	61.81	68.20	-6.39	8.80	3	Horizontal	1	2.71	-	53.01

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 64
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0328G	52.94	74.00	-21.06	14.31	3	Vertical	281	1.63	-	38.63
AV	11.07744G	42.39	54.00	-11.61	14.36	3	Vertical	281	1.63	-	28.03

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 64
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03104G	53.26	74.00	-20.74	14.30	3	Horizontal	208	1.86	-	38.96
AV	11.032G	42.61	54.00	-11.39	14.31	3	Horizontal	208	1.86	-	28.30

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	58.43	74.00	-15.57	8.44	3	Vertical	166	2.78	-	49.99
AV	5.369G	47.54	54.00	-6.46	8.30	3	Vertical	166	2.78	-	39.24
PK	5.469G	57.38	68.20	-10.82	8.46	3	Vertical	166	2.78	-	48.92
PK	5.621G	101.60	Inf	-Inf	8.61	3	Vertical	166	2.78	-	92.99
AV	5.623G	91.30	Inf	-Inf	8.61	3	Vertical	166	2.78	-	82.69
PK	5.784G	58.82	68.20	-9.38	8.88	3	Vertical	166	2.78	-	49.94

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	63.39	74.00	-10.61	8.45	3	Horizontal	1	2.77	-	54.94
AV	5.46G	53.47	54.00	-0.53	8.45	3	Horizontal	1	2.77	-	45.02
PK	5.468G	63.61	68.20	-4.59	8.46	3	Horizontal	1	2.77	-	55.15
PK	5.626G	112.55	Inf	-Inf	8.63	3	Horizontal	1	2.77	-	103.92
AV	5.619G	102.50	Inf	-Inf	8.61	3	Horizontal	1	2.77	-	93.89
PK	5.736G	67.62	68.20	-0.58	8.81	3	Horizontal	1	2.77	-	58.81

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.25616G	53.71	74.00	-20.29	14.59	3	Vertical	191	2.18	-	39.12
AV	11.24944G	42.53	54.00	-11.47	14.58	3	Vertical	191	2.18	-	27.95

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5610MHz_TX




EUT_Z_2TX
 Setting 73
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.25344G	53.00	74.00	-21.00	14.58	3	Horizontal	272	2.08	-	38.42
AV	11.2576G	42.05	54.00	-11.95	14.60	3	Horizontal	272	2.08	-	27.45

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 78
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.453G	57.52	74.00	-16.48	8.44	3	Vertical	94	1.98	-	49.08
AV	5.445G	47.15	54.00	-6.85	8.42	3	Vertical	94	1.98	-	38.73
PK	5.462G	57.09	68.20	-11.11	8.45	3	Vertical	94	1.98	-	48.64
PK	5.674G	101.68	Inf	-Inf	8.70	3	Vertical	94	1.98	-	92.98
AV	5.675G	91.21	Inf	-Inf	8.71	3	Vertical	94	1.98	-	82.50
PK	5.855G	59.21	68.20	-8.99	8.90	3	Vertical	94	1.98	-	50.31

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 78
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	59.01	74.00	-14.99	8.44	3	Horizontal	1	2.73	-	50.57
AV	5.454G	48.80	54.00	-5.20	8.44	3	Horizontal	1	2.73	-	40.36
PK	5.461G	59.46	68.20	-8.74	8.45	3	Horizontal	1	2.73	-	51.01
PK	5.693G	114.94	Inf	-Inf	8.74	3	Horizontal	1	2.73	-	106.20
AV	5.677G	103.98	Inf	-Inf	8.72	3	Horizontal	1	2.73	-	95.26
PK	5.857G	67.67	68.20	-0.53	8.90	3	Horizontal	1	2.73	-	58.77

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 78
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38656G	53.83	74.00	-20.17	14.75	3	Vertical	109	2.43	-	39.08
AV	11.3808G	42.67	54.00	-11.33	14.74	3	Vertical	109	2.43	-	27.93
PK	17.06392G	64.44	68.20	-3.76	19.69	3	Vertical	19	1.91	-	44.75

802.11ax HEW80_Nss2,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Z_2TX
Setting 78
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4128G	53.39	74.00	-20.61	14.79	3	Horizontal	247	2.61	-	38.60
AV	11.39168G	42.77	54.00	-11.23	14.76	3	Horizontal	247	2.61	-	28.01
PK	17.042G	59.91	68.20	-8.29	19.56	3	Horizontal	20	2.85	-	40.35




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.8501G	67.69	68.20	-0.51	8.90	3	Horizontal	177	2.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1112G	57.65	74.00	-16.35	7.86	3	Vertical	250	2.66	-	49.79
AV	5.1472G	45.46	54.00	-8.54	7.94	3	Vertical	250	2.66	-	37.52
PK	5.2654G	109.08	Inf	-Inf	8.16	3	Vertical	250	2.66	-	100.92
AV	5.263G	97.59	Inf	-Inf	8.16	3	Vertical	250	2.66	-	89.43
PK	5.3686G	58.31	74.00	-15.69	8.30	3	Vertical	250	2.66	-	50.01
AV	5.3632G	45.95	54.00	-8.05	8.29	3	Vertical	250	2.66	-	37.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.131G	60.72	74.00	-13.28	7.91	3	Horizontal	174	2.78	-	52.81
AV	5.15G	48.46	54.00	-5.54	7.94	3	Horizontal	174	2.78	-	40.52
PK	5.269G	125.08	Inf	-Inf	8.16	3	Horizontal	174	2.78	-	116.92
AV	5.2678G	114.03	Inf	-Inf	8.16	3	Horizontal	174	2.78	-	105.87
PK	5.3674G	64.36	74.00	-9.64	8.29	3	Horizontal	174	2.78	-	56.07
AV	5.368G	53.29	54.00	-0.71	8.29	3	Horizontal	174	2.78	-	45.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5260MHz_TX




EUT_Z_2TX
 Setting 85
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52474G	53.77	68.20	-14.43	14.56	3	Vertical	43	1.99	-	39.21
PK	15.771G	60.52	74.00	-13.48	15.45	3	Vertical	327	1.97	-	45.07
AV	15.77514G	47.01	54.00	-6.99	15.45	3	Vertical	327	1.97	-	31.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52294G	54.79	68.20	-13.41	14.56	3	Horizontal	357	2.30	-	40.23
PK	15.7734G	58.18	74.00	-15.82	15.46	3	Horizontal	329	2.92	-	42.72
AV	15.77142G	44.44	54.00	-9.56	15.45	3	Horizontal	329	2.92	-	28.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2916G	107.23	Inf	-Inf	8.20	3	Vertical	212	1.44	-	99.03
AV	5.2916G	96.48	Inf	-Inf	8.20	3	Vertical	212	1.44	-	88.28
PK	5.3552G	59.46	74.00	-14.54	8.28	3	Vertical	212	1.44	-	51.18
AV	5.35G	45.74	54.00	-8.26	8.28	3	Vertical	212	1.44	-	37.46

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3044G	123.97	Inf	-Inf	8.21	3	Horizontal	173	2.74	-	115.76
AV	5.3032G	112.07	Inf	-Inf	8.21	3	Horizontal	173	2.74	-	103.86
PK	5.3504G	73.08	74.00	-0.92	8.28	3	Horizontal	173	2.74	-	64.80
AV	5.3504G	51.56	54.00	-2.44	8.28	3	Horizontal	173	2.74	-	43.28

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 82
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60974G	53.46	74.00	-20.54	14.50	3	Vertical	73	2.83	-	38.96
AV	10.60024G	40.51	54.00	-13.49	14.51	3	Vertical	73	2.83	-	26.00
PK	15.89724G	57.14	74.00	-16.86	15.14	3	Vertical	27	2.80	-	42.00
AV	15.89778G	42.55	54.00	-11.45	15.14	3	Vertical	27	2.80	-	27.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5300MHz_TX




EUT_Z_2TX
 Setting 82
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60006G	53.42	74.00	-20.58	14.51	3	Horizontal	265	1.49	-	38.91
AV	10.60832G	41.42	54.00	-12.58	14.50	3	Horizontal	265	1.49	-	26.92
PK	15.89184G	55.37	74.00	-18.63	15.14	3	Horizontal	340	2.86	-	40.23
AV	15.89124G	41.02	54.00	-12.98	15.15	3	Horizontal	340	2.86	-	25.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5320MHz_TX




EUT Z_2TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3242G	105.50	Inf	-Inf	8.24	3	Vertical	212	1.48	-	97.26
AV	5.3246G	93.05	Inf	-Inf	8.24	3	Vertical	212	1.48	-	84.81
PK	5.352G	57.82	74.00	-16.18	8.28	3	Vertical	212	1.48	-	49.54
AV	5.355G	45.52	54.00	-8.48	8.28	3	Vertical	212	1.48	-	37.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3284G	120.49	Inf	-Inf	8.25	3	Horizontal	357	2.78	-	112.24
AV	5.3116G	108.43	Inf	-Inf	8.22	3	Horizontal	357	2.78	-	100.21
PK	5.352G	73.31	74.00	-0.69	8.28	3	Horizontal	357	2.78	-	65.03
AV	5.3506G	53.19	54.00	-0.81	8.28	3	Horizontal	357	2.78	-	44.91

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5320MHz_TX




EUT_Z_2TX
 Setting 69
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.65122G	53.21	74.00	-20.79	14.47	3	Vertical	311	1.85	-	38.74
AV	10.62572G	39.84	54.00	-14.16	14.49	3	Vertical	311	1.85	-	25.35
PK	15.95832G	54.11	74.00	-19.89	14.97	3	Vertical	117	1.02	-	39.14
AV	15.9504G	40.45	54.00	-13.55	14.98	3	Vertical	117	1.02	-	25.47

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 69
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64186G	53.65	74.00	-20.35	14.49	3	Horizontal	274	1.77	-	39.16
AV	10.65356G	39.86	54.00	-14.14	14.48	3	Horizontal	274	1.77	-	25.38
PK	15.95802G	53.66	74.00	-20.34	14.97	3	Horizontal	281	1.63	-	38.69
AV	15.9519G	40.36	54.00	-13.64	14.98	3	Horizontal	281	1.63	-	25.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 67
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4586G	58.85	74.00	-15.15	8.45	3	Vertical	205	2.15	-	50.40
AV	5.4574G	45.68	54.00	-8.32	8.44	3	Vertical	205	2.15	-	37.24
PK	5.462G	58.20	68.20	-10.00	8.45	3	Vertical	205	2.15	-	49.75
PK	5.5086G	107.24	Inf	-Inf	8.53	3	Vertical	205	2.15	-	98.71
AV	5.5074G	94.63	Inf	-Inf	8.52	3	Vertical	205	2.15	-	86.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 67
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4598G	62.20	74.00	-11.80	8.45	3	Horizontal	2	2.88	-	53.75
AV	5.4508G	47.69	54.00	-6.31	8.44	3	Horizontal	2	2.88	-	39.25
PK	5.47G	67.43	68.20	-0.77	8.46	3	Horizontal	2	2.88	-	58.97
PK	5.5084G	123.80	Inf	-Inf	8.53	3	Horizontal	2	2.88	-	115.27
AV	5.509G	111.02	Inf	-Inf	8.53	3	Horizontal	2	2.88	-	102.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 67
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01062G	53.87	74.00	-20.13	14.28	3	Vertical	184	2.09	-	39.59
AV	11.00192G	39.83	54.00	-14.17	14.26	3	Vertical	184	2.09	-	25.57

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00606G	53.28	74.00	-20.72	14.26	3	Horizontal	271	1.61	-	39.02
AV	11.0135G	40.04	54.00	-13.96	14.28	3	Horizontal	271	1.61	-	25.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 90
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3896G	58.38	74.00	-15.62	8.33	3	Vertical	97	2.68	-	50.05
AV	5.4592G	45.62	54.00	-8.38	8.45	3	Vertical	97	2.68	-	37.17
PK	5.4616G	57.86	68.20	-10.34	8.45	3	Vertical	97	2.68	-	49.41
PK	5.5768G	112.55	Inf	-Inf	8.57	3	Vertical	97	2.68	-	103.98
AV	5.5768G	101.28	Inf	-Inf	8.57	3	Vertical	97	2.68	-	92.71
PK	5.7668G	58.50	68.20	-9.70	8.85	3	Vertical	97	2.68	-	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 90
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	66.15	74.00	-7.85	8.44	3	Horizontal	1	2.94	-	57.71
AV	5.4592G	51.76	54.00	-2.24	8.45	3	Horizontal	1	2.94	-	43.31
PK	5.464G	66.86	68.20	-1.34	8.45	3	Horizontal	1	2.94	-	58.41
PK	5.5808G	126.35	Inf	-Inf	8.57	3	Horizontal	1	2.94	-	117.78
AV	5.5816G	115.03	Inf	-Inf	8.57	3	Horizontal	1	2.94	-	106.46
PK	5.7272G	63.31	68.20	-4.89	8.80	3	Horizontal	1	2.94	-	54.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 90
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1663G	53.30	74.00	-20.70	14.47	3	Vertical	254	1.85	-	38.83
AV	11.16G	40.42	54.00	-13.58	14.46	3	Vertical	254	1.85	-	25.96
PK	16.7433G	64.67	68.20	-3.53	18.16	3	Vertical	156	2.62	-	46.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 90
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16666G	59.99	74.00	-14.01	14.47	3	Horizontal	189	2.16	-	45.52
AV	11.16312G	46.86	54.00	-7.14	14.47	3	Horizontal	189	2.16	-	32.39
PK	16.7448G	65.90	68.20	-2.30	18.17	3	Horizontal	209	2.80	-	47.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5700MHz_TX




EUT Z_2TX
Setting 49
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7036G	105.37	Inf	-Inf	8.75	3	Vertical	239	2.19	-	96.62
AV	5.7014G	92.60	Inf	-Inf	8.75	3	Vertical	239	2.19	-	83.85
PK	5.739G	58.77	68.20	-9.43	8.80	3	Vertical	239	2.19	-	49.97

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 49
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6914G	118.45	Inf	-Inf	8.73	3	Horizontal	358	2.99	-	109.72
AV	5.691G	106.96	Inf	-Inf	8.73	3	Horizontal	358	2.99	-	98.23
PK	5.726G	67.60	68.20	-0.60	8.79	3	Horizontal	358	2.99	-	58.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 49
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5024G	53.71	74.00	-20.29	14.91	3	Vertical	143	2.07	-	38.80
AV	11.5856G	40.54	54.00	-13.46	15.02	3	Vertical	143	2.07	-	25.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5700MHz_TX




EUT_Z_2TX
 Setting 49
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5064G	53.55	74.00	-20.45	14.92	3	Horizontal	228	1.25	-	38.63
AV	11.584G	40.59	54.00	-13.41	15.02	3	Horizontal	228	1.25	-	25.57

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7288G	107.92	Inf	-Inf	8.80	3	Vertical	254	2.17	-	99.12
AV	5.716G	96.00	Inf	-Inf	8.77	3	Vertical	254	2.17	-	87.23
PK	5.852G	59.14	68.20	-9.06	8.90	3	Vertical	254	2.17	-	50.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7192G	118.61	Inf	-Inf	8.77	3	Horizontal	357	2.83	-	109.84
AV	5.7184G	106.17	Inf	-Inf	8.77	3	Horizontal	357	2.83	-	97.40
PK	5.9074G	59.04	68.20	-9.16	8.92	3	Horizontal	357	2.83	-	50.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.45374G	54.16	74.00	-19.84	14.84	3	Vertical	203	1.68	-	39.32
AV	11.43484G	40.48	54.00	-13.52	14.82	3	Vertical	203	1.68	-	25.66
PK	17.15976G	67.63	68.20	-0.57	20.26	3	Vertical	21	2.00	-	47.37

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

26/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42524G	53.96	74.00	-20.04	14.81	3	Horizontal	254	1.27	-	39.15
AV	11.43388G	40.52	54.00	-13.48	14.82	3	Horizontal	254	1.27	-	25.70
PK	17.15106G	66.08	68.20	-2.12	20.20	3	Horizontal	320	1.89	-	45.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

26/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 79
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	58.57	74.00	-15.43	7.94	3	Vertical	231	2.10	-	50.63
AV	5.1404G	45.43	54.00	-8.57	7.93	3	Vertical	231	2.10	-	37.50
PK	5.2766G	105.82	Inf	-Inf	8.17	3	Vertical	231	2.10	-	97.65
AV	5.2772G	93.47	Inf	-Inf	8.17	3	Vertical	231	2.10	-	85.30
PK	5.372G	58.55	74.00	-15.45	8.30	3	Vertical	231	2.10	-	50.25
AV	5.3648G	45.67	54.00	-8.33	8.29	3	Vertical	231	2.10	-	37.38

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

26/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 79
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1398G	62.17	74.00	-11.83	7.93	3	Horizontal	1	2.83	-	54.24
AV	5.1308G	48.79	54.00	-5.21	7.91	3	Horizontal	1	2.83	-	40.88
PK	5.276G	121.15	Inf	-Inf	8.17	3	Horizontal	1	2.83	-	112.98
AV	5.276G	109.15	Inf	-Inf	8.17	3	Horizontal	1	2.83	-	100.98
PK	5.351G	70.83	74.00	-3.17	8.28	3	Horizontal	1	2.83	-	62.55
AV	5.3522G	53.42	54.00	-0.58	8.28	3	Horizontal	1	2.83	-	45.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

26/10/2019

5270MHz_TX



EUT Z_2TX
Setting 79
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78048G	56.12	74.00	-17.88	15.44	3	Vertical	35	1.95	-	40.68
AV	15.80412G	42.69	54.00	-11.31	15.38	3	Vertical	35	1.95	-	27.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

26/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 79
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7878G	54.82	74.00	-19.18	15.42	3	Horizontal	9	2.95	-	39.40
AV	15.78396G	42.10	54.00	-11.90	15.43	3	Horizontal	9	2.95	-	26.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

26/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 55
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.324G	100.27	Inf	-Inf	8.24	3	Vertical	214	1.47	-	92.03
AV	5.324G	87.61	Inf	-Inf	8.24	3	Vertical	214	1.47	-	79.37
PK	5.4024G	57.71	74.00	-16.29	8.34	3	Vertical	214	1.47	-	49.37
AV	5.3588G	45.57	54.00	-8.43	8.28	3	Vertical	214	1.47	-	37.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

26/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 55
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.32G	116.64	Inf	-Inf	8.23	3	Horizontal	2	2.40	-	108.41
AV	5.3204G	104.01	Inf	-Inf	8.23	3	Horizontal	2	2.40	-	95.78
PK	5.3548G	70.45	74.00	-3.55	8.28	3	Horizontal	2	2.40	-	62.17
AV	5.352G	53.39	54.00	-0.61	8.28	3	Horizontal	2	2.40	-	45.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

26/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 55
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95292G	54.12	74.00	-19.88	14.98	3	Vertical	290	1.83	-	39.14
AV	15.94452G	40.55	54.00	-13.45	15.00	3	Vertical	290	1.83	-	25.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

26/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 55
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95916G	54.17	74.00	-19.83	14.97	3	Horizontal	19	2.03	-	39.20
AV	15.91152G	40.52	54.00	-13.48	15.10	3	Horizontal	19	2.03	-	25.42

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 58
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4552G	58.41	74.00	-15.59	8.44	3	Vertical	204	2.14	-	49.97
AV	5.458G	45.64	54.00	-8.36	8.45	3	Vertical	204	2.14	-	37.19
PK	5.464G	58.85	68.20	-9.35	8.45	3	Vertical	204	2.14	-	50.40
PK	5.5064G	102.40	Inf	-Inf	8.52	3	Vertical	204	2.14	-	93.88
AV	5.5076G	89.70	Inf	-Inf	8.52	3	Vertical	204	2.14	-	81.18

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 58
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	65.42	74.00	-8.58	8.44	3	Horizontal	2	2.87	-	56.98
AV	5.4592G	49.33	54.00	-4.67	8.45	3	Horizontal	2	2.87	-	40.88
PK	5.4696G	67.53	68.20	-0.67	8.46	3	Horizontal	2	2.87	-	59.07
PK	5.5064G	116.72	Inf	-Inf	8.52	3	Horizontal	2	2.87	-	108.20
AV	5.5088G	104.81	Inf	-Inf	8.53	3	Horizontal	2	2.87	-	96.28

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 58
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.04664G	53.81	74.00	-20.19	14.32	3	Vertical	272	1.81	-	39.49
AV	11.02336G	40.26	54.00	-13.74	14.29	3	Vertical	272	1.81	-	25.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 58
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01376G	53.68	74.00	-20.32	14.28	3	Horizontal	22	1.91	-	39.40
AV	11.02576G	40.43	54.00	-13.57	14.29	3	Horizontal	22	1.91	-	26.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	58.02	74.00	-15.98	8.45	3	Vertical	115	2.92	-	49.57
AV	5.4036G	45.53	54.00	-8.47	8.34	3	Vertical	115	2.92	-	37.19
PK	5.4636G	57.14	68.20	-11.06	8.45	3	Vertical	115	2.92	-	48.69
PK	5.5596G	104.50	Inf	-Inf	8.56	3	Vertical	115	2.92	-	95.94
AV	5.5556G	92.74	Inf	-Inf	8.55	3	Vertical	115	2.92	-	84.19
PK	5.7404G	59.38	68.20	-8.82	8.80	3	Vertical	115	2.92	-	50.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	65.01	74.00	-8.99	8.45	3	Horizontal	359	2.84	-	56.56
AV	5.4356G	50.10	54.00	-3.90	8.41	3	Horizontal	359	2.84	-	41.69
PK	5.466G	67.56	68.20	-0.64	8.46	3	Horizontal	359	2.84	-	59.10
PK	5.5476G	121.16	Inf	-Inf	8.55	3	Horizontal	359	2.84	-	112.61
AV	5.5476G	109.08	Inf	-Inf	8.55	3	Horizontal	359	2.84	-	100.53
PK	5.7396G	61.82	68.20	-6.38	8.80	3	Horizontal	359	2.84	-	53.02

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5550MHz_TX




EUT Z_2TX
 Setting 75
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09436G	53.53	74.00	-20.47	14.39	3	Vertical	321	2.35	-	39.14
AV	11.09004G	40.32	54.00	-13.68	14.38	3	Vertical	321	2.35	-	25.94
PK	16.65276G	57.41	68.20	-10.79	17.76	3	Vertical	193	2.51	-	39.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09016G	53.17	74.00	-20.83	14.38	3	Horizontal	78	1.95	-	38.79
AV	11.07468G	40.03	54.00	-13.97	14.36	3	Horizontal	78	1.95	-	25.67
PK	16.6644G	57.52	68.20	-10.68	17.81	3	Horizontal	119	1.95	-	39.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 66
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6664G	104.94	Inf	-Inf	8.69	3	Vertical	251	2.10	-	96.25
AV	5.6652G	93.04	Inf	-Inf	8.69	3	Vertical	251	2.10	-	84.35
PK	5.7256G	59.68	68.20	-8.52	8.79	3	Vertical	251	2.10	-	50.89

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 66
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6548G	119.85	Inf	-Inf	8.67	3	Horizontal	1	2.75	-	111.18
AV	5.6524G	107.85	Inf	-Inf	8.66	3	Horizontal	1	2.75	-	99.19
PK	5.7284G	67.55	68.20	-0.65	8.80	3	Horizontal	1	2.75	-	58.75

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 66
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.31444G	53.26	74.00	-20.74	14.67	3	Vertical	15	1.55	-	38.59
AV	11.36904G	40.32	54.00	-13.68	14.75	3	Vertical	15	1.55	-	25.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5670MHz_TX




EUT_Z_2TX
 Setting 66
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.32824G	53.91	74.00	-20.09	14.68	3	Horizontal	355	2.45	-	39.23
AV	11.3616G	40.20	54.00	-13.80	14.73	3	Horizontal	355	2.45	-	25.47

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7276G	107.47	Inf	-Inf	8.80	3	Vertical	242	2.19	-	98.67
AV	5.7284G	95.85	Inf	-Inf	8.80	3	Vertical	242	2.19	-	87.05
PK	5.9052G	58.73	68.20	-9.47	8.92	3	Vertical	242	2.19	-	49.81

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.706G	121.61	Inf	-Inf	8.76	3	Horizontal	5	2.73	-	112.85
AV	5.706G	108.95	Inf	-Inf	8.76	3	Horizontal	5	2.73	-	100.19
PK	5.8572G	61.25	68.20	-6.95	8.90	3	Horizontal	5	2.73	-	52.35

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4212G	54.09	74.00	-19.91	14.80	3	Vertical	353	1.72	-	39.29
AV	11.41952G	40.77	54.00	-13.23	14.80	3	Vertical	353	1.72	-	25.97
PK	17.11932G	67.60	68.20	-0.60	20.01	3	Vertical	40	1.98	-	47.59

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3924G	54.43	74.00	-19.57	14.76	3	Horizontal	126	2.07	-	39.67
AV	11.41844G	40.74	54.00	-13.26	14.79	3	Horizontal	126	2.07	-	25.95
PK	17.1288G	62.89	68.20	-5.31	20.07	3	Horizontal	140	2.86	-	42.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.094G	58.59	74.00	-15.41	7.82	3	Vertical	276	3.00	-	50.77
AV	5.084G	45.10	54.00	-8.90	7.80	3	Vertical	276	3.00	-	37.30
PK	5.302G	99.92	Inf	-Inf	8.21	3	Vertical	276	3.00	-	91.71
AV	5.3G	86.74	Inf	-Inf	8.21	3	Vertical	276	3.00	-	78.53
PK	5.351G	59.21	74.00	-14.79	8.28	3	Vertical	276	3.00	-	50.93
AV	5.352G	45.47	54.00	-8.53	8.28	3	Vertical	276	3.00	-	37.19

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	63.46	74.00	-10.54	7.94	3	Horizontal	4	2.81	-	55.52
AV	5.149G	48.45	54.00	-5.55	7.94	3	Horizontal	4	2.81	-	40.51
PK	5.253G	114.32	Inf	-Inf	8.14	3	Horizontal	4	2.81	-	106.18
AV	5.286G	101.00	Inf	-Inf	8.19	3	Horizontal	4	2.81	-	92.81
PK	5.356G	72.43	74.00	-1.57	8.28	3	Horizontal	4	2.81	-	64.15
AV	5.351G	53.39	54.00	-0.61	8.28	3	Horizontal	4	2.81	-	45.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5290MHz_TX




EUT Z_2TX
 Setting 62
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.84424G	53.85	74.00	-20.15	15.27	3	Vertical	118	1.83	-	38.58
AV	15.846G	40.34	54.00	-13.66	15.27	3	Vertical	118	1.83	-	25.07

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5290MHz_TX




EUT_Z_2TX
 Setting 62
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.83928G	54.14	74.00	-19.86	15.29	3	Horizontal	65	1.75	-	38.85
AV	15.84152G	40.40	54.00	-13.60	15.28	3	Horizontal	65	1.75	-	25.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 60
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.383G	57.99	74.00	-16.01	8.32	3	Vertical	251	2.37	-	49.67
AV	5.46G	45.29	54.00	-8.71	8.45	3	Vertical	251	2.37	-	36.84
PK	5.462G	57.99	68.20	-10.21	8.45	3	Vertical	251	2.37	-	49.54
PK	5.549G	100.87	Inf	-Inf	8.55	3	Vertical	251	2.37	-	92.32
AV	5.546G	88.64	Inf	-Inf	8.55	3	Vertical	251	2.37	-	80.09
PK	5.727G	58.48	68.20	-9.72	8.80	3	Vertical	251	2.37	-	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 60
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	65.93	74.00	-8.07	8.44	3	Horizontal	188	2.66	-	57.49
AV	5.46G	50.34	54.00	-3.66	8.45	3	Horizontal	188	2.66	-	41.89
PK	5.4699G	67.63	68.20	-0.57	8.46	3	Horizontal	188	2.66	-	59.17
PK	5.54G	114.13	Inf	-Inf	8.54	3	Horizontal	188	2.66	-	105.59
AV	5.54G	101.36	Inf	-Inf	8.54	3	Horizontal	188	2.66	-	92.82
PK	5.751G	60.09	68.20	-8.11	8.83	3	Horizontal	188	2.66	-	51.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.04592G	53.95	74.00	-20.05	14.32	3	Vertical	56	1.57	-	39.63
AV	11.0248G	39.81	54.00	-14.19	14.29	3	Vertical	56	1.57	-	25.52

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03648G	53.78	74.00	-20.22	14.31	3	Horizontal	243	2.97	-	39.47
AV	11.02496G	39.85	54.00	-14.15	14.29	3	Horizontal	243	2.97	-	25.56

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

26/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.408G	58.47	74.00	-15.53	8.35	3	Vertical	238	2.07	-	50.12
AV	5.458G	45.22	54.00	-8.78	8.45	3	Vertical	238	2.07	-	36.77
PK	5.468G	57.87	68.20	-10.33	8.46	3	Vertical	238	2.07	-	49.41
PK	5.622G	103.33	Inf	-Inf	8.61	3	Vertical	238	2.07	-	94.72
AV	5.616G	90.07	Inf	-Inf	8.61	3	Vertical	238	2.07	-	81.46
PK	5.733G	60.11	68.20	-8.09	8.80	3	Vertical	238	2.07	-	51.31

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.457G	63.48	74.00	-10.52	8.44	3	Horizontal	188	2.61	-	55.04
AV	5.46G	49.93	54.00	-4.07	8.45	3	Horizontal	188	2.61	-	41.48
PK	5.463G	65.02	68.20	-3.18	8.45	3	Horizontal	188	2.61	-	56.57
PK	5.601G	119.64	Inf	-Inf	8.58	3	Horizontal	188	2.61	-	111.06
AV	5.6G	106.89	Inf	-Inf	8.58	3	Horizontal	188	2.61	-	98.31
PK	5.739G	67.54	68.20	-0.66	8.80	3	Horizontal	188	2.61	-	58.74

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.24592G	53.12	74.00	-20.88	14.58	3	Vertical	258	2.15	-	38.54
AV	11.23808G	39.52	54.00	-14.48	14.57	3	Vertical	258	2.15	-	24.95
PK	16.84872G	58.83	68.20	-9.37	18.64	3	Vertical	45	2.19	-	40.19

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5610MHz_TX




EUT Z_2TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.20272G	54.02	74.00	-19.98	14.52	3	Horizontal	268	1.34	-	39.50
AV	11.25472G	39.60	54.00	-14.40	14.59	3	Horizontal	268	1.34	-	25.01
PK	16.86456G	58.26	68.20	-9.94	18.71	3	Horizontal	213	2.70	-	39.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	57.97	74.00	-16.03	8.44	3	Vertical	248	2.23	-	49.53
AV	5.459G	45.20	54.00	-8.80	8.45	3	Vertical	248	2.23	-	36.75
PK	5.462G	57.18	68.20	-11.02	8.45	3	Vertical	248	2.23	-	48.73
PK	5.68G	105.54	Inf	-Inf	8.72	3	Vertical	248	2.23	-	96.82
AV	5.68G	93.08	Inf	-Inf	8.72	3	Vertical	248	2.23	-	84.36
PK	5.924G	58.97	68.20	-9.23	8.92	3	Vertical	248	2.23	-	50.05

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	59.70	74.00	-14.30	8.45	3	Horizontal	177	2.56	-	51.25
AV	5.46G	46.69	54.00	-7.31	8.45	3	Horizontal	177	2.56	-	38.24
PK	5.463G	59.22	68.20	-8.98	8.45	3	Horizontal	177	2.56	-	50.77
PK	5.694G	119.38	Inf	-Inf	8.74	3	Horizontal	177	2.56	-	110.64
AV	5.693G	106.82	Inf	-Inf	8.74	3	Horizontal	177	2.56	-	98.08
PK	5.8501G	67.69	68.20	-0.51	8.90	3	Horizontal	177	2.56	-	58.79

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39638G	53.31	74.00	-20.69	14.77	3	Vertical	209	1.62	-	38.54
AV	11.4115G	40.04	54.00	-13.96	14.79	3	Vertical	209	1.62	-	25.25
PK	17.06648G	62.46	68.20	-5.74	19.70	3	Vertical	62	1.89	-	42.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39274G	53.57	74.00	-20.43	14.76	3	Horizontal	48	2.06	-	38.81
AV	11.41374G	40.05	54.00	-13.95	14.79	3	Horizontal	48	2.06	-	25.26
PK	17.05944G	61.26	68.20	-6.94	19.67	3	Horizontal	331	1.93	-	41.59




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.7298G	67.68	68.20	-0.52	4.73	3	Vertical	179	1.99	-

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 93
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	61.88	74.00	-12.12	5.11	3	Vertical	176	1.69	-	56.77
AV	5.1481G	48.03	54.00	-5.97	5.11	3	Vertical	176	1.69	-	42.92
PK	5.2657G	121.92	Inf	-Inf	5.39	3	Vertical	176	1.69	-	116.53
AV	5.2627G	111.48	Inf	-Inf	5.37	3	Vertical	176	1.69	-	106.11
PK	5.3584G	68.03	74.00	-5.97	5.41	3	Vertical	176	1.69	-	62.62
AV	5.3527G	53.15	54.00	-0.85	5.43	3	Vertical	176	1.69	-	47.72

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 93
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1313G	57.28	74.00	-16.72	5.11	3	Horizontal	240	1.72	-	52.17
AV	5.1208G	44.83	54.00	-9.17	5.11	3	Horizontal	240	1.72	-	39.72
PK	5.254G	107.66	Inf	-Inf	5.33	3	Horizontal	240	1.72	-	102.33
AV	5.2579G	97.67	Inf	-Inf	5.35	3	Horizontal	240	1.72	-	92.32
PK	5.3746G	58.46	74.00	-15.54	5.39	3	Horizontal	240	1.72	-	53.07
AV	5.3674G	45.21	54.00	-8.79	5.40	3	Horizontal	240	1.72	-	39.81

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 93
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54208G	53.42	68.20	-14.78	12.07	3	Vertical	304	1.42	-	41.35
PK	15.7818G	59.19	74.00	-14.81	15.16	3	Vertical	198	1.92	-	44.03
AV	15.77175G	45.30	54.00	-8.70	15.17	3	Vertical	198	1.92	-	30.13

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 93
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51268G	53.24	68.20	-14.96	12.04	3	Horizontal	360	1.47	-	41.20
PK	15.76659G	59.60	74.00	-14.40	15.17	3	Horizontal	102	1.53	-	44.43
AV	15.77079G	45.37	54.00	-8.63	15.17	3	Horizontal	102	1.53	-	30.20

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5300MHz_TX




EUT Y_1TX
Setting 88
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3018G	119.62	Inf	-Inf	5.52	3	Vertical	176	1.69	-	114.10
AV	5.3024G	109.68	Inf	-Inf	5.52	3	Vertical	176	1.69	-	104.16
PK	5.351G	73.36	74.00	-0.64	5.44	3	Vertical	176	1.69	-	67.92
AV	5.3504G	53.29	54.00	-0.71	5.44	3	Vertical	176	1.69	-	47.85

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5300MHz_TX




EUT Y_1TX
Setting 88
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2952G	105.39	Inf	-Inf	5.51	3	Horizontal	239	1.63	-	99.88
AV	5.2979G	95.62	Inf	-Inf	5.52	3	Horizontal	239	1.63	-	90.10
PK	5.35G	59.68	74.00	-14.32	5.44	3	Horizontal	239	1.63	-	54.24
AV	5.3669G	45.54	54.00	-8.46	5.40	3	Horizontal	239	1.63	-	40.14

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5300MHz_TX




EUT Y_1TX
Setting 88
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59601G	53.04	68.20	-15.16	12.12	3	Vertical	267	1.75	-	40.92
PK	15.90585G	59.46	74.00	-14.54	15.06	3	Vertical	16	1.21	-	44.40
AV	15.91431G	46.09	54.00	-7.91	15.05	3	Vertical	16	1.21	-	31.04

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5300MHz_TX




EUT Y_1TX
Setting 88
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59576G	52.33	68.20	-15.87	12.12	3	Horizontal	157	1.55	-	40.21
PK	15.91428G	59.31	74.00	-14.69	15.05	3	Horizontal	350	1.07	-	44.26
AV	15.91338G	46.03	54.00	-7.97	15.05	3	Horizontal	350	1.07	-	30.98

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5320MHz_TX




EUT Y_1TX
Setting 71
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3225G	115.49	Inf	-Inf	5.48	3	Vertical	180	1.76	-	110.01
AV	5.3171G	105.26	Inf	-Inf	5.50	3	Vertical	180	1.76	-	99.76
PK	5.35G	73.31	74.00	-0.69	5.44	3	Vertical	180	1.76	-	67.87
AV	5.3501G	51.52	54.00	-2.48	5.44	3	Vertical	180	1.76	-	46.08

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5320MHz_TX




EUT Y_1TX
Setting 71
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3215G	101.14	Inf	-Inf	5.49	3	Horizontal	237	1.55	-	95.65
AV	5.3216G	90.82	Inf	-Inf	5.49	3	Horizontal	237	1.55	-	85.33
PK	5.3501G	59.61	74.00	-14.39	5.44	3	Horizontal	237	1.55	-	54.17
AV	5.3501G	45.40	54.00	-8.60	5.44	3	Horizontal	237	1.55	-	39.96

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5320MHz_TX




EUT Y_1TX
Setting 71
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63742G	52.21	74.00	-21.79	12.16	3	Vertical	265	1.38	-	40.05
AV	10.63249G	38.88	54.00	-15.12	12.16	3	Vertical	265	1.38	-	26.72
PK	15.95562G	61.25	74.00	-12.75	15.02	3	Vertical	118	1.31	-	46.23
AV	15.9744G	47.21	54.00	-6.79	15.02	3	Vertical	118	1.31	-	32.19

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5320MHz_TX




EUT Y_1TX
Setting 71
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63651G	52.66	74.00	-21.34	12.16	3	Horizontal	338	1.52	-	40.50
AV	10.63853G	38.91	54.00	-15.09	12.16	3	Horizontal	338	1.52	-	26.75
PK	15.97431G	60.54	74.00	-13.46	15.02	3	Horizontal	110	1.20	-	45.52
AV	15.96933G	47.18	54.00	-6.82	15.01	3	Horizontal	110	1.20	-	32.17

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5500MHz_TX




EUT_Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4547G	60.41	74.00	-13.59	5.21	3	Vertical	177	1.75	-	55.20
AV	5.4599G	47.27	54.00	-6.73	5.20	3	Vertical	177	1.75	-	42.07
PK	5.4697G	67.53	68.20	-0.67	5.18	3	Vertical	177	1.75	-	62.35
PK	5.5024G	113.31	Inf	-Inf	5.12	3	Vertical	177	1.75	-	108.19
AV	5.4951G	103.17	Inf	-Inf	5.13	3	Vertical	177	1.75	-	98.04

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5500MHz_TX




EUT_Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4574G	57.96	74.00	-16.04	5.21	3	Horizontal	124	1.64	-	52.75
AV	5.453G	44.98	54.00	-9.02	5.21	3	Horizontal	124	1.64	-	39.77
PK	5.4622G	57.91	68.20	-10.29	5.20	3	Horizontal	124	1.64	-	52.71
PK	5.4933G	95.24	Inf	-Inf	5.13	3	Horizontal	124	1.64	-	90.11
AV	5.4952G	85.22	Inf	-Inf	5.13	3	Horizontal	124	1.64	-	80.09

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5500MHz_TX




EUT Y_1TX
 Setting 61
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99808G	52.68	74.00	-21.32	12.53	3	Vertical	230	2.72	-	40.15
AV	11.0138G	39.57	54.00	-14.43	12.55	3	Vertical	230	2.72	-	27.02
PK	16.51956G	61.95	68.20	-6.25	16.01	3	Vertical	351	1.42	-	45.94

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5500MHz_TX




EUT Y_1TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01011G	52.38	74.00	-21.62	12.54	3	Horizontal	69	1.16	-	39.84
AV	11.01203G	39.57	54.00	-14.43	12.54	3	Horizontal	69	1.16	-	27.03
PK	16.50642G	62.17	68.20	-6.03	15.98	3	Horizontal	307	1.64	-	46.19

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
 Setting 90
 04-C-4-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	65.35	74.00	-8.65	5.20	3	Vertical	179	1.86	-	60.15
AV	5.4568G	48.67	54.00	-5.33	5.21	3	Vertical	179	1.86	-	43.46
PK	5.4652G	67.66	68.20	-0.54	5.19	3	Vertical	179	1.86	-	62.47
PK	5.5792G	121.41	Inf	-Inf	5.02	3	Vertical	179	1.86	-	116.39
AV	5.5824G	110.81	Inf	-Inf	5.02	3	Vertical	179	1.86	-	105.79
PK	5.7264G	61.68	68.20	-6.52	4.73	3	Vertical	179	1.86	-	56.95

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
Setting 90
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4328G	58.29	74.00	-15.71	5.27	3	Horizontal	154	1.68	-	53.02
AV	5.4096G	45.08	54.00	-8.92	5.32	3	Horizontal	154	1.68	-	39.76
PK	5.4692G	58.04	68.20	-10.16	5.18	3	Horizontal	154	1.68	-	52.86
PK	5.5752G	101.71	Inf	-Inf	5.02	3	Horizontal	154	1.68	-	96.69
AV	5.578G	91.23	Inf	-Inf	5.02	3	Horizontal	154	1.68	-	86.21
PK	5.7296G	57.28	68.20	-10.92	4.73	3	Horizontal	154	1.68	-	52.55

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
Setting 90
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.177G	53.38	74.00	-20.62	12.80	3	Vertical	106	1.71	-	40.58
AV	11.1708G	40.38	54.00	-13.62	12.79	3	Vertical	106	1.71	-	27.59
PK	16.73502G	60.57	68.20	-7.63	16.44	3	Vertical	298	1.85	-	44.13

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
Setting 90
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14904G	54.02	74.00	-19.98	12.76	3	Horizontal	222	2.88	-	41.26
AV	11.1794G	40.34	54.00	-13.66	12.81	3	Horizontal	222	2.88	-	27.53
PK	16.7634G	61.05	68.20	-7.15	16.49	3	Horizontal	193	2.89	-	44.56

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5700MHz_TX




EUT Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7024G	112.72	Inf	-Inf	4.70	3	Vertical	182	1.81	-	108.02
AV	5.7027G	102.60	Inf	-Inf	4.70	3	Vertical	182	1.81	-	97.90
PK	5.7298G	67.65	68.20	-0.55	4.73	3	Vertical	182	1.81	-	62.92

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5700MHz_TX




EUT Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7025G	93.72	Inf	-Inf	4.70	3	Horizontal	129	1.81	-	89.02
AV	5.694G	83.76	Inf	-Inf	4.72	3	Horizontal	129	1.81	-	79.04
PK	5.7467G	57.11	68.20	-11.09	4.75	3	Horizontal	129	1.81	-	52.36

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5700MHz_TX




EUT Y_1TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40946G	53.72	74.00	-20.28	13.16	3	Vertical	73	2.31	-	40.56
AV	11.40873G	40.65	54.00	-13.35	13.16	3	Vertical	73	2.31	-	27.49
PK	17.09706G	63.20	68.20	-5.00	17.30	3	Vertical	241	2.20	-	45.90

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5700MHz_TX




EUT Y_1TX
 Setting 61
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41395G	53.94	74.00	-20.06	13.16	3	Horizontal	266	2.12	-	40.78
AV	11.40588G	40.58	54.00	-13.42	13.15	3	Horizontal	266	2.12	-	27.43
PK	17.12214G	63.69	68.20	-4.51	17.40	3	Horizontal	179	2.67	-	46.29

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 83
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4242G	59.23	74.00	-14.77	5.29	3	Vertical	180	1.80	-	53.94
AV	5.4416G	46.75	54.00	-7.25	5.26	3	Vertical	180	1.80	-	41.49
PK	5.4698G	58.94	68.20	-9.26	5.18	3	Vertical	180	1.80	-	53.76
PK	5.7224G	117.97	Inf	-Inf	4.72	3	Vertical	180	1.80	-	113.25
AV	5.7176G	107.86	Inf	-Inf	4.72	3	Vertical	180	1.80	-	103.14
PK	5.861G	59.73	68.20	-8.47	5.02	3	Vertical	180	1.80	-	54.71

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 83
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4458G	57.13	74.00	-16.87	5.25	3	Horizontal	131	1.76	-	51.88
AV	5.423G	44.96	54.00	-9.04	5.29	3	Horizontal	131	1.76	-	39.67
PK	5.46G	56.48	68.20	-11.72	5.20	3	Horizontal	131	1.76	-	51.28
PK	5.7224G	98.72	Inf	-Inf	4.72	3	Horizontal	131	1.76	-	94.00
AV	5.723G	89.07	Inf	-Inf	4.72	3	Horizontal	131	1.76	-	84.35
PK	5.9888G	56.97	68.20	-11.23	5.20	3	Horizontal	131	1.76	-	51.77

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 83
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.45098G	56.38	74.00	-17.62	13.22	3	Vertical	325	1.28	-	43.16
AV	11.45604G	42.38	54.00	-11.62	13.22	3	Vertical	325	1.28	-	29.16
PK	17.17212G	66.84	68.20	-1.36	17.58	3	Vertical	1	1.62	-	49.26

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 83
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.45728G	56.06	74.00	-17.94	13.22	3	Horizontal	324	2.45	-	42.84
AV	11.4544G	42.26	54.00	-11.74	13.22	3	Horizontal	324	2.45	-	29.04
PK	17.16462G	67.52	68.20	-0.68	17.54	3	Horizontal	149	2.81	-	49.98

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 92
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1487G	60.28	74.00	-13.72	5.11	3	Vertical	175	1.81	-	55.17
AV	5.1499G	47.76	54.00	-6.24	5.11	3	Vertical	175	1.81	-	42.65
PK	5.257G	122.80	Inf	-Inf	5.34	3	Vertical	175	1.81	-	117.46
AV	5.263G	108.84	Inf	-Inf	5.37	3	Vertical	175	1.81	-	103.47
PK	5.3506G	68.76	74.00	-5.24	5.44	3	Vertical	175	1.81	-	63.32
AV	5.3527G	51.97	54.00	-2.03	5.43	3	Vertical	175	1.81	-	46.54

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 92
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1163G	57.13	74.00	-16.87	5.11	3	Horizontal	116	1.80	-	52.02
AV	5.1448G	43.87	54.00	-10.13	5.11	3	Horizontal	116	1.80	-	38.76
PK	5.2645G	107.16	Inf	-Inf	5.37	3	Horizontal	116	1.80	-	101.79
AV	5.263G	93.62	Inf	-Inf	5.37	3	Horizontal	116	1.80	-	88.25
PK	5.3908G	57.76	74.00	-16.24	5.36	3	Horizontal	116	1.80	-	52.40
AV	5.353G	44.81	54.00	-9.19	5.43	3	Horizontal	116	1.80	-	39.38

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 92
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.50809G	52.30	68.20	-15.90	12.03	3	Vertical	195	2.14	-	40.27
PK	15.78579G	59.25	74.00	-14.75	15.16	3	Vertical	85	1.29	-	44.09
AV	15.77055G	44.49	54.00	-9.51	15.17	3	Vertical	85	1.29	-	29.32

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 92
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51112G	52.24	68.20	-15.96	12.04	3	Horizontal	216	2.35	-	40.20
PK	15.78018G	58.58	74.00	-15.42	15.16	3	Horizontal	134	2.40	-	43.42
AV	15.76731G	44.52	54.00	-9.48	15.17	3	Horizontal	134	2.40	-	29.35

802.11ax HEW20_Nss1,(MCS0)_1TX

20/10/2019

5300MHz_TX




EUT Y_1TX
Setting 85
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.297G	121.51	Inf	-Inf	5.52	3	Vertical	176	2.01	-	115.99
AV	5.3027G	107.13	Inf	-Inf	5.52	3	Vertical	176	2.01	-	101.61
PK	5.3528G	73.46	74.00	-0.54	5.43	3	Vertical	176	2.01	-	68.03
AV	5.35G	52.87	54.00	-1.13	5.44	3	Vertical	176	2.01	-	47.43

802.11ax HEW20_Nss1,(MCS0)_1TX

20/10/2019

5300MHz_TX




EUT Y_1TX
Setting 85
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.297G	105.94	Inf	-Inf	5.52	3	Horizontal	125	2.05	-	100.42
AV	5.3027G	92.09	Inf	-Inf	5.52	3	Horizontal	125	2.05	-	86.57
PK	5.3531G	60.17	74.00	-13.83	5.43	3	Horizontal	125	2.05	-	54.74
AV	5.35G	45.17	54.00	-8.83	5.44	3	Horizontal	125	2.05	-	39.73

802.11ax HEW20_Nss1,(MCS0)_1TX

20/10/2019

5300MHz_TX




EUT Y_1TX
Setting 85
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59968G	54.08	68.20	-14.12	12.13	3	Vertical	311	1.59	-	41.95
PK	15.90016G	59.16	74.00	-14.84	15.07	3	Vertical	360	1.20	-	44.09
AV	15.90497G	45.21	54.00	-8.79	15.06	3	Vertical	360	1.20	-	30.15

802.11ax HEW20_Nss1,(MCS0)_1TX

20/10/2019

5300MHz_TX




EUT Y_1TX
Setting 85
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58599G	53.67	68.20	-14.53	12.12	3	Horizontal	115	1.90	-	41.55
PK	15.90555G	59.72	74.00	-14.28	15.06	3	Horizontal	257	2.58	-	44.66
AV	15.91428G	45.39	54.00	-8.61	15.05	3	Horizontal	257	2.58	-	30.34

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5320MHz_TX




EUT Y_1TX
Setting 68
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3151G	117.41	Inf	-Inf	5.50	3	Vertical	177	1.87	-	111.91
AV	5.3177G	102.83	Inf	-Inf	5.50	3	Vertical	177	1.87	-	97.33
PK	5.3546G	73.25	74.00	-0.75	5.43	3	Vertical	177	1.87	-	67.82
AV	5.3503G	51.14	54.00	-2.86	5.44	3	Vertical	177	1.87	-	45.70

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5320MHz_TX




EUT Y_1TX
 Setting 68
 04-C-4-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3169G	100.80	Inf	-Inf	5.50	3	Horizontal	117	1.95	-	95.30
AV	5.3176G	86.73	Inf	-Inf	5.50	3	Horizontal	117	1.95	-	81.23
PK	5.3538G	60.09	74.00	-13.91	5.43	3	Horizontal	117	1.95	-	54.66
AV	5.3518G	44.74	54.00	-9.26	5.43	3	Horizontal	117	1.95	-	39.31

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5320MHz_TX




EUT Y_1TX
Setting 68
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63501G	52.79	74.00	-21.21	12.16	3	Vertical	103	1.51	-	40.63
AV	10.6359G	38.98	54.00	-15.02	12.16	3	Vertical	103	1.51	-	26.82
PK	15.95808G	59.94	74.00	-14.06	15.02	3	Vertical	61	1.10	-	44.92
AV	15.96364G	45.92	54.00	-8.08	15.02	3	Vertical	61	1.10	-	30.90

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5320MHz_TX




EUT Y_1TX
Setting 68
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63709G	53.44	74.00	-20.56	12.16	3	Horizontal	149	1.60	-	41.28
AV	10.63699G	39.19	54.00	-14.81	12.16	3	Horizontal	149	1.60	-	27.03
PK	15.96479G	59.81	74.00	-14.19	15.01	3	Horizontal	275	2.39	-	44.80
AV	15.95788G	45.54	54.00	-8.46	15.02	3	Horizontal	275	2.39	-	30.52

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5500MHz_TX




EUT Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	65.18	74.00	-8.82	5.20	3	Vertical	180	1.80	-	59.98
AV	5.4599G	47.13	54.00	-6.87	5.20	3	Vertical	180	1.80	-	41.93
PK	5.4675G	67.54	68.20	-0.66	5.19	3	Vertical	180	1.80	-	62.35
PK	5.4969G	115.95	Inf	-Inf	5.13	3	Vertical	180	1.80	-	110.82
AV	5.4954G	101.72	Inf	-Inf	5.13	3	Vertical	180	1.80	-	96.59

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5500MHz_TX




EUT Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4594G	58.17	74.00	-15.83	5.20	3	Horizontal	135	1.82	-	52.97
AV	5.4595G	44.41	54.00	-9.59	5.20	3	Horizontal	135	1.82	-	39.21
PK	5.468G	57.96	68.20	-10.24	5.18	3	Horizontal	135	1.82	-	52.78
PK	5.4951G	99.86	Inf	-Inf	5.13	3	Horizontal	135	1.82	-	94.73
AV	5.4978G	85.39	Inf	-Inf	5.12	3	Horizontal	135	1.82	-	80.27

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5500MHz_TX




EUT Y_1TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0025G	52.66	74.00	-21.34	12.53	3	Vertical	205	2.18	-	40.13
AV	11.00257G	38.49	54.00	-15.51	12.54	3	Vertical	205	2.18	-	25.95
PK	16.50394G	62.85	68.20	-5.35	15.98	3	Vertical	183	2.60	-	46.87

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5500MHz_TX




EUT Y_1TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.9965G	52.80	74.00	-21.20	12.53	3	Horizontal	356	2.30	-	40.27
AV	10.99992G	38.36	54.00	-15.64	12.53	3	Horizontal	356	2.30	-	25.83
PK	16.50199G	61.50	68.20	-6.70	15.97	3	Horizontal	345	2.72	-	45.53

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
Setting 91
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4528G	65.35	74.00	-8.65	5.21	3	Vertical	180	1.95	-	60.14
AV	5.4588G	48.63	54.00	-5.37	5.20	3	Vertical	180	1.95	-	43.43
PK	5.468G	67.44	68.20	-0.76	5.18	3	Vertical	180	1.95	-	62.26
PK	5.5768G	122.88	Inf	-Inf	5.02	3	Vertical	180	1.95	-	117.86
AV	5.5816G	108.88	Inf	-Inf	5.02	3	Vertical	180	1.95	-	103.86
PK	5.7552G	61.38	68.20	-6.82	4.76	3	Vertical	180	1.95	-	56.62

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
Setting 91
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.412G	58.93	74.00	-15.07	5.32	3	Horizontal	121	2.18	-	53.61
AV	5.4456G	44.40	54.00	-9.60	5.25	3	Horizontal	121	2.18	-	39.15
PK	5.462G	58.58	68.20	-9.62	5.20	3	Horizontal	121	2.18	-	53.38
PK	5.5768G	105.33	Inf	-Inf	5.02	3	Horizontal	121	2.18	-	100.31
AV	5.5812G	91.69	Inf	-Inf	5.02	3	Horizontal	121	2.18	-	86.67
PK	5.752G	57.46	68.20	-10.74	4.75	3	Horizontal	121	2.18	-	52.71

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
Setting 91
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15763G	53.49	74.00	-20.51	12.77	3	Vertical	53	1.93	-	40.72
AV	11.15773G	39.36	54.00	-14.64	12.77	3	Vertical	53	1.93	-	26.59
PK	16.73898G	61.10	68.20	-7.10	16.44	3	Vertical	356	2.04	-	44.66

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
Setting 91
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16164G	53.13	74.00	-20.87	12.77	3	Horizontal	29	2.40	-	40.36
AV	11.16024G	39.43	54.00	-14.57	12.77	3	Horizontal	29	2.40	-	26.66
PK	16.74307G	61.37	68.20	-6.83	16.45	3	Horizontal	196	2.14	-	44.92

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5700MHz_TX




EUT Y_1TX
Setting 74
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6969G	103.30	Inf	-Inf	4.71	3	Vertical	229	1.82	-	98.59
AV	5.6945G	89.13	Inf	-Inf	4.72	3	Vertical	229	1.82	-	84.41
PK	5.7253G	67.51	68.20	-0.69	4.73	3	Vertical	229	1.82	-	62.78

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5700MHz_TX




EUT Y_1TX
Setting 74
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6969G	99.98	Inf	-Inf	4.71	3	Horizontal	253	1.50	-	95.27
AV	5.6928G	85.97	Inf	-Inf	4.72	3	Horizontal	253	1.50	-	81.25
PK	5.7251G	63.90	68.20	-4.30	4.73	3	Horizontal	253	1.50	-	59.17

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5700MHz_TX




EUT Y_1TX
 Setting 74
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39982G	54.97	74.00	-19.03	13.14	3	Vertical	323	1.96	-	41.83
AV	11.3937G	40.51	54.00	-13.49	13.14	3	Vertical	323	1.96	-	27.37
PK	17.11092G	63.83	68.20	-4.37	17.35	3	Vertical	2	1.23	-	46.48

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5700MHz_TX




EUT Y_1TX
Setting 74
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40504G	54.24	74.00	-19.76	13.15	3	Horizontal	222	1.59	-	41.09
AV	11.4081G	40.53	54.00	-13.47	13.16	3	Horizontal	222	1.59	-	27.37
PK	17.09451G	63.63	68.20	-4.57	17.29	3	Horizontal	211	1.16	-	46.34

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4578G	58.65	74.00	-15.35	5.20	3	Vertical	172	1.98	-	53.45
AV	5.4416G	45.60	54.00	-8.40	5.26	3	Vertical	172	1.98	-	40.34
PK	5.4644G	59.07	68.20	-9.13	5.19	3	Vertical	172	1.98	-	53.88
PK	5.717G	118.07	Inf	-Inf	4.72	3	Vertical	172	1.98	-	113.35
AV	5.7218G	104.41	Inf	-Inf	4.72	3	Vertical	172	1.98	-	99.69
PK	5.8958G	59.50	68.20	-8.70	5.15	3	Vertical	172	1.98	-	54.35

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4356G	57.45	74.00	-16.55	5.27	3	Horizontal	226	2.02	-	52.18
AV	5.4386G	44.36	54.00	-9.64	5.26	3	Horizontal	226	2.02	-	39.10
PK	5.4626G	56.88	68.20	-11.32	5.19	3	Horizontal	226	2.02	-	51.69
PK	5.717G	101.10	Inf	-Inf	4.72	3	Horizontal	226	2.02	-	96.38
AV	5.7152G	87.83	Inf	-Inf	4.72	3	Horizontal	226	2.02	-	83.11
PK	5.9528G	57.09	68.20	-11.11	5.18	3	Horizontal	226	2.02	-	51.91

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44216G	55.26	74.00	-18.74	13.20	3	Vertical	290	1.88	-	42.06
AV	11.4544G	41.38	54.00	-12.62	13.22	3	Vertical	290	1.88	-	28.16
PK	17.17419G	63.03	68.20	-5.17	17.59	3	Vertical	73	1.81	-	45.44

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.45365G	55.61	74.00	-18.39	13.22	3	Horizontal	160	1.60	-	42.39
AV	11.45443G	41.36	54.00	-12.64	13.22	3	Horizontal	160	1.60	-	28.14
PK	17.16741G	67.39	68.20	-0.81	17.56	3	Horizontal	307	2.62	-	49.83

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5270MHz_TX




EUT Y_1TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	60.46	74.00	-13.54	5.11	3	Vertical	176	1.82	-	55.35
AV	5.1389G	48.59	54.00	-5.41	5.11	3	Vertical	176	1.82	-	43.48
PK	5.2622G	116.61	Inf	-Inf	5.37	3	Vertical	176	1.82	-	111.24
AV	5.2742G	104.07	Inf	-Inf	5.42	3	Vertical	176	1.82	-	98.65
PK	5.3552G	68.26	74.00	-5.74	5.42	3	Vertical	176	1.82	-	62.84
AV	5.3522G	53.11	54.00	-0.89	5.43	3	Vertical	176	1.82	-	47.68

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5270MHz_TX




EUT Y_1TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1353G	58.03	74.00	-15.97	5.11	3	Horizontal	239	1.83	-	52.92
AV	5.1263G	45.70	54.00	-8.30	5.11	3	Horizontal	239	1.83	-	40.59
PK	5.255G	103.25	Inf	-Inf	5.34	3	Horizontal	239	1.83	-	97.91
AV	5.2565G	90.45	Inf	-Inf	5.34	3	Horizontal	239	1.83	-	85.11
PK	5.3672G	58.46	74.00	-15.54	5.40	3	Horizontal	239	1.83	-	53.06
AV	5.3924G	46.25	54.00	-7.75	5.35	3	Horizontal	239	1.83	-	40.90

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5270MHz_TX




EUT Y_1TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.55251G	52.70	68.20	-15.50	12.08	3	Vertical	16	2.19	-	40.62
PK	15.80082G	58.09	74.00	-15.91	15.14	3	Vertical	295	1.78	-	42.95
AV	15.80472G	45.46	54.00	-8.54	15.14	3	Vertical	295	1.78	-	30.32

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5270MHz_TX




EUT Y_1TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.55266G	52.63	68.20	-15.57	12.08	3	Horizontal	295	1.45	-	40.55
PK	15.82473G	57.67	74.00	-16.33	15.13	3	Horizontal	172	1.04	-	42.54
AV	15.80025G	45.36	54.00	-8.64	15.14	3	Horizontal	172	1.04	-	30.22

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5310MHz_TX




EUT Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3194G	112.42	Inf	-Inf	5.49	3	Vertical	176	1.96	-	106.93
AV	5.316G	99.29	Inf	-Inf	5.50	3	Vertical	176	1.96	-	93.79
PK	5.3508G	69.00	74.00	-5.00	5.44	3	Vertical	176	1.96	-	63.56
AV	5.35G	53.17	54.00	-0.83	5.44	3	Vertical	176	1.96	-	47.73

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5310MHz_TX




EUT Y_1TX
Setting 61
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.302G	98.06	Inf	-Inf	5.52	3	Horizontal	220	1.97	-	92.54
AV	5.3052G	85.25	Inf	-Inf	5.52	3	Horizontal	220	1.97	-	79.73
PK	5.3526G	58.47	74.00	-15.53	5.43	3	Horizontal	220	1.97	-	53.04
AV	5.3536G	46.11	54.00	-7.89	5.43	3	Horizontal	220	1.97	-	40.68

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5310MHz_TX




EUT Y_1TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61306G	53.82	74.00	-20.18	12.14	3	Vertical	203	1.65	-	41.68
AV	10.6193G	40.50	54.00	-13.50	12.15	3	Vertical	203	1.65	-	28.35
PK	15.93148G	60.00	74.00	-14.00	15.05	3	Vertical	310	2.27	-	44.95
AV	15.9349G	47.31	54.00	-6.69	15.05	3	Vertical	310	2.27	-	32.26

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5310MHz_TX




EUT Y_1TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6142G	53.10	74.00	-20.90	12.14	3	Horizontal	157	1.01	-	40.96
AV	10.61244G	40.77	54.00	-13.23	12.14	3	Horizontal	157	1.01	-	28.63
PK	15.92874G	60.02	74.00	-13.98	15.05	3	Horizontal	50	2.24	-	44.97
AV	15.94G	47.18	54.00	-6.82	15.04	3	Horizontal	50	2.24	-	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5510MHz_TX




EUT Y_1TX
Setting 58
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4586G	63.00	74.00	-11.00	5.20	3	Vertical	176	1.87	-	57.80
AV	5.4582G	50.35	54.00	-3.65	5.20	3	Vertical	176	1.87	-	45.15
PK	5.4696G	67.52	68.20	-0.68	5.18	3	Vertical	176	1.87	-	62.34
PK	5.5022G	111.73	Inf	-Inf	5.12	3	Vertical	176	1.87	-	106.61
AV	5.5156G	99.25	Inf	-Inf	5.10	3	Vertical	176	1.87	-	94.15

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5510MHz_TX




EUT Y_1TX
Setting 58
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4112G	58.01	74.00	-15.99	5.32	3	Horizontal	235	1.95	-	52.69
AV	5.4366G	45.90	54.00	-8.10	5.27	3	Horizontal	235	1.95	-	40.63
PK	5.4616G	57.51	68.20	-10.69	5.20	3	Horizontal	235	1.95	-	52.31
PK	5.502G	94.34	Inf	-Inf	5.12	3	Horizontal	235	1.95	-	89.22
AV	5.5168G	82.13	Inf	-Inf	5.09	3	Horizontal	235	1.95	-	77.04

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5510MHz_TX




EUT Y_1TX
Setting 58
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0253G	52.68	74.00	-21.32	12.57	3	Vertical	61	2.35	-	40.11
AV	11.0263G	40.38	54.00	-13.62	12.57	3	Vertical	61	2.35	-	27.81
PK	16.53398G	62.86	68.20	-5.34	16.04	3	Vertical	269	2.55	-	46.82

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5510MHz_TX




EUT Y_1TX
Setting 58
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02486G	53.00	74.00	-21.00	12.57	3	Horizontal	267	1.71	-	40.43
AV	11.02896G	40.50	54.00	-13.50	12.58	3	Horizontal	267	1.71	-	27.92
PK	16.52424G	62.87	68.20	-5.33	16.01	3	Horizontal	104	1.57	-	46.86

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5550MHz_TX




EUT Y_1TX
Setting 75
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.44	74.00	-9.56	5.20	3	Vertical	177	1.91	-	59.24
AV	5.46G	50.57	54.00	-3.43	5.20	3	Vertical	177	1.91	-	45.37
PK	5.4693G	67.51	68.20	-0.69	5.18	3	Vertical	177	1.91	-	62.33
PK	5.5596G	116.08	Inf	-Inf	5.04	3	Vertical	177	1.91	-	111.04
AV	5.5542G	103.53	Inf	-Inf	5.05	3	Vertical	177	1.91	-	98.48

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5550MHz_TX




EUT Y_1TX
Setting 75
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4447G	58.85	74.00	-15.15	5.25	3	Horizontal	234	1.93	-	53.60
AV	5.4075G	45.96	54.00	-8.04	5.33	3	Horizontal	234	1.93	-	40.63
PK	5.4657G	58.02	68.20	-10.18	5.19	3	Horizontal	234	1.93	-	52.83
PK	5.559G	100.72	Inf	-Inf	5.04	3	Horizontal	234	1.93	-	95.68
AV	5.5647G	88.04	Inf	-Inf	5.04	3	Horizontal	234	1.93	-	83.00

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5550MHz_TX




EUT Y_1TX
Setting 75
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10903G	53.46	74.00	-20.54	12.70	3	Vertical	354	2.94	-	40.76
AV	11.09412G	40.84	54.00	-13.16	12.68	3	Vertical	354	2.94	-	28.16
PK	16.64367G	61.79	68.20	-6.41	16.25	3	Vertical	0	2.20	-	45.54

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5550MHz_TX




EUT Y_1TX
Setting 75
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1135G	53.45	74.00	-20.55	12.71	3	Horizontal	317	2.01	-	40.74
AV	11.0868G	40.97	54.00	-13.03	12.66	3	Horizontal	317	2.01	-	28.31
PK	16.63764G	62.56	68.20	-5.64	16.24	3	Horizontal	207	2.08	-	46.32

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5670MHz_TX




EUT Y_1TX
Setting 69
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6794G	114.55	Inf	-Inf	4.75	3	Vertical	179	1.99	-	109.80
AV	5.676G	101.82	Inf	-Inf	4.76	3	Vertical	179	1.99	-	97.06
PK	5.7298G	67.68	68.20	-0.52	4.73	3	Vertical	179	1.99	-	62.95

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5670MHz_TX




EUT Y_1TX
Setting 69
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6622G	99.46	Inf	-Inf	4.81	3	Horizontal	230	1.87	-	94.65
AV	5.6652G	87.12	Inf	-Inf	4.80	3	Horizontal	230	1.87	-	82.32
PK	5.729G	58.32	68.20	-9.88	4.73	3	Horizontal	230	1.87	-	53.59

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5670MHz_TX




EUT Y_1TX
Setting 69
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.32527G	53.79	74.00	-20.21	13.03	3	Vertical	226	2.88	-	40.76
AV	11.32992G	41.86	54.00	-12.14	13.04	3	Vertical	226	2.88	-	28.82
PK	16.99653G	62.72	68.20	-5.48	16.96	3	Vertical	43	1.79	-	45.76

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5670MHz_TX




EUT Y_1TX
 Setting 69
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.35263G	54.40	74.00	-19.60	13.08	3	Horizontal	355	2.74	-	41.32
AV	11.34159G	41.52	54.00	-12.48	13.05	3	Horizontal	355	2.74	-	28.47
PK	17.01264G	62.24	68.20	-5.96	17.01	3	Horizontal	22	2.56	-	45.23

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 84
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4406G	60.31	74.00	-13.69	5.26	3	Vertical	181	1.84	-	55.05
AV	5.4532G	47.57	54.00	-6.43	5.21	3	Vertical	181	1.84	-	42.36
PK	5.4646G	59.31	68.20	-8.89	5.19	3	Vertical	181	1.84	-	54.12
PK	5.7262G	117.54	Inf	-Inf	4.73	3	Vertical	181	1.84	-	112.81
AV	5.7142G	104.98	Inf	-Inf	4.71	3	Vertical	181	1.84	-	100.27
PK	5.86G	66.22	68.20	-1.98	5.02	3	Vertical	181	1.84	-	61.20

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 84
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4574G	57.67	74.00	-16.33	5.21	3	Horizontal	253	1.28	-	52.46
AV	5.449G	45.88	54.00	-8.12	5.24	3	Horizontal	253	1.28	-	40.64
PK	5.4634G	57.18	68.20	-11.02	5.19	3	Horizontal	253	1.28	-	51.99
PK	5.7022G	100.05	Inf	-Inf	4.70	3	Horizontal	253	1.28	-	95.35
AV	5.7052G	88.12	Inf	-Inf	4.71	3	Horizontal	253	1.28	-	83.41
PK	5.98G	58.12	68.20	-10.08	5.20	3	Horizontal	253	1.28	-	52.92

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 84
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40821G	55.53	74.00	-18.47	13.16	3	Vertical	275	2.63	-	42.37
AV	11.40518G	42.61	54.00	-11.39	13.15	3	Vertical	275	2.63	-	29.46
PK	17.1189G	65.10	68.20	-3.10	17.38	3	Vertical	268	3.00	-	47.72

802.11ax HEW40_Nss1,(MCS0)_1TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 84
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43365G	55.17	74.00	-18.83	13.20	3	Horizontal	56	2.74	-	41.97
AV	11.42813G	42.30	54.00	-11.70	13.19	3	Horizontal	56	2.74	-	29.11
PK	17.127G	67.50	68.20	-0.70	17.42	3	Horizontal	309	2.63	-	50.08

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5290MHz_TX




EUT Y_1TX
Setting 61
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.134G	60.97	74.00	-13.03	5.11	3	Vertical	178	1.91	-	55.86
AV	5.145G	48.79	54.00	-5.21	5.11	3	Vertical	178	1.91	-	43.68
PK	5.2885G	110.00	Inf	-Inf	5.49	3	Vertical	178	1.91	-	104.51
AV	5.2795G	98.01	Inf	-Inf	5.44	3	Vertical	178	1.91	-	92.57
PK	5.3585G	65.80	74.00	-8.20	5.41	3	Vertical	178	1.91	-	60.39
AV	5.3525G	53.41	54.00	-0.59	5.43	3	Vertical	178	1.91	-	47.98
PK	5.461G	60.56	68.20	-7.64	5.20	3	Vertical	178	1.91	-	55.36

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5290MHz_TX




EUT Y_1TX
Setting 61
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.093G	58.83	74.00	-15.17	5.08	3	Horizontal	136	1.01	-	53.75
AV	5.0665G	46.12	54.00	-7.88	4.94	3	Horizontal	136	1.01	-	41.18
PK	5.2885G	95.92	Inf	-Inf	5.49	3	Horizontal	136	1.01	-	90.43
AV	5.2835G	84.20	Inf	-Inf	5.46	3	Horizontal	136	1.01	-	78.74
PK	5.3945G	58.99	74.00	-15.01	5.35	3	Horizontal	136	1.01	-	53.64
AV	5.3595G	47.05	54.00	-6.95	5.42	3	Horizontal	136	1.01	-	41.63
PK	5.477G	59.77	68.20	-8.43	5.17	3	Horizontal	136	1.01	-	54.60

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5290MHz_TX




EUT Y_1TX
Setting 61
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87069G	58.88	74.00	-15.12	15.09	3	Vertical	306	2.04	-	43.79
AV	15.87072G	46.28	54.00	-7.72	15.09	3	Vertical	306	2.04	-	31.19

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5290MHz_TX




EUT Y_1TX
Setting 61
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86979G	58.46	74.00	-15.54	15.09	3	Horizontal	344	1.69	-	43.37
AV	15.86978G	46.02	54.00	-7.98	15.09	3	Horizontal	344	1.69	-	30.93

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5530MHz_TX




EUT Y_1TX
Setting 60
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3425G	59.65	68.20	-8.55	5.45	3	Vertical	175	1.90	-	54.20
PK	5.4575G	64.83	74.00	-9.17	5.21	3	Vertical	175	1.90	-	59.62
AV	5.4585G	53.33	54.00	-0.67	5.20	3	Vertical	175	1.90	-	48.13
PK	5.465G	66.53	68.20	-1.67	5.19	3	Vertical	175	1.90	-	61.34
PK	5.5285G	109.18	Inf	-Inf	5.08	3	Vertical	175	1.90	-	104.10
AV	5.5195G	97.09	Inf	-Inf	5.09	3	Vertical	175	1.90	-	92.00
PK	5.73G	59.97	68.20	-8.23	4.73	3	Vertical	175	1.90	-	55.24

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5530MHz_TX




EUT Y_1TX
Setting 60
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3385G	58.83	68.20	-9.37	5.45	3	Horizontal	126	1.05	-	53.38
AV	5.3675G	46.58	54.00	-7.42	5.40	3	Horizontal	126	1.05	-	41.18
PK	5.458G	58.93	74.00	-15.07	5.20	3	Horizontal	126	1.05	-	53.73
PK	5.469G	58.29	68.20	-9.91	5.18	3	Horizontal	126	1.05	-	53.11
PK	5.5435G	92.87	Inf	-Inf	5.07	3	Horizontal	126	1.05	-	87.80
AV	5.5445G	81.09	Inf	-Inf	5.07	3	Horizontal	126	1.05	-	76.02
PK	5.7355G	57.43	68.20	-10.77	4.74	3	Horizontal	126	1.05	-	52.69

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5530MHz_TX




EUT Y_1TX
 Setting 60
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06804G	54.05	74.00	-19.95	12.64	3	Vertical	185	2.18	-	41.41
AV	11.06814G	41.38	54.00	-12.62	12.64	3	Vertical	185	2.18	-	28.74

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5530MHz_TX




EUT Y_1TX
Setting 60
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06558G	55.02	74.00	-18.98	12.63	3	Horizontal	338	2.24	-	42.39
AV	11.06548G	41.67	54.00	-12.33	12.63	3	Horizontal	338	2.24	-	29.04

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5610MHz_TX




EUT Y_1TX
Setting 71
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	62.71	74.00	-11.29	5.21	3	Vertical	174	1.93	-	57.50
AV	5.4544G	49.98	54.00	-4.02	5.21	3	Vertical	174	1.93	-	44.77
PK	5.4648G	62.34	68.20	-5.86	5.19	3	Vertical	174	1.93	-	57.15
PK	5.6232G	111.71	Inf	-Inf	4.93	3	Vertical	174	1.93	-	106.78
AV	5.6164G	99.91	Inf	-Inf	4.94	3	Vertical	174	1.93	-	94.97
PK	5.7268G	66.73	68.20	-1.47	4.73	3	Vertical	174	1.93	-	62.00

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5610MHz_TX




EUT Y_1TX
Setting 71
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4424G	58.48	74.00	-15.52	5.26	3	Horizontal	133	1.05	-	53.22
AV	5.4464G	46.27	54.00	-7.73	5.25	3	Horizontal	133	1.05	-	41.02
PK	5.4668G	58.16	68.20	-10.04	5.19	3	Horizontal	133	1.05	-	52.97
PK	5.6084G	95.18	Inf	-Inf	4.96	3	Horizontal	133	1.05	-	90.22
AV	5.6164G	83.48	Inf	-Inf	4.94	3	Horizontal	133	1.05	-	78.54
PK	5.734G	58.31	68.20	-9.89	4.73	3	Horizontal	133	1.05	-	53.58

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5610MHz_TX




EUT Y_1TX
Setting 71
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22396G	54.43	74.00	-19.57	12.87	3	Vertical	325	1.54	-	41.56
AV	11.22327G	41.99	54.00	-12.01	12.87	3	Vertical	325	1.54	-	29.12

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5610MHz_TX




EUT Y_1TX
Setting 71
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22458G	54.33	74.00	-19.67	12.87	3	Horizontal	176	2.42	-	41.46
AV	11.22417G	42.04	54.00	-11.96	12.87	3	Horizontal	176	2.42	-	29.17

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.414G	60.57	74.00	-13.43	5.31	3	Vertical	173	1.78	-	55.26
PK	5.468G	60.08	68.20	-8.12	5.18	3	Vertical	173	1.78	-	54.90
AV	5.4584G	48.54	54.00	-5.46	5.20	3	Vertical	173	1.78	-	43.34
PK	5.6804G	112.68	Inf	-Inf	4.75	3	Vertical	173	1.78	-	107.93
AV	5.6792G	101.03	Inf	-Inf	4.75	3	Vertical	173	1.78	-	96.28
PK	5.8664G	67.55	68.20	-0.65	5.04	3	Vertical	173	1.78	-	62.51

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4074G	58.67	74.00	-15.33	5.33	3	Horizontal	251	1.28	-	53.34
PK	5.46G	58.34	68.20	-9.86	5.20	3	Horizontal	251	1.28	-	53.14
AV	5.4452G	46.75	54.00	-7.25	5.25	3	Horizontal	251	1.28	-	41.50
PK	5.7032G	94.40	Inf	-Inf	4.70	3	Horizontal	251	1.28	-	89.70
AV	5.7032G	82.63	Inf	-Inf	4.70	3	Horizontal	251	1.28	-	77.93
PK	5.9792G	57.80	68.20	-10.40	5.20	3	Horizontal	251	1.28	-	52.60

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38133G	54.31	74.00	-19.69	13.11	3	Vertical	4	1.95	-	41.20
AV	11.38156G	41.81	54.00	-12.19	13.11	3	Vertical	4	1.95	-	28.70
PK	17.07888G	63.00	68.20	-5.20	17.24	3	Vertical	66	2.49	-	45.76

802.11ax HEW80_Nss1,(MCS0)_1TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_1TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38475G	54.22	74.00	-19.78	13.12	3	Horizontal	201	2.00	-	41.10
AV	11.38498G	41.82	54.00	-12.18	13.12	3	Horizontal	201	2.00	-	28.70
PK	17.07025G	63.46	68.20	-4.74	17.21	3	Horizontal	183	2.51	-	46.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3641G	53.44	54.00	-0.56	5.41	3	Vertical	182	1.91	-

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5260MHz_TX




EUT Y_2TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1481G	61.54	74.00	-12.46	5.11	3	Vertical	182	1.91	-	56.43
AV	5.1475G	48.70	54.00	-5.30	5.11	3	Vertical	182	1.91	-	43.59
PK	5.2645G	122.81	Inf	-Inf	5.37	3	Vertical	182	1.91	-	117.44
AV	5.2642G	113.78	Inf	-Inf	5.37	3	Vertical	182	1.91	-	108.41
PK	5.3584G	64.61	74.00	-9.39	5.41	3	Vertical	182	1.91	-	59.20
AV	5.3641G	53.44	54.00	-0.56	5.41	3	Vertical	182	1.91	-	48.03

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5260MHz_TX




EUT Y_2TX
Setting 79
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1172G	57.89	74.00	-16.11	5.11	3	Horizontal	118	1.61	-	52.78
AV	5.1271G	45.53	54.00	-8.47	5.11	3	Horizontal	118	1.61	-	40.42
PK	5.257G	110.18	Inf	-Inf	5.34	3	Horizontal	118	1.61	-	104.84
AV	5.2621G	100.63	Inf	-Inf	5.37	3	Horizontal	118	1.61	-	95.26
PK	5.3686G	59.06	74.00	-14.94	5.40	3	Horizontal	118	1.61	-	53.66
AV	5.3578G	46.33	54.00	-7.67	5.42	3	Horizontal	118	1.61	-	40.91

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5260MHz_TX




EUT Y_2TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78088G	59.99	74.00	-14.01	15.16	3	Vertical	158	1.52	-	44.83
AV	15.78096G	45.94	54.00	-8.06	15.16	3	Vertical	158	1.52	-	30.78

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5260MHz_TX




EUT Y_2TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78176G	59.71	74.00	-14.29	15.16	3	Horizontal	170	2.39	-	44.55
AV	15.78196G	45.83	54.00	-8.17	15.16	3	Horizontal	170	2.39	-	30.67

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5300MHz_TX




EUT Y_2TX
Setting 74
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3027G	122.19	Inf	-Inf	5.52	3	Vertical	184	1.91	-	116.67
AV	5.3027G	112.85	Inf	-Inf	5.52	3	Vertical	184	1.91	-	107.33
PK	5.3585G	65.55	74.00	-8.45	5.41	3	Vertical	184	1.91	-	60.14
AV	5.4074G	53.33	54.00	-0.67	5.33	3	Vertical	184	1.91	-	48.00

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5300MHz_TX




EUT_Y_2TX
Setting 74
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3036G	107.91	Inf	-Inf	5.52	3	Horizontal	235	1.60	-	102.39
AV	5.3039G	98.78	Inf	-Inf	5.52	3	Horizontal	235	1.60	-	93.26
PK	5.3933G	59.32	74.00	-14.68	5.35	3	Horizontal	235	1.60	-	53.97
AV	5.3597G	46.19	54.00	-7.81	5.42	3	Horizontal	235	1.60	-	40.77

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5300MHz_TX




EUT Y_2TX
Setting 74
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.91676G	60.18	74.00	-13.82	15.06	3	Vertical	236	2.38	-	45.12
AV	15.9168G	45.89	54.00	-8.11	15.06	3	Vertical	236	2.38	-	30.83

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5300MHz_TX




EUT Y_2TX
Setting 74
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.91156G	59.49	74.00	-14.51	15.05	3	Horizontal	263	2.14	-	44.44
AV	15.91136G	46.05	54.00	-7.95	15.05	3	Horizontal	263	2.14	-	31.00

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5320MHz_TX




EUT Y_2TX
Setting 66
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3144G	119.42	Inf	-Inf	5.51	3	Vertical	180	1.80	-	113.91
AV	5.3241G	110.25	Inf	-Inf	5.49	3	Vertical	180	1.80	-	104.76
PK	5.35G	73.34	74.00	-0.66	5.44	3	Vertical	180	1.80	-	67.90
AV	5.3502G	53.02	54.00	-0.98	5.44	3	Vertical	180	1.80	-	47.58

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5320MHz_TX




EUT_Y_2TX
Setting 66
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.325G	105.64	Inf	-Inf	5.48	3	Horizontal	238	1.50	-	100.16
AV	5.3251G	95.76	Inf	-Inf	5.48	3	Horizontal	238	1.50	-	90.28
PK	5.3501G	60.73	74.00	-13.27	5.44	3	Horizontal	238	1.50	-	55.29
AV	5.3503G	46.38	54.00	-7.62	5.44	3	Horizontal	238	1.50	-	40.94

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5320MHz_TX




EUT Y_2TX
 Setting 66
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95824G	59.89	74.00	-14.11	15.02	3	Vertical	233	2.49	-	44.87
AV	15.95828G	46.41	54.00	-7.59	15.02	3	Vertical	233	2.49	-	31.39

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5320MHz_TX




EUT Y_2TX
 Setting 66
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96584G	59.71	74.00	-14.29	15.01	3	Horizontal	273	1.60	-	44.70
AV	15.966G	46.40	54.00	-7.60	15.01	3	Horizontal	273	1.60	-	31.39

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5500MHz_TX




EUT Y_2TX
Setting 57
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.30	74.00	-9.70	5.20	3	Vertical	173	1.82	-	59.10
AV	5.4599G	48.87	54.00	-5.13	5.20	3	Vertical	173	1.82	-	43.67
PK	5.4696G	67.56	68.20	-0.64	5.18	3	Vertical	173	1.82	-	62.38
PK	5.5044G	117.96	Inf	-Inf	5.12	3	Vertical	173	1.82	-	112.84
AV	5.5042G	108.84	Inf	-Inf	5.12	3	Vertical	173	1.82	-	103.72

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5500MHz_TX




EUT Y_2TX
Setting 57
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4519G	58.64	74.00	-15.36	5.22	3	Horizontal	134	1.85	-	53.42
AV	5.4523G	45.55	54.00	-8.45	5.22	3	Horizontal	134	1.85	-	40.33
PK	5.4687G	58.55	68.20	-9.65	5.18	3	Horizontal	134	1.85	-	53.37
PK	5.4937G	102.71	Inf	-Inf	5.13	3	Horizontal	134	1.85	-	97.58
AV	5.4939G	93.43	Inf	-Inf	5.13	3	Horizontal	134	1.85	-	88.30

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5500MHz_TX




EUT Y_2TX
 Setting 57
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01752G	53.12	74.00	-20.88	12.56	3	Vertical	247	2.24	-	40.56
AV	11.0178G	39.62	54.00	-14.38	12.56	3	Vertical	247	2.24	-	27.06
PK	16.48884G	61.11	68.20	-7.09	15.95	3	Vertical	52	2.35	-	45.16

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5500MHz_TX




EUT Y_2TX
Setting 57
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00296G	53.43	74.00	-20.57	12.54	3	Horizontal	310	1.39	-	40.89
AV	11.00068G	39.63	54.00	-14.37	12.53	3	Horizontal	310	1.39	-	27.10
PK	16.51864G	62.30	68.20	-5.90	16.01	3	Horizontal	17	1.44	-	46.29

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	65.22	74.00	-8.78	5.21	3	Vertical	172	1.80	-	60.01
AV	5.4576G	50.58	54.00	-3.42	5.20	3	Vertical	172	1.80	-	45.38
PK	5.4688G	64.99	68.20	-3.21	5.18	3	Vertical	172	1.80	-	59.81
PK	5.5776G	126.73	Inf	-Inf	5.02	3	Vertical	172	1.80	-	121.71
AV	5.578G	116.29	Inf	-Inf	5.02	3	Vertical	172	1.80	-	111.27
PK	5.7456G	62.05	68.20	-6.15	4.75	3	Vertical	172	1.80	-	57.30

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4428G	59.53	74.00	-14.47	5.25	3	Horizontal	123	1.50	-	54.28
AV	5.4432G	45.48	54.00	-8.52	5.25	3	Horizontal	123	1.50	-	40.23
PK	5.4684G	58.51	68.20	-9.69	5.18	3	Horizontal	123	1.50	-	53.33
PK	5.5768G	110.95	Inf	-Inf	5.02	3	Horizontal	123	1.50	-	105.93
AV	5.5816G	100.71	Inf	-Inf	5.02	3	Horizontal	123	1.50	-	95.69
PK	5.7644G	57.74	68.20	-10.46	4.76	3	Horizontal	123	1.50	-	52.98

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5580MHz_TX




EUT Y_2TX
 Setting 91
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16356G	55.09	74.00	-18.91	12.78	3	Vertical	104	2.42	-	42.31
AV	11.163G	40.74	54.00	-13.26	12.78	3	Vertical	104	2.42	-	27.96
PK	16.74488G	64.36	68.20	-3.84	16.45	3	Vertical	165	1.77	-	47.91

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5580MHz_TX




EUT Y_2TX
 Setting 91
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.162G	54.07	74.00	-19.93	12.77	3	Horizontal	100	1.52	-	41.30
AV	11.16124G	40.65	54.00	-13.35	12.77	3	Horizontal	100	1.52	-	27.88
PK	16.74772G	65.57	68.20	-2.63	16.46	3	Horizontal	140	1.99	-	49.11

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5700MHz_TX




EUT_Y_2TX
Setting 58
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6944G	116.46	Inf	-Inf	4.72	3	Vertical	180	1.80	-	111.74
AV	5.7041G	107.31	Inf	-Inf	4.70	3	Vertical	180	1.80	-	102.61
PK	5.7294G	67.35	68.20	-0.85	4.73	3	Vertical	180	1.80	-	62.62

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5700MHz_TX




EUT_Y_2TX
 Setting 58
 04-B-4-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7015G	102.39	Inf	-Inf	4.70	3	Horizontal	124	1.33	-	97.69
AV	5.7015G	92.73	Inf	-Inf	4.70	3	Horizontal	124	1.33	-	88.03
PK	5.7345G	57.57	68.20	-10.63	4.73	3	Horizontal	124	1.33	-	52.84

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5700MHz_TX




EUT_Y_2TX
Setting 58
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39312G	54.23	74.00	-19.77	13.14	3	Vertical	204	2.19	-	41.09
AV	11.39376G	40.82	54.00	-13.18	13.14	3	Vertical	204	2.19	-	27.68
PK	17.11308G	63.70	68.20	-4.50	17.36	3	Vertical	138	1.41	-	46.34

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5700MHz_TX




EUT Y_2TX
 Setting 58
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3952G	54.81	74.00	-19.19	13.14	3	Horizontal	54	2.36	-	41.67
AV	11.39512G	40.69	54.00	-13.31	13.14	3	Horizontal	54	2.36	-	27.55
PK	17.0806G	63.53	68.20	-4.67	17.26	3	Horizontal	46	1.07	-	46.27

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 76
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4332G	60.55	74.00	-13.45	5.27	3	Vertical	170	1.90	-	55.28
AV	5.4266G	47.83	54.00	-6.17	5.29	3	Vertical	170	1.90	-	42.54
PK	5.4638G	60.47	68.20	-7.73	5.19	3	Vertical	170	1.90	-	55.28
PK	5.717G	121.67	Inf	-Inf	4.72	3	Vertical	170	1.90	-	116.95
AV	5.717G	112.08	Inf	-Inf	4.72	3	Vertical	170	1.90	-	107.36
PK	5.8868G	61.29	68.20	-6.91	5.11	3	Vertical	170	1.90	-	56.18

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 76
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4518G	57.74	74.00	-16.26	5.22	3	Horizontal	208	1.66	-	52.52
AV	5.4404G	45.74	54.00	-8.26	5.26	3	Horizontal	208	1.66	-	40.48
PK	5.46G	57.44	68.20	-10.76	5.20	3	Horizontal	208	1.66	-	52.24
PK	5.7254G	106.25	Inf	-Inf	4.73	3	Horizontal	208	1.66	-	101.52
AV	5.7152G	96.93	Inf	-Inf	4.72	3	Horizontal	208	1.66	-	92.21
PK	5.978G	58.42	68.20	-9.78	5.20	3	Horizontal	208	1.66	-	53.22

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 76
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4454G	54.59	74.00	-19.41	13.21	3	Vertical	284	2.19	-	41.38
AV	11.4456G	41.23	54.00	-12.77	13.21	3	Vertical	284	2.19	-	28.02
PK	17.15356G	66.70	68.20	-1.50	17.51	3	Vertical	161	1.48	-	49.19

802.11a_Nss1,(6Mbps)_2TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 76
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44928G	54.39	74.00	-19.61	13.22	3	Horizontal	97	2.19	-	41.17
AV	11.44932G	41.07	54.00	-12.93	13.22	3	Horizontal	97	2.19	-	27.85
PK	17.15868G	67.47	68.20	-0.73	17.52	3	Horizontal	223	1.39	-	49.95

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5260MHz_TX




EUT Y_2TX
Setting 80
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	61.44	74.00	-12.56	5.11	3	Vertical	181	1.88	-	56.33
AV	5.1499G	49.55	54.00	-4.45	5.11	3	Vertical	181	1.88	-	44.44
PK	5.2651G	122.91	Inf	-Inf	5.38	3	Vertical	181	1.88	-	117.53
AV	5.2627G	111.18	Inf	-Inf	5.37	3	Vertical	181	1.88	-	105.81
PK	5.3551G	64.90	74.00	-9.10	5.42	3	Vertical	181	1.88	-	59.48
AV	5.3512G	53.37	54.00	-0.63	5.44	3	Vertical	181	1.88	-	47.93

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5260MHz_TX




EUT Y_2TX
Setting 80
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1142G	57.83	74.00	-16.17	5.11	3	Horizontal	116	1.60	-	52.72
AV	5.134G	46.23	54.00	-7.77	5.11	3	Horizontal	116	1.60	-	41.12
PK	5.2555G	108.96	Inf	-Inf	5.34	3	Horizontal	116	1.60	-	103.62
AV	5.2567G	97.30	Inf	-Inf	5.34	3	Horizontal	116	1.60	-	91.96
PK	5.3644G	58.55	74.00	-15.45	5.41	3	Horizontal	116	1.60	-	53.14
AV	5.359G	46.49	54.00	-7.51	5.41	3	Horizontal	116	1.60	-	41.08

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5260MHz_TX




EUT Y_2TX
Setting 80
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78416G	59.15	74.00	-14.85	15.16	3	Vertical	22	2.35	-	43.99
AV	15.7842G	46.37	54.00	-7.63	15.16	3	Vertical	22	2.35	-	31.21

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5260MHz_TX




EUT Y_2TX
Setting 80
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77562G	59.44	74.00	-14.56	15.17	3	Horizontal	168	2.02	-	44.27
AV	15.7757G	46.88	54.00	-7.12	15.17	3	Horizontal	168	2.02	-	31.71

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5300MHz_TX




EUT Y_2TX
Setting 78
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3048G	122.67	Inf	-Inf	5.53	3	Vertical	186	1.77	-	117.14
AV	5.2958G	110.70	Inf	-Inf	5.51	3	Vertical	186	1.77	-	105.19
PK	5.35G	67.33	74.00	-6.67	5.44	3	Vertical	186	1.77	-	61.89
AV	5.35G	53.33	54.00	-0.67	5.44	3	Vertical	186	1.77	-	47.89

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5300MHz_TX




EUT Y_2TX
Setting 78
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3027G	109.24	Inf	-Inf	5.52	3	Horizontal	236	1.42	-	103.72
AV	5.2958G	96.85	Inf	-Inf	5.51	3	Horizontal	236	1.42	-	91.34
PK	5.3504G	59.39	74.00	-14.61	5.44	3	Horizontal	236	1.42	-	53.95
AV	5.3522G	47.28	54.00	-6.72	5.43	3	Horizontal	236	1.42	-	41.85

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5300MHz_TX




EUT Y_2TX
Setting 78
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90646G	59.48	74.00	-14.52	15.06	3	Vertical	272	2.08	-	44.42
AV	15.90684G	46.31	54.00	-7.69	15.06	3	Vertical	272	2.08	-	31.25

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5300MHz_TX




EUT Y_2TX
Setting 78
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90984G	59.07	74.00	-14.93	15.05	3	Horizontal	132	2.21	-	44.02
AV	15.9087G	46.75	54.00	-7.25	15.05	3	Horizontal	132	2.21	-	31.70

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5320MHz_TX




EUT Y_2TX
Setting 62
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3182G	118.49	Inf	-Inf	5.50	3	Vertical	182	1.89	-	112.99
AV	5.3166G	106.83	Inf	-Inf	5.50	3	Vertical	182	1.89	-	101.33
PK	5.3515G	66.58	74.00	-7.42	5.44	3	Vertical	182	1.89	-	61.14
AV	5.3506G	53.38	54.00	-0.62	5.44	3	Vertical	182	1.89	-	47.94

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5320MHz_TX




EUT Y_2TX
Setting 62
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3262G	105.43	Inf	-Inf	5.48	3	Horizontal	235	1.50	-	99.95
AV	5.3158G	92.99	Inf	-Inf	5.50	3	Horizontal	235	1.50	-	87.49
PK	5.3583G	59.15	74.00	-14.85	5.42	3	Horizontal	235	1.50	-	53.73
AV	5.3522G	46.74	54.00	-7.26	5.43	3	Horizontal	235	1.50	-	41.31

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5320MHz_TX




EUT Y_2TX
 Setting 62
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96026G	60.00	74.00	-14.00	15.02	3	Vertical	307	1.62	-	44.98
AV	15.9602G	46.77	54.00	-7.23	15.02	3	Vertical	307	1.62	-	31.75

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5320MHz_TX




EUT Y_2TX
Setting 62
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9582G	59.93	74.00	-14.07	15.02	3	Horizontal	49	1.71	-	44.91
AV	15.95716G	46.75	54.00	-7.25	15.02	3	Horizontal	49	1.71	-	31.73

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5500MHz_TX




EUT Y_2TX
Setting 62
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4597G	63.49	74.00	-10.51	5.20	3	Vertical	182	1.89	-	58.29
AV	5.4592G	50.95	54.00	-3.05	5.20	3	Vertical	182	1.89	-	45.75
PK	5.4691G	67.61	68.20	-0.59	5.18	3	Vertical	182	1.89	-	62.43
PK	5.4942G	118.68	Inf	-Inf	5.13	3	Vertical	182	1.89	-	113.55
AV	5.4965G	107.37	Inf	-Inf	5.13	3	Vertical	182	1.89	-	102.24

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5500MHz_TX




EUT Y_2TX
Setting 62
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4555G	58.44	74.00	-15.56	5.21	3	Horizontal	132	1.50	-	53.23
AV	5.4525G	46.60	54.00	-7.40	5.21	3	Horizontal	132	1.50	-	41.39
PK	5.4603G	58.96	68.20	-9.24	5.20	3	Horizontal	132	1.50	-	53.76
PK	5.4928G	103.63	Inf	-Inf	5.13	3	Horizontal	132	1.50	-	98.50
AV	5.497G	92.20	Inf	-Inf	5.13	3	Horizontal	132	1.50	-	87.07

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5500MHz_TX




EUT Y_2TX
Setting 62
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0042G	53.23	74.00	-20.77	12.54	3	Vertical	196	1.75	-	40.69
AV	11.00552G	40.48	54.00	-13.52	12.54	3	Vertical	196	1.75	-	27.94
PK	16.507G	60.96	68.20	-7.24	15.98	3	Vertical	159	1.53	-	44.98

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5500MHz_TX




EUT Y_2TX
Setting 62
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.999966G	52.93	74.00	-21.07	12.53	3	Horizontal	179	1.22	-	40.40
AV	10.99966G	40.41	54.00	-13.59	12.53	3	Horizontal	179	1.22	-	27.88
PK	16.50758G	61.59	68.20	-6.61	15.98	3	Horizontal	69	1.50	-	45.61

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4436G	64.93	74.00	-9.07	5.25	3	Vertical	173	1.86	-	59.68
PK	5.4688G	67.00	68.20	-1.20	5.18	3	Vertical	173	1.86	-	61.82
AV	5.4572G	52.63	54.00	-1.37	5.21	3	Vertical	173	1.86	-	47.42
PK	5.5832G	126.18	Inf	-Inf	5.02	3	Vertical	173	1.86	-	121.16
AV	5.5788G	114.43	Inf	-Inf	5.02	3	Vertical	173	1.86	-	109.41
PK	5.7568G	62.95	68.20	-5.25	4.76	3	Vertical	173	1.86	-	58.19

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.432G	58.56	74.00	-15.44	5.28	3	Horizontal	125	1.50	-	53.28
AV	5.432G	46.68	54.00	-7.32	5.28	3	Horizontal	125	1.50	-	41.40
PK	5.468G	58.05	68.20	-10.15	5.18	3	Horizontal	125	1.50	-	52.87
PK	5.5748G	109.94	Inf	-Inf	5.03	3	Horizontal	125	1.50	-	104.91
AV	5.5772G	98.87	Inf	-Inf	5.02	3	Horizontal	125	1.50	-	93.85
PK	5.7528G	57.80	68.20	-10.40	4.75	3	Horizontal	125	1.50	-	53.05

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15336G	54.40	74.00	-19.60	12.77	3	Vertical	164	2.36	-	41.63
AV	11.15834G	42.00	54.00	-12.00	12.77	3	Vertical	164	2.36	-	29.23
PK	16.74052G	61.46	68.20	-6.74	16.45	3	Vertical	107	1.26	-	45.01

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1593G	55.10	74.00	-18.90	12.77	3	Horizontal	194	1.02	-	42.33
AV	11.15952G	41.87	54.00	-12.13	12.77	3	Horizontal	194	1.02	-	29.10
PK	16.74242G	63.06	68.20	-5.14	16.45	3	Horizontal	76	2.99	-	46.61

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5700MHz_TX




EUT Y_2TX
Setting 55
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7059G	117.30	Inf	-Inf	4.71	3	Vertical	173	1.90	-	112.59
AV	5.6958G	105.13	Inf	-Inf	4.71	3	Vertical	173	1.90	-	100.42
PK	5.726G	67.57	68.20	-0.63	4.73	3	Vertical	173	1.90	-	62.84

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5700MHz_TX




EUT Y_2TX
Setting 55
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7035G	101.88	Inf	-Inf	4.70	3	Horizontal	207	1.50	-	97.18
AV	5.695G	90.19	Inf	-Inf	4.72	3	Horizontal	207	1.50	-	85.47
PK	5.7474G	57.63	68.20	-10.57	4.75	3	Horizontal	207	1.50	-	52.88

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5700MHz_TX




EUT Y_2TX
Setting 55
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40264G	55.07	74.00	-18.93	13.15	3	Vertical	131	1.75	-	41.92
AV	11.40264G	41.93	54.00	-12.07	13.15	3	Vertical	131	1.75	-	28.78
PK	17.1436G	62.14	68.20	-6.06	17.47	3	Vertical	248	2.38	-	44.67

802.11ax HEW20_Nss2,(MCS0)_2TX

21/10/2019

5700MHz_TX




EUT Y_2TX
Setting 55
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39152G	54.92	74.00	-19.08	13.13	3	Horizontal	211	1.46	-	41.79
AV	11.39116G	41.90	54.00	-12.10	13.13	3	Horizontal	211	1.46	-	28.77
PK	17.099G	62.86	68.20	-5.34	17.32	3	Horizontal	202	2.04	-	45.54

802.11ax HEW20_Nss2,(MCS0)_2TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4308G	60.87	74.00	-13.13	5.28	3	Vertical	4	1.93	-	55.59
AV	5.46G	49.36	54.00	-4.64	5.20	3	Vertical	4	1.93	-	44.16
PK	5.468G	60.74	68.20	-7.46	5.18	3	Vertical	4	1.93	-	55.56
PK	5.723G	121.92	Inf	-Inf	4.72	3	Vertical	4	1.93	-	117.20
AV	5.7212G	110.76	Inf	-Inf	4.72	3	Vertical	4	1.93	-	106.04
PK	5.855G	61.51	68.20	-6.69	5.00	3	Vertical	4	1.93	-	56.51

802.11ax HEW20_Nss2,(MCS0)_2TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4518G	58.24	74.00	-15.76	5.22	3	Horizontal	29	1.50	-	53.02
AV	5.4464G	46.22	54.00	-7.78	5.25	3	Horizontal	29	1.50	-	40.97
PK	5.462G	57.44	68.20	-10.76	5.20	3	Horizontal	29	1.50	-	52.24
PK	5.7194G	105.61	Inf	-Inf	4.72	3	Horizontal	29	1.50	-	100.89
AV	5.7218G	94.09	Inf	-Inf	4.72	3	Horizontal	29	1.50	-	89.37
PK	5.8592G	57.89	68.20	-10.31	5.02	3	Horizontal	29	1.50	-	52.87

802.11ax HEW20_Nss2,(MCS0)_2TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43742G	56.24	74.00	-17.76	13.20	3	Vertical	352	1.45	-	43.04
AV	11.44816G	43.79	54.00	-10.21	13.22	3	Vertical	352	1.45	-	30.57
PK	17.17128G	67.48	68.20	-0.72	17.58	3	Vertical	343	2.24	-	49.90

802.11ax HEW20_Nss2,(MCS0)_2TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 79
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44753G	57.17	74.00	-16.83	13.22	3	Horizontal	162	1.51	-	43.95
AV	11.4511G	43.66	54.00	-10.34	13.22	3	Horizontal	162	1.51	-	30.44
PK	17.17425G	67.13	68.20	-1.07	17.59	3	Horizontal	41	1.50	-	49.54

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5270MHz_TX




EUT Y_2TX
Setting 71
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.28G	118.05	Inf	-Inf	5.44	3	Vertical	2	1.83	-	112.61
AV	5.2662G	106.31	Inf	-Inf	5.39	3	Vertical	2	1.83	-	100.92
PK	5.3522G	71.69	74.00	-2.31	5.43	3	Vertical	2	1.83	-	66.26
AV	5.354G	53.42	54.00	-0.58	5.43	3	Vertical	2	1.83	-	47.99

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5270MHz_TX




EUT Y_2TX
Setting 71
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2662G	104.33	Inf	-Inf	5.39	3	Horizontal	300	1.50	-	98.94
AV	5.2658G	92.38	Inf	-Inf	5.39	3	Horizontal	300	1.50	-	86.99
PK	5.3602G	58.26	74.00	-15.74	5.42	3	Horizontal	300	1.50	-	52.84
AV	5.3616G	46.09	54.00	-7.91	5.42	3	Horizontal	300	1.50	-	40.67

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5270MHz_TX




EUT Y_2TX
Setting 71
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.55776G	52.98	68.20	-15.22	12.09	3	Vertical	6	1.42	-	40.89
PK	15.80034G	59.88	74.00	-14.12	15.14	3	Vertical	216	2.53	-	44.74
AV	15.7938G	46.93	54.00	-7.07	15.14	3	Vertical	216	2.53	-	31.79

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5270MHz_TX




EUT Y_2TX
Setting 71
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51678G	52.89	68.20	-15.31	12.04	3	Horizontal	29	2.44	-	40.85
PK	15.79786G	58.80	74.00	-15.20	15.14	3	Horizontal	235	1.17	-	43.66
AV	15.79296G	47.09	54.00	-6.91	15.14	3	Horizontal	235	1.17	-	31.95

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5310MHz_TX




EUT Y_2TX
Setting 54
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3196G	113.54	Inf	-Inf	5.49	3	Vertical	9	1.93	-	108.05
AV	5.2954G	101.30	Inf	-Inf	5.51	3	Vertical	9	1.93	-	95.79
PK	5.3522G	65.07	74.00	-8.93	5.43	3	Vertical	9	1.93	-	59.64
AV	5.3516G	53.32	54.00	-0.68	5.44	3	Vertical	9	1.93	-	47.88

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5310MHz_TX




EUT Y_2TX
Setting 54
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.305G	100.05	Inf	-Inf	5.52	3	Horizontal	237	1.76	-	94.53
AV	5.296G	87.94	Inf	-Inf	5.51	3	Horizontal	237	1.76	-	82.43
PK	5.359G	58.87	74.00	-15.13	5.41	3	Horizontal	237	1.76	-	53.46
AV	5.3522G	46.47	54.00	-7.53	5.43	3	Horizontal	237	1.76	-	41.04

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5310MHz_TX




EUT Y_2TX
Setting 54
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60542G	52.98	74.00	-21.02	12.13	3	Vertical	11	1.51	-	40.85
AV	10.62582G	40.73	54.00	-13.27	12.16	3	Vertical	11	1.51	-	28.57
PK	15.9522G	61.30	74.00	-12.70	15.02	3	Vertical	360	1.77	-	46.28
AV	15.9543G	48.81	54.00	-5.19	15.02	3	Vertical	360	1.77	-	33.79

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5310MHz_TX




EUT Y_2TX
Setting 54
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60054G	53.29	74.00	-20.71	12.13	3	Horizontal	281	1.21	-	41.16
AV	10.60056G	41.28	54.00	-12.72	12.13	3	Horizontal	281	1.21	-	29.15
PK	15.95484G	60.44	74.00	-13.56	15.02	3	Horizontal	70	1.03	-	45.42
AV	15.95652G	48.39	54.00	-5.61	15.02	3	Horizontal	70	1.03	-	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5510MHz_TX




EUT Y_2TX
Setting 52
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4586G	67.21	74.00	-6.79	5.20	3	Vertical	179	1.80	-	62.01
AV	5.4588G	51.90	54.00	-2.10	5.20	3	Vertical	179	1.80	-	46.70
PK	5.463G	67.43	68.20	-0.77	5.19	3	Vertical	179	1.80	-	62.24
PK	5.5082G	113.67	Inf	-Inf	5.11	3	Vertical	179	1.80	-	108.56
AV	5.502G	101.54	Inf	-Inf	5.12	3	Vertical	179	1.80	-	96.42

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5510MHz_TX




EUT Y_2TX
Setting 52
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4372G	59.08	74.00	-14.92	5.27	3	Horizontal	123	1.60	-	53.81
AV	5.4492G	46.15	54.00	-7.85	5.24	3	Horizontal	123	1.60	-	40.91
PK	5.4686G	57.74	68.20	-10.46	5.18	3	Horizontal	123	1.60	-	52.56
PK	5.5142G	98.32	Inf	-Inf	5.11	3	Horizontal	123	1.60	-	93.21
AV	5.5228G	86.72	Inf	-Inf	5.09	3	Horizontal	123	1.60	-	81.63

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5510MHz_TX




EUT Y_2TX
 Setting 52
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02879G	54.91	74.00	-19.09	12.58	3	Vertical	203	1.04	-	42.33
AV	11.03029G	41.34	54.00	-12.66	12.58	3	Vertical	203	1.04	-	28.76
PK	16.53549G	61.98	68.20	-6.22	16.04	3	Vertical	210	2.01	-	45.94

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5510MHz_TX



EUT Y_2TX
Setting 52
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03461G	53.60	74.00	-20.40	12.58	3	Horizontal	125	1.04	-	41.02
AV	11.02873G	41.25	54.00	-12.75	12.58	3	Horizontal	125	1.04	-	28.67
PK	16.54437G	62.07	68.20	-6.13	16.06	3	Horizontal	189	2.99	-	46.01