


802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5550MHz_TX




EUT Y_2TX
Setting 67
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4594G	64.94	74.00	-9.06	5.20	3	Vertical	174	1.87	-	59.74
AV	5.4567G	51.48	54.00	-2.52	5.21	3	Vertical	174	1.87	-	46.27
PK	5.4699G	67.49	68.20	-0.71	5.18	3	Vertical	174	1.87	-	62.31
PK	5.5452G	119.16	Inf	-Inf	5.06	3	Vertical	174	1.87	-	114.10
AV	5.5464G	105.73	Inf	-Inf	5.06	3	Vertical	174	1.87	-	100.67

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5550MHz_TX




EUT Y_2TX
Setting 67
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4495G	58.44	74.00	-15.56	5.24	3	Horizontal	217	1.80	-	53.20
AV	5.4414G	46.11	54.00	-7.89	5.26	3	Horizontal	217	1.80	-	40.85
PK	5.4681G	57.42	68.20	-10.78	5.18	3	Horizontal	217	1.80	-	52.24
PK	5.5599G	102.00	Inf	-Inf	5.04	3	Horizontal	217	1.80	-	96.96
AV	5.5629G	90.38	Inf	-Inf	5.04	3	Horizontal	217	1.80	-	85.34

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5550MHz_TX




EUT Y_2TX
Setting 67
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.11458G	54.04	74.00	-19.96	12.71	3	Vertical	8	2.76	-	41.33
AV	11.09715G	41.30	54.00	-12.70	12.68	3	Vertical	8	2.76	-	28.62
PK	16.63503G	61.69	68.20	-6.51	16.24	3	Vertical	307	1.57	-	45.45

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5550MHz_TX




EUT Y_2TX
Setting 67
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09559G	54.19	74.00	-19.81	12.68	3	Horizontal	89	1.23	-	41.51
AV	11.09178G	41.32	54.00	-12.68	12.66	3	Horizontal	89	1.23	-	28.66
PK	16.63884G	61.74	68.20	-6.46	16.24	3	Horizontal	270	2.51	-	45.50

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5670MHz_TX




EUT Y_2TX
Setting 57
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6817G	114.44	Inf	-Inf	4.74	3	Vertical	173	1.72	-	109.70
AV	5.6757G	101.98	Inf	-Inf	4.76	3	Vertical	173	1.72	-	97.22
PK	5.7252G	67.55	68.20	-0.65	4.73	3	Vertical	173	1.72	-	62.82

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5670MHz_TX




EUT Y_2TX
Setting 57
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6787G	99.42	Inf	-Inf	4.75	3	Horizontal	141	1.50	-	94.67
AV	5.6742G	86.76	Inf	-Inf	4.78	3	Horizontal	141	1.50	-	81.98
PK	5.7552G	57.63	68.20	-10.57	4.76	3	Horizontal	141	1.50	-	52.87

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5670MHz_TX




EUT Y_2TX
Setting 57
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34738G	55.66	74.00	-18.34	13.05	3	Vertical	75	1.84	-	42.61
AV	11.35356G	42.73	54.00	-11.27	13.08	3	Vertical	75	1.84	-	29.65
PK	17.01768G	63.73	68.20	-4.47	17.02	3	Vertical	9	2.88	-	46.71

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5670MHz_TX




EUT Y_2TX
 Setting 57
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33496G	55.39	74.00	-18.61	13.04	3	Horizontal	126	1.89	-	42.35
AV	11.33275G	42.41	54.00	-11.59	13.04	3	Horizontal	126	1.89	-	29.37
PK	17.01744G	63.57	68.20	-4.63	17.02	3	Horizontal	169	2.85	-	46.55

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4574G	60.67	74.00	-13.33	5.21	3	Vertical	171	1.78	-	55.46
AV	5.458G	48.99	54.00	-5.01	5.20	3	Vertical	171	1.78	-	43.79
PK	5.4694G	60.52	68.20	-7.68	5.18	3	Vertical	171	1.78	-	55.34
PK	5.7142G	119.41	Inf	-Inf	4.71	3	Vertical	171	1.78	-	114.70
AV	5.716G	107.46	Inf	-Inf	4.72	3	Vertical	171	1.78	-	102.74
PK	5.8516G	67.18	68.20	-1.02	4.98	3	Vertical	171	1.78	-	62.20

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4172G	57.38	74.00	-16.62	5.31	3	Horizontal	207	1.78	-	52.07
AV	5.419G	45.91	54.00	-8.09	5.30	3	Horizontal	207	1.78	-	40.61
PK	5.4652G	57.00	68.20	-11.20	5.19	3	Horizontal	207	1.78	-	51.81
PK	5.7004G	103.30	Inf	-Inf	4.70	3	Horizontal	207	1.78	-	98.60
AV	5.7064G	92.50	Inf	-Inf	4.71	3	Horizontal	207	1.78	-	87.79
PK	5.8744G	56.94	68.20	-11.26	5.07	3	Horizontal	207	1.78	-	51.87

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43053G	55.78	74.00	-18.22	13.19	3	Vertical	269	2.48	-	42.59
AV	11.42009G	43.25	54.00	-10.75	13.17	3	Vertical	269	2.48	-	30.08
PK	17.13921G	64.71	68.20	-3.49	17.46	3	Vertical	244	2.10	-	47.25

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43332G	56.11	74.00	-17.89	13.20	3	Horizontal	76	1.45	-	42.91
AV	11.41331G	43.05	54.00	-10.95	13.16	3	Horizontal	76	1.45	-	29.89
PK	17.13786G	67.49	68.20	-0.71	17.46	3	Horizontal	193	1.15	-	50.03

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5290MHz_TX




EUT Y_2TX
Setting 53
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	61.02	74.00	-12.98	5.11	3	Vertical	180	1.88	-	55.91
AV	5.14G	50.30	54.00	-3.70	5.11	3	Vertical	180	1.88	-	45.19
PK	5.3096G	109.47	Inf	-Inf	5.51	3	Vertical	180	1.88	-	103.96
AV	5.296G	99.15	Inf	-Inf	5.51	3	Vertical	180	1.88	-	93.64
PK	5.3532G	64.86	74.00	-9.14	5.43	3	Vertical	180	1.88	-	59.43
AV	5.3544G	53.35	54.00	-0.65	5.43	3	Vertical	180	1.88	-	47.92
PK	5.4608G	60.23	68.20	-7.97	5.20	3	Vertical	180	1.88	-	55.03

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5290MHz_TX




EUT Y_2TX
Setting 53
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1124G	57.59	74.00	-16.41	5.11	3	Horizontal	238	1.76	-	52.48
AV	5.1376G	47.44	54.00	-6.56	5.11	3	Horizontal	238	1.76	-	42.33
PK	5.284G	95.46	Inf	-Inf	5.46	3	Horizontal	238	1.76	-	90.00
AV	5.2828G	85.07	Inf	-Inf	5.46	3	Horizontal	238	1.76	-	79.61
PK	5.3924G	58.15	74.00	-15.85	5.35	3	Horizontal	238	1.76	-	52.80
AV	5.3712G	47.60	54.00	-6.40	5.40	3	Horizontal	238	1.76	-	42.20
PK	5.466G	57.63	68.20	-10.57	5.19	3	Horizontal	238	1.76	-	52.44

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5290MHz_TX




EUT Y_2TX
Setting 53
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.57388G	54.02	68.20	-14.18	12.09	3	Vertical	18	2.89	-	41.93
PK	15.87822G	60.06	74.00	-13.94	15.09	3	Vertical	186	1.31	-	44.97
AV	15.8814G	49.50	54.00	-4.50	15.08	3	Vertical	186	1.31	-	34.42

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5290MHz_TX




EUT Y_2TX
Setting 53
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59083G	53.24	68.20	-14.96	12.12	3	Horizontal	205	1.14	-	41.12
PK	15.88095G	60.12	74.00	-13.88	15.08	3	Horizontal	80	2.83	-	45.04
AV	15.8844G	48.78	54.00	-5.22	15.08	3	Horizontal	80	2.83	-	33.70

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5530MHz_TX




EUT Y_2TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3415G	59.27	68.20	-8.93	5.46	3	Vertical	174	1.89	-	53.81
PK	5.458G	63.47	74.00	-10.53	5.20	3	Vertical	174	1.89	-	58.27
AV	5.457G	53.41	54.00	-0.59	5.21	3	Vertical	174	1.89	-	48.20
PK	5.4685G	65.83	68.20	-2.37	5.18	3	Vertical	174	1.89	-	60.65
PK	5.5055G	109.02	Inf	-Inf	5.11	3	Vertical	174	1.89	-	103.91
AV	5.525G	99.35	Inf	-Inf	5.09	3	Vertical	174	1.89	-	94.26
PK	5.741G	59.42	68.20	-8.78	4.74	3	Vertical	174	1.89	-	54.68

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5530MHz_TX




EUT Y_2TX
Setting 51
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3475G	58.45	68.20	-9.75	5.44	3	Horizontal	126	1.58	-	53.01
PK	5.4575G	59.62	74.00	-14.38	5.21	3	Horizontal	126	1.58	-	54.41
AV	5.4335G	48.19	54.00	-5.81	5.27	3	Horizontal	126	1.58	-	42.92
PK	5.4605G	57.90	68.20	-10.30	5.20	3	Horizontal	126	1.58	-	52.70
PK	5.5415G	94.88	Inf	-Inf	5.07	3	Horizontal	126	1.58	-	89.81
AV	5.5325G	83.91	Inf	-Inf	5.08	3	Horizontal	126	1.58	-	78.83
PK	5.753G	57.50	68.20	-10.70	4.75	3	Horizontal	126	1.58	-	52.75

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5530MHz_TX




EUT Y_2TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05635G	54.00	74.00	-20.00	12.62	3	Vertical	202	2.12	-	41.38
AV	11.0742G	43.48	54.00	-10.52	12.65	3	Vertical	202	2.12	-	30.83
PK	16.5786G	63.73	68.20	-4.47	16.13	3	Vertical	246	2.24	-	47.60

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5530MHz_TX




EUT Y_2TX
Setting 51
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0776G	54.17	74.00	-19.83	12.65	3	Horizontal	289	2.81	-	41.52
AV	11.08G	42.86	54.00	-11.14	12.65	3	Horizontal	289	2.81	-	30.21
PK	16.58665G	62.95	68.20	-5.25	16.14	3	Horizontal	56	2.50	-	46.81

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5610MHz_TX




EUT Y_2TX
Setting 68
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	63.47	74.00	-10.53	5.20	3	Vertical	177	1.72	-	58.27
AV	5.4572G	53.24	54.00	-0.76	5.21	3	Vertical	177	1.72	-	48.03
PK	5.4692G	64.22	68.20	-3.98	5.18	3	Vertical	177	1.72	-	59.04
PK	5.6216G	112.93	Inf	-Inf	4.94	3	Vertical	177	1.72	-	107.99
AV	5.6124G	102.81	Inf	-Inf	4.95	3	Vertical	177	1.72	-	97.86
PK	5.726G	66.08	68.20	-2.12	4.73	3	Vertical	177	1.72	-	61.35

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5610MHz_TX




EUT Y_2TX
Setting 68
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	58.69	74.00	-15.31	5.21	3	Horizontal	140	1.60	-	53.48
AV	5.4148G	48.12	54.00	-5.88	5.31	3	Horizontal	140	1.60	-	42.81
PK	5.4604G	57.67	68.20	-10.53	5.20	3	Horizontal	140	1.60	-	52.47
PK	5.586G	97.81	Inf	-Inf	5.00	3	Horizontal	140	1.60	-	92.81
AV	5.6012G	88.07	Inf	-Inf	4.99	3	Horizontal	140	1.60	-	83.08
PK	5.7284G	58.27	68.20	-9.93	4.73	3	Horizontal	140	1.60	-	53.54

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5610MHz_TX




EUT Y_2TX
Setting 68
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2028G	55.55	74.00	-18.45	12.84	3	Vertical	62	2.12	-	42.71
AV	11.20344G	43.87	54.00	-10.13	12.84	3	Vertical	62	2.12	-	31.03
PK	16.82272G	62.06	68.20	-6.14	16.61	3	Vertical	267	2.50	-	45.45

802.11ax HEW80_Nss2,(MCS0)_2TX

28/10/2019

5610MHz_TX




EUT Y_2TX
Setting 68
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.23428G	54.69	74.00	-19.31	12.89	3	Horizontal	294	2.45	-	41.80
AV	11.239G	43.68	54.00	-10.32	12.89	3	Horizontal	294	2.45	-	30.79
PK	16.82228G	62.35	68.20	-5.85	16.61	3	Horizontal	92	1.89	-	45.74

802.11ax HEW80_Nss2,(MCS0)_2TX

29/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 75
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4476G	61.53	74.00	-12.47	5.24	3	Vertical	175	1.81	-	56.29
AV	5.4596G	51.13	54.00	-2.87	5.20	3	Vertical	175	1.81	-	45.93
PK	5.4632G	60.98	68.20	-7.22	5.19	3	Vertical	175	1.81	-	55.79
PK	5.6846G	114.28	Inf	-Inf	4.75	3	Vertical	175	1.81	-	109.53
AV	5.6582G	104.48	Inf	-Inf	4.83	3	Vertical	175	1.81	-	99.65
PK	5.855G	67.48	68.20	-0.72	5.00	3	Vertical	175	1.81	-	62.48

802.11ax HEW80_Nss2,(MCS0)_2TX

29/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 75
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4566G	58.07	74.00	-15.93	5.21	3	Horizontal	140	1.50	-	52.86
AV	5.4164G	47.45	54.00	-6.55	5.31	3	Horizontal	140	1.50	-	42.14
PK	5.4698G	57.48	68.20	-10.72	5.18	3	Horizontal	140	1.50	-	52.30
PK	5.6744G	99.97	Inf	-Inf	4.78	3	Horizontal	140	1.50	-	95.19
AV	5.6792G	88.65	Inf	-Inf	4.75	3	Horizontal	140	1.50	-	83.90
PK	5.8952G	58.15	68.20	-10.05	5.15	3	Horizontal	140	1.50	-	53.00

802.11ax HEW80_Nss2,(MCS0)_2TX

29/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 75
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5066G	56.30	74.00	-17.70	13.31	3	Vertical	298	1.32	-	42.99
AV	11.497G	45.47	54.00	-8.53	13.28	3	Vertical	298	1.32	-	32.19
PK	17.0844G	63.63	68.20	-4.57	17.27	3	Vertical	60	1.99	-	46.36

802.11ax HEW80_Nss2,(MCS0)_2TX

29/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_2TX
Setting 75
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4904G	55.41	74.00	-18.59	13.28	3	Horizontal	112	1.95	-	42.13
AV	11.4926G	45.18	54.00	-8.82	13.29	3	Horizontal	112	1.95	-	31.89
PK	17.0904G	63.80	68.20	-4.40	17.28	3	Horizontal	188	1.16	-	46.52




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3501G	53.49	54.00	-0.51	8.28	3	Vertical	353	2.23	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5260MHz_TX




EUT Y_2TX
Setting 82
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1184G	61.48	74.00	-12.52	7.88	3	Vertical	348	2.19	-	53.60
AV	5.15G	49.60	54.00	-4.40	7.94	3	Vertical	348	2.19	-	41.66
PK	5.2684G	127.63	Inf	-Inf	8.16	3	Vertical	348	2.19	-	119.47
AV	5.2684G	115.43	Inf	-Inf	8.16	3	Vertical	348	2.19	-	107.27
PK	5.3542G	64.98	74.00	-9.02	8.28	3	Vertical	348	2.19	-	56.70
AV	5.3692G	53.37	54.00	-0.63	8.30	3	Vertical	348	2.19	-	45.07

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5260MHz_TX




EUT Y_2TX
Setting 82
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1262G	58.89	74.00	-15.11	7.90	3	Horizontal	301	1.14	-	50.99
AV	5.1478G	45.62	54.00	-8.38	7.94	3	Horizontal	301	1.14	-	37.68
PK	5.2624G	110.25	Inf	-Inf	8.15	3	Horizontal	301	1.14	-	102.10
AV	5.2516G	98.86	Inf	-Inf	8.14	3	Horizontal	301	1.14	-	90.72
PK	5.4064G	58.48	74.00	-15.52	8.35	3	Horizontal	301	1.14	-	50.13
AV	5.3512G	46.08	54.00	-7.92	8.28	3	Horizontal	301	1.14	-	37.80

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5260MHz_TX




EUT Y_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78112G	55.56	74.00	-18.44	15.43	3	Vertical	282	1.44	-	40.13
AV	15.77536G	41.86	54.00	-12.14	15.45	3	Vertical	282	1.44	-	26.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5260MHz_TX




EUT Y_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.76736G	56.25	74.00	-17.75	15.46	3	Horizontal	90	2.43	-	40.79
AV	15.77168G	41.71	54.00	-12.29	15.45	3	Horizontal	90	2.43	-	26.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5300MHz_TX




EUT Y_2TX
Setting 82
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2934G	125.46	Inf	-Inf	8.20	3	Vertical	359	2.37	-	117.26
AV	5.2934G	113.42	Inf	-Inf	8.20	3	Vertical	359	2.37	-	105.22
PK	5.3516G	71.33	74.00	-2.67	8.28	3	Vertical	359	2.37	-	63.05
AV	5.3501G	53.24	54.00	-0.76	8.28	3	Vertical	359	2.37	-	44.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5300MHz_TX




EUT Y_2TX
Setting 82
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2916G	112.02	Inf	-Inf	8.20	3	Horizontal	38	2.12	-	103.82
AV	5.2928G	100.94	Inf	-Inf	8.20	3	Horizontal	38	2.12	-	92.74
PK	5.35G	64.79	74.00	-9.21	8.28	3	Horizontal	38	2.12	-	56.51
AV	5.351G	46.45	54.00	-7.55	8.28	3	Horizontal	38	2.12	-	38.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5300MHz_TX




EUT Y_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61472G	53.54	74.00	-20.46	14.50	3	Vertical	329	2.26	-	39.04
AV	10.61488G	39.77	54.00	-14.23	14.50	3	Vertical	329	2.26	-	25.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5300MHz_TX




EUT Y_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60784G	53.04	74.00	-20.96	14.50	3	Horizontal	52	2.60	-	38.54
AV	10.61152G	39.85	54.00	-14.15	14.50	3	Horizontal	52	2.60	-	25.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5320MHz_TX




EUT Y_2TX
Setting 63
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3284G	120.58	Inf	-Inf	8.25	3	Vertical	353	2.23	-	112.33
AV	5.3272G	107.10	Inf	-Inf	8.25	3	Vertical	353	2.23	-	98.85
PK	5.353G	69.93	74.00	-4.07	8.28	3	Vertical	353	2.23	-	61.65
AV	5.3501G	53.49	54.00	-0.51	8.28	3	Vertical	353	2.23	-	45.21

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5320MHz_TX




EUT Y_2TX
Setting 63
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3284G	109.90	Inf	-Inf	8.25	3	Horizontal	313	1.04	-	101.65
AV	5.3248G	96.82	Inf	-Inf	8.24	3	Horizontal	313	1.04	-	88.58
PK	5.3524G	59.94	74.00	-14.06	8.28	3	Horizontal	313	1.04	-	51.66
AV	5.35G	46.40	54.00	-7.60	8.28	3	Horizontal	313	1.04	-	38.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5320MHz_TX




EUT Y_2TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63136G	53.44	74.00	-20.56	14.49	3	Vertical	12	1.77	-	38.95
AV	10.63472G	39.83	54.00	-14.17	14.49	3	Vertical	12	1.77	-	25.34

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5320MHz_TX




EUT Y_2TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63856G	53.60	74.00	-20.40	14.49	3	Horizontal	308	2.74	-	39.11
AV	10.63048G	39.83	54.00	-14.17	14.49	3	Horizontal	308	2.74	-	25.34

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5500MHz_TX




EUT Y_2TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	61.90	74.00	-12.10	8.45	3	Vertical	3	1.50	-	53.45
AV	5.392G	49.15	54.00	-4.85	8.33	3	Vertical	3	1.50	-	40.82
PK	5.4682G	67.63	68.20	-0.57	8.46	3	Vertical	3	1.50	-	59.17
PK	5.5084G	119.34	Inf	-Inf	8.53	3	Vertical	3	1.50	-	110.81
AV	5.4928G	106.42	Inf	-Inf	8.51	3	Vertical	3	1.50	-	97.91

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5500MHz_TX




EUT Y_2TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4328G	59.00	74.00	-15.00	8.40	3	Horizontal	50	1.24	-	50.60
AV	5.4082G	45.90	54.00	-8.10	8.35	3	Horizontal	50	1.24	-	37.55
PK	5.4688G	57.98	68.20	-10.22	8.46	3	Horizontal	50	1.24	-	49.52
PK	5.5084G	109.80	Inf	-Inf	8.53	3	Horizontal	50	1.24	-	101.27
AV	5.5084G	96.63	Inf	-Inf	8.53	3	Horizontal	50	1.24	-	88.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5500MHz_TX




EUT Y_2TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00312G	53.48	74.00	-20.52	14.26	3	Vertical	187	1.50	-	39.22
AV	11.01592G	39.91	54.00	-14.09	14.28	3	Vertical	187	1.50	-	25.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5500MHz_TX




EUT Y_2TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99608G	53.70	74.00	-20.30	14.26	3	Horizontal	279	2.17	-	39.44
AV	11.01736G	39.93	54.00	-14.07	14.28	3	Horizontal	279	2.17	-	25.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	65.70	74.00	-8.30	8.45	3	Vertical	12	2.20	-	57.25
AV	5.46G	51.42	54.00	-2.58	8.45	3	Vertical	12	2.20	-	42.97
PK	5.468G	66.38	68.20	-1.82	8.46	3	Vertical	12	2.20	-	57.92
PK	5.5888G	128.24	Inf	-Inf	8.57	3	Vertical	12	2.20	-	119.67
AV	5.5832G	115.98	Inf	-Inf	8.57	3	Vertical	12	2.20	-	107.41
PK	5.7272G	64.93	68.20	-3.27	8.80	3	Vertical	12	2.20	-	56.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	58.92	74.00	-15.08	8.45	3	Horizontal	54	1.06	-	50.47
AV	5.4552G	46.06	54.00	-7.94	8.44	3	Horizontal	54	1.06	-	37.62
PK	5.4696G	60.41	68.20	-7.79	8.46	3	Horizontal	54	1.06	-	51.95
PK	5.5712G	112.21	Inf	-Inf	8.56	3	Horizontal	54	1.06	-	103.65
AV	5.5712G	101.13	Inf	-Inf	8.56	3	Horizontal	54	1.06	-	92.57
PK	5.7432G	58.95	68.20	-9.25	8.82	3	Horizontal	54	1.06	-	50.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16512G	53.04	74.00	-20.96	14.47	3	Vertical	322	2.12	-	38.57
AV	11.17832G	39.83	54.00	-14.17	14.48	3	Vertical	322	2.12	-	25.35
PK	16.73552G	64.61	68.20	-3.59	18.13	3	Vertical	136	1.06	-	46.48

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5580MHz_TX




EUT Y_2TX
Setting 91
02-B-2
FSU(100015)





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15176G	53.32	74.00	-20.68	14.45	3	Horizontal	99	2.33	-	38.87
AV	11.1736G	39.78	54.00	-14.22	14.48	3	Horizontal	99	2.33	-	25.30
PK	16.74248G	64.52	68.20	-3.68	18.16	3	Horizontal	118	2.46	-	46.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5700MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_2TX
 Setting 49
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7084G	118.98	Inf	-Inf	8.77	3	Vertical	8	2.35	-	110.21
AV	5.7048G	105.96	Inf	-Inf	8.76	3	Vertical	8	2.35	-	97.20
PK	5.7254G	67.56	68.20	-0.64	8.79	3	Vertical	8	2.35	-	58.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5700MHz_TX




EUT Y_2TX
Setting 49
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6934G	100.32	Inf	-Inf	8.74	3	Horizontal	232	2.59	-	91.58
AV	5.6948G	88.09	Inf	-Inf	8.74	3	Horizontal	232	2.59	-	79.35
PK	5.739G	58.76	68.20	-9.44	8.80	3	Horizontal	232	2.59	-	49.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5700MHz_TX




EUT Y_2TX
Setting 49
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40097G	54.27	74.00	-19.73	14.77	3	Vertical	125	1.08	-	39.50
AV	11.39868G	40.49	54.00	-13.51	14.77	3	Vertical	125	1.08	-	25.72

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

29/10/2019

5700MHz_TX




EUT Y_2TX
Setting 49
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39798G	54.11	74.00	-19.89	14.77	3	Horizontal	197	1.88	-	39.34
AV	11.39973G	40.62	54.00	-13.38	14.77	3	Horizontal	197	1.88	-	25.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_2TX
 Setting 90
 02-W-3-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7208G	124.87	Inf	-Inf	8.78	3	Vertical	345	1.50	-	116.09
AV	5.7184G	113.16	Inf	-Inf	8.77	3	Vertical	345	1.50	-	104.39
PK	5.8544G	64.51	68.20	-3.69	8.90	3	Vertical	345	1.50	-	55.61



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 90
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7112G	109.04	Inf	-Inf	8.77	3	Horizontal	198	1.49	-	100.27
AV	5.7128G	98.16	Inf	-Inf	8.77	3	Horizontal	198	1.49	-	89.39
PK	5.8536G	58.51	68.20	-9.69	8.90	3	Horizontal	198	1.49	-	49.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/11/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.1648G	67.07	68.20	-1.13	20.28	3	Vertical	18	1.41	-	46.79
AV	17.15768G	52.94	Inf	-Inf	20.25	3	Vertical	18	1.41	-	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/11/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.15656G	67.67	68.20	-0.53	20.24	3	Horizontal	196	1.48	-	47.43
AV	17.1524G	52.20	Inf	-Inf	20.21	3	Horizontal	196	1.48	-	31.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5270MHz_TX




EUT Y_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	62.28	74.00	-11.72	7.94	3	Vertical	358	2.09	-	54.34
AV	5.1499G	49.64	54.00	-4.36	7.94	3	Vertical	358	2.09	-	41.70
PK	5.2802G	121.41	Inf	-Inf	8.18	3	Vertical	358	2.09	-	113.23
AV	5.264G	110.34	Inf	-Inf	8.16	3	Vertical	358	2.09	-	102.18
PK	5.3516G	71.15	74.00	-2.85	8.28	3	Vertical	358	2.09	-	62.87
AV	5.3534G	53.49	54.00	-0.51	8.28	3	Vertical	358	2.09	-	45.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5270MHz_TX




EUT Y_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1398G	58.27	74.00	-15.73	7.93	3	Horizontal	292	1.17	-	50.34
AV	5.1398G	45.60	54.00	-8.40	7.93	3	Horizontal	292	1.17	-	37.67
PK	5.2874G	106.34	Inf	-Inf	8.19	3	Horizontal	292	1.17	-	98.15
AV	5.2874G	94.46	Inf	-Inf	8.19	3	Horizontal	292	1.17	-	86.27
PK	5.35G	59.63	74.00	-14.37	8.28	3	Horizontal	292	1.17	-	51.35
AV	5.3516G	46.22	54.00	-7.78	8.28	3	Horizontal	292	1.17	-	37.94

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5270MHz_TX




EUT Y_2TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80148G	53.92	74.00	-20.08	15.38	3	Vertical	283	1.02	-	38.54
AV	15.78996G	40.77	54.00	-13.23	15.41	3	Vertical	283	1.02	-	25.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5270MHz_TX




EUT Y_2TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8004G	54.36	74.00	-19.64	15.38	3	Horizontal	13	1.85	-	38.98
AV	15.78444G	40.66	54.00	-13.34	15.43	3	Horizontal	13	1.85	-	25.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5310MHz_TX




EUT Y_2TX
Setting 61
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.302G	118.34	Inf	-Inf	8.21	3	Vertical	358	2.27	-	110.13
AV	5.3048G	106.38	Inf	-Inf	8.22	3	Vertical	358	2.27	-	98.16
PK	5.3504G	72.84	74.00	-1.16	8.28	3	Vertical	358	2.27	-	64.56
AV	5.35G	53.47	54.00	-0.53	8.28	3	Vertical	358	2.27	-	45.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5310MHz_TX




EUT Y_2TX
Setting 61
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2964G	101.74	Inf	-Inf	8.21	3	Horizontal	11	1.64	-	93.53
AV	5.2948G	89.69	Inf	-Inf	8.20	3	Horizontal	11	1.64	-	81.49
PK	5.3532G	59.66	74.00	-14.34	8.28	3	Horizontal	11	1.64	-	51.38
AV	5.3528G	46.12	54.00	-7.88	8.28	3	Horizontal	11	1.64	-	37.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5310MHz_TX




EUT Y_2TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.91356G	53.39	74.00	-20.61	15.09	3	Vertical	239	2.98	-	38.30
AV	15.9342G	40.18	54.00	-13.82	15.03	3	Vertical	239	2.98	-	25.15

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5310MHz_TX




EUT Y_2TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94452G	53.70	74.00	-20.30	15.00	3	Horizontal	19	1.09	-	38.70
AV	15.92844G	40.37	54.00	-13.63	15.05	3	Horizontal	19	1.09	-	25.32

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5510MHz_TX




EUT Y_2TX
Setting 53
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	62.56	74.00	-11.44	8.45	3	Vertical	4	2.35	-	54.11
AV	5.4588G	50.53	54.00	-3.47	8.45	3	Vertical	4	2.35	-	42.08
PK	5.4692G	67.68	68.20	-0.52	8.46	3	Vertical	4	2.35	-	59.22
PK	5.5204G	117.68	Inf	-Inf	8.53	3	Vertical	4	2.35	-	109.15
AV	5.5088G	104.94	Inf	-Inf	8.53	3	Vertical	4	2.35	-	96.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5510MHz_TX




EUT Y_2TX
Setting 53
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.426G	58.58	74.00	-15.42	8.39	3	Horizontal	59	1.26	-	50.19
PK	5.464G	57.78	68.20	-10.42	8.45	3	Horizontal	59	1.26	-	49.33
AV	5.4564G	45.69	54.00	-8.31	8.44	3	Horizontal	59	1.26	-	37.25
PK	5.4996G	101.38	Inf	-Inf	8.52	3	Horizontal	59	1.26	-	92.86
AV	5.4952G	89.35	Inf	-Inf	8.51	3	Horizontal	59	1.26	-	80.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5510MHz_TX




EUT Y_2TX
Setting 53
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02708G	52.87	74.00	-21.13	14.29	3	Vertical	202	2.12	-	38.58
AV	11.0248G	39.79	54.00	-14.21	14.29	3	Vertical	202	2.12	-	25.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5510MHz_TX




EUT Y_2TX
Setting 53
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.04484G	52.73	74.00	-21.27	14.32	3	Horizontal	178	1.59	-	38.41
AV	11.04076G	39.93	54.00	-14.07	14.31	3	Horizontal	178	1.59	-	25.62

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5550MHz_TX




EUT Y_2TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	63.05	74.00	-10.95	8.44	3	Vertical	8	2.34	-	54.61
AV	5.458G	50.24	54.00	-3.76	8.45	3	Vertical	8	2.34	-	41.79
PK	5.47G	67.50	68.20	-0.70	8.46	3	Vertical	8	2.34	-	59.04
PK	5.5396G	121.63	Inf	-Inf	8.54	3	Vertical	8	2.34	-	113.09
AV	5.542G	108.81	Inf	-Inf	8.55	3	Vertical	8	2.34	-	100.26
PK	5.7476G	61.81	68.20	-6.39	8.82	3	Vertical	8	2.34	-	52.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5550MHz_TX



EUT Y_2TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	58.90	74.00	-15.10	8.44	3	Horizontal	307	1.00	-	50.46
AV	5.4356G	45.94	54.00	-8.06	8.41	3	Horizontal	307	1.00	-	37.53
PK	5.4676G	57.92	68.20	-10.28	8.46	3	Horizontal	307	1.00	-	49.46
PK	5.5604G	106.76	Inf	-Inf	8.56	3	Horizontal	307	1.00	-	98.20
AV	5.534G	94.11	Inf	-Inf	8.54	3	Horizontal	307	1.00	-	85.57
PK	5.746G	58.83	68.20	-9.37	8.82	3	Horizontal	307	1.00	-	50.01

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5550MHz_TX




EUT Y_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.07108G	53.37	74.00	-20.63	14.36	3	Vertical	220	1.28	-	39.01
AV	11.08308G	39.68	54.00	-14.32	14.37	3	Vertical	220	1.28	-	25.31
PK	16.66884G	56.50	68.20	-11.70	17.83	3	Vertical	171	2.21	-	38.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5550MHz_TX




EUT Y_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09232G	52.93	74.00	-21.07	14.38	3	Horizontal	352	2.81	-	38.55
AV	11.08956G	39.87	54.00	-14.13	14.38	3	Horizontal	352	2.81	-	25.49
PK	16.64004G	56.68	68.20	-11.52	17.71	3	Horizontal	173	1.62	-	38.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5670MHz_TX




EUT Y_2TX
Setting 59
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6592G	119.49	Inf	-Inf	8.68	3	Vertical	1	2.15	-	110.81
AV	5.6588G	107.10	Inf	-Inf	8.68	3	Vertical	1	2.15	-	98.42
PK	5.7284G	67.64	68.20	-0.56	8.80	3	Vertical	1	2.15	-	58.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5670MHz_TX




EUT Y_2TX
Setting 59
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6868G	99.77	Inf	-Inf	8.72	3	Horizontal	203	1.60	-	91.05
AV	5.6876G	87.84	Inf	-Inf	8.72	3	Horizontal	203	1.60	-	79.12
PK	5.7484G	58.76	68.20	-9.44	8.82	3	Horizontal	203	1.60	-	49.94

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5670MHz_TX




EUT Y_2TX
Setting 59
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.31192G	53.19	74.00	-20.81	14.67	3	Vertical	16	1.75	-	38.52
AV	11.36988G	39.73	54.00	-14.27	14.75	3	Vertical	16	1.75	-	24.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5670MHz_TX




EUT Y_2TX
Setting 59
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.36556G	52.47	74.00	-21.53	14.73	3	Horizontal	128	2.40	-	37.74
AV	11.36916G	39.71	54.00	-14.29	14.75	3	Horizontal	128	2.40	-	24.96

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7204G	119.97	Inf	-Inf	8.78	3	Vertical	14	1.50	-	111.19
AV	5.7044G	108.30	Inf	-Inf	8.76	3	Vertical	14	1.50	-	99.54
PK	5.8524G	62.95	68.20	-5.25	8.90	3	Vertical	14	1.50	-	54.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7084G	102.62	Inf	-Inf	8.77	3	Horizontal	113	1.47	-	93.85
AV	5.714G	90.80	Inf	-Inf	8.77	3	Horizontal	113	1.47	-	82.03
PK	5.8732G	58.76	68.20	-9.44	8.91	3	Horizontal	113	1.47	-	49.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT Y_2TX
Setting 79
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43032G	54.07	74.00	-19.93	14.81	3	Vertical	267	2.65	-	39.26
AV	11.4422G	40.50	54.00	-13.50	14.82	3	Vertical	267	2.65	-	25.68
PK	17.10576G	67.54	68.20	-0.66	19.94	3	Vertical	17	1.48	-	47.60

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 79
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42132G	54.43	74.00	-19.57	14.80	3	Horizontal	27	2.95	-	39.63
AV	11.43068G	40.67	54.00	-13.33	14.81	3	Horizontal	27	2.95	-	25.86
PK	17.11008G	67.58	68.20	-0.62	19.96	3	Horizontal	142	1.50	-	47.62

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5290MHz_TX




EUT Y_2TX
Setting 54
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.126G	61.21	74.00	-12.79	7.90	3	Vertical	4	2.08	-	53.31
AV	5.148G	48.18	54.00	-5.82	7.94	3	Vertical	4	2.08	-	40.24
PK	5.297G	113.88	Inf	-Inf	8.21	3	Vertical	4	2.08	-	105.67
AV	5.293G	100.68	Inf	-Inf	8.20	3	Vertical	4	2.08	-	92.48
PK	5.351G	68.35	74.00	-5.65	8.28	3	Vertical	4	2.08	-	60.07
AV	5.35G	53.43	54.00	-0.57	8.28	3	Vertical	4	2.08	-	45.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5290MHz_TX




EUT Y_2TX
Setting 54
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.096G	57.88	74.00	-16.12	7.83	3	Horizontal	303	1.00	-	50.05
AV	5.069G	45.10	54.00	-8.90	7.76	3	Horizontal	303	1.00	-	37.34
PK	5.275G	99.28	Inf	-Inf	8.17	3	Horizontal	303	1.00	-	91.11
AV	5.32G	86.40	Inf	-Inf	8.23	3	Horizontal	303	1.00	-	78.17
PK	5.415G	58.65	74.00	-15.35	8.36	3	Horizontal	303	1.00	-	50.29
AV	5.364G	45.49	54.00	-8.51	8.29	3	Horizontal	303	1.00	-	37.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5290MHz_TX




EUT Y_2TX
Setting 54
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87368G	53.74	74.00	-20.26	15.20	3	Vertical	94	1.01	-	38.54
AV	15.86456G	39.98	54.00	-14.02	15.22	3	Vertical	94	1.01	-	24.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5290MHz_TX




EUT Y_2TX
Setting 54
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.88152G	53.35	74.00	-20.65	15.17	3	Horizontal	357	2.59	-	38.18
AV	15.85224G	40.07	54.00	-13.93	15.25	3	Horizontal	357	2.59	-	24.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5530MHz_TX




EUT Y_2TX
Setting 52
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.20	74.00	-9.80	8.45	3	Vertical	8	2.35	-	55.75
AV	5.46G	50.74	54.00	-3.26	8.45	3	Vertical	8	2.35	-	42.29
PK	5.468G	67.57	68.20	-0.63	8.46	3	Vertical	8	2.35	-	59.11
PK	5.504G	115.93	Inf	-Inf	8.52	3	Vertical	8	2.35	-	107.41
AV	5.525G	101.18	Inf	-Inf	8.53	3	Vertical	8	2.35	-	92.65
PK	5.73G	60.85	68.20	-7.35	8.80	3	Vertical	8	2.35	-	52.05

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5530MHz_TX




EUT Y_2TX
Setting 52
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.426G	57.88	74.00	-16.12	8.39	3	Horizontal	61	1.20	-	49.49
AV	5.459G	45.35	54.00	-8.65	8.45	3	Horizontal	61	1.20	-	36.90
PK	5.469G	57.56	68.20	-10.64	8.46	3	Horizontal	61	1.20	-	49.10
PK	5.539G	96.11	Inf	-Inf	8.54	3	Horizontal	61	1.20	-	87.57
AV	5.541G	83.85	Inf	-Inf	8.54	3	Horizontal	61	1.20	-	75.31
PK	5.73G	59.12	68.20	-9.08	8.80	3	Horizontal	61	1.20	-	50.32

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5530MHz_TX




EUT Y_2TX
Setting 52
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03696G	54.24	74.00	-19.76	14.31	3	Vertical	87	1.71	-	39.93
AV	11.02656G	39.43	54.00	-14.57	14.29	3	Vertical	87	1.71	-	25.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5530MHz_TX




EUT Y_2TX
Setting 52
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03536G	52.73	74.00	-21.27	14.31	3	Horizontal	321	1.62	-	38.42
AV	11.0264G	39.47	54.00	-14.53	14.29	3	Horizontal	321	1.62	-	25.18

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5610MHz_TX




EUT Y_2TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	64.93	74.00	-9.07	8.45	3	Vertical	13	2.20	-	56.48
AV	5.46G	50.56	54.00	-3.44	8.45	3	Vertical	13	2.20	-	42.11
PK	5.468G	64.08	68.20	-4.12	8.46	3	Vertical	13	2.20	-	55.62
PK	5.581G	118.49	Inf	-Inf	8.57	3	Vertical	13	2.20	-	109.92
AV	5.599G	103.78	Inf	-Inf	8.58	3	Vertical	13	2.20	-	95.20
PK	5.729G	67.58	68.20	-0.62	8.80	3	Vertical	13	2.20	-	58.78

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5610MHz_TX




EUT Y_2TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.403G	58.21	74.00	-15.79	8.34	3	Horizontal	237	1.65	-	49.87
AV	5.427G	45.23	54.00	-8.77	8.40	3	Horizontal	237	1.65	-	36.83
PK	5.469G	57.27	68.20	-10.93	8.46	3	Horizontal	237	1.65	-	48.81
PK	5.643G	96.55	Inf	-Inf	8.66	3	Horizontal	237	1.65	-	87.89
AV	5.64G	83.94	Inf	-Inf	8.65	3	Horizontal	237	1.65	-	75.29
PK	5.819G	59.03	68.20	-9.17	8.90	3	Horizontal	237	1.65	-	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5610MHz_TX



EUT Y_2TX
Setting 68
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22912G	53.44	74.00	-20.56	14.55	3	Vertical	10	2.85	-	38.89
AV	11.23552G	39.30	54.00	-14.70	14.56	3	Vertical	10	2.85	-	24.74
PK	16.84584G	57.51	68.20	-10.69	18.62	3	Vertical	161	2.66	-	38.89

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5610MHz_TX




EUT Y_2TX
Setting 68
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.244G	53.48	74.00	-20.52	14.58	3	Horizontal	110	2.92	-	38.90
AV	11.2568G	39.25	54.00	-14.75	14.60	3	Horizontal	110	2.92	-	24.65
PK	16.83112G	58.36	68.20	-9.84	18.56	3	Horizontal	9	1.22	-	39.80

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_2TX
Setting 73
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.445G	60.28	74.00	-13.72	8.42	3	Vertical	9	2.15	-	51.86
AV	5.46G	47.60	54.00	-6.40	8.45	3	Vertical	9	2.15	-	39.15
PK	5.469G	61.00	68.20	-7.20	8.46	3	Vertical	9	2.15	-	52.54
PK	5.699G	119.19	Inf	-Inf	8.75	3	Vertical	9	2.15	-	110.44
AV	5.703G	105.84	Inf	-Inf	8.75	3	Vertical	9	2.15	-	97.09
PK	5.851G	67.57	68.20	-0.63	8.90	3	Vertical	9	2.15	-	58.67



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	58.14	74.00	-15.86	8.45	3	Horizontal	201	1.42	-	49.69
AV	5.446G	45.16	54.00	-8.84	8.42	3	Horizontal	201	1.42	-	36.74
PK	5.462G	57.47	68.20	-10.73	8.45	3	Horizontal	201	1.42	-	49.02
PK	5.7G	102.05	Inf	-Inf	8.75	3	Horizontal	201	1.42	-	93.30
AV	5.699G	88.93	Inf	-Inf	8.75	3	Horizontal	201	1.42	-	80.18
PK	5.866G	59.04	68.20	-9.16	8.91	3	Horizontal	201	1.42	-	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41136G	54.36	74.00	-19.64	14.79	3	Vertical	160	1.60	-	39.57
AV	11.40976G	39.91	54.00	-14.09	14.79	3	Vertical	160	1.60	-	25.12
PK	17.08984G	60.40	68.20	-7.80	19.85	3	Vertical	18	1.52	-	40.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_2TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40592G	53.37	74.00	-20.63	14.78	3	Horizontal	226	1.51	-	38.59
AV	11.41312G	39.92	54.00	-14.08	14.79	3	Horizontal	226	1.51	-	25.13
PK	17.10408G	60.63	68.20	-7.57	19.92	3	Horizontal	135	1.82	-	40.71