


Appendix 2: Radiated spurious emission


Radio 1:

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 25 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2412MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 40.665 | 35.973 | -33.335 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 44.752 | 35.175 | -29.248 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 44.107 | 34.284 | -29.893 | 74.000 | 9.823 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 26 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2412MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 39.132 | 34.440 | -34.868 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 44.975 | 35.398 | -29.025 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 42.495 | 32.672 | -31.505 | 74.000 | 9.823 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 27 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2437MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 39.963 | 35.211 | -34.037 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 44.431 | 34.719 | -29.569 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 43.420 | 33.393 | -30.580 | 74.000 | 10.026 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 28 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2437MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 39.817 | 35.065 | -34.183 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 44.069 | 34.357 | -29.931 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 42.577 | 32.550 | -31.423 | 74.000 | 10.026 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 29 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2462MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.209 | 34.490 | -34.791 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.037 | 33.912 | -30.963 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.164 | 33.239 | -29.836 | 74.000 | 10.925 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 30 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2462MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.571 | 34.852 | -34.429 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.284 | 34.159 | -30.716 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 43.984 | 33.059 | -30.016 | 74.000 | 10.925 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 31 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2412MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 38.840 | 34.148 | -35.160 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 43.735 | 34.158 | -30.265 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 43.376 | 33.553 | -30.624 | 74.000 | 9.823 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 32 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2412MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 40.195 | 35.503 | -33.805 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 42.905 | 33.328 | -31.095 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 42.734 | 32.911 | -31.266 | 74.000 | 9.823 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 33 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2437MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 39.282 | 34.530 | -34.718 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 44.157 | 34.445 | -29.843 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 42.592 | 32.565 | -31.408 | 74.000 | 10.026 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 34 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2437MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 40.215 | 35.463 | -33.785 | 74.000 | 4.752 | PK |
| 2 | | 7311.000 | 44.068 | 34.356 | -29.932 | 74.000 | 9.712 | PK |
| 3 | * | 9748.000 | 45.177 | 35.150 | -28.823 | 74.000 | 10.026 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 35 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2462MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.163 | 34.444 | -34.837 | 74.000 | 4.719 | PK |
| 2 | * | 7386.000 | 43.987 | 34.862 | -30.013 | 74.000 | 9.125 | PK |
| 3 | | 9848.000 | 43.711 | 32.786 | -30.289 | 74.000 | 10.925 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 36 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2462MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.732 | 35.013 | -34.268 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 42.796 | 33.671 | -31.204 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.129 | 33.204 | -29.871 | 74.000 | 10.925 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 37 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 39.742 | 35.050 | -34.258 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 43.855 | 34.278 | -30.145 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 42.652 | 32.829 | -31.348 | 74.000 | 9.823 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 38 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 40.092 | 35.400 | -33.908 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 43.889 | 34.312 | -30.111 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 43.060 | 33.237 | -30.940 | 74.000 | 9.823 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 39 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 38.446 | 33.694 | -35.554 | 74.000 | 4.752 | PK |
| 2 | | 7311.000 | 43.379 | 33.667 | -30.621 | 74.000 | 9.712 | PK |
| 3 | * | 9748.000 | 43.963 | 33.936 | -30.037 | 74.000 | 10.026 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 40 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 39.346 | 34.594 | -34.654 | 74.000 | 4.752 | PK |
| 2 | | 7311.000 | 43.574 | 33.862 | -30.426 | 74.000 | 9.712 | PK |
| 3 | * | 9748.000 | 43.851 | 33.824 | -30.149 | 74.000 | 10.026 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 41 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.033 | 34.314 | -34.967 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.052 | 33.927 | -30.948 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.164 | 33.239 | -29.836 | 74.000 | 10.925 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 42 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 40.373 | 35.654 | -33.627 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.499 | 34.374 | -30.501 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.984 | 34.059 | -29.016 | 74.000 | 10.925 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 43 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit at 2412MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 39.735 | 35.043 | -34.265 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 43.538 | 33.961 | -30.462 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 43.007 | 33.184 | -30.993 | 74.000 | 9.823 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 44 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 41.175 | 36.483 | -32.825 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 43.949 | 34.372 | -30.051 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 42.779 | 32.956 | -31.221 | 74.000 | 9.823 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 45 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 40.035 | 35.283 | -33.965 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 44.249 | 34.537 | -29.751 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 43.864 | 33.837 | -30.136 | 74.000 | 10.026 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 46 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 39.523 | 34.771 | -34.477 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 43.677 | 33.965 | -30.323 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 42.899 | 32.872 | -31.101 | 74.000 | 10.026 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 47 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.119 | 34.400 | -34.881 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.029 | 33.904 | -30.971 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.061 | 33.136 | -29.939 | 74.000 | 10.925 | PK |


| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 48 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.633 | 34.914 | -34.367 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.249 | 34.124 | -30.751 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.096 | 33.171 | -29.904 | 74.000 | 10.925 | PK |


Radio 2:

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 25 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2412MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 39.543 | 34.851 | -34.457 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 44.273 | 34.696 | -29.727 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 43.866 | 34.043 | -30.134 | 74.000 | 9.823 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 26 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2412MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 40.428 | 35.736 | -33.572 | 74.000 | 4.692 | PK |
| 2 | | 7236.000 | 43.483 | 33.906 | -30.517 | 74.000 | 9.576 | PK |
| 3 | * | 9648.000 | 43.559 | 33.736 | -30.441 | 74.000 | 9.823 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 27 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2437MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 40.033 | 35.281 | -33.967 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 44.569 | 34.857 | -29.431 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 43.639 | 33.612 | -30.361 | 74.000 | 10.026 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 28 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2437MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 39.035 | 34.283 | -34.965 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 44.040 | 34.328 | -29.960 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 43.370 | 33.343 | -30.630 | 74.000 | 10.026 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 29 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2462MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.323 | 34.604 | -34.677 | 74.000 | 4.719 | PK |
| 2 | * | 7386.000 | 44.170 | 35.045 | -29.830 | 74.000 | 9.125 | PK |
| 3 | | 9848.000 | 43.634 | 32.709 | -30.366 | 74.000 | 10.925 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 30 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 2462MHz by 802.11b | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.339 | 34.620 | -34.661 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.416 | 34.291 | -30.584 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.373 | 33.448 | -29.627 | 74.000 | 10.925 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 31 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2412MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 40.774 | 36.082 | -33.226 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 43.688 | 34.111 | -30.312 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 42.764 | 32.941 | -31.236 | 74.000 | 9.823 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 32 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2412MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 40.322 | 35.630 | -33.678 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 44.200 | 34.623 | -29.800 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 43.800 | 33.977 | -30.200 | 74.000 | 9.823 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 33 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2437MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 40.142 | 35.390 | -33.858 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 44.410 | 34.698 | -29.590 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 43.155 | 33.128 | -30.845 | 74.000 | 10.026 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 34 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2437MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 38.890 | 34.138 | -35.110 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 44.222 | 34.510 | -29.778 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 43.457 | 33.430 | -30.543 | 74.000 | 10.026 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 35 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2462MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 38.838 | 34.119 | -35.162 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.335 | 34.210 | -30.665 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 43.405 | 32.480 | -30.595 | 74.000 | 10.925 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 36 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 2462MHz by 802.11g | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 38.867 | 34.148 | -35.133 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.377 | 34.252 | -30.623 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.120 | 33.195 | -29.880 | 74.000 | 10.925 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 37 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 39.619 | 34.927 | -34.381 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 44.010 | 34.433 | -29.990 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 43.133 | 33.310 | -30.867 | 74.000 | 9.823 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 38 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 40.438 | 35.746 | -33.562 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 43.915 | 34.338 | -30.085 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 42.932 | 33.109 | -31.068 | 74.000 | 9.823 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 39 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 38.596 | 33.844 | -35.404 | 74.000 | 4.752 | PK |
| 2 | | 7311.000 | 43.388 | 33.676 | -30.612 | 74.000 | 9.712 | PK |
| 3 | * | 9748.000 | 43.740 | 33.713 | -30.260 | 74.000 | 10.026 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 40 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 39.053 | 34.301 | -34.947 | 74.000 | 4.752 | PK |
| 2 | | 7311.000 | 43.118 | 33.406 | -30.882 | 74.000 | 9.712 | PK |
| 3 | * | 9748.000 | 44.076 | 34.049 | -29.924 | 74.000 | 10.026 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 41 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.176 | 34.457 | -34.824 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.584 | 34.459 | -30.416 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.731 | 33.806 | -29.269 | 74.000 | 10.925 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 42 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 38.921 | 34.202 | -35.079 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 44.337 | 35.212 | -29.663 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 45.108 | 34.183 | -28.892 | 74.000 | 10.925 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 43 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 38.901 | 34.209 | -35.099 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 43.560 | 33.983 | -30.440 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 42.969 | 33.146 | -31.031 | 74.000 | 9.823 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 44 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4824.000 | 39.802 | 35.110 | -34.198 | 74.000 | 4.692 | PK |
| 2 | * | 7236.000 | 44.504 | 34.927 | -29.496 | 74.000 | 9.576 | PK |
| 3 | | 9648.000 | 43.099 | 33.276 | -30.901 | 74.000 | 9.823 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 45 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 39.058 | 34.306 | -34.942 | 74.000 | 4.752 | PK |
| 2 | | 7311.000 | 43.560 | 33.848 | -30.440 | 74.000 | 9.712 | PK |
| 3 | * | 9748.000 | 44.125 | 34.098 | -29.875 | 74.000 | 10.026 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 46 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4874.000 | 40.351 | 35.599 | -33.649 | 74.000 | 4.752 | PK |
| 2 | * | 7311.000 | 43.650 | 33.938 | -30.350 | 74.000 | 9.712 | PK |
| 3 | | 9748.000 | 43.077 | 33.050 | -30.923 | 74.000 | 10.026 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 47 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.721 | 35.002 | -34.279 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 43.241 | 34.116 | -30.759 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 44.220 | 33.295 | -29.780 | 74.000 | 10.925 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 48 |
| Engineer: YULIU | |
| Site: AC5 | Time: 2019/11/14 - 02:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 4924.000 | 39.497 | 34.778 | -34.503 | 74.000 | 4.719 | PK |
| 2 | | 7386.000 | 42.837 | 33.712 | -31.163 | 74.000 | 9.125 | PK |
| 3 | * | 9848.000 | 43.790 | 32.865 | -30.210 | 74.000 | 10.925 | PK |