



Profile: 1992128R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.560	32.781	-29.440	74.000	11.780	PK
2	*	15630.000	50.608	32.746	-23.392	74.000	17.862	PK

Profile: 1992128R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.376	33.597	-28.624	74.000	11.780	PK
2	*	15630.000	50.518	32.656	-23.482	74.000	17.862	PK

Profile: 1992128R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.524	31.114	-28.476	74.000	14.409	PK
2	*	17325.000	49.631	29.066	-24.369	74.000	20.565	PK


Profile: 1992128R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.667	31.257	-28.333	74.000	14.409	PK
2	*	17325.000	49.572	29.007	-24.428	74.000	20.565	PK


Radio 3:
5GHz High Band
2*2 CDD:

Profile: 1992128R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.228	32.297	-27.772	74.000	13.931	PK
2	*	17235.000	51.864	31.583	-22.136	74.000	20.281	PK

Profile: 1992128R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.733	31.802	-28.267	74.000	13.931	PK
2	*	17235.000	50.782	30.501	-23.218	74.000	20.281	PK

Profile: 1992128R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.961	30.747	-29.039	74.000	14.214	PK
2	*	17355.000	50.773	31.010	-23.227	74.000	19.762	PK

Profile: 1992128R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.936	32.722	-27.064	74.000	14.214	PK
2	*	17355.000	50.126	30.363	-23.874	74.000	19.762	PK

Profile: 1992128R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.090	31.513	-27.910	74.000	14.577	PK
2	*	17475.000	52.437	32.528	-21.563	74.000	19.909	PK

Profile: 1992128R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	48.749	34.172	-25.251	74.000	14.577	PK
2	*	17475.000	52.434	32.525	-21.566	74.000	19.909	PK

Profile: 1992128R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.678	31.747	-28.322	74.000	13.931	PK
2	*	17235.000	51.469	31.188	-22.531	74.000	20.281	PK

Profile: 1992128R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.715	30.784	-29.285	74.000	13.931	PK
2	*	17235.000	51.597	31.316	-22.403	74.000	20.281	PK

Profile: 1992128R	Page No.: 49
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.492	31.278	-28.508	74.000	14.214	PK
2	*	17355.000	50.629	30.866	-23.371	74.000	19.762	PK

Profile: 1992128R	Page No.: 50
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.317	31.103	-28.683	74.000	14.214	PK
2	*	17355.000	49.846	30.083	-24.154	74.000	19.762	PK

Profile: 1992128R	Page No.: 51
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.002	31.425	-27.998	74.000	14.577	PK
2	*	17475.000	52.449	32.540	-21.551	74.000	19.909	PK

Profile: 1992128R	Page No.: 52
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.366	31.789	-27.634	74.000	14.577	PK
2	*	17475.000	51.896	31.987	-22.104	74.000	19.909	PK

Profile: 1992128R	Page No.: 53
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.298	31.808	-27.702	74.000	14.490	PK
2	*	17265.000	51.698	31.098	-22.302	74.000	20.600	PK

Profile: 1992128R	Page No.: 54
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.810	31.320	-28.190	74.000	14.490	PK
2	*	17265.000	50.675	30.075	-23.325	74.000	20.600	PK

Profile: 1992128R	Page No.: 55
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.332	32.287	-26.668	74.000	15.045	PK
2	*	17385.000	51.517	31.601	-22.483	74.000	19.916	PK

Profile: 1992128R	Page No.: 56
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.939	30.894	-28.061	74.000	15.045	PK
2	*	17385.000	51.565	31.649	-22.435	74.000	19.916	PK

Profile: 1992128R	Page No.: 57
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.145	32.214	-27.855	74.000	13.931	PK
2	*	17235.000	51.802	31.521	-22.198	74.000	20.281	PK

Profile: 1992128R	Page No.: 58
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.695	31.764	-28.305	74.000	13.931	PK
2	*	17235.000	50.902	30.621	-23.098	74.000	20.281	PK

Profile: 1992128R	Page No.: 59
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.160	30.946	-28.840	74.000	14.214	PK
2	*	17355.000	51.267	31.504	-22.733	74.000	19.762	PK

Profile: 1992128R	Page No.: 60
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.156	31.942	-27.844	74.000	14.214	PK
2	*	17355.000	50.735	30.972	-23.265	74.000	19.762	PK

Profile: 1992128R	Page No.: 61
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.102	32.525	-26.898	74.000	14.577	PK
2	*	17475.000	52.791	32.882	-21.209	74.000	19.909	PK

Profile: 1992128R	Page No.: 62
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.126	32.549	-26.874	74.000	14.577	PK
2	*	17475.000	50.428	30.519	-23.572	74.000	19.909	PK

Profile: 1992128R	Page No.: 63
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.269	31.779	-27.731	74.000	14.490	PK
2	*	17265.000	50.381	29.781	-23.619	74.000	20.600	PK

Profile: 1992128R	Page No.: 64
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.910	31.420	-28.090	74.000	14.490	PK
2	*	17265.000	50.313	29.713	-23.687	74.000	20.600	PK

Profile: 1992128R	Page No.: 65
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.976	30.931	-28.024	74.000	15.045	PK
2	*	17385.000	52.599	32.683	-21.401	74.000	19.916	PK

Profile: 1992128R	Page No.: 66
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.145	31.100	-27.855	74.000	15.045	PK
2	*	17385.000	50.677	30.761	-23.323	74.000	19.916	PK

Profile: 1992128R	Page No.: 67
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.230	30.820	-28.770	74.000	14.409	PK
2	*	17325.000	49.867	29.302	-24.133	74.000	20.565	PK

Profile: 1992128R	Page No.: 68
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.835	31.425	-28.165	74.000	14.409	PK
2	*	17325.000	49.808	29.243	-24.192	74.000	20.565	PK

Profile: 1992128R	Page No.: 69
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.080	31.149	-28.920	74.000	13.931	PK
2	*	17235.000	51.836	31.555	-22.164	74.000	20.281	PK

Profile: 1992128R	Page No.: 70
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.578	32.647	-27.422	74.000	13.931	PK
2	*	17235.000	50.930	30.649	-23.070	74.000	20.281	PK

Profile: 1992128R	Page No.: 71
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.266	32.052	-27.734	74.000	14.214	PK
2	*	17355.000	50.250	30.487	-23.750	74.000	19.762	PK

Profile: 1992128R	Page No.: 72
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.304	31.090	-28.696	74.000	14.214	PK
2	*	17355.000	50.670	30.907	-23.330	74.000	19.762	PK

Profile: 1992128R	Page No.: 73
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.655	32.078	-27.345	74.000	14.577	PK
2	*	17475.000	51.165	31.256	-22.835	74.000	19.909	PK

Profile: 1992128R	Page No.: 74
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.483	31.906	-27.517	74.000	14.577	PK
2	*	17475.000	52.336	32.427	-21.664	74.000	19.909	PK

Profile: 1992128R	Page No.: 75
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.488	31.998	-27.512	74.000	14.490	PK
2	*	17265.000	50.500	29.900	-23.500	74.000	20.600	PK

Profile: 1992128R	Page No.: 76
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.501	32.011	-27.499	74.000	14.490	PK
2	*	17265.000	51.139	30.539	-22.861	74.000	20.600	PK

Profile: 1992128R	Page No.: 77
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.531	31.486	-27.469	74.000	15.045	PK
2	*	17385.000	51.152	31.236	-22.848	74.000	19.916	PK

Profile: 1992128R	Page No.: 78
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.065	32.020	-26.935	74.000	15.045	PK
2	*	17385.000	51.581	31.665	-22.419	74.000	19.916	PK

Profile: 1992128R	Page No.: 79
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.316	31.906	-27.684	74.000	14.409	PK
2	*	17325.000	49.699	29.134	-24.301	74.000	20.565	PK


Profile: 1992128R	Page No.: 80
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.444	31.034	-28.556	74.000	14.409	PK
2	*	17325.000	49.032	28.467	-24.968	74.000	20.565	PK


4*4 CDD:

Profile: 1992128R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.757	31.826	-28.243	74.000	13.931	PK
2	*	17235.000	52.581	32.300	-21.419	74.000	20.281	PK

Profile: 1992128R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11490.000	45.421	31.490	-28.579	74.000	13.931	PK

Profile: 1992128R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.183	30.969	-28.817	74.000	14.214	PK
2	*	17355.000	50.108	30.345	-23.892	74.000	19.762	PK

Profile: 1992128R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.678	31.464	-28.322	74.000	14.214	PK
2	*	17355.000	51.368	31.605	-22.632	74.000	19.762	PK

Profile: 1992128R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.938	32.361	-27.062	74.000	14.577	PK
2	*	17475.000	52.962	33.053	-21.038	74.000	19.909	PK

Profile: 1992128R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.392	30.815	-28.608	74.000	14.577	PK
2	*	17475.000	51.367	31.458	-22.633	74.000	19.909	PK

Profile: 1992128R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.937	31.006	-29.063	74.000	13.931	PK
2	*	17235.000	50.733	30.452	-23.267	74.000	20.281	PK

Profile: 1992128R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.136	31.205	-28.864	74.000	13.931	PK
2	*	17235.000	52.710	32.429	-21.290	74.000	20.281	PK

Profile: 1992128R	Page No.: 49
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.174	31.960	-27.826	74.000	14.214	PK
2	*	17355.000	51.380	31.617	-22.620	74.000	19.762	PK

Profile: 1992128R	Page No.: 50
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.864	31.650	-28.136	74.000	14.214	PK
2	*	17355.000	48.996	29.233	-25.004	74.000	19.762	PK

Profile: 1992128R	Page No.: 51
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.439	32.862	-26.561	74.000	14.577	PK
2	*	17475.000	50.819	30.910	-23.181	74.000	19.909	PK

Profile: 1992128R	Page No.: 52
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.745	31.168	-28.255	74.000	14.577	PK
2	*	17475.000	51.997	32.088	-22.003	74.000	19.909	PK

Profile: 1992128R	Page No.: 53
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.162	31.672	-27.838	74.000	14.490	PK
2	*	17265.000	51.323	30.723	-22.677	74.000	20.600	PK

Profile: 1992128R	Page No.: 54
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.021	31.531	-27.979	74.000	14.490	PK
2	*	17265.000	50.041	29.441	-23.959	74.000	20.600	PK

Profile: 1992128R	Page No.: 55
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	48.041	32.996	-25.959	74.000	15.045	PK
2	*	17385.000	51.070	31.154	-22.930	74.000	19.916	PK

Profile: 1992128R	Page No.: 56
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.883	31.838	-27.117	74.000	15.045	PK
2	*	17385.000	52.182	32.266	-21.818	74.000	19.916	PK

Profile: 1992128R	Page No.: 57
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.805	31.874	-28.195	74.000	13.931	PK
2	*	17235.000	50.245	29.964	-23.755	74.000	20.281	PK

Profile: 1992128R	Page No.: 58
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.379	30.448	-29.621	74.000	13.931	PK
2	*	17235.000	51.692	31.411	-22.308	74.000	20.281	PK

Profile: 1992128R	Page No.: 59
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.096	31.882	-27.904	74.000	14.214	PK
2	*	17355.000	52.418	32.655	-21.582	74.000	19.762	PK

Profile: 1992128R	Page No.: 60
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.919	32.705	-27.081	74.000	14.214	PK
2	*	17355.000	51.438	31.675	-22.562	74.000	19.762	PK

Profile: 1992128R	Page No.: 61
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.406	31.829	-27.594	74.000	14.577	PK
2	*	17475.000	52.342	32.433	-21.658	74.000	19.909	PK

Profile: 1992128R	Page No.: 62
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.677	32.100	-27.323	74.000	14.577	PK
2	*	17475.000	52.666	32.757	-21.334	74.000	19.909	PK

Profile: 1992128R	Page No.: 63
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.169	31.679	-27.831	74.000	14.490	PK
2	*	17265.000	49.825	29.225	-24.175	74.000	20.600	PK

Profile: 1992128R	Page No.: 64
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.119	31.629	-27.881	74.000	14.490	PK
2	*	17265.000	51.141	30.541	-22.859	74.000	20.600	PK

Profile: 1992128R	Page No.: 65
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.542	31.497	-27.458	74.000	15.045	PK
2	*	17385.000	52.441	32.525	-21.559	74.000	19.916	PK

Profile: 1992128R	Page No.: 66
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.903	31.858	-27.097	74.000	15.045	PK
2	*	17385.000	51.965	32.049	-22.035	74.000	19.916	PK

Profile: 1992128R	Page No.: 67
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.771	32.361	-27.229	74.000	14.409	PK
2	*	17325.000	49.666	29.101	-24.334	74.000	20.565	PK

Profile: 1992128R	Page No.: 68
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.586	31.176	-28.414	74.000	14.409	PK
2	*	17325.000	49.809	29.244	-24.191	74.000	20.565	PK

Profile: 1992128R	Page No.: 69
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.549	31.618	-28.451	74.000	13.931	PK
2	*	17235.000	51.001	30.720	-22.999	74.000	20.281	PK

Profile: 1992128R	Page No.: 70
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.686	31.755	-28.314	74.000	13.931	PK
2	*	17235.000	52.385	32.104	-21.615	74.000	20.281	PK

Profile: 1992128R	Page No.: 71
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.822	31.608	-28.178	74.000	14.214	PK
2	*	17355.000	50.682	30.919	-23.318	74.000	19.762	PK

Profile: 1992128R	Page No.: 72
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.739	32.525	-27.261	74.000	14.214	PK
2	*	17355.000	49.684	29.921	-24.316	74.000	19.762	PK

Profile: 1992128R	Page No.: 73
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.129	31.552	-27.871	74.000	14.577	PK
2	*	17475.000	52.917	33.008	-21.083	74.000	19.909	PK

Profile: 1992128R	Page No.: 74
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.308	31.731	-27.692	74.000	14.577	PK
2	*	17475.000	52.667	32.758	-21.333	74.000	19.909	PK

Profile: 1992128R	Page No.: 75
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.599	33.109	-26.401	74.000	14.490	PK
2	*	17265.000	51.970	31.370	-22.030	74.000	20.600	PK

Profile: 1992128R	Page No.: 76
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.471	32.981	-26.529	74.000	14.490	PK
2	*	17265.000	53.319	32.719	-20.681	74.000	20.600	PK

Profile: 1992128R	Page No.: 77
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.248	31.203	-27.752	74.000	15.045	PK
2	*	17385.000	51.775	31.859	-22.225	74.000	19.916	PK

Profile: 1992128R	Page No.: 78
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.429	31.384	-27.571	74.000	15.045	PK
2	*	17385.000	50.702	30.786	-23.298	74.000	19.916	PK

Profile: 1992128R	Page No.: 79
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.771	32.361	-27.229	74.000	14.409	PK
2	*	17325.000	50.320	29.755	-23.680	74.000	20.565	PK


Profile: 1992128R	Page No.: 80
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.509	33.099	-26.491	74.000	14.409	PK
2	*	17325.000	49.727	29.162	-24.273	74.000	20.565	PK


2*2 Beamforming:

Profile: 1992128R	Page No.: 35
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.440	31.509	-28.560	74.000	13.931	PK
2	*	17235.000	52.313	32.032	-21.687	74.000	20.281	PK

Profile: 1992128R	Page No.: 36
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.893	31.962	-28.107	74.000	13.931	PK
2	*	17235.000	50.994	30.713	-23.006	74.000	20.281	PK

Profile: 1992128R	Page No.: 37
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.991	31.777	-28.009	74.000	14.214	PK
2	*	17355.000	51.289	31.526	-22.711	74.000	19.762	PK

Profile: 1992128R	Page No.: 38
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.823	31.609	-28.177	74.000	14.214	PK
2	*	17355.000	49.406	29.643	-24.594	74.000	19.762	PK

Profile: 1992128R	Page No.: 39
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.175	31.598	-27.825	74.000	14.577	PK
2	*	17475.000	52.078	32.169	-21.922	74.000	19.909	PK

Profile: 1992128R	Page No.: 40
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.161	32.584	-26.839	74.000	14.577	PK
2	*	17475.000	51.358	31.449	-22.642	74.000	19.909	PK

Profile: 1992128R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.988	31.498	-28.012	74.000	14.490	PK
2	*	17265.000	50.850	30.250	-23.150	74.000	20.600	PK

Profile: 1992128R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.034	31.544	-27.966	74.000	14.490	PK
2	*	17265.000	51.298	30.698	-22.702	74.000	20.600	PK

Profile: 1992128R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.552	32.507	-26.448	74.000	15.045	PK
2	*	17385.000	51.673	31.757	-22.327	74.000	19.916	PK

Profile: 1992128R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.105	32.060	-26.895	74.000	15.045	PK
2	*	17385.000	52.092	32.176	-21.908	74.000	19.916	PK

Profile: 1992128R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.468	32.537	-27.532	74.000	13.931	PK
2	*	17235.000	50.440	30.159	-23.560	74.000	20.281	PK

Profile: 1992128R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.091	31.160	-28.909	74.000	13.931	PK
2	*	17235.000	51.949	31.668	-22.051	74.000	20.281	PK

Profile: 1992128R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.854	30.640	-29.146	74.000	14.214	PK
2	*	17355.000	49.812	30.049	-24.188	74.000	19.762	PK

Profile: 1992128R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.614	30.400	-29.386	74.000	14.214	PK
2	*	17355.000	51.433	31.670	-22.567	74.000	19.762	PK

Profile: 1992128R	Page No.: 49
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.834	31.257	-28.166	74.000	14.577	PK
2	*	17475.000	51.345	31.436	-22.655	74.000	19.909	PK

Profile: 1992128R	Page No.: 50
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.883	31.306	-28.117	74.000	14.577	PK
2	*	17475.000	51.119	31.210	-22.881	74.000	19.909	PK

Profile: 1992128R	Page No.: 51
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.250	30.760	-28.750	74.000	14.490	PK
2	*	17265.000	50.684	30.084	-23.316	74.000	20.600	PK

Profile: 1992128R	Page No.: 52
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.715	31.225	-28.285	74.000	14.490	PK
2	*	17265.000	52.022	31.422	-21.978	74.000	20.600	PK

Profile: 1992128R	Page No.: 53
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.512	31.467	-27.488	74.000	15.045	PK
2	*	17385.000	50.824	30.908	-23.176	74.000	19.916	PK

Profile: 1992128R	Page No.: 54
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.739	31.694	-27.261	74.000	15.045	PK
2	*	17385.000	51.726	31.810	-22.274	74.000	19.916	PK

Profile: 1992128R	Page No.: 55
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.896	31.486	-28.104	74.000	14.409	PK
2	*	17325.000	50.408	29.843	-23.592	74.000	20.565	PK

Profile: 1992128R	Page No.: 56
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.866	32.456	-27.134	74.000	14.409	PK
2	*	17325.000	49.932	29.367	-24.068	74.000	20.565	PK

Profile: 1992128R	Page No.: 57
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.029	31.098	-28.971	74.000	13.931	PK
2	*	17235.000	51.610	31.329	-22.390	74.000	20.281	PK

Profile: 1992128R	Page No.: 58
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.428	31.497	-28.572	74.000	13.931	PK
2	*	17235.000	51.401	31.120	-22.599	74.000	20.281	PK

Profile: 1992128R	Page No.: 59
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.260	31.046	-28.740	74.000	14.214	PK
2	*	17355.000	50.637	30.874	-23.363	74.000	19.762	PK

Profile: 1992128R	Page No.: 60
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.260	31.046	-28.740	74.000	14.214	PK
2	*	17355.000	50.637	30.874	-23.363	74.000	19.762	PK

Profile: 1992128R	Page No.: 61
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.116	31.539	-27.884	74.000	14.577	PK
2	*	17475.000	51.001	31.092	-22.999	74.000	19.909	PK

Profile: 1992128R	Page No.: 62
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.546	31.969	-27.454	74.000	14.577	PK
2	*	17475.000	52.159	32.250	-21.841	74.000	19.909	PK

Profile: 1992128R	Page No.: 63
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.887	31.397	-28.113	74.000	14.490	PK
2	*	17265.000	51.973	31.373	-22.027	74.000	20.600	PK

Profile: 1992128R	Page No.: 64
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.919	31.429	-28.081	74.000	14.490	PK
2	*	17265.000	51.791	31.191	-22.209	74.000	20.600	PK

Profile: 1992128R	Page No.: 65
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.059	31.014	-27.941	74.000	15.045	PK
2	*	17385.000	50.948	31.032	-23.052	74.000	19.916	PK

Profile: 1992128R	Page No.: 66
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	48.055	33.010	-25.945	74.000	15.045	PK
2	*	17385.000	52.045	32.129	-21.955	74.000	19.916	PK

Profile: 1992128R	Page No.: 67
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.007	31.597	-27.993	74.000	14.409	PK
2	*	17325.000	49.397	28.832	-24.603	74.000	20.565	PK


Profile: 1992128R	Page No.: 68
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.745	32.335	-27.255	74.000	14.409	PK
2	*	17325.000	49.054	28.489	-24.946	74.000	20.565	PK


4*4 Beamforming:

Profile: 1992128R	Page No.: 35
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.776	30.845	-29.224	74.000	13.931	PK
2	*	17235.000	52.987	32.706	-21.013	74.000	20.281	PK

Profile: 1992128R	Page No.: 36
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.847	32.916	-27.153	74.000	13.931	PK
2	*	17235.000	52.228	31.947	-21.772	74.000	20.281	PK

Profile: 1992128R	Page No.: 37
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.036	30.822	-28.964	74.000	14.214	PK
2	*	17355.000	50.516	30.753	-23.484	74.000	19.762	PK

Profile: 1992128R	Page No.: 38
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.090	31.876	-27.910	74.000	14.214	PK
2	*	17355.000	50.709	30.946	-23.291	74.000	19.762	PK

Profile: 1992128R	Page No.: 39
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.584	33.007	-26.416	74.000	14.577	PK
2	*	17475.000	53.677	33.768	-20.323	74.000	19.909	PK

Profile: 1992128R	Page No.: 40
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.866	32.289	-27.134	74.000	14.577	PK
2	*	17475.000	51.833	31.924	-22.167	74.000	19.909	PK

Profile: 1992128R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.431	31.941	-27.569	74.000	14.490	PK
2	*	17265.000	50.500	29.900	-23.500	74.000	20.600	PK

Profile: 1992128R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.649	32.159	-27.351	74.000	14.490	PK
2	*	17265.000	51.849	31.249	-22.151	74.000	20.600	PK

Profile: 1992128R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.725	32.680	-26.275	74.000	15.045	PK
2	*	17385.000	51.705	31.789	-22.295	74.000	19.916	PK

Profile: 1992128R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.193	31.148	-27.807	74.000	15.045	PK
2	*	17385.000	51.466	31.550	-22.534	74.000	19.916	PK

Profile: 1992128R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.799	30.868	-29.201	74.000	13.931	PK
2	*	17235.000	52.209	31.928	-21.791	74.000	20.281	PK

Profile: 1992128R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.177	31.246	-28.823	74.000	13.931	PK
2	*	17235.000	51.953	31.672	-22.047	74.000	20.281	PK

Profile: 1992128R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.465	32.251	-27.535	74.000	14.214	PK
2	*	17355.000	50.881	31.118	-23.119	74.000	19.762	PK

Profile: 1992128R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.465	32.251	-27.535	74.000	14.214	PK
2	*	17355.000	50.517	30.754	-23.483	74.000	19.762	PK

Profile: 1992128R	Page No.: 49
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.520	31.943	-27.480	74.000	14.577	PK
2	*	17475.000	50.833	30.924	-23.167	74.000	19.909	PK

Profile: 1992128R	Page No.: 50
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.963	31.386	-28.037	74.000	14.577	PK
2	*	17475.000	50.921	31.012	-23.079	74.000	19.909	PK

Profile: 1992128R	Page No.: 51
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.109	31.619	-27.891	74.000	14.490	PK
2	*	17265.000	51.340	30.740	-22.660	74.000	20.600	PK

Profile: 1992128R	Page No.: 52
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.256	31.766	-27.744	74.000	14.490	PK
2	*	17265.000	52.155	31.555	-21.845	74.000	20.600	PK

Profile: 1992128R	Page No.: 53
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.871	31.826	-27.129	74.000	15.045	PK
2	*	17385.000	51.097	31.181	-22.903	74.000	19.916	PK

Profile: 1992128R	Page No.: 54
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.354	31.309	-27.646	74.000	15.045	PK
2	*	17385.000	51.927	32.011	-22.073	74.000	19.916	PK

Profile: 1992128R	Page No.: 55
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.139	30.729	-28.861	74.000	14.409	PK
2	*	17325.000	48.747	28.182	-25.253	74.000	20.565	PK

Profile: 1992128R	Page No.: 56
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.566	31.156	-28.434	74.000	14.409	PK
2	*	17325.000	49.214	28.649	-24.786	74.000	20.565	PK

Profile: 1992128R	Page No.: 57
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.588	31.657	-28.412	74.000	13.931	PK
2	*	17235.000	50.925	30.644	-23.075	74.000	20.281	PK

Profile: 1992128R	Page No.: 58
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.075	32.144	-27.925	74.000	13.931	PK
2	*	17235.000	50.760	30.479	-23.240	74.000	20.281	PK

Profile: 1992128R	Page No.: 59
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.654	31.440	-28.346	74.000	14.214	PK
2	*	17355.000	49.871	30.108	-24.129	74.000	19.762	PK

Profile: 1992128R	Page No.: 60
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.961	32.747	-27.039	74.000	14.214	PK
2	*	17355.000	49.841	30.078	-24.159	74.000	19.762	PK

Profile: 1992128R	Page No.: 61
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.586	32.009	-27.414	74.000	14.577	PK
2	*	17475.000	52.671	32.762	-21.329	74.000	19.909	PK

Profile: 1992128R	Page No.: 62
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.832	31.255	-28.168	74.000	14.577	PK
2	*	17475.000	52.268	32.359	-21.732	74.000	19.909	PK

Profile: 1992128R	Page No.: 63
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.548	32.058	-27.452	74.000	14.490	PK
2	*	17265.000	51.779	31.179	-22.221	74.000	20.600	PK

Profile: 1992128R	Page No.: 64
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.387	30.897	-28.613	74.000	14.490	PK
2	*	17265.000	50.804	30.204	-23.196	74.000	20.600	PK

Profile: 1992128R	Page No.: 65
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.150	32.105	-26.850	74.000	15.045	PK
2	*	17385.000	52.887	32.971	-21.113	74.000	19.916	PK

Profile: 1992128R	Page No.: 66
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.940	31.895	-27.060	74.000	15.045	PK
2	*	17385.000	51.174	31.258	-22.826	74.000	19.916	PK

Profile: 1992128R	Page No.: 67
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.954	31.544	-28.046	74.000	14.409	PK
2	*	17325.000	49.539	28.974	-24.461	74.000	20.565	PK

Profile: 1992128R	Page No.: 68
Engineer: YULIU	
Site: AC5	Time: 2019/12/15 - 19:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.766	31.356	-28.234	74.000	14.409	PK
2	*	17325.000	49.341	28.776	-24.659	74.000	20.565	PK