



|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 109            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:04 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.924                 | 30.434               | -29.076         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.262                 | 29.662               | -23.738         | 74.000         | 20.600      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 110            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:04 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 43.468                 | 28.978               | -30.532         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 49.395                 | 28.795               | -24.605         | 74.000         | 20.600      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 111            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.111                 | 30.066               | -28.889         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 49.487                 | 29.571               | -24.513         | 74.000         | 19.916      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 112            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.721                 | 30.676               | -28.279         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 48.472                 | 28.556               | -25.528         | 74.000         | 19.916      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 113            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.584                 | 31.826               | -30.416         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 47.848                 | 30.377               | -26.152         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 114            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 44.853                 | 33.095               | -29.147         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 48.517                 | 31.046               | -25.483         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 115            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.891                 | 30.540               | -31.109         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.174                 | 29.647               | -26.826         | 74.000         | 17.527      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 116            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.096                 | 29.745               | -31.904         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.582                 | 30.055               | -26.418         | 74.000         | 17.527      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 117            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.322                 | 30.255               | -31.678         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 47.819                 | 29.668               | -26.181         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 118            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.403                 | 30.336               | -31.597         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 48.416                 | 30.265               | -25.584         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 119            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.708                 | 28.777               | -31.292         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 48.978                 | 28.697               | -25.022         | 74.000         | 20.281      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 120            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.837                 | 30.906               | -29.163         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 49.472                 | 29.191               | -24.528         | 74.000         | 20.281      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 121            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.886                 | 30.672               | -29.114         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 47.127                 | 27.364               | -26.873         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 122            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.553                 | 30.339               | -29.447         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 47.406                 | 27.643               | -26.594         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 123            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.027                 | 30.450               | -28.973         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 49.842                 | 29.933               | -24.158         | 74.000         | 19.909      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 124            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.764                 | 29.187               | -30.236         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.037                 | 30.128               | -23.963         | 74.000         | 19.909      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 125            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 43.877                 | 32.094               | -30.123         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 49.842                 | 31.830               | -24.158         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 126            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.734                 | 30.951               | -31.266         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 48.777                 | 30.765               | -25.223         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 127            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 42.355                 | 30.498               | -31.645         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.651                 | 30.297               | -25.349         | 74.000         | 18.354      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 128            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.745                 | 29.888               | -32.255         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.086                 | 29.732               | -25.914         | 74.000         | 18.354      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 129            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 43.895                 | 29.405               | -30.105         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.002                 | 29.402               | -23.998         | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 130            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.473                 | 29.983               | -29.527         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 49.797                 | 29.197               | -24.203         | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 131            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.657                 | 30.612               | -28.343         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 49.517                 | 29.601               | -24.483         | 74.000         | 19.916      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 132            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.033                 | 30.988               | -27.967         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 48.053                 | 28.137               | -25.947         | 74.000         | 19.916      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 133            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 42.547                 | 30.768               | -31.453         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 48.396                 | 30.534               | -25.604         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 134            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 42.848                 | 31.069               | -31.152         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 47.477                 | 29.615               | -26.523         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 135            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 43.509                 | 29.099               | -30.491         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 46.633                 | 26.068               | -27.367         | 74.000         | 20.565      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 136            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.747                 | 30.337               | -29.253         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 48.267                 | 27.702               | -25.733         | 74.000         | 20.565      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 137            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.725                 | 30.967               | -31.275         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 47.888                 | 30.417               | -26.112         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 138            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.512                 | 31.754               | -30.488         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 48.666                 | 31.195               | -25.334         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 139            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.209                 | 29.858               | -31.791         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.066                 | 29.539               | -26.934         | 74.000         | 17.527      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 140            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.326                 | 29.975               | -31.674         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.029                 | 29.502               | -26.971         | 74.000         | 17.527      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 141            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.230                 | 30.163               | -31.770         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 47.839                 | 29.688               | -26.161         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 142            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.717                 | 30.650               | -31.283         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 49.954                 | 31.803               | -24.046         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 143            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.918                 | 29.987               | -30.082         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.640                 | 31.359               | -22.360         | 74.000         | 20.281      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 144            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.465                 | 29.534               | -30.535         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.902                 | 30.621               | -23.098         | 74.000         | 20.281      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 145            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.433                 | 30.219               | -29.567         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 47.334                 | 27.571               | -26.666         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 146            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.253                 | 30.039               | -29.747         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 47.720                 | 27.957               | -26.280         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 147            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.102                 | 29.525               | -29.898         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.351                 | 30.442               | -23.649         | 74.000         | 19.909      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 148            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.156                 | 30.579               | -28.844         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.085                 | 31.176               | -22.915         | 74.000         | 19.909      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 149            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.588                 | 30.805               | -31.412         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 49.655                 | 31.643               | -24.345         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 150            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.809                 | 31.026               | -31.191         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 49.094                 | 31.082               | -24.906         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 151            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 42.243                 | 30.386               | -31.757         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.603                 | 30.249               | -25.397         | 74.000         | 18.354      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 152            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.697                 | 29.840               | -32.303         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 49.683                 | 31.329               | -24.317         | 74.000         | 18.354      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 153            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 43.902                 | 29.412               | -30.098         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 49.501                 | 28.901               | -24.499         | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 154            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.845                 | 30.355               | -29.155         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 49.656                 | 29.056               | -24.344         | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 155            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.353                 | 31.308               | -27.647         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 50.620                 | 30.704               | -23.380         | 74.000         | 19.916      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 156            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.751                 | 29.706               | -29.249         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 49.393                 | 29.477               | -24.607         | 74.000         | 19.916      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 157            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 43.156                 | 31.377               | -30.844         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 47.141                 | 29.279               | -26.859         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 158            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 41.917                 | 30.138               | -32.083         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 48.442                 | 30.580               | -25.558         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 159            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.587                 | 30.177               | -29.413         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 47.638                 | 27.073               | -26.362         | 74.000         | 20.565      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 160            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 43.341                 | 28.931               | -30.659         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 48.443                 | 27.878               | -25.557         | 74.000         | 20.565      | PK   |


**Beamforming:**

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 69             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.428                 | 31.670               | -30.572         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 48.655                 | 31.184               | -25.345         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 70             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.315                 | 30.557               | -31.685         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 49.048                 | 31.577               | -24.952         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 71             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 43.130                 | 30.779               | -30.870         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 48.068                 | 30.541               | -25.932         | 74.000         | 17.527      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 72             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.631                 | 30.280               | -31.369         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 48.651                 | 31.124               | -25.349         | 74.000         | 17.527      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 73             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 43.608                 | 31.541               | -30.392         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 48.089                 | 29.938               | -25.911         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 74             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.805                 | 30.738               | -31.195         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 48.352                 | 30.201               | -25.648         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 75             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.633                 | 31.702               | -28.367         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.474                 | 30.193               | -23.526         | 74.000         | 20.281      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 76             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.914                 | 28.983               | -31.086         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.233                 | 29.952               | -23.767         | 74.000         | 20.281      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 77             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:15 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.810                 | 29.596               | -30.190         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 46.859                 | 27.096               | -27.141         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 78             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.330                 | 30.116               | -29.670         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 49.449                 | 29.686               | -24.551         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 79             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.550                 | 29.973               | -29.450         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.819                 | 31.910               | -22.181         | 74.000         | 19.909      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 80             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.109                 | 29.532               | -29.891         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 49.960                 | 30.051               | -24.040         | 74.000         | 19.909      | PK   |




|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 81             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 43.298                 | 31.515               | -30.702         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 48.317                 | 30.305               | -25.683         | 74.000         | 18.012      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 82             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.764                 | 30.981               | -31.236         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 49.504                 | 31.492               | -24.496         | 74.000         | 18.012      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 83             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 42.164                 | 30.307               | -31.836         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.752                 | 30.398               | -25.248         | 74.000         | 18.354      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 84             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 40.985                 | 29.128               | -33.015         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.931                 | 30.577               | -25.069         | 74.000         | 18.354      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 85             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.022                 | 30.532               | -28.978         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 49.765                 | 29.165               | -24.235         | 74.000         | 20.600      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 86             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.322                 | 29.832               | -29.678         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.332                 | 29.732               | -23.668         | 74.000         | 20.600      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 87             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.383                 | 29.338               | -29.617         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 48.981                 | 29.065               | -25.019         | 74.000         | 19.916      | PK   |


|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 88             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:16 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.538                 | 29.493               | -29.462         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 48.272                 | 28.356               | -25.728         | 74.000         | 19.916      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 89             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 44.494                 | 32.736               | -29.506         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 49.432                 | 31.961               | -24.568         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 90             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.490                 | 30.732               | -31.510         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 49.763                 | 32.292               | -24.237         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 91             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.171                 | 29.820               | -31.829         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.213                 | 29.686               | -26.787         | 74.000         | 17.527      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 92             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.515                 | 30.164               | -31.485         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.814                 | 30.287               | -26.186         | 74.000         | 17.527      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 93             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 43.382                 | 31.315               | -30.618         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 48.042                 | 29.891               | -25.958         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 94             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.963                 | 30.896               | -31.037         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 48.872                 | 30.721               | -25.128         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 95             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.368                 | 31.437               | -28.632         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 49.927                 | 29.646               | -24.073         | 74.000         | 20.281      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 96             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.716                 | 29.785               | -30.284         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 49.771                 | 29.490               | -24.229         | 74.000         | 20.281      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 97             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.065                 | 28.851               | -30.935         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 46.970                 | 27.207               | -27.030         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 98             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.964                 | 29.750               | -30.036         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 46.505                 | 26.742               | -27.495         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 99             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.174                 | 30.597               | -28.826         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.505                 | 30.596               | -23.495         | 74.000         | 19.909      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 100            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.566                 | 29.989               | -29.434         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 49.546                 | 29.637               | -24.454         | 74.000         | 19.909      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 101            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.374                 | 30.591               | -31.626         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 48.675                 | 30.663               | -25.325         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 102            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 43.083                 | 31.300               | -30.917         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 48.284                 | 30.272               | -25.716         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 103            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.958                 | 30.101               | -32.042         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 47.862                 | 29.508               | -26.138         | 74.000         | 18.354      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 104            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 43.343                 | 31.486               | -30.657         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 49.278                 | 30.924               | -24.722         | 74.000         | 18.354      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 105            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.362                 | 29.872               | -29.638         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 49.972                 | 29.372               | -24.028         | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 106            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 11510.000       | 44.997                 | 30.507               | -29.003         | 74.000         | 14.490      | PK   |
| 2  |      | 17265.000       | -872.410               | -893.010             | -946.410        | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 107            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.544                 | 29.499               | -29.456         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 48.258                 | 28.342               | -25.742         | 74.000         | 19.916      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 108            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.108                 | 31.063               | -27.892         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 48.186                 | 28.270               | -25.814         | 74.000         | 19.916      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 109            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 43.550                 | 31.771               | -30.450         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 48.211                 | 30.349               | -25.789         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 110            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:18 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 42.595                 | 30.816               | -31.405         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 48.204                 | 30.342               | -25.796         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 111            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.054                 | 29.644               | -29.946         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 48.386                 | 27.821               | -25.614         | 74.000         | 20.565      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 112            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.076                 | 29.666               | -29.924         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 48.119                 | 27.554               | -25.881         | 74.000         | 20.565      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 113            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.272                 | 31.514               | -30.728         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 48.542                 | 31.071               | -25.458         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 114            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.735                 | 30.977               | -31.265         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 47.854                 | 30.383               | -26.146         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 115            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 43.057                 | 30.706               | -30.943         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 46.524                 | 28.997               | -27.476         | 74.000         | 17.527      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                    | Page No.: 116            |
| Engineer: YULIU                                      |                          |
| Site: AC5  | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.931                 | 29.580               | -32.069         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.676                 | 30.149               | -26.324         | 74.000         | 17.527      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 117            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.212                 | 30.145               | -31.788         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 49.281                 | 31.130               | -24.719         | 74.000         | 18.152      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                    | Page No.: 118            |
| Engineer: YULIU                                      |                          |
| Site: AC5  | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.661                 | 30.594               | -31.339         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 49.075                 | 30.924               | -24.925         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 119            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.621                 | 28.690               | -31.379         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.272                 | 30.991               | -22.728         | 74.000         | 20.281      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 120            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:19 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.856                 | 29.925               | -30.144         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 49.514                 | 29.233               | -24.486         | 74.000         | 20.281      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 121            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.267                 | 29.053               | -30.733         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 46.795                 | 27.032               | -27.205         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 122            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.543                 | 29.329               | -30.457         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 46.919                 | 27.156               | -27.081         | 74.000         | 19.762      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                    | Page No.: 123            |
| Engineer: YULIU                                      |                          |
| Site: AC5  | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.250                 | 29.673               | -29.750         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.532                 | 30.623               | -23.468         | 74.000         | 19.909      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                    | Page No.: 124            |
| Engineer: YULIU                                      |                          |
| Site: AC5  | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.867                 | 30.290               | -29.133         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.676                 | 30.767               | -23.324         | 74.000         | 19.909      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 125            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.385                 | 30.602               | -31.615         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 49.537                 | 31.525               | -24.463         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 126            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.549                 | 30.766               | -31.451         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 48.788                 | 30.776               | -25.212         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 127            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 42.359                 | 30.502               | -31.641         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.271                 | 29.917               | -25.729         | 74.000         | 18.354      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 128            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 42.353                 | 30.496               | -31.647         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 49.620                 | 31.266               | -24.380         | 74.000         | 18.354      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 129            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.320                 | 29.830               | -29.680         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.714                 | 30.114               | -23.286         | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 130            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.448                 | 29.958               | -29.552         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.107                 | 29.507               | -23.893         | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 131            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.815                 | 29.770               | -29.185         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 49.200                 | 29.284               | -24.800         | 74.000         | 19.916      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 132            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.950                 | 29.905               | -29.050         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 48.536                 | 28.620               | -25.464         | 74.000         | 19.916      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 133            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 41.888                 | 30.109               | -32.112         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 48.538                 | 30.676               | -25.462         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 134            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 42.413                 | 30.634               | -31.587         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 48.396                 | 30.534               | -25.604         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 135            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.451                 | 30.041               | -29.549         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 48.899                 | 28.334               | -25.101         | 74.000         | 20.565      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 136            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.033                 | 29.623               | -29.967         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.416                 | 28.851               | -24.584         | 74.000         | 20.565      | PK   |




**Radio 3:**  
**5GHz Full Band**  
**2\*2 CDD:**

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 81             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:52 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.836                 | 31.078               | -31.164         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 47.999                 | 30.528               | -26.001         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 82             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:52 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.760                 | 32.002               | -30.240         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 48.999                 | 31.528               | -25.001         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 83             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:52 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.793                 | 29.442               | -32.207         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.766                 | 30.239               | -26.234         | 74.000         | 17.527      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 84             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:52 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 43.183                 | 30.832               | -30.817         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 46.919                 | 29.392               | -27.081         | 74.000         | 17.527      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 85             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 44.237                 | 32.170               | -29.763         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 47.881                 | 29.730               | -26.119         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 86             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.124                 | 30.057               | -31.876         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 48.426                 | 30.275               | -25.574         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 87             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.014                 | 30.083               | -29.986         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.087                 | 30.806               | -22.913         | 74.000         | 20.281      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 88             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.666                 | 29.735               | -30.334         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.430                 | 31.149               | -22.570         | 74.000         | 20.281      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 89             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.115                 | 29.901               | -29.885         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 46.900                 | 27.137               | -27.100         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 90             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.961                 | 29.747               | -30.039         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 48.866                 | 29.103               | -25.134         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 91             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.885                 | 30.308               | -29.115         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.283                 | 31.374               | -22.717         | 74.000         | 19.909      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                           | Page No.: 92             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.760                 | 30.183               | -29.240         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.358                 | 30.449               | -23.642         | 74.000         | 19.909      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 93             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.913                 | 31.155               | -31.087         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 48.256                 | 30.785               | -25.744         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 94             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.946                 | 31.188               | -31.054         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 47.483                 | 30.012               | -26.517         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 95             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 43.069                 | 30.718               | -30.931         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.985                 | 30.458               | -26.015         | 74.000         | 17.527      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 96             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:53 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 43.561                 | 31.210               | -30.439         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 48.938                 | 31.411               | -25.062         | 74.000         | 17.527      | PK   |




|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 97             |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.189                 | 30.122               | -31.811         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 48.742                 | 30.591               | -25.258         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 98             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 43.026                 | 30.959               | -30.974         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 49.578                 | 31.427               | -24.422         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 99             |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.891                 | 28.960               | -31.109         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.086                 | 30.805               | -22.914         | 74.000         | 20.281      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 100            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.835                 | 29.904               | -30.165         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.055                 | 29.774               | -23.945         | 74.000         | 20.281      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 101            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.070                 | 30.856               | -28.930         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 47.351                 | 27.588               | -26.649         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 102            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.235                 | 31.021               | -28.765         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 48.086                 | 28.323               | -25.914         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 103            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.408                 | 30.831               | -28.592         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 49.544                 | 29.635               | -24.456         | 74.000         | 19.909      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 104            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.124                 | 30.547               | -28.876         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.385                 | 30.476               | -23.615         | 74.000         | 19.909      | PK   |




|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 105            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 43.536                 | 31.753               | -30.464         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 49.305                 | 31.293               | -24.695         | 74.000         | 18.012      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 106            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 41.857                 | 30.074               | -32.143         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 48.388                 | 30.376               | -25.612         | 74.000         | 18.012      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 107            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.516                 | 29.659               | -32.484         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.331                 | 29.977               | -25.669         | 74.000         | 18.354      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 108            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.448                 | 29.591               | -32.552         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.993                 | 30.639               | -25.007         | 74.000         | 18.354      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 109            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.395                 | 30.905               | -28.605         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.826                 | 30.226               | -23.174         | 74.000         | 20.600      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 110            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.788                 | 30.298               | -29.212         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.662                 | 30.062               | -23.338         | 74.000         | 20.600      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 111            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.595                 | 29.550               | -29.405         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 48.343                 | 28.427               | -25.657         | 74.000         | 19.916      | PK   |


|  |                          |
|--|--------------------------|
| Profile: 1992128R                                  | Page No.: 112            |
| Engineer: YULIU                                    |                          |
| Site: AC5  | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.154                 | 30.109               | -28.846         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 49.603                 | 29.687               | -24.397         | 74.000         | 19.916      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 113            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.959                 | 32.201               | -30.041         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 49.279                 | 31.808               | -24.721         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 114            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.787                 | 31.029               | -31.213         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 49.251                 | 31.780               | -24.749         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 115            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.834                 | 30.483               | -31.166         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.353                 | 29.826               | -26.647         | 74.000         | 17.527      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 116            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.910                 | 30.559               | -31.090         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.505                 | 29.978               | -26.495         | 74.000         | 17.527      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 117            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 43.034                 | 30.967               | -30.966         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 49.345                 | 31.194               | -24.655         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 118            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.085                 | 30.018               | -31.915         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 48.978                 | 30.827               | -25.022         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 119            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.550                 | 29.619               | -30.450         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 49.104                 | 28.823               | -24.896         | 74.000         | 20.281      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 120            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.401                 | 30.470               | -29.599         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.272                 | 29.991               | -23.728         | 74.000         | 20.281      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 121            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.195                 | 29.981               | -29.805         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 46.764                 | 27.001               | -27.236         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 122            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.113                 | 29.899               | -29.887         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 47.465                 | 27.702               | -26.535         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 123            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.501                 | 28.924               | -30.499         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.083                 | 31.174               | -22.917         | 74.000         | 19.909      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 124            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.664                 | 29.087               | -30.336         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.074                 | 30.165               | -23.926         | 74.000         | 19.909      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 125            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.865                 | 31.082               | -31.135         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 48.695                 | 30.683               | -25.305         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 126            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 43.615                 | 31.832               | -30.385         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 47.585                 | 29.573               | -26.415         | 74.000         | 18.012      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 127            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 40.632                 | 28.775               | -33.368         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.842                 | 30.488               | -25.158         | 74.000         | 18.354      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 128            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 42.511                 | 30.654               | -31.489         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 48.898                 | 30.544               | -25.102         | 74.000         | 18.354      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 129            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 43.689                 | 29.199               | -30.311         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.102                 | 29.502               | -23.898         | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 130            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:56 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.248                 | 29.758               | -29.752         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 49.141                 | 28.541               | -24.859         | 74.000         | 20.600      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 131            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.416                 | 29.371               | -29.584         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 50.037                 | 30.121               | -23.963         | 74.000         | 19.916      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 132            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.476                 | 29.431               | -29.524         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 48.508                 | 28.592               | -25.492         | 74.000         | 19.916      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 133            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 43.544                 | 31.765               | -30.456         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 49.766                 | 31.904               | -24.234         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 134            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 42.138                 | 30.359               | -31.862         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 47.113                 | 29.251               | -26.887         | 74.000         | 17.862      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 135            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.567                 | 30.157               | -29.433         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 47.804                 | 27.239               | -26.196         | 74.000         | 20.565      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 136            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.072                 | 29.662               | -29.928         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 48.102                 | 27.537               | -25.898         | 74.000         | 20.565      | PK   |




|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 137            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.954                 | 32.196               | -30.046         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 49.318                 | 31.847               | -24.682         | 74.000         | 17.471      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 138            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.530                 | 30.772               | -31.470         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 48.540                 | 31.069               | -25.460         | 74.000         | 17.471      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                    | Page No.: 139            |
| Engineer: YULIU                                      |                          |
| Site: AC5  | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 43.187                 | 30.836               | -30.813         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.232                 | 29.705               | -26.768         | 74.000         | 17.527      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 140            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.344                 | 29.993               | -31.656         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 47.796                 | 30.269               | -26.204         | 74.000         | 17.527      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 141            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.364                 | 30.297               | -31.636         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 47.419                 | 29.268               | -26.581         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 142            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 43.796                 | 31.729               | -30.204         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 49.283                 | 31.132               | -24.717         | 74.000         | 18.152      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 143            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.670                 | 30.739               | -29.330         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.251                 | 29.970               | -23.749         | 74.000         | 20.281      | PK   |


|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 144            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.719                 | 29.788               | -30.281         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.400                 | 30.119               | -23.600         | 74.000         | 20.281      | PK   |




|  |                          |
|--|--------------------------|
| Profile: 1992128R                                    | Page No.: 145            |
| Engineer: YULIU                                      |                          |
| Site: AC5  | Time: 2019/11/20 - 01:58 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.938                 | 29.724               | -30.062         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 47.556                 | 27.793               | -26.444         | 74.000         | 19.762      | PK   |

|  |                          |
|--|--------------------------|
| Profile: 1992128R                                    | Page No.: 146            |
| Engineer: YULIU                                      |                          |
| Site: AC5  | Time: 2019/11/20 - 01:58 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP410C  | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.596                 | 29.382               | -30.404         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 47.623                 | 27.860               | -26.377         | 74.000         | 19.762      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 147            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.709                 | 29.132               | -30.291         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 49.932                 | 30.023               | -24.068         | 74.000         | 19.909      | PK   |

|   |                          |
|---|--------------------------|
| Profile: 1992128R                                   | Page No.: 148            |
| Engineer: YULIU                                     |                          |
| Site: AC5   | Time: 2019/11/20 - 01:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C   | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.773                 | 32.196               | -27.227         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.637                 | 30.728               | -23.363         | 74.000         | 19.909      | PK   |