



Appendix 3: 5GHz Radiated spurious emission
Radio 1:

Profile: 1992128R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.126	35.201	-27.874	74.000	10.925	PK
2	*	15780.000	50.845	33.529	-23.155	74.000	17.316	PK

Profile: 1992128R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.997	33.072	-30.003	74.000	10.925	PK
2	*	15780.000	50.078	32.762	-23.922	74.000	17.316	PK

Profile: 1992128R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.195	33.536	-29.805	74.000	10.658	PK
2	*	15900.000	49.953	32.798	-24.047	74.000	17.155	PK

Profile: 1992128R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.346	34.687	-28.654	74.000	10.658	PK
2	*	15900.000	51.475	34.320	-22.525	74.000	17.155	PK

Profile: 1992128R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.002	34.577	-28.998	74.000	10.425	PK
2	*	15960.000	52.430	34.836	-21.570	74.000	17.594	PK

Profile: 1992128R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.961	33.536	-30.039	74.000	10.425	PK
2	*	15960.000	50.857	33.263	-23.143	74.000	17.594	PK

Profile: 1992128R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.071	32.676	-29.929	74.000	11.394	PK
2	*	16500.000	52.254	33.294	-21.746	74.000	18.960	PK

Profile: 1992128R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.528	33.133	-29.472	74.000	11.394	PK
2	*	16500.000	52.533	33.573	-21.467	74.000	18.960	PK

Profile: 1992128R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.503	33.125	-29.497	74.000	11.378	PK
2	*	16560.000	53.344	34.426	-20.656	74.000	18.918	PK

Profile: 1992128R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.359	32.981	-29.641	74.000	11.378	PK
2	*	16560.000	52.337	33.419	-21.663	74.000	18.918	PK

Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.854	33.855	-28.146	74.000	11.999	PK
2	*	16740.000	52.416	33.811	-21.584	74.000	18.605	PK

Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.651	32.652	-29.349	74.000	11.999	PK
2	*	16740.000	52.111	33.506	-21.889	74.000	18.605	PK

Profile: 1992128R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.054	32.199	-29.946	74.000	11.855	PK
2	*	17100.000	52.869	32.819	-21.131	74.000	20.050	PK

Profile: 1992128R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.502	31.647	-30.498	74.000	11.855	PK
2	*	17100.000	52.091	32.041	-21.909	74.000	20.050	PK

Profile: 1992128R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.801	33.876	-29.199	74.000	10.925	PK
2	*	15780.000	50.273	32.957	-23.727	74.000	17.316	PK

Profile: 1992128R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.761	34.836	-28.239	74.000	10.925	PK
2	*	15780.000	50.666	33.350	-23.334	74.000	17.316	PK

Profile: 1992128R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.854	34.195	-29.146	74.000	10.658	PK
2	*	15900.000	51.004	33.849	-22.996	74.000	17.155	PK

Profile: 1992128R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.442	32.783	-30.558	74.000	10.658	PK
2	*	15900.000	51.254	34.099	-22.746	74.000	17.155	PK

Profile: 1992128R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.543	34.118	-29.457	74.000	10.425	PK
2	*	15960.000	50.481	32.887	-23.519	74.000	17.594	PK

Profile: 1992128R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.446	35.021	-28.554	74.000	10.425	PK
2	*	15960.000	51.307	33.713	-22.693	74.000	17.594	PK

Profile: 1992128R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.023	32.628	-29.977	74.000	11.394	PK
2	*	16500.000	52.353	33.393	-21.647	74.000	18.960	PK

Profile: 1992128R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.804	33.409	-29.196	74.000	11.394	PK
2	*	16500.000	52.953	33.993	-21.047	74.000	18.960	PK

Profile: 1992128R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.921	32.543	-30.079	74.000	11.378	PK
2	*	16560.000	52.204	33.286	-21.796	74.000	18.918	PK

Profile: 1992128R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.190	32.812	-29.810	74.000	11.378	PK
2	*	16560.000	52.906	33.988	-21.094	74.000	18.918	PK

Profile: 1992128R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.877	32.878	-29.123	74.000	11.999	PK
2	*	16740.000	51.483	32.878	-22.517	74.000	18.605	PK

Profile: 1992128R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11160.000	45.103	33.104	-28.897	74.000	11.999	PK
2		16740.000	18.605	0.000	-55.395	74.000	18.605	PK

Profile: 1992128R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.581	32.726	-29.419	74.000	11.855	PK
2	*	17100.000	52.299	32.249	-21.701	74.000	20.050	PK

Profile: 1992128R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.744	31.889	-30.256	74.000	11.855	PK
2	*	17100.000	51.648	31.598	-22.352	74.000	20.050	PK

Profile: 1992128R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.286	33.137	-29.714	74.000	11.149	PK
2	*	15810.000	50.599	33.066	-23.401	74.000	17.533	PK

Profile: 1992128R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.074	34.925	-27.926	74.000	11.149	PK
2	*	15810.000	51.761	34.228	-22.239	74.000	17.533	PK

Profile: 1992128R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.148	33.716	-28.852	74.000	11.433	PK
2	*	15930.000	50.613	32.515	-23.387	74.000	18.099	PK

Profile: 1992128R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.933	33.501	-29.067	74.000	11.433	PK
2	*	15930.000	51.143	33.045	-22.857	74.000	18.099	PK

Profile: 1992128R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.111	32.981	-29.889	74.000	11.130	PK
2	*	16530.000	52.710	34.182	-21.290	74.000	18.529	PK

Profile: 1992128R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.218	33.088	-29.782	74.000	11.130	PK
2	*	16530.000	52.194	33.666	-21.806	74.000	18.529	PK

Profile: 1992128R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.465	33.029	-29.535	74.000	11.436	PK
2	*	16650.000	52.781	33.561	-21.219	74.000	19.221	PK

Profile: 1992128R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.526	33.090	-29.474	74.000	11.436	PK
2	*	16650.000	53.395	34.175	-20.605	74.000	19.221	PK

Profile: 1992128R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.937	31.930	-30.063	74.000	12.007	PK
2	*	17010.000	53.683	34.033	-20.317	74.000	19.650	PK

Profile: 1992128R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.794	32.787	-29.206	74.000	12.007	PK
2	*	17010.000	52.895	33.245	-21.105	74.000	19.650	PK

Profile: 1992128R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.388	33.463	-29.612	74.000	10.925	PK
2	*	15780.000	50.243	32.927	-23.757	74.000	17.316	PK

Profile: 1992128R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.830	33.905	-29.170	74.000	10.925	PK
2	*	15780.000	49.814	32.498	-24.186	74.000	17.316	PK

Profile: 1992128R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.277	34.618	-28.723	74.000	10.658	PK
2	*	15900.000	50.713	33.558	-23.287	74.000	17.155	PK

Profile: 1992128R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.224	33.565	-29.776	74.000	10.658	PK
2	*	15900.000	50.343	33.188	-23.657	74.000	17.155	PK

Profile: 1992128R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.892	34.467	-29.108	74.000	10.425	PK
2	*	15960.000	50.306	32.712	-23.694	74.000	17.594	PK

Profile: 1992128R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.460	34.035	-29.540	74.000	10.425	PK
2	*	15960.000	51.206	33.612	-22.794	74.000	17.594	PK

Profile: 1992128R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.855	33.460	-29.145	74.000	11.394	PK
2	*	16500.000	52.938	33.978	-21.062	74.000	18.960	PK

Profile: 1992128R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.198	32.803	-29.802	74.000	11.394	PK
2	*	16500.000	52.143	33.183	-21.857	74.000	18.960	PK

Profile: 1992128R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.236	32.858	-29.764	74.000	11.378	PK
2	*	16560.000	53.102	34.184	-20.898	74.000	18.918	PK

Profile: 1992128R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.079	33.701	-28.921	74.000	11.378	PK
2	*	16560.000	52.102	33.184	-21.898	74.000	18.918	PK

Profile: 1992128R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.319	32.320	-29.681	74.000	11.999	PK
2	*	16740.000	52.540	33.935	-21.460	74.000	18.605	PK

Profile: 1992128R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.259	32.260	-29.741	74.000	11.999	PK
2	*	16740.000	51.164	32.559	-22.836	74.000	18.605	PK

Profile: 1992128R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	45.944	34.089	-28.056	74.000	11.855	PK
2	*	17100.000	53.517	33.467	-20.483	74.000	20.050	PK

Profile: 1992128R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.347	30.492	-31.653	74.000	11.855	PK
2	*	17100.000	52.263	32.213	-21.737	74.000	20.050	PK

Profile: 1992128R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.073	33.924	-28.927	74.000	11.149	PK
2	*	15810.000	50.790	33.257	-23.210	74.000	17.533	PK

Profile: 1992128R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.624	34.475	-28.376	74.000	11.149	PK
2	*	15810.000	51.712	34.179	-22.288	74.000	17.533	PK

Profile: 1992128R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.571	34.139	-28.429	74.000	11.433	PK
2	*	15930.000	51.138	33.040	-22.862	74.000	18.099	PK

Profile: 1992128R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.436	34.004	-28.564	74.000	11.433	PK
2	*	15930.000	52.649	34.551	-21.351	74.000	18.099	PK

Profile: 1992128R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.855	32.725	-30.145	74.000	11.130	PK
2	*	16530.000	52.883	34.355	-21.117	74.000	18.529	PK

Profile: 1992128R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.537	33.407	-29.463	74.000	11.130	PK
2	*	16530.000	51.994	33.466	-22.006	74.000	18.529	PK

Profile: 1992128R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.212	30.776	-31.788	74.000	11.436	PK
2	*	16650.000	51.919	32.699	-22.081	74.000	19.221	PK

Profile: 1992128R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.443	32.007	-30.557	74.000	11.436	PK
2	*	16650.000	52.338	33.118	-21.662	74.000	19.221	PK

Profile: 1992128R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.831	32.824	-29.169	74.000	12.007	PK
2	*	17010.000	52.494	32.844	-21.506	74.000	19.650	PK

Profile: 1992128R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.704	32.697	-29.296	74.000	12.007	PK
2	*	17010.000	53.547	33.897	-20.453	74.000	19.650	PK

Profile: 1992128R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.345	34.790	-28.655	74.000	10.555	PK
2	*	15870.000	51.439	33.817	-22.561	74.000	17.622	PK

Profile: 1992128R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.516	34.961	-28.484	74.000	10.555	PK
2	*	15870.000	52.901	35.279	-21.099	74.000	17.622	PK

Profile: 1992128R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.809	33.676	-29.191	74.000	11.134	PK
2	*	16590.000	52.616	34.077	-21.384	74.000	18.539	PK

Profile: 1992128R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.988	32.855	-30.012	74.000	11.134	PK
2	*	16590.000	53.285	34.746	-20.715	74.000	18.539	PK

Profile: 1992128R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.373	31.700	-30.627	74.000	11.673	PK
2	*	16830.000	53.705	34.290	-20.295	74.000	19.415	PK

Profile: 1992128R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.341	32.668	-29.659	74.000	11.673	PK
2	*	16830.000	52.815	33.400	-21.185	74.000	19.415	PK

Profile: 1992128R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.643	34.718	-28.357	74.000	10.925	PK
2	*	15780.000	50.480	33.164	-23.520	74.000	17.316	PK

Profile: 1992128R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.478	34.553	-28.522	74.000	10.925	PK
2	*	15780.000	51.079	33.763	-22.921	74.000	17.316	PK

Profile: 1992128R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.690	36.031	-27.310	74.000	10.658	PK
2	*	15900.000	51.174	34.019	-22.826	74.000	17.155	PK

Profile: 1992128R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.976	34.317	-29.024	74.000	10.658	PK
2	*	15900.000	52.080	34.925	-21.920	74.000	17.155	PK

Profile: 1992128R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.597	34.172	-29.403	74.000	10.425	PK
2	*	15960.000	51.568	33.974	-22.432	74.000	17.594	PK

Profile: 1992128R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.997	34.572	-29.003	74.000	10.425	PK
2	*	15960.000	50.464	32.870	-23.536	74.000	17.594	PK

Profile: 1992128R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.056	32.661	-29.944	74.000	11.394	PK
2	*	16500.000	52.160	33.200	-21.840	74.000	18.960	PK

Profile: 1992128R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.611	33.216	-29.389	74.000	11.394	PK
2	*	16500.000	52.592	33.632	-21.408	74.000	18.960	PK

Profile: 1992128R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.767	32.389	-30.233	74.000	11.378	PK
2	*	16560.000	52.652	33.734	-21.348	74.000	18.918	PK

Profile: 1992128R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.483	32.105	-30.517	74.000	11.378	PK
2	*	16560.000	53.186	34.268	-20.814	74.000	18.918	PK

Profile: 1992128R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.004	33.005	-28.996	74.000	11.999	PK
2	*	16740.000	53.398	34.793	-20.602	74.000	18.605	PK

Profile: 1992128R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.163	33.164	-28.837	74.000	11.999	PK
2	*	16740.000	52.968	34.363	-21.032	74.000	18.605	PK

Profile: 1992128R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.649	31.794	-30.351	74.000	11.855	PK
2	*	17100.000	53.059	33.009	-20.941	74.000	20.050	PK

Profile: 1992128R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.645	30.790	-31.355	74.000	11.855	PK
2	*	17100.000	52.129	32.079	-21.871	74.000	20.050	PK

Profile: 1992128R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.184	34.035	-28.816	74.000	11.149	PK
2	*	15810.000	51.464	33.931	-22.536	74.000	17.533	PK

Profile: 1992128R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.126	33.977	-28.874	74.000	11.149	PK
2	*	15810.000	50.501	32.968	-23.499	74.000	17.533	PK

Profile: 1992128R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.782	34.350	-28.218	74.000	11.433	PK
2	*	15930.000	50.923	32.825	-23.077	74.000	18.099	PK

Profile: 1992128R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.161	33.729	-28.839	74.000	11.433	PK
2	*	15930.000	51.489	33.391	-22.511	74.000	18.099	PK

Profile: 1992128R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.396	33.266	-29.604	74.000	11.130	PK
2	*	16530.000	52.944	34.416	-21.056	74.000	18.529	PK

Profile: 1992128R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.952	33.822	-29.048	74.000	11.130	PK
2	*	16530.000	52.114	33.586	-21.886	74.000	18.529	PK

Profile: 1992128R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.280	32.844	-29.720	74.000	11.436	PK
2	*	16650.000	52.973	33.753	-21.027	74.000	19.221	PK

Profile: 1992128R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.184	33.748	-28.816	74.000	11.436	PK
2	*	16650.000	53.468	34.248	-20.532	74.000	19.221	PK

Profile: 1992128R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.321	32.314	-29.679	74.000	12.007	PK
2	*	17010.000	53.501	33.851	-20.499	74.000	19.650	PK

Profile: 1992128R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.023	33.016	-28.977	74.000	12.007	PK
2	*	17010.000	52.057	32.407	-21.943	74.000	19.650	PK

Profile: 1992128R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.540	33.985	-29.460	74.000	10.555	PK
2	*	15870.000	51.121	33.499	-22.879	74.000	17.622	PK

Profile: 1992128R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.257	34.702	-28.743	74.000	10.555	PK
2	*	15870.000	51.438	33.816	-22.562	74.000	17.622	PK

Profile: 1992128R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.679	33.546	-29.321	74.000	11.134	PK
2	*	16590.000	52.553	34.014	-21.447	74.000	18.539	PK

Profile: 1992128R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.075	32.942	-29.925	74.000	11.134	PK
2	*	16590.000	51.768	33.229	-22.232	74.000	18.539	PK

Profile: 1992128R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.120	32.447	-29.880	74.000	11.673	PK
2	*	16830.000	53.237	33.822	-20.763	74.000	19.415	PK

Profile: 1992128R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 05:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.993	32.320	-30.007	74.000	11.673	PK
2	*	16830.000	52.026	32.611	-21.974	74.000	19.415	PK

Radio 2:


SISO:

Profile: 1992128R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.725	33.800	-29.275	74.000	10.925	PK
2	*	15780.000	49.241	31.925	-24.759	74.000	17.316	PK

Profile: 1992128R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.811	33.886	-29.189	74.000	10.925	PK
2	*	15780.000	50.289	32.973	-23.711	74.000	17.316	PK

Profile: 1992128R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.169	33.510	-29.831	74.000	10.658	PK
2	*	15900.000	51.044	33.889	-22.956	74.000	17.155	PK

Profile: 1992128R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.832	34.173	-29.168	74.000	10.658	PK
2	*	15900.000	50.452	33.297	-23.548	74.000	17.155	PK

Profile: 1992128R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.686	34.261	-29.314	74.000	10.425	PK
2	*	15960.000	50.567	32.973	-23.433	74.000	17.594	PK

Profile: 1992128R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.564	34.139	-29.436	74.000	10.425	PK
2	*	15960.000	51.201	33.607	-22.799	74.000	17.594	PK

Profile: 1992128R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.654	33.259	-29.346	74.000	11.394	PK
2	*	16500.000	52.837	33.877	-21.163	74.000	18.960	PK

Profile: 1992128R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.324	32.929	-29.676	74.000	11.394	PK
2	*	16500.000	52.299	33.339	-21.701	74.000	18.960	PK

Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.029	32.651	-29.971	74.000	11.378	PK
2	*	16560.000	52.283	33.365	-21.717	74.000	18.918	PK

Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.118	32.740	-29.882	74.000	11.378	PK
2	*	16560.000	53.582	34.664	-20.418	74.000	18.918	PK

Profile: 1992128R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.693	33.694	-28.307	74.000	11.999	PK
2	*	16740.000	52.744	34.139	-21.256	74.000	18.605	PK

Profile: 1992128R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.515	33.516	-28.485	74.000	11.999	PK
2	*	16740.000	53.287	34.682	-20.713	74.000	18.605	PK

Profile: 1992128R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.681	31.826	-30.319	74.000	11.855	PK
2	*	17100.000	53.103	33.053	-20.897	74.000	20.050	PK

Profile: 1992128R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.751	31.896	-30.249	74.000	11.855	PK
2	*	17100.000	53.003	32.953	-20.997	74.000	20.050	PK

Profile: 1992128R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.194	34.269	-28.806	74.000	10.925	PK
2	*	15780.000	50.535	33.219	-23.465	74.000	17.316	PK

Profile: 1992128R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.355	34.430	-28.645	74.000	10.925	PK
2	*	15780.000	51.133	33.817	-22.867	74.000	17.316	PK

Profile: 1992128R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.197	33.538	-29.803	74.000	10.658	PK
2	*	15900.000	51.034	33.879	-22.966	74.000	17.155	PK

Profile: 1992128R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.262	33.603	-29.738	74.000	10.658	PK
2	*	15900.000	50.228	33.073	-23.772	74.000	17.155	PK

Profile: 1992128R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.977	34.552	-29.023	74.000	10.425	PK
2	*	15960.000	52.565	34.971	-21.435	74.000	17.594	PK

Profile: 1992128R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.015	34.590	-28.985	74.000	10.425	PK
2	*	15960.000	51.354	33.760	-22.646	74.000	17.594	PK

Profile: 1992128R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.670	33.275	-29.330	74.000	11.394	PK
2	*	16500.000	53.030	34.070	-20.970	74.000	18.960	PK

Profile: 1992128R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.152	32.757	-29.848	74.000	11.394	PK
2	*	16500.000	51.582	32.622	-22.418	74.000	18.960	PK

Profile: 1992128R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.012	32.634	-29.988	74.000	11.378	PK
2	*	16560.000	52.784	33.866	-21.216	74.000	18.918	PK

Profile: 1992128R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.226	32.848	-29.774	74.000	11.378	PK
2	*	16560.000	51.704	32.786	-22.296	74.000	18.918	PK

Profile: 1992128R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.713	33.714	-28.287	74.000	11.999	PK
2	*	16740.000	53.427	34.822	-20.573	74.000	18.605	PK

Profile: 1992128R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.030	34.031	-27.970	74.000	11.999	PK
2	*	16740.000	52.231	33.626	-21.769	74.000	18.605	PK

Profile: 1992128R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.936	31.081	-31.064	74.000	11.855	PK
2	*	17100.000	52.610	32.560	-21.390	74.000	20.050	PK

Profile: 1992128R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.624	31.769	-30.376	74.000	11.855	PK
2	*	17100.000	51.099	31.049	-22.901	74.000	20.050	PK

Profile: 1992128R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.624	33.475	-29.376	74.000	11.149	PK
2	*	15810.000	49.840	32.307	-24.160	74.000	17.533	PK

Profile: 1992128R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.190	33.041	-29.810	74.000	11.149	PK
2	*	15810.000	50.760	33.227	-23.240	74.000	17.533	PK

Profile: 1992128R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.014	32.582	-29.986	74.000	11.433	PK
2	*	15930.000	51.987	33.889	-22.013	74.000	18.099	PK

Profile: 1992128R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.185	32.753	-29.815	74.000	11.433	PK
2	*	15930.000	50.362	32.264	-23.638	74.000	18.099	PK

Profile: 1992128R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.833	30.703	-32.167	74.000	11.130	PK
2	*	16530.000	50.273	31.745	-23.727	74.000	18.529	PK

Profile: 1992128R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.201	31.071	-31.799	74.000	11.130	PK
2	*	16530.000	51.186	32.658	-22.814	74.000	18.529	PK

Profile: 1992128R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.011	32.575	-29.989	74.000	11.436	PK
2	*	16650.000	52.776	33.556	-21.224	74.000	19.221	PK

Profile: 1992128R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.023	33.587	-28.977	74.000	11.436	PK
2	*	16650.000	53.368	34.148	-20.632	74.000	19.221	PK

Profile: 1992128R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.346	33.339	-28.654	74.000	12.007	PK
2	*	17010.000	52.688	33.038	-21.312	74.000	19.650	PK

Profile: 1992128R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.810	32.803	-29.190	74.000	12.007	PK
2	*	17010.000	51.163	31.513	-22.837	74.000	19.650	PK

Profile: 1992128R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.662	33.737	-29.338	74.000	10.925	PK
2	*	15780.000	51.406	34.090	-22.594	74.000	17.316	PK

Profile: 1992128R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.124	36.199	-26.876	74.000	10.925	PK
2	*	15780.000	49.627	32.311	-24.373	74.000	17.316	PK

Profile: 1992128R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.353	33.694	-29.647	74.000	10.658	PK
2	*	15900.000	50.353	33.198	-23.647	74.000	17.155	PK

Profile: 1992128R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.154	34.495	-28.846	74.000	10.658	PK
2	*	15900.000	51.519	34.364	-22.481	74.000	17.155	PK

Profile: 1992128R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.764	33.339	-30.236	74.000	10.425	PK
2	*	15960.000	50.820	33.226	-23.180	74.000	17.594	PK

Profile: 1992128R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.626	34.201	-29.374	74.000	10.425	PK
2	*	15960.000	51.454	33.860	-22.546	74.000	17.594	PK

Profile: 1992128R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.017	33.622	-28.983	74.000	11.394	PK
2	*	16500.000	53.398	34.438	-20.602	74.000	18.960	PK

Profile: 1992128R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.286	33.891	-28.714	74.000	11.394	PK
2	*	16500.000	52.057	33.097	-21.943	74.000	18.960	PK

Profile: 1992128R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.873	33.495	-29.127	74.000	11.378	PK
2	*	16560.000	52.612	33.694	-21.388	74.000	18.918	PK

Profile: 1992128R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.365	32.987	-29.635	74.000	11.378	PK
2	*	16560.000	51.692	32.774	-22.308	74.000	18.918	PK

Profile: 1992128R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.018	33.019	-28.982	74.000	11.999	PK
2	*	16740.000	52.664	34.059	-21.336	74.000	18.605	PK

Profile: 1992128R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.049	34.050	-27.951	74.000	11.999	PK
2	*	16740.000	53.589	34.984	-20.411	74.000	18.605	PK

Profile: 1992128R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.466	32.611	-29.534	74.000	11.855	PK
2	*	17100.000	53.163	33.113	-20.837	74.000	20.050	PK

Profile: 1992128R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.900	31.045	-31.100	74.000	11.855	PK
2	*	17100.000	52.342	32.292	-21.658	74.000	20.050	PK

Profile: 1992128R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.793	34.644	-28.207	74.000	11.149	PK
2	*	15810.000	50.911	33.378	-23.089	74.000	17.533	PK

Profile: 1992128R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.110	33.961	-28.890	74.000	11.149	PK
2	*	15810.000	50.156	32.623	-23.844	74.000	17.533	PK

Profile: 1992128R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.490	34.058	-28.510	74.000	11.433	PK
2	*	15930.000	51.058	32.960	-22.942	74.000	18.099	PK

Profile: 1992128R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.021	34.589	-27.979	74.000	11.433	PK
2	*	15930.000	51.089	32.991	-22.911	74.000	18.099	PK

Profile: 1992128R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.852	33.722	-29.148	74.000	11.130	PK
2	*	16530.000	53.243	34.715	-20.757	74.000	18.529	PK

Profile: 1992128R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.285	33.155	-29.715	74.000	11.130	PK
2	*	16530.000	52.649	34.121	-21.351	74.000	18.529	PK

Profile: 1992128R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.753	33.317	-29.247	74.000	11.436	PK
2	*	16650.000	53.076	33.856	-20.924	74.000	19.221	PK

Profile: 1992128R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.671	32.235	-30.329	74.000	11.436	PK
2	*	16650.000	51.958	32.738	-22.042	74.000	19.221	PK

Profile: 1992128R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.889	32.882	-29.111	74.000	12.007	PK
2	*	17010.000	53.201	33.551	-20.799	74.000	19.650	PK

Profile: 1992128R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.576	34.569	-27.424	74.000	12.007	PK
2	*	17010.000	52.451	32.801	-21.549	74.000	19.650	PK

Profile: 1992128R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.892	33.337	-30.108	74.000	10.555	PK
2	*	15870.000	51.732	34.110	-22.268	74.000	17.622	PK

Profile: 1992128R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.273	34.718	-28.727	74.000	10.555	PK
2	*	15870.000	50.900	33.278	-23.100	74.000	17.622	PK

Profile: 1992128R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.684	34.551	-28.316	74.000	11.134	PK
2	*	16590.000	52.610	34.071	-21.390	74.000	18.539	PK

Profile: 1992128R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.344	33.211	-29.656	74.000	11.134	PK
2	*	16590.000	50.514	31.975	-23.486	74.000	18.539	PK

Profile: 1992128R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.640	32.967	-29.360	74.000	11.673	PK
2	*	16830.000	52.179	32.764	-21.821	74.000	19.415	PK

Profile: 1992128R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.775	34.102	-28.225	74.000	11.673	PK
2	*	16830.000	50.984	31.569	-23.016	74.000	19.415	PK

Profile: 1992128R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.081	34.156	-28.919	74.000	10.925	PK
2	*	15780.000	50.923	33.607	-23.077	74.000	17.316	PK

Profile: 1992128R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.355	35.430	-27.645	74.000	10.925	PK
2	*	15780.000	51.617	34.301	-22.383	74.000	17.316	PK

Profile: 1992128R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.263	34.604	-28.737	74.000	10.658	PK
2	*	15900.000	51.524	34.369	-22.476	74.000	17.155	PK

Profile: 1992128R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.913	34.254	-29.087	74.000	10.658	PK
2	*	15900.000	50.447	33.292	-23.553	74.000	17.155	PK

Profile: 1992128R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.271	34.846	-28.729	74.000	10.425	PK
2	*	15960.000	51.443	33.849	-22.557	74.000	17.594	PK

Profile: 1992128R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.968	33.543	-30.032	74.000	10.425	PK
2	*	15960.000	50.944	33.350	-23.056	74.000	17.594	PK

Profile: 1992128R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.594	33.199	-29.406	74.000	11.394	PK
2	*	16500.000	53.297	34.337	-20.703	74.000	18.960	PK

Profile: 1992128R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.794	33.399	-29.206	74.000	11.394	PK
2	*	16500.000	52.200	33.240	-21.800	74.000	18.960	PK

Profile: 1992128R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.063	32.685	-29.937	74.000	11.378	PK
2	*	16560.000	52.687	33.769	-21.313	74.000	18.918	PK

Profile: 1992128R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.606	33.228	-29.394	74.000	11.378	PK
2	*	16560.000	53.497	34.579	-20.503	74.000	18.918	PK

Profile: 1992128R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.291	33.292	-28.709	74.000	11.999	PK
2	*	16740.000	52.708	34.103	-21.292	74.000	18.605	PK

Profile: 1992128R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.185	34.186	-27.815	74.000	11.999	PK
2	*	16740.000	52.980	34.375	-21.020	74.000	18.605	PK

Profile: 1992128R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.357	31.502	-30.643	74.000	11.855	PK
2	*	17100.000	52.071	32.021	-21.929	74.000	20.050	PK

Profile: 1992128R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.182	32.327	-29.818	74.000	11.855	PK
2	*	17100.000	51.695	31.645	-22.305	74.000	20.050	PK

Profile: 1992128R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.845	34.696	-28.155	74.000	11.149	PK
2	*	15810.000	51.166	33.633	-22.834	74.000	17.533	PK

Profile: 1992128R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.285	34.136	-28.715	74.000	11.149	PK
2	*	15810.000	50.473	32.940	-23.527	74.000	17.533	PK

Profile: 1992128R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.622	34.190	-28.378	74.000	11.433	PK
2	*	15930.000	50.949	32.851	-23.051	74.000	18.099	PK

Profile: 1992128R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.388	33.956	-28.612	74.000	11.433	PK
2	*	15930.000	51.979	33.881	-22.021	74.000	18.099	PK

Profile: 1992128R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.846	33.716	-29.154	74.000	11.130	PK
2	*	16530.000	52.385	33.857	-21.615	74.000	18.529	PK

Profile: 1992128R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.440	32.310	-30.560	74.000	11.130	PK
2	*	16530.000	51.859	33.331	-22.141	74.000	18.529	PK

Profile: 1992128R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.991	33.555	-29.009	74.000	11.436	PK
2	*	16650.000	52.375	33.155	-21.625	74.000	19.221	PK

Profile: 1992128R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.524	34.088	-28.476	74.000	11.436	PK
2	*	16650.000	51.739	32.519	-22.261	74.000	19.221	PK

Profile: 1992128R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.353	33.346	-28.647	74.000	12.007	PK
2	*	17010.000	52.327	32.677	-21.673	74.000	19.650	PK

Profile: 1992128R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.715	32.708	-29.285	74.000	12.007	PK
2	*	17010.000	51.037	31.387	-22.963	74.000	19.650	PK

Profile: 1992128R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.674	34.119	-29.326	74.000	10.555	PK
2	*	15870.000	52.297	34.675	-21.703	74.000	17.622	PK

Profile: 1992128R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.751	34.196	-29.249	74.000	10.555	PK
2	*	15870.000	51.546	33.924	-22.454	74.000	17.622	PK

Profile: 1992128R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.975	33.842	-29.025	74.000	11.134	PK
2	*	16590.000	52.888	34.349	-21.112	74.000	18.539	PK

Profile: 1992128R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.418	34.285	-28.582	74.000	11.134	PK
2	*	16590.000	51.258	32.719	-22.742	74.000	18.539	PK

Profile: 1992128R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.216	32.543	-29.784	74.000	11.673	PK
2	*	16830.000	52.860	33.445	-21.140	74.000	19.415	PK


Profile: 1992128R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.458	32.785	-29.542	74.000	11.673	PK
2	*	16830.000	51.490	32.075	-22.510	74.000	19.415	PK


CDD:

Profile: 1992128R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.537	32.612	-30.463	74.000	10.925	PK
2	*	15780.000	48.855	31.539	-25.145	74.000	17.316	PK

Profile: 1992128R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.438	33.513	-29.562	74.000	10.925	PK
2	*	15780.000	50.287	32.971	-23.713	74.000	17.316	PK

Profile: 1992128R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.478	31.819	-31.522	74.000	10.658	PK
2	*	15900.000	48.768	31.613	-25.232	74.000	17.155	PK

Profile: 1992128R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.428	32.769	-30.572	74.000	10.658	PK
2	*	15900.000	50.594	33.439	-23.406	74.000	17.155	PK