



Profile: 1992128R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.407	32.982	-30.593	74.000	10.425	PK
2	*	15960.000	49.489	31.895	-24.511	74.000	17.594	PK

Profile: 1992128R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.835	32.410	-31.165	74.000	10.425	PK
2	*	15960.000	47.623	30.029	-26.377	74.000	17.594	PK

Profile: 1992128R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.926	31.531	-31.074	74.000	11.394	PK
2	*	16500.000	50.880	31.920	-23.120	74.000	18.960	PK

Profile: 1992128R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.290	31.895	-30.710	74.000	11.394	PK
2	*	16500.000	51.270	32.310	-22.730	74.000	18.960	PK

Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.541	32.163	-30.459	74.000	11.378	PK
2	*	16560.000	51.350	32.432	-22.650	74.000	18.918	PK

Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.659	31.281	-31.341	74.000	11.378	PK
2	*	16560.000	52.275	33.357	-21.725	74.000	18.918	PK

Profile: 1992128R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.501	31.502	-30.499	74.000	11.999	PK
2	*	16740.000	51.266	32.661	-22.734	74.000	18.605	PK


Profile: 1992128R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.184	32.185	-29.816	74.000	11.999	PK
2	*	16740.000	52.508	33.903	-21.492	74.000	18.605	PK




Profile: 1992128R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.356	29.501	-32.644	74.000	11.855	PK
2	*	17100.000	51.344	31.294	-22.656	74.000	20.050	PK

Profile: 1992128R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.659	29.804	-32.341	74.000	11.855	PK
2	*	17100.000	50.666	30.616	-23.334	74.000	20.050	PK

Profile: 1992128R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.771	32.846	-30.229	74.000	10.925	PK
2	*	15780.000	49.605	32.289	-24.395	74.000	17.316	PK

Profile: 1992128R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.892	32.967	-30.108	74.000	10.925	PK
2	*	15780.000	50.147	32.831	-23.853	74.000	17.316	PK

Profile: 1992128R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.541	31.882	-31.459	74.000	10.658	PK
2	*	15900.000	48.604	31.449	-25.396	74.000	17.155	PK

Profile: 1992128R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.094	32.435	-30.906	74.000	10.658	PK
2	*	15900.000	49.251	32.096	-24.749	74.000	17.155	PK

Profile: 1992128R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.191	32.766	-30.809	74.000	10.425	PK
2	*	15960.000	48.969	31.375	-25.031	74.000	17.594	PK


Profile: 1992128R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.238	32.813	-30.762	74.000	10.425	PK
2	*	15960.000	51.360	33.766	-22.640	74.000	17.594	PK




Profile: 1992128R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.209	31.814	-30.791	74.000	11.394	PK
2	*	16500.000	50.869	31.909	-23.131	74.000	18.960	PK

Profile: 1992128R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.870	32.475	-30.130	74.000	11.394	PK
2	*	16500.000	51.977	33.017	-22.023	74.000	18.960	PK

Profile: 1992128R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.722	31.344	-31.278	74.000	11.378	PK
2	*	16560.000	52.225	33.307	-21.775	74.000	18.918	PK

Profile: 1992128R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.158	31.780	-30.842	74.000	11.378	PK
2	*	16560.000	50.590	31.672	-23.410	74.000	18.918	PK

Profile: 1992128R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.448	31.449	-30.552	74.000	11.999	PK
2	*	16740.000	50.757	32.152	-23.243	74.000	18.605	PK

Profile: 1992128R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.654	31.655	-30.346	74.000	11.999	PK
2	*	16740.000	51.999	33.394	-22.001	74.000	18.605	PK

Profile: 1992128R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.086	30.231	-31.914	74.000	11.855	PK
2	*	17100.000	51.235	31.185	-22.765	74.000	20.050	PK


Profile: 1992128R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.517	30.662	-31.483	74.000	11.855	PK
2	*	17100.000	52.660	32.610	-21.340	74.000	20.050	PK




Profile: 1992128R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.862	31.713	-31.138	74.000	11.149	PK
2	*	15810.000	48.593	31.060	-25.407	74.000	17.533	PK

Profile: 1992128R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.681	32.532	-30.319	74.000	11.149	PK
2	*	15810.000	50.265	32.732	-23.735	74.000	17.533	PK

Profile: 1992128R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.776	32.344	-30.224	74.000	11.433	PK
2	*	15930.000	50.190	32.092	-23.810	74.000	18.099	PK

Profile: 1992128R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.647	32.215	-30.353	74.000	11.433	PK
2	*	15930.000	51.346	33.248	-22.654	74.000	18.099	PK

Profile: 1992128R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.171	32.041	-30.829	74.000	11.130	PK
2	*	16530.000	50.746	32.218	-23.254	74.000	18.529	PK

Profile: 1992128R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.700	32.570	-30.300	74.000	11.130	PK
2	*	16530.000	52.157	33.629	-21.843	74.000	18.529	PK

Profile: 1992128R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	41.914	30.478	-32.086	74.000	11.436	PK
2	*	16650.000	51.364	32.144	-22.636	74.000	19.221	PK


Profile: 1992128R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.524	31.088	-31.476	74.000	11.436	PK
2	*	16650.000	52.350	33.130	-21.650	74.000	19.221	PK




Profile: 1992128R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.453	30.446	-31.547	74.000	12.007	PK
2	*	17010.000	51.879	32.229	-22.121	74.000	19.650	PK

Profile: 1992128R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.700	31.693	-30.300	74.000	12.007	PK
2	*	17010.000	52.663	33.013	-21.337	74.000	19.650	PK

Profile: 1992128R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.528	32.603	-30.472	74.000	10.925	PK
2	*	15780.000	49.110	31.794	-24.890	74.000	17.316	PK

Profile: 1992128R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.116	34.191	-28.884	74.000	10.925	PK
2	*	15780.000	50.950	33.634	-23.050	74.000	17.316	PK

Profile: 1992128R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.931	32.272	-31.069	74.000	10.658	PK
2	*	15900.000	48.999	31.844	-25.001	74.000	17.155	PK

Profile: 1992128R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.569	33.910	-29.431	74.000	10.658	PK
2	*	15900.000	50.167	33.012	-23.833	74.000	17.155	PK

Profile: 1992128R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.388	31.963	-31.612	74.000	10.425	PK
2	*	15960.000	49.826	32.232	-24.174	74.000	17.594	PK


Profile: 1992128R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.164	32.739	-30.836	74.000	10.425	PK
2	*	15960.000	50.417	32.823	-23.583	74.000	17.594	PK




Profile: 1992128R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.586	32.191	-30.414	74.000	11.394	PK
2	*	16500.000	51.778	32.818	-22.222	74.000	18.960	PK

Profile: 1992128R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.021	32.626	-29.979	74.000	11.394	PK
2	*	16500.000	50.817	31.857	-23.183	74.000	18.960	PK

Profile: 1992128R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.670	32.292	-30.330	74.000	11.378	PK
2	*	16560.000	51.838	32.920	-22.162	74.000	18.918	PK

Profile: 1992128R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.694	31.316	-31.306	74.000	11.378	PK
2	*	16560.000	50.516	31.598	-23.484	74.000	18.918	PK

Profile: 1992128R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.376	31.377	-30.624	74.000	11.999	PK
2	*	16740.000	50.886	32.281	-23.114	74.000	18.605	PK

Profile: 1992128R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.909	31.910	-30.091	74.000	11.999	PK
2	*	16740.000	51.857	33.252	-22.143	74.000	18.605	PK

Profile: 1992128R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.333	29.478	-32.667	74.000	11.855	PK
2	*	17100.000	51.066	31.016	-22.934	74.000	20.050	PK


Profile: 1992128R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.692	30.837	-31.308	74.000	11.855	PK
2	*	17100.000	52.756	32.706	-21.244	74.000	20.050	PK




Profile: 1992128R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.158	32.009	-30.842	74.000	11.149	PK
2	*	15810.000	49.891	32.358	-24.109	74.000	17.533	PK

Profile: 1992128R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.895	33.746	-29.105	74.000	11.149	PK
2	*	15810.000	50.741	33.208	-23.259	74.000	17.533	PK

Profile: 1992128R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.410	31.978	-30.590	74.000	11.433	PK
2	*	15930.000	49.796	31.698	-24.204	74.000	18.099	PK

Profile: 1992128R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.602	32.170	-30.398	74.000	11.433	PK
2	*	15930.000	50.489	32.391	-23.511	74.000	18.099	PK

Profile: 1992128R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.201	31.071	-31.799	74.000	11.130	PK
2	*	16530.000	50.910	32.382	-23.090	74.000	18.529	PK

Profile: 1992128R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.322	31.192	-31.678	74.000	11.130	PK
2	*	16530.000	51.968	33.440	-22.032	74.000	18.529	PK

Profile: 1992128R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.800	31.364	-31.200	74.000	11.436	PK
2	*	16650.000	51.451	32.231	-22.549	74.000	19.221	PK


Profile: 1992128R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.420	30.984	-31.580	74.000	11.436	PK
2	*	16650.000	52.612	33.392	-21.388	74.000	19.221	PK




Profile: 1992128R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.730	30.723	-31.270	74.000	12.007	PK
2	*	17010.000	51.442	31.792	-22.558	74.000	19.650	PK

Profile: 1992128R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.614	30.607	-31.386	74.000	12.007	PK
2	*	17010.000	52.369	32.719	-21.631	74.000	19.650	PK

Profile: 1992128R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.276	32.721	-30.724	74.000	10.555	PK
2	*	15870.000	50.238	32.616	-23.762	74.000	17.622	PK

Profile: 1992128R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.930	34.375	-29.070	74.000	10.555	PK
2	*	15870.000	51.711	34.089	-22.289	74.000	17.622	PK

Profile: 1992128R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.096	30.963	-31.904	74.000	11.134	PK
2	*	16590.000	50.025	31.486	-23.975	74.000	18.539	PK

Profile: 1992128R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.252	31.119	-31.748	74.000	11.134	PK
2	*	16590.000	51.182	32.643	-22.818	74.000	18.539	PK

Profile: 1992128R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.266	31.593	-30.734	74.000	11.673	PK
2	*	16830.000	52.804	33.389	-21.196	74.000	19.415	PK


Profile: 1992128R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	42.619	30.946	-31.381	74.000	11.673	PK
2	*	16830.000	53.161	33.746	-20.839	74.000	19.415	PK




Profile: 1992128R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.322	32.397	-30.678	74.000	10.925	PK
2	*	15780.000	48.880	31.564	-25.120	74.000	17.316	PK

Profile: 1992128R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.756	32.831	-30.244	74.000	10.925	PK
2	*	15780.000	50.681	33.365	-23.319	74.000	17.316	PK

Profile: 1992128R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.032	32.373	-30.968	74.000	10.658	PK
2	*	15900.000	49.812	32.657	-24.188	74.000	17.155	PK

Profile: 1992128R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.747	33.088	-30.253	74.000	10.658	PK
2	*	15900.000	51.686	34.531	-22.314	74.000	17.155	PK

Profile: 1992128R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.719	33.294	-30.281	74.000	10.425	PK
2	*	15960.000	49.785	32.191	-24.215	74.000	17.594	PK

Profile: 1992128R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.090	32.665	-30.910	74.000	10.425	PK
2	*	15960.000	50.995	33.401	-23.005	74.000	17.594	PK

Profile: 1992128R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.130	31.735	-30.870	74.000	11.394	PK
2	*	16500.000	50.791	31.831	-23.209	74.000	18.960	PK


Profile: 1992128R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.357	31.962	-30.643	74.000	11.394	PK
2	*	16500.000	51.954	32.994	-22.046	74.000	18.960	PK




Profile: 1992128R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.345	30.967	-31.655	74.000	11.378	PK
2	*	16560.000	51.357	32.439	-22.643	74.000	18.918	PK

Profile: 1992128R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.849	31.471	-31.151	74.000	11.378	PK
2	*	16560.000	52.479	33.561	-21.521	74.000	18.918	PK

Profile: 1992128R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.333	31.334	-30.667	74.000	11.999	PK
2	*	16740.000	51.301	32.696	-22.699	74.000	18.605	PK

Profile: 1992128R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.096	32.097	-29.904	74.000	11.999	PK
2	*	16740.000	52.261	33.656	-21.739	74.000	18.605	PK

Profile: 1992128R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.550	30.695	-31.450	74.000	11.855	PK
2	*	17100.000	51.595	31.545	-22.405	74.000	20.050	PK

Profile: 1992128R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.452	31.597	-30.548	74.000	11.855	PK
2	*	17100.000	52.782	32.732	-21.218	74.000	20.050	PK

Profile: 1992128R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.514	33.365	-29.486	74.000	11.149	PK
2	*	15810.000	50.225	32.692	-23.775	74.000	17.533	PK


Profile: 1992128R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.350	32.201	-30.650	74.000	11.149	PK
2	*	15810.000	51.796	34.263	-22.204	74.000	17.533	PK




Profile: 1992128R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.260	32.828	-29.740	74.000	11.433	PK
2	*	15930.000	49.497	31.399	-24.503	74.000	18.099	PK

Profile: 1992128R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.909	32.477	-30.091	74.000	11.433	PK
2	*	15930.000	50.249	32.151	-23.751	74.000	18.099	PK

Profile: 1992128R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.079	31.949	-30.921	74.000	11.130	PK
2	*	16530.000	51.166	32.638	-22.834	74.000	18.529	PK

Profile: 1992128R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.917	31.787	-31.083	74.000	11.130	PK
2	*	16530.000	52.607	34.079	-21.393	74.000	18.529	PK

Profile: 1992128R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.491	31.055	-31.509	74.000	11.436	PK
2	*	16650.000	51.126	31.906	-22.874	74.000	19.221	PK

Profile: 1992128R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.911	31.475	-31.089	74.000	11.436	PK
2	*	16650.000	52.977	33.757	-21.023	74.000	19.221	PK

Profile: 1992128R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.226	30.219	-31.774	74.000	12.007	PK
2	*	17010.000	51.222	31.572	-22.778	74.000	19.650	PK


Profile: 1992128R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.824	30.817	-31.176	74.000	12.007	PK
2	*	17010.000	52.858	33.208	-21.142	74.000	19.650	PK




Profile: 1992128R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.925	32.370	-31.075	74.000	10.555	PK
2	*	15870.000	49.724	32.102	-24.276	74.000	17.622	PK

Profile: 1992128R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.835	32.280	-31.165	74.000	10.555	PK
2	*	15870.000	51.588	33.966	-22.412	74.000	17.622	PK

Profile: 1992128R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.790	31.657	-31.210	74.000	11.134	PK
2	*	16590.000	50.033	31.494	-23.967	74.000	18.539	PK

Profile: 1992128R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.682	32.549	-30.318	74.000	11.134	PK
2	*	16590.000	51.355	32.816	-22.645	74.000	18.539	PK

Profile: 1992128R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	42.575	30.902	-31.425	74.000	11.673	PK
2	*	16830.000	51.849	32.434	-22.151	74.000	19.415	PK


Profile: 1992128R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/04/17 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	42.927	31.254	-31.073	74.000	11.673	PK
2	*	16830.000	53.023	33.608	-20.977	74.000	19.415	PK


**Beamforming:**

Profile: 1992128R	Page No.: 85
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.902	33.977	-29.098	74.000	10.925	PK
2	*	15780.000	51.530	34.214	-22.470	74.000	17.316	PK


Profile: 1992128R	Page No.: 86
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.563	34.638	-28.437	74.000	10.925	PK
2	*	15780.000	49.390	32.074	-24.610	74.000	17.316	PK




Profile: 1992128R	Page No.: 87
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.383	33.724	-29.617	74.000	10.658	PK
2	*	15900.000	50.402	33.247	-23.598	74.000	17.155	PK

Profile: 1992128R	Page No.: 88
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.396	34.737	-28.604	74.000	10.658	PK
2	*	15900.000	51.115	33.960	-22.885	74.000	17.155	PK

Profile: 1992128R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.563	33.138	-30.437	74.000	10.425	PK
2	*	15960.000	50.764	33.170	-23.236	74.000	17.594	PK

Profile: 1992128R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.019	33.594	-29.981	74.000	10.425	PK
2	*	15960.000	51.187	33.593	-22.813	74.000	17.594	PK

Profile: 1992128R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.932	33.537	-29.068	74.000	11.394	PK
2	*	16500.000	52.553	33.593	-21.447	74.000	18.960	PK

Profile: 1992128R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.680	32.285	-30.320	74.000	11.394	PK
2	*	16500.000	50.251	31.291	-23.749	74.000	18.960	PK

Profile: 1992128R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.338	32.960	-29.662	74.000	11.378	PK
2	*	16560.000	53.054	34.136	-20.946	74.000	18.918	PK


Profile: 1992128R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.964	34.586	-28.036	74.000	11.378	PK
2	*	16560.000	51.477	32.559	-22.523	74.000	18.918	PK




Profile: 1992128R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.443	33.444	-28.557	74.000	11.999	PK
2	*	16740.000	52.702	34.097	-21.298	74.000	18.605	PK

Profile: 1992128R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.649	32.650	-29.351	74.000	11.999	PK
2	*	16740.000	51.424	32.819	-22.576	74.000	18.605	PK

Profile: 1992128R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.521	30.666	-31.479	74.000	11.855	PK
2	*	17100.000	52.881	32.831	-21.119	74.000	20.050	PK

Profile: 1992128R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.556	30.701	-31.444	74.000	11.855	PK
2	*	17100.000	51.594	31.544	-22.406	74.000	20.050	PK

Profile: 1992128R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.121	33.972	-28.879	74.000	11.149	PK
2	*	15810.000	50.664	33.131	-23.336	74.000	17.533	PK

Profile: 1992128R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.824	34.675	-28.176	74.000	11.149	PK
2	*	15810.000	51.368	33.835	-22.632	74.000	17.533	PK

Profile: 1992128R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.958	34.526	-28.042	74.000	11.433	PK
2	*	15930.000	52.238	34.140	-21.762	74.000	18.099	PK


Profile: 1992128R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.613	34.181	-28.387	74.000	11.433	PK
2	*	15930.000	51.051	32.953	-22.949	74.000	18.099	PK




Profile: 1992128R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.299	33.169	-29.701	74.000	11.130	PK
2	*	16530.000	52.003	33.475	-21.997	74.000	18.529	PK

Profile: 1992128R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.359	33.229	-29.641	74.000	11.130	PK
2	*	16530.000	51.620	33.092	-22.380	74.000	18.529	PK

Profile: 1992128R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.043	31.607	-30.957	74.000	11.436	PK
2	*	16650.000	52.386	33.166	-21.614	74.000	19.221	PK

Profile: 1992128R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.811	33.375	-29.189	74.000	11.436	PK
2	*	16650.000	51.092	31.872	-22.908	74.000	19.221	PK

Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.346	32.339	-29.654	74.000	12.007	PK
2	*	17010.000	52.539	32.889	-21.461	74.000	19.650	PK

Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.245	31.238	-30.755	74.000	12.007	PK
2	*	17010.000	51.470	31.820	-22.530	74.000	19.650	PK

Profile: 1992128R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.759	33.834	-29.241	74.000	10.925	PK
2	*	15780.000	50.047	32.731	-23.953	74.000	17.316	PK


Profile: 1992128R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.842	34.917	-28.158	74.000	10.925	PK
2	*	15780.000	51.405	34.089	-22.595	74.000	17.316	PK




Profile: 1992128R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.303	34.644	-28.697	74.000	10.658	PK
2	*	15900.000	52.219	35.064	-21.781	74.000	17.155	PK

Profile: 1992128R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.281	35.622	-27.719	74.000	10.658	PK
2	*	15900.000	50.852	33.697	-23.148	74.000	17.155	PK

Profile: 1992128R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.383	33.958	-29.617	74.000	10.425	PK
2	*	15960.000	51.295	33.701	-22.705	74.000	17.594	PK

Profile: 1992128R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.948	33.523	-30.052	74.000	10.425	PK
2	*	15960.000	50.502	32.908	-23.498	74.000	17.594	PK

Profile: 1992128R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.468	34.073	-28.532	74.000	11.394	PK
2	*	16500.000	52.774	33.814	-21.226	74.000	18.960	PK

Profile: 1992128R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.303	33.908	-28.697	74.000	11.394	PK
2	*	16500.000	51.982	33.022	-22.018	74.000	18.960	PK

Profile: 1992128R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.794	33.416	-29.206	74.000	11.378	PK
2	*	16560.000	52.520	33.602	-21.480	74.000	18.918	PK


Profile: 1992128R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.679	34.301	-28.321	74.000	11.378	PK
2	*	16560.000	51.029	32.111	-22.971	74.000	18.918	PK




Profile: 1992128R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.366	32.367	-29.634	74.000	11.999	PK
2	*	16740.000	51.576	32.971	-22.424	74.000	18.605	PK

Profile: 1992128R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.734	33.735	-28.266	74.000	11.999	PK
2	*	16740.000	53.301	34.696	-20.699	74.000	18.605	PK

Profile: 1992128R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.009	32.154	-29.991	74.000	11.855	PK
2	*	17100.000	52.975	32.925	-21.025	74.000	20.050	PK

Profile: 1992128R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.266	31.411	-30.734	74.000	11.855	PK
2	*	17100.000	53.211	33.161	-20.789	74.000	20.050	PK

Profile: 1992128R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.130	32.981	-29.870	74.000	11.149	PK
2	*	15810.000	49.334	31.801	-24.666	74.000	17.533	PK

Profile: 1992128R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.639	35.490	-27.361	74.000	11.149	PK
2	*	15810.000	51.954	34.421	-22.046	74.000	17.533	PK

Profile: 1992128R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.927	34.495	-28.073	74.000	11.433	PK
2	*	15930.000	51.205	33.107	-22.795	74.000	18.099	PK


Profile: 1992128R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.408	33.976	-28.592	74.000	11.433	PK
2	*	15930.000	50.125	32.027	-23.875	74.000	18.099	PK




Profile: 1992128R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.197	33.067	-29.803	74.000	11.130	PK
2	*	16530.000	53.419	34.891	-20.581	74.000	18.529	PK

Profile: 1992128R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.520	34.390	-28.480	74.000	11.130	PK
2	*	16530.000	51.513	32.985	-22.487	74.000	18.529	PK

Profile: 1992128R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.570	33.134	-29.430	74.000	11.436	PK
2	*	16650.000	52.338	33.118	-21.662	74.000	19.221	PK

Profile: 1992128R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.893	33.457	-29.107	74.000	11.436	PK
2	*	16650.000	51.312	32.092	-22.688	74.000	19.221	PK

Profile: 1992128R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.125	32.118	-29.875	74.000	12.007	PK
2	*	17010.000	52.867	33.217	-21.133	74.000	19.650	PK

Profile: 1992128R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.528	32.521	-29.472	74.000	12.007	PK
2	*	17010.000	51.234	31.584	-22.766	74.000	19.650	PK

Profile: 1992128R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.479	32.924	-30.521	74.000	10.555	PK
2	*	15870.000	51.436	33.814	-22.564	74.000	17.622	PK


Profile: 1992128R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.278	33.723	-29.722	74.000	10.555	PK
2	*	15870.000	52.866	35.244	-21.134	74.000	17.622	PK




Profile: 1992128R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.865	34.732	-28.135	74.000	11.134	PK
2	*	16590.000	53.347	34.808	-20.653	74.000	18.539	PK

Profile: 1992128R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.256	34.123	-28.744	74.000	11.134	PK
2	*	16590.000	51.703	33.164	-22.297	74.000	18.539	PK

Profile: 1992128R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.749	33.076	-29.251	74.000	11.673	PK
2	*	16830.000	52.994	33.579	-21.006	74.000	19.415	PK

Profile: 1992128R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.888	32.215	-30.112	74.000	11.673	PK
2	*	16830.000	51.792	32.377	-22.208	74.000	19.415	PK

Profile: 1992128R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5260MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.530	34.605	-28.470	74.000	10.925	PK
2	*	15780.000	50.316	33.000	-23.684	74.000	17.316	PK

Profile: 1992128R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.011	34.086	-28.989	74.000	10.925	PK
2	*	15780.000	51.523	34.207	-22.477	74.000	17.316	PK