



| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 141 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:36 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.095 | 33.436 | -29.905 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 50.110 | 32.955 | -23.890 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 142 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:36 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.799 | 35.140 | -28.201 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.322 | 34.167 | -22.678 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 143 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:36 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 45.141 | 34.716 | -28.859 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 50.396 | 32.802 | -23.604 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 144 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:36 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.774 | 34.349 | -29.226 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.222 | 33.628 | -22.778 | 74.000 | 17.594 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 145 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.676 | 33.281 | -29.324 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.955 | 33.995 | -21.045 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 146 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 45.581 | 34.186 | -28.419 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.121 | 33.161 | -21.879 | 74.000 | 18.960 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 147 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7: Transmit at 5520MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.536 | 33.158 | -29.464 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 53.273 | 34.355 | -20.727 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 148 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.401 | 33.023 | -29.599 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.785 | 33.867 | -21.215 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 149 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.296 | 33.297 | -28.704 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.527 | 33.922 | -21.473 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 150 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 44.635 | 32.636 | -29.365 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.093 | 33.488 | -21.907 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 151 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.490 | 31.635 | -30.510 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.721 | 32.671 | -21.279 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 152 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.911 | 31.056 | -31.089 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 51.307 | 31.257 | -22.693 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 153 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 45.484 | 34.335 | -28.516 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 52.162 | 34.629 | -21.838 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 154 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 46.292 | 35.143 | -27.708 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 51.649 | 34.116 | -22.351 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 155 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 44.998 | 33.566 | -29.002 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.528 | 33.430 | -22.472 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 156 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 46.037 | 34.605 | -27.963 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 52.415 | 34.317 | -21.585 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 157 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 43.846 | 32.716 | -30.154 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 53.394 | 34.866 | -20.606 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 158 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.453 | 33.323 | -29.547 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 51.104 | 32.576 | -22.896 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 159 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.918 | 33.482 | -29.082 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 52.062 | 32.842 | -21.938 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 160 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 45.840 | 34.404 | -28.160 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 51.195 | 31.975 | -22.805 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 161 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 44.171 | 32.164 | -29.829 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.130 | 32.480 | -21.870 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 162 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 44.587 | 32.580 | -29.413 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 51.235 | 31.585 | -22.765 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 163 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 43.796 | 33.241 | -30.204 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 51.148 | 33.526 | -22.852 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 164 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 45.422 | 34.867 | -28.578 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 52.347 | 34.725 | -21.653 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 165 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 44.195 | 33.062 | -29.805 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 53.128 | 34.589 | -20.872 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 166 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 44.388 | 33.255 | -29.612 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 51.336 | 32.797 | -22.664 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 167 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 44.010 | 32.337 | -29.990 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 52.865 | 33.450 | -21.135 | 74.000 | 19.415 | PK |


| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 168 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 00:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 43.872 | 32.199 | -30.128 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 51.456 | 32.041 | -22.544 | 74.000 | 19.415 | PK |


Radio 3:
5GHz Full Band
2*2 CDD:

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 107 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:58 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5260MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 45.518 | 34.593 | -28.482 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.364 | 34.048 | -22.636 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 108 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:58 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5260MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 44.782 | 33.857 | -29.218 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.434 | 33.118 | -23.566 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 109 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:58 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5300MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.695 | 35.036 | -28.305 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.245 | 34.090 | -22.755 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 110 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:58 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5300MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.995 | 34.336 | -29.005 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 50.456 | 33.301 | -23.544 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 111 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:58 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5320MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 45.092 | 34.667 | -28.908 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 52.225 | 34.631 | -21.775 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 112 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:58 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5320MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 45.470 | 35.045 | -28.530 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.217 | 33.623 | -22.783 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 113 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:58 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5500MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.180 | 32.785 | -29.820 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.758 | 33.798 | -21.242 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 114 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:58 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5500MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.400 | 33.005 | -29.600 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.145 | 33.185 | -21.855 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 115 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5520MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.700 | 33.322 | -29.300 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.947 | 34.029 | -21.053 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 116 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5520MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.911 | 33.533 | -29.089 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 51.718 | 32.800 | -22.282 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 117 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5580MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 44.848 | 32.849 | -29.152 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 53.128 | 34.523 | -20.872 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 118 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5580MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 46.013 | 34.014 | -27.987 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.620 | 34.015 | -21.380 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 119 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5700MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.682 | 30.827 | -31.318 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.703 | 32.653 | -21.297 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 120 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5700MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.893 | 32.038 | -30.107 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 51.514 | 31.464 | -22.486 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 121 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 45.457 | 34.532 | -28.543 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.131 | 33.815 | -22.869 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 122 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.000 | 35.075 | -28.000 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.454 | 34.138 | -22.546 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 123 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.738 | 34.079 | -29.262 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.187 | 34.032 | -22.813 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 124 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.952 | 34.293 | -29.048 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.211 | 34.056 | -22.789 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 125 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 45.119 | 34.694 | -28.881 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 52.395 | 34.801 | -21.605 | 74.000 | 17.594 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 126 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 46.157 | 35.732 | -27.843 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.711 | 34.117 | -22.289 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 127 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.260 | 32.865 | -29.740 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.445 | 33.485 | -21.555 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 128 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 22:59 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 43.898 | 32.503 | -30.102 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 51.788 | 32.828 | -22.212 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 129 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 46.340 | 34.962 | -27.660 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.824 | 33.906 | -21.176 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 130 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.193 | 32.815 | -29.807 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 51.507 | 32.589 | -22.493 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 131 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 44.805 | 32.806 | -29.195 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.655 | 34.050 | -21.345 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 132 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.500 | 33.501 | -28.500 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.094 | 33.489 | -21.906 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 133 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 44.157 | 32.302 | -29.843 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.471 | 32.421 | -21.529 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 134 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.897 | 32.042 | -30.103 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 51.759 | 31.709 | -22.241 | 74.000 | 20.050 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 135 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 45.262 | 34.113 | -28.738 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 50.008 | 32.475 | -23.992 | 74.000 | 17.533 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 136 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 45.866 | 34.717 | -28.134 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 51.948 | 34.415 | -22.052 | 74.000 | 17.533 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 137 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 47.455 | 36.023 | -26.545 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 50.545 | 32.447 | -23.455 | 74.000 | 18.099 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 138 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.372 | 33.940 | -28.628 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.825 | 33.727 | -22.175 | 74.000 | 18.099 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 139 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 43.887 | 32.757 | -30.113 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 53.375 | 34.847 | -20.625 | 74.000 | 18.529 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 140 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.802 | 33.672 | -29.198 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 52.683 | 34.155 | -21.317 | 74.000 | 18.529 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 141 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 45.271 | 33.835 | -28.729 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 52.312 | 33.092 | -21.688 | 74.000 | 19.221 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 142 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.525 | 33.089 | -29.475 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 51.952 | 32.732 | -22.048 | 74.000 | 19.221 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 143 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 44.040 | 32.033 | -29.960 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.469 | 32.819 | -21.531 | 74.000 | 19.650 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 144 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 45.649 | 33.642 | -28.351 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 51.815 | 32.165 | -22.185 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 145 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.647 | 35.722 | -27.353 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.696 | 34.380 | -22.304 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 146 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 44.763 | 33.838 | -29.237 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.796 | 33.480 | -23.204 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 147 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.528 | 34.869 | -28.472 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.960 | 34.805 | -22.040 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 148 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.045 | 34.386 | -28.955 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 50.364 | 33.209 | -23.636 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 149 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 43.262 | 32.837 | -30.738 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 52.189 | 34.595 | -21.811 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 150 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.488 | 34.063 | -29.512 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.218 | 33.624 | -22.782 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 151 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.459 | 33.064 | -29.541 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 53.484 | 34.524 | -20.516 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 152 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 45.431 | 34.036 | -28.569 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 51.779 | 32.819 | -22.221 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 153 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 45.350 | 33.972 | -28.650 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 53.422 | 34.504 | -20.578 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 154 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.026 | 32.648 | -29.974 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.921 | 34.003 | -21.079 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 155 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.019 | 33.020 | -28.981 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.422 | 33.817 | -21.578 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 156 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 46.025 | 34.026 | -27.975 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 53.152 | 34.547 | -20.848 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 157 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.945 | 32.090 | -30.055 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.723 | 32.673 | -21.277 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 158 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.296 | 31.441 | -30.704 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 53.348 | 33.298 | -20.652 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 159 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 46.133 | 34.984 | -27.867 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 52.119 | 34.586 | -21.881 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 160 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 46.404 | 35.255 | -27.596 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 50.702 | 33.169 | -23.298 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 161 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.887 | 34.455 | -28.113 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.224 | 33.126 | -22.776 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 162 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 46.456 | 35.024 | -27.544 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 50.755 | 32.657 | -23.245 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 163 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.156 | 33.026 | -29.844 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 52.253 | 33.725 | -21.747 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 164 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 45.262 | 34.132 | -28.738 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 51.607 | 33.079 | -22.393 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 165 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 45.048 | 33.612 | -28.952 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 52.141 | 32.921 | -21.859 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 166 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 43.667 | 32.231 | -30.333 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 53.224 | 34.004 | -20.776 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 167 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 45.242 | 33.235 | -28.758 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.378 | 32.728 | -21.622 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 168 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 43.779 | 31.772 | -30.221 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 51.577 | 31.927 | -22.423 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 169 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 45.668 | 35.113 | -28.332 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 52.658 | 35.036 | -21.342 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 170 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 45.383 | 34.828 | -28.617 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 51.620 | 33.998 | -22.380 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 171 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 43.891 | 32.758 | -30.109 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 51.931 | 33.392 | -22.069 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 172 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 44.325 | 33.192 | -29.675 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 51.492 | 32.953 | -22.508 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 173 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 44.403 | 32.730 | -29.597 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 52.064 | 32.649 | -21.936 | 74.000 | 19.415 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 174 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 45.520 | 33.847 | -28.480 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 51.265 | 31.850 | -22.735 | 74.000 | 19.415 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 179 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.182 | 35.257 | -27.818 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.037 | 32.721 | -23.963 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 180 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 45.596 | 34.671 | -28.404 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.890 | 33.574 | -23.110 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 181 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.969 | 34.310 | -29.031 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.355 | 34.200 | -22.645 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 182 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.129 | 34.470 | -28.871 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.079 | 33.924 | -22.921 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 183 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 45.311 | 34.886 | -28.689 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.730 | 34.136 | -22.270 | 74.000 | 17.594 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 184 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.441 | 34.016 | -29.559 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 50.726 | 33.132 | -23.274 | 74.000 | 17.594 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 185 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.491 | 33.096 | -29.509 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 53.025 | 34.065 | -20.975 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 186 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 45.008 | 33.613 | -28.992 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.001 | 33.041 | -21.999 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 187 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.836 | 33.458 | -29.164 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.624 | 33.706 | -21.376 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 188 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 45.079 | 33.701 | -28.921 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 53.175 | 34.257 | -20.825 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 189 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.156 | 33.157 | -28.844 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.008 | 33.403 | -21.992 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 190 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.887 | 33.888 | -28.113 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 53.494 | 34.889 | -20.506 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 191 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.465 | 30.610 | -31.535 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.439 | 32.389 | -21.561 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 192 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 41.703 | 29.848 | -32.297 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 51.552 | 31.502 | -22.448 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 193 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 45.079 | 33.930 | -28.921 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 50.647 | 33.114 | -23.353 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 194 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 45.423 | 34.274 | -28.577 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 51.814 | 34.281 | -22.186 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 195 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.067 | 33.635 | -28.933 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 50.519 | 32.421 | -23.481 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 196 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.549 | 34.117 | -28.451 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.147 | 33.049 | -22.853 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 197 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 45.959 | 34.829 | -28.041 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 53.293 | 34.765 | -20.707 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 198 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 45.336 | 34.206 | -28.664 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 52.827 | 34.299 | -21.173 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 199 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.035 | 32.599 | -29.965 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 53.324 | 34.104 | -20.676 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 200 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.861 | 33.425 | -29.139 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 52.257 | 33.037 | -21.743 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 201 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 44.175 | 32.168 | -29.825 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 53.358 | 33.708 | -20.642 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 202 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 43.954 | 31.947 | -30.046 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 51.838 | 32.188 | -22.162 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 203 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 43.832 | 33.277 | -30.168 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 51.349 | 33.727 | -22.651 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 204 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 44.684 | 34.129 | -29.316 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 51.892 | 34.270 | -22.108 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 205 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 44.358 | 33.225 | -29.642 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 51.652 | 33.113 | -22.348 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 206 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 43.761 | 32.628 | -30.239 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 51.988 | 33.449 | -22.012 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 207 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 44.242 | 32.569 | -29.758 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 52.050 | 32.635 | -21.950 | 74.000 | 19.415 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 208 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 43.363 | 31.690 | -30.637 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 53.298 | 33.883 | -20.702 | 74.000 | 19.415 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 209 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10500.000 | 44.622 | 33.902 | -29.378 | 74.000 | 10.720 | PK |
| 2 | * | 15750.000 | 50.015 | 33.106 | -23.985 | 74.000 | 16.909 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 210 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10500.000 | 44.243 | 33.523 | -29.757 | 74.000 | 10.720 | PK |
| 2 | * | 15750.000 | 50.669 | 33.760 | -23.331 | 74.000 | 16.909 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 211 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11140.000 | 46.315 | 34.525 | -27.685 | 74.000 | 11.791 | PK |
| 2 | * | 16710.000 | 53.160 | 33.533 | -20.840 | 74.000 | 19.627 | PK |


| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 212 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/27 - 23:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11140.000 | 45.533 | 33.743 | -28.467 | 74.000 | 11.791 | PK |
| 2 | * | 16710.000 | 52.263 | 32.636 | -21.737 | 74.000 | 19.627 | PK |


4*4 CDD:

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 107 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5260MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 44.770 | 33.845 | -29.230 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.756 | 33.440 | -23.244 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 108 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5260MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.227 | 35.302 | -27.773 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.235 | 33.919 | -22.765 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 109 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5300MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.329 | 33.670 | -29.671 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 50.519 | 33.364 | -23.481 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 110 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5300MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.049 | 34.390 | -28.951 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.296 | 34.141 | -22.704 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 111 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5320MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.505 | 34.080 | -29.495 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.509 | 33.915 | -22.491 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 112 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5320MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.293 | 33.868 | -29.707 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 50.589 | 32.995 | -23.411 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 113 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5500MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.168 | 32.773 | -29.832 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.720 | 33.760 | -21.280 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 114 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5500MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.929 | 33.534 | -29.071 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 53.244 | 34.284 | -20.756 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 115 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5520MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 45.012 | 33.634 | -28.988 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 53.258 | 34.340 | -20.742 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 116 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5520MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.824 | 33.446 | -29.176 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.968 | 34.050 | -21.032 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 117 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5580MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.117 | 33.118 | -28.883 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 51.588 | 32.983 | -22.412 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 118 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5580MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 46.381 | 34.382 | -27.619 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 53.195 | 34.590 | -20.805 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 119 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5700MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 44.022 | 32.167 | -29.978 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.125 | 32.075 | -21.875 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 120 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5700MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.172 | 30.317 | -31.828 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 51.362 | 31.312 | -22.638 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 121 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 44.985 | 34.060 | -29.015 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.267 | 32.951 | -23.733 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 122 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 45.512 | 34.587 | -28.488 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.770 | 33.454 | -23.230 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 123 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.014 | 33.355 | -29.986 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 50.805 | 33.650 | -23.195 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 124 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.880 | 34.221 | -29.120 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.562 | 34.407 | -22.438 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 125 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.166 | 33.741 | -29.834 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.008 | 33.414 | -22.992 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 126 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.939 | 34.514 | -29.061 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 50.814 | 33.220 | -23.186 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 127 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 45.194 | 33.799 | -28.806 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 53.059 | 34.099 | -20.941 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 128 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.197 | 32.802 | -29.803 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 53.488 | 34.528 | -20.512 | 74.000 | 18.960 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 129 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.420 | 33.042 | -29.580 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 53.147 | 34.229 | -20.853 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 130 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:55 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 45.461 | 34.083 | -28.539 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.021 | 33.103 | -21.979 | 74.000 | 18.918 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 131 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.494 | 33.495 | -28.506 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.725 | 34.120 | -21.275 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 132 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 44.408 | 32.409 | -29.592 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.142 | 33.537 | -21.858 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 133 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.855 | 31.000 | -31.145 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.835 | 32.785 | -21.165 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 134 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.945 | 32.090 | -30.055 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 51.346 | 31.296 | -22.654 | 74.000 | 20.050 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 135 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 45.987 | 34.838 | -28.013 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 51.585 | 34.052 | -22.415 | 74.000 | 17.533 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 136 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 46.317 | 35.168 | -27.683 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 52.316 | 34.783 | -21.684 | 74.000 | 17.533 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 137 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 44.914 | 33.482 | -29.086 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.327 | 33.229 | -22.673 | 74.000 | 18.099 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 138 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.691 | 34.259 | -28.309 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.014 | 32.916 | -22.986 | 74.000 | 18.099 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 139 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.450 | 33.320 | -29.550 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 51.434 | 32.906 | -22.566 | 74.000 | 18.529 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 140 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.698 | 33.568 | -29.302 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 53.146 | 34.618 | -20.854 | 74.000 | 18.529 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 141 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.844 | 33.408 | -29.156 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 53.113 | 33.893 | -20.887 | 74.000 | 19.221 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 142 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.288 | 32.852 | -29.712 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 52.421 | 33.201 | -21.579 | 74.000 | 19.221 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 143 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 43.960 | 31.953 | -30.040 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.003 | 32.353 | -21.997 | 74.000 | 19.650 | PK |

| | |
|--|--------------------------|
| Profile: 1992128R | Page No.: 144 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 45.105 | 33.098 | -28.895 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.827 | 33.177 | -21.173 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 145 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.642 | 35.717 | -27.358 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.129 | 32.813 | -23.871 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 146 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 45.989 | 35.064 | -28.011 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.501 | 34.185 | -22.499 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 147 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.479 | 33.820 | -29.521 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 49.916 | 32.761 | -24.084 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 148 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.945 | 34.286 | -29.055 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.819 | 34.664 | -22.181 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 149 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.585 | 34.160 | -29.415 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 50.281 | 32.687 | -23.719 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 150 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:57 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 45.246 | 34.821 | -28.754 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 50.808 | 33.214 | -23.192 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 1992128R | Page No.: 151 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/04/30 - 04:58 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP410C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.893 | 33.498 | -29.107 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.538 | 33.578 | -21.462 | 74.000 | 18.960 | PK |