



Profile: 1992128R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.471	32.076	-30.529	74.000	11.394	PK
2	*	16500.000	53.597	34.637	-20.403	74.000	18.960	PK

Profile: 1992128R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.189	32.811	-29.811	74.000	11.378	PK
2	*	16560.000	53.394	34.476	-20.606	74.000	18.918	PK

Profile: 1992128R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.884	33.506	-29.116	74.000	11.378	PK
2	*	16560.000	52.005	33.087	-21.995	74.000	18.918	PK

Profile: 1992128R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.102	34.103	-27.898	74.000	11.999	PK
2	*	16740.000	52.659	34.054	-21.341	74.000	18.605	PK

Profile: 1992128R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.955	34.956	-27.045	74.000	11.999	PK
2	*	16740.000	51.866	33.261	-22.134	74.000	18.605	PK

Profile: 1992128R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.872	31.017	-31.128	74.000	11.855	PK
2	*	17100.000	53.066	33.016	-20.934	74.000	20.050	PK

Profile: 1992128R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.831	31.976	-30.169	74.000	11.855	PK
2	*	17100.000	52.499	32.449	-21.501	74.000	20.050	PK


Profile: 1992128R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.020	34.871	-27.980	74.000	11.149	PK
2	*	15810.000	51.464	33.931	-22.536	74.000	17.533	PK




Profile: 1992128R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.839	34.690	-28.161	74.000	11.149	PK
2	*	15810.000	50.724	33.191	-23.276	74.000	17.533	PK

Profile: 1992128R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.148	33.716	-28.852	74.000	11.433	PK
2	*	15930.000	50.864	32.766	-23.136	74.000	18.099	PK

Profile: 1992128R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.149	32.717	-29.851	74.000	11.433	PK
2	*	15930.000	52.352	34.254	-21.648	74.000	18.099	PK

Profile: 1992128R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.714	32.584	-30.286	74.000	11.130	PK
2	*	16530.000	51.169	32.641	-22.831	74.000	18.529	PK

Profile: 1992128R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.672	32.542	-30.328	74.000	11.130	PK
2	*	16530.000	52.774	34.246	-21.226	74.000	18.529	PK

Profile: 1992128R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.907	33.471	-29.093	74.000	11.436	PK
2	*	16650.000	53.227	34.007	-20.773	74.000	19.221	PK

Profile: 1992128R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.679	33.243	-29.321	74.000	11.436	PK
2	*	16650.000	52.454	33.234	-21.546	74.000	19.221	PK


Profile: 1992128R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.175	32.168	-29.825	74.000	12.007	PK
2	*	17010.000	52.592	32.942	-21.408	74.000	19.650	PK




Profile: 1992128R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.615	32.608	-29.385	74.000	12.007	PK
2	*	17010.000	53.071	33.421	-20.929	74.000	19.650	PK

Profile: 1992128R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.999	34.444	-29.001	74.000	10.555	PK
2	*	15870.000	52.331	34.709	-21.669	74.000	17.622	PK

Profile: 1992128R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.746	35.191	-28.254	74.000	10.555	PK
2	*	15870.000	51.561	33.939	-22.439	74.000	17.622	PK

Profile: 1992128R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.499	33.366	-29.501	74.000	11.134	PK
2	*	16590.000	52.912	34.373	-21.088	74.000	18.539	PK

Profile: 1992128R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.986	33.853	-29.014	74.000	11.134	PK
2	*	16590.000	53.164	34.625	-20.836	74.000	18.539	PK

Profile: 1992128R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.610	33.937	-28.390	74.000	11.673	PK
2	*	16830.000	53.381	33.966	-20.619	74.000	19.415	PK

Profile: 1992128R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.546	32.873	-29.454	74.000	11.673	PK
2	*	16830.000	51.656	32.241	-22.344	74.000	19.415	PK


Profile: 1992128R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.689	33.764	-29.311	74.000	10.925	PK
2	*	15780.000	51.094	33.778	-22.906	74.000	17.316	PK




Profile: 1992128R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.839	34.914	-28.161	74.000	10.925	PK
2	*	15780.000	52.762	35.446	-21.238	74.000	17.316	PK

Profile: 1992128R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.974	34.315	-29.026	74.000	10.658	PK
2	*	15900.000	51.209	34.054	-22.791	74.000	17.155	PK

Profile: 1992128R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.022	33.363	-29.978	74.000	10.658	PK
2	*	15900.000	50.578	33.423	-23.422	74.000	17.155	PK

Profile: 1992128R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.065	33.640	-29.935	74.000	10.425	PK
2	*	15960.000	49.856	32.262	-24.144	74.000	17.594	PK

Profile: 1992128R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.012	34.587	-28.988	74.000	10.425	PK
2	*	15960.000	51.594	34.000	-22.406	74.000	17.594	PK

Profile: 1992128R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.510	33.115	-29.490	74.000	11.394	PK
2	*	16500.000	53.262	34.302	-20.738	74.000	18.960	PK

Profile: 1992128R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.132	33.737	-28.868	74.000	11.394	PK
2	*	16500.000	51.867	32.907	-22.133	74.000	18.960	PK


Profile: 1992128R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.550	34.172	-28.450	74.000	11.378	PK
2	*	16560.000	52.412	33.494	-21.588	74.000	18.918	PK




Profile: 1992128R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.431	33.053	-29.569	74.000	11.378	PK
2	*	16560.000	51.835	32.917	-22.165	74.000	18.918	PK

Profile: 1992128R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.443	34.444	-27.557	74.000	11.999	PK
2	*	16740.000	52.646	34.041	-21.354	74.000	18.605	PK

Profile: 1992128R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.045	33.046	-28.955	74.000	11.999	PK
2	*	16740.000	51.463	32.858	-22.537	74.000	18.605	PK

Profile: 1992128R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.629	31.774	-30.371	74.000	11.855	PK
2	*	17100.000	53.233	33.183	-20.767	74.000	20.050	PK

Profile: 1992128R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.954	33.099	-29.046	74.000	11.855	PK
2	*	17100.000	52.093	32.043	-21.907	74.000	20.050	PK

Profile: 1992128R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.780	34.631	-28.220	74.000	11.149	PK
2	*	15810.000	51.677	34.144	-22.323	74.000	17.533	PK

Profile: 1992128R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.022	34.873	-27.978	74.000	11.149	PK
2	*	15810.000	51.950	34.417	-22.050	74.000	17.533	PK


Profile: 1992128R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.111	33.679	-28.889	74.000	11.433	PK
2	*	15930.000	52.768	34.670	-21.232	74.000	18.099	PK




Profile: 1992128R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.212	34.780	-27.788	74.000	11.433	PK
2	*	15930.000	53.287	35.189	-20.713	74.000	18.099	PK

Profile: 1992128R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.157	33.027	-29.843	74.000	11.130	PK
2	*	16530.000	52.105	33.577	-21.895	74.000	18.529	PK

Profile: 1992128R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.022	33.892	-28.978	74.000	11.130	PK
2	*	16530.000	51.359	32.831	-22.641	74.000	18.529	PK

Profile: 1992128R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.375	32.939	-29.625	74.000	11.436	PK
2	*	16650.000	53.214	33.994	-20.786	74.000	19.221	PK

Profile: 1992128R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.238	33.802	-28.762	74.000	11.436	PK
2	*	16650.000	52.434	33.214	-21.566	74.000	19.221	PK

Profile: 1992128R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.267	32.260	-29.733	74.000	12.007	PK
2	*	17010.000	51.155	31.505	-22.845	74.000	19.650	PK

Profile: 1992128R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.892	32.885	-29.108	74.000	12.007	PK
2	*	17010.000	53.366	33.716	-20.634	74.000	19.650	PK


Profile: 1992128R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.466	34.911	-28.534	74.000	10.555	PK
2	*	15870.000	52.356	34.734	-21.644	74.000	17.622	PK




Profile: 1992128R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.293	32.738	-30.707	74.000	10.555	PK
2	*	15870.000	51.790	34.168	-22.210	74.000	17.622	PK

Profile: 1992128R	Page No.: 205
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.235	34.102	-28.765	74.000	11.134	PK
2	*	16590.000	53.255	34.716	-20.745	74.000	18.539	PK

Profile: 1992128R	Page No.: 206
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.339	33.206	-29.661	74.000	11.134	PK
2	*	16590.000	52.492	33.953	-21.508	74.000	18.539	PK

Profile: 1992128R	Page No.: 207
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.330	33.657	-28.670	74.000	11.673	PK
2	*	16830.000	53.164	33.749	-20.836	74.000	19.415	PK

Profile: 1992128R	Page No.: 208
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.270	32.597	-29.730	74.000	11.673	PK
2	*	16830.000	51.759	32.344	-22.241	74.000	19.415	PK

Profile: 1992128R	Page No.: 209
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.510	34.790	-28.490	74.000	10.720	PK
2	*	15750.000	51.935	35.026	-22.065	74.000	16.909	PK

Profile: 1992128R	Page No.: 210
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.718	33.998	-29.282	74.000	10.720	PK
2	*	15750.000	51.388	34.479	-22.612	74.000	16.909	PK


Profile: 1992128R	Page No.: 211
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.837	33.047	-29.163	74.000	11.791	PK
2	*	16710.000	52.812	33.185	-21.188	74.000	19.627	PK




Profile: 1992128R	Page No.: 212
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.477	33.687	-28.523	74.000	11.791	PK
2	*	16710.000	51.586	31.959	-22.414	74.000	19.627	PK


**2\*2 Beamforming:**

Profile: 1992128R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.693	32.768	-30.307	74.000	10.925	PK
2	*	15780.000	50.545	33.229	-23.455	74.000	17.316	PK

Profile: 1992128R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.804	33.879	-29.196	74.000	10.925	PK
2	*	15780.000	51.015	33.699	-22.985	74.000	17.316	PK

Profile: 1992128R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.365	33.706	-29.635	74.000	10.658	PK
2	*	15900.000	50.093	32.938	-23.907	74.000	17.155	PK

Profile: 1992128R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.397	34.738	-28.603	74.000	10.658	PK
2	*	15900.000	52.127	34.972	-21.873	74.000	17.155	PK

Profile: 1992128R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.739	33.314	-30.261	74.000	10.425	PK
2	*	15960.000	49.890	32.296	-24.110	74.000	17.594	PK

Profile: 1992128R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.009	33.584	-29.991	74.000	10.425	PK
2	*	15960.000	51.756	34.162	-22.244	74.000	17.594	PK


Profile: 1992128R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.306	33.911	-28.694	74.000	11.394	PK
2	*	16500.000	52.030	33.070	-21.970	74.000	18.960	PK




Profile: 1992128R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.547	33.152	-29.453	74.000	11.394	PK
2	*	16500.000	53.235	34.275	-20.765	74.000	18.960	PK

Profile: 1992128R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.034	33.656	-28.966	74.000	11.378	PK
2	*	16560.000	53.388	34.470	-20.612	74.000	18.918	PK

Profile: 1992128R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.073	33.695	-28.927	74.000	11.378	PK
2	*	16560.000	52.415	33.497	-21.585	74.000	18.918	PK

Profile: 1992128R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.127	34.128	-27.873	74.000	11.999	PK
2	*	16740.000	51.338	32.733	-22.662	74.000	18.605	PK

Profile: 1992128R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.377	33.378	-28.623	74.000	11.999	PK
2	*	16740.000	52.310	33.705	-21.690	74.000	18.605	PK

Profile: 1992128R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.292	32.437	-29.708	74.000	11.855	PK
2	*	17100.000	52.782	32.732	-21.218	74.000	20.050	PK

Profile: 1992128R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.728	31.873	-30.272	74.000	11.855	PK
2	*	17100.000	53.403	33.353	-20.597	74.000	20.050	PK


Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.051	33.902	-28.949	74.000	11.149	PK
2	*	15810.000	50.935	33.402	-23.065	74.000	17.533	PK




Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.862	34.713	-28.138	74.000	11.149	PK
2	*	15810.000	51.131	33.598	-22.869	74.000	17.533	PK

Profile: 1992128R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.782	33.350	-29.218	74.000	11.433	PK
2	*	15930.000	52.157	34.059	-21.843	74.000	18.099	PK

Profile: 1992128R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.994	34.562	-28.006	74.000	11.433	PK
2	*	15930.000	51.590	33.492	-22.410	74.000	18.099	PK

Profile: 1992128R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.564	33.434	-29.436	74.000	11.130	PK
2	*	16530.000	52.969	34.441	-21.031	74.000	18.529	PK

Profile: 1992128R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.767	33.637	-29.233	74.000	11.130	PK
2	*	16530.000	53.288	34.760	-20.712	74.000	18.529	PK

Profile: 1992128R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.227	33.791	-28.773	74.000	11.436	PK
2	*	16650.000	52.367	33.147	-21.633	74.000	19.221	PK

Profile: 1992128R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.952	34.516	-28.048	74.000	11.436	PK
2	*	16650.000	51.125	31.905	-22.875	74.000	19.221	PK


Profile: 1992128R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.265	31.258	-30.735	74.000	12.007	PK
2	*	17010.000	53.422	33.772	-20.578	74.000	19.650	PK




Profile: 1992128R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.339	33.332	-28.661	74.000	12.007	PK
2	*	17010.000	51.653	32.003	-22.347	74.000	19.650	PK

Profile: 1992128R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.446	33.521	-29.554	74.000	10.925	PK
2	*	15780.000	49.689	32.373	-24.311	74.000	17.316	PK

Profile: 1992128R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.905	34.980	-28.095	74.000	10.925	PK
2	*	15780.000	51.374	34.058	-22.626	74.000	17.316	PK

Profile: 1992128R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.395	33.736	-29.605	74.000	10.658	PK
2	*	15900.000	50.653	33.498	-23.347	74.000	17.155	PK

Profile: 1992128R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.508	34.849	-28.492	74.000	10.658	PK
2	*	15900.000	52.454	35.299	-21.546	74.000	17.155	PK

Profile: 1992128R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.206	33.781	-29.794	74.000	10.425	PK
2	*	15960.000	51.158	33.564	-22.842	74.000	17.594	PK

Profile: 1992128R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.726	34.301	-29.274	74.000	10.425	PK
2	*	15960.000	52.057	34.463	-21.943	74.000	17.594	PK


Profile: 1992128R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.871	32.476	-30.129	74.000	11.394	PK
2	*	16500.000	52.722	33.762	-21.278	74.000	18.960	PK




Profile: 1992128R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.357	33.962	-28.643	74.000	11.394	PK
2	*	16500.000	52.283	33.323	-21.717	74.000	18.960	PK

Profile: 1992128R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.873	33.495	-29.127	74.000	11.378	PK
2	*	16560.000	52.518	33.600	-21.482	74.000	18.918	PK

Profile: 1992128R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.263	32.885	-29.737	74.000	11.378	PK
2	*	16560.000	51.588	32.670	-22.412	74.000	18.918	PK

Profile: 1992128R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.799	33.800	-28.201	74.000	11.999	PK
2	*	16740.000	53.260	34.655	-20.740	74.000	18.605	PK

Profile: 1992128R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.468	33.469	-28.532	74.000	11.999	PK
2	*	16740.000	52.851	34.246	-21.149	74.000	18.605	PK

Profile: 1992128R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.689	29.834	-32.311	74.000	11.855	PK
2	*	17100.000	53.115	33.065	-20.885	74.000	20.050	PK

Profile: 1992128R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.509	32.654	-29.491	74.000	11.855	PK
2	*	17100.000	51.870	31.820	-22.130	74.000	20.050	PK


Profile: 1992128R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.435	34.286	-28.565	74.000	11.149	PK
2	*	15810.000	50.619	33.086	-23.381	74.000	17.533	PK




Profile: 1992128R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.609	35.460	-27.391	74.000	11.149	PK
2	*	15810.000	52.369	34.836	-21.631	74.000	17.533	PK

Profile: 1992128R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.089	34.657	-27.911	74.000	11.433	PK
2	*	15930.000	52.199	34.101	-21.801	74.000	18.099	PK

Profile: 1992128R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.910	33.478	-29.090	74.000	11.433	PK
2	*	15930.000	51.405	33.307	-22.595	74.000	18.099	PK

Profile: 1992128R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.137	33.007	-29.863	74.000	11.130	PK
2	*	16530.000	53.089	34.561	-20.911	74.000	18.529	PK

Profile: 1992128R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.088	33.958	-28.912	74.000	11.130	PK
2	*	16530.000	52.462	33.934	-21.538	74.000	18.529	PK

Profile: 1992128R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.840	33.404	-29.160	74.000	11.436	PK
2	*	16650.000	53.204	33.984	-20.796	74.000	19.221	PK

Profile: 1992128R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.794	33.358	-29.206	74.000	11.436	PK
2	*	16650.000	51.605	32.385	-22.395	74.000	19.221	PK


Profile: 1992128R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.666	32.659	-29.334	74.000	12.007	PK
2	*	17010.000	51.444	31.794	-22.556	74.000	19.650	PK




Profile: 1992128R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.031	32.024	-29.969	74.000	12.007	PK
2	*	17010.000	52.602	32.952	-21.398	74.000	19.650	PK

Profile: 1992128R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.507	34.952	-28.493	74.000	10.555	PK
2	*	15870.000	53.070	35.448	-20.930	74.000	17.622	PK

Profile: 1992128R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.776	35.221	-28.224	74.000	10.555	PK
2	*	15870.000	52.253	34.631	-21.747	74.000	17.622	PK

Profile: 1992128R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.475	33.342	-29.525	74.000	11.134	PK
2	*	16590.000	52.675	34.136	-21.325	74.000	18.539	PK

Profile: 1992128R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.345	34.212	-28.655	74.000	11.134	PK
2	*	16590.000	53.258	34.719	-20.742	74.000	18.539	PK

Profile: 1992128R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.067	32.394	-29.933	74.000	11.673	PK
2	*	16830.000	52.408	32.993	-21.592	74.000	19.415	PK

Profile: 1992128R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.299	33.626	-28.701	74.000	11.673	PK
2	*	16830.000	51.588	32.173	-22.412	74.000	19.415	PK


Profile: 1992128R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.540	34.615	-28.460	74.000	10.925	PK
2	*	15780.000	51.664	34.348	-22.336	74.000	17.316	PK




Profile: 1992128R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.305	34.380	-28.695	74.000	10.925	PK
2	*	15780.000	52.489	35.173	-21.511	74.000	17.316	PK

Profile: 1992128R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.449	34.790	-28.551	74.000	10.658	PK
2	*	15900.000	51.924	34.769	-22.076	74.000	17.155	PK

Profile: 1992128R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.989	35.330	-28.011	74.000	10.658	PK
2	*	15900.000	51.262	34.107	-22.738	74.000	17.155	PK

Profile: 1992128R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.361	34.936	-28.639	74.000	10.425	PK
2	*	15960.000	51.006	33.412	-22.994	74.000	17.594	PK

Profile: 1992128R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.417	33.992	-29.583	74.000	10.425	PK
2	*	15960.000	51.823	34.229	-22.177	74.000	17.594	PK

Profile: 1992128R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.678	33.283	-29.322	74.000	11.394	PK
2	*	16500.000	52.285	33.325	-21.715	74.000	18.960	PK

Profile: 1992128R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.058	33.663	-28.942	74.000	11.394	PK
2	*	16500.000	52.623	33.663	-21.377	74.000	18.960	PK


Profile: 1992128R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.171	33.793	-28.829	74.000	11.378	PK
2	*	16560.000	52.983	34.065	-21.017	74.000	18.918	PK




Profile: 1992128R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.673	34.295	-28.327	74.000	11.378	PK
2	*	16560.000	53.321	34.403	-20.679	74.000	18.918	PK

Profile: 1992128R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.651	33.652	-28.349	74.000	11.999	PK
2	*	16740.000	52.257	33.652	-21.743	74.000	18.605	PK

Profile: 1992128R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.238	32.239	-29.762	74.000	11.999	PK
2	*	16740.000	53.075	34.470	-20.925	74.000	18.605	PK

Profile: 1992128R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.932	32.077	-30.068	74.000	11.855	PK
2	*	17100.000	52.736	32.686	-21.264	74.000	20.050	PK

Profile: 1992128R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.770	30.915	-31.230	74.000	11.855	PK
2	*	17100.000	50.547	30.497	-23.453	74.000	20.050	PK

Profile: 1992128R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.795	34.646	-28.205	74.000	11.149	PK
2	*	15810.000	51.441	33.908	-22.559	74.000	17.533	PK

Profile: 1992128R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.104	33.955	-28.896	74.000	11.149	PK
2	*	15810.000	52.501	34.968	-21.499	74.000	17.533	PK


Profile: 1992128R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.531	35.099	-27.469	74.000	11.433	PK
2	*	15930.000	51.753	33.655	-22.247	74.000	18.099	PK




Profile: 1992128R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.906	34.474	-28.094	74.000	11.433	PK
2	*	15930.000	52.595	34.497	-21.405	74.000	18.099	PK

Profile: 1992128R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.212	34.082	-28.788	74.000	11.130	PK
2	*	16530.000	53.002	34.474	-20.998	74.000	18.529	PK

Profile: 1992128R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	46.396	35.266	-27.604	74.000	11.130	PK
2	*	16530.000	51.796	33.268	-22.204	74.000	18.529	PK

Profile: 1992128R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	46.160	34.724	-27.840	74.000	11.436	PK
2	*	16650.000	52.118	32.898	-21.882	74.000	19.221	PK

Profile: 1992128R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.632	33.196	-29.368	74.000	11.436	PK
2	*	16650.000	51.843	32.623	-22.157	74.000	19.221	PK

Profile: 1992128R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.677	33.670	-28.323	74.000	12.007	PK
2	*	17010.000	52.574	32.924	-21.426	74.000	19.650	PK

Profile: 1992128R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.739	32.732	-29.261	74.000	12.007	PK
2	*	17010.000	53.308	33.658	-20.692	74.000	19.650	PK


Profile: 1992128R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.555	34.000	-29.445	74.000	10.555	PK
2	*	15870.000	52.458	34.836	-21.542	74.000	17.622	PK




Profile: 1992128R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.026	34.471	-28.974	74.000	10.555	PK
2	*	15870.000	51.753	34.131	-22.247	74.000	17.622	PK

Profile: 1992128R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.189	34.056	-28.811	74.000	11.134	PK
2	*	16590.000	52.992	34.453	-21.008	74.000	18.539	PK

Profile: 1992128R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.955	33.822	-29.045	74.000	11.134	PK
2	*	16590.000	51.750	33.211	-22.250	74.000	18.539	PK

Profile: 1992128R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.342	32.669	-29.658	74.000	11.673	PK
2	*	16830.000	52.158	32.743	-21.842	74.000	19.415	PK

Profile: 1992128R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.649	33.976	-28.351	74.000	11.673	PK
2	*	16830.000	50.541	31.126	-23.459	74.000	19.415	PK

Profile: 1992128R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.311	34.591	-28.689	74.000	10.720	PK
2	*	15750.000	51.775	34.866	-22.225	74.000	16.909	PK

Profile: 1992128R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5290MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.000	34.280	-29.000	74.000	10.720	PK
2	*	15700.000	51.164	34.047	-22.836	74.000	17.117	PK


Profile: 1992128R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.288	33.498	-28.712	74.000	11.791	PK
2	*	16710.000	51.403	31.776	-22.597	74.000	19.627	PK




Profile: 1992128R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/04/29 - 23:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5530MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.344	33.554	-28.656	74.000	11.791	PK
2	*	16710.000	52.017	32.390	-21.983	74.000	19.627	PK


**4\*4 Beamforming:**

Profile: 1992128R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.782	33.857	-29.218	74.000	10.925	PK
2	*	15780.000	50.971	33.655	-23.029	74.000	17.316	PK

Profile: 1992128R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.204	35.279	-27.796	74.000	10.925	PK
2	*	15780.000	51.925	34.609	-22.075	74.000	17.316	PK

Profile: 1992128R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.975	34.316	-29.025	74.000	10.658	PK
2	*	15900.000	51.425	34.270	-22.575	74.000	17.155	PK

Profile: 1992128R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.699	34.040	-29.301	74.000	10.658	PK
2	*	15900.000	52.089	34.934	-21.911	74.000	17.155	PK

Profile: 1992128R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.789	33.364	-30.211	74.000	10.425	PK
2	*	15960.000	51.369	33.775	-22.631	74.000	17.594	PK

Profile: 1992128R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.358	34.933	-28.642	74.000	10.425	PK
2	*	15960.000	52.209	34.615	-21.791	74.000	17.594	PK


Profile: 1992128R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.863	33.468	-29.137	74.000	11.394	PK
2	*	16500.000	53.274	34.314	-20.726	74.000	18.960	PK




Profile: 1992128R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.169	33.774	-28.831	74.000	11.394	PK
2	*	16500.000	52.839	33.879	-21.161	74.000	18.960	PK

Profile: 1992128R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.432	33.054	-29.568	74.000	11.378	PK
2	*	16560.000	52.308	33.390	-21.692	74.000	18.918	PK

Profile: 1992128R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.668	34.290	-28.332	74.000	11.378	PK
2	*	16560.000	51.964	33.046	-22.036	74.000	18.918	PK

Profile: 1992128R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.381	33.382	-28.619	74.000	11.999	PK
2	*	16740.000	52.656	34.051	-21.344	74.000	18.605	PK

Profile: 1992128R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.750	33.751	-28.250	74.000	11.999	PK
2	*	16740.000	53.308	34.703	-20.692	74.000	18.605	PK

Profile: 1992128R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.174	31.319	-30.826	74.000	11.855	PK
2	*	17100.000	52.714	32.664	-21.286	74.000	20.050	PK

Profile: 1992128R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.540	31.685	-30.460	74.000	11.855	PK
2	*	17100.000	53.570	33.520	-20.430	74.000	20.050	PK


Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.817	35.668	-27.183	74.000	11.149	PK
2	*	15810.000	52.316	34.783	-21.684	74.000	17.533	PK




Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.516	35.367	-27.484	74.000	11.149	PK
2	*	15810.000	51.708	34.175	-22.292	74.000	17.533	PK

Profile: 1992128R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.019	34.587	-27.981	74.000	11.433	PK
2	*	15930.000	52.584	34.486	-21.416	74.000	18.099	PK

Profile: 1992128R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.959	33.527	-29.041	74.000	11.433	PK
2	*	15930.000	51.042	32.944	-22.958	74.000	18.099	PK

Profile: 1992128R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.640	33.510	-29.360	74.000	11.130	PK
2	*	16530.000	51.427	32.899	-22.573	74.000	18.529	PK

Profile: 1992128R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.986	33.856	-29.014	74.000	11.130	PK
2	*	16530.000	52.685	34.157	-21.315	74.000	18.529	PK

Profile: 1992128R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.738	33.302	-29.262	74.000	11.436	PK
2	*	16650.000	52.253	33.033	-21.747	74.000	19.221	PK

Profile: 1992128R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.634	33.198	-29.366	74.000	11.436	PK
2	*	16650.000	53.049	33.829	-20.951	74.000	19.221	PK


Profile: 1992128R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.604	32.597	-29.396	74.000	12.007	PK
2	*	17010.000	53.018	33.368	-20.982	74.000	19.650	PK




Profile: 1992128R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.090	32.083	-29.910	74.000	12.007	PK
2	*	17010.000	52.350	32.700	-21.650	74.000	19.650	PK

Profile: 1992128R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.460	34.535	-28.540	74.000	10.925	PK
2	*	15780.000	50.890	33.574	-23.110	74.000	17.316	PK

Profile: 1992128R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.712	33.787	-29.288	74.000	10.925	PK
2	*	15780.000	52.303	34.987	-21.697	74.000	17.316	PK

Profile: 1992128R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.267	33.608	-29.733	74.000	10.658	PK
2	*	15900.000	50.331	33.176	-23.669	74.000	17.155	PK

Profile: 1992128R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.119	34.460	-28.881	74.000	10.658	PK
2	*	15900.000	51.993	34.838	-22.007	74.000	17.155	PK

Profile: 1992128R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.770	34.345	-29.230	74.000	10.425	PK
2	*	15960.000	52.443	34.849	-21.557	74.000	17.594	PK

Profile: 1992128R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.145	35.720	-27.855	74.000	10.425	PK
2	*	15960.000	51.681	34.087	-22.319	74.000	17.594	PK


Profile: 1992128R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.984	32.589	-30.016	74.000	11.394	PK
2	*	16500.000	52.976	34.016	-21.024	74.000	18.960	PK




Profile: 1992128R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.814	33.419	-29.186	74.000	11.394	PK
2	*	16500.000	51.550	32.590	-22.450	74.000	18.960	PK

Profile: 1992128R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.212	33.834	-28.788	74.000	11.378	PK
2	*	16560.000	52.671	33.753	-21.329	74.000	18.918	PK

Profile: 1992128R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.944	33.566	-29.056	74.000	11.378	PK
2	*	16560.000	51.267	32.349	-22.733	74.000	18.918	PK

Profile: 1992128R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.617	34.618	-27.383	74.000	11.999	PK
2	*	16740.000	52.482	33.877	-21.518	74.000	18.605	PK

Profile: 1992128R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.078	33.079	-28.922	74.000	11.999	PK
2	*	16740.000	52.904	34.299	-21.096	74.000	18.605	PK

Profile: 1992128R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.398	30.543	-31.602	74.000	11.855	PK
2	*	17100.000	53.048	32.998	-20.952	74.000	20.050	PK

Profile: 1992128R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.914	31.059	-31.086	74.000	11.855	PK
2	*	17100.000	51.909	31.859	-22.091	74.000	20.050	PK


Profile: 1992128R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.018	34.869	-27.982	74.000	11.149	PK
2	*	15810.000	50.925	33.392	-23.075	74.000	17.533	PK




Profile: 1992128R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.407	35.258	-27.593	74.000	11.149	PK
2	*	15810.000	51.722	34.189	-22.278	74.000	17.533	PK

Profile: 1992128R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.144	33.712	-28.856	74.000	11.433	PK
2	*	15930.000	52.438	34.340	-21.562	74.000	18.099	PK

Profile: 1992128R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.837	34.405	-28.163	74.000	11.433	PK
2	*	15930.000	51.921	33.823	-22.079	74.000	18.099	PK

Profile: 1992128R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.596	33.466	-29.404	74.000	11.130	PK
2	*	16530.000	53.007	34.479	-20.993	74.000	18.529	PK

Profile: 1992128R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.720	34.590	-28.280	74.000	11.130	PK
2	*	16530.000	52.107	33.579	-21.893	74.000	18.529	PK

Profile: 1992128R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.147	32.711	-29.853	74.000	11.436	PK
2	*	16650.000	52.681	33.461	-21.319	74.000	19.221	PK

Profile: 1992128R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.742	33.306	-29.258	74.000	11.436	PK
2	*	16650.000	51.368	32.148	-22.632	74.000	19.221	PK


Profile: 1992128R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.602	32.595	-29.398	74.000	12.007	PK
2	*	17010.000	52.888	33.238	-21.112	74.000	19.650	PK




Profile: 1992128R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.016	34.009	-27.984	74.000	12.007	PK
2	*	17010.000	51.339	31.689	-22.661	74.000	19.650	PK

Profile: 1992128R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.919	34.364	-29.081	74.000	10.555	PK
2	*	15870.000	52.256	34.634	-21.744	74.000	17.622	PK

Profile: 1992128R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.132	34.577	-28.868	74.000	10.555	PK
2	*	15870.000	51.692	34.070	-22.308	74.000	17.622	PK