



Profile: 1992128R	Page No.: 59
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.238	33.239	-28.762	74.000	11.999	PK
2	*	16740.000	51.611	33.006	-22.389	74.000	18.605	PK

Profile: 1992128R	Page No.: 60
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.512	33.513	-28.488	74.000	11.999	PK
2	*	16740.000	53.250	34.645	-20.750	74.000	18.605	PK

Profile: 1992128R	Page No.: 61
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.930	32.075	-30.070	74.000	11.855	PK
2	*	17100.000	52.891	32.841	-21.109	74.000	20.050	PK

Profile: 1992128R	Page No.: 62
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.102	31.247	-30.898	74.000	11.855	PK
2	*	17100.000	51.307	31.257	-22.693	74.000	20.050	PK

Profile: 1992128R	Page No.: 63
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.471	33.341	-29.529	74.000	11.130	PK
2	*	16530.000	50.774	32.246	-23.226	74.000	18.529	PK

Profile: 1992128R	Page No.: 64
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.333	33.203	-29.667	74.000	11.130	PK
2	*	16530.000	52.837	34.309	-21.163	74.000	18.529	PK

Profile: 1992128R	Page No.: 65
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.199	33.763	-28.801	74.000	11.436	PK
2	*	16650.000	52.201	32.981	-21.799	74.000	19.221	PK


Profile: 1992128R	Page No.: 66
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.791	33.355	-29.209	74.000	11.436	PK
2	*	16650.000	51.430	32.210	-22.570	74.000	19.221	PK




Profile: 1992128R	Page No.: 67
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.818	32.811	-29.182	74.000	12.007	PK
2	*	17010.000	53.152	33.502	-20.848	74.000	19.650	PK

Profile: 1992128R	Page No.: 68
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.093	33.086	-28.907	74.000	12.007	PK
2	*	17010.000	51.800	32.150	-22.200	74.000	19.650	PK

Profile: 1992128R	Page No.: 69
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.667	32.272	-30.333	74.000	11.394	PK
2	*	16500.000	52.301	33.341	-21.699	74.000	18.960	PK

Profile: 1992128R	Page No.: 70
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.731	33.336	-29.269	74.000	11.394	PK
2	*	16500.000	53.493	34.533	-20.507	74.000	18.960	PK

Profile: 1992128R	Page No.: 71
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.924	32.546	-30.076	74.000	11.378	PK
2	*	16560.000	52.437	33.519	-21.563	74.000	18.918	PK

Profile: 1992128R	Page No.: 72
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.691	32.313	-30.309	74.000	11.378	PK
2	*	16560.000	51.647	32.729	-22.353	74.000	18.918	PK

Profile: 1992128R	Page No.: 73
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.022	34.023	-27.978	74.000	11.999	PK
2	*	16740.000	52.822	34.217	-21.178	74.000	18.605	PK


Profile: 1992128R	Page No.: 74
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.713	33.714	-28.287	74.000	11.999	PK
2	*	16740.000	52.084	33.479	-21.916	74.000	18.605	PK




Profile: 1992128R	Page No.: 75
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.245	32.390	-29.755	74.000	11.855	PK
2	*	17100.000	52.278	32.228	-21.722	74.000	20.050	PK

Profile: 1992128R	Page No.: 76
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.286	31.431	-30.714	74.000	11.855	PK
2	*	17100.000	52.797	32.747	-21.203	74.000	20.050	PK

Profile: 1992128R	Page No.: 77
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.419	33.289	-29.581	74.000	11.130	PK
2	*	16530.000	52.306	33.778	-21.694	74.000	18.529	PK

Profile: 1992128R	Page No.: 78
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.168	34.038	-28.832	74.000	11.130	PK
2	*	16530.000	51.622	33.094	-22.378	74.000	18.529	PK

Profile: 1992128R	Page No.: 79
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.507	33.071	-29.493	74.000	11.436	PK
2	*	16650.000	53.093	33.873	-20.907	74.000	19.221	PK

Profile: 1992128R	Page No.: 80
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.691	33.255	-29.309	74.000	11.436	PK
2	*	16650.000	52.398	33.178	-21.602	74.000	19.221	PK

Profile: 1992128R	Page No.: 81
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.876	32.869	-29.124	74.000	12.007	PK
2	*	17010.000	53.512	33.862	-20.488	74.000	19.650	PK


Profile: 1992128R	Page No.: 82
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.253	32.246	-29.747	74.000	12.007	PK
2	*	17010.000	51.319	31.669	-22.681	74.000	19.650	PK




Profile: 1992128R	Page No.: 83
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.212	33.079	-29.788	74.000	11.134	PK
2	*	16590.000	53.230	34.691	-20.770	74.000	18.539	PK

Profile: 1992128R	Page No.: 84
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.373	34.240	-28.627	74.000	11.134	PK
2	*	16590.000	52.346	33.807	-21.654	74.000	18.539	PK

Profile: 1992128R	Page No.: 85
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.628	33.955	-28.372	74.000	11.673	PK
2	*	16830.000	52.960	33.545	-21.040	74.000	19.415	PK

Profile: 1992128R	Page No.: 86
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.274	32.601	-29.726	74.000	11.673	PK
2	*	16830.000	51.330	31.915	-22.670	74.000	19.415	PK

Profile: 1992128R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.108	33.713	-28.892	74.000	11.394	PK
2	*	16500.000	53.098	34.138	-20.902	74.000	18.960	PK

Profile: 1992128R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.607	33.212	-29.393	74.000	11.394	PK
2	*	16500.000	52.502	33.542	-21.498	74.000	18.960	PK

Profile: 1992128R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5520MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.415	34.037	-28.585	74.000	11.378	PK
2	*	16560.000	52.739	33.821	-21.261	74.000	18.918	PK


Profile: 1992128R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.000	33.622	-29.000	74.000	11.378	PK
2	*	16560.000	53.302	34.384	-20.698	74.000	18.918	PK




Profile: 1992128R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.414	34.415	-27.586	74.000	11.999	PK
2	*	16740.000	53.209	34.604	-20.791	74.000	18.605	PK

Profile: 1992128R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.795	33.796	-28.205	74.000	11.999	PK
2	*	16740.000	52.180	33.575	-21.820	74.000	18.605	PK

Profile: 1992128R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.711	31.856	-30.289	74.000	11.855	PK
2	*	17100.000	53.114	33.064	-20.886	74.000	20.050	PK

Profile: 1992128R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.394	31.539	-30.606	74.000	11.855	PK
2	*	17100.000	51.486	31.436	-22.514	74.000	20.050	PK

Profile: 1992128R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.722	34.592	-28.278	74.000	11.130	PK
2	*	16530.000	51.800	33.272	-22.200	74.000	18.529	PK

Profile: 1992128R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.334	33.204	-29.666	74.000	11.130	PK
2	*	16530.000	52.502	33.974	-21.498	74.000	18.529	PK

Profile: 1992128R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.777	34.341	-28.223	74.000	11.436	PK
2	*	16650.000	52.733	33.513	-21.267	74.000	19.221	PK


Profile: 1992128R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.848	33.412	-29.152	74.000	11.436	PK
2	*	16650.000	53.204	33.984	-20.796	74.000	19.221	PK




Profile: 1992128R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.861	31.854	-30.139	74.000	12.007	PK
2	*	17010.000	53.176	33.526	-20.824	74.000	19.650	PK

Profile: 1992128R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.041	33.034	-28.959	74.000	12.007	PK
2	*	17010.000	52.087	32.437	-21.913	74.000	19.650	PK

Profile: 1992128R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.802	34.669	-28.198	74.000	11.134	PK
2	*	16590.000	53.301	34.762	-20.699	74.000	18.539	PK

Profile: 1992128R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.889	33.756	-29.111	74.000	11.134	PK
2	*	16590.000	52.201	33.662	-21.799	74.000	18.539	PK

Profile: 1992128R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.257	33.584	-28.743	74.000	11.673	PK
2	*	16830.000	52.527	33.112	-21.473	74.000	19.415	PK

Profile: 1992128R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.244	32.571	-29.756	74.000	11.673	PK
2	*	16830.000	52.115	32.700	-21.885	74.000	19.415	PK

Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.782	32.992	-29.218	74.000	11.791	PK
2	*	16710.000	51.593	31.966	-22.407	74.000	19.627	PK

Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.263	33.473	-28.737	74.000	11.791	PK
2	*	16710.000	52.133	32.506	-21.867	74.000	19.627	PK




**4\*4 Beamforming:**

Profile: 1992128R	Page No.: 55
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.715	33.320	-29.285	74.000	11.394	PK
2	*	16500.000	53.072	34.112	-20.928	74.000	18.960	PK

Profile: 1992128R	Page No.: 56
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.361	32.966	-29.639	74.000	11.394	PK
2	*	16500.000	52.486	33.526	-21.514	74.000	18.960	PK

Profile: 1992128R	Page No.: 57
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.707	32.329	-30.293	74.000	11.378	PK
2	*	16560.000	52.232	33.314	-21.768	74.000	18.918	PK

Profile: 1992128R	Page No.: 58
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.736	33.358	-29.264	74.000	11.378	PK
2	*	16560.000	52.915	33.997	-21.085	74.000	18.918	PK

Profile: 1992128R	Page No.: 59
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.088	33.089	-28.912	74.000	11.999	PK
2	*	16740.000	52.732	34.127	-21.268	74.000	18.605	PK

Profile: 1992128R	Page No.: 60
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.022	34.023	-27.978	74.000	11.999	PK
2	*	16740.000	53.006	34.401	-20.994	74.000	18.605	PK

Profile: 1992128R	Page No.: 61
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.062	31.207	-30.938	74.000	11.855	PK
2	*	17100.000	52.860	32.810	-21.140	74.000	20.050	PK


Profile: 1992128R	Page No.: 62
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.793	31.938	-30.207	74.000	11.855	PK
2	*	17100.000	51.704	31.654	-22.296	74.000	20.050	PK




Profile: 1992128R	Page No.: 63
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.253	33.123	-29.747	74.000	11.130	PK
2	*	16530.000	51.758	33.230	-22.242	74.000	18.529	PK

Profile: 1992128R	Page No.: 64
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.219	32.089	-30.781	74.000	11.130	PK
2	*	16530.000	50.863	32.335	-23.137	74.000	18.529	PK

Profile: 1992128R	Page No.: 65
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.961	32.525	-30.039	74.000	11.436	PK
2	*	16650.000	53.058	33.838	-20.942	74.000	19.221	PK

Profile: 1992128R	Page No.: 66
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.285	33.849	-28.715	74.000	11.436	PK
2	*	16650.000	52.036	32.816	-21.964	74.000	19.221	PK

Profile: 1992128R	Page No.: 67
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.390	32.383	-29.610	74.000	12.007	PK
2	*	17010.000	53.118	33.468	-20.882	74.000	19.650	PK

Profile: 1992128R	Page No.: 68
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.293	33.286	-28.707	74.000	12.007	PK
2	*	17010.000	51.917	32.267	-22.083	74.000	19.650	PK

Profile: 1992128R	Page No.: 69
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.103	33.708	-28.897	74.000	11.394	PK
2	*	16500.000	52.625	33.665	-21.375	74.000	18.960	PK


Profile: 1992128R	Page No.: 70
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.253	32.858	-29.747	74.000	11.394	PK
2	*	16500.000	53.295	34.335	-20.705	74.000	18.960	PK




Profile: 1992128R	Page No.: 71
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.647	33.269	-29.353	74.000	11.378	PK
2	*	16560.000	53.237	34.319	-20.763	74.000	18.918	PK

Profile: 1992128R	Page No.: 72
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.693	32.315	-30.307	74.000	11.378	PK
2	*	16560.000	52.423	33.505	-21.577	74.000	18.918	PK

Profile: 1992128R	Page No.: 73
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.357	33.358	-28.643	74.000	11.999	PK
2	*	16740.000	52.573	33.968	-21.427	74.000	18.605	PK

Profile: 1992128R	Page No.: 74
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.790	34.791	-27.210	74.000	11.999	PK
2	*	16740.000	51.303	32.698	-22.697	74.000	18.605	PK

Profile: 1992128R	Page No.: 75
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.618	32.763	-29.382	74.000	11.855	PK
2	*	17100.000	52.129	32.079	-21.871	74.000	20.050	PK

Profile: 1992128R	Page No.: 76
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.684	30.829	-31.316	74.000	11.855	PK
2	*	17100.000	51.859	31.809	-22.141	74.000	20.050	PK

Profile: 1992128R	Page No.: 77
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.452	32.322	-30.548	74.000	11.130	PK
2	*	16530.000	51.290	32.762	-22.710	74.000	18.529	PK


Profile: 1992128R	Page No.: 78
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.242	33.112	-29.758	74.000	11.130	PK
2	*	16530.000	52.575	34.047	-21.425	74.000	18.529	PK




Profile: 1992128R	Page No.: 79
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.719	33.283	-29.281	74.000	11.436	PK
2	*	16650.000	53.172	33.952	-20.828	74.000	19.221	PK

Profile: 1992128R	Page No.: 80
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.673	34.237	-28.327	74.000	11.436	PK
2	*	16650.000	52.575	33.355	-21.425	74.000	19.221	PK

Profile: 1992128R	Page No.: 81
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.417	32.410	-29.583	74.000	12.007	PK
2	*	17010.000	53.022	33.372	-20.978	74.000	19.650	PK

Profile: 1992128R	Page No.: 82
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.552	32.545	-29.448	74.000	12.007	PK
2	*	17010.000	52.422	32.772	-21.578	74.000	19.650	PK

Profile: 1992128R	Page No.: 83
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.582	33.449	-29.418	74.000	11.134	PK
2	*	16590.000	52.562	34.023	-21.438	74.000	18.539	PK

Profile: 1992128R	Page No.: 84
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.914	33.781	-29.086	74.000	11.134	PK
2	*	16590.000	53.432	34.893	-20.568	74.000	18.539	PK

Profile: 1992128R	Page No.: 85
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.295	32.622	-29.705	74.000	11.673	PK
2	*	16830.000	52.595	33.180	-21.405	74.000	19.415	PK


Profile: 1992128R	Page No.: 86
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.258	33.585	-28.742	74.000	11.673	PK
2	*	16830.000	51.420	32.005	-22.580	74.000	19.415	PK




Profile: 1992128R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.466	34.071	-28.534	74.000	11.394	PK
2	*	16500.000	51.770	32.810	-22.230	74.000	18.960	PK

Profile: 1992128R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.539	33.144	-29.461	74.000	11.394	PK
2	*	16500.000	51.522	32.562	-22.478	74.000	18.960	PK

Profile: 1992128R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.149	33.771	-28.851	74.000	11.378	PK
2	*	16560.000	53.103	34.185	-20.897	74.000	18.918	PK

Profile: 1992128R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.898	32.520	-30.102	74.000	11.378	PK
2	*	16560.000	51.069	32.151	-22.931	74.000	18.918	PK

Profile: 1992128R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.689	32.690	-29.311	74.000	11.999	PK
2	*	16740.000	53.177	34.572	-20.823	74.000	18.605	PK

Profile: 1992128R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.661	33.662	-28.339	74.000	11.999	PK
2	*	16740.000	52.564	33.959	-21.436	74.000	18.605	PK

Profile: 1992128R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.612	31.757	-30.388	74.000	11.855	PK
2	*	17100.000	52.305	32.255	-21.695	74.000	20.050	PK


Profile: 1992128R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.110	31.255	-30.890	74.000	11.855	PK
2	*	17100.000	51.473	31.423	-22.527	74.000	20.050	PK




Profile: 1992128R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.174	33.044	-29.826	74.000	11.130	PK
2	*	16530.000	52.265	33.737	-21.735	74.000	18.529	PK

Profile: 1992128R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.650	32.520	-30.350	74.000	11.130	PK
2	*	16530.000	51.142	32.614	-22.858	74.000	18.529	PK

Profile: 1992128R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.459	33.023	-29.541	74.000	11.436	PK
2	*	16650.000	53.583	34.363	-20.417	74.000	19.221	PK

Profile: 1992128R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.739	32.303	-30.261	74.000	11.436	PK
2	*	16650.000	51.951	32.731	-22.049	74.000	19.221	PK

Profile: 1992128R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.645	32.638	-29.355	74.000	12.007	PK
2	*	17010.000	52.569	32.919	-21.431	74.000	19.650	PK

Profile: 1992128R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.062	32.055	-29.938	74.000	12.007	PK
2	*	17010.000	51.610	31.960	-22.390	74.000	19.650	PK

Profile: 1992128R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.613	33.480	-29.387	74.000	11.134	PK
2	*	16590.000	53.429	34.890	-20.571	74.000	18.539	PK


Profile: 1992128R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.050	32.917	-29.950	74.000	11.134	PK
2	*	16590.000	52.763	34.224	-21.237	74.000	18.539	PK




Profile: 1992128R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.117	32.444	-29.883	74.000	11.673	PK
2	*	16830.000	53.219	33.804	-20.781	74.000	19.415	PK

Profile: 1992128R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.859	33.186	-29.141	74.000	11.673	PK
2	*	16830.000	52.390	32.975	-21.610	74.000	19.415	PK

Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	43.660	31.870	-30.340	74.000	11.791	PK
2	*	16710.000	53.449	33.822	-20.551	74.000	19.627	PK

Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 05:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.521	32.731	-29.479	74.000	11.791	PK
2	*	16710.000	52.360	32.733	-21.640	74.000	19.627	PK