


802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 55
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74304G	58.33	74.00	-15.67	45.25	3	Horizontal	356	1.71	-	38.40	9.25	34.57
AV	15.74412G	47.62	54.00	-6.38	34.54	3	Horizontal	356	1.71	-	38.40	9.25	34.57

802.11ax HEW160_Nss2,(MCS0)_2TX

10/05/2021

5570MHz_TX




EUT Y_2TX
Setting 63
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3138G	54.90	68.20	-13.30	51.05	3	Vertical	341	2.90	-	32.97	5.31	34.43
PK	5.4552G	64.64	74.00	-9.36	60.25	3	Vertical	341	2.90	-	33.41	5.40	34.42
AV	5.4524G	50.31	54.00	-3.69	45.93	3	Vertical	341	2.90	-	33.40	5.40	34.42
PK	5.4608G	63.63	68.20	-4.57	59.22	3	Vertical	341	2.90	-	33.42	5.40	34.41
PK	5.556G	94.33	Inf	-Inf	89.65	3	Vertical	341	2.90	-	33.71	5.40	34.43
AV	5.5434G	84.27	Inf	-Inf	79.62	3	Vertical	341	2.90	-	33.67	5.40	34.42
PK	5.7268G	63.04	68.20	-5.16	58.06	3	Vertical	341	2.90	-	34.01	5.46	34.49

802.11ax HEW160_Nss2,(MCS0)_2TX

10/05/2021

5570MHz_TX




EUT Y_2TX
Setting 63
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2802G	55.26	68.20	-12.94	51.50	3	Horizontal	65	2.91	-	32.92	5.28	34.44
PK	5.4552G	68.89	74.00	-5.11	64.50	3	Horizontal	65	2.91	-	33.41	5.40	34.42
AV	5.4566G	53.67	54.00	-0.33	49.28	3	Horizontal	65	2.91	-	33.41	5.40	34.42
PK	5.4608G	67.65	68.20	-0.55	63.24	3	Horizontal	65	2.91	-	33.42	5.40	34.41
PK	5.556G	97.67	Inf	-Inf	92.99	3	Horizontal	65	2.91	-	33.71	5.40	34.43
AV	5.556G	87.55	Inf	-Inf	82.87	3	Horizontal	65	2.91	-	33.71	5.40	34.43
PK	5.7254G	67.03	68.20	-1.17	62.06	3	Horizontal	65	2.91	-	34.00	5.46	34.49

802.11ax HEW160_Nss2,(MCS0)_2TX

10/05/2021

5570MHz_TX




EUT Y_2TX
Setting 63
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15248G	54.11	74.00	-19.89	42.57	3	Vertical	320	1.27	-	38.25	7.70	34.41
AV	11.14582G	44.45	54.00	-9.55	32.91	3	Vertical	320	1.27	-	38.25	7.70	34.41

802.11ax HEW160_Nss2,(MCS0)_2TX

10/05/2021

5570MHz_TX



EUT Y_2TX
Setting 63
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12746G	54.19	74.00	-19.81	42.64	3	Horizontal	357	1.20	-	38.27	7.69	34.41
AV	11.14354G	43.32	54.00	-10.68	31.77	3	Horizontal	357	1.20	-	38.26	7.70	34.41




For Radio 3 / 4T1S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4684G	68.18	68.20	-0.02	3	Horizontal	64	2.71	-

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5180MHz_TX




EUT Y_4TX
Setting 69
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	65.12	74.00	-8.88	61.80	3	Vertical	352	2.84	-	32.60	5.17	34.45
AV	5.1474G	47.18	54.00	-6.82	43.86	3	Vertical	352	2.84	-	32.60	5.17	34.45
PK	5.173G	111.47	Inf	-Inf	108.08	3	Vertical	352	2.84	-	32.65	5.19	34.45
AV	5.178G	99.07	Inf	-Inf	95.67	3	Vertical	352	2.84	-	32.66	5.19	34.45

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5180MHz_TX




EUT Y_4TX
Setting 69
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	72.77	74.00	-1.23	69.45	3	Horizontal	71	2.61	-	32.60	5.17	34.45
AV	5.1478G	52.84	54.00	-1.16	49.52	3	Horizontal	71	2.61	-	32.60	5.17	34.45
PK	5.178G	119.82	Inf	-Inf	116.42	3	Horizontal	71	2.61	-	32.66	5.19	34.45
AV	5.1828G	106.48	Inf	-Inf	103.07	3	Horizontal	71	2.61	-	32.67	5.19	34.45

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5180MHz_TX




EUT Y_4TX
Setting 69
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53504G	57.95	74.00	-16.05	44.94	3	Vertical	359	1.07	-	38.17	9.21	34.37
AV	15.5416G	44.34	54.00	-9.66	31.32	3	Vertical	359	1.07	-	38.18	9.21	34.37

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5180MHz_TX




EUT Y_4TX
Setting 69
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53656G	58.15	74.00	-15.85	45.14	3	Horizontal	40	2.21	-	38.17	9.21	34.37
AV	15.53276G	44.48	54.00	-9.52	31.46	3	Horizontal	40	2.21	-	38.17	9.21	34.36

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5200MHz_TX




EUT Y_4TX
Setting 87
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	65.97	74.00	-8.03	62.65	3	Vertical	4	2.95	-	32.60	5.17	34.45
AV	5.1476G	48.42	54.00	-5.58	45.10	3	Vertical	4	2.95	-	32.60	5.17	34.45
PK	5.1932G	115.96	Inf	-Inf	112.52	3	Vertical	4	2.95	-	32.69	5.20	34.45
AV	5.2032G	104.99	Inf	-Inf	101.53	3	Vertical	4	2.95	-	32.71	5.20	34.45

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5200MHz_TX




EUT Y_4TX
Setting 87
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	72.05	74.00	-1.95	68.73	3	Horizontal	70	2.67	-	32.60	5.17	34.45
AV	5.148G	53.82	54.00	-0.18	50.50	3	Horizontal	70	2.67	-	32.60	5.17	34.45
PK	5.1984G	122.99	Inf	-Inf	119.54	3	Horizontal	70	2.67	-	32.70	5.20	34.45
AV	5.2028G	111.48	Inf	-Inf	108.02	3	Horizontal	70	2.67	-	32.71	5.20	34.45

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5200MHz_TX




EUT Y_4TX
Setting 87
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7332G	58.83	74.00	-15.17	45.74	3	Vertical	345	1.80	-	38.40	9.25	34.56
AV	15.7224G	45.29	54.00	-8.71	32.20	3	Vertical	345	1.80	-	38.40	9.24	34.55

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5200MHz_TX




EUT Y_4TX
Setting 87
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7218G	57.83	74.00	-16.17	44.74	3	Horizontal	13	1.80	-	38.40	9.24	34.55
AV	15.714G	45.16	54.00	-8.84	32.06	3	Horizontal	13	1.80	-	38.40	9.24	34.54

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.53	74.00	-10.47	60.21	3	Vertical	18	2.92	-	32.60	5.17	34.45
AV	5.1458G	49.27	54.00	-4.73	45.95	3	Vertical	18	2.92	-	32.60	5.17	34.45
PK	5.2442G	118.86	Inf	-Inf	115.27	3	Vertical	18	2.92	-	32.79	5.24	34.44
AV	5.2388G	107.26	Inf	-Inf	103.68	3	Vertical	18	2.92	-	32.78	5.24	34.44
PK	5.3666G	60.52	74.00	-13.48	56.58	3	Vertical	18	2.92	-	33.00	5.37	34.43
AV	5.3546G	47.46	54.00	-6.54	43.61	3	Vertical	18	2.92	-	32.93	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.08	74.00	-4.92	65.76	3	Horizontal	304	1.85	-	32.60	5.17	34.45
AV	5.1488G	53.90	54.00	-0.10	50.58	3	Horizontal	304	1.85	-	32.60	5.17	34.45
PK	5.2424G	123.72	Inf	-Inf	120.14	3	Horizontal	304	1.85	-	32.78	5.24	34.44
AV	5.2358G	112.74	Inf	-Inf	109.17	3	Horizontal	304	1.85	-	32.77	5.24	34.44
PK	5.354G	65.62	74.00	-8.38	61.78	3	Horizontal	304	1.85	-	32.92	5.35	34.43
AV	5.351G	51.74	54.00	-2.26	47.91	3	Horizontal	304	1.85	-	32.91	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72384G	61.35	74.00	-12.65	48.26	3	Vertical	0	2.17	-	38.40	9.24	34.55
AV	15.71836G	48.08	54.00	-5.92	34.99	3	Vertical	0	2.17	-	38.40	9.24	34.55

802.11a_Nss1,(6Mbps)_4TX

03/05/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71468G	59.23	74.00	-14.77	46.13	3	Horizontal	92	2.47	-	38.40	9.24	34.54
AV	15.7114G	45.47	54.00	-8.53	32.37	3	Horizontal	92	2.47	-	38.40	9.24	34.54

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5260MHz_TX




EUT Y_4TX
Setting 107
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	60.28	74.00	-13.72	56.96	3	Vertical	334	2.39	-	32.60	5.17	34.45
AV	5.1466G	46.39	54.00	-7.61	43.07	3	Vertical	334	2.39	-	32.60	5.17	34.45
PK	5.2642G	117.61	Inf	-Inf	113.93	3	Vertical	334	2.39	-	32.86	5.26	34.44
AV	5.2642G	107.21	Inf	-Inf	103.53	3	Vertical	334	2.39	-	32.86	5.26	34.44
PK	5.3506G	64.28	74.00	-9.72	60.46	3	Vertical	334	2.39	-	32.90	5.35	34.43
AV	5.3506G	48.49	54.00	-5.51	44.67	3	Vertical	334	2.39	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5260MHz_TX




EUT Y_4TX
Setting 107
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	63.61	74.00	-10.39	60.29	3	Horizontal	293	2.03	-	32.60	5.17	34.45
AV	5.1454G	48.82	54.00	-5.18	45.50	3	Horizontal	293	2.03	-	32.60	5.17	34.45
PK	5.2636G	126.11	Inf	-Inf	122.44	3	Horizontal	293	2.03	-	32.85	5.26	34.44
AV	5.2642G	115.19	Inf	-Inf	111.51	3	Horizontal	293	2.03	-	32.86	5.26	34.44
PK	5.3506G	68.74	74.00	-5.26	64.92	3	Horizontal	293	2.03	-	32.90	5.35	34.43
AV	5.35G	53.64	54.00	-0.36	49.82	3	Horizontal	293	2.03	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5260MHz_TX




EUT Y_4TX
Setting 107
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5194G	53.18	68.20	-15.02	42.12	3	Vertical	327	1.81	-	38.40	7.48	34.82
PK	15.78688G	58.74	74.00	-15.26	45.70	3	Vertical	359	1.80	-	38.40	9.26	34.62
AV	15.78712G	45.06	54.00	-8.94	32.02	3	Vertical	359	1.80	-	38.40	9.26	34.62

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5260MHz_TX




EUT Y_4TX
Setting 107
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51744G	60.46	68.20	-7.74	49.40	3	Horizontal	80	1.49	-	38.40	7.48	34.82
PK	15.77932G	57.08	74.00	-16.92	44.03	3	Horizontal	49	1.80	-	38.40	9.26	34.61
AV	15.78012G	43.93	54.00	-10.07	30.88	3	Horizontal	49	1.80	-	38.40	9.26	34.61

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5300MHz_TX




EUT Y_4TX
Setting 88
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	114.66	Inf	-Inf	110.80	3	Vertical	333	2.22	-	32.99	5.30	34.43
AV	5.304G	105.46	Inf	-Inf	101.60	3	Vertical	333	2.22	-	32.99	5.30	34.43
PK	5.3508G	65.10	74.00	-8.90	61.28	3	Vertical	333	2.22	-	32.90	5.35	34.43
AV	5.3508G	47.51	54.00	-6.49	43.69	3	Vertical	333	2.22	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5300MHz_TX




EUT Y_4TX
Setting 88
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	122.45	Inf	-Inf	118.59	3	Horizontal	295	2.02	-	32.99	5.30	34.43
AV	5.304G	112.72	Inf	-Inf	108.86	3	Horizontal	295	2.02	-	32.99	5.30	34.43
PK	5.35G	72.07	74.00	-1.93	68.25	3	Horizontal	295	2.02	-	32.90	5.35	34.43
AV	5.35G	53.73	54.00	-0.27	49.91	3	Horizontal	295	2.02	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5300MHz_TX




EUT Y_4TX
Setting 88
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60552G	52.25	74.00	-21.75	41.08	3	Vertical	336	2.85	-	38.41	7.51	34.75
AV	10.60584G	39.65	54.00	-14.35	28.47	3	Vertical	336	2.85	-	38.41	7.51	34.74
PK	15.8906G	57.19	74.00	-16.81	44.05	3	Vertical	28	1.65	-	38.58	9.28	34.72
AV	15.90696G	43.90	54.00	-10.10	30.75	3	Vertical	28	1.65	-	38.61	9.28	34.74

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5300MHz_TX




EUT Y_4TX
Setting 88
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60832G	52.54	74.00	-21.46	41.36	3	Horizontal	216	2.30	-	38.41	7.51	34.74
AV	10.60872G	39.68	54.00	-14.32	28.50	3	Horizontal	216	2.30	-	38.41	7.51	34.74
PK	15.89624G	56.67	74.00	-17.33	43.53	3	Horizontal	2	2.43	-	38.59	9.28	34.73
AV	15.8992G	43.76	54.00	-10.24	30.61	3	Horizontal	2	2.43	-	38.60	9.28	34.73

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5320MHz_TX




EUT Y_4TX
Setting 72
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3248G	110.24	Inf	-Inf	106.40	3	Vertical	326	2.30	-	32.95	5.32	34.43
AV	5.324G	100.85	Inf	-Inf	97.01	3	Vertical	326	2.30	-	32.95	5.32	34.43
PK	5.3524G	65.60	74.00	-8.40	61.77	3	Vertical	326	2.30	-	32.91	5.35	34.43
AV	5.3512G	47.89	54.00	-6.11	44.06	3	Vertical	326	2.30	-	32.91	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5320MHz_TX




EUT Y_4TX
Setting 72
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	118.58	Inf	-Inf	114.74	3	Horizontal	293	1.99	-	32.95	5.32	34.43
AV	5.324G	109.09	Inf	-Inf	105.25	3	Horizontal	293	1.99	-	32.95	5.32	34.43
PK	5.35G	70.75	74.00	-3.25	66.93	3	Horizontal	293	1.99	-	32.90	5.35	34.43
AV	5.35G	53.84	54.00	-0.16	50.02	3	Horizontal	293	1.99	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5320MHz_TX




EUT Y_4TX
Setting 72
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63752G	53.23	74.00	-20.77	41.99	3	Vertical	24	3.00	-	38.44	7.52	34.72
AV	10.63404G	39.64	54.00	-14.36	28.41	3	Vertical	24	3.00	-	38.43	7.52	34.72
PK	15.96732G	56.46	74.00	-17.54	43.30	3	Vertical	191	2.92	-	38.67	9.29	34.80
AV	15.954G	43.69	54.00	-10.31	30.53	3	Vertical	191	2.92	-	38.65	9.29	34.78

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5320MHz_TX




EUT Y_4TX
Setting 72
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.643G	52.26	74.00	-21.74	41.00	3	Horizontal	161	2.46	-	38.44	7.53	34.71
AV	10.63308G	39.69	54.00	-14.31	28.46	3	Horizontal	161	2.46	-	38.43	7.52	34.72
PK	15.9504G	56.79	74.00	-17.21	43.63	3	Horizontal	139	1.19	-	38.65	9.29	34.78
AV	15.96144G	43.49	54.00	-10.51	30.33	3	Horizontal	139	1.19	-	38.66	9.29	34.79

802.11a_Nss1,(6Mbps)_4TX

10/05/2021

5500MHz_TX




EUT Y_4TX
Setting 71
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	57.77	74.00	-16.23	53.36	3	Vertical	13	2.00	-	33.42	5.40	34.41
AV	5.4596G	43.44	54.00	-10.56	39.03	3	Vertical	13	2.00	-	33.42	5.40	34.41
PK	5.4684G	59.68	68.20	-8.52	55.25	3	Vertical	13	2.00	-	33.44	5.40	34.41
PK	5.4992G	105.58	Inf	-Inf	101.09	3	Vertical	13	2.00	-	33.50	5.40	34.41
AV	5.4996G	96.42	Inf	-Inf	91.93	3	Vertical	13	2.00	-	33.50	5.40	34.41

802.11a_Nss1,(6Mbps)_4TX

10/05/2021

5500MHz_TX




EUT Y_4TX
Setting 71
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.50	74.00	-11.50	58.09	3	Horizontal	300	2.04	-	33.42	5.40	34.41
AV	5.46G	45.04	54.00	-8.96	40.63	3	Horizontal	300	2.04	-	33.42	5.40	34.41
PK	5.4648G	67.89	68.20	-0.31	63.47	3	Horizontal	300	2.04	-	33.43	5.40	34.41
PK	5.5048G	114.18	Inf	-Inf	109.67	3	Horizontal	300	2.04	-	33.52	5.40	34.41
AV	5.504G	105.00	Inf	-Inf	100.49	3	Horizontal	300	2.04	-	33.52	5.40	34.41

802.11a_Nss1,(6Mbps)_4TX

10/05/2021

5500MHz_TX




EUT Y_4TX
Setting 71
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98842G	52.12	74.00	-21.88	40.66	3	Vertical	182	2.78	-	38.21	7.65	34.40
AV	11.01236G	40.07	54.00	-13.93	28.60	3	Vertical	182	2.78	-	38.21	7.65	34.39

802.11a_Nss1,(6Mbps)_4TX

10/05/2021

5500MHz_TX




EUT Y_4TX
Setting 71
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00396G	52.60	74.00	-21.40	41.14	3	Horizontal	308	2.24	-	38.20	7.65	34.39
AV	11.01314G	40.19	54.00	-13.81	28.72	3	Horizontal	308	2.24	-	38.21	7.65	34.39

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5580MHz_TX




EUT Y_4TX
Setting 108
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	59.87	74.00	-14.13	55.46	3	Vertical	1	2.15	-	33.42	5.40	34.41
AV	5.4584G	46.50	54.00	-7.50	42.09	3	Vertical	1	2.15	-	33.42	5.40	34.41
PK	5.4656G	60.94	68.20	-7.26	56.52	3	Vertical	1	2.15	-	33.43	5.40	34.41
PK	5.5824G	119.07	Inf	-Inf	114.35	3	Vertical	1	2.15	-	33.76	5.40	34.44
AV	5.5824G	109.23	Inf	-Inf	104.51	3	Vertical	1	2.15	-	33.76	5.40	34.44
PK	5.7256G	59.49	68.20	-8.71	54.52	3	Vertical	1	2.15	-	34.00	5.46	34.49

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5580MHz_TX




EUT Y_4TX
Setting 108
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4472G	63.93	74.00	-10.07	59.56	3	Horizontal	296	2.12	-	33.39	5.40	34.42
AV	5.452G	49.07	54.00	-4.93	44.69	3	Horizontal	296	2.12	-	33.40	5.40	34.42
PK	5.4656G	67.75	68.20	-0.45	63.33	3	Horizontal	296	2.12	-	33.43	5.40	34.41
PK	5.5856G	127.01	Inf	-Inf	122.28	3	Horizontal	296	2.12	-	33.77	5.40	34.44
AV	5.5856G	115.89	Inf	-Inf	111.16	3	Horizontal	296	2.12	-	33.77	5.40	34.44
PK	5.7336G	62.23	68.20	-5.97	57.22	3	Horizontal	296	2.12	-	34.03	5.47	34.49

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5580MHz_TX




EUT Y_4TX
Setting 108
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15756G	56.38	74.00	-17.62	44.85	3	Vertical	348	1.79	-	38.24	7.71	34.42
AV	11.15372G	42.90	54.00	-11.10	31.36	3	Vertical	348	1.79	-	38.25	7.70	34.41
PK	16.74096G	62.43	68.20	-5.77	46.19	3	Vertical	325	1.78	-	40.54	9.56	33.86

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5580MHz_TX




EUT Y_4TX
Setting 108
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15656G	60.57	74.00	-13.43	49.05	3	Horizontal	284	2.10	-	38.24	7.70	34.42
AV	11.15992G	46.74	54.00	-7.26	35.21	3	Horizontal	284	2.10	-	38.24	7.71	34.42
PK	16.73548G	63.11	68.20	-5.09	46.88	3	Horizontal	287	1.48	-	40.54	9.56	33.87

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5700MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	109.18	Inf	-Inf	104.29	3	Vertical	0	2.31	-	33.92	5.45	34.48
AV	5.704G	100.00	Inf	-Inf	95.11	3	Vertical	0	2.31	-	33.92	5.45	34.48
PK	5.725G	65.51	68.20	-2.69	60.54	3	Vertical	0	2.31	-	34.00	5.46	34.49

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5700MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	114.98	Inf	-Inf	110.09	3	Horizontal	298	2.03	-	33.92	5.45	34.48
AV	5.7058G	105.50	Inf	-Inf	100.61	3	Horizontal	298	2.03	-	33.92	5.45	34.48
PK	5.725G	68.03	68.20	-0.17	63.06	3	Horizontal	298	2.03	-	34.00	5.46	34.49

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5700MHz_TX




EUT Y_4TX
Setting 57
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39272G	52.38	74.00	-21.62	40.65	3	Vertical	56	2.37	-	38.39	7.79	34.45
AV	11.39796G	39.66	54.00	-14.34	27.92	3	Vertical	56	2.37	-	38.40	7.79	34.45

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5700MHz_TX




EUT Y_4TX
Setting 57
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39532G	52.57	74.00	-21.43	40.83	3	Horizontal	296	2.80	-	38.40	7.79	34.45
AV	11.4008G	39.50	54.00	-14.50	27.76	3	Horizontal	296	2.80	-	38.40	7.79	34.45

802.11a_Nss1,(6Mbps)_4TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 119
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	121.42	Inf	-Inf	114.89	3	Vertical	359	2.15	-	33.99	5.46	32.92
AV	5.724G	110.67	Inf	-Inf	104.13	3	Vertical	359	2.15	-	34.00	5.46	32.92
PK	5.8672G	62.13	68.20	-6.07	54.97	3	Vertical	359	2.15	-	34.60	5.50	32.94

802.11a_Nss1,(6Mbps)_4TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 119
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7256G	126.21	Inf	-Inf	119.67	3	Horizontal	296	1.96	-	34.00	5.46	32.92
AV	5.7264G	115.29	Inf	-Inf	108.74	3	Horizontal	296	1.96	-	34.01	5.46	32.92
PK	5.852G	68.02	68.20	-0.18	60.95	3	Horizontal	296	1.96	-	34.51	5.50	32.94

802.11a_Nss1,(6Mbps)_4TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 119
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45008G	55.12	74.00	-18.88	41.71	3	Vertical	84	1.83	-	38.40	7.81	32.80
AV	11.45216G	41.61	54.00	-12.39	28.20	3	Vertical	84	1.83	-	38.40	7.81	32.80
PK	17.16304G	67.19	68.20	-1.01	48.00	3	Vertical	359	1.80	-	41.53	9.71	32.05

802.11a_Nss1,(6Mbps)_4TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 119
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44328G	56.21	74.00	-17.79	42.80	3	Horizontal	266	1.99	-	38.40	7.81	32.80
AV	11.4444G	42.79	54.00	-11.21	29.38	3	Horizontal	266	1.99	-	38.40	7.81	32.80
PK	17.14224G	67.60	68.20	-0.60	48.48	3	Horizontal	68	2.60	-	41.48	9.70	32.06

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5745MHz_TX




EUT Y_4TX
Setting 103
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	61.90	68.20	-6.30	57.06	3	Vertical	360	2.20	-	33.88	5.42	34.46
PK	5.75G	119.37	Inf	-Inf	114.29	3	Vertical	360	2.20	-	34.10	5.47	34.49
AV	5.749G	109.10	Inf	-Inf	104.02	3	Vertical	360	2.20	-	34.10	5.47	34.49
PK	5.935G	59.03	68.20	-9.17	53.15	3	Vertical	360	2.20	-	34.94	5.50	34.56

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5745MHz_TX




EUT Y_4TX
Setting 103
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	68.03	68.20	-0.17	63.17	3	Horizontal	297	2.09	-	33.90	5.42	34.46
PK	5.75G	124.13	Inf	-Inf	119.05	3	Horizontal	297	2.09	-	34.10	5.47	34.49
AV	5.752G	113.94	Inf	-Inf	108.85	3	Horizontal	297	2.09	-	34.11	5.48	34.50
PK	5.987G	60.96	68.20	-7.24	54.89	3	Horizontal	297	2.09	-	35.15	5.50	34.58

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5745MHz_TX




EUT Y_4TX
Setting 103
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48152G	56.38	74.00	-17.62	44.63	3	Vertical	354	1.31	-	38.40	7.82	34.47
AV	11.4812G	43.44	54.00	-10.56	31.69	3	Vertical	354	1.31	-	38.40	7.82	34.47
PK	17.23044G	62.65	68.20	-5.55	44.58	3	Vertical	327	1.80	-	41.69	9.73	33.35

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5745MHz_TX




EUT Y_4TX
Setting 103
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49104G	56.50	74.00	-17.50	44.75	3	Horizontal	44	1.80	-	38.40	7.82	34.47
AV	11.49036G	43.75	54.00	-10.25	32.00	3	Horizontal	44	1.80	-	38.40	7.82	34.47
PK	17.23232G	63.68	68.20	-4.52	45.60	3	Horizontal	66	1.77	-	41.70	9.73	33.35

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5785MHz_TX




EUT Y_4TX
Setting 111
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	59.67	68.20	-8.53	54.82	3	Vertical	360	2.15	-	33.89	5.42	34.46
PK	5.789G	120.16	Inf	-Inf	114.92	3	Vertical	360	2.15	-	34.26	5.49	34.51
AV	5.789G	109.02	Inf	-Inf	103.78	3	Vertical	360	2.15	-	34.26	5.49	34.51
PK	5.935G	59.46	68.20	-8.74	53.58	3	Vertical	360	2.15	-	34.94	5.50	34.56

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5785MHz_TX




EUT Y_4TX
Setting 111
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.71	68.20	-0.49	62.86	3	Horizontal	297	1.95	-	33.89	5.42	34.46
PK	5.79G	125.89	Inf	-Inf	120.64	3	Horizontal	297	1.95	-	34.26	5.50	34.51
AV	5.791G	115.09	Inf	-Inf	109.84	3	Horizontal	297	1.95	-	34.26	5.50	34.51
PK	5.938G	63.57	68.20	-4.63	57.68	3	Horizontal	297	1.95	-	34.95	5.50	34.56

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5785MHz_TX




EUT Y_4TX
Setting 111
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56172G	55.88	74.00	-18.12	44.11	3	Vertical	354	1.15	-	38.40	7.85	34.48
AV	11.56132G	42.83	54.00	-11.17	31.06	3	Vertical	354	1.15	-	38.40	7.85	34.48
PK	17.35016G	62.83	68.20	-5.37	44.27	3	Vertical	325	1.80	-	42.10	9.77	33.31

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5785MHz_TX




EUT Y_4TX
Setting 111
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56022G	57.99	74.00	-16.01	46.22	3	Horizontal	59	2.05	-	38.40	7.85	34.48
AV	11.561G	45.18	54.00	-8.82	33.41	3	Horizontal	59	2.05	-	38.40	7.85	34.48
PK	17.36056G	63.74	68.20	-4.46	45.12	3	Horizontal	38	1.71	-	42.14	9.78	33.30

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5825MHz_TX




EUT Y_4TX
Setting 106
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.596G	58.37	68.20	-9.83	53.62	3	Vertical	359	2.06	-	33.79	5.40	34.44
PK	5.829G	118.76	Inf	-Inf	113.36	3	Vertical	359	2.06	-	34.42	5.50	34.52
AV	5.829G	108.31	Inf	-Inf	102.91	3	Vertical	359	2.06	-	34.42	5.50	34.52
PK	5.934G	63.24	68.20	-4.96	57.36	3	Vertical	359	2.06	-	34.94	5.50	34.56

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5825MHz_TX




EUT Y_4TX
Setting 106
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.575G	61.86	68.20	-6.34	57.15	3	Horizontal	297	1.92	-	33.75	5.40	34.44
PK	5.832G	124.59	Inf	-Inf	119.18	3	Horizontal	297	1.92	-	34.43	5.50	34.52
AV	5.832G	114.05	Inf	-Inf	108.64	3	Horizontal	297	1.92	-	34.43	5.50	34.52
PK	5.934G	68.16	68.20	-0.04	62.28	3	Horizontal	297	1.92	-	34.94	5.50	34.56

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5825MHz_TX




EUT Y_4TX
Setting 106
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64764G	57.10	74.00	-16.90	45.26	3	Vertical	11	2.08	-	38.45	7.88	34.49
AV	11.646G	42.68	54.00	-11.32	30.84	3	Vertical	11	2.08	-	38.45	7.88	34.49
PK	17.47168G	63.31	68.20	-4.89	44.45	3	Vertical	326	1.80	-	42.30	9.82	33.26

802.11a_Nss1,(6Mbps)_4TX

22/03/2021

5825MHz_TX




EUT Y_4TX
Setting 106
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64168G	56.83	74.00	-17.17	45.01	3	Horizontal	60	2.00	-	38.44	7.87	34.49
AV	11.64112G	43.81	54.00	-10.19	31.99	3	Horizontal	60	2.00	-	38.44	7.87	34.49
PK	17.46848G	62.78	68.20	-5.42	43.93	3	Horizontal	39	1.47	-	42.30	9.81	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5180MHz_TX




EUT Y_4TX
Setting 69
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.21	74.00	-5.79	64.89	3	Vertical	6	2.84	-	32.60	5.17	34.45
AV	5.148G	48.76	54.00	-5.24	45.44	3	Vertical	6	2.84	-	32.60	5.17	34.45
PK	5.1732G	113.98	Inf	-Inf	110.59	3	Vertical	6	2.84	-	32.65	5.19	34.45
AV	5.178G	100.15	Inf	-Inf	96.75	3	Vertical	6	2.84	-	32.66	5.19	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5180MHz_TX




EUT Y_4TX
Setting 69
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	72.81	74.00	-1.19	69.49	3	Horizontal	70	2.67	-	32.60	5.17	34.45
AV	5.1484G	53.53	54.00	-0.47	50.21	3	Horizontal	70	2.67	-	32.60	5.17	34.45
PK	5.1732G	120.02	Inf	-Inf	116.63	3	Horizontal	70	2.67	-	32.65	5.19	34.45
AV	5.178G	105.95	Inf	-Inf	102.55	3	Horizontal	70	2.67	-	32.66	5.19	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5180MHz_TX




EUT Y_4TX
Setting 69
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54204G	57.52	74.00	-16.48	44.50	3	Vertical	54	1.06	-	38.18	9.21	34.37
AV	15.52806G	43.63	54.00	-10.37	30.62	3	Vertical	54	1.06	-	38.16	9.21	34.36

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5180MHz_TX




EUT Y_4TX
Setting 69
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54324G	57.08	74.00	-16.92	44.05	3	Horizontal	199	1.80	-	38.19	9.21	34.37
AV	15.52698G	43.56	54.00	-10.44	30.56	3	Horizontal	199	1.80	-	38.15	9.21	34.36

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5200MHz_TX




EUT Y_4TX
Setting 88
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.83	74.00	-9.17	61.51	3	Vertical	35	1.80	-	32.60	5.17	34.45
AV	5.1496G	47.55	54.00	-6.45	44.23	3	Vertical	35	1.80	-	32.60	5.17	34.45
PK	5.2012G	115.45	Inf	-Inf	112.00	3	Vertical	35	1.80	-	32.70	5.20	34.45
AV	5.2008G	102.21	Inf	-Inf	98.76	3	Vertical	35	1.80	-	32.70	5.20	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5200MHz_TX




EUT Y_4TX
Setting 88
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.84	74.00	-4.16	66.52	3	Horizontal	70	2.65	-	32.60	5.17	34.45
AV	5.1496G	53.89	54.00	-0.11	50.57	3	Horizontal	70	2.65	-	32.60	5.17	34.45
PK	5.1928G	122.68	Inf	-Inf	119.24	3	Horizontal	70	2.65	-	32.69	5.20	34.45
AV	5.2028G	110.42	Inf	-Inf	106.96	3	Horizontal	70	2.65	-	32.71	5.20	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5200MHz_TX




EUT Y_4TX
Setting 88
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60654G	57.37	74.00	-16.63	44.28	3	Vertical	0	1.80	-	38.31	9.22	34.44
AV	15.6141G	43.72	54.00	-10.28	30.63	3	Vertical	0	1.80	-	38.31	9.22	34.44

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5200MHz_TX




EUT Y_4TX
Setting 88
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60804G	58.70	74.00	-15.30	45.61	3	Horizontal	230	1.00	-	38.31	9.22	34.44
AV	15.61404G	44.41	54.00	-9.59	31.32	3	Horizontal	230	1.00	-	38.31	9.22	34.44

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	62.19	74.00	-11.81	58.87	3	Vertical	360	2.95	-	32.60	5.17	34.45
AV	5.1482G	48.21	54.00	-5.79	44.89	3	Vertical	360	2.95	-	32.60	5.17	34.45
PK	5.2328G	119.15	Inf	-Inf	115.59	3	Vertical	360	2.95	-	32.77	5.23	34.44
AV	5.2382G	106.40	Inf	-Inf	102.82	3	Vertical	360	2.95	-	32.78	5.24	34.44
PK	5.3516G	62.27	74.00	-11.73	58.44	3	Vertical	360	2.95	-	32.91	5.35	34.43
AV	5.3516G	47.84	54.00	-6.16	44.01	3	Vertical	360	2.95	-	32.91	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	68.96	74.00	-5.04	65.64	3	Horizontal	298	2.75	-	32.60	5.17	34.45
PK	5.2328G	123.72	Inf	-Inf	120.16	3	Horizontal	298	2.75	-	32.77	5.23	34.44
AV	5.243G	110.89	Inf	-Inf	107.30	3	Horizontal	298	2.75	-	32.79	5.24	34.44
PK	5.3564G	66.87	74.00	-7.13	63.00	3	Horizontal	298	2.75	-	32.94	5.36	34.43
AV	5.3516G	50.86	54.00	-3.14	47.03	3	Horizontal	298	2.75	-	32.91	5.35	34.43
AV	5.1476G	53.82	54.00	-0.18	50.50	3	Horizontal	298	2.75	-	32.60	5.17	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72804G	60.60	74.00	-13.40	47.51	3	Vertical	360	1.84	-	38.40	9.25	34.56
AV	15.7182G	46.84	54.00	-7.16	33.75	3	Vertical	360	1.84	-	38.40	9.24	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX

03/05/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72828G	58.75	74.00	-15.25	45.66	3	Horizontal	338	1.92	-	38.40	9.25	34.56
AV	15.71814G	45.19	54.00	-8.81	32.10	3	Horizontal	338	1.92	-	38.40	9.24	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5260MHz_TX




EUT Y_4TX
Setting 107
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	58.73	74.00	-15.27	55.41	3	Vertical	330	2.91	-	32.60	5.17	34.45
AV	5.1466G	45.10	54.00	-8.90	41.78	3	Vertical	330	2.91	-	32.60	5.17	34.45
PK	5.2528G	117.85	Inf	-Inf	114.23	3	Vertical	330	2.91	-	32.81	5.25	34.44
AV	5.2582G	105.67	Inf	-Inf	102.02	3	Vertical	330	2.91	-	32.83	5.26	34.44
PK	5.3518G	63.64	74.00	-10.36	59.81	3	Vertical	330	2.91	-	32.91	5.35	34.43
AV	5.3518G	49.42	54.00	-4.58	45.59	3	Vertical	330	2.91	-	32.91	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5260MHz_TX




EUT Y_4TX
Setting 107
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	62.97	74.00	-11.03	59.65	3	Horizontal	296	2.34	-	32.60	5.17	34.45
AV	5.1478G	48.70	54.00	-5.30	45.38	3	Horizontal	296	2.34	-	32.60	5.17	34.45
PK	5.2528G	123.83	Inf	-Inf	120.21	3	Horizontal	296	2.34	-	32.81	5.25	34.44
AV	5.263G	111.37	Inf	-Inf	107.70	3	Horizontal	296	2.34	-	32.85	5.26	34.44
PK	5.3536G	67.67	74.00	-6.33	63.83	3	Horizontal	296	2.34	-	32.92	5.35	34.43
AV	5.3506G	53.62	54.00	-0.38	49.80	3	Horizontal	296	2.34	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5260MHz_TX




EUT Y_4TX
Setting 107
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52368G	53.97	68.20	-14.23	42.91	3	Vertical	353	2.19	-	38.40	7.48	34.82
PK	15.7896G	57.51	74.00	-16.49	44.47	3	Vertical	314	1.80	-	38.40	9.26	34.62
AV	15.78272G	43.64	54.00	-10.36	30.59	3	Vertical	314	1.80	-	38.40	9.26	34.61

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5260MHz_TX




EUT Y_4TX
Setting 107
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51976G	60.85	68.20	-7.35	49.79	3	Horizontal	77	1.42	-	38.40	7.48	34.82
PK	15.77864G	57.87	74.00	-16.13	44.82	3	Horizontal	26	1.80	-	38.40	9.26	34.61
AV	15.77888G	44.27	54.00	-9.73	31.22	3	Horizontal	26	1.80	-	38.40	9.26	34.61

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5300MHz_TX




EUT Y_4TX
Setting 88
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	114.70	Inf	-Inf	110.83	3	Vertical	334	1.93	-	33.00	5.30	34.43
AV	5.3008G	101.64	Inf	-Inf	97.77	3	Vertical	334	1.93	-	33.00	5.30	34.43
PK	5.3512G	63.41	74.00	-10.59	59.58	3	Vertical	334	1.93	-	32.91	5.35	34.43
AV	5.3508G	47.87	54.00	-6.13	44.05	3	Vertical	334	1.93	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5300MHz_TX




EUT Y_4TX
Setting 88
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2932G	121.89	Inf	-Inf	118.06	3	Horizontal	65	2.78	-	32.97	5.29	34.43
AV	5.298G	109.25	Inf	-Inf	105.39	3	Horizontal	65	2.78	-	32.99	5.30	34.43
PK	5.3528G	71.28	74.00	-2.72	67.44	3	Horizontal	65	2.78	-	32.92	5.35	34.43
AV	5.3524G	53.68	54.00	-0.32	49.85	3	Horizontal	65	2.78	-	32.91	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5300MHz_TX




EUT Y_4TX
Setting 88
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6084G	52.44	74.00	-21.56	41.26	3	Vertical	346	2.50	-	38.41	7.51	34.74
AV	10.60148G	39.09	54.00	-14.91	27.93	3	Vertical	346	2.50	-	38.40	7.51	34.75
PK	15.90092G	56.55	74.00	-17.45	43.40	3	Vertical	185	2.89	-	38.60	9.28	34.73
AV	15.89884G	43.28	54.00	-10.72	30.13	3	Vertical	185	2.89	-	38.60	9.28	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5300MHz_TX




EUT Y_4TX
Setting 88
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60164G	52.92	74.00	-21.08	41.76	3	Horizontal	182	1.09	-	38.40	7.51	34.75
AV	10.6014G	39.19	54.00	-14.81	28.03	3	Horizontal	182	1.09	-	38.40	7.51	34.75
PK	15.89872G	56.73	74.00	-17.27	43.58	3	Horizontal	229	1.48	-	38.60	9.28	34.73
AV	15.90316G	43.28	54.00	-10.72	30.13	3	Horizontal	229	1.48	-	38.60	9.28	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5320MHz_TX




EUT Y_4TX
Setting 71
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	112.67	Inf	-Inf	108.82	3	Vertical	359	3.00	-	32.97	5.31	34.43
AV	5.3182G	98.25	Inf	-Inf	94.40	3	Vertical	359	3.00	-	32.96	5.32	34.43
PK	5.35G	67.14	74.00	-6.86	63.32	3	Vertical	359	3.00	-	32.90	5.35	34.43
AV	5.35G	48.29	54.00	-5.71	44.47	3	Vertical	359	3.00	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5320MHz_TX




EUT Y_4TX
Setting 71
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	118.79	Inf	-Inf	114.94	3	Horizontal	64	2.72	-	32.97	5.31	34.43
AV	5.3228G	105.38	Inf	-Inf	101.54	3	Horizontal	64	2.72	-	32.95	5.32	34.43
PK	5.3526G	72.76	74.00	-1.24	68.92	3	Horizontal	64	2.72	-	32.92	5.35	34.43
AV	5.3528G	53.62	54.00	-0.38	49.78	3	Horizontal	64	2.72	-	32.92	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5320MHz_TX




EUT Y_4TX
Setting 71
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64348G	52.54	74.00	-21.46	41.28	3	Vertical	192	2.30	-	38.44	7.53	34.71
AV	10.64652G	38.60	54.00	-15.40	27.33	3	Vertical	192	2.30	-	38.45	7.53	34.71
PK	15.9678G	56.64	74.00	-17.36	43.48	3	Vertical	92	2.48	-	38.67	9.29	34.80
AV	15.96724G	43.61	54.00	-10.39	30.45	3	Vertical	92	2.48	-	38.67	9.29	34.80

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5320MHz_TX




EUT Y_4TX
Setting 71
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64244G	52.65	74.00	-21.35	41.40	3	Horizontal	32	2.47	-	38.44	7.52	34.71
AV	10.64644G	38.61	54.00	-15.39	27.34	3	Horizontal	32	2.47	-	38.45	7.53	34.71
PK	15.96692G	57.09	74.00	-16.91	43.93	3	Horizontal	31	2.73	-	38.67	9.29	34.80
AV	15.9672G	42.60	54.00	-11.40	29.44	3	Horizontal	31	2.73	-	38.67	9.29	34.80

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5500MHz_TX




EUT Y_4TX
Setting 62
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	58.31	74.00	-15.69	53.90	3	Vertical	330	2.93	-	33.42	5.40	34.41
AV	5.4584G	44.62	54.00	-9.38	40.21	3	Vertical	330	2.93	-	33.42	5.40	34.41
PK	5.4682G	63.12	68.20	-5.08	58.69	3	Vertical	330	2.93	-	33.44	5.40	34.41
PK	5.4932G	110.52	Inf	-Inf	106.04	3	Vertical	330	2.93	-	33.49	5.40	34.41
AV	5.4982G	96.86	Inf	-Inf	92.37	3	Vertical	330	2.93	-	33.50	5.40	34.41

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5500MHz_TX




EUT Y_4TX
Setting 62
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	60.01	74.00	-13.99	55.61	3	Horizontal	64	2.71	-	33.42	5.40	34.42
AV	5.458G	46.23	54.00	-7.77	41.83	3	Horizontal	64	2.71	-	33.42	5.40	34.42
PK	5.4684G	68.18	68.20	-0.02	63.75	3	Horizontal	64	2.71	-	33.44	5.40	34.41
PK	5.493G	118.90	Inf	-Inf	114.42	3	Horizontal	64	2.71	-	33.49	5.40	34.41
AV	5.5028G	105.19	Inf	-Inf	100.69	3	Horizontal	64	2.71	-	33.51	5.40	34.41

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5500MHz_TX




EUT Y_4TX
Setting 62
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00264G	52.95	74.00	-21.05	41.49	3	Vertical	247	2.24	-	38.20	7.65	34.39
AV	11.00948G	40.12	54.00	-13.88	28.65	3	Vertical	247	2.24	-	38.21	7.65	34.39

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5500MHz_TX




EUT Y_4TX
Setting 62
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0066G	52.72	74.00	-21.28	41.25	3	Horizontal	280	1.10	-	38.21	7.65	34.39
AV	10.99832G	39.06	54.00	-14.94	27.60	3	Horizontal	280	1.10	-	38.20	7.65	34.39

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5580MHz_TX




EUT Y_4TX
Setting 108
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	61.23	74.00	-12.77	56.83	3	Vertical	360	2.13	-	33.42	5.40	34.42
AV	5.4592G	47.32	54.00	-6.68	42.91	3	Vertical	360	2.13	-	33.42	5.40	34.41
PK	5.4672G	61.22	68.20	-6.98	56.80	3	Vertical	360	2.13	-	33.43	5.40	34.41
PK	5.5856G	117.29	Inf	-Inf	112.56	3	Vertical	360	2.13	-	33.77	5.40	34.44
AV	5.5856G	104.67	Inf	-Inf	99.94	3	Vertical	360	2.13	-	33.77	5.40	34.44
PK	5.7264G	59.50	68.20	-8.70	54.52	3	Vertical	360	2.13	-	34.01	5.46	34.49

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5580MHz_TX




EUT Y_4TX
Setting 108
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	66.63	74.00	-7.37	62.23	3	Horizontal	298	2.24	-	33.42	5.40	34.42
AV	5.4584G	50.44	54.00	-3.56	46.03	3	Horizontal	298	2.24	-	33.42	5.40	34.41
PK	5.468G	67.72	68.20	-0.48	63.29	3	Horizontal	298	2.24	-	33.44	5.40	34.41
PK	5.5728G	126.25	Inf	-Inf	121.53	3	Horizontal	298	2.24	-	33.75	5.40	34.43
AV	5.5776G	112.71	Inf	-Inf	107.99	3	Horizontal	298	2.24	-	33.76	5.40	34.44
PK	5.7376G	64.60	68.20	-3.60	59.57	3	Horizontal	298	2.24	-	34.05	5.47	34.49

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5580MHz_TX



EUT Y_4TX
Setting 108
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1564G	58.04	74.00	-15.96	46.52	3	Vertical	23	1.95	-	38.24	7.70	34.42
AV	11.16108G	43.64	54.00	-10.36	32.11	3	Vertical	23	1.95	-	38.24	7.71	34.42
PK	16.74512G	62.16	68.20	-6.04	45.90	3	Vertical	325	1.80	-	40.55	9.56	33.85

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5580MHz_TX




EUT Y_4TX
Setting 108
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16884G	60.24	74.00	-13.76	48.72	3	Horizontal	270	2.09	-	38.23	7.71	34.42
AV	11.16356G	45.01	54.00	-8.99	33.48	3	Horizontal	270	2.09	-	38.24	7.71	34.42
PK	16.74916G	63.33	68.20	-4.87	47.07	3	Horizontal	287	1.51	-	40.55	9.56	33.85

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5700MHz_TX




EUT Y_4TX
Setting 51
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6958G	107.02	Inf	-Inf	102.15	3	Vertical	2	2.18	-	33.90	5.45	34.48
AV	5.6956G	95.12	Inf	-Inf	90.25	3	Vertical	2	2.18	-	33.90	5.45	34.48
PK	5.7258G	64.92	68.20	-3.28	59.95	3	Vertical	2	2.18	-	34.00	5.46	34.49

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5700MHz_TX




EUT Y_4TX
Setting 51
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.693G	115.46	Inf	-Inf	110.59	3	Horizontal	299	2.01	-	33.90	5.45	34.48
AV	5.703G	101.58	Inf	-Inf	96.70	3	Horizontal	299	2.01	-	33.91	5.45	34.48
PK	5.7284G	68.03	68.20	-0.17	63.05	3	Horizontal	299	2.01	-	34.01	5.46	34.49

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5700MHz_TX




EUT Y_4TX
Setting 51
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39004G	52.51	74.00	-21.49	40.78	3	Vertical	239	2.87	-	38.39	7.79	34.45
AV	11.40296G	38.84	54.00	-15.16	27.10	3	Vertical	239	2.87	-	38.40	7.79	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5700MHz_TX




EUT Y_4TX
Setting 51
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40168G	52.25	74.00	-21.75	40.51	3	Horizontal	135	1.37	-	38.40	7.79	34.45
AV	11.39252G	39.85	54.00	-14.15	28.12	3	Horizontal	135	1.37	-	38.39	7.79	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_4TX
 Setting 115
 01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7128G	119.30	Inf	-Inf	112.81	3	Vertical	359	2.24	-	33.95	5.46	32.92
AV	5.7232G	106.70	Inf	-Inf	100.17	3	Vertical	359	2.24	-	33.99	5.46	32.92
PK	5.8624G	62.45	68.20	-5.75	55.32	3	Vertical	359	2.24	-	34.57	5.50	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_4TX
 Setting 115
 01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7128G	126.14	Inf	-Inf	119.65	3	Horizontal	302	1.94	-	33.95	5.46	32.92
AV	5.7176G	112.92	Inf	-Inf	106.41	3	Horizontal	302	1.94	-	33.97	5.46	32.92
PK	5.85G	68.16	68.20	-0.04	61.10	3	Horizontal	302	1.94	-	34.50	5.50	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_4TX
Setting 115
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.446G	55.58	74.00	-18.42	42.17	3	Vertical	327	1.44	-	38.40	7.81	32.80
AV	11.44064G	42.61	54.00	-11.39	29.21	3	Vertical	327	1.44	-	38.40	7.80	32.80
PK	17.15184G	67.60	68.20	-0.60	48.45	3	Vertical	41	1.77	-	41.50	9.70	32.05

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_4TX
 Setting 115
 01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42056G	56.04	74.00	-17.96	42.64	3	Horizontal	293	2.13	-	38.40	7.80	32.80
AV	11.44048G	42.58	54.00	-11.42	29.18	3	Horizontal	293	2.13	-	38.40	7.80	32.80
PK	17.1552G	67.02	68.20	-1.18	47.86	3	Horizontal	67	1.63	-	41.51	9.70	32.05

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5745MHz_TX




EUT Y_4TX
Setting 102
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	63.08	70.42	-7.34	58.21	3	Vertical	355	2.20	-	33.90	5.43	34.46
PK	5.738G	118.97	Inf	-Inf	113.94	3	Vertical	355	2.20	-	34.05	5.47	34.49
AV	5.743G	106.29	Inf	-Inf	101.24	3	Vertical	355	2.20	-	34.07	5.47	34.49
PK	5.942G	58.58	68.20	-9.62	52.67	3	Vertical	355	2.20	-	34.97	5.50	34.56

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5745MHz_TX




EUT Y_4TX
Setting 102
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.85	68.20	-0.35	62.98	3	Horizontal	298	2.09	-	33.90	5.43	34.46
PK	5.738G	125.13	Inf	-Inf	120.10	3	Horizontal	298	2.09	-	34.05	5.47	34.49
AV	5.743G	112.72	Inf	-Inf	107.67	3	Horizontal	298	2.09	-	34.07	5.47	34.49
PK	5.979G	59.84	68.20	-8.36	53.79	3	Horizontal	298	2.09	-	35.12	5.50	34.57

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5745MHz_TX




EUT Y_4TX
Setting 102
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48072G	55.96	74.00	-18.04	44.21	3	Vertical	354	1.35	-	38.40	7.82	34.47
AV	11.49072G	42.87	54.00	-11.13	31.12	3	Vertical	354	1.35	-	38.40	7.82	34.47
PK	17.23952G	62.15	68.20	-6.05	44.05	3	Vertical	328	1.80	-	41.72	9.73	33.35

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5745MHz_TX




EUT Y_4TX
Setting 102
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4892G	56.37	74.00	-17.63	44.62	3	Horizontal	59	1.87	-	38.40	7.82	34.47
AV	11.48992G	43.07	54.00	-10.93	31.32	3	Horizontal	59	1.87	-	38.40	7.82	34.47
PK	17.23184G	63.51	68.20	-4.69	45.43	3	Horizontal	64	1.79	-	41.70	9.73	33.35

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5785MHz_TX




EUT Y_4TX
Setting 111
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	62.09	68.20	-6.11	57.26	3	Vertical	356	2.16	-	33.87	5.42	34.46
PK	5.778G	118.98	Inf	-Inf	113.78	3	Vertical	356	2.16	-	34.21	5.49	34.50
AV	5.788G	105.76	Inf	-Inf	100.53	3	Vertical	356	2.16	-	34.25	5.49	34.51
PK	5.973G	59.88	68.20	-8.32	53.86	3	Vertical	356	2.16	-	35.09	5.50	34.57

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5785MHz_TX




EUT Y_4TX
Setting 111
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	66.58	68.20	-1.62	61.74	3	Horizontal	300	1.97	-	33.88	5.42	34.46
PK	5.778G	125.26	Inf	-Inf	120.06	3	Horizontal	300	1.97	-	34.21	5.49	34.50
AV	5.788G	112.70	Inf	-Inf	107.47	3	Horizontal	300	1.97	-	34.25	5.49	34.51
PK	5.944G	67.98	68.20	-0.22	62.06	3	Horizontal	300	1.97	-	34.98	5.50	34.56

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5785MHz_TX




EUT Y_4TX
Setting 111
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56404G	51.77	74.00	-22.23	40.00	3	Vertical	328	2.06	-	38.40	7.85	34.48
AV	11.5612G	37.73	54.00	-16.27	25.96	3	Vertical	328	2.06	-	38.40	7.85	34.48
PK	17.35204G	61.77	68.20	-6.43	43.20	3	Vertical	327	1.77	-	42.11	9.77	33.31

802.11ax HEW20_Nss1,(MCS0)_4TX

22/03/2021

5785MHz_TX




EUT Y_4TX
Setting 111
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56368G	56.13	74.00	-17.87	44.36	3	Horizontal	57	1.94	-	38.40	7.85	34.48
AV	11.56884G	42.66	54.00	-11.34	30.89	3	Horizontal	57	1.94	-	38.40	7.85	34.48
PK	17.3554G	63.88	68.20	-4.32	45.29	3	Horizontal	68	2.14	-	42.12	9.77	33.30

802.11ax HEW20_Nss1,(MCS0)_4TX

10/05/2021

5825MHz_TX




EUT Y_4TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	55.00	68.20	-13.20	50.14	3	Vertical	333	2.91	-	33.90	5.42	34.46
PK	5.826G	111.21	Inf	-Inf	105.83	3	Vertical	333	2.91	-	34.40	5.50	34.52
AV	5.826G	100.71	Inf	-Inf	95.33	3	Vertical	333	2.91	-	34.40	5.50	34.52
PK	5.926G	58.20	68.20	-10.00	52.35	3	Vertical	333	2.91	-	34.90	5.50	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX

10/05/2021

5825MHz_TX




EUT Y_4TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.595G	55.72	68.20	-12.48	50.97	3	Horizontal	301	1.80	-	33.79	5.40	34.44
PK	5.833G	116.48	Inf	-Inf	111.07	3	Horizontal	301	1.80	-	34.43	5.50	34.52
AV	5.823G	105.98	Inf	-Inf	100.61	3	Horizontal	301	1.80	-	34.39	5.50	34.52
PK	5.926G	64.46	68.20	-3.74	58.61	3	Horizontal	301	1.80	-	34.90	5.50	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX

10/05/2021

5825MHz_TX




EUT Y_4TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66314G	53.61	74.00	-20.39	41.77	3	Vertical	120	1.47	-	38.46	7.88	34.50
AV	11.66086G	39.23	54.00	-14.77	27.39	3	Vertical	120	1.47	-	38.46	7.88	34.50
PK	17.46582G	62.70	68.20	-5.50	43.85	3	Vertical	93	1.08	-	42.30	9.81	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

10/05/2021

5825MHz_TX




EUT Y_4TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65084G	54.72	74.00	-19.28	42.88	3	Horizontal	155	1.77	-	38.45	7.88	34.49
AV	11.65666G	40.24	54.00	-13.76	28.40	3	Horizontal	155	1.77	-	38.46	7.88	34.50
PK	17.46954G	63.08	68.20	-5.12	44.23	3	Horizontal	294	1.81	-	42.30	9.81	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX

03/05/2021

5190MHz_TX




EUT Y_4TX
Setting 60
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.87	74.00	-13.13	57.55	3	Vertical	0	2.95	-	32.60	5.17	34.45
AV	5.148G	47.54	54.00	-6.46	44.22	3	Vertical	0	2.95	-	32.60	5.17	34.45
PK	5.198G	107.60	Inf	-Inf	104.15	3	Vertical	0	2.95	-	32.70	5.20	34.45
AV	5.2032G	95.99	Inf	-Inf	92.53	3	Vertical	0	2.95	-	32.71	5.20	34.45

802.11ax HEW40_Nss1,(MCS0)_4TX

03/05/2021

5190MHz_TX




EUT Y_4TX
Setting 60
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.53	74.00	-5.47	65.21	3	Horizontal	68	2.68	-	32.60	5.17	34.45
AV	5.1476G	53.65	54.00	-0.35	50.33	3	Horizontal	68	2.68	-	32.60	5.17	34.45
PK	5.198G	113.90	Inf	-Inf	110.45	3	Horizontal	68	2.68	-	32.70	5.20	34.45
AV	5.1928G	102.33	Inf	-Inf	98.89	3	Horizontal	68	2.68	-	32.69	5.20	34.45

802.11ax HEW40_Nss1,(MCS0)_4TX

03/05/2021

5190MHz_TX




EUT Y_4TX
Setting 60
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56082G	57.36	74.00	-16.64	44.32	3	Vertical	263	1.63	-	38.22	9.21	34.39
AV	15.58482G	45.47	54.00	-8.53	32.39	3	Vertical	263	1.63	-	38.27	9.22	34.41

802.11ax HEW40_Nss1,(MCS0)_4TX

03/05/2021

5190MHz_TX




EUT Y_4TX
Setting 60
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56634G	58.59	74.00	-15.41	45.55	3	Horizontal	251	1.00	-	38.23	9.21	34.40
AV	15.56586G	45.12	54.00	-8.88	32.08	3	Horizontal	251	1.00	-	38.23	9.21	34.40

802.11ax HEW40_Nss1,(MCS0)_4TX

03/05/2021

5230MHz_TX




EUT Y_4TX
Setting 80
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	60.03	74.00	-13.97	56.71	3	Vertical	34	1.91	-	32.60	5.17	34.45
AV	5.1496G	47.72	54.00	-6.28	44.40	3	Vertical	34	1.91	-	32.60	5.17	34.45
PK	5.2258G	109.51	Inf	-Inf	105.97	3	Vertical	34	1.91	-	32.75	5.23	34.44
AV	5.2258G	99.46	Inf	-Inf	95.92	3	Vertical	34	1.91	-	32.75	5.23	34.44
PK	5.3536G	56.87	74.00	-17.13	53.03	3	Vertical	34	1.91	-	32.92	5.35	34.43
AV	5.3746G	45.95	54.00	-8.05	41.96	3	Vertical	34	1.91	-	33.05	5.37	34.43

802.11ax HEW40_Nss1,(MCS0)_4TX

03/05/2021

5230MHz_TX




EUT Y_4TX
Setting 80
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	66.19	74.00	-7.81	62.87	3	Horizontal	294	1.87	-	32.60	5.17	34.45
AV	5.149G	53.56	54.00	-0.44	50.24	3	Horizontal	294	1.87	-	32.60	5.17	34.45
PK	5.2408G	117.45	Inf	-Inf	113.87	3	Horizontal	294	1.87	-	32.78	5.24	34.44
AV	5.2258G	106.27	Inf	-Inf	102.73	3	Horizontal	294	1.87	-	32.75	5.23	34.44
PK	5.3512G	61.21	74.00	-12.79	57.38	3	Horizontal	294	1.87	-	32.91	5.35	34.43
AV	5.3698G	48.18	54.00	-5.82	44.22	3	Horizontal	294	1.87	-	33.02	5.37	34.43

802.11ax HEW40_Nss1,(MCS0)_4TX

03/05/2021

5230MHz_TX




EUT Y_4TX
Setting 80
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69966G	58.54	74.00	-15.46	45.43	3	Vertical	264	1.80	-	38.40	9.24	34.53
AV	15.7047G	46.03	54.00	-7.97	32.92	3	Vertical	264	1.80	-	38.40	9.24	34.53

802.11ax HEW40_Nss1,(MCS0)_4TX

03/05/2021

5230MHz_TX




EUT Y_4TX
Setting 80
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6999G	58.15	74.00	-15.85	45.04	3	Horizontal	123	1.80	-	38.40	9.24	34.53
AV	15.69888G	45.61	54.00	-8.39	32.50	3	Horizontal	123	1.80	-	38.40	9.24	34.53

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5270MHz_TX




EUT Y_4TX
Setting 80
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1248G	56.10	74.00	-17.90	52.80	3	Vertical	333	2.76	-	32.60	5.16	34.46
AV	5.1452G	44.95	54.00	-9.05	41.63	3	Vertical	333	2.76	-	32.60	5.17	34.45
PK	5.2628G	110.43	Inf	-Inf	106.76	3	Vertical	333	2.76	-	32.85	5.26	34.44
AV	5.2628G	99.44	Inf	-Inf	95.77	3	Vertical	333	2.76	-	32.85	5.26	34.44
PK	5.3504G	60.45	74.00	-13.55	56.63	3	Vertical	333	2.76	-	32.90	5.35	34.43
AV	5.3534G	47.32	54.00	-6.68	43.48	3	Vertical	333	2.76	-	32.92	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5270MHz_TX




EUT Y_4TX
Setting 80
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	58.02	74.00	-15.98	54.70	3	Horizontal	293	2.35	-	32.60	5.17	34.45
AV	5.1434G	46.50	54.00	-7.50	43.18	3	Horizontal	293	2.35	-	32.60	5.17	34.45
PK	5.2628G	116.77	Inf	-Inf	113.10	3	Horizontal	293	2.35	-	32.85	5.26	34.44
AV	5.2682G	105.42	Inf	-Inf	101.72	3	Horizontal	293	2.35	-	32.87	5.27	34.44
PK	5.3582G	66.78	74.00	-7.22	62.90	3	Horizontal	293	2.35	-	32.95	5.36	34.43
AV	5.3534G	53.68	54.00	-0.32	49.84	3	Horizontal	293	2.35	-	32.92	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5270MHz_TX




EUT Y_4TX
Setting 80
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80108G	56.52	74.00	-17.48	43.49	3	Vertical	104	2.38	-	38.40	9.26	34.63
AV	15.81512G	44.54	54.00	-9.46	31.50	3	Vertical	104	2.38	-	38.43	9.26	34.65

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5270MHz_TX




EUT Y_4TX
Setting 80
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81508G	57.18	74.00	-16.82	44.14	3	Horizontal	237	2.83	-	38.43	9.26	34.65
AV	15.81668G	44.24	54.00	-9.76	31.20	3	Horizontal	237	2.83	-	38.43	9.26	34.65

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5310MHz_TX




EUT Y_4TX
Setting 59
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	105.10	Inf	-Inf	101.25	3	Vertical	330	1.90	-	32.95	5.33	34.43
AV	5.316G	93.62	Inf	-Inf	89.76	3	Vertical	330	1.90	-	32.97	5.32	34.43
PK	5.3512G	63.69	74.00	-10.31	59.86	3	Vertical	330	1.90	-	32.91	5.35	34.43
AV	5.3516G	48.01	54.00	-5.99	44.18	3	Vertical	330	1.90	-	32.91	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5310MHz_TX




EUT Y_4TX
Setting 59
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	112.78	Inf	-Inf	108.93	3	Horizontal	61	2.69	-	32.96	5.32	34.43
AV	5.3028G	101.26	Inf	-Inf	97.40	3	Horizontal	61	2.69	-	32.99	5.30	34.43
PK	5.3532G	70.85	74.00	-3.15	67.01	3	Horizontal	61	2.69	-	32.92	5.35	34.43
AV	5.3532G	53.60	54.00	-0.40	49.76	3	Horizontal	61	2.69	-	32.92	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5310MHz_TX




EUT Y_4TX
Setting 59
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93608G	56.59	74.00	-17.41	43.43	3	Vertical	66	1.74	-	38.64	9.29	34.77
AV	15.92492G	44.22	54.00	-9.78	31.07	3	Vertical	66	1.74	-	38.62	9.28	34.75

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5310MHz_TX




EUT Y_4TX
Setting 59
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9306G	56.74	74.00	-17.26	43.58	3	Horizontal	207	2.82	-	38.63	9.29	34.76
AV	15.93996G	44.22	54.00	-9.78	31.06	3	Horizontal	207	2.82	-	38.64	9.29	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX

10/05/2021

5510MHz_TX




EUT Y_4TX
Setting 65
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	58.76	74.00	-15.24	54.37	3	Vertical	338	1.93	-	33.41	5.40	34.42
AV	5.456G	44.92	54.00	-9.08	40.53	3	Vertical	338	1.93	-	33.41	5.40	34.42
PK	5.47G	63.60	68.20	-4.60	59.17	3	Vertical	338	1.93	-	33.44	5.40	34.41
PK	5.526G	104.55	Inf	-Inf	99.97	3	Vertical	338	1.93	-	33.60	5.40	34.42
AV	5.516G	93.78	Inf	-Inf	89.24	3	Vertical	338	1.93	-	33.56	5.40	34.42

802.11ax HEW40_Nss1,(MCS0)_4TX

10/05/2021

5510MHz_TX




EUT Y_4TX
Setting 65
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	62.84	74.00	-11.16	58.44	3	Horizontal	297	2.25	-	33.42	5.40	34.42
AV	5.458G	47.00	54.00	-7.00	42.60	3	Horizontal	297	2.25	-	33.42	5.40	34.42
PK	5.468G	67.98	68.20	-0.22	63.55	3	Horizontal	297	2.25	-	33.44	5.40	34.41
PK	5.518G	110.28	Inf	-Inf	105.73	3	Horizontal	297	2.25	-	33.57	5.40	34.42
AV	5.5028G	98.32	Inf	-Inf	93.82	3	Horizontal	297	2.25	-	33.51	5.40	34.41

802.11ax HEW40_Nss1,(MCS0)_4TX

10/05/2021

5510MHz_TX




EUT Y_4TX
Setting 65
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00992G	53.00	74.00	-21.00	41.53	3	Vertical	126	2.44	-	38.21	7.65	34.39
AV	11.01814G	40.27	54.00	-13.73	28.78	3	Vertical	126	2.44	-	38.22	7.66	34.39

802.11ax HEW40_Nss1,(MCS0)_4TX

10/05/2021

5510MHz_TX




EUT Y_4TX
Setting 65
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0098G	53.31	74.00	-20.69	41.84	3	Horizontal	194	2.63	-	38.21	7.65	34.39
AV	11.02156G	40.31	54.00	-13.69	28.82	3	Horizontal	194	2.63	-	38.22	7.66	34.39

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5550MHz_TX




EUT Y_4TX
Setting 80
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.14	74.00	-14.86	54.73	3	Vertical	359	2.26	-	33.42	5.40	34.41
AV	5.46G	47.73	54.00	-6.27	43.32	3	Vertical	359	2.26	-	33.42	5.40	34.41
PK	5.4696G	61.71	68.20	-6.49	57.28	3	Vertical	359	2.26	-	33.44	5.40	34.41
PK	5.5608G	111.12	Inf	-Inf	106.43	3	Vertical	359	2.26	-	33.72	5.40	34.43
AV	5.5458G	100.13	Inf	-Inf	95.48	3	Vertical	359	2.26	-	33.68	5.40	34.43

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5550MHz_TX




EUT Y_4TX
Setting 80
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	66.45	74.00	-7.55	62.05	3	Horizontal	63	2.67	-	33.42	5.40	34.42
AV	5.4576G	52.14	54.00	-1.86	47.74	3	Horizontal	63	2.67	-	33.42	5.40	34.42
PK	5.4618G	67.78	68.20	-0.42	63.37	3	Horizontal	63	2.67	-	33.42	5.40	34.41
PK	5.5428G	119.50	Inf	-Inf	114.85	3	Horizontal	63	2.67	-	33.67	5.40	34.42
AV	5.5428G	107.99	Inf	-Inf	103.34	3	Horizontal	63	2.67	-	33.67	5.40	34.42

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5550MHz_TX




EUT Y_4TX
Setting 80
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09024G	52.22	74.00	-21.78	40.65	3	Vertical	71	1.20	-	38.29	7.68	34.40
AV	11.105G	40.36	54.00	-13.64	28.79	3	Vertical	71	1.20	-	38.29	7.69	34.41

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5550MHz_TX




EUT Y_4TX
Setting 80
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09644G	53.71	74.00	-20.29	42.14	3	Horizontal	251	1.42	-	38.30	7.68	34.41
AV	11.09892G	40.13	54.00	-13.87	28.56	3	Horizontal	251	1.42	-	38.30	7.68	34.41

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5670MHz_TX




EUT Y_4TX
Setting 65
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6808G	109.22	Inf	-Inf	104.35	3	Vertical	0	2.21	-	33.90	5.44	34.47
AV	5.676G	96.87	Inf	-Inf	92.00	3	Vertical	0	2.21	-	33.90	5.44	34.47
PK	5.7304G	62.67	68.20	-5.53	57.67	3	Vertical	0	2.21	-	34.02	5.47	34.49

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5670MHz_TX




EUT Y_4TX
Setting 65
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.678G	115.77	Inf	-Inf	110.90	3	Horizontal	291	2.18	-	33.90	5.44	34.47
AV	5.6832G	104.04	Inf	-Inf	99.17	3	Horizontal	291	2.18	-	33.90	5.44	34.47
PK	5.728G	67.78	68.20	-0.42	62.80	3	Horizontal	291	2.18	-	34.01	5.46	34.49

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5670MHz_TX




EUT Y_4TX
Setting 65
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33976G	52.70	74.00	-21.30	41.03	3	Vertical	112	2.48	-	38.34	7.77	34.44
AV	11.33592G	40.22	54.00	-13.78	28.55	3	Vertical	112	2.48	-	38.34	7.77	34.44

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5670MHz_TX




EUT Y_4TX
Setting 65
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3422G	52.48	74.00	-21.52	40.81	3	Horizontal	350	1.76	-	38.34	7.77	34.44
AV	11.34196G	40.24	54.00	-13.76	28.57	3	Horizontal	350	1.76	-	38.34	7.77	34.44

802.11ax HEW40_Nss1,(MCS0)_4TX

08/06/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 93
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	115.51	Inf	-Inf	108.97	3	Vertical	4	2.05	-	34.00	5.46	32.92
AV	5.7156G	103.90	Inf	-Inf	97.40	3	Vertical	4	2.05	-	33.96	5.46	32.92
PK	5.8588G	61.29	68.20	-6.91	54.18	3	Vertical	4	2.05	-	34.55	5.50	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

08/06/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 93
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.718G	122.44	Inf	-Inf	115.93	3	Horizontal	299	2.08	-	33.97	5.46	32.92
AV	5.7132G	110.93	Inf	-Inf	104.44	3	Horizontal	299	2.08	-	33.95	5.46	32.92
PK	5.8532G	68.15	68.20	-0.05	61.07	3	Horizontal	299	2.08	-	34.52	5.50	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_4TX
 Setting 93
 01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43464G	55.20	74.00	-18.80	41.80	3	Vertical	181	2.47	-	38.40	7.80	32.80
AV	11.43752G	43.36	54.00	-10.64	29.96	3	Vertical	181	2.47	-	38.40	7.80	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_4TX
 Setting 93
 01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42736G	55.90	74.00	-18.10	42.50	3	Horizontal	34	2.85	-	38.40	7.80	32.80
AV	11.4276G	43.33	54.00	-10.67	29.93	3	Horizontal	34	2.85	-	38.40	7.80	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5755MHz_TX




EUT Y_4TX
Setting 89
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.65	68.20	-7.55	55.79	3	Vertical	353	2.19	-	33.90	5.42	34.46
PK	5.743G	113.25	Inf	-Inf	108.20	3	Vertical	353	2.19	-	34.07	5.47	34.49
AV	5.743G	102.43	Inf	-Inf	97.38	3	Vertical	353	2.19	-	34.07	5.47	34.49
PK	5.984G	59.05	68.20	-9.15	52.98	3	Vertical	353	2.19	-	35.14	5.50	34.57

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5755MHz_TX




EUT Y_4TX
Setting 89
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	68.08	68.20	-0.12	63.23	3	Horizontal	298	2.11	-	33.89	5.42	34.46
PK	5.763G	119.81	Inf	-Inf	114.68	3	Horizontal	298	2.11	-	34.15	5.48	34.50
AV	5.743G	108.28	Inf	-Inf	103.23	3	Horizontal	298	2.11	-	34.07	5.47	34.49
PK	5.938G	60.05	68.20	-8.15	54.16	3	Horizontal	298	2.11	-	34.95	5.50	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5755MHz_TX




EUT Y_4TX
Setting 89
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5198G	53.27	74.00	-20.73	41.51	3	Vertical	155	1.12	-	38.40	7.83	34.47
AV	11.50196G	40.40	54.00	-13.60	28.64	3	Vertical	155	1.12	-	38.40	7.83	34.47

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5755MHz_TX




EUT Y_4TX
Setting 89
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5186G	52.28	74.00	-21.72	40.52	3	Horizontal	133	2.95	-	38.40	7.83	34.47
AV	11.51844G	40.30	54.00	-13.70	28.54	3	Horizontal	133	2.95	-	38.40	7.83	34.47

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5795MHz_TX




EUT Y_4TX
Setting 98
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	59.11	68.20	-9.09	54.26	3	Vertical	356	2.14	-	33.89	5.42	34.46
PK	5.803G	113.96	Inf	-Inf	108.66	3	Vertical	356	2.14	-	34.31	5.50	34.51
AV	5.783G	102.63	Inf	-Inf	97.42	3	Vertical	356	2.14	-	34.23	5.49	34.51
PK	5.928G	62.63	68.20	-5.57	56.78	3	Vertical	356	2.14	-	34.91	5.50	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5795MHz_TX




EUT Y_4TX
Setting 98
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.04	68.20	-2.16	61.17	3	Horizontal	298	1.96	-	33.90	5.43	34.46
PK	5.803G	120.60	Inf	-Inf	115.30	3	Horizontal	298	1.96	-	34.31	5.50	34.51
AV	5.788G	109.28	Inf	-Inf	104.05	3	Horizontal	298	1.96	-	34.25	5.49	34.51
PK	5.926G	68.12	68.20	-0.08	62.27	3	Horizontal	298	1.96	-	34.90	5.50	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5795MHz_TX




EUT Y_4TX
Setting 98
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59784G	52.85	74.00	-21.15	41.08	3	Vertical	184	1.78	-	38.40	7.86	34.49
AV	11.58572G	38.48	54.00	-15.52	26.70	3	Vertical	184	1.78	-	38.40	7.86	34.48

802.11ax HEW40_Nss1,(MCS0)_4TX

22/03/2021

5795MHz_TX




EUT Y_4TX
Setting 98
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59824G	51.05	74.00	-22.95	39.28	3	Horizontal	119	2.71	-	38.40	7.86	34.49
AV	11.59088G	41.24	54.00	-12.76	29.46	3	Horizontal	119	2.71	-	38.40	7.86	34.48

802.11ax HEW80_Nss1,(MCS0)_4TX

08/05/2021

5210MHz_TX




EUT Y_4TX
Setting 64
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	63.64	74.00	-10.36	60.32	3	Vertical	334	2.82	-	32.60	5.17	34.45
AV	5.147G	47.35	54.00	-6.65	44.03	3	Vertical	334	2.82	-	32.60	5.17	34.45
PK	5.223G	101.14	Inf	-Inf	97.61	3	Vertical	334	2.82	-	32.75	5.22	34.44
AV	5.223G	90.92	Inf	-Inf	87.39	3	Vertical	334	2.82	-	32.75	5.22	34.44
PK	5.381G	54.69	74.00	-19.31	50.64	3	Vertical	334	2.82	-	33.09	5.38	34.42
AV	5.455G	43.74	54.00	-10.26	39.35	3	Vertical	334	2.82	-	33.41	5.40	34.42

802.11ax HEW80_Nss1,(MCS0)_4TX

08/05/2021

5210MHz_TX




EUT Y_4TX
Setting 64
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.08	74.00	-5.92	64.76	3	Horizontal	62	2.68	-	32.60	5.17	34.45
AV	5.148G	53.96	54.00	-0.04	50.64	3	Horizontal	62	2.68	-	32.60	5.17	34.45
PK	5.218G	107.45	Inf	-Inf	103.93	3	Horizontal	62	2.68	-	32.74	5.22	34.44
AV	5.223G	97.02	Inf	-Inf	93.49	3	Horizontal	62	2.68	-	32.75	5.22	34.44
PK	5.358G	57.34	74.00	-16.66	53.46	3	Horizontal	62	2.68	-	32.95	5.36	34.43
AV	5.354G	44.94	54.00	-9.06	41.10	3	Horizontal	62	2.68	-	32.92	5.35	34.43

802.11ax HEW80_Nss1,(MCS0)_4TX

08/05/2021

5210MHz_TX




EUT Y_4TX
Setting 64
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62676G	52.65	74.00	-21.35	39.55	3	Vertical	217	2.22	-	38.33	9.23	34.46
AV	15.63228G	41.42	54.00	-12.58	28.32	3	Vertical	217	2.22	-	38.33	9.23	34.46

802.11ax HEW80_Nss1,(MCS0)_4TX

08/05/2021

5210MHz_TX




EUT Y_4TX
Setting 64
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6381G	53.55	74.00	-20.45	40.45	3	Horizontal	206	1.09	-	38.34	9.23	34.47
AV	15.62358G	40.21	54.00	-13.79	27.12	3	Horizontal	206	1.09	-	38.32	9.22	34.45

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5290MHz_TX




EUT Y_4TX
Setting 55
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.06G	56.34	74.00	-17.66	53.07	3	Vertical	332	2.13	-	32.60	5.13	34.46
AV	5.106G	44.61	54.00	-9.39	41.32	3	Vertical	332	2.13	-	32.60	5.15	34.46
PK	5.281G	100.28	Inf	-Inf	96.52	3	Vertical	332	2.13	-	32.92	5.28	34.44
AV	5.296G	89.63	Inf	-Inf	85.78	3	Vertical	332	2.13	-	32.98	5.30	34.43
PK	5.351G	58.79	74.00	-15.21	54.96	3	Vertical	332	2.13	-	32.91	5.35	34.43
AV	5.352G	46.91	54.00	-7.09	43.08	3	Vertical	332	2.13	-	32.91	5.35	34.43
PK	5.533G	57.42	68.20	-10.78	52.81	3	Vertical	332	2.13	-	33.63	5.40	34.42

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5290MHz_TX




EUT Y_4TX
Setting 55
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	57.39	74.00	-16.61	54.07	3	Horizontal	65	2.85	-	32.60	5.17	34.45
AV	5.145G	45.90	54.00	-8.10	42.58	3	Horizontal	65	2.85	-	32.60	5.17	34.45
PK	5.268G	107.59	Inf	-Inf	103.89	3	Horizontal	65	2.85	-	32.87	5.27	34.44
AV	5.303G	97.72	Inf	-Inf	93.86	3	Horizontal	65	2.85	-	32.99	5.30	34.43
PK	5.358G	66.38	74.00	-7.62	62.50	3	Horizontal	65	2.85	-	32.95	5.36	34.43
AV	5.354G	53.66	54.00	-0.34	49.82	3	Horizontal	65	2.85	-	32.92	5.35	34.43
PK	5.524G	57.92	68.20	-10.28	53.34	3	Horizontal	65	2.85	-	33.60	5.40	34.42

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5290MHz_TX




EUT Y_4TX
Setting 55
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86272G	57.16	74.00	-16.84	44.05	3	Vertical	359	2.94	-	38.53	9.27	34.69
AV	15.86664G	45.08	54.00	-8.92	31.98	3	Vertical	359	2.94	-	38.53	9.27	34.70

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5290MHz_TX




EUT Y_4TX
Setting 55
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86544G	57.09	74.00	-16.91	43.99	3	Horizontal	248	2.05	-	38.53	9.27	34.70
AV	15.86316G	45.26	54.00	-8.74	32.15	3	Horizontal	248	2.05	-	38.53	9.27	34.69

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5530MHz_TX




EUT Y_4TX
Setting 60
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	57.15	68.20	-11.05	53.28	3	Vertical	6	2.94	-	32.99	5.31	34.43
PK	5.458G	60.85	74.00	-13.15	56.45	3	Vertical	6	2.94	-	33.42	5.40	34.42
AV	5.458G	47.60	54.00	-6.40	43.20	3	Vertical	6	2.94	-	33.42	5.40	34.42
PK	5.464G	63.63	68.20	-4.57	59.21	3	Vertical	6	2.94	-	33.43	5.40	34.41
PK	5.503G	104.06	Inf	-Inf	99.56	3	Vertical	6	2.94	-	33.51	5.40	34.41
AV	5.499G	91.84	Inf	-Inf	87.35	3	Vertical	6	2.94	-	33.50	5.40	34.41
PK	5.744G	57.65	68.20	-10.55	52.59	3	Vertical	6	2.94	-	34.08	5.47	34.49

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5530MHz_TX




EUT Y_4TX
Setting 60
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3G	57.53	68.20	-10.67	53.66	3	Horizontal	63	2.66	-	33.00	5.30	34.43
PK	5.454G	65.72	74.00	-8.28	61.33	3	Horizontal	63	2.66	-	33.41	5.40	34.42
AV	5.458G	51.43	54.00	-2.57	47.03	3	Horizontal	63	2.66	-	33.42	5.40	34.42
PK	5.468G	67.71	68.20	-0.49	63.28	3	Horizontal	63	2.66	-	33.44	5.40	34.41
PK	5.543G	111.17	Inf	-Inf	106.52	3	Horizontal	63	2.66	-	33.67	5.40	34.42
AV	5.518G	100.39	Inf	-Inf	95.84	3	Horizontal	63	2.66	-	33.57	5.40	34.42
PK	5.758G	58.31	68.20	-9.89	53.20	3	Horizontal	63	2.66	-	34.13	5.48	34.50

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5530MHz_TX




EUT Y_4TX
Setting 60
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06116G	53.13	74.00	-20.87	41.60	3	Vertical	215	1.69	-	38.26	7.67	34.40
AV	11.0548G	40.99	54.00	-13.01	29.47	3	Vertical	215	1.69	-	38.25	7.67	34.40

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5530MHz_TX




EUT Y_4TX
Setting 60
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06408G	53.85	74.00	-20.15	42.32	3	Horizontal	97	2.57	-	38.26	7.67	34.40
AV	11.0592G	40.81	54.00	-13.19	29.28	3	Horizontal	97	2.57	-	38.26	7.67	34.40

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5610MHz_TX




EUT Y_4TX
Setting 70
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.422G	58.23	74.00	-15.77	53.96	3	Vertical	3	2.14	-	33.29	5.40	34.42
PK	5.466G	56.69	68.20	-11.51	52.27	3	Vertical	3	2.14	-	33.43	5.40	34.41
AV	5.447G	46.08	54.00	-7.92	41.71	3	Vertical	3	2.14	-	33.39	5.40	34.42
PK	5.6G	105.98	Inf	-Inf	101.22	3	Vertical	3	2.14	-	33.80	5.40	34.44
AV	5.616G	94.52	Inf	-Inf	89.73	3	Vertical	3	2.14	-	33.83	5.41	34.45
PK	5.731G	61.47	68.20	-6.73	56.47	3	Vertical	3	2.14	-	34.02	5.47	34.49

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5610MHz_TX




EUT Y_4TX
Setting 70
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	62.11	74.00	-11.89	57.72	3	Horizontal	298	2.11	-	33.41	5.40	34.42
AV	5.453G	49.34	54.00	-4.66	44.95	3	Horizontal	298	2.11	-	33.41	5.40	34.42
PK	5.468G	61.96	68.20	-6.24	57.53	3	Horizontal	298	2.11	-	33.44	5.40	34.41
PK	5.623G	112.69	Inf	-Inf	107.88	3	Horizontal	298	2.11	-	33.85	5.41	34.45
AV	5.608G	101.91	Inf	-Inf	97.14	3	Horizontal	298	2.11	-	33.82	5.40	34.45
PK	5.727G	67.87	68.20	-0.33	62.89	3	Horizontal	298	2.11	-	34.01	5.46	34.49

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5610MHz_TX




EUT Y_4TX
Setting 70
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22964G	53.37	74.00	-20.63	41.84	3	Vertical	91	1.09	-	38.23	7.73	34.43
AV	11.2294G	40.87	54.00	-13.13	29.34	3	Vertical	91	1.09	-	38.23	7.73	34.43

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5610MHz_TX




EUT Y_4TX
Setting 70
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21068G	52.99	74.00	-21.01	41.48	3	Horizontal	83	1.13	-	38.21	7.72	34.42
AV	11.22168G	40.72	54.00	-13.28	29.20	3	Horizontal	83	1.13	-	38.22	7.73	34.43

802.11ax HEW80_Nss1,(MCS0)_4TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 78
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	109.25	Inf	-Inf	102.80	3	Vertical	6	2.07	-	33.92	5.45	32.92
AV	5.686G	97.91	Inf	-Inf	91.49	3	Vertical	6	2.07	-	33.90	5.44	32.92
PK	5.854G	62.87	68.20	-5.33	55.79	3	Vertical	6	2.07	-	34.52	5.50	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 78
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	115.60	Inf	-Inf	109.16	3	Horizontal	299	2.07	-	33.91	5.45	32.92
AV	5.6836G	104.99	Inf	-Inf	98.57	3	Horizontal	299	2.07	-	33.90	5.44	32.92
PK	5.8668G	68.04	68.20	-0.16	60.88	3	Horizontal	299	2.07	-	34.60	5.50	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_4TX
 Setting 78
 01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36296G	55.24	74.00	-18.76	41.89	3	Vertical	311	1.52	-	38.36	7.78	32.79
AV	11.37144G	42.61	54.00	-11.39	29.25	3	Vertical	311	1.52	-	38.37	7.78	32.79

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_4TX
Setting 78
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39584G	54.86	74.00	-19.14	41.47	3	Horizontal	281	2.18	-	38.40	7.79	32.80
AV	11.3712G	42.66	54.00	-11.34	29.30	3	Horizontal	281	2.18	-	38.37	7.78	32.79

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5775MHz_TX




EUT Y_4TX
Setting 74
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	60.20	68.20	-8.00	55.35	3	Vertical	355	2.22	-	33.89	5.42	34.46
PK	5.748G	104.94	Inf	-Inf	99.87	3	Vertical	355	2.22	-	34.09	5.47	34.49
AV	5.763G	93.93	Inf	-Inf	88.80	3	Vertical	355	2.22	-	34.15	5.48	34.50
PK	5.932G	58.36	68.20	-9.84	52.49	3	Vertical	355	2.22	-	34.93	5.50	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5775MHz_TX




EUT Y_4TX
Setting 74
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	70.05	70.42	-0.37	65.18	3	Horizontal	300	2.10	-	33.90	5.43	34.46
PK	5.748G	113.17	Inf	-Inf	108.10	3	Horizontal	300	2.10	-	34.09	5.47	34.49
AV	5.763G	102.05	Inf	-Inf	96.92	3	Horizontal	300	2.10	-	34.15	5.48	34.50
PK	5.933G	64.49	68.20	-3.71	58.62	3	Horizontal	300	2.10	-	34.93	5.50	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5775MHz_TX




EUT Y_4TX
Setting 74
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54852G	53.31	74.00	-20.69	41.55	3	Vertical	38	1.27	-	38.40	7.84	34.48
AV	11.5464G	41.14	54.00	-12.86	29.38	3	Vertical	38	1.27	-	38.40	7.84	34.48

802.11ax HEW80_Nss1,(MCS0)_4TX

22/03/2021

5775MHz_TX




EUT Y_4TX
Setting 74
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54384G	53.15	74.00	-20.85	41.39	3	Horizontal	63	1.29	-	38.40	7.84	34.48
AV	11.54652G	41.32	54.00	-12.68	29.56	3	Horizontal	63	1.29	-	38.40	7.84	34.48

802.11ax HEW160_Nss1,(MCS0)_4TX

03/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 52
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1084G	57.61	74.00	-16.39	54.32	3	Vertical	18	2.91	-	32.60	5.15	34.46
AV	5.1228G	47.18	54.00	-6.82	43.88	3	Vertical	18	2.91	-	32.60	5.16	34.46
PK	5.2536G	100.11	Inf	-Inf	96.49	3	Vertical	18	2.91	-	32.81	5.25	34.44
AV	5.2392G	88.17	Inf	-Inf	84.59	3	Vertical	18	2.91	-	32.78	5.24	34.44
PK	5.3892G	58.47	74.00	-15.53	54.36	3	Vertical	18	2.91	-	33.14	5.39	34.42
AV	5.3748G	48.08	54.00	-5.92	44.09	3	Vertical	18	2.91	-	33.05	5.37	34.43
PK	5.538G	57.49	68.20	-10.71	52.86	3	Vertical	18	2.91	-	33.65	5.40	34.42

802.11ax HEW160_Nss1,(MCS0)_4TX

03/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 52
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	60.44	74.00	-13.56	57.12	3	Horizontal	296	1.95	-	32.60	5.17	34.45
AV	5.1396G	49.48	54.00	-4.52	46.16	3	Horizontal	296	1.95	-	32.60	5.17	34.45
PK	5.2404G	104.98	Inf	-Inf	101.40	3	Horizontal	296	1.95	-	32.78	5.24	34.44
AV	5.256G	94.07	Inf	-Inf	90.43	3	Horizontal	296	1.95	-	32.82	5.26	34.44
PK	5.3748G	64.08	74.00	-9.92	60.09	3	Horizontal	296	1.95	-	33.05	5.37	34.43
AV	5.3772G	53.75	54.00	-0.25	49.73	3	Horizontal	296	1.95	-	33.06	5.38	34.42
PK	5.52G	57.54	68.20	-10.66	52.98	3	Horizontal	296	1.95	-	33.58	5.40	34.42

802.11ax HEW160_Nss1,(MCS0)_4TX

03/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 52
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7408G	58.55	74.00	-15.45	45.47	3	Vertical	186	2.08	-	38.40	9.25	34.57
AV	15.74428G	46.93	54.00	-7.07	33.85	3	Vertical	186	2.08	-	38.40	9.25	34.57

802.11ax HEW160_Nss1,(MCS0)_4TX

03/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 52
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74236G	58.31	74.00	-15.69	45.23	3	Horizontal	360	1.05	-	38.40	9.25	34.57
AV	15.75732G	47.22	54.00	-6.78	34.16	3	Horizontal	360	1.05	-	38.40	9.25	34.59

802.11ax HEW160_Nss1,(MCS0)_4TX

10/05/2021

5570MHz_TX




EUT Y_4TX
Setting 62
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	54.41	68.20	-13.79	50.57	3	Vertical	333	1.80	-	32.95	5.32	34.43
PK	5.423G	63.75	74.00	-10.25	59.48	3	Vertical	333	1.80	-	33.29	5.40	34.42
PK	5.4636G	63.37	68.20	-4.83	58.95	3	Vertical	333	1.80	-	33.43	5.40	34.41
AV	5.4538G	48.06	54.00	-5.94	43.67	3	Vertical	333	1.80	-	33.41	5.40	34.42
PK	5.5406G	95.44	Inf	-Inf	90.80	3	Vertical	333	1.80	-	33.66	5.40	34.42
AV	5.5406G	85.75	Inf	-Inf	81.11	3	Vertical	333	1.80	-	33.66	5.40	34.42
PK	5.7282G	56.73	68.20	-11.47	51.75	3	Vertical	333	1.80	-	34.01	5.46	34.49

802.11ax HEW160_Nss1,(MCS0)_4TX

10/05/2021

5570MHz_TX




EUT Y_4TX
Setting 62
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3362G	58.83	68.20	-9.37	54.99	3	Horizontal	296	2.18	-	32.93	5.34	34.43
PK	5.4356G	70.54	74.00	-3.46	66.22	3	Horizontal	296	2.18	-	33.34	5.40	34.42
PK	5.4636G	64.29	68.20	-3.91	59.87	3	Horizontal	296	2.18	-	33.43	5.40	34.41
AV	5.458G	53.69	54.00	-0.31	49.29	3	Horizontal	296	2.18	-	33.42	5.40	34.42
PK	5.5532G	105.12	Inf	-Inf	100.44	3	Horizontal	296	2.18	-	33.71	5.40	34.43
AV	5.563G	94.32	Inf	-Inf	89.62	3	Horizontal	296	2.18	-	33.73	5.40	34.43
PK	5.7338G	67.90	68.20	-0.30	62.88	3	Horizontal	296	2.18	-	34.04	5.47	34.49

802.11ax HEW160_Nss1,(MCS0)_4TX

10/05/2021

5570MHz_TX




EUT Y_4TX
Setting 62
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15236G	53.44	74.00	-20.56	41.90	3	Vertical	39	2.40	-	38.25	7.70	34.41
AV	11.13826G	41.01	54.00	-12.99	29.46	3	Vertical	39	2.40	-	38.26	7.70	34.41

802.11ax HEW160_Nss1,(MCS0)_4TX

10/05/2021

5570MHz_TX



EUT Y_4TX
Setting 62
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14804G	53.39	74.00	-20.61	41.85	3	Horizontal	228	1.51	-	38.25	7.70	34.41
AV	11.15008G	41.52	54.00	-12.48	29.98	3	Horizontal	228	1.51	-	38.25	7.70	34.41




For Radio 3 / 4T4S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	PK	5.858G	68.17	68.20	-0.03	3	Horizontal	298	2.19	-

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5180MHz_TX




EUT Y_4TX
Setting 72
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	62.00	74.00	-12.00	58.68	3	Vertical	329	2.10	-	32.60	5.17	34.45
AV	5.1494G	49.46	54.00	-4.54	46.14	3	Vertical	329	2.10	-	32.60	5.17	34.45
PK	5.1838G	105.99	Inf	-Inf	102.58	3	Vertical	329	2.10	-	32.67	5.19	34.45
AV	5.1764G	95.77	Inf	-Inf	92.38	3	Vertical	329	2.10	-	32.65	5.19	34.45

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5180MHz_TX




EUT Y_4TX
Setting 72
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.39	74.00	-6.61	64.07	3	Horizontal	61	1.80	-	32.60	5.17	34.45
AV	5.15G	53.73	54.00	-0.27	50.41	3	Horizontal	61	1.80	-	32.60	5.17	34.45
PK	5.1784G	113.24	Inf	-Inf	109.84	3	Horizontal	61	1.80	-	32.66	5.19	34.45
AV	5.176G	101.42	Inf	-Inf	98.03	3	Horizontal	61	1.80	-	32.65	5.19	34.45

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5180MHz_TX




EUT Y_4TX
Setting 72
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5265G	58.18	74.00	-15.82	45.18	3	Vertical	97	2.17	-	38.15	9.21	34.36
AV	15.55296G	45.68	54.00	-8.32	32.64	3	Vertical	97	2.17	-	38.21	9.21	34.38

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5180MHz_TX




EUT Y_4TX
Setting 72
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5517G	58.09	74.00	-15.91	45.06	3	Horizontal	186	1.80	-	38.20	9.21	34.38
AV	15.5337G	45.32	54.00	-8.68	32.30	3	Horizontal	186	1.80	-	38.17	9.21	34.36

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5200MHz_TX




EUT Y_4TX
Setting 90
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.57	74.00	-13.43	57.25	3	Vertical	329	1.88	-	32.60	5.17	34.45
AV	5.1488G	47.34	54.00	-6.66	44.02	3	Vertical	329	1.88	-	32.60	5.17	34.45
PK	5.1944G	109.67	Inf	-Inf	106.23	3	Vertical	329	1.88	-	32.69	5.20	34.45
AV	5.196G	98.38	Inf	-Inf	94.94	3	Vertical	329	1.88	-	32.69	5.20	34.45

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5200MHz_TX




EUT Y_4TX
Setting 90
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	67.17	74.00	-6.83	63.85	3	Horizontal	59	1.80	-	32.60	5.17	34.45
AV	5.1492G	53.55	54.00	-0.45	50.23	3	Horizontal	59	1.80	-	32.60	5.17	34.45
PK	5.1984G	117.75	Inf	-Inf	114.30	3	Horizontal	59	1.80	-	32.70	5.20	34.45
AV	5.196G	105.41	Inf	-Inf	101.97	3	Horizontal	59	1.80	-	32.69	5.20	34.45

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5200MHz_TX




EUT Y_4TX
Setting 90
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60786G	58.92	74.00	-15.08	45.83	3	Vertical	22	1.48	-	38.31	9.22	34.44
AV	15.61476G	46.21	54.00	-7.79	33.12	3	Vertical	22	1.48	-	38.31	9.22	34.44

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5200MHz_TX




EUT Y_4TX
Setting 90
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60858G	57.52	74.00	-16.48	44.43	3	Horizontal	353	1.80	-	38.31	9.22	34.44
AV	15.60786G	45.35	54.00	-8.65	32.26	3	Horizontal	353	1.80	-	38.31	9.22	34.44

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	58.33	74.00	-15.67	55.01	3	Vertical	332	2.93	-	32.60	5.17	34.45
AV	5.1446G	46.19	54.00	-7.81	42.87	3	Vertical	332	2.93	-	32.60	5.17	34.45
PK	5.2454G	113.61	Inf	-Inf	110.01	3	Vertical	332	2.93	-	32.79	5.25	34.44
AV	5.2382G	101.42	Inf	-Inf	97.84	3	Vertical	332	2.93	-	32.78	5.24	34.44
PK	5.3528G	57.82	74.00	-16.18	53.98	3	Vertical	332	2.93	-	32.92	5.35	34.43
AV	5.35G	46.00	54.00	-8.00	42.18	3	Vertical	332	2.93	-	32.90	5.35	34.43

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	66.31	74.00	-7.69	62.99	3	Horizontal	57	1.80	-	32.60	5.17	34.45
AV	5.15G	53.96	54.00	-0.04	50.64	3	Horizontal	57	1.80	-	32.60	5.17	34.45
PK	5.2388G	118.29	Inf	-Inf	114.71	3	Horizontal	57	1.80	-	32.78	5.24	34.44
AV	5.2364G	106.98	Inf	-Inf	103.41	3	Horizontal	57	1.80	-	32.77	5.24	34.44
PK	5.3522G	62.07	74.00	-11.93	58.24	3	Horizontal	57	1.80	-	32.91	5.35	34.43
AV	5.35G	50.53	54.00	-3.47	46.71	3	Horizontal	57	1.80	-	32.90	5.35	34.43

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5240MHz_TX




EUT Y_4TX
Setting 109
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71646G	59.60	74.00	-14.40	46.51	3	Vertical	347	1.80	-	38.40	9.24	34.55
AV	15.71208G	47.18	54.00	-6.82	34.08	3	Vertical	347	1.80	-	38.40	9.24	34.54

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5240MHz_TX




EUT V_4TX
Setting 109
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7134G	58.69	74.00	-15.31	45.59	3	Horizontal	58	2.93	-	38.40	9.24	34.54
AV	15.72138G	46.91	54.00	-7.09	33.82	3	Horizontal	58	2.93	-	38.40	9.24	34.55

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5260MHz_TX




EUT Y_4TX
Setting 110
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	57.34	74.00	-16.66	54.02	3	Vertical	333	2.90	-	32.60	5.17	34.45
AV	5.15G	45.52	54.00	-8.48	42.20	3	Vertical	333	2.90	-	32.60	5.17	34.45
PK	5.2654G	114.26	Inf	-Inf	110.57	3	Vertical	333	2.90	-	32.86	5.27	34.44
AV	5.2588G	101.54	Inf	-Inf	97.88	3	Vertical	333	2.90	-	32.84	5.26	34.44
PK	5.3524G	60.01	74.00	-13.99	56.18	3	Vertical	333	2.90	-	32.91	5.35	34.43
AV	5.3506G	48.29	54.00	-5.71	44.47	3	Vertical	333	2.90	-	32.90	5.35	34.43

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5260MHz_TX




EUT Y_4TX
Setting 110
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	63.89	74.00	-10.11	60.57	3	Horizontal	57	1.94	-	32.60	5.17	34.45
AV	5.1496G	51.07	54.00	-2.93	47.75	3	Horizontal	57	1.94	-	32.60	5.17	34.45
PK	5.2624G	119.43	Inf	-Inf	115.76	3	Horizontal	57	1.94	-	32.85	5.26	34.44
AV	5.2594G	107.76	Inf	-Inf	104.10	3	Horizontal	57	1.94	-	32.84	5.26	34.44
PK	5.3524G	65.82	74.00	-8.18	61.99	3	Horizontal	57	1.94	-	32.91	5.35	34.43
AV	5.3506G	53.51	54.00	-0.49	49.69	3	Horizontal	57	1.94	-	32.90	5.35	34.43

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5260MHz_TX




EUT Y_4TX
Setting 110
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52462G	55.24	68.20	-12.96	44.18	3	Vertical	354	1.79	-	38.40	7.48	34.82
PK	15.78792G	60.06	74.00	-13.94	47.02	3	Vertical	351	1.34	-	38.40	9.26	34.62
AV	15.78408G	47.34	54.00	-6.66	34.29	3	Vertical	351	1.34	-	38.40	9.26	34.61

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5260MHz_TX




EUT Y_4TX
Setting 110
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51856G	59.56	68.20	-8.64	48.50	3	Horizontal	75	1.62	-	38.40	7.48	34.82
PK	15.78816G	58.74	74.00	-15.26	45.70	3	Horizontal	359	2.44	-	38.40	9.26	34.62
AV	15.77142G	46.49	54.00	-7.51	33.44	3	Horizontal	359	2.44	-	38.40	9.25	34.60

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5300MHz_TX




EUT Y_4TX
Setting 92
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	110.06	Inf	-Inf	106.20	3	Vertical	0	2.59	-	32.99	5.30	34.43
AV	5.296G	97.49	Inf	-Inf	93.64	3	Vertical	0	2.59	-	32.98	5.30	34.43
PK	5.35G	60.44	74.00	-13.56	56.62	3	Vertical	0	2.59	-	32.90	5.35	34.43
AV	5.35G	48.05	54.00	-5.95	44.23	3	Vertical	0	2.59	-	32.90	5.35	34.43

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5300MHz_TX




EUT Y_4TX
Setting 92
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	119.37	Inf	-Inf	115.51	3	Horizontal	65	2.63	-	32.99	5.30	34.43
AV	5.2984G	105.72	Inf	-Inf	101.86	3	Horizontal	65	2.63	-	32.99	5.30	34.43
PK	5.3504G	66.78	74.00	-7.22	62.96	3	Horizontal	65	2.63	-	32.90	5.35	34.43
AV	5.35G	53.74	54.00	-0.26	49.92	3	Horizontal	65	2.63	-	32.90	5.35	34.43

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5300MHz_TX




EUT Y_4TX
Setting 92
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60681G	54.71	74.00	-19.29	43.53	3	Vertical	352	1.80	-	38.41	7.51	34.74
AV	10.60231G	42.45	54.00	-11.55	31.29	3	Vertical	352	1.80	-	38.40	7.51	34.75
PK	15.90822G	59.74	74.00	-14.26	46.59	3	Vertical	360	1.48	-	38.61	9.28	34.74
AV	15.90582G	47.05	54.00	-6.95	33.90	3	Vertical	360	1.48	-	38.61	9.28	34.74

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5300MHz_TX




EUT Y_4TX
Setting 92
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60033G	58.53	74.00	-15.47	47.37	3	Horizontal	80	1.43	-	38.40	7.51	34.75
AV	10.60111G	45.82	54.00	-8.18	34.66	3	Horizontal	80	1.43	-	38.40	7.51	34.75
PK	15.91008G	58.67	74.00	-15.33	45.52	3	Horizontal	26	1.80	-	38.61	9.28	34.74
AV	15.90432G	46.47	54.00	-7.53	33.32	3	Horizontal	26	1.80	-	38.60	9.28	34.73

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5320MHz_TX




EUT Y_4TX
Setting 72
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	106.68	Inf	-Inf	102.83	3	Vertical	0	3.00	-	32.95	5.33	34.43
AV	5.3184G	94.49	Inf	-Inf	90.64	3	Vertical	0	3.00	-	32.96	5.32	34.43
PK	5.3502G	60.13	74.00	-13.87	56.31	3	Vertical	0	3.00	-	32.90	5.35	34.43
AV	5.3512G	47.21	54.00	-6.79	43.38	3	Vertical	0	3.00	-	32.91	5.35	34.43

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5320MHz_TX




EUT Y_4TX
Setting 72
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	114.80	Inf	-Inf	110.95	3	Horizontal	65	2.74	-	32.95	5.33	34.43
AV	5.318G	101.47	Inf	-Inf	97.62	3	Horizontal	65	2.74	-	32.96	5.32	34.43
PK	5.3504G	66.02	74.00	-7.98	62.20	3	Horizontal	65	2.74	-	32.90	5.35	34.43
AV	5.3514G	53.57	54.00	-0.43	49.74	3	Horizontal	65	2.74	-	32.91	5.35	34.43

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5320MHz_TX




EUT Y_4TX
Setting 72
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63412G	53.91	74.00	-20.09	42.68	3	Vertical	261	1.32	-	38.43	7.52	34.72
AV	10.6496G	41.98	54.00	-12.02	30.71	3	Vertical	261	1.32	-	38.45	7.53	34.71
PK	15.95616G	58.33	74.00	-15.67	45.17	3	Vertical	11	1.19	-	38.66	9.29	34.79
AV	15.9705G	45.91	54.00	-8.09	32.75	3	Vertical	11	1.19	-	38.67	9.29	34.80

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5320MHz_TX




EUT Y_4TX
Setting 72
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65188G	53.66	74.00	-20.34	42.38	3	Horizontal	112	2.43	-	38.45	7.53	34.70
AV	10.6394G	41.73	54.00	-12.27	30.48	3	Horizontal	112	2.43	-	38.44	7.52	34.71
PK	15.9687G	58.52	74.00	-15.48	45.36	3	Horizontal	173	2.27	-	38.67	9.29	34.80
AV	15.95592G	46.01	54.00	-7.99	32.85	3	Horizontal	173	2.27	-	38.66	9.29	34.79

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5500MHz_TX




EUT Y_4TX
Setting 73
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	56.69	74.00	-17.31	52.29	3	Vertical	3	2.94	-	33.42	5.40	34.42
AV	5.459G	45.01	54.00	-8.99	40.60	3	Vertical	3	2.94	-	33.42	5.40	34.41
PK	5.4692G	63.75	68.20	-4.45	59.32	3	Vertical	3	2.94	-	33.44	5.40	34.41
PK	5.5064G	106.37	Inf	-Inf	101.85	3	Vertical	3	2.94	-	33.53	5.40	34.41
AV	5.4982G	94.69	Inf	-Inf	90.20	3	Vertical	3	2.94	-	33.50	5.40	34.41

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5500MHz_TX




EUT Y_4TX
Setting 73
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	61.84	74.00	-12.16	57.43	3	Horizontal	67	2.72	-	33.42	5.40	34.41
AV	5.459G	47.75	54.00	-6.25	43.34	3	Horizontal	67	2.72	-	33.42	5.40	34.41
PK	5.4672G	67.82	68.20	-0.38	63.40	3	Horizontal	67	2.72	-	33.43	5.40	34.41
PK	5.5054G	114.74	Inf	-Inf	110.23	3	Horizontal	67	2.72	-	33.52	5.40	34.41
AV	5.498G	101.72	Inf	-Inf	97.23	3	Horizontal	67	2.72	-	33.50	5.40	34.41

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5500MHz_TX




EUT Y_4TX
Setting 73
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01014G	54.41	74.00	-19.59	42.94	3	Vertical	164	2.09	-	38.21	7.65	34.39
AV	11.00432G	41.65	54.00	-12.35	30.19	3	Vertical	164	2.09	-	38.20	7.65	34.39

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5500MHz_TX




EUT Y_4TX
Setting 73
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01098G	53.42	74.00	-20.58	41.95	3	Horizontal	107	2.03	-	38.21	7.65	34.39
AV	11.00012G	41.78	54.00	-12.22	30.32	3	Horizontal	107	2.03	-	38.20	7.65	34.39

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5580MHz_TX




EUT Y_4TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	57.01	74.00	-16.99	52.62	3	Vertical	360	2.19	-	33.41	5.40	34.42
AV	5.4592G	46.10	54.00	-7.90	41.69	3	Vertical	360	2.19	-	33.42	5.40	34.41
PK	5.4696G	57.41	68.20	-10.79	52.98	3	Vertical	360	2.19	-	33.44	5.40	34.41
PK	5.5824G	112.03	Inf	-Inf	107.31	3	Vertical	360	2.19	-	33.76	5.40	34.44
AV	5.5824G	100.99	Inf	-Inf	96.27	3	Vertical	360	2.19	-	33.76	5.40	34.44
PK	5.736G	56.55	68.20	-11.65	51.53	3	Vertical	360	2.19	-	34.04	5.47	34.49

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5580MHz_TX




EUT Y_4TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	64.35	74.00	-9.65	59.94	3	Horizontal	297	2.31	-	33.42	5.40	34.41
AV	5.4544G	52.86	54.00	-1.14	48.47	3	Horizontal	297	2.31	-	33.41	5.40	34.42
PK	5.4688G	66.14	68.20	-2.06	61.71	3	Horizontal	297	2.31	-	33.44	5.40	34.41
PK	5.5848G	120.34	Inf	-Inf	115.61	3	Horizontal	297	2.31	-	33.77	5.40	34.44
AV	5.5784G	109.06	Inf	-Inf	104.34	3	Horizontal	297	2.31	-	33.76	5.40	34.44
PK	5.7408G	60.47	68.20	-7.73	55.43	3	Horizontal	297	2.31	-	34.06	5.47	34.49

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5580MHz_TX




EUT Y_4TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15262G	57.60	74.00	-16.40	46.06	3	Vertical	111	1.50	-	38.25	7.70	34.41
AV	11.14638G	44.33	54.00	-9.67	32.79	3	Vertical	111	1.50	-	38.25	7.70	34.41

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5580MHz_TX




EUT Y_4TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16396G	57.39	74.00	-16.61	45.86	3	Horizontal	52	1.55	-	38.24	7.71	34.42
AV	11.151G	44.26	54.00	-9.74	32.72	3	Horizontal	52	1.55	-	38.25	7.70	34.41

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5700MHz_TX




EUT Y_4TX
Setting 69
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	108.06	Inf	-Inf	103.17	3	Vertical	356	2.19	-	33.92	5.45	34.48
AV	5.6964G	94.49	Inf	-Inf	89.62	3	Vertical	356	2.19	-	33.90	5.45	34.48
PK	5.725G	64.39	68.20	-3.81	59.42	3	Vertical	356	2.19	-	34.00	5.46	34.49

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5700MHz_TX




EUT Y_4TX
Setting 69
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7064G	113.39	Inf	-Inf	108.49	3	Horizontal	295	2.01	-	33.93	5.45	34.48
AV	5.6982G	100.06	Inf	-Inf	95.19	3	Horizontal	295	2.01	-	33.90	5.45	34.48
PK	5.725G	67.95	68.20	-0.25	62.98	3	Horizontal	295	2.01	-	34.00	5.46	34.49

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5700MHz_TX




EUT Y_4TX
Setting 69
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39364G	53.65	74.00	-20.35	41.92	3	Vertical	318	2.00	-	38.39	7.79	34.45
AV	11.38932G	41.17	54.00	-12.83	29.44	3	Vertical	318	2.00	-	38.39	7.79	34.45

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5700MHz_TX




EUT Y_4TX
Setting 69
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40882G	53.33	74.00	-20.67	41.60	3	Horizontal	100	2.31	-	38.40	7.79	34.46
AV	11.3961G	41.19	54.00	-12.81	29.45	3	Horizontal	100	2.31	-	38.40	7.79	34.45

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 120
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	118.29	Inf	-Inf	111.76	3	Vertical	360	2.04	-	33.99	5.46	32.92
AV	5.7176G	105.40	Inf	-Inf	98.89	3	Vertical	360	2.04	-	33.97	5.46	32.92
PK	5.86G	62.34	68.20	-5.86	55.22	3	Vertical	360	2.04	-	34.56	5.50	32.94

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 120
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	123.97	Inf	-Inf	117.42	3	Horizontal	296	2.08	-	34.01	5.46	32.92
AV	5.7184G	111.23	Inf	-Inf	104.72	3	Horizontal	296	2.08	-	33.97	5.46	32.92
PK	5.8544G	66.47	68.20	-1.73	59.38	3	Horizontal	296	2.08	-	34.53	5.50	32.94

802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

24/04/2021




EUT Y_4TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44632G	57.15	74.00	-16.85	43.74	3	Vertical	31	2.09	-	38.40	7.81	32.80
AV	11.43992G	44.16	54.00	-9.84	30.76	3	Vertical	31	2.09	-	38.40	7.80	32.80

802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

24/04/2021




EUT Y_4TX
 Setting 120
 01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44872G	59.54	74.00	-14.46	46.13	3	Horizontal	288	1.96	-	38.40	7.81	32.80
AV	11.44048G	46.61	54.00	-7.39	33.21	3	Horizontal	288	1.96	-	38.40	7.80	32.80

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5745MHz_TX




EUT Y_4TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	60.40	68.20	-7.80	55.55	3	Vertical	7	2.06	-	33.89	5.42	34.46
PK	5.747G	113.64	Inf	-Inf	108.57	3	Vertical	7	2.06	-	34.09	5.47	34.49
AV	5.742G	101.60	Inf	-Inf	96.55	3	Vertical	7	2.06	-	34.07	5.47	34.49
PK	5.989G	56.83	68.20	-11.37	50.75	3	Vertical	7	2.06	-	35.16	5.50	34.58

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5745MHz_TX




EUT Y_4TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	63.87	68.20	-4.33	59.02	3	Horizontal	302	1.77	-	33.89	5.42	34.46
PK	5.75G	118.79	Inf	-Inf	113.71	3	Horizontal	302	1.77	-	34.10	5.47	34.49
AV	5.743G	106.01	Inf	-Inf	100.96	3	Horizontal	302	1.77	-	34.07	5.47	34.49
PK	5.941G	57.13	68.20	-11.07	51.23	3	Horizontal	302	1.77	-	34.96	5.50	34.56

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5745MHz_TX




EUT Y_4TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49528G	57.27	74.00	-16.73	45.52	3	Vertical	116	2.21	-	38.40	7.82	34.47
AV	11.47806G	44.95	54.00	-9.05	33.20	3	Vertical	116	2.21	-	38.40	7.82	34.47

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5745MHz_TX




EUT V_4TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50224G	57.37	74.00	-16.63	45.61	3	Horizontal	216	2.31	-	38.40	7.83	34.47
AV	11.49576G	44.86	54.00	-9.14	33.11	3	Horizontal	216	2.31	-	38.40	7.82	34.47

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5785MHz_TX




EUT Y_4TX
Setting 120
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	55.77	68.20	-12.43	50.95	3	Vertical	357	2.13	-	33.86	5.41	34.45
PK	5.789G	113.31	Inf	-Inf	108.07	3	Vertical	357	2.13	-	34.26	5.49	34.51
AV	5.782G	99.37	Inf	-Inf	94.16	3	Vertical	357	2.13	-	34.23	5.49	34.51
PK	5.964G	56.49	68.20	-11.71	50.50	3	Vertical	357	2.13	-	35.06	5.50	34.57

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5785MHz_TX




EUT Y_4TX
Setting 120
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.65	68.20	-5.55	57.80	3	Horizontal	296	2.04	-	33.89	5.42	34.46
PK	5.79G	119.73	Inf	-Inf	114.48	3	Horizontal	296	2.04	-	34.26	5.50	34.51
AV	5.783G	106.19	Inf	-Inf	100.98	3	Horizontal	296	2.04	-	34.23	5.49	34.51
PK	5.934G	59.15	68.20	-9.05	53.27	3	Horizontal	296	2.04	-	34.94	5.50	34.56

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5785MHz_TX




EUT V_4TX
Setting 120
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57408G	56.02	74.00	-17.98	44.25	3	Vertical	352	1.80	-	38.40	7.85	34.48
AV	11.5673G	43.85	54.00	-10.15	32.08	3	Vertical	352	1.80	-	38.40	7.85	34.48

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5785MHz_TX




EUT Y_4TX
Setting 120
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55896G	57.93	74.00	-16.07	46.16	3	Horizontal	57	1.71	-	38.40	7.85	34.48
AV	11.5694G	45.41	54.00	-8.59	33.64	3	Horizontal	57	1.71	-	38.40	7.85	34.48

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5825MHz_TX




EUT Y_4TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	56.80	68.20	-11.40	52.04	3	Vertical	7	2.06	-	33.80	5.40	34.44
PK	5.827G	113.12	Inf	-Inf	107.73	3	Vertical	7	2.06	-	34.41	5.50	34.52
AV	5.822G	101.28	Inf	-Inf	95.91	3	Vertical	7	2.06	-	34.39	5.50	34.52
PK	5.925G	63.00	68.20	-5.20	57.15	3	Vertical	7	2.06	-	34.90	5.50	34.55

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5825MHz_TX




EUT Y_4TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	57.61	68.20	-10.59	52.81	3	Horizontal	293	1.85	-	33.84	5.41	34.45
PK	5.831G	120.00	Inf	-Inf	114.60	3	Horizontal	293	1.85	-	34.42	5.50	34.52
AV	5.823G	107.09	Inf	-Inf	101.72	3	Horizontal	293	1.85	-	34.39	5.50	34.52
PK	5.925G	66.42	68.20	-1.78	60.57	3	Horizontal	293	1.85	-	34.90	5.50	34.55

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5825MHz_TX




EUT Y_4TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63902G	57.27	74.00	-16.73	45.45	3	Vertical	279	2.83	-	38.44	7.87	34.49
AV	11.6575G	45.81	54.00	-8.19	33.97	3	Vertical	279	2.83	-	38.46	7.88	34.50

802.11ax HEW20_Nss4,(MCS0)_4TX

24/04/2021

5825MHz_TX




EUT Y_4TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65114G	57.31	74.00	-16.69	45.47	3	Horizontal	189	2.46	-	38.45	7.88	34.49
AV	11.6452G	45.81	54.00	-8.19	33.97	3	Horizontal	189	2.46	-	38.45	7.88	34.49

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5190MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	60.12	74.00	-13.88	56.80	3	Vertical	327	1.88	-	32.60	5.17	34.45
AV	5.1484G	49.47	54.00	-4.53	46.15	3	Vertical	327	1.88	-	32.60	5.17	34.45
PK	5.1964G	103.36	Inf	-Inf	99.92	3	Vertical	327	1.88	-	32.69	5.20	34.45
AV	5.1956G	92.28	Inf	-Inf	88.84	3	Vertical	327	1.88	-	32.69	5.20	34.45

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5190MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	64.48	74.00	-9.52	61.16	3	Horizontal	61	1.74	-	32.60	5.17	34.45
AV	5.1484G	53.83	54.00	-0.17	50.51	3	Horizontal	61	1.74	-	32.60	5.17	34.45
PK	5.1944G	110.80	Inf	-Inf	107.36	3	Horizontal	61	1.74	-	32.69	5.20	34.45
AV	5.1888G	99.42	Inf	-Inf	96.00	3	Horizontal	61	1.74	-	32.68	5.19	34.45

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5190MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58404G	57.12	74.00	-16.88	44.04	3	Vertical	156	2.53	-	38.27	9.22	34.41
AV	15.58152G	47.01	54.00	-6.99	33.94	3	Vertical	156	2.53	-	38.26	9.22	34.41

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5190MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57348G	57.39	74.00	-16.61	44.33	3	Horizontal	261	1.54	-	38.25	9.21	34.40
AV	15.5586G	46.64	54.00	-7.36	33.60	3	Horizontal	261	1.54	-	38.22	9.21	34.39

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5230MHz_TX




EUT Y_4TX
Setting 77
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	57.33	74.00	-16.67	54.03	3	Vertical	333	2.93	-	32.60	5.16	34.46
AV	5.1496G	47.99	54.00	-6.01	44.67	3	Vertical	333	2.93	-	32.60	5.17	34.45
PK	5.2366G	108.79	Inf	-Inf	105.22	3	Vertical	333	2.93	-	32.77	5.24	34.44
AV	5.233G	98.06	Inf	-Inf	94.50	3	Vertical	333	2.93	-	32.77	5.23	34.44
PK	5.356G	57.64	74.00	-16.36	53.77	3	Vertical	333	2.93	-	32.94	5.36	34.43
AV	5.365G	47.19	54.00	-6.81	43.26	3	Vertical	333	2.93	-	32.99	5.37	34.43

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5230MHz_TX




EUT Y_4TX
Setting 77
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.19	74.00	-7.81	62.87	3	Horizontal	59	1.80	-	32.60	5.17	34.45
AV	5.1466G	53.71	54.00	-0.29	50.39	3	Horizontal	59	1.80	-	32.60	5.17	34.45
PK	5.2348G	115.43	Inf	-Inf	111.87	3	Horizontal	59	1.80	-	32.77	5.23	34.44
AV	5.2234G	104.49	Inf	-Inf	100.96	3	Horizontal	59	1.80	-	32.75	5.22	34.44
PK	5.3524G	58.96	74.00	-15.04	55.13	3	Horizontal	59	1.80	-	32.91	5.35	34.43
AV	5.3686G	49.14	54.00	-4.86	45.19	3	Horizontal	59	1.80	-	33.01	5.37	34.43

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5230MHz_TX




EUT Y_4TX
Setting 77
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70242G	58.10	74.00	-15.90	44.99	3	Vertical	347	1.76	-	38.40	9.24	34.53
AV	15.69888G	47.34	54.00	-6.66	34.23	3	Vertical	347	1.76	-	38.40	9.24	34.53

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5230MHz_TX




EUT Y_4TX
Setting 77
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7008G	58.01	74.00	-15.99	44.90	3	Horizontal	20	1.80	-	38.40	9.24	34.53
AV	15.6942G	47.39	54.00	-6.61	34.28	3	Horizontal	20	1.80	-	38.39	9.24	34.52

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5270MHz_TX




EUT Y_4TX
Setting 79
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	56.71	74.00	-17.29	53.39	3	Vertical	332	3.00	-	32.60	5.17	34.45
AV	5.1296G	46.51	54.00	-7.49	43.20	3	Vertical	332	3.00	-	32.60	5.16	34.45
PK	5.279G	108.45	Inf	-Inf	104.69	3	Vertical	332	3.00	-	32.92	5.28	34.44
AV	5.267G	97.02	Inf	-Inf	93.32	3	Vertical	332	3.00	-	32.87	5.27	34.44
PK	5.3552G	60.25	74.00	-13.75	56.39	3	Vertical	332	3.00	-	32.93	5.36	34.43
AV	5.35G	48.36	54.00	-5.64	44.54	3	Vertical	332	3.00	-	32.90	5.35	34.43

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5270MHz_TX




EUT Y_4TX
Setting 79
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	58.99	74.00	-15.01	55.67	3	Horizontal	289	1.80	-	32.60	5.17	34.45
AV	5.135G	48.87	54.00	-5.13	45.55	3	Horizontal	289	1.80	-	32.60	5.17	34.45
PK	5.2736G	115.49	Inf	-Inf	111.77	3	Horizontal	289	1.80	-	32.89	5.27	34.44
AV	5.2664G	103.76	Inf	-Inf	100.06	3	Horizontal	289	1.80	-	32.87	5.27	34.44
PK	5.3552G	65.18	74.00	-8.82	61.32	3	Horizontal	289	1.80	-	32.93	5.36	34.43
AV	5.35G	53.75	54.00	-0.25	49.93	3	Horizontal	289	1.80	-	32.90	5.35	34.43

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5270MHz_TX




EUT Y_4TX
Setting 79
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8094G	58.85	74.00	-15.15	45.81	3	Vertical	350	1.31	-	38.42	9.26	34.64
AV	15.81612G	47.95	54.00	-6.05	34.91	3	Vertical	350	1.31	-	38.43	9.26	34.65

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5270MHz_TX




EUT Y_4TX
Setting 79
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82176G	57.88	74.00	-16.12	44.83	3	Horizontal	304	1.80	-	38.44	9.26	34.65
AV	15.81024G	46.84	54.00	-7.16	33.80	3	Horizontal	304	1.80	-	38.42	9.26	34.64

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5310MHz_TX




EUT Y_4TX
Setting 60
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	103.99	Inf	-Inf	100.16	3	Vertical	331	2.11	-	32.97	5.29	34.43
AV	5.3164G	93.14	Inf	-Inf	89.28	3	Vertical	331	2.11	-	32.97	5.32	34.43
PK	5.35G	59.86	74.00	-14.14	56.04	3	Vertical	331	2.11	-	32.90	5.35	34.43
AV	5.3536G	49.10	54.00	-4.90	45.26	3	Vertical	331	2.11	-	32.92	5.35	34.43

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5310MHz_TX




EUT Y_4TX
Setting 60
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	110.82	Inf	-Inf	106.97	3	Horizontal	56	1.80	-	32.97	5.31	34.43
AV	5.3088G	99.94	Inf	-Inf	96.08	3	Horizontal	56	1.80	-	32.98	5.31	34.43
PK	5.3588G	65.52	74.00	-8.48	61.64	3	Horizontal	56	1.80	-	32.95	5.36	34.43
AV	5.3536G	53.94	54.00	-0.06	50.10	3	Horizontal	56	1.80	-	32.92	5.35	34.43

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5310MHz_TX




EUT Y_4TX
Setting 60
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6104G	53.77	74.00	-20.23	42.59	3	Vertical	26	1.28	-	38.41	7.51	34.74
AV	10.62882G	43.35	54.00	-10.65	32.12	3	Vertical	26	1.28	-	38.43	7.52	34.72
PK	15.92484G	58.17	74.00	-15.83	45.02	3	Vertical	98	1.97	-	38.62	9.28	34.75
AV	15.92778G	48.01	54.00	-5.99	34.85	3	Vertical	98	1.97	-	38.63	9.29	34.76

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5310MHz_TX




EUT Y_4TX
Setting 60
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6191G	54.30	74.00	-19.70	43.09	3	Horizontal	238	1.20	-	38.42	7.52	34.73
AV	10.60656G	42.97	54.00	-11.03	31.79	3	Horizontal	238	1.20	-	38.41	7.51	34.74
PK	15.93054G	58.44	74.00	-15.56	45.28	3	Horizontal	107	2.84	-	38.63	9.29	34.76
AV	15.9192G	48.20	54.00	-5.80	35.05	3	Horizontal	107	2.84	-	38.62	9.28	34.75

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5510MHz_TX




EUT Y_4TX
Setting 67
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.45	74.00	-14.55	55.04	3	Vertical	329	2.13	-	33.42	5.40	34.41
AV	5.458G	48.42	54.00	-5.58	44.02	3	Vertical	329	2.13	-	33.42	5.40	34.42
PK	5.466G	63.33	68.20	-4.87	58.91	3	Vertical	329	2.13	-	33.43	5.40	34.41
PK	5.5172G	105.44	Inf	-Inf	100.89	3	Vertical	329	2.13	-	33.57	5.40	34.42
AV	5.5164G	94.87	Inf	-Inf	90.32	3	Vertical	329	2.13	-	33.57	5.40	34.42

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5510MHz_TX




EUT Y_4TX
Setting 67
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	66.41	74.00	-7.59	62.00	3	Horizontal	297	2.02	-	33.42	5.40	34.41
AV	5.4592G	51.97	54.00	-2.03	47.56	3	Horizontal	297	2.02	-	33.42	5.40	34.41
PK	5.462G	67.94	68.20	-0.26	63.53	3	Horizontal	297	2.02	-	33.42	5.40	34.41
PK	5.5136G	112.28	Inf	-Inf	107.74	3	Horizontal	297	2.02	-	33.55	5.40	34.41
AV	5.5128G	99.83	Inf	-Inf	95.29	3	Horizontal	297	2.02	-	33.55	5.40	34.41

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5510MHz_TX




EUT Y_4TX
Setting 67
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03428G	53.34	74.00	-20.66	41.85	3	Vertical	186	2.36	-	38.23	7.66	34.40
AV	11.02672G	42.81	54.00	-11.19	31.31	3	Vertical	186	2.36	-	38.23	7.66	34.39

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5510MHz_TX




EUT Y_4TX
Setting 67
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0119G	53.29	74.00	-20.71	41.82	3	Horizontal	82	1.54	-	38.21	7.65	34.39
AV	11.01634G	43.55	54.00	-10.45	32.06	3	Horizontal	82	1.54	-	38.22	7.66	34.39

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5550MHz_TX




EUT Y_4TX
Setting 83
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	61.46	74.00	-12.54	57.07	3	Vertical	359	2.07	-	33.41	5.40	34.42
AV	5.4588G	49.95	54.00	-4.05	45.54	3	Vertical	359	2.07	-	33.42	5.40	34.41
PK	5.47G	63.05	68.20	-5.15	58.62	3	Vertical	359	2.07	-	33.44	5.40	34.41
PK	5.5548G	109.92	Inf	-Inf	105.24	3	Vertical	359	2.07	-	33.71	5.40	34.43
AV	5.5524G	99.23	Inf	-Inf	94.56	3	Vertical	359	2.07	-	33.70	5.40	34.43
PK	5.734G	58.88	68.20	-9.32	53.86	3	Vertical	359	2.07	-	34.04	5.47	34.49

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5550MHz_TX




EUT Y_4TX
Setting 83
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	63.91	74.00	-10.09	59.52	3	Horizontal	292	2.24	-	33.41	5.40	34.42
AV	5.4588G	53.63	54.00	-0.37	49.22	3	Horizontal	292	2.24	-	33.42	5.40	34.41
PK	5.4652G	66.38	68.20	-1.82	61.96	3	Horizontal	292	2.24	-	33.43	5.40	34.41
PK	5.5556G	117.57	Inf	-Inf	112.89	3	Horizontal	292	2.24	-	33.71	5.40	34.43
AV	5.5636G	105.53	Inf	-Inf	100.83	3	Horizontal	292	2.24	-	33.73	5.40	34.43
PK	5.75G	60.18	68.20	-8.02	55.10	3	Horizontal	292	2.24	-	34.10	5.47	34.49

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5550MHz_TX




EUT Y_4TX
Setting 83
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10546G	53.98	74.00	-20.02	42.41	3	Vertical	185	1.80	-	38.29	7.69	34.41
AV	11.11002G	43.03	54.00	-10.97	31.46	3	Vertical	185	1.80	-	38.29	7.69	34.41

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5550MHz_TX




EUT Y_4TX
Setting 83
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10402G	54.11	74.00	-19.89	42.53	3	Horizontal	84	1.06	-	38.30	7.69	34.41
AV	11.10828G	43.18	54.00	-10.82	31.61	3	Horizontal	84	1.06	-	38.29	7.69	34.41

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5670MHz_TX




EUT Y_4TX
Setting 65
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.674G	106.45	Inf	-Inf	101.58	3	Vertical	351	2.21	-	33.90	5.44	34.47
AV	5.6728G	95.20	Inf	-Inf	90.33	3	Vertical	351	2.21	-	33.90	5.44	34.47
PK	5.7276G	63.27	68.20	-4.93	58.29	3	Vertical	351	2.21	-	34.01	5.46	34.49

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5670MHz_TX




EUT Y_4TX
Setting 65
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6756G	113.31	Inf	-Inf	108.44	3	Horizontal	295	2.14	-	33.90	5.44	34.47
AV	5.6728G	101.71	Inf	-Inf	96.84	3	Horizontal	295	2.14	-	33.90	5.44	34.47
PK	5.7272G	67.98	68.20	-0.22	63.00	3	Horizontal	295	2.14	-	34.01	5.46	34.49

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5670MHz_TX




EUT Y_4TX
Setting 65
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35038G	53.81	74.00	-20.19	42.14	3	Vertical	117	2.75	-	38.35	7.77	34.45
AV	11.33622G	42.90	54.00	-11.10	31.23	3	Vertical	117	2.75	-	38.34	7.77	34.44

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5670MHz_TX




EUT Y_4TX
Setting 65
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34492G	53.01	74.00	-20.99	41.35	3	Horizontal	321	2.56	-	38.34	7.77	34.45
AV	11.32914G	42.79	54.00	-11.21	31.13	3	Horizontal	321	2.56	-	38.33	7.77	34.44

802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

24/04/2021




EUT Y_4TX
 Setting 97
 01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	113.36	Inf	-Inf	106.86	3	Vertical	356	2.03	-	33.96	5.46	32.92
AV	5.7132G	101.90	Inf	-Inf	95.41	3	Vertical	356	2.03	-	33.95	5.46	32.92
PK	5.85G	62.14	68.20	-6.06	55.08	3	Vertical	356	2.03	-	34.50	5.50	32.94

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 97
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	119.41	Inf	-Inf	112.98	3	Horizontal	299	2.08	-	33.90	5.45	32.92
AV	5.7132G	107.94	Inf	-Inf	101.45	3	Horizontal	299	2.08	-	33.95	5.46	32.92
PK	5.8508G	68.04	68.20	-0.16	60.98	3	Horizontal	299	2.08	-	34.50	5.50	32.94

802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

24/04/2021




EUT Y_4TX
 Setting 97
 01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41384G	55.06	74.00	-18.94	41.67	3	Vertical	348	2.24	-	38.40	7.79	32.80
AV	11.43304G	44.33	54.00	-9.67	30.93	3	Vertical	348	2.24	-	38.40	7.80	32.80

802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

24/04/2021




EUT Y_4TX
 Setting 97
 01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4388G	55.07	74.00	-18.93	41.67	3	Horizontal	188	2.93	-	38.40	7.80	32.80
AV	11.4192G	44.27	54.00	-9.73	30.87	3	Horizontal	188	2.93	-	38.40	7.80	32.80

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5755MHz_TX




EUT Y_4TX
Setting 91
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.90	68.20	-6.30	57.03	3	Vertical	354	2.16	-	33.90	5.43	34.46
PK	5.76G	113.24	Inf	-Inf	108.12	3	Vertical	354	2.16	-	34.14	5.48	34.50
AV	5.758G	101.20	Inf	-Inf	96.09	3	Vertical	354	2.16	-	34.13	5.48	34.50
PK	5.985G	59.07	68.20	-9.13	53.00	3	Vertical	354	2.16	-	35.14	5.50	34.57

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5755MHz_TX




EUT Y_4TX
Setting 91
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	68.10	68.20	-0.10	63.24	3	Horizontal	295	2.11	-	33.90	5.42	34.46
PK	5.742G	118.12	Inf	-Inf	113.07	3	Horizontal	295	2.11	-	34.07	5.47	34.49
AV	5.743G	106.74	Inf	-Inf	101.69	3	Horizontal	295	2.11	-	34.07	5.47	34.49
PK	5.93G	61.22	68.20	-6.98	55.36	3	Horizontal	295	2.11	-	34.92	5.50	34.56

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5755MHz_TX




EUT V_4TX
Setting 91
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49692G	55.97	74.00	-18.03	44.22	3	Vertical	355	1.27	-	38.40	7.82	34.47
AV	11.51084G	44.87	54.00	-9.13	33.11	3	Vertical	355	1.27	-	38.40	7.83	34.47

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5755MHz_TX




EUT Y_4TX
Setting 91
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51054G	56.12	74.00	-17.88	44.36	3	Horizontal	280	1.80	-	38.40	7.83	34.47
AV	11.5223G	45.14	54.00	-8.86	33.38	3	Horizontal	280	1.80	-	38.40	7.83	34.47

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5795MHz_TX




EUT Y_4TX
Setting 96
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	59.13	68.20	-9.07	54.28	3	Vertical	359	2.12	-	33.89	5.42	34.46
PK	5.8G	112.95	Inf	-Inf	107.66	3	Vertical	359	2.12	-	34.30	5.50	34.51
AV	5.793G	101.04	Inf	-Inf	95.78	3	Vertical	359	2.12	-	34.27	5.50	34.51
PK	5.923G	63.16	69.68	-6.52	57.32	3	Vertical	359	2.12	-	34.89	5.50	34.55

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5795MHz_TX




EUT Y_4TX
Setting 96
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.56	68.20	-3.64	59.69	3	Horizontal	295	1.99	-	33.90	5.43	34.46
PK	5.8G	118.27	Inf	-Inf	112.98	3	Horizontal	295	1.99	-	34.30	5.50	34.51
AV	5.804G	107.11	Inf	-Inf	101.80	3	Horizontal	295	1.99	-	34.32	5.50	34.51
PK	5.924G	68.58	68.94	-0.36	62.73	3	Horizontal	295	1.99	-	34.90	5.50	34.55

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5795MHz_TX




EUT V_4TX
Setting 96
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5876G	54.76	74.00	-19.24	42.98	3	Vertical	16	1.80	-	38.40	7.86	34.48
AV	11.57746G	45.16	54.00	-8.84	33.39	3	Vertical	16	1.80	-	38.40	7.85	34.48

802.11ax HEW40_Nss4,(MCS0)_4TX

24/04/2021

5795MHz_TX




EUT Y_4TX
Setting 96
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58868G	56.70	74.00	-17.30	44.92	3	Horizontal	58	1.73	-	38.40	7.86	34.48
AV	11.59468G	45.47	54.00	-8.53	33.70	3	Horizontal	58	1.73	-	38.40	7.86	34.49

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5210MHz_TX




EUT Y_4TX
Setting 62
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	61.65	74.00	-12.35	58.33	3	Vertical	11	2.86	-	32.60	5.17	34.45
AV	5.147G	47.76	54.00	-6.24	44.44	3	Vertical	11	2.86	-	32.60	5.17	34.45
PK	5.198G	101.77	Inf	-Inf	98.32	3	Vertical	11	2.86	-	32.70	5.20	34.45
AV	5.194G	91.43	Inf	-Inf	87.99	3	Vertical	11	2.86	-	32.69	5.20	34.45
PK	5.372G	56.18	74.00	-17.82	52.21	3	Vertical	11	2.86	-	33.03	5.37	34.43
AV	5.449G	45.86	54.00	-8.14	41.48	3	Vertical	11	2.86	-	33.40	5.40	34.42

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5210MHz_TX




EUT Y_4TX
Setting 62
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	69.37	74.00	-4.63	66.05	3	Horizontal	68	2.71	-	32.60	5.17	34.45
AV	5.145G	53.65	54.00	-0.35	50.33	3	Horizontal	68	2.71	-	32.60	5.17	34.45
PK	5.195G	108.95	Inf	-Inf	105.51	3	Horizontal	68	2.71	-	32.69	5.20	34.45
AV	5.203G	97.14	Inf	-Inf	93.68	3	Horizontal	68	2.71	-	32.71	5.20	34.45
PK	5.37G	57.17	74.00	-16.83	53.21	3	Horizontal	68	2.71	-	33.02	5.37	34.43
AV	5.36G	47.53	54.00	-6.47	43.64	3	Horizontal	68	2.71	-	32.96	5.36	34.43

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5210MHz_TX




EUT Y_4TX
Setting 62
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61836G	58.48	74.00	-15.52	45.39	3	Vertical	39	1.28	-	38.32	9.22	34.45
AV	15.61758G	46.32	54.00	-7.68	33.23	3	Vertical	39	1.28	-	38.32	9.22	34.45

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5210MHz_TX




EUT Y_4TX
Setting 62
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63294G	58.10	74.00	-15.90	45.00	3	Horizontal	307	2.15	-	38.33	9.23	34.46
AV	15.63972G	46.16	54.00	-7.84	33.06	3	Horizontal	307	2.15	-	38.34	9.23	34.47

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5290MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.129G	56.87	74.00	-17.13	53.56	3	Vertical	330	3.00	-	32.60	5.16	34.45
AV	5.139G	46.43	54.00	-7.57	43.11	3	Vertical	330	3.00	-	32.60	5.17	34.45
PK	5.299G	101.49	Inf	-Inf	97.62	3	Vertical	330	3.00	-	33.00	5.30	34.43
AV	5.298G	90.25	Inf	-Inf	86.39	3	Vertical	330	3.00	-	32.99	5.30	34.43
PK	5.361G	59.14	74.00	-14.86	55.24	3	Vertical	330	3.00	-	32.97	5.36	34.43
AV	5.353G	48.52	54.00	-5.48	44.68	3	Vertical	330	3.00	-	32.92	5.35	34.43
PK	5.507G	57.51	68.20	-10.69	52.99	3	Vertical	330	3.00	-	33.53	5.40	34.41

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5290MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	58.47	74.00	-15.53	55.15	3	Horizontal	288	2.01	-	32.60	5.17	34.45
AV	5.144G	47.94	54.00	-6.06	44.62	3	Horizontal	288	2.01	-	32.60	5.17	34.45
PK	5.293G	107.48	Inf	-Inf	103.65	3	Horizontal	288	2.01	-	32.97	5.29	34.43
AV	5.304G	96.01	Inf	-Inf	92.15	3	Horizontal	288	2.01	-	32.99	5.30	34.43
PK	5.356G	65.10	74.00	-8.90	61.23	3	Horizontal	288	2.01	-	32.94	5.36	34.43
AV	5.356G	53.75	54.00	-0.25	49.88	3	Horizontal	288	2.01	-	32.94	5.36	34.43
PK	5.524G	58.57	68.20	-9.63	53.99	3	Horizontal	288	2.01	-	33.60	5.40	34.42

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5290MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8835G	58.38	74.00	-15.62	45.24	3	Vertical	264	1.80	-	38.57	9.28	34.71
AV	15.86274G	47.52	54.00	-6.48	34.41	3	Vertical	264	1.80	-	38.53	9.27	34.69

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5290MHz_TX




EUT Y_4TX
Setting 57
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87468G	58.42	74.00	-15.58	45.30	3	Horizontal	160	2.08	-	38.55	9.27	34.70
AV	15.86574G	47.66	54.00	-6.34	34.56	3	Horizontal	160	2.08	-	38.53	9.27	34.70

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5530MHz_TX




EUT Y_4TX
Setting 64
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	56.69	68.20	-11.51	52.84	3	Vertical	360	2.24	-	32.98	5.30	34.43
PK	5.453G	63.17	74.00	-10.83	58.78	3	Vertical	360	2.24	-	33.41	5.40	34.42
PK	5.466G	62.33	68.20	-5.87	57.91	3	Vertical	360	2.24	-	33.43	5.40	34.41
AV	5.46G	50.02	54.00	-3.98	45.61	3	Vertical	360	2.24	-	33.42	5.40	34.41
PK	5.513G	100.49	Inf	-Inf	95.95	3	Vertical	360	2.24	-	33.55	5.40	34.41
AV	5.541G	90.39	Inf	-Inf	85.75	3	Vertical	360	2.24	-	33.66	5.40	34.42
PK	5.74G	57.58	68.20	-10.62	52.54	3	Vertical	360	2.24	-	34.06	5.47	34.49

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5530MHz_TX




EUT Y_4TX
Setting 64
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	56.85	68.20	-11.35	53.02	3	Horizontal	295	2.20	-	32.92	5.34	34.43
PK	5.455G	70.78	74.00	-3.22	66.39	3	Horizontal	295	2.20	-	33.41	5.40	34.42
AV	5.455G	53.88	54.00	-0.12	49.49	3	Horizontal	295	2.20	-	33.41	5.40	34.42
PK	5.47G	66.56	68.20	-1.64	62.13	3	Horizontal	295	2.20	-	33.44	5.40	34.41
PK	5.515G	108.85	Inf	-Inf	104.31	3	Horizontal	295	2.20	-	33.56	5.40	34.42
AV	5.517G	97.32	Inf	-Inf	92.77	3	Horizontal	295	2.20	-	33.57	5.40	34.42
PK	5.737G	57.79	68.20	-10.41	52.76	3	Horizontal	295	2.20	-	34.05	5.47	34.49

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5530MHz_TX




EUT Y_4TX
Setting 64
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0612G	53.75	74.00	-20.25	42.22	3	Vertical	338	1.73	-	38.26	7.67	34.40
AV	11.06306G	42.07	54.00	-11.93	30.54	3	Vertical	338	1.73	-	38.26	7.67	34.40

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5530MHz_TX




EUT Y_4TX
Setting 64
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0525G	53.02	74.00	-20.98	41.50	3	Horizontal	141	1.83	-	38.25	7.67	34.40
AV	11.06984G	42.63	54.00	-11.37	31.09	3	Horizontal	141	1.83	-	38.27	7.67	34.40

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5610MHz_TX




EUT Y_4TX
Setting 74
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	59.49	74.00	-14.51	55.08	3	Vertical	359	2.12	-	33.42	5.40	34.41
AV	5.458G	48.88	54.00	-5.12	44.48	3	Vertical	359	2.12	-	33.42	5.40	34.42
PK	5.463G	59.32	68.20	-8.88	54.90	3	Vertical	359	2.12	-	33.43	5.40	34.41
PK	5.613G	106.41	Inf	-Inf	101.62	3	Vertical	359	2.12	-	33.83	5.41	34.45
AV	5.612G	93.86	Inf	-Inf	89.08	3	Vertical	359	2.12	-	33.82	5.41	34.45
PK	5.727G	62.39	68.20	-5.81	57.41	3	Vertical	359	2.12	-	34.01	5.46	34.49

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5610MHz_TX




EUT Y_4TX
Setting 74
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	64.80	74.00	-9.20	60.41	3	Horizontal	297	2.14	-	33.41	5.40	34.42
AV	5.459G	52.78	54.00	-1.22	48.37	3	Horizontal	297	2.14	-	33.42	5.40	34.41
PK	5.466G	63.87	68.20	-4.33	59.45	3	Horizontal	297	2.14	-	33.43	5.40	34.41
PK	5.595G	113.16	Inf	-Inf	108.41	3	Horizontal	297	2.14	-	33.79	5.40	34.44
AV	5.598G	101.66	Inf	-Inf	96.90	3	Horizontal	297	2.14	-	33.80	5.40	34.44
PK	5.732G	67.82	68.20	-0.38	62.81	3	Horizontal	297	2.14	-	34.03	5.47	34.49

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5610MHz_TX




EUT Y_4TX
Setting 74
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21742G	53.88	74.00	-20.12	42.35	3	Vertical	111	1.00	-	38.22	7.73	34.42
AV	11.20704G	43.34	54.00	-10.66	31.83	3	Vertical	111	1.00	-	38.21	7.72	34.42

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5610MHz_TX




EUT Y_4TX
Setting 74
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22576G	54.22	74.00	-19.78	42.69	3	Horizontal	272	1.80	-	38.23	7.73	34.43
AV	11.22216G	43.55	54.00	-10.45	32.03	3	Horizontal	272	1.80	-	38.22	7.73	34.43

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 84
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	107.64	Inf	-Inf	101.21	3	Vertical	357	2.05	-	33.90	5.45	32.92
AV	5.7044G	97.15	Inf	-Inf	90.70	3	Vertical	357	2.05	-	33.92	5.45	32.92
PK	5.854G	64.19	68.20	-4.01	57.11	3	Vertical	357	2.05	-	34.52	5.50	32.94

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 84
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6772G	114.16	Inf	-Inf	107.74	3	Horizontal	298	2.19	-	33.90	5.44	32.92
AV	5.678G	103.01	Inf	-Inf	96.59	3	Horizontal	298	2.19	-	33.90	5.44	32.92
PK	5.858G	68.17	68.20	-0.03	61.06	3	Horizontal	298	2.19	-	34.55	5.50	32.94

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 84
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38856G	57.24	74.00	-16.76	43.86	3	Vertical	223	2.47	-	38.39	7.79	32.80
AV	11.38848G	45.91	54.00	-8.09	32.53	3	Vertical	223	2.47	-	38.39	7.79	32.80

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 84
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3888G	56.14	74.00	-17.86	42.76	3	Horizontal	248	1.23	-	38.39	7.79	32.80
AV	11.38856G	45.69	54.00	-8.31	32.31	3	Horizontal	248	1.23	-	38.39	7.79	32.80

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5775MHz_TX




EUT Y_4TX
Setting 74
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	61.10	68.20	-7.10	56.27	3	Vertical	354	2.17	-	33.86	5.42	34.45
PK	5.76G	106.48	Inf	-Inf	101.36	3	Vertical	354	2.17	-	34.14	5.48	34.50
AV	5.768G	94.72	Inf	-Inf	89.57	3	Vertical	354	2.17	-	34.17	5.48	34.50
PK	5.929G	59.76	68.20	-8.44	53.90	3	Vertical	354	2.17	-	34.92	5.50	34.56

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5775MHz_TX




EUT Y_4TX
Setting 74
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	67.86	68.20	-0.34	63.08	3	Horizontal	295	2.05	-	33.82	5.41	34.45
PK	5.76G	112.12	Inf	-Inf	107.00	3	Horizontal	295	2.05	-	34.14	5.48	34.50
AV	5.768G	100.95	Inf	-Inf	95.80	3	Horizontal	295	2.05	-	34.17	5.48	34.50
PK	5.934G	63.31	68.20	-4.89	57.43	3	Horizontal	295	2.05	-	34.94	5.50	34.56

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5775MHz_TX




EUT Y_4TX
Setting 74
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54904G	54.31	74.00	-19.69	42.55	3	Vertical	6	1.80	-	38.40	7.84	34.48
AV	11.53758G	43.53	54.00	-10.47	31.77	3	Vertical	6	1.80	-	38.40	7.84	34.48

802.11ax HEW80_Nss4,(MCS0)_4TX

24/04/2021

5775MHz_TX




EUT V_4TX
Setting 74
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55516G	54.32	74.00	-19.68	42.56	3	Horizontal	57	1.73	-	38.40	7.84	34.48
AV	11.56038G	43.95	54.00	-10.05	32.18	3	Horizontal	57	1.73	-	38.40	7.85	34.48

802.11ax HEW160_Nss4,(MCS0)_4TX

03/05/2021

5250MHz_TX




EUT Y_4TX
Setting 50
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	56.93	74.00	-17.07	53.63	3	Vertical	328	1.98	-	32.60	5.16	34.46
AV	5.1432G	46.66	54.00	-7.34	43.34	3	Vertical	328	1.98	-	32.60	5.17	34.45
PK	5.208G	95.34	Inf	-Inf	91.86	3	Vertical	328	1.98	-	32.72	5.21	34.45
AV	5.2356G	84.43	Inf	-Inf	80.86	3	Vertical	328	1.98	-	32.77	5.24	34.44
PK	5.3784G	58.27	74.00	-15.73	54.24	3	Vertical	328	1.98	-	33.07	5.38	34.42
AV	5.3784G	49.16	54.00	-4.84	45.13	3	Vertical	328	1.98	-	33.07	5.38	34.42
PK	5.5152G	57.70	68.20	-10.50	53.16	3	Vertical	328	1.98	-	33.56	5.40	34.42

802.11ax HEW160_Nss4,(MCS0)_4TX

03/05/2021

5250MHz_TX




EUT Y_4TX
Setting 50
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	60.57	74.00	-13.43	57.27	3	Horizontal	293	1.80	-	32.60	5.16	34.46
AV	5.1432G	49.02	54.00	-4.98	45.70	3	Horizontal	293	1.80	-	32.60	5.17	34.45
PK	5.2728G	102.76	Inf	-Inf	99.04	3	Horizontal	293	1.80	-	32.89	5.27	34.44
AV	5.2296G	91.20	Inf	-Inf	87.65	3	Horizontal	293	1.80	-	32.76	5.23	34.44
PK	5.3748G	65.64	74.00	-8.36	61.65	3	Horizontal	293	1.80	-	33.05	5.37	34.43
AV	5.376G	53.89	54.00	-0.11	49.87	3	Horizontal	293	1.80	-	33.06	5.38	34.42
PK	5.5056G	58.08	68.20	-10.12	53.57	3	Horizontal	293	1.80	-	33.52	5.40	34.41

802.11ax HEW160_Nss4,(MCS0)_4TX

03/05/2021

5250MHz_TX




EUT Y_4TX
Setting 50
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75096G	57.35	74.00	-16.65	44.28	3	Vertical	224	1.80	-	38.40	9.25	34.58
AV	15.75716G	46.66	54.00	-7.34	33.60	3	Vertical	224	1.80	-	38.40	9.25	34.59

802.11ax HEW160_Nss4,(MCS0)_4TX

03/05/2021

5250MHz_TX




EUT Y_4TX
Setting 50
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75192G	57.37	74.00	-16.63	44.30	3	Horizontal	44	1.35	-	38.40	9.25	34.58
AV	15.75188G	46.27	54.00	-7.73	33.20	3	Horizontal	44	1.35	-	38.40	9.25	34.58

802.11ax HEW160_Nss4,(MCS0)_4TX

24/04/2021

5570MHz_TX




EUT Y_4TX
Setting 59
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3054G	56.08	68.20	-12.12	52.21	3	Vertical	1	2.20	-	32.99	5.31	34.43
PK	5.4538G	61.84	74.00	-12.16	57.45	3	Vertical	1	2.20	-	33.41	5.40	34.42
AV	5.4538G	51.34	54.00	-2.66	46.95	3	Vertical	1	2.20	-	33.41	5.40	34.42
PK	5.4608G	62.46	68.20	-5.74	58.05	3	Vertical	1	2.20	-	33.42	5.40	34.41
PK	5.5728G	99.26	Inf	-Inf	94.54	3	Vertical	1	2.20	-	33.75	5.40	34.43
AV	5.5728G	88.35	Inf	-Inf	83.63	3	Vertical	1	2.20	-	33.75	5.40	34.43
PK	5.7282G	60.64	68.20	-7.56	55.66	3	Vertical	1	2.20	-	34.01	5.46	34.49

802.11ax HEW160_Nss4,(MCS0)_4TX

24/04/2021

5570MHz_TX




EUT Y_4TX
Setting 59
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	58.18	68.20	-10.02	54.33	3	Horizontal	292	2.27	-	32.95	5.33	34.43
PK	5.4468G	64.78	74.00	-9.22	60.41	3	Horizontal	292	2.27	-	33.39	5.40	34.42
AV	5.4468G	53.86	54.00	-0.14	49.49	3	Horizontal	292	2.27	-	33.39	5.40	34.42
PK	5.4678G	65.56	68.20	-2.64	61.13	3	Horizontal	292	2.27	-	33.44	5.40	34.41
PK	5.5756G	103.83	Inf	-Inf	99.12	3	Horizontal	292	2.27	-	33.75	5.40	34.44
AV	5.5476G	93.22	Inf	-Inf	88.56	3	Horizontal	292	2.27	-	33.69	5.40	34.43
PK	5.7254G	61.17	68.20	-7.03	56.20	3	Horizontal	292	2.27	-	34.00	5.46	34.49

802.11ax HEW160_Nss4,(MCS0)_4TX

24/04/2021

5570MHz_TX




EUT Y_4TX
Setting 59
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15308G	53.13	74.00	-20.87	41.59	3	Vertical	69	2.52	-	38.25	7.70	34.41
AV	11.13046G	42.22	54.00	-11.78	30.66	3	Vertical	69	2.52	-	38.27	7.70	34.41

802.11ax HEW160_Nss4,(MCS0)_4TX

24/04/2021

5570MHz_TX



EUT Y_4TX
Setting 59
01-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1358G	53.92	74.00	-20.08	42.37	3	Horizontal	71	1.32	-	38.26	7.70	34.41
AV	11.15278G	42.13	54.00	-11.87	30.59	3	Horizontal	71	1.32	-	38.25	7.70	34.41



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.23664G	22.53	54.00	-31.47	Horizontal

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.23701G	33.77	74.00	-40.23	-9.24	3	Vertical	358	1.06	-	43.01	25.25	2.84	37.33
AV	1.23461G	22.49	54.00	-31.51	-9.26	3	Vertical	358	1.06	"Worst"	31.75	25.24	2.83	37.33

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.2324G	34.16	74.00	-39.84	-9.27	3	Horizontal	3	1.10	-	43.43	25.23	2.83	37.33
AV	1.23664G	22.53	54.00	-31.47	-9.24	3	Horizontal	3	1.10	"Worst"	31.77	25.25	2.84	37.33