


802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5510MHz_TX




EUT Y_1TX
Setting 66
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01972G	53.93	74.00	-20.07	42.44	3	Vertical	138	2.28	-	38.22	7.66	34.39
AV	11.01864G	40.96	54.00	-13.04	29.47	3	Vertical	138	2.28	-	38.22	7.66	34.39

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5510MHz_TX




EUT Y_1TX
Setting 66
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01924G	53.45	74.00	-20.55	41.96	3	Horizontal	53	1.54	-	38.22	7.66	34.39
AV	11.02486G	41.01	54.00	-12.99	29.52	3	Horizontal	53	1.54	-	38.22	7.66	34.39

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5550MHz_TX




EUT Y_1TX
Setting 89
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	59.13	74.00	-14.87	54.74	3	Vertical	336	2.73	-	33.41	5.40	34.42
AV	5.46G	47.57	54.00	-6.43	43.16	3	Vertical	336	2.73	-	33.42	5.40	34.41
PK	5.4678G	62.31	68.20	-5.89	57.88	3	Vertical	336	2.73	-	33.44	5.40	34.41
PK	5.535G	107.73	Inf	-Inf	103.11	3	Vertical	336	2.73	-	33.64	5.40	34.42
AV	5.5362G	95.14	Inf	-Inf	90.52	3	Vertical	336	2.73	-	33.64	5.40	34.42

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5550MHz_TX




EUT Y_1TX
Setting 89
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	65.97	74.00	-8.03	61.56	3	Horizontal	315	1.89	-	33.42	5.40	34.41
AV	5.4594G	51.52	54.00	-2.48	47.11	3	Horizontal	315	1.89	-	33.42	5.40	34.41
PK	5.4606G	67.98	68.20	-0.22	63.57	3	Horizontal	315	1.89	-	33.42	5.40	34.41
PK	5.5428G	113.60	Inf	-Inf	108.95	3	Horizontal	315	1.89	-	33.67	5.40	34.42
AV	5.5422G	101.42	Inf	-Inf	96.77	3	Horizontal	315	1.89	-	33.67	5.40	34.42

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5550MHz_TX




EUT Y_1TX
Setting 89
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1024G	52.68	74.00	-21.32	41.10	3	Vertical	51	2.01	-	38.30	7.69	34.41
AV	11.09768G	40.99	54.00	-13.01	29.42	3	Vertical	51	2.01	-	38.30	7.68	34.41

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5550MHz_TX




EUT Y_1TX
Setting 89
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1011G	53.97	74.00	-20.03	42.39	3	Horizontal	38	2.54	-	38.30	7.69	34.41
AV	11.09688G	40.90	54.00	-13.10	29.33	3	Horizontal	38	2.54	-	38.30	7.68	34.41

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5670MHz_TX




EUT Y_1TX
Setting 80
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6548G	105.53	Inf	-Inf	100.66	3	Vertical	14	2.72	-	33.90	5.43	34.46
AV	5.676G	93.37	Inf	-Inf	88.50	3	Vertical	14	2.72	-	33.90	5.44	34.47
PK	5.734G	61.60	68.20	-6.60	56.58	3	Vertical	14	2.72	-	34.04	5.47	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5670MHz_TX




EUT Y_1TX
Setting 80
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6624G	111.49	Inf	-Inf	106.63	3	Horizontal	307	2.03	-	33.90	5.43	34.47
AV	5.6744G	99.23	Inf	-Inf	94.36	3	Horizontal	307	2.03	-	33.90	5.44	34.47
PK	5.7252G	68.07	68.20	-0.13	63.10	3	Horizontal	307	2.03	-	34.00	5.46	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5670MHz_TX




EUT V_1TX
Setting 80
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34118G	53.35	74.00	-20.65	41.68	3	Vertical	14	2.05	-	38.34	7.77	34.44
AV	11.33632G	41.26	54.00	-12.74	29.59	3	Vertical	14	2.05	-	38.34	7.77	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5670MHz_TX




EUT V_1TX
Setting 80
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33622G	53.46	74.00	-20.54	41.79	3	Horizontal	51	2.41	-	38.34	7.77	34.44
AV	11.3444G	41.20	54.00	-12.80	29.54	3	Horizontal	51	2.41	-	38.34	7.77	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_1TX
 Setting 104
 01-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4482G	61.08	74.00	-12.92	55.20	3	Vertical	338	2.97	-	33.39	5.40	32.91
AV	5.451G	47.98	54.00	-6.02	42.09	3	Vertical	338	2.97	-	33.40	5.40	32.91
PK	5.4608G	61.29	68.20	-6.91	55.37	3	Vertical	338	2.97	-	33.42	5.40	32.90
PK	5.6946G	111.39	Inf	-Inf	104.96	3	Vertical	338	2.97	-	33.90	5.45	32.92
AV	5.696G	98.85	Inf	-Inf	92.42	3	Vertical	338	2.97	-	33.90	5.45	32.92
PK	5.8626G	63.01	68.20	-5.19	55.87	3	Vertical	338	2.97	-	34.58	5.50	32.94

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_1TX
 Setting 104
 01-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4482G	62.87	74.00	-11.13	56.99	3	Horizontal	298	2.78	-	33.39	5.40	32.91
AV	5.4538G	49.01	54.00	-4.99	43.11	3	Horizontal	298	2.78	-	33.41	5.40	32.91
PK	5.4678G	62.79	68.20	-5.41	56.85	3	Horizontal	298	2.78	-	33.44	5.40	32.90
PK	5.6946G	113.05	Inf	-Inf	106.62	3	Horizontal	298	2.78	-	33.90	5.45	32.92
AV	5.7142G	101.53	Inf	-Inf	95.03	3	Horizontal	298	2.78	-	33.96	5.46	32.92
PK	5.8626G	67.59	68.20	-0.61	60.45	3	Horizontal	298	2.78	-	34.58	5.50	32.94

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT V_1TX
 Setting 104
 01-F-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41778G	55.23	74.00	-18.77	41.83	3	Vertical	294	1.19	-	38.40	7.80	32.80
AV	11.4248G	42.47	54.00	-11.53	29.07	3	Vertical	294	1.19	-	38.40	7.80	32.80

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT V_1TX
 Setting 104
 01-F-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42128G	57.73	74.00	-16.27	44.33	3	Horizontal	90	1.40	-	38.40	7.80	32.80
AV	11.42612G	45.15	54.00	-8.85	31.75	3	Horizontal	90	1.40	-	38.40	7.80	32.80

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5755MHz_TX




EUT Y_1TX
Setting 93
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.48	68.20	-7.72	55.62	3	Vertical	4	2.78	-	33.90	5.42	34.46
PK	5.747G	107.74	Inf	-Inf	102.67	3	Vertical	4	2.78	-	34.09	5.47	34.49
AV	5.743G	95.50	Inf	-Inf	90.45	3	Vertical	4	2.78	-	34.07	5.47	34.49
PK	5.949G	59.36	68.20	-8.84	53.42	3	Vertical	4	2.78	-	35.00	5.50	34.56

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5755MHz_TX




EUT Y_1TX
Setting 93
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	68.04	68.20	-0.16	63.19	3	Horizontal	313	1.96	-	33.89	5.42	34.46
PK	5.74G	113.90	Inf	-Inf	108.86	3	Horizontal	313	1.96	-	34.06	5.47	34.49
AV	5.759G	101.37	Inf	-Inf	96.25	3	Horizontal	313	1.96	-	34.14	5.48	34.50
PK	5.928G	59.98	68.20	-8.22	54.13	3	Horizontal	313	1.96	-	34.91	5.50	34.56

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5755MHz_TX




EUT Y_1TX
Setting 93
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50768G	53.47	74.00	-20.53	41.71	3	Vertical	66	1.76	-	38.40	7.83	34.47
AV	11.51388G	41.50	54.00	-12.50	29.74	3	Vertical	66	1.76	-	38.40	7.83	34.47

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5755MHz_TX




EUT Y_1TX
Setting 93
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50786G	53.82	74.00	-20.18	42.06	3	Horizontal	75	1.63	-	38.40	7.83	34.47
AV	11.51132G	41.55	54.00	-12.45	29.79	3	Horizontal	75	1.63	-	38.40	7.83	34.47

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5795MHz_TX




EUT Y_1TX
Setting 100
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	60.37	68.20	-7.83	55.53	3	Vertical	9	2.88	-	33.88	5.42	34.46
PK	5.811G	107.79	Inf	-Inf	102.47	3	Vertical	9	2.88	-	34.34	5.50	34.52
AV	5.79G	95.98	Inf	-Inf	90.73	3	Vertical	9	2.88	-	34.26	5.50	34.51
PK	5.936G	62.45	68.20	-5.75	56.57	3	Vertical	9	2.88	-	34.94	5.50	34.56

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5795MHz_TX




EUT Y_1TX
Setting 100
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	67.57	69.68	-2.11	62.70	3	Horizontal	310	2.00	-	33.90	5.43	34.46
PK	5.811G	114.47	Inf	-Inf	109.15	3	Horizontal	310	2.00	-	34.34	5.50	34.52
AV	5.799G	101.64	Inf	-Inf	96.35	3	Horizontal	310	2.00	-	34.30	5.50	34.51
PK	5.926G	66.72	68.20	-1.48	60.87	3	Horizontal	310	2.00	-	34.90	5.50	34.55

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5795MHz_TX




EUT V_1TX
Setting 100
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5907G	53.14	74.00	-20.86	41.36	3	Vertical	79	1.89	-	38.40	7.86	34.48
AV	11.5867G	41.64	54.00	-12.36	29.86	3	Vertical	79	1.89	-	38.40	7.86	34.48

802.11ax HEW40_Nss1,(MCS0)_1TX

17/04/2021

5795MHz_TX




EUT_V_1TX
Setting 100
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58734G	53.78	74.00	-20.22	42.00	3	Horizontal	150	2.00	-	38.40	7.86	34.48
AV	11.5898G	41.33	54.00	-12.67	29.55	3	Horizontal	150	2.00	-	38.40	7.86	34.48

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5210MHz_TX




EUT Y_1TX
Setting 73
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	63.98	74.00	-10.02	60.66	3	Vertical	45	1.00	-	32.60	5.17	34.45
AV	5.15G	48.26	54.00	-5.74	44.94	3	Vertical	45	1.00	-	32.60	5.17	34.45
PK	5.239G	100.21	Inf	-Inf	96.63	3	Vertical	45	1.00	-	32.78	5.24	34.44
AV	5.237G	89.35	Inf	-Inf	85.78	3	Vertical	45	1.00	-	32.77	5.24	34.44
PK	5.357G	57.35	74.00	-16.65	53.48	3	Vertical	45	1.00	-	32.94	5.36	34.43
AV	5.355G	45.84	54.00	-8.16	41.98	3	Vertical	45	1.00	-	32.93	5.36	34.43

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5210MHz_TX




EUT Y_1TX
Setting 73
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	72.35	74.00	-1.65	69.03	3	Horizontal	329	1.80	-	32.60	5.17	34.45
AV	5.15G	53.86	54.00	-0.14	50.54	3	Horizontal	329	1.80	-	32.60	5.17	34.45
PK	5.223G	108.43	Inf	-Inf	104.90	3	Horizontal	329	1.80	-	32.75	5.22	34.44
AV	5.224G	96.20	Inf	-Inf	92.67	3	Horizontal	329	1.80	-	32.75	5.22	34.44
PK	5.352G	59.31	74.00	-14.69	55.48	3	Horizontal	329	1.80	-	32.91	5.35	34.43
AV	5.351G	48.13	54.00	-5.87	44.30	3	Horizontal	329	1.80	-	32.91	5.35	34.43

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5210MHz_TX




EUT Y_1TX
Setting 73
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63182G	58.39	74.00	-15.61	45.29	3	Vertical	23	2.55	-	38.33	9.23	34.46
AV	15.62854G	46.07	54.00	-7.93	32.97	3	Vertical	23	2.55	-	38.33	9.23	34.46

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5210MHz_TX




EUT Y_1TX
Setting 73
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63152G	57.72	74.00	-16.28	44.62	3	Horizontal	156	2.72	-	38.33	9.23	34.46
AV	15.63106G	45.99	54.00	-8.01	32.89	3	Horizontal	156	2.72	-	38.33	9.23	34.46

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5290MHz_TX




EUT Y_1TX
Setting 72
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	56.67	74.00	-17.33	53.35	3	Vertical	42	2.94	-	32.60	5.17	34.45
AV	5.141G	44.76	54.00	-9.24	41.44	3	Vertical	42	2.94	-	32.60	5.17	34.45
PK	5.303G	100.49	Inf	-Inf	96.63	3	Vertical	42	2.94	-	32.99	5.30	34.43
AV	5.296G	89.50	Inf	-Inf	85.65	3	Vertical	42	2.94	-	32.98	5.30	34.43
PK	5.355G	66.69	74.00	-7.31	62.83	3	Vertical	42	2.94	-	32.93	5.36	34.43
AV	5.357G	48.86	54.00	-5.14	44.99	3	Vertical	42	2.94	-	32.94	5.36	34.43
PK	5.538G	58.23	68.20	-9.97	53.60	3	Vertical	42	2.94	-	33.65	5.40	34.42

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5290MHz_TX




EUT Y_1TX
Setting 72
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	58.61	74.00	-15.39	55.29	3	Horizontal	326	1.92	-	32.60	5.17	34.45
AV	5.149G	46.27	54.00	-7.73	42.95	3	Horizontal	326	1.92	-	32.60	5.17	34.45
PK	5.303G	107.80	Inf	-Inf	103.94	3	Horizontal	326	1.92	-	32.99	5.30	34.43
AV	5.303G	95.70	Inf	-Inf	91.84	3	Horizontal	326	1.92	-	32.99	5.30	34.43
PK	5.366G	71.10	74.00	-2.90	67.16	3	Horizontal	326	1.92	-	33.00	5.37	34.43
AV	5.352G	53.59	54.00	-0.41	49.76	3	Horizontal	326	1.92	-	32.91	5.35	34.43
PK	5.48G	58.22	68.20	-9.98	53.77	3	Horizontal	326	1.92	-	33.46	5.40	34.41

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5290MHz_TX




EUT Y_1TX
Setting 72
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8674G	57.29	74.00	-16.71	44.19	3	Vertical	112	1.04	-	38.53	9.27	34.70
AV	15.8657G	45.08	54.00	-8.92	31.98	3	Vertical	112	1.04	-	38.53	9.27	34.70

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5290MHz_TX




EUT Y_1TX
Setting 72
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87306G	57.31	74.00	-16.69	44.19	3	Horizontal	147	2.85	-	38.55	9.27	34.70
AV	15.86808G	44.87	54.00	-9.13	31.76	3	Horizontal	147	2.85	-	38.54	9.27	34.70

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5530MHz_TX




EUT Y_1TX
Setting 72
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	56.42	68.20	-11.78	52.56	3	Vertical	338	3.00	-	32.98	5.31	34.43
PK	5.46G	61.02	74.00	-12.98	56.61	3	Vertical	338	3.00	-	33.42	5.40	34.41
AV	5.46G	47.76	54.00	-6.24	43.35	3	Vertical	338	3.00	-	33.42	5.40	34.41
PK	5.47G	62.73	68.20	-5.47	58.30	3	Vertical	338	3.00	-	33.44	5.40	34.41
PK	5.52G	102.30	Inf	-Inf	97.74	3	Vertical	338	3.00	-	33.58	5.40	34.42
AV	5.52G	90.73	Inf	-Inf	86.17	3	Vertical	338	3.00	-	33.58	5.40	34.42
PK	5.749G	58.10	68.20	-10.10	53.02	3	Vertical	338	3.00	-	34.10	5.47	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5530MHz_TX




EUT Y_1TX
Setting 72
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	58.43	68.20	-9.77	54.59	3	Horizontal	318	1.96	-	32.95	5.32	34.43
PK	5.457G	65.63	74.00	-8.37	61.24	3	Horizontal	318	1.96	-	33.41	5.40	34.42
AV	5.46G	50.90	54.00	-3.10	46.49	3	Horizontal	318	1.96	-	33.42	5.40	34.41
PK	5.466G	68.11	68.20	-0.09	63.69	3	Horizontal	318	1.96	-	33.43	5.40	34.41
PK	5.52G	106.54	Inf	-Inf	101.98	3	Horizontal	318	1.96	-	33.58	5.40	34.42
AV	5.514G	94.58	Inf	-Inf	90.03	3	Horizontal	318	1.96	-	33.56	5.40	34.41
PK	5.738G	58.43	68.20	-9.77	53.40	3	Horizontal	318	1.96	-	34.05	5.47	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5530MHz_TX




EUT Y_1TX
Setting 72
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0606G	52.85	74.00	-21.15	41.32	3	Vertical	24	1.54	-	38.26	7.67	34.40
AV	11.06258G	40.86	54.00	-13.14	29.33	3	Vertical	24	1.54	-	38.26	7.67	34.40

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5530MHz_TX




EUT V_1TX
Setting 72
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06428G	53.27	74.00	-20.73	41.74	3	Horizontal	155	2.94	-	38.26	7.67	34.40
AV	11.06342G	40.71	54.00	-13.29	29.18	3	Horizontal	155	2.94	-	38.26	7.67	34.40

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5610MHz_TX




EUT Y_1TX
Setting 81
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	61.26	74.00	-12.74	56.87	3	Vertical	333	2.80	-	33.41	5.40	34.42
AV	5.46G	48.13	54.00	-5.87	43.72	3	Vertical	333	2.80	-	33.42	5.40	34.41
PK	5.469G	63.12	68.20	-5.08	58.69	3	Vertical	333	2.80	-	33.44	5.40	34.41
PK	5.591G	102.50	Inf	-Inf	97.76	3	Vertical	333	2.80	-	33.78	5.40	34.44
AV	5.581G	91.11	Inf	-Inf	86.39	3	Vertical	333	2.80	-	33.76	5.40	34.44
PK	5.728G	60.49	68.20	-7.71	55.51	3	Vertical	333	2.80	-	34.01	5.46	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5610MHz_TX




EUT Y_1TX
Setting 81
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	65.27	74.00	-8.73	60.88	3	Horizontal	310	1.98	-	33.41	5.40	34.42
AV	5.457G	50.99	54.00	-3.01	46.60	3	Horizontal	310	1.98	-	33.41	5.40	34.42
PK	5.469G	68.05	68.20	-0.15	63.62	3	Horizontal	310	1.98	-	33.44	5.40	34.41
PK	5.589G	108.78	Inf	-Inf	104.04	3	Horizontal	310	1.98	-	33.78	5.40	34.44
AV	5.623G	96.75	Inf	-Inf	91.94	3	Horizontal	310	1.98	-	33.85	5.41	34.45
PK	5.726G	65.52	68.20	-2.68	60.55	3	Horizontal	310	1.98	-	34.00	5.46	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5610MHz_TX




EUT V_1TX
Setting 81
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22192G	53.20	74.00	-20.80	41.68	3	Vertical	215	1.93	-	38.22	7.73	34.43
AV	11.22014G	40.90	54.00	-13.10	29.38	3	Vertical	215	1.93	-	38.22	7.73	34.43

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5610MHz_TX




EUT Y_1TX
Setting 81
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21944G	52.91	74.00	-21.09	41.39	3	Horizontal	106	1.91	-	38.22	7.73	34.43
AV	11.22092G	40.90	54.00	-13.10	29.38	3	Horizontal	106	1.91	-	38.22	7.73	34.43

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_1TX
 Setting 99
 01-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	63.09	74.00	-10.91	57.25	3	Vertical	333	2.97	-	33.35	5.40	32.91
PK	5.4632G	63.93	68.20	-4.27	58.00	3	Vertical	333	2.97	-	33.43	5.40	32.90
AV	5.4584G	50.53	54.00	-3.47	44.61	3	Vertical	333	2.97	-	33.42	5.40	32.90
PK	5.6888G	108.22	Inf	-Inf	101.80	3	Vertical	333	2.97	-	33.90	5.44	32.92
AV	5.6768G	95.93	Inf	-Inf	89.51	3	Vertical	333	2.97	-	33.90	5.44	32.92
PK	5.8568G	65.73	68.20	-2.47	58.63	3	Vertical	333	2.97	-	34.54	5.50	32.94

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_1TX
 Setting 99
 01-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	65.88	74.00	-8.12	59.99	3	Horizontal	302	2.67	-	33.40	5.40	32.91
AV	5.4584G	53.44	54.00	-0.56	47.52	3	Horizontal	302	2.67	-	33.42	5.40	32.90
PK	5.4656G	67.15	68.20	-1.05	61.22	3	Horizontal	302	2.67	-	33.43	5.40	32.90
PK	5.6888G	110.37	Inf	-Inf	103.95	3	Horizontal	302	2.67	-	33.90	5.44	32.92
AV	5.6792G	98.33	Inf	-Inf	91.91	3	Horizontal	302	2.67	-	33.90	5.44	32.92
PK	5.8508G	67.93	68.20	-0.27	60.87	3	Horizontal	302	2.67	-	34.50	5.50	32.94

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_1TX
 Setting 99
 01-F-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38193G	54.37	74.00	-19.63	41.01	3	Vertical	146	1.80	-	38.38	7.78	32.80
AV	11.38022G	41.76	54.00	-12.24	28.40	3	Vertical	146	1.80	-	38.38	7.78	32.80

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_1TX
 Setting 99
 01-F-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3812G	53.91	74.00	-20.09	40.55	3	Horizontal	254	1.20	-	38.38	7.78	32.80
AV	11.37835G	41.53	54.00	-12.47	28.17	3	Horizontal	254	1.20	-	38.38	7.78	32.80

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5775MHz_TX




EUT Y_1TX
Setting B3
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.58	68.20	-7.62	55.72	3	Vertical	26	2.89	-	33.90	5.42	34.46
PK	5.788G	100.67	Inf	-Inf	95.44	3	Vertical	26	2.89	-	34.25	5.49	34.51
AV	5.789G	89.32	Inf	-Inf	84.08	3	Vertical	26	2.89	-	34.26	5.49	34.51
PK	5.962G	58.80	68.20	-9.40	52.82	3	Vertical	26	2.89	-	35.05	5.50	34.57

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5775MHz_TX




EUT Y_1TX
Setting 83
01-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	68.02	68.20	-0.18	63.19	3	Horizontal	313	1.95	-	33.87	5.42	34.46
PK	5.802G	107.81	Inf	-Inf	102.51	3	Horizontal	313	1.95	-	34.31	5.50	34.51
AV	5.765G	96.34	Inf	-Inf	91.20	3	Horizontal	313	1.95	-	34.16	5.48	34.50
PK	5.929G	61.87	68.20	-6.33	56.01	3	Horizontal	313	1.95	-	34.92	5.50	34.56

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5775MHz_TX




EUT V_1TX
Setting 83
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54644G	53.04	74.00	-20.96	41.28	3	Vertical	178	2.13	-	38.40	7.84	34.48
AV	11.5481G	41.47	54.00	-12.53	29.71	3	Vertical	178	2.13	-	38.40	7.84	34.48

802.11ax HEW80_Nss1,(MCS0)_1TX

17/04/2021

5775MHz_TX



EUT V_1TX
Setting 83
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54756G	54.20	74.00	-19.80	42.44	3	Horizontal	108	2.34	-	38.40	7.84	34.48
AV	11.54562G	41.25	54.00	-12.75	29.49	3	Horizontal	108	2.34	-	38.40	7.84	34.48




For Radio 2 / 1T1S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.3516G	53.96	54.00	-0.04	3	Vertical	324	2.25	-

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5180MHz_TX




EUT Y_1TX
Setting 84
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	72.36	74.00	-1.64	69.04	3	Vertical	311	2.53	-	32.60	5.17	34.45
AV	5.1498G	53.77	54.00	-0.23	50.45	3	Vertical	311	2.53	-	32.60	5.17	34.45
PK	5.1826G	111.54	Inf	-Inf	108.13	3	Vertical	311	2.53	-	32.67	5.19	34.45
AV	5.184G	101.45	Inf	-Inf	98.04	3	Vertical	311	2.53	-	32.67	5.19	34.45

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5180MHz_TX




EUT Y_1TX
Setting 84
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	69.90	74.00	-4.10	66.58	3	Horizontal	25	1.04	-	32.60	5.17	34.45
AV	5.1498G	51.44	54.00	-2.56	48.12	3	Horizontal	25	1.04	-	32.60	5.17	34.45
PK	5.1824G	108.60	Inf	-Inf	105.20	3	Horizontal	25	1.04	-	32.66	5.19	34.45
AV	5.178G	98.66	Inf	-Inf	95.26	3	Horizontal	25	1.04	-	32.66	5.19	34.45

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5180MHz_TX




EUT_V_1TX
Setting 84
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5882G	56.41	74.00	-17.59	43.33	3	Vertical	360	1.80	-	38.28	9.22	34.42
AV	15.578G	43.60	54.00	-10.40	30.53	3	Vertical	360	1.80	-	38.26	9.22	34.41

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5180MHz_TX




EUT_V_1TX
Setting 84
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5004G	55.84	74.00	-18.16	42.87	3	Horizontal	202	2.25	-	38.10	9.20	34.33
AV	15.576G	43.65	54.00	-10.35	30.59	3	Horizontal	202	2.25	-	38.25	9.22	34.41

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5200MHz_TX




EUT Y_1TX
Setting 96
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.68	74.00	-5.32	65.36	3	Vertical	310	2.22	-	32.60	5.17	34.45
AV	5.15G	53.82	54.00	-0.18	50.50	3	Vertical	310	2.22	-	32.60	5.17	34.45
PK	5.2044G	113.43	Inf	-Inf	109.97	3	Vertical	310	2.22	-	32.71	5.20	34.45
AV	5.2028G	103.28	Inf	-Inf	99.82	3	Vertical	310	2.22	-	32.71	5.20	34.45

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5200MHz_TX




EUT Y_1TX
Setting 96
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	66.45	74.00	-7.55	63.13	3	Horizontal	23	1.11	-	32.60	5.17	34.45
AV	5.15G	52.10	54.00	-1.90	48.78	3	Horizontal	23	1.11	-	32.60	5.17	34.45
PK	5.2048G	112.67	Inf	-Inf	109.21	3	Horizontal	23	1.11	-	32.71	5.20	34.45
AV	5.2028G	102.47	Inf	-Inf	99.01	3	Horizontal	23	1.11	-	32.71	5.20	34.45

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5200MHz_TX




EUT Y_1TX
Setting 96
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5632G	57.67	74.00	-16.33	44.62	3	Vertical	266	2.02	-	38.23	9.21	34.39
AV	15.5708G	45.08	54.00	-8.92	32.03	3	Vertical	266	2.02	-	38.24	9.21	34.40

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5200MHz_TX




EUT Y_1TX
Setting 96
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6428G	57.26	74.00	-16.74	44.16	3	Horizontal	249	2.26	-	38.34	9.23	34.47
AV	15.6448G	44.95	54.00	-9.05	31.85	3	Horizontal	249	2.26	-	38.34	9.23	34.47

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5240MHz_TX




EUT Y_1TX
Setting 120
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	68.94	74.00	-5.06	65.62	3	Vertical	309	2.30	-	32.60	5.17	34.45
AV	5.15G	52.77	54.00	-1.23	49.45	3	Vertical	309	2.30	-	32.60	5.17	34.45
PK	5.2436G	115.52	Inf	-Inf	111.93	3	Vertical	309	2.30	-	32.79	5.24	34.44
AV	5.2424G	104.62	Inf	-Inf	101.04	3	Vertical	309	2.30	-	32.78	5.24	34.44
PK	5.3546G	65.42	74.00	-8.58	61.57	3	Vertical	309	2.30	-	32.93	5.35	34.43
AV	5.35G	50.81	54.00	-3.19	46.99	3	Vertical	309	2.30	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5240MHz_TX




EUT Y_1TX
Setting 120
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.97	74.00	-8.03	62.65	3	Horizontal	85	1.30	-	32.60	5.17	34.45
AV	5.15G	50.64	54.00	-3.36	47.32	3	Horizontal	85	1.30	-	32.60	5.17	34.45
PK	5.2436G	113.00	Inf	-Inf	109.41	3	Horizontal	85	1.30	-	32.79	5.24	34.44
AV	5.2382G	102.23	Inf	-Inf	98.65	3	Horizontal	85	1.30	-	32.78	5.24	34.44
PK	5.3534G	61.79	74.00	-12.21	57.95	3	Horizontal	85	1.30	-	32.92	5.35	34.43
AV	5.35G	47.86	54.00	-6.14	44.04	3	Horizontal	85	1.30	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5240MHz_TX




EUT V_1TX
Setting 120
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6834G	57.06	74.00	-16.94	43.95	3	Vertical	345	1.38	-	38.38	9.24	34.51
AV	15.6952G	44.63	54.00	-9.37	31.52	3	Vertical	345	1.38	-	38.40	9.24	34.53

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5240MHz_TX




EUT V_1TX
Setting 120
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6848G	56.81	74.00	-17.19	43.70	3	Horizontal	7	1.73	-	38.38	9.24	34.51
AV	15.7026G	44.49	54.00	-9.51	31.38	3	Horizontal	7	1.73	-	38.40	9.24	34.53

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5260MHz_TX




EUT Y_1TX
Setting 120
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	65.75	74.00	-8.25	62.43	3	Vertical	315	2.49	-	32.60	5.17	34.45
AV	5.15G	49.40	54.00	-4.60	46.08	3	Vertical	315	2.49	-	32.60	5.17	34.45
PK	5.2588G	115.65	Inf	-Inf	111.99	3	Vertical	315	2.49	-	32.84	5.26	34.44
AV	5.2576G	105.09	Inf	-Inf	101.44	3	Vertical	315	2.49	-	32.83	5.26	34.44
PK	5.3566G	69.93	74.00	-4.07	66.06	3	Vertical	315	2.49	-	32.94	5.36	34.43
AV	5.3506G	53.39	54.00	-0.61	49.57	3	Vertical	315	2.49	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5260MHz_TX




EUT Y_1TX
Setting 120
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	57.90	74.00	-16.10	54.58	3	Horizontal	87	2.02	-	32.60	5.17	34.45
AV	5.15G	45.08	54.00	-8.92	41.76	3	Horizontal	87	2.02	-	32.60	5.17	34.45
PK	5.2594G	112.46	Inf	-Inf	108.80	3	Horizontal	87	2.02	-	32.84	5.26	34.44
AV	5.2618G	101.69	Inf	-Inf	98.02	3	Horizontal	87	2.02	-	32.85	5.26	34.44
PK	5.3566G	66.24	74.00	-7.76	62.37	3	Horizontal	87	2.02	-	32.94	5.36	34.43
AV	5.35G	50.62	54.00	-3.38	46.80	3	Horizontal	87	2.02	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5260MHz_TX




EUT V_1TX
Setting 120
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78844G	56.53	74.00	-17.47	43.49	3	Vertical	305	1.26	-	38.40	9.26	34.62
AV	15.7712G	43.81	54.00	-10.19	30.76	3	Vertical	305	1.26	-	38.40	9.25	34.60

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5260MHz_TX




EUT_V_1TX
Setting 120
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77804G	56.78	74.00	-17.22	43.73	3	Horizontal	324	2.89	-	38.40	9.26	34.61
AV	15.7726G	43.91	54.00	-10.09	30.86	3	Horizontal	324	2.89	-	38.40	9.25	34.60

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5300MHz_TX




EUT Y_1TX
Setting 91
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	113.87	Inf	-Inf	110.02	3	Vertical	311	2.46	-	32.98	5.30	34.43
AV	5.3024G	103.96	Inf	-Inf	100.09	3	Vertical	311	2.46	-	33.00	5.30	34.43
PK	5.3532G	70.35	74.00	-3.65	66.51	3	Vertical	311	2.46	-	32.92	5.35	34.43
AV	5.3508G	52.75	54.00	-1.25	48.93	3	Vertical	311	2.46	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5300MHz_TX




EUT Y_1TX
Setting 91
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	110.01	Inf	-Inf	106.16	3	Horizontal	86	1.06	-	32.98	5.30	34.43
AV	5.2976G	100.34	Inf	-Inf	96.48	3	Horizontal	86	1.06	-	32.99	5.30	34.43
PK	5.3532G	67.34	74.00	-6.66	63.50	3	Horizontal	86	1.06	-	32.92	5.35	34.43
AV	5.35G	50.60	54.00	-3.40	46.78	3	Horizontal	86	1.06	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5300MHz_TX




EUT_V_1TX
Setting 91
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90516G	56.15	74.00	-17.85	43.00	3	Vertical	38	1.63	-	38.61	9.28	34.74
AV	15.8944G	43.79	54.00	-10.21	30.64	3	Vertical	38	1.63	-	38.59	9.28	34.72

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5300MHz_TX




EUT_V_1TX
Setting 91
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90288G	57.16	74.00	-16.84	44.01	3	Horizontal	287	2.96	-	38.60	9.28	34.73
AV	15.90244G	43.95	54.00	-10.05	30.80	3	Horizontal	287	2.96	-	38.60	9.28	34.73

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5320MHz_TX




EUT Y_1TX
Setting 81
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	111.35	Inf	-Inf	107.50	3	Vertical	311	2.45	-	32.96	5.32	34.43
AV	5.324G	101.45	Inf	-Inf	97.61	3	Vertical	311	2.45	-	32.95	5.32	34.43
PK	5.352G	72.91	74.00	-1.09	69.08	3	Vertical	311	2.45	-	32.91	5.35	34.43
AV	5.3502G	53.89	54.00	-0.11	50.07	3	Vertical	311	2.45	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5320MHz_TX




EUT Y_1TX
Setting 81
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	105.27	Inf	-Inf	101.42	3	Horizontal	93	2.45	-	32.96	5.32	34.43
AV	5.3242G	95.37	Inf	-Inf	91.53	3	Horizontal	93	2.45	-	32.95	5.32	34.43
PK	5.3508G	69.02	74.00	-4.98	65.20	3	Horizontal	93	2.45	-	32.90	5.35	34.43
AV	5.35G	51.06	54.00	-2.94	47.24	3	Horizontal	93	2.45	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5320MHz_TX




EUT Y_1TX
Setting 81
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95076G	56.41	74.00	-17.59	43.25	3	Vertical	39	2.20	-	38.65	9.29	34.78
AV	15.96904G	43.71	54.00	-10.29	30.55	3	Vertical	39	2.20	-	38.67	9.29	34.80

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5320MHz_TX




EUT_V_1TX
Setting 81
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95068G	56.94	74.00	-17.06	43.78	3	Horizontal	333	1.83	-	38.65	9.29	34.78
AV	15.96844G	43.91	54.00	-10.09	30.75	3	Horizontal	333	1.83	-	38.67	9.29	34.80

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5180MHz_TX




EUT Y_1TX
Setting 81
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.62	74.00	-3.38	67.30	3	Vertical	310	2.26	-	32.60	5.17	34.45
AV	5.15G	53.74	54.00	-0.26	50.42	3	Vertical	310	2.26	-	32.60	5.17	34.45
PK	5.177G	112.26	Inf	-Inf	108.87	3	Vertical	310	2.26	-	32.65	5.19	34.45
AV	5.1782G	99.04	Inf	-Inf	95.64	3	Vertical	310	2.26	-	32.66	5.19	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5180MHz_TX




EUT Y_1TX
Setting 81
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.89	74.00	-6.11	64.57	3	Horizontal	21	1.03	-	32.60	5.17	34.45
AV	5.15G	52.07	54.00	-1.93	48.75	3	Horizontal	21	1.03	-	32.60	5.17	34.45
PK	5.177G	110.75	Inf	-Inf	107.36	3	Horizontal	21	1.03	-	32.65	5.19	34.45
AV	5.1784G	97.45	Inf	-Inf	94.05	3	Horizontal	21	1.03	-	32.66	5.19	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5180MHz_TX




EUT_V_1TX
Setting 81
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54596G	57.39	74.00	-16.61	44.37	3	Vertical	119	1.06	-	38.19	9.21	34.38
AV	15.53544G	43.83	54.00	-10.17	30.82	3	Vertical	119	1.06	-	38.17	9.21	34.37

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5180MHz_TX




EUT_V_1TX
Setting 81
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53512G	56.09	74.00	-17.91	43.08	3	Horizontal	357	2.79	-	38.17	9.21	34.37
AV	15.53212G	43.84	54.00	-10.16	30.83	3	Horizontal	357	2.79	-	38.16	9.21	34.36

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5200MHz_TX




EUT Y_1TX
Setting 93
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.52	74.00	-4.48	66.20	3	Vertical	311	2.23	-	32.60	5.17	34.45
AV	5.15G	53.77	54.00	-0.23	50.45	3	Vertical	311	2.23	-	32.60	5.17	34.45
PK	5.1968G	114.91	Inf	-Inf	111.47	3	Vertical	311	2.23	-	32.69	5.20	34.45
AV	5.2028G	101.84	Inf	-Inf	98.38	3	Vertical	311	2.23	-	32.71	5.20	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5200MHz_TX




EUT Y_1TX
Setting 93
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.10	74.00	-6.90	63.78	3	Horizontal	22	1.11	-	32.60	5.17	34.45
AV	5.15G	52.01	54.00	-1.99	48.69	3	Horizontal	22	1.11	-	32.60	5.17	34.45
PK	5.1972G	113.82	Inf	-Inf	110.38	3	Horizontal	22	1.11	-	32.69	5.20	34.45
AV	5.2028G	100.98	Inf	-Inf	97.52	3	Horizontal	22	1.11	-	32.71	5.20	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5200MHz_TX




EUT Y_1TX
Setting 93
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59336G	57.40	74.00	-16.60	44.31	3	Vertical	295	2.72	-	38.29	9.22	34.42
AV	15.604G	43.74	54.00	-10.26	30.65	3	Vertical	295	2.72	-	38.30	9.22	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5200MHz_TX




EUT Y_1TX
Setting 93
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60968G	56.33	74.00	-17.67	43.24	3	Horizontal	242	1.36	-	38.31	9.22	34.44
AV	15.60224G	43.71	54.00	-10.29	30.62	3	Horizontal	242	1.36	-	38.30	9.22	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5240MHz_TX




EUT Y_1TX
Setting 99
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.00	74.00	-10.00	60.68	3	Vertical	310	2.30	-	32.60	5.17	34.45
AV	5.1488G	48.11	54.00	-5.89	44.79	3	Vertical	310	2.30	-	32.60	5.17	34.45
PK	5.237G	115.71	Inf	-Inf	112.14	3	Vertical	310	2.30	-	32.77	5.24	34.44
AV	5.243G	103.40	Inf	-Inf	99.81	3	Vertical	310	2.30	-	32.79	5.24	34.44
PK	5.3582G	60.27	74.00	-13.73	56.39	3	Vertical	310	2.30	-	32.95	5.36	34.43
AV	5.35G	47.05	54.00	-6.95	43.23	3	Vertical	310	2.30	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5240MHz_TX




EUT Y_1TX
Setting 99
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.36	74.00	-11.64	59.04	3	Horizontal	84	1.29	-	32.60	5.17	34.45
AV	5.15G	46.60	54.00	-7.40	43.28	3	Horizontal	84	1.29	-	32.60	5.17	34.45
PK	5.237G	114.28	Inf	-Inf	110.71	3	Horizontal	84	1.29	-	32.77	5.24	34.44
AV	5.2382G	101.17	Inf	-Inf	97.59	3	Horizontal	84	1.29	-	32.78	5.24	34.44
PK	5.351G	58.07	74.00	-15.93	54.24	3	Horizontal	84	1.29	-	32.91	5.35	34.43
AV	5.35G	45.40	54.00	-8.60	41.58	3	Horizontal	84	1.29	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5240MHz_TX




EUT Y_1TX
Setting 99
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7116G	55.79	74.00	-18.21	42.69	3	Vertical	63	1.43	-	38.40	9.24	34.54
AV	15.71712G	43.09	54.00	-10.91	30.00	3	Vertical	63	1.43	-	38.40	9.24	34.55

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5240MHz_TX




EUT Y_1TX
Setting 99
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71348G	56.32	74.00	-17.68	43.22	3	Horizontal	46	2.74	-	38.40	9.24	34.54
AV	15.71748G	43.06	54.00	-10.94	29.97	3	Horizontal	46	2.74	-	38.40	9.24	34.55

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5260MHz_TX




EUT Y_1TX
Setting 97
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.24	74.00	-13.76	56.92	3	Vertical	315	2.47	-	32.60	5.17	34.45
AV	5.15G	46.84	54.00	-7.16	43.52	3	Vertical	315	2.47	-	32.60	5.17	34.45
PK	5.2594G	115.23	Inf	-Inf	111.57	3	Vertical	315	2.47	-	32.84	5.26	34.44
AV	5.2612G	103.70	Inf	-Inf	100.04	3	Vertical	315	2.47	-	32.84	5.26	34.44
PK	5.3506G	65.13	74.00	-8.87	61.31	3	Vertical	315	2.47	-	32.90	5.35	34.43
AV	5.3506G	50.79	54.00	-3.21	46.97	3	Vertical	315	2.47	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5260MHz_TX




EUT Y_1TX
Setting 97
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	56.42	74.00	-17.58	53.10	3	Horizontal	85	1.95	-	32.60	5.17	34.45
AV	5.15G	44.13	54.00	-9.87	40.81	3	Horizontal	85	1.95	-	32.60	5.17	34.45
PK	5.257G	112.58	Inf	-Inf	108.93	3	Horizontal	85	1.95	-	32.83	5.26	34.44
AV	5.2612G	99.97	Inf	-Inf	96.31	3	Horizontal	85	1.95	-	32.84	5.26	34.44
PK	5.3536G	62.94	74.00	-11.06	59.10	3	Horizontal	85	1.95	-	32.92	5.35	34.43
AV	5.35G	48.94	54.00	-5.06	45.12	3	Horizontal	85	1.95	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5260MHz_TX




EUT Y_1TX
Setting 97
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78124G	56.07	74.00	-17.93	43.02	3	Vertical	43	1.99	-	38.40	9.26	34.61
AV	15.78336G	42.77	54.00	-11.23	29.72	3	Vertical	43	1.99	-	38.40	9.26	34.61

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5260MHz_TX




EUT V_1TX
Setting 97
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78568G	56.42	74.00	-17.58	43.38	3	Horizontal	150	2.78	-	38.40	9.26	34.62
AV	15.77308G	42.72	54.00	-11.28	29.67	3	Horizontal	150	2.78	-	38.40	9.25	34.60

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5300MHz_TX




EUT Y_1TX
Setting 90
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	115.14	Inf	-Inf	111.28	3	Vertical	313	2.48	-	32.99	5.30	34.43
AV	5.3012G	102.10	Inf	-Inf	98.23	3	Vertical	313	2.48	-	33.00	5.30	34.43
PK	5.35G	68.30	74.00	-5.70	64.48	3	Vertical	313	2.48	-	32.90	5.35	34.43
AV	5.35G	53.95	54.00	-0.05	50.13	3	Vertical	313	2.48	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5300MHz_TX




EUT Y_1TX
Setting 90
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	112.15	Inf	-Inf	108.29	3	Horizontal	88	1.80	-	32.99	5.30	34.43
AV	5.2948G	98.85	Inf	-Inf	95.01	3	Horizontal	88	1.80	-	32.98	5.29	34.43
PK	5.3512G	68.04	74.00	-5.96	64.21	3	Horizontal	88	1.80	-	32.91	5.35	34.43
AV	5.35G	51.57	54.00	-2.43	47.75	3	Horizontal	88	1.80	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5300MHz_TX




EUT Y_1TX
Setting 90
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90436G	56.67	74.00	-17.33	43.52	3	Vertical	215	2.35	-	38.60	9.28	34.73
AV	15.90328G	43.04	54.00	-10.96	29.89	3	Vertical	215	2.35	-	38.60	9.28	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5300MHz_TX




EUT Y_1TX
Setting 90
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90848G	56.30	74.00	-17.70	43.15	3	Horizontal	88	2.29	-	38.61	9.28	34.74
AV	15.89764G	43.00	54.00	-11.00	29.85	3	Horizontal	88	2.29	-	38.60	9.28	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5320MHz_TX




EUT Y_1TX
Setting 78
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	111.89	Inf	-Inf	108.04	3	Vertical	312	2.44	-	32.96	5.32	34.43
AV	5.325G	99.91	Inf	-Inf	96.06	3	Vertical	312	2.44	-	32.95	5.33	34.43
PK	5.3502G	72.50	74.00	-1.50	68.68	3	Vertical	312	2.44	-	32.90	5.35	34.43
AV	5.3502G	53.76	54.00	-0.24	49.94	3	Vertical	312	2.44	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5320MHz_TX




EUT Y_1TX
Setting 78
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	109.66	Inf	-Inf	105.80	3	Horizontal	77	2.01	-	32.97	5.32	34.43
AV	5.3182G	96.35	Inf	-Inf	92.50	3	Horizontal	77	2.01	-	32.96	5.32	34.43
PK	5.35G	69.08	74.00	-4.92	65.26	3	Horizontal	77	2.01	-	32.90	5.35	34.43
AV	5.35G	50.71	54.00	-3.29	46.89	3	Horizontal	77	2.01	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5320MHz_TX




EUT_V_1TX
Setting 78
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96348G	56.04	74.00	-17.96	42.88	3	Vertical	206	2.78	-	38.66	9.29	34.79
AV	15.95468G	42.86	54.00	-11.14	29.70	3	Vertical	206	2.78	-	38.65	9.29	34.78

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5320MHz_TX




EUT V_1TX
Setting 78
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95588G	55.77	74.00	-18.23	42.61	3	Horizontal	35	2.53	-	38.66	9.29	34.79
AV	15.95472G	42.89	54.00	-11.11	29.73	3	Horizontal	35	2.53	-	38.65	9.29	34.78

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5190MHz_TX




EUT Y_1TX
Setting 74
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.24	74.00	-1.76	68.92	3	Vertical	332	2.25	-	32.60	5.17	34.45
AV	5.1492G	53.18	54.00	-0.82	49.86	3	Vertical	332	2.25	-	32.60	5.17	34.45
PK	5.182G	106.98	Inf	-Inf	103.58	3	Vertical	332	2.25	-	32.66	5.19	34.45
AV	5.1944G	94.71	Inf	-Inf	91.27	3	Vertical	332	2.25	-	32.69	5.20	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5190MHz_TX




EUT Y_1TX
Setting 74
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.82	74.00	-3.18	67.50	3	Horizontal	20	1.00	-	32.60	5.17	34.45
AV	5.1496G	51.83	54.00	-2.17	48.51	3	Horizontal	20	1.00	-	32.60	5.17	34.45
PK	5.206G	105.07	Inf	-Inf	101.60	3	Horizontal	20	1.00	-	32.71	5.21	34.45
AV	5.1944G	93.56	Inf	-Inf	90.12	3	Horizontal	20	1.00	-	32.69	5.20	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5190MHz_TX




EUT V_1TX
Setting 74
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55566G	57.33	74.00	-16.67	44.30	3	Vertical	120	2.90	-	38.21	9.21	34.39
AV	15.5748G	45.55	54.00	-8.45	32.49	3	Vertical	120	2.90	-	38.25	9.21	34.40

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5190MHz_TX




EUT V_1TX
Setting 74
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56928G	58.29	74.00	-15.71	45.24	3	Horizontal	27	1.78	-	38.24	9.21	34.40
AV	15.58422G	46.09	54.00	-7.91	33.01	3	Horizontal	27	1.78	-	38.27	9.22	34.41

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5230MHz_TX




EUT Y_1TX
Setting 90
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	65.42	74.00	-8.58	62.10	3	Vertical	312	2.34	-	32.60	5.17	34.45
AV	5.15G	53.44	54.00	-0.56	50.12	3	Vertical	312	2.34	-	32.60	5.17	34.45
PK	5.2456G	110.85	Inf	-Inf	107.25	3	Vertical	312	2.34	-	32.79	5.25	34.44
AV	5.2342G	99.05	Inf	-Inf	95.49	3	Vertical	312	2.34	-	32.77	5.23	34.44
PK	5.353G	60.19	74.00	-13.81	56.35	3	Vertical	312	2.34	-	32.92	5.35	34.43
AV	5.3512G	46.74	54.00	-7.26	42.91	3	Vertical	312	2.34	-	32.91	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5230MHz_TX




EUT Y_1TX
Setting 90
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	62.77	74.00	-11.23	59.45	3	Horizontal	86	1.33	-	32.60	5.17	34.45
AV	5.15G	50.68	54.00	-3.32	47.36	3	Horizontal	86	1.33	-	32.60	5.17	34.45
PK	5.215G	108.22	Inf	-Inf	104.72	3	Horizontal	86	1.33	-	32.73	5.21	34.44
AV	5.2342G	96.39	Inf	-Inf	92.83	3	Horizontal	86	1.33	-	32.77	5.23	34.44
PK	5.3518G	58.40	74.00	-15.60	54.57	3	Horizontal	86	1.33	-	32.91	5.35	34.43
AV	5.3524G	46.21	54.00	-7.79	42.38	3	Horizontal	86	1.33	-	32.91	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5230MHz_TX




EUT_V_1TX
Setting 90
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6903G	58.19	74.00	-15.81	45.08	3	Vertical	179	2.89	-	38.39	9.24	34.52
AV	15.70296G	45.66	54.00	-8.34	32.55	3	Vertical	179	2.89	-	38.40	9.24	34.53

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5230MHz_TX




EUT V_1TX
Setting 90
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68964G	58.10	74.00	-15.90	44.99	3	Horizontal	159	1.80	-	38.39	9.24	34.52
AV	15.69264G	46.04	54.00	-7.96	32.93	3	Horizontal	159	1.80	-	38.39	9.24	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5270MHz_TX




EUT Y_1TX
Setting 92
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.40	74.00	-14.60	56.08	3	Vertical	324	2.25	-	32.60	5.17	34.45
AV	5.1494G	46.92	54.00	-7.08	43.60	3	Vertical	324	2.25	-	32.60	5.17	34.45
PK	5.2622G	112.16	Inf	-Inf	108.49	3	Vertical	324	2.25	-	32.85	5.26	34.44
AV	5.2616G	99.43	Inf	-Inf	95.76	3	Vertical	324	2.25	-	32.85	5.26	34.44
PK	5.35G	67.60	74.00	-6.40	63.78	3	Vertical	324	2.25	-	32.90	5.35	34.43
AV	5.3516G	53.96	54.00	-0.04	50.13	3	Vertical	324	2.25	-	32.91	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5270MHz_TX




EUT Y_1TX
Setting 92
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	56.98	74.00	-17.02	53.66	3	Horizontal	87	1.56	-	32.60	5.17	34.45
AV	5.1488G	45.64	54.00	-8.36	42.32	3	Horizontal	87	1.56	-	32.60	5.17	34.45
PK	5.255G	108.78	Inf	-Inf	105.15	3	Horizontal	87	1.56	-	32.82	5.25	34.44
AV	5.267G	96.79	Inf	-Inf	93.09	3	Horizontal	87	1.56	-	32.87	5.27	34.44
PK	5.3546G	65.07	74.00	-8.93	61.22	3	Horizontal	87	1.56	-	32.93	5.35	34.43
AV	5.351G	51.66	54.00	-2.34	47.83	3	Horizontal	87	1.56	-	32.91	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5270MHz_TX




EUT V_1TX
Setting 92
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80112G	57.64	74.00	-16.36	44.61	3	Vertical	114	1.85	-	38.40	9.26	34.63
AV	15.8028G	45.44	54.00	-8.56	32.40	3	Vertical	114	1.85	-	38.41	9.26	34.63

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5270MHz_TX




EUT V_1TX
Setting 92
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81144G	57.55	74.00	-16.45	44.51	3	Horizontal	117	2.64	-	38.42	9.26	34.64
AV	15.80604G	45.37	54.00	-8.63	32.34	3	Horizontal	117	2.64	-	38.41	9.26	34.64

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5310MHz_TX




EUT Y_1TX
Setting 70
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	107.50	Inf	-Inf	103.63	3	Vertical	308	2.62	-	33.00	5.30	34.43
AV	5.3228G	94.98	Inf	-Inf	91.14	3	Vertical	308	2.62	-	32.95	5.32	34.43
PK	5.3536G	70.45	74.00	-3.55	66.61	3	Vertical	308	2.62	-	32.92	5.35	34.43
AV	5.3504G	51.71	54.00	-2.29	47.89	3	Vertical	308	2.62	-	32.90	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5310MHz_TX




EUT Y_1TX
Setting 70
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	109.22	Inf	-Inf	105.35	3	Horizontal	290	2.77	-	33.00	5.30	34.43
AV	5.3024G	96.40	Inf	-Inf	92.53	3	Horizontal	290	2.77	-	33.00	5.30	34.43
PK	5.3536G	71.75	74.00	-2.25	67.91	3	Horizontal	290	2.77	-	32.92	5.35	34.43
AV	5.35G	53.96	54.00	-0.04	50.14	3	Horizontal	290	2.77	-	32.90	5.35	34.43

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5310MHz_TX




EUT Y_1TX
Setting 70
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63254G	52.66	74.00	-21.34	41.43	3	Vertical	93	1.80	-	38.43	7.52	34.72
AV	10.62282G	40.83	54.00	-13.17	29.62	3	Vertical	93	1.80	-	38.42	7.52	34.73
PK	15.93108G	57.93	74.00	-16.07	44.77	3	Vertical	227	1.88	-	38.63	9.29	34.76
AV	15.9321G	45.12	54.00	-8.88	31.96	3	Vertical	227	1.88	-	38.63	9.29	34.76

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5310MHz_TX




EUT Y_1TX
Setting 70
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60974G	53.24	74.00	-20.76	42.06	3	Horizontal	14	2.99	-	38.41	7.51	34.74
AV	10.63422G	41.06	54.00	-12.94	29.83	3	Horizontal	14	2.99	-	38.43	7.52	34.72
PK	15.92802G	58.06	74.00	-15.94	44.90	3	Horizontal	137	2.07	-	38.63	9.29	34.76
AV	15.93138G	45.41	54.00	-8.59	32.25	3	Horizontal	137	2.07	-	38.63	9.29	34.76

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5210MHz_TX




EUT Y_1TX
Setting 70
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	70.32	74.00	-3.68	67.00	3	Vertical	310	2.31	-	32.60	5.17	34.45
AV	5.15G	53.85	54.00	-0.15	50.53	3	Vertical	310	2.31	-	32.60	5.17	34.45
PK	5.224G	105.31	Inf	-Inf	101.78	3	Vertical	310	2.31	-	32.75	5.22	34.44
AV	5.199G	93.13	Inf	-Inf	89.68	3	Vertical	310	2.31	-	32.70	5.20	34.45
PK	5.353G	58.63	74.00	-15.37	54.79	3	Vertical	310	2.31	-	32.92	5.35	34.43
AV	5.35G	46.92	54.00	-7.08	43.10	3	Vertical	310	2.31	-	32.90	5.35	34.43

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5210MHz_TX




EUT Y_1TX
Setting 70
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	69.48	74.00	-4.52	66.16	3	Horizontal	21	1.05	-	32.60	5.17	34.45
AV	5.148G	52.34	54.00	-1.66	49.02	3	Horizontal	21	1.05	-	32.60	5.17	34.45
PK	5.223G	103.14	Inf	-Inf	99.61	3	Horizontal	21	1.05	-	32.75	5.22	34.44
AV	5.223G	91.10	Inf	-Inf	87.57	3	Horizontal	21	1.05	-	32.75	5.22	34.44
PK	5.398G	57.02	74.00	-16.98	52.85	3	Horizontal	21	1.05	-	33.19	5.40	34.42
AV	5.365G	46.07	54.00	-7.93	42.14	3	Horizontal	21	1.05	-	32.99	5.37	34.43

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5210MHz_TX




EUT V_1TX
Setting 70
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.64134G	58.08	74.00	-15.92	44.98	3	Vertical	215	1.07	-	38.34	9.23	34.47
AV	15.63732G	45.91	54.00	-8.09	32.81	3	Vertical	215	1.07	-	38.34	9.23	34.47

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5210MHz_TX




EUT V_1TX
Setting 70
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63984G	58.15	74.00	-15.85	45.05	3	Horizontal	127	1.80	-	38.34	9.23	34.47
AV	15.63756G	46.11	54.00	-7.89	33.01	3	Horizontal	127	1.80	-	38.34	9.23	34.47

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5290MHz_TX




EUT Y_1TX
Setting 70
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	57.23	74.00	-16.77	53.91	3	Vertical	317	2.39	-	32.60	5.17	34.45
AV	5.146G	45.86	54.00	-8.14	42.54	3	Vertical	317	2.39	-	32.60	5.17	34.45
PK	5.303G	103.78	Inf	-Inf	99.92	3	Vertical	317	2.39	-	32.99	5.30	34.43
AV	5.303G	92.82	Inf	-Inf	88.96	3	Vertical	317	2.39	-	32.99	5.30	34.43
PK	5.367G	70.38	74.00	-3.62	66.44	3	Vertical	317	2.39	-	33.00	5.37	34.43
AV	5.352G	53.68	54.00	-0.32	49.85	3	Vertical	317	2.39	-	32.91	5.35	34.43
PK	5.515G	57.73	68.20	-10.47	53.19	3	Vertical	317	2.39	-	33.56	5.40	34.42

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5290MHz_TX




EUT Y_1TX
Setting 70
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	57.35	74.00	-16.65	54.03	3	Horizontal	85	1.06	-	32.60	5.17	34.45
AV	5.148G	45.29	54.00	-8.71	41.97	3	Horizontal	85	1.06	-	32.60	5.17	34.45
PK	5.289G	101.45	Inf	-Inf	97.64	3	Horizontal	85	1.06	-	32.96	5.29	34.44
AV	5.299G	89.74	Inf	-Inf	85.87	3	Horizontal	85	1.06	-	33.00	5.30	34.43
PK	5.351G	70.08	74.00	-3.92	66.25	3	Horizontal	85	1.06	-	32.91	5.35	34.43
AV	5.351G	51.51	54.00	-2.49	47.68	3	Horizontal	85	1.06	-	32.91	5.35	34.43
PK	5.528G	57.70	68.20	-10.50	53.11	3	Horizontal	85	1.06	-	33.61	5.40	34.42

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5290MHz_TX




EUT V_1TX
Setting 70
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85542G	57.92	74.00	-16.08	44.83	3	Vertical	315	1.52	-	38.51	9.27	34.69
AV	15.8697G	45.68	54.00	-8.32	32.57	3	Vertical	315	1.52	-	38.54	9.27	34.70

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5290MHz_TX



EUT_V_1TX
Setting 70
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86124G	57.64	74.00	-16.36	44.54	3	Horizontal	119	2.65	-	38.52	9.27	34.69
AV	15.86556G	45.42	54.00	-8.58	32.32	3	Horizontal	119	2.65	-	38.53	9.27	34.70




For Radio 2 / 2T1S / 2T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.3504G	73.94	74.00	-0.06	3	Vertical	13	2.43	-

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5180MHz_TX




EUT_Z_2TX
Setting 79
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	72.83	74.00	-1.17	69.51	3	Vertical	15	2.59	-	32.60	5.17	34.45
AV	5.149G	53.75	54.00	-0.25	50.43	3	Vertical	15	2.59	-	32.60	5.17	34.45
PK	5.185G	115.50	Inf	-Inf	112.09	3	Vertical	15	2.59	-	32.67	5.19	34.45
AV	5.175G	105.83	Inf	-Inf	102.44	3	Vertical	15	2.59	-	32.65	5.19	34.45

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5180MHz_TX




EUT Z_2TX
Setting 79
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	67.60	74.00	-6.40	64.28	3	Horizontal	27	3.00	-	32.60	5.17	34.45
AV	5.1468G	49.51	54.00	-4.49	46.19	3	Horizontal	27	3.00	-	32.60	5.17	34.45
PK	5.177G	112.26	Inf	-Inf	108.87	3	Horizontal	27	3.00	-	32.65	5.19	34.45
AV	5.177G	102.70	Inf	-Inf	99.31	3	Horizontal	27	3.00	-	32.65	5.19	34.45

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5180MHz_TX




EUT Z_2TX
Setting 79
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53564G	57.45	74.00	-16.55	44.44	3	Vertical	308	1.80	-	38.17	9.21	34.37
AV	15.53852G	44.88	54.00	-9.12	31.86	3	Vertical	308	1.80	-	38.18	9.21	34.37

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5180MHz_TX




EUT_Z_2TX
Setting 79
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5411G	58.07	74.00	-15.93	45.05	3	Horizontal	144	1.89	-	38.18	9.21	34.37
AV	15.54018G	44.63	54.00	-9.37	31.61	3	Horizontal	144	1.89	-	38.18	9.21	34.37

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5200MHz_TX




EUT_Z_2TX
Setting 92
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.43	74.00	-3.57	67.11	3	Vertical	11	2.44	-	32.60	5.17	34.45
AV	5.15G	53.74	54.00	-0.26	50.42	3	Vertical	11	2.44	-	32.60	5.17	34.45
PK	5.1952G	119.49	Inf	-Inf	116.05	3	Vertical	11	2.44	-	32.69	5.20	34.45
AV	5.1952G	109.01	Inf	-Inf	105.57	3	Vertical	11	2.44	-	32.69	5.20	34.45

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5200MHz_TX




EUT_Z_2TX
Setting 92
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	64.70	74.00	-9.30	61.38	3	Horizontal	203	2.78	-	32.60	5.17	34.45
AV	5.15G	48.33	54.00	-5.67	45.01	3	Horizontal	203	2.78	-	32.60	5.17	34.45
PK	5.2068G	114.14	Inf	-Inf	110.67	3	Horizontal	203	2.78	-	32.71	5.21	34.45
AV	5.2024G	104.74	Inf	-Inf	101.29	3	Horizontal	203	2.78	-	32.70	5.20	34.45

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5200MHz_TX




EUT Z_2TX
Setting 92
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60588G	58.67	74.00	-15.33	45.58	3	Vertical	228	1.30	-	38.31	9.22	34.44
AV	15.5954G	45.04	54.00	-8.96	31.96	3	Vertical	228	1.30	-	38.29	9.22	34.43

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5200MHz_TX




EUT_Z_2TX
Setting 92
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60004G	57.17	74.00	-16.83	44.08	3	Horizontal	11	1.36	-	38.30	9.22	34.43
AV	15.60084G	44.34	54.00	-9.66	31.25	3	Horizontal	11	1.36	-	38.31	9.22	34.44

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5240MHz_TX




EUT_Z_2TX
Setting 99
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	64.70	74.00	-9.30	61.38	3	Vertical	12	2.64	-	32.60	5.17	34.45
AV	5.1482G	49.62	54.00	-4.38	46.30	3	Vertical	12	2.64	-	32.60	5.17	34.45
PK	5.2358G	121.49	Inf	-Inf	117.92	3	Vertical	12	2.64	-	32.77	5.24	34.44
AV	5.2352G	111.29	Inf	-Inf	107.72	3	Vertical	12	2.64	-	32.77	5.24	34.44
PK	5.3504G	64.35	74.00	-9.65	60.53	3	Vertical	12	2.64	-	32.90	5.35	34.43
AV	5.3528G	47.88	54.00	-6.12	44.04	3	Vertical	12	2.64	-	32.92	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5240MHz_TX




EUT_Z_2TX
Setting 99
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	62.47	74.00	-11.53	59.15	3	Horizontal	17	2.89	-	32.60	5.17	34.45
AV	5.1464G	47.98	54.00	-6.02	44.66	3	Horizontal	17	2.89	-	32.60	5.17	34.45
PK	5.2376G	117.51	Inf	-Inf	113.93	3	Horizontal	17	2.89	-	32.78	5.24	34.44
AV	5.2424G	107.39	Inf	-Inf	103.81	3	Horizontal	17	2.89	-	32.78	5.24	34.44
PK	5.351G	61.37	74.00	-12.63	57.54	3	Horizontal	17	2.89	-	32.91	5.35	34.43
AV	5.35G	46.55	54.00	-7.45	42.73	3	Horizontal	17	2.89	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5240MHz_TX




EUT Z_2TX
Setting 99
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71632G	57.83	74.00	-16.17	44.74	3	Vertical	239	1.62	-	38.40	9.24	34.55
AV	15.71312G	45.03	54.00	-8.97	31.93	3	Vertical	239	1.62	-	38.40	9.24	34.54

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5240MHz_TX




EUT Z_2TX
Setting 99
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71056G	58.09	74.00	-15.91	44.99	3	Horizontal	236	2.03	-	38.40	9.24	34.54
AV	15.71788G	45.04	54.00	-8.96	31.95	3	Horizontal	236	2.03	-	38.40	9.24	34.55

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5260MHz_TX




EUT Z_2TX
Setting 96
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	61.65	74.00	-12.35	58.33	3	Vertical	10	2.62	-	32.60	5.17	34.45
AV	5.1472G	47.30	54.00	-6.70	43.98	3	Vertical	10	2.62	-	32.60	5.17	34.45
PK	5.2552G	121.20	Inf	-Inf	117.56	3	Vertical	10	2.62	-	32.82	5.26	34.44
AV	5.2552G	110.64	Inf	-Inf	107.00	3	Vertical	10	2.62	-	32.82	5.26	34.44
PK	5.3524G	67.59	74.00	-6.41	63.76	3	Vertical	10	2.62	-	32.91	5.35	34.43
AV	5.3524G	51.22	54.00	-2.78	47.39	3	Vertical	10	2.62	-	32.91	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5260MHz_TX




EUT_Z_2TX
Setting 96
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	60.17	74.00	-13.83	56.85	3	Horizontal	7	2.86	-	32.60	5.17	34.45
AV	5.1496G	45.94	54.00	-8.06	42.62	3	Horizontal	7	2.86	-	32.60	5.17	34.45
PK	5.2624G	116.94	Inf	-Inf	113.27	3	Horizontal	7	2.86	-	32.85	5.26	34.44
AV	5.2624G	107.52	Inf	-Inf	103.85	3	Horizontal	7	2.86	-	32.85	5.26	34.44
PK	5.3506G	63.58	74.00	-10.42	59.76	3	Horizontal	7	2.86	-	32.90	5.35	34.43
AV	5.35G	48.89	54.00	-5.11	45.07	3	Horizontal	7	2.86	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5260MHz_TX




EUT Z_2TX
Setting 96
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78684G	57.47	74.00	-16.53	44.43	3	Vertical	130	2.03	-	38.40	9.26	34.62
AV	15.77116G	44.54	54.00	-9.46	31.49	3	Vertical	130	2.03	-	38.40	9.25	34.60

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5260MHz_TX




EUT Z_2TX
Setting 96
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77912G	58.25	74.00	-15.75	45.20	3	Horizontal	277	2.98	-	38.40	9.26	34.61
AV	15.78684G	44.67	54.00	-9.33	31.63	3	Horizontal	277	2.98	-	38.40	9.26	34.62

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5300MHz_TX




EUT_Z_2TX
Setting 88
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	118.70	Inf	-Inf	114.85	3	Vertical	13	2.43	-	32.98	5.30	34.43
AV	5.3056G	108.73	Inf	-Inf	104.86	3	Vertical	13	2.43	-	32.99	5.31	34.43
PK	5.3504G	73.94	74.00	-0.06	70.12	3	Vertical	13	2.43	-	32.90	5.35	34.43
AV	5.3504G	52.63	54.00	-1.37	48.81	3	Vertical	13	2.43	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5300MHz_TX




EUT_Z_2TX
Setting 88
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2932G	114.29	Inf	-Inf	110.46	3	Horizontal	25	2.90	-	32.97	5.29	34.43
AV	5.298G	104.74	Inf	-Inf	100.88	3	Horizontal	25	2.90	-	32.99	5.30	34.43
PK	5.3528G	67.96	74.00	-6.04	64.12	3	Horizontal	25	2.90	-	32.92	5.35	34.43
AV	5.3528G	48.81	54.00	-5.19	44.97	3	Horizontal	25	2.90	-	32.92	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5300MHz_TX




EUT Z_2TX
Setting 88
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.895G	57.89	74.00	-16.11	44.74	3	Vertical	8	2.18	-	38.59	9.28	34.72
AV	15.9092G	44.65	54.00	-9.35	31.50	3	Vertical	8	2.18	-	38.61	9.28	34.74

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5300MHz_TX




EUT Z_2TX
Setting 88
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9086G	57.75	74.00	-16.25	44.60	3	Horizontal	190	2.01	-	38.61	9.28	34.74
AV	15.9014G	44.69	54.00	-9.31	31.54	3	Horizontal	190	2.01	-	38.60	9.28	34.73

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5320MHz_TX




EUT_Z_2TX
Setting 75
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3258G	114.88	Inf	-Inf	111.03	3	Vertical	11	2.52	-	32.95	5.33	34.43
AV	5.3258G	105.47	Inf	-Inf	101.62	3	Vertical	11	2.52	-	32.95	5.33	34.43
PK	5.3558G	73.45	74.00	-0.55	69.59	3	Vertical	11	2.52	-	32.93	5.36	34.43
AV	5.351G	53.79	54.00	-0.21	49.96	3	Vertical	11	2.52	-	32.91	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5320MHz_TX




EUT_Z_2TX
Setting 75
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	111.23	Inf	-Inf	107.37	3	Horizontal	0	2.85	-	32.97	5.32	34.43
AV	5.322G	101.92	Inf	-Inf	98.07	3	Horizontal	0	2.85	-	32.96	5.32	34.43
PK	5.3526G	68.95	74.00	-5.05	65.11	3	Horizontal	0	2.85	-	32.92	5.35	34.43
AV	5.3516G	49.88	54.00	-4.12	46.05	3	Horizontal	0	2.85	-	32.91	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5320MHz_TX




EUT_Z_2TX
Setting 75
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9556G	57.00	74.00	-17.00	43.84	3	Vertical	24	1.81	-	38.66	9.29	34.79
AV	15.95196G	44.69	54.00	-9.31	31.53	3	Vertical	24	1.81	-	38.65	9.29	34.78

802.11a_Nss1,(6Mbps)_2TX

26/04/2021

5320MHz_TX




EUT Z_2TX
Setting 75
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96376G	57.47	74.00	-16.53	44.31	3	Horizontal	336	2.68	-	38.66	9.29	34.79
AV	15.96548G	44.67	54.00	-9.33	31.51	3	Horizontal	336	2.68	-	38.67	9.29	34.80

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5180MHz_TX




EUT_Z_2TX
Setting 76
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	69.34	74.00	-4.66	66.02	3	Vertical	14	2.58	-	32.60	5.17	34.45
AV	5.15G	53.89	54.00	-0.11	50.57	3	Vertical	14	2.58	-	32.60	5.17	34.45
PK	5.1836G	115.11	Inf	-Inf	111.70	3	Vertical	14	2.58	-	32.67	5.19	34.45
AV	5.175G	102.76	Inf	-Inf	99.37	3	Vertical	14	2.58	-	32.65	5.19	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5180MHz_TX




EUT_Z_2TX
Setting 76
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.66	74.00	-7.34	63.34	3	Horizontal	14	2.89	-	32.60	5.17	34.45
AV	5.15G	52.13	54.00	-1.87	48.81	3	Horizontal	14	2.89	-	32.60	5.17	34.45
PK	5.1756G	110.97	Inf	-Inf	107.58	3	Horizontal	14	2.89	-	32.65	5.19	34.45
AV	5.178G	98.52	Inf	-Inf	95.12	3	Horizontal	14	2.89	-	32.66	5.19	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5180MHz_TX




EUT Z_2TX
Setting 76
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54876G	57.38	74.00	-16.62	44.35	3	Vertical	226	2.50	-	38.20	9.21	34.38
AV	15.546G	44.72	54.00	-9.28	31.70	3	Vertical	226	2.50	-	38.19	9.21	34.38

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5180MHz_TX




EUT Z_2TX
Setting 76
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53788G	58.44	74.00	-15.56	45.42	3	Horizontal	22	2.76	-	38.18	9.21	34.37
AV	15.5328G	44.67	54.00	-9.33	31.65	3	Horizontal	22	2.76	-	38.17	9.21	34.36

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5200MHz_TX




EUT_Z_2TX
Setting 89
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.57	74.00	-4.43	66.25	3	Vertical	12	2.39	-	32.60	5.17	34.45
AV	5.1496G	53.90	54.00	-0.10	50.58	3	Vertical	12	2.39	-	32.60	5.17	34.45
PK	5.1952G	117.73	Inf	-Inf	114.29	3	Vertical	12	2.39	-	32.69	5.20	34.45
AV	5.2016G	106.81	Inf	-Inf	103.36	3	Vertical	12	2.39	-	32.70	5.20	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5200MHz_TX




EUT_Z_2TX
Setting 89
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	63.63	74.00	-10.37	60.31	3	Horizontal	204	2.82	-	32.60	5.17	34.45
AV	5.15G	50.07	54.00	-3.93	46.75	3	Horizontal	204	2.82	-	32.60	5.17	34.45
PK	5.1984G	113.52	Inf	-Inf	110.07	3	Horizontal	204	2.82	-	32.70	5.20	34.45
AV	5.202G	102.27	Inf	-Inf	98.82	3	Horizontal	204	2.82	-	32.70	5.20	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5200MHz_TX




EUT Z_2TX
Setting 89
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60668G	58.78	74.00	-15.22	45.69	3	Vertical	166	1.12	-	38.31	9.22	34.44
AV	15.60944G	45.54	54.00	-8.46	32.45	3	Vertical	166	1.12	-	38.31	9.22	34.44

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5200MHz_TX




EUT Z_2TX
Setting 89
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59172G	57.45	74.00	-16.55	44.37	3	Horizontal	269	1.23	-	38.28	9.22	34.42
AV	15.60844G	45.74	54.00	-8.26	32.65	3	Horizontal	269	1.23	-	38.31	9.22	34.44

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5240MHz_TX




EUT_Z_2TX
Setting 99
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	67.06	74.00	-6.94	63.74	3	Vertical	11	2.63	-	32.60	5.17	34.45
AV	5.1494G	53.75	54.00	-0.25	50.43	3	Vertical	11	2.63	-	32.60	5.17	34.45
PK	5.2352G	119.46	Inf	-Inf	115.89	3	Vertical	11	2.63	-	32.77	5.24	34.44
AV	5.2412G	108.06	Inf	-Inf	104.48	3	Vertical	11	2.63	-	32.78	5.24	34.44
PK	5.3618G	64.91	74.00	-9.09	61.01	3	Vertical	11	2.63	-	32.97	5.36	34.43
AV	5.3504G	50.95	54.00	-3.05	47.13	3	Vertical	11	2.63	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5240MHz_TX




EUT_Z_2TX
Setting 99
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	64.72	74.00	-9.28	61.40	3	Horizontal	4	2.72	-	32.60	5.17	34.45
AV	5.15G	51.67	54.00	-2.33	48.35	3	Horizontal	4	2.72	-	32.60	5.17	34.45
PK	5.2334G	115.92	Inf	-Inf	112.36	3	Horizontal	4	2.72	-	32.77	5.23	34.44
AV	5.2364G	104.96	Inf	-Inf	101.39	3	Horizontal	4	2.72	-	32.77	5.24	34.44
PK	5.35G	63.10	74.00	-10.90	59.28	3	Horizontal	4	2.72	-	32.90	5.35	34.43
AV	5.35G	49.24	54.00	-4.76	45.42	3	Horizontal	4	2.72	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5240MHz_TX




EUT Z_2TX
Setting 99
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71452G	57.79	74.00	-16.21	44.69	3	Vertical	17	1.67	-	38.40	9.24	34.54
AV	15.71264G	45.65	54.00	-8.35	32.55	3	Vertical	17	1.67	-	38.40	9.24	34.54

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5240MHz_TX




EUT Z_2TX
Setting 99
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7136G	58.14	74.00	-15.86	45.04	3	Horizontal	203	2.90	-	38.40	9.24	34.54
AV	15.71496G	45.92	54.00	-8.08	32.82	3	Horizontal	203	2.90	-	38.40	9.24	34.54

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5260MHz_TX




EUT_Z_2TX
Setting 95
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.41	74.00	-12.59	58.09	3	Vertical	13	2.63	-	32.60	5.17	34.45
AV	5.15G	48.47	54.00	-5.53	45.15	3	Vertical	13	2.63	-	32.60	5.17	34.45
PK	5.2552G	119.17	Inf	-Inf	115.53	3	Vertical	13	2.63	-	32.82	5.26	34.44
AV	5.2624G	107.41	Inf	-Inf	103.74	3	Vertical	13	2.63	-	32.85	5.26	34.44
PK	5.3554G	66.41	74.00	-7.59	62.55	3	Vertical	13	2.63	-	32.93	5.36	34.43
AV	5.3506G	52.05	54.00	-1.95	48.23	3	Vertical	13	2.63	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5260MHz_TX




EUT Z_2TX
Setting 95
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	57.68	74.00	-16.32	54.36	3	Horizontal	6	2.86	-	32.60	5.17	34.45
AV	5.15G	46.96	54.00	-7.04	43.64	3	Horizontal	6	2.86	-	32.60	5.17	34.45
PK	5.2624G	114.91	Inf	-Inf	111.24	3	Horizontal	6	2.86	-	32.85	5.26	34.44
AV	5.2618G	104.20	Inf	-Inf	100.53	3	Horizontal	6	2.86	-	32.85	5.26	34.44
PK	5.3518G	64.45	74.00	-9.55	60.62	3	Horizontal	6	2.86	-	32.91	5.35	34.43
AV	5.35G	49.30	54.00	-4.70	45.48	3	Horizontal	6	2.86	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5260MHz_TX




EUT Z_2TX
Setting 95
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78976G	57.91	74.00	-16.09	44.87	3	Vertical	200	1.68	-	38.40	9.26	34.62
AV	15.78444G	45.37	54.00	-8.63	32.32	3	Vertical	200	1.68	-	38.40	9.26	34.61

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5260MHz_TX




EUT Z_2TX
Setting 95
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77456G	58.26	74.00	-15.74	45.21	3	Horizontal	129	1.54	-	38.40	9.25	34.60
AV	15.7718G	45.42	54.00	-8.58	32.37	3	Horizontal	129	1.54	-	38.40	9.25	34.60

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5300MHz_TX




EUT_Z_2TX
Setting 85
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	117.32	Inf	-Inf	113.47	3	Vertical	13	2.43	-	32.98	5.30	34.43
AV	5.2952G	105.71	Inf	-Inf	101.86	3	Vertical	13	2.43	-	32.98	5.30	34.43
PK	5.3512G	70.46	74.00	-3.54	66.63	3	Vertical	13	2.43	-	32.91	5.35	34.43
AV	5.3504G	53.78	54.00	-0.22	49.96	3	Vertical	13	2.43	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5300MHz_TX




EUT_Z_2TX
Setting 85
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	113.13	Inf	-Inf	109.27	3	Horizontal	205	2.90	-	32.99	5.30	34.43
AV	5.2972G	101.61	Inf	-Inf	97.75	3	Horizontal	205	2.90	-	32.99	5.30	34.43
PK	5.35G	65.31	74.00	-8.69	61.49	3	Horizontal	205	2.90	-	32.90	5.35	34.43
AV	5.35G	49.54	54.00	-4.46	45.72	3	Horizontal	205	2.90	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5300MHz_TX




EUT Z_2TX
Setting 85
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8972G	57.58	74.00	-16.42	44.44	3	Vertical	266	1.34	-	38.59	9.28	34.73
AV	15.90388G	45.52	54.00	-8.48	32.37	3	Vertical	266	1.34	-	38.60	9.28	34.73

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5300MHz_TX




EUT Z_2TX
Setting 85
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89472G	58.01	74.00	-15.99	44.86	3	Horizontal	120	1.71	-	38.59	9.28	34.72
AV	15.90616G	46.01	54.00	-7.99	32.86	3	Horizontal	120	1.71	-	38.61	9.28	34.74

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5320MHz_TX




EUT_Z_2TX
Setting 71
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	114.06	Inf	-Inf	110.20	3	Vertical	10	2.57	-	32.97	5.32	34.43
AV	5.315G	102.77	Inf	-Inf	98.91	3	Vertical	10	2.57	-	32.97	5.32	34.43
PK	5.3534G	70.40	74.00	-3.60	66.56	3	Vertical	10	2.57	-	32.92	5.35	34.43
AV	5.35G	53.83	54.00	-0.17	50.01	3	Vertical	10	2.57	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5320MHz_TX




EUT_Z_2TX
Setting 71
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	108.60	Inf	-Inf	104.76	3	Horizontal	0	2.61	-	32.95	5.32	34.43
AV	5.3174G	98.33	Inf	-Inf	94.47	3	Horizontal	0	2.61	-	32.97	5.32	34.43
PK	5.35G	64.33	74.00	-9.67	60.51	3	Horizontal	0	2.61	-	32.90	5.35	34.43
AV	5.3504G	50.14	54.00	-3.86	46.32	3	Horizontal	0	2.61	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5320MHz_TX




EUT Z_2TX
Setting 71
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95736G	57.48	74.00	-16.52	44.32	3	Vertical	157	1.62	-	38.66	9.29	34.79
AV	15.96668G	45.56	54.00	-8.44	32.40	3	Vertical	157	1.62	-	38.67	9.29	34.80

802.11ax HEW20_Nss2,(MCS0)_2TX

26/04/2021

5320MHz_TX




EUT Z_2TX
Setting 71
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96568G	57.21	74.00	-16.79	44.05	3	Horizontal	198	2.26	-	38.67	9.29	34.80
AV	15.95128G	45.51	54.00	-8.49	32.35	3	Horizontal	198	2.26	-	38.65	9.29	34.78

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5190MHz_TX




EUT_Z_2TX
Setting 64
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.93	74.00	-0.07	70.61	3	Vertical	12	2.51	-	32.60	5.17	34.45
AV	5.15G	48.14	54.00	-5.86	44.82	3	Vertical	12	2.51	-	32.60	5.17	34.45
PK	5.2024G	108.84	Inf	-Inf	105.39	3	Vertical	12	2.51	-	32.70	5.20	34.45
AV	5.1988G	97.17	Inf	-Inf	93.72	3	Vertical	12	2.51	-	32.70	5.20	34.45

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5190MHz_TX




EUT_Z_2TX
Setting 64
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.30	74.00	-4.70	65.98	3	Horizontal	202	2.62	-	32.60	5.17	34.45
AV	5.1484G	46.38	54.00	-7.62	43.06	3	Horizontal	202	2.62	-	32.60	5.17	34.45
PK	5.202G	104.83	Inf	-Inf	101.38	3	Horizontal	202	2.62	-	32.70	5.20	34.45
AV	5.2044G	92.37	Inf	-Inf	88.91	3	Horizontal	202	2.62	-	32.71	5.20	34.45

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5190MHz_TX




EUT Z_2TX
Setting 64
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5654G	57.62	74.00	-16.38	44.58	3	Vertical	296	1.17	-	38.23	9.21	34.40
AV	15.6118G	45.86	54.00	-8.14	32.77	3	Vertical	296	1.17	-	38.31	9.22	34.44

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5190MHz_TX




EUT Z_2TX
Setting 64
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5558G	58.06	74.00	-15.94	45.03	3	Horizontal	328	2.78	-	38.21	9.21	34.39
AV	15.604G	46.05	54.00	-7.95	32.96	3	Horizontal	328	2.78	-	38.30	9.22	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5230MHz_TX




EUT_Z_2TX
Setting 86
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	67.75	74.00	-6.25	64.43	3	Vertical	12	2.64	-	32.60	5.17	34.45
AV	5.15G	53.93	54.00	-0.07	50.61	3	Vertical	12	2.64	-	32.60	5.17	34.45
PK	5.2258G	113.71	Inf	-Inf	110.17	3	Vertical	12	2.64	-	32.75	5.23	34.44
AV	5.2264G	103.08	Inf	-Inf	99.54	3	Vertical	12	2.64	-	32.75	5.23	34.44
PK	5.3518G	63.72	74.00	-10.28	59.89	3	Vertical	12	2.64	-	32.91	5.35	34.43
AV	5.3506G	48.13	54.00	-5.87	44.31	3	Vertical	12	2.64	-	32.90	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5230MHz_TX




EUT Z_2TX
Setting 86
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.14	74.00	-8.86	61.82	3	Horizontal	16	2.85	-	32.60	5.17	34.45
AV	5.15G	51.17	54.00	-2.83	47.85	3	Horizontal	16	2.85	-	32.60	5.17	34.45
PK	5.2342G	110.47	Inf	-Inf	106.91	3	Horizontal	16	2.85	-	32.77	5.23	34.44
AV	5.2276G	99.00	Inf	-Inf	95.45	3	Horizontal	16	2.85	-	32.76	5.23	34.44
PK	5.3542G	62.30	74.00	-11.70	58.45	3	Horizontal	16	2.85	-	32.93	5.35	34.43
AV	5.3536G	46.43	54.00	-7.57	42.59	3	Horizontal	16	2.85	-	32.92	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5230MHz_TX




EUT Z_2TX
Setting 86
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.688G	57.98	74.00	-16.02	44.87	3	Vertical	253	1.92	-	38.39	9.24	34.52
AV	15.6504G	45.96	54.00	-8.04	32.86	3	Vertical	253	1.92	-	38.35	9.23	34.48

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5230MHz_TX




EUT Z_2TX
Setting 86
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6696G	57.80	74.00	-16.20	44.70	3	Horizontal	274	1.01	-	38.37	9.23	34.50
AV	15.6414G	46.14	54.00	-7.86	33.04	3	Horizontal	274	1.01	-	38.34	9.23	34.47

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5270MHz_TX




EUT_Z_2TX
Setting 85
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	60.88	74.00	-13.12	57.56	3	Vertical	342	2.45	-	32.60	5.17	34.45
AV	5.1464G	46.94	54.00	-7.06	43.62	3	Vertical	342	2.45	-	32.60	5.17	34.45
PK	5.2664G	113.83	Inf	-Inf	110.13	3	Vertical	342	2.45	-	32.87	5.27	34.44
AV	5.2688G	101.10	Inf	-Inf	97.39	3	Vertical	342	2.45	-	32.88	5.27	34.44
PK	5.3636G	69.12	74.00	-4.88	65.21	3	Vertical	342	2.45	-	32.98	5.36	34.43
AV	5.35G	53.81	54.00	-0.19	49.99	3	Vertical	342	2.45	-	32.90	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5270MHz_TX




EUT_Z_2TX
Setting 85
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	61.38	74.00	-12.62	58.06	3	Horizontal	30	2.90	-	32.60	5.17	34.45
AV	5.1476G	46.09	54.00	-7.91	42.77	3	Horizontal	30	2.90	-	32.60	5.17	34.45
PK	5.2664G	110.31	Inf	-Inf	106.61	3	Horizontal	30	2.90	-	32.87	5.27	34.44
AV	5.2694G	98.11	Inf	-Inf	94.40	3	Horizontal	30	2.90	-	32.88	5.27	34.44
PK	5.3636G	65.54	74.00	-8.46	61.63	3	Horizontal	30	2.90	-	32.98	5.36	34.43
AV	5.351G	51.32	54.00	-2.68	47.49	3	Horizontal	30	2.90	-	32.91	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5270MHz_TX




EUT Z_2TX
Setting 85
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7634G	57.80	74.00	-16.20	44.74	3	Vertical	199	2.81	-	38.40	9.25	34.59
AV	15.8476G	45.83	54.00	-8.17	32.74	3	Vertical	199	2.81	-	38.50	9.27	34.68

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5270MHz_TX




EUT Z_2TX
Setting 85
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7726G	58.23	74.00	-15.77	45.18	3	Horizontal	45	2.09	-	38.40	9.25	34.60
AV	15.7874G	45.54	54.00	-8.46	32.50	3	Horizontal	45	2.09	-	38.40	9.26	34.62

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5310MHz_TX




EUT_Z_2TX
Setting 67
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	109.00	Inf	-Inf	105.14	3	Vertical	11	2.43	-	32.98	5.31	34.43
AV	5.3052G	99.65	Inf	-Inf	95.78	3	Vertical	11	2.43	-	32.99	5.31	34.43
PK	5.3504G	73.71	74.00	-0.29	69.89	3	Vertical	11	2.43	-	32.90	5.35	34.43
AV	5.3508G	51.75	54.00	-2.25	47.93	3	Vertical	11	2.43	-	32.90	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5310MHz_TX




EUT_Z_2TX
Setting 67
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	104.92	Inf	-Inf	101.05	3	Horizontal	203	2.68	-	33.00	5.30	34.43
AV	5.306G	95.86	Inf	-Inf	91.99	3	Horizontal	203	2.68	-	32.99	5.31	34.43
PK	5.352G	68.05	74.00	-5.95	64.22	3	Horizontal	203	2.68	-	32.91	5.35	34.43
AV	5.3512G	48.56	54.00	-5.44	44.73	3	Horizontal	203	2.68	-	32.91	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5310MHz_TX




EUT_Z_2TX
Setting 67
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6484G	53.04	74.00	-20.96	41.77	3	Vertical	245	1.94	-	38.45	7.53	34.71
AV	10.6374G	41.63	54.00	-12.37	30.39	3	Vertical	245	1.94	-	38.44	7.52	34.72
PK	15.9116G	57.69	74.00	-16.31	44.54	3	Vertical	121	2.32	-	38.61	9.28	34.74
AV	15.9438G	45.79	54.00	-8.21	32.63	3	Vertical	121	2.32	-	38.64	9.29	34.77

802.11ax HEW40_Nss2,(MCS0)_2TX

26/04/2021

5310MHz_TX




EUT Z_2TX
Setting 67
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6542G	53.62	74.00	-20.38	42.34	3	Horizontal	202	1.56	-	38.45	7.53	34.70
AV	10.6084G	41.47	54.00	-12.53	30.29	3	Horizontal	202	1.56	-	38.41	7.51	34.74
PK	15.9004G	57.80	74.00	-16.20	44.65	3	Horizontal	331	1.72	-	38.60	9.28	34.73
AV	15.9362G	45.89	54.00	-8.11	32.73	3	Horizontal	331	1.72	-	38.64	9.29	34.77

802.11ax HEW80_Nss2,(MCS0)_2TX

26/04/2021

5210MHz_TX




EUT_Z_2TX
Setting 67
01-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.55	74.00	-6.45	64.23	3	Vertical	11	2.66	-	32.60	5.17	34.45
AV	5.15G	53.86	54.00	-0.14	50.54	3	Vertical	11	2.66	-	32.60	5.17	34.45
PK	5.1972G	107.71	Inf	-Inf	104.27	3	Vertical	11	2.66	-	32.69	5.20	34.45
AV	5.2052G	97.28	Inf	-Inf	93.81	3	Vertical	11	2.66	-	32.71	5.21	34.45
PK	5.3524G	58.61	74.00	-15.39	54.78	3	Vertical	11	2.66	-	32.91	5.35	34.43
AV	5.3548G	48.98	54.00	-5.02	45.13	3	Vertical	11	2.66	-	32.93	5.35	34.43

802.11ax HEW80_Nss2,(MCS0)_2TX

26/04/2021

5210MHz_TX




EUT_Z_2TX
Setting 67
01-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.81	74.00	-8.19	62.49	3	Horizontal	21	2.90	-	32.60	5.17	34.45
AV	5.15G	51.97	54.00	-2.03	48.65	3	Horizontal	21	2.90	-	32.60	5.17	34.45
PK	5.202G	103.81	Inf	-Inf	100.36	3	Horizontal	21	2.90	-	32.70	5.20	34.45
AV	5.2124G	93.64	Inf	-Inf	90.15	3	Horizontal	21	2.90	-	32.72	5.21	34.44
PK	5.3732G	57.47	74.00	-16.53	53.49	3	Horizontal	21	2.90	-	33.04	5.37	34.43
AV	5.3532G	48.00	54.00	-6.00	44.16	3	Horizontal	21	2.90	-	32.92	5.35	34.43

802.11ax HEW80_Nss2,(MCS0)_2TX

26/04/2021

5210MHz_TX




EUT Z_2TX
Setting 67
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.643G	57.34	74.00	-16.66	44.24	3	Vertical	242	2.45	-	38.34	9.23	34.47
AV	15.68G	47.09	54.00	-6.91	33.98	3	Vertical	242	2.45	-	38.38	9.24	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX

26/04/2021

5210MHz_TX




EUT Z_2TX
Setting 67
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6746G	57.66	74.00	-16.34	44.56	3	Horizontal	77	1.56	-	38.37	9.23	34.50
AV	15.637G	47.21	54.00	-6.79	34.11	3	Horizontal	77	1.56	-	38.34	9.23	34.47

802.11ax HEW80_Nss2,(MCS0)_2TX

26/04/2021

5290MHz_TX




EUT Z_2TX
Setting 65
01-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	57.50	74.00	-16.50	54.19	3	Vertical	9	2.43	-	32.60	5.16	34.45
AV	5.1492G	47.30	54.00	-6.70	43.98	3	Vertical	9	2.43	-	32.60	5.17	34.45
PK	5.2972G	106.29	Inf	-Inf	102.43	3	Vertical	9	2.43	-	32.99	5.30	34.43
AV	5.3004G	96.13	Inf	-Inf	92.26	3	Vertical	9	2.43	-	33.00	5.30	34.43
PK	5.35G	68.22	74.00	-5.78	64.40	3	Vertical	9	2.43	-	32.90	5.35	34.43
AV	5.3508G	53.81	54.00	-0.19	49.99	3	Vertical	9	2.43	-	32.90	5.35	34.43
PK	5.4788G	57.37	68.20	-10.83	52.92	3	Vertical	9	2.43	-	33.46	5.40	34.41

802.11ax HEW80_Nss2,(MCS0)_2TX

26/04/2021

5290MHz_TX




EUT Z_2TX
Setting 65
01-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1004G	56.38	74.00	-17.62	53.09	3	Horizontal	205	2.90	-	32.60	5.15	34.46
AV	5.1388G	46.49	54.00	-7.51	43.17	3	Horizontal	205	2.90	-	32.60	5.17	34.45
PK	5.2628G	102.73	Inf	-Inf	99.06	3	Horizontal	205	2.90	-	32.85	5.26	34.44
AV	5.3012G	92.09	Inf	-Inf	88.22	3	Horizontal	205	2.90	-	33.00	5.30	34.43
PK	5.35G	67.19	74.00	-6.81	63.37	3	Horizontal	205	2.90	-	32.90	5.35	34.43
AV	5.3628G	50.10	54.00	-3.90	46.19	3	Horizontal	205	2.90	-	32.98	5.36	34.43
PK	5.46G	56.70	68.20	-11.50	52.29	3	Horizontal	205	2.90	-	33.42	5.40	34.41

802.11ax HEW80_Nss2,(MCS0)_2TX

26/04/2021

5290MHz_TX




EUT Z_2TX
Setting 65
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9142G	58.15	74.00	-15.85	45.00	3	Vertical	239	1.44	-	38.61	9.28	34.74
AV	15.8546G	47.36	54.00	-6.64	34.26	3	Vertical	239	1.44	-	38.51	9.27	34.68

802.11ax HEW80_Nss2,(MCS0)_2TX

26/04/2021

5290MHz_TX



EUT Z_2TX
Setting 65
01-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.899G	57.95	74.00	-16.05	44.80	3	Horizontal	173	1.47	-	38.60	9.28	34.73
AV	15.9028G	47.23	54.00	-6.77	34.08	3	Horizontal	173	1.47	-	38.60	9.28	34.73




For Radio 3 / 2T1S / 2T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.97	54.00	-0.03	3	Horizontal	64	1.72	-

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5180MHz_TX




EUT Y_2TX
Setting 73
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.27	74.00	-7.73	62.95	3	Vertical	326	2.03	-	32.60	5.17	34.45
AV	5.15G	48.21	54.00	-5.79	44.89	3	Vertical	326	2.03	-	32.60	5.17	34.45
PK	5.1758G	108.43	Inf	-Inf	105.04	3	Vertical	326	2.03	-	32.65	5.19	34.45
AV	5.1756G	99.14	Inf	-Inf	95.75	3	Vertical	326	2.03	-	32.65	5.19	34.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5180MHz_TX




EUT Y_2TX
Setting 73
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.33	74.00	-0.67	70.01	3	Horizontal	58	1.80	-	32.60	5.17	34.45
AV	5.15G	53.89	54.00	-0.11	50.57	3	Horizontal	58	1.80	-	32.60	5.17	34.45
PK	5.1744G	115.28	Inf	-Inf	111.89	3	Horizontal	58	1.80	-	32.65	5.19	34.45
AV	5.175G	105.73	Inf	-Inf	102.34	3	Horizontal	58	1.80	-	32.65	5.19	34.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5180MHz_TX



EUT Y_2TX
Setting 73
01-F-C-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53398G	57.95	74.00	-16.05	44.91	3	Vertical	229	2.92	-	38.21	9.21	34.38
AV	15.53442G	45.11	54.00	-8.89	32.09	3	Vertical	229	2.92	-	38.17	9.21	34.36



802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5180MHz_TX




EUT Y_2TX
Setting 73
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55452G	58.09	74.00	-15.91	45.05	3	Horizontal	51	1.87	-	38.21	9.21	34.38
AV	15.54012G	44.51	54.00	-9.49	31.49	3	Horizontal	51	1.87	-	38.18	9.21	34.37

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5200MHz_TX




EUT Y_2TX
Setting 93
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.49	74.00	-9.51	61.17	3	Vertical	329	2.02	-	32.60	5.17	34.45
AV	5.15G	47.94	54.00	-6.06	44.62	3	Vertical	329	2.02	-	32.60	5.17	34.45
PK	5.1956G	112.05	Inf	-Inf	108.61	3	Vertical	329	2.02	-	32.69	5.20	34.45
AV	5.1956G	102.43	Inf	-Inf	98.99	3	Vertical	329	2.02	-	32.69	5.20	34.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5200MHz_TX



EUT Y_2TX
Setting 93
01-F-C-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.95	74.00	-3.05	67.63	3	Horizontal	62	1.64	-	32.60	5.17	34.45
AV	5.15G	53.84	54.00	-0.16	50.52	3	Horizontal	62	1.64	-	32.60	5.17	34.45
PK	5.2044G	119.65	Inf	-Inf	116.19	3	Horizontal	62	1.64	-	32.71	5.20	34.45
AV	5.204G	109.55	Inf	-Inf	106.09	3	Horizontal	62	1.64	-	32.71	5.20	34.45



802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5200MHz_TX




EUT Y_2TX
Setting 93
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6316G	57.95	74.00	-16.05	44.85	3	Vertical	88	1.34	-	38.33	9.23	34.46
AV	15.6476G	45.29	54.00	-8.71	32.19	3	Vertical	88	1.34	-	38.35	9.23	34.48

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5200MHz_TX




EUT Y_2TX
Setting 93
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.652G	58.27	74.00	-15.73	45.17	3	Horizontal	289	1.07	-	38.35	9.23	34.48
AV	15.6552G	45.30	54.00	-8.70	32.20	3	Horizontal	289	1.07	-	38.36	9.23	34.49

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5240MHz_TX




EUT Y_2TX
Setting 109
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.07	74.00	-13.93	56.75	3	Vertical	333	2.89	-	32.60	5.17	34.45
AV	5.1458G	46.23	54.00	-7.77	42.91	3	Vertical	333	2.89	-	32.60	5.17	34.45
PK	5.246G	116.30	Inf	-Inf	112.70	3	Vertical	333	2.89	-	32.79	5.25	34.44
AV	5.2352G	106.29	Inf	-Inf	102.72	3	Vertical	333	2.89	-	32.77	5.24	34.44
PK	5.3726G	60.77	74.00	-13.23	56.79	3	Vertical	333	2.89	-	33.04	5.37	34.43
AV	5.351G	46.62	54.00	-7.38	42.79	3	Vertical	333	2.89	-	32.91	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5240MHz_TX




EUT Y_2TX
Setting 109
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.38	74.00	-5.62	65.06	3	Horizontal	61	1.55	-	32.60	5.17	34.45
AV	5.15G	53.20	54.00	-0.80	49.88	3	Horizontal	61	1.55	-	32.60	5.17	34.45
PK	5.2388G	121.20	Inf	-Inf	117.62	3	Horizontal	61	1.55	-	32.78	5.24	34.44
AV	5.234G	110.76	Inf	-Inf	107.20	3	Horizontal	61	1.55	-	32.77	5.23	34.44
PK	5.36G	64.31	74.00	-9.69	60.42	3	Horizontal	61	1.55	-	32.96	5.36	34.43
AV	5.35G	49.69	54.00	-4.31	45.87	3	Horizontal	61	1.55	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5240MHz_TX



EUT Y_2TX
Setting 109
01-F-C-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.66G	57.76	74.00	-16.24	44.66	3	Vertical	179	1.74	-	38.36	9.23	34.49
AV	15.7044G	45.12	54.00	-8.88	32.01	3	Vertical	179	1.74	-	38.40	9.24	34.53



802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5240MHz_TX




EUT Y_2TX
Setting 109
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7398G	57.69	74.00	-16.31	44.61	3	Horizontal	209	1.60	-	38.40	9.25	34.57
AV	15.7122G	45.16	54.00	-8.84	32.06	3	Horizontal	209	1.60	-	38.40	9.24	34.54

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5260MHz_TX




EUT Y_2TX
Setting 111
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.27	74.00	-12.73	57.95	3	Vertical	331	2.87	-	32.60	5.17	34.45
AV	5.1496G	45.80	54.00	-8.20	42.48	3	Vertical	331	2.87	-	32.60	5.17	34.45
PK	5.266G	115.69	Inf	-Inf	112.00	3	Vertical	331	2.87	-	32.86	5.27	34.44
AV	5.2606G	105.26	Inf	-Inf	101.60	3	Vertical	331	2.87	-	32.84	5.26	34.44
PK	5.3548G	61.64	74.00	-12.36	57.79	3	Vertical	331	2.87	-	32.93	5.35	34.43
AV	5.353G	48.02	54.00	-5.98	44.18	3	Vertical	331	2.87	-	32.92	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5260MHz_TX




EUT Y_2TX
Setting 111
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	65.98	74.00	-8.02	62.66	3	Horizontal	69	1.60	-	32.60	5.17	34.45
AV	5.1478G	49.68	54.00	-4.32	46.36	3	Horizontal	69	1.60	-	32.60	5.17	34.45
PK	5.2648G	121.14	Inf	-Inf	117.46	3	Horizontal	69	1.60	-	32.86	5.26	34.44
AV	5.2594G	110.54	Inf	-Inf	106.88	3	Horizontal	69	1.60	-	32.84	5.26	34.44
PK	5.3512G	68.21	74.00	-5.79	64.38	3	Horizontal	69	1.60	-	32.91	5.35	34.43
AV	5.3518G	51.81	54.00	-2.19	47.98	3	Horizontal	69	1.60	-	32.91	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5260MHz_TX




EUT Y_2TX
Setting 111
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6378G	58.50	74.00	-15.50	45.40	3	Vertical	203	2.37	-	38.34	9.23	34.47
AV	15.7062G	45.31	54.00	-8.69	32.21	3	Vertical	203	2.37	-	38.40	9.24	34.54

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5260MHz_TX




EUT Y_2TX
Setting 111
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6804G	59.04	74.00	-14.96	45.93	3	Horizontal	153	2.11	-	38.38	9.24	34.51
AV	15.645G	45.25	54.00	-8.75	32.15	3	Horizontal	153	2.11	-	38.34	9.23	34.47

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5300MHz_TX




EUT Y_2TX
Setting 96
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2964G	113.69	Inf	-Inf	109.83	3	Vertical	57	2.85	-	32.99	5.30	34.43
AV	5.2964G	103.84	Inf	-Inf	99.98	3	Vertical	57	2.85	-	32.99	5.30	34.43
PK	5.3516G	65.11	74.00	-8.89	61.28	3	Vertical	57	2.85	-	32.91	5.35	34.43
AV	5.3508G	48.46	54.00	-5.54	44.64	3	Vertical	57	2.85	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5300MHz_TX




EUT Y_2TX
Setting 96
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	118.35	Inf	-Inf	114.50	3	Horizontal	64	1.57	-	32.98	5.30	34.43
AV	5.2952G	108.40	Inf	-Inf	104.55	3	Horizontal	64	1.57	-	32.98	5.30	34.43
PK	5.3536G	69.91	74.00	-4.09	66.07	3	Horizontal	64	1.57	-	32.92	5.35	34.43
AV	5.35G	53.85	54.00	-0.15	50.03	3	Horizontal	64	1.57	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5300MHz_TX




EUT Y_2TX
Setting 96
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.69861G	53.95	74.00	-20.05	42.57	3	Vertical	95	2.33	-	38.50	7.54	34.66
AV	10.65604G	40.71	54.00	-13.29	29.42	3	Vertical	95	2.33	-	38.46	7.53	34.70
PK	15.8724G	58.14	74.00	-15.86	45.03	3	Vertical	55	1.93	-	38.54	9.27	34.70
AV	15.898G	44.99	54.00	-9.01	31.84	3	Vertical	55	1.93	-	38.60	9.28	34.73

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5300MHz_TX




EUT Y_2TX
Setting 96
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.69861G	54.22	74.00	-19.78	42.84	3	Horizontal	205	2.17	-	38.50	7.54	34.66
AV	10.65703G	40.81	54.00	-13.19	29.52	3	Horizontal	205	2.17	-	38.46	7.53	34.70
PK	15.8284G	58.28	74.00	-15.72	45.21	3	Horizontal	154	1.78	-	38.46	9.27	34.66
AV	15.8976G	44.94	54.00	-9.06	31.79	3	Horizontal	154	1.78	-	38.60	9.28	34.73

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5320MHz_TX




EUT Y_2TX
Setting 77
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	109.74	Inf	-Inf	105.89	3	Vertical	359	2.57	-	32.95	5.33	34.43
AV	5.3216G	100.42	Inf	-Inf	96.57	3	Vertical	359	2.57	-	32.96	5.32	34.43
PK	5.3524G	68.50	74.00	-5.50	64.67	3	Vertical	359	2.57	-	32.91	5.35	34.43
AV	5.352G	49.55	54.00	-4.45	45.72	3	Vertical	359	2.57	-	32.91	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5320MHz_TX




EUT Y_2TX
Setting 77
01-F-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	114.12	Inf	-Inf	110.27	3	Horizontal	67	1.56	-	32.95	5.33	34.43
AV	5.3242G	104.34	Inf	-Inf	100.50	3	Horizontal	67	1.56	-	32.95	5.32	34.43
PK	5.3536G	70.77	74.00	-3.23	66.93	3	Horizontal	67	1.56	-	32.92	5.35	34.43
AV	5.35G	53.81	54.00	-0.19	49.99	3	Horizontal	67	1.56	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5320MHz_TX




EUT Y_2TX
Setting 77
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63416G	53.66	74.00	-20.34	42.43	3	Vertical	24	1.34	-	38.43	7.52	34.72
AV	10.64816G	40.38	54.00	-13.62	29.11	3	Vertical	24	1.34	-	38.45	7.53	34.71
PK	15.96624G	58.10	74.00	-15.90	44.94	3	Vertical	57	1.22	-	38.67	9.29	34.80
AV	15.96336G	44.48	54.00	-9.52	31.32	3	Vertical	57	1.22	-	38.66	9.29	34.79

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5320MHz_TX




EUT Y_2TX
Setting 77
01-F-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.649G	54.12	74.00	-19.88	42.85	3	Horizontal	143	1.71	-	38.45	7.53	34.71
AV	10.64332G	40.61	54.00	-13.39	29.35	3	Horizontal	143	1.71	-	38.44	7.53	34.71
PK	15.8632G	58.01	74.00	-15.99	44.90	3	Horizontal	132	2.47	-	38.53	9.27	34.69
AV	15.918G	44.83	54.00	-9.17	31.68	3	Horizontal	132	2.47	-	38.62	9.28	34.75

802.11a_Nss1,(6Mbps)_2TX

10/05/2021

5500MHz_TX




EUT Y_2TX
Setting 74
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.64	74.00	-15.36	54.23	3	Vertical	348	2.57	-	33.42	5.40	34.41
AV	5.4596G	43.83	54.00	-10.17	39.42	3	Vertical	348	2.57	-	33.42	5.40	34.41
PK	5.47G	61.25	68.20	-6.95	56.82	3	Vertical	348	2.57	-	33.44	5.40	34.41
PK	5.5048G	103.88	Inf	-Inf	99.37	3	Vertical	348	2.57	-	33.52	5.40	34.41
AV	5.4952G	94.58	Inf	-Inf	90.10	3	Vertical	348	2.57	-	33.49	5.40	34.41

802.11a_Nss1,(6Mbps)_2TX

10/05/2021

5500MHz_TX




EUT Y_2TX
Setting 74
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.42	74.00	-12.58	57.02	3	Horizontal	70	2.94	-	33.42	5.40	34.42
AV	5.4576G	44.26	54.00	-9.74	39.86	3	Horizontal	70	2.94	-	33.42	5.40	34.42
PK	5.4672G	67.98	68.20	-0.22	63.56	3	Horizontal	70	2.94	-	33.43	5.40	34.41
PK	5.4968G	110.27	Inf	-Inf	105.79	3	Horizontal	70	2.94	-	33.49	5.40	34.41
AV	5.5012G	100.68	Inf	-Inf	96.19	3	Horizontal	70	2.94	-	33.50	5.40	34.41

802.11a_Nss1,(6Mbps)_2TX

10/05/2021

5500MHz_TX




EUT Y_2TX
Setting 74
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00696G	53.27	74.00	-20.73	41.80	3	Vertical	332	2.34	-	38.21	7.65	34.39
AV	11.01392G	41.23	54.00	-12.77	29.76	3	Vertical	332	2.34	-	38.21	7.65	34.39

802.11a_Nss1,(6Mbps)_2TX

10/05/2021

5500MHz_TX




EUT Y_2TX
Setting 74
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00408G	53.90	74.00	-20.10	42.44	3	Horizontal	81	2.91	-	38.20	7.65	34.39
AV	11.01236G	41.25	54.00	-12.75	29.78	3	Horizontal	81	2.91	-	38.21	7.65	34.39

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5580MHz_TX




EUT Y_2TX
Setting 113
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	62.91	74.00	-11.09	58.52	3	Vertical	339	2.95	-	33.41	5.40	34.42
AV	5.4584G	48.05	54.00	-5.95	43.64	3	Vertical	339	2.95	-	33.42	5.40	34.41
PK	5.4672G	63.35	68.20	-4.85	58.93	3	Vertical	339	2.95	-	33.43	5.40	34.41
PK	5.5872G	117.52	Inf	-Inf	112.79	3	Vertical	339	2.95	-	33.77	5.40	34.44
AV	5.5864G	106.59	Inf	-Inf	101.86	3	Vertical	339	2.95	-	33.77	5.40	34.44
PK	5.736G	60.63	68.20	-7.57	55.61	3	Vertical	339	2.95	-	34.04	5.47	34.49

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5580MHz_TX




EUT Y_2TX
Setting 113
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.87	74.00	-7.13	62.46	3	Horizontal	70	1.37	-	33.42	5.40	34.41
AV	5.456G	51.17	54.00	-2.83	46.78	3	Horizontal	70	1.37	-	33.41	5.40	34.42
PK	5.4616G	67.96	68.20	-0.24	63.55	3	Horizontal	70	1.37	-	33.42	5.40	34.41
PK	5.5848G	122.18	Inf	-Inf	117.45	3	Horizontal	70	1.37	-	33.77	5.40	34.44
AV	5.5752G	110.99	Inf	-Inf	106.28	3	Horizontal	70	1.37	-	33.75	5.40	34.44
PK	5.7472G	64.37	68.20	-3.83	59.30	3	Horizontal	70	1.37	-	34.09	5.47	34.49

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5580MHz_TX




EUT Y_2TX
Setting 113
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15772G	55.63	74.00	-18.37	44.10	3	Vertical	22	1.91	-	38.24	7.71	34.42
AV	11.15832G	42.16	54.00	-11.84	30.63	3	Vertical	22	1.91	-	38.24	7.71	34.42

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5580MHz_TX




EUT Y_2TX
Setting 113
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15868G	55.18	74.00	-18.82	43.65	3	Horizontal	49	1.77	-	38.24	7.71	34.42
AV	11.15832G	41.89	54.00	-12.11	30.36	3	Horizontal	49	1.77	-	38.24	7.71	34.42

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5700MHz_TX




EUT Y_2TX
Setting 61
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	105.20	Inf	-Inf	100.33	3	Vertical	350	2.18	-	33.90	5.45	34.48
AV	5.6956G	96.22	Inf	-Inf	91.35	3	Vertical	350	2.18	-	33.90	5.45	34.48
PK	5.725G	65.15	68.20	-3.05	60.18	3	Vertical	350	2.18	-	34.00	5.46	34.49

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5700MHz_TX




EUT Y_2TX
Setting 61
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	111.54	Inf	-Inf	106.66	3	Horizontal	67	2.52	-	33.91	5.45	34.48
AV	5.6964G	102.21	Inf	-Inf	97.34	3	Horizontal	67	2.52	-	33.90	5.45	34.48
PK	5.7258G	68.13	68.20	-0.07	63.16	3	Horizontal	67	2.52	-	34.00	5.46	34.49

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5700MHz_TX




EUT Y_2TX
Setting 61
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4042G	53.17	74.00	-20.83	41.43	3	Vertical	304	1.82	-	38.40	7.79	34.45
AV	11.39568G	40.36	54.00	-13.64	28.62	3	Vertical	304	1.82	-	38.40	7.79	34.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5700MHz_TX




EUT Y_2TX
Setting 61
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.397G	53.06	74.00	-20.94	41.32	3	Horizontal	319	2.16	-	38.40	7.79	34.45
AV	11.3889G	40.39	54.00	-13.61	28.66	3	Horizontal	319	2.16	-	38.39	7.79	34.45

802.11a_Nss1,(6Mbps)_2TX

10/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	116.42	Inf	-Inf	109.92	3	Vertical	352	2.12	-	33.96	5.46	32.92
AV	5.7152G	105.71	Inf	-Inf	99.21	3	Vertical	352	2.12	-	33.96	5.46	32.92
PK	5.8608G	61.46	68.20	-6.74	54.34	3	Vertical	352	2.12	-	34.56	5.50	32.94

802.11a_Nss1,(6Mbps)_2TX

10/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	122.97	Inf	-Inf	116.42	3	Horizontal	71	2.64	-	34.01	5.46	32.92
AV	5.7224G	112.13	Inf	-Inf	105.60	3	Horizontal	71	2.64	-	33.99	5.46	32.92
PK	5.852G	68.14	68.20	-0.06	61.07	3	Horizontal	71	2.64	-	34.51	5.50	32.94

802.11a_Nss1,(6Mbps)_2TX

10/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4376G	57.47	74.00	-16.53	44.07	3	Vertical	32	1.71	-	38.40	7.80	32.80
AV	11.44252G	44.83	54.00	-9.17	31.43	3	Vertical	32	1.71	-	38.40	7.80	32.80

802.11a_Nss1,(6Mbps)_2TX

10/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43676G	58.46	74.00	-15.54	45.06	3	Horizontal	59	1.80	-	38.40	7.80	32.80
AV	11.43682G	44.89	54.00	-9.11	31.49	3	Horizontal	59	1.80	-	38.40	7.80	32.80

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5745MHz_TX




EUT Y_2TX
Setting 109
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.52	68.94	-5.42	58.65	3	Vertical	357	2.11	-	33.90	5.43	34.46
PK	5.741G	115.69	Inf	-Inf	110.65	3	Vertical	357	2.11	-	34.06	5.47	34.49
AV	5.746G	105.33	Inf	-Inf	100.27	3	Vertical	357	2.11	-	34.08	5.47	34.49
PK	5.977G	59.80	68.20	-8.40	53.76	3	Vertical	357	2.11	-	35.11	5.50	34.57

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5745MHz_TX




EUT Y_2TX
Setting 109
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	70.68	71.16	-0.48	65.81	3	Horizontal	67	2.86	-	33.90	5.43	34.46
PK	5.747G	120.61	Inf	-Inf	115.54	3	Horizontal	67	2.86	-	34.09	5.47	34.49
AV	5.747G	110.84	Inf	-Inf	105.77	3	Horizontal	67	2.86	-	34.09	5.47	34.49
PK	5.941G	60.03	68.20	-8.17	54.13	3	Horizontal	67	2.86	-	34.96	5.50	34.56

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5745MHz_TX




EUT Y_2TX
Setting 109
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48736G	58.20	74.00	-15.80	46.45	3	Vertical	353	1.22	-	38.40	7.82	34.47
AV	11.49246G	45.28	54.00	-8.72	33.53	3	Vertical	353	1.22	-	38.40	7.82	34.47

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5745MHz_TX




EUT Y_2TX
Setting 109
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48778G	58.07	74.00	-15.93	46.32	3	Horizontal	82	2.11	-	38.40	7.82	34.47
AV	11.49252G	44.81	54.00	-9.19	33.06	3	Horizontal	82	2.11	-	38.40	7.82	34.47

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5785MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.88	68.20	-9.32	54.04	3	Vertical	0	2.08	-	33.88	5.42	34.46
PK	5.792G	115.81	Inf	-Inf	110.55	3	Vertical	0	2.08	-	34.27	5.50	34.51
AV	5.786G	105.24	Inf	-Inf	100.02	3	Vertical	0	2.08	-	34.24	5.49	34.51
PK	5.931G	59.49	68.20	-8.71	53.63	3	Vertical	0	2.08	-	34.92	5.50	34.56

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5785MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	64.89	68.20	-3.31	60.04	3	Horizontal	67	2.56	-	33.89	5.42	34.46
PK	5.792G	121.58	Inf	-Inf	116.32	3	Horizontal	67	2.56	-	34.27	5.50	34.51
AV	5.787G	112.05	Inf	-Inf	106.82	3	Horizontal	67	2.56	-	34.25	5.49	34.51
PK	5.926G	63.46	68.20	-4.74	57.61	3	Horizontal	67	2.56	-	34.90	5.50	34.55

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5785MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5673G	57.22	74.00	-16.78	45.45	3	Vertical	15	1.79	-	38.40	7.85	34.48
AV	11.5715G	44.27	54.00	-9.73	32.50	3	Vertical	15	1.79	-	38.40	7.85	34.48

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5785MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56748G	59.31	74.00	-14.69	47.54	3	Horizontal	57	1.78	-	38.40	7.85	34.48
AV	11.57234G	45.38	54.00	-8.62	33.61	3	Horizontal	57	1.78	-	38.40	7.85	34.48

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5825MHz_TX




EUT Y_2TX
Setting 109
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	57.64	68.20	-10.56	52.90	3	Vertical	9	1.07	-	33.78	5.40	34.44
PK	5.821G	113.89	Inf	-Inf	108.53	3	Vertical	9	1.07	-	34.38	5.50	34.52
AV	5.826G	103.36	Inf	-Inf	97.98	3	Vertical	9	1.07	-	34.40	5.50	34.52
PK	5.925G	62.59	68.20	-5.61	56.74	3	Vertical	9	1.07	-	34.90	5.50	34.55

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5825MHz_TX




EUT Y_2TX
Setting 109
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	59.45	68.20	-8.75	54.73	3	Horizontal	66	2.53	-	33.76	5.40	34.44
PK	5.832G	121.62	Inf	-Inf	116.21	3	Horizontal	66	2.53	-	34.43	5.50	34.52
AV	5.827G	111.27	Inf	-Inf	105.88	3	Horizontal	66	2.53	-	34.41	5.50	34.52
PK	5.925G	67.99	68.20	-0.21	62.14	3	Horizontal	66	2.53	-	34.90	5.50	34.55

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5825MHz_TX




EUT Y_2TX
Setting 109
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64748G	58.42	74.00	-15.58	46.58	3	Vertical	353	1.25	-	38.45	7.88	34.49
AV	11.6482G	44.60	54.00	-9.40	32.76	3	Vertical	353	1.25	-	38.45	7.88	34.49

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5825MHz_TX




EUT Y_2TX
Setting 109
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6479G	58.76	74.00	-15.24	46.92	3	Horizontal	57	2.01	-	38.45	7.88	34.49
AV	11.64838G	46.00	54.00	-8.00	34.16	3	Horizontal	57	2.01	-	38.45	7.88	34.49

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5180MHz_TX




EUT Y_2TX
Setting 69
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.83	74.00	-10.17	60.51	3	Vertical	326	2.03	-	32.60	5.17	34.45
AV	5.15G	48.58	54.00	-5.42	45.26	3	Vertical	326	2.03	-	32.60	5.17	34.45
PK	5.1832G	107.37	Inf	-Inf	103.96	3	Vertical	326	2.03	-	32.67	5.19	34.45
AV	5.1748G	96.05	Inf	-Inf	92.66	3	Vertical	326	2.03	-	32.65	5.19	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5180MHz_TX




EUT Y_2TX
Setting 69
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.15	74.00	-5.85	64.83	3	Horizontal	64	1.72	-	32.60	5.17	34.45
AV	5.15G	53.97	54.00	-0.03	50.65	3	Horizontal	64	1.72	-	32.60	5.17	34.45
PK	5.1848G	114.60	Inf	-Inf	111.19	3	Horizontal	64	1.72	-	32.67	5.19	34.45
AV	5.1752G	102.80	Inf	-Inf	99.41	3	Horizontal	64	1.72	-	32.65	5.19	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5180MHz_TX




EUT Y_2TX
Setting 69
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54876G	57.32	74.00	-16.68	44.29	3	Vertical	101	2.37	-	38.20	9.21	34.38
AV	15.54906G	45.25	54.00	-8.75	32.22	3	Vertical	101	2.37	-	38.20	9.21	34.38

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5180MHz_TX




EUT Y_2TX
Setting 69
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53904G	57.40	74.00	-16.60	44.38	3	Horizontal	112	1.54	-	38.18	9.21	34.37
AV	15.54996G	45.18	54.00	-8.82	32.15	3	Horizontal	112	1.54	-	38.20	9.21	34.38

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5200MHz_TX




EUT Y_2TX
Setting 88
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.44	74.00	-11.56	59.12	3	Vertical	326	2.00	-	32.60	5.17	34.45
AV	5.1496G	48.29	54.00	-5.71	44.97	3	Vertical	326	2.00	-	32.60	5.17	34.45
PK	5.1984G	111.80	Inf	-Inf	108.35	3	Vertical	326	2.00	-	32.70	5.20	34.45
AV	5.1964G	100.73	Inf	-Inf	97.29	3	Vertical	326	2.00	-	32.69	5.20	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5200MHz_TX




EUT Y_2TX
Setting 88
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.22	74.00	-5.78	64.90	3	Horizontal	62	1.78	-	32.60	5.17	34.45
AV	5.1496G	53.53	54.00	-0.47	50.21	3	Horizontal	62	1.78	-	32.60	5.17	34.45
PK	5.2032G	118.18	Inf	-Inf	114.72	3	Horizontal	62	1.78	-	32.71	5.20	34.45
AV	5.1948G	107.11	Inf	-Inf	103.67	3	Horizontal	62	1.78	-	32.69	5.20	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5200MHz_TX




EUT Y_2TX
Setting 88
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58866G	57.93	74.00	-16.07	44.85	3	Vertical	226	2.43	-	38.28	9.22	34.42
AV	15.61458G	45.46	54.00	-8.54	32.37	3	Vertical	226	2.43	-	38.31	9.22	34.44

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5200MHz_TX




EUT Y_2TX
Setting 88
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6045G	57.58	74.00	-16.42	44.49	3	Horizontal	165	2.77	-	38.30	9.22	34.43
AV	15.59826G	45.39	54.00	-8.61	32.30	3	Horizontal	165	2.77	-	38.30	9.22	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5240MHz_TX




EUT Y_2TX
Setting 108
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	59.34	74.00	-14.66	56.02	3	Vertical	331	2.88	-	32.60	5.17	34.45
AV	5.1494G	46.54	54.00	-7.46	43.22	3	Vertical	331	2.88	-	32.60	5.17	34.45
PK	5.2352G	115.60	Inf	-Inf	112.03	3	Vertical	331	2.88	-	32.77	5.24	34.44
AV	5.2352G	104.01	Inf	-Inf	100.44	3	Vertical	331	2.88	-	32.77	5.24	34.44
PK	5.3504G	58.67	74.00	-15.33	54.85	3	Vertical	331	2.88	-	32.90	5.35	34.43
AV	5.351G	46.40	54.00	-7.60	42.57	3	Vertical	331	2.88	-	32.91	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5240MHz_TX




EUT Y_2TX
Setting 108
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.05	74.00	-7.95	62.73	3	Horizontal	62	1.78	-	32.60	5.17	34.45
AV	5.147G	52.15	54.00	-1.85	48.83	3	Horizontal	62	1.78	-	32.60	5.17	34.45
PK	5.2412G	120.36	Inf	-Inf	116.78	3	Horizontal	62	1.78	-	32.78	5.24	34.44
AV	5.2352G	108.63	Inf	-Inf	105.06	3	Horizontal	62	1.78	-	32.77	5.24	34.44
PK	5.3606G	63.65	74.00	-10.35	59.76	3	Horizontal	62	1.78	-	32.96	5.36	34.43
AV	5.3504G	48.51	54.00	-5.49	44.69	3	Horizontal	62	1.78	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5240MHz_TX




EUT Y_2TX
Setting 108
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71436G	60.95	74.00	-13.05	47.85	3	Vertical	359	1.84	-	38.40	9.24	34.54
AV	15.71988G	48.01	54.00	-5.99	34.92	3	Vertical	359	1.84	-	38.40	9.24	34.55

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5240MHz_TX




EUT Y_2TX
Setting 108
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72114G	58.47	74.00	-15.53	45.38	3	Horizontal	25	1.80	-	38.40	9.24	34.55
AV	15.71748G	46.25	54.00	-7.75	33.16	3	Horizontal	25	1.80	-	38.40	9.24	34.55

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5260MHz_TX




EUT Y_2TX
Setting 106
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	56.80	74.00	-17.20	53.48	3	Vertical	331	2.87	-	32.60	5.17	34.45
AV	5.1484G	45.36	54.00	-8.64	42.04	3	Vertical	331	2.87	-	32.60	5.17	34.45
PK	5.2558G	114.45	Inf	-Inf	110.81	3	Vertical	331	2.87	-	32.82	5.26	34.44
AV	5.2552G	102.89	Inf	-Inf	99.25	3	Vertical	331	2.87	-	32.82	5.26	34.44
PK	5.3542G	59.93	74.00	-14.07	56.08	3	Vertical	331	2.87	-	32.93	5.35	34.43
AV	5.3518G	47.54	54.00	-6.46	43.71	3	Vertical	331	2.87	-	32.91	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5260MHz_TX




EUT Y_2TX
Setting 106
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	60.99	74.00	-13.01	57.67	3	Horizontal	69	1.59	-	32.60	5.17	34.45
AV	5.1478G	48.11	54.00	-5.89	44.79	3	Horizontal	69	1.59	-	32.60	5.17	34.45
PK	5.2552G	119.78	Inf	-Inf	116.14	3	Horizontal	69	1.59	-	32.82	5.26	34.44
AV	5.2552G	108.23	Inf	-Inf	104.59	3	Horizontal	69	1.59	-	32.82	5.26	34.44
PK	5.3512G	63.28	74.00	-10.72	59.45	3	Horizontal	69	1.59	-	32.91	5.35	34.43
AV	5.3512G	50.22	54.00	-3.78	46.39	3	Horizontal	69	1.59	-	32.91	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5260MHz_TX




EUT Y_2TX
Setting 106
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7791G	59.10	74.00	-14.90	46.05	3	Vertical	12	1.80	-	38.40	9.26	34.61
AV	15.78072G	46.52	54.00	-7.48	33.47	3	Vertical	12	1.80	-	38.40	9.26	34.61

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5260MHz_TX




EUT Y_2TX
Setting 106
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7821G	58.37	74.00	-15.63	45.32	3	Horizontal	17	2.13	-	38.40	9.26	34.61
AV	15.77712G	45.88	54.00	-8.12	32.83	3	Horizontal	17	2.13	-	38.40	9.26	34.61

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5300MHz_TX




EUT Y_2TX
Setting 91
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	111.05	Inf	-Inf	107.20	3	Vertical	331	2.94	-	32.98	5.30	34.43
AV	5.302G	99.76	Inf	-Inf	95.89	3	Vertical	331	2.94	-	33.00	5.30	34.43
PK	5.35G	64.57	74.00	-9.43	60.75	3	Vertical	331	2.94	-	32.90	5.35	34.43
AV	5.35G	50.18	54.00	-3.82	46.36	3	Vertical	331	2.94	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5300MHz_TX




EUT Y_2TX
Setting 91
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	117.19	Inf	-Inf	113.34	3	Horizontal	63	1.67	-	32.98	5.30	34.43
AV	5.2952G	106.18	Inf	-Inf	102.33	3	Horizontal	63	1.67	-	32.98	5.30	34.43
PK	5.35G	68.18	74.00	-5.82	64.36	3	Horizontal	63	1.67	-	32.90	5.35	34.43
AV	5.35G	53.56	54.00	-0.44	49.74	3	Horizontal	63	1.67	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5300MHz_TX




EUT Y_2TX
Setting 91
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60588G	54.04	74.00	-19.96	42.86	3	Vertical	247	1.38	-	38.41	7.51	34.74
AV	10.61437G	41.05	54.00	-12.95	29.86	3	Vertical	247	1.38	-	38.41	7.52	34.74
PK	15.89676G	59.54	74.00	-14.46	46.40	3	Vertical	13	1.80	-	38.59	9.28	34.73
AV	15.90582G	46.89	54.00	-7.11	33.74	3	Vertical	13	1.80	-	38.61	9.28	34.74

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5300MHz_TX




EUT Y_2TX
Setting 91
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61203G	53.32	74.00	-20.68	42.14	3	Horizontal	15	1.40	-	38.41	7.51	34.74
AV	10.61305G	40.91	54.00	-13.09	29.73	3	Horizontal	15	1.40	-	38.41	7.51	34.74
PK	15.89388G	57.88	74.00	-16.12	44.73	3	Horizontal	336	1.81	-	38.59	9.28	34.72
AV	15.91068G	45.59	54.00	-8.41	32.44	3	Horizontal	336	1.81	-	38.61	9.28	34.74

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5320MHz_TX




EUT Y_2TX
Setting 71
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	108.49	Inf	-Inf	104.63	3	Vertical	327	2.95	-	32.97	5.32	34.43
AV	5.3168G	97.00	Inf	-Inf	93.14	3	Vertical	327	2.95	-	32.97	5.32	34.43
PK	5.3532G	63.58	74.00	-10.42	59.74	3	Vertical	327	2.95	-	32.92	5.35	34.43
AV	5.35G	49.21	54.00	-4.79	45.39	3	Vertical	327	2.95	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5320MHz_TX




EUT Y_2TX
Setting 71
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	113.20	Inf	-Inf	109.36	3	Horizontal	59	1.70	-	32.95	5.32	34.43
AV	5.3152G	101.33	Inf	-Inf	97.47	3	Horizontal	59	1.70	-	32.97	5.32	34.43
PK	5.35G	68.67	74.00	-5.33	64.85	3	Horizontal	59	1.70	-	32.90	5.35	34.43
AV	5.35G	53.68	54.00	-0.32	49.86	3	Horizontal	59	1.70	-	32.90	5.35	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5320MHz_TX




EUT Y_2TX
Setting 71
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63718G	53.18	74.00	-20.82	41.94	3	Vertical	35	2.44	-	38.44	7.52	34.72
AV	10.6316G	41.07	54.00	-12.93	29.84	3	Vertical	35	2.44	-	38.43	7.52	34.72
PK	15.95532G	59.04	74.00	-14.96	45.88	3	Vertical	359	1.80	-	38.66	9.29	34.79
AV	15.95538G	46.46	54.00	-7.54	33.30	3	Vertical	359	1.80	-	38.66	9.29	34.79

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5320MHz_TX




EUT Y_2TX
Setting 71
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63916G	54.27	74.00	-19.73	43.02	3	Horizontal	20	2.08	-	38.44	7.52	34.71
AV	10.64168G	40.91	54.00	-13.09	29.66	3	Horizontal	20	2.08	-	38.44	7.52	34.71
PK	15.97434G	57.97	74.00	-16.03	44.81	3	Horizontal	319	1.80	-	38.67	9.29	34.80
AV	15.95196G	45.63	54.00	-8.37	32.47	3	Horizontal	319	1.80	-	38.65	9.29	34.78

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5500MHz_TX




EUT Y_2TX
Setting 71
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	59.43	74.00	-14.57	55.03	3	Vertical	333	2.91	-	33.42	5.40	34.42
AV	5.4592G	46.88	54.00	-7.12	42.47	3	Vertical	333	2.91	-	33.42	5.40	34.41
PK	5.468G	64.65	68.20	-3.55	60.22	3	Vertical	333	2.91	-	33.44	5.40	34.41
PK	5.4984G	109.53	Inf	-Inf	105.04	3	Vertical	333	2.91	-	33.50	5.40	34.41
AV	5.4968G	98.03	Inf	-Inf	93.55	3	Vertical	333	2.91	-	33.49	5.40	34.41

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5500MHz_TX




EUT Y_2TX
Setting 71
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.03	74.00	-10.97	58.62	3	Horizontal	65	1.56	-	33.42	5.40	34.41
AV	5.46G	49.14	54.00	-4.86	44.73	3	Horizontal	65	1.56	-	33.42	5.40	34.41
PK	5.4692G	68.11	68.20	-0.09	63.68	3	Horizontal	65	1.56	-	33.44	5.40	34.41
PK	5.5036G	114.03	Inf	-Inf	109.53	3	Horizontal	65	1.56	-	33.51	5.40	34.41
AV	5.4948G	102.76	Inf	-Inf	98.28	3	Horizontal	65	1.56	-	33.49	5.40	34.41

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5500MHz_TX




EUT Y_2TX
Setting 71
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98506G	54.15	74.00	-19.85	42.70	3	Vertical	359	1.80	-	38.21	7.64	34.40
AV	10.997G	41.78	54.00	-12.22	30.32	3	Vertical	359	1.80	-	38.20	7.65	34.39

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5500MHz_TX




EUT Y_2TX
Setting 71
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99394G	54.43	74.00	-19.57	42.97	3	Horizontal	72	2.44	-	38.21	7.65	34.40
AV	11.0024G	42.37	54.00	-11.63	30.91	3	Horizontal	72	2.44	-	38.20	7.65	34.39

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5580MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	57.90	74.00	-16.10	53.51	3	Vertical	0	2.18	-	33.41	5.40	34.42
AV	5.4592G	45.30	54.00	-8.70	40.89	3	Vertical	0	2.18	-	33.42	5.40	34.41
PK	5.468G	57.76	68.20	-10.44	53.33	3	Vertical	0	2.18	-	33.44	5.40	34.41
PK	5.5792G	109.78	Inf	-Inf	105.06	3	Vertical	0	2.18	-	33.76	5.40	34.44
AV	5.5832G	98.67	Inf	-Inf	93.94	3	Vertical	0	2.18	-	33.77	5.40	34.44
PK	5.7408G	57.49	68.20	-10.71	52.45	3	Vertical	0	2.18	-	34.06	5.47	34.49

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5580MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4424G	60.80	74.00	-13.20	56.45	3	Horizontal	71	2.77	-	33.37	5.40	34.42
PK	5.4672G	61.87	68.20	-6.33	57.45	3	Horizontal	71	2.77	-	33.43	5.40	34.41
AV	5.4592G	48.00	54.00	-6.00	43.59	3	Horizontal	71	2.77	-	33.42	5.40	34.41
PK	5.572G	115.32	Inf	-Inf	110.61	3	Horizontal	71	2.77	-	33.74	5.40	34.43
AV	5.5792G	103.61	Inf	-Inf	98.89	3	Horizontal	71	2.77	-	33.76	5.40	34.44
PK	5.7256G	59.82	68.20	-8.38	54.85	3	Horizontal	71	2.77	-	34.00	5.46	34.49

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5580MHz_TX




EUT Y_2TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15496G	55.47	74.00	-18.53	43.93	3	Vertical	136	2.99	-	38.25	7.70	34.41
AV	11.1744G	42.09	54.00	-11.91	30.57	3	Vertical	136	2.99	-	38.23	7.71	34.42

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5580MHz_TX




EUT Y_2TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1507G	55.92	74.00	-18.08	44.38	3	Horizontal	200	2.51	-	38.25	7.70	34.41
AV	11.16498G	42.76	54.00	-11.24	31.23	3	Horizontal	200	2.51	-	38.24	7.71	34.42

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5700MHz_TX




EUT Y_2TX
Setting 64
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7048G	106.28	Inf	-Inf	101.39	3	Vertical	351	2.08	-	33.92	5.45	34.48
AV	5.6948G	94.83	Inf	-Inf	89.96	3	Vertical	351	2.08	-	33.90	5.45	34.48
PK	5.726G	65.67	68.20	-2.53	60.70	3	Vertical	351	2.08	-	34.00	5.46	34.49

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5700MHz_TX




EUT Y_2TX
Setting 64
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6986G	113.34	Inf	-Inf	108.47	3	Horizontal	69	2.52	-	33.90	5.45	34.48
AV	5.6966G	100.64	Inf	-Inf	95.77	3	Horizontal	69	2.52	-	33.90	5.45	34.48
PK	5.725G	67.93	68.20	-0.27	62.96	3	Horizontal	69	2.52	-	34.00	5.46	34.49

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5700MHz_TX




EUT Y_2TX
Setting 64
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40216G	55.64	74.00	-18.36	43.90	3	Vertical	353	1.56	-	38.40	7.79	34.45
AV	11.39706G	43.27	54.00	-10.73	31.53	3	Vertical	353	1.56	-	38.40	7.79	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5700MHz_TX




EUT Y_2TX
Setting 64
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40894G	55.10	74.00	-18.90	43.37	3	Horizontal	292	1.80	-	38.40	7.79	34.46
AV	11.39832G	42.54	54.00	-11.46	30.80	3	Horizontal	292	1.80	-	38.40	7.79	34.45

802.11ax HEW20_Nss2,(MCS0)_2TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	115.75	Inf	-Inf	109.24	3	Vertical	357	2.13	-	33.97	5.46	32.92
AV	5.7184G	104.25	Inf	-Inf	97.74	3	Vertical	357	2.13	-	33.97	5.46	32.92
PK	5.8736G	63.09	68.20	-5.11	55.89	3	Vertical	357	2.13	-	34.64	5.50	32.94

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_2TX
 Setting 120
 01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	120.84	Inf	-Inf	114.32	3	Horizontal	75	2.55	-	33.98	5.46	32.92
AV	5.7224G	109.26	Inf	-Inf	102.73	3	Horizontal	75	2.55	-	33.99	5.46	32.92
PK	5.8584G	66.28	68.20	-1.92	59.17	3	Horizontal	75	2.55	-	34.55	5.50	32.94

802.11ax HEW20_Nss2,(MCS0)_2TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44G	60.02	74.00	-13.98	46.62	3	Vertical	332	1.35	-	38.40	7.80	32.80
AV	11.4408G	46.75	54.00	-7.25	33.35	3	Vertical	332	1.35	-	38.40	7.80	32.80

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_2TX
 Setting 120
 01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43658G	57.98	74.00	-16.02	44.58	3	Horizontal	82	2.06	-	38.40	7.80	32.80
AV	11.44024G	45.18	54.00	-8.82	31.78	3	Horizontal	82	2.06	-	38.40	7.80	32.80

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5745MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.69	68.94	-5.25	58.82	3	Vertical	8	2.05	-	33.90	5.43	34.46
PK	5.743G	112.82	Inf	-Inf	107.77	3	Vertical	8	2.05	-	34.07	5.47	34.49
AV	5.743G	101.09	Inf	-Inf	96.04	3	Vertical	8	2.05	-	34.07	5.47	34.49
PK	5.927G	58.14	68.20	-10.06	52.29	3	Vertical	8	2.05	-	34.91	5.50	34.56

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5745MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	60.29	68.94	-8.65	55.42	3	Horizontal	302	1.78	-	33.90	5.43	34.46
PK	5.745G	113.52	Inf	-Inf	108.46	3	Horizontal	302	1.78	-	34.08	5.47	34.49
AV	5.747G	102.23	Inf	-Inf	97.16	3	Horizontal	302	1.78	-	34.09	5.47	34.49
PK	5.987G	57.37	68.20	-10.83	51.30	3	Horizontal	302	1.78	-	35.15	5.50	34.58

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5745MHz_TX




EUT Y_2TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4825G	58.44	74.00	-15.56	46.69	3	Vertical	47	1.64	-	38.40	7.82	34.47
AV	11.48136G	45.57	54.00	-8.43	33.82	3	Vertical	47	1.64	-	38.40	7.82	34.47

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5745MHz_TX




EUT Y_2TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4792G	58.75	74.00	-15.25	47.00	3	Horizontal	158	1.95	-	38.40	7.82	34.47
AV	11.49474G	45.94	54.00	-8.06	34.19	3	Horizontal	158	1.95	-	38.40	7.82	34.47

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5785MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.91	68.20	-9.29	54.07	3	Vertical	0	2.06	-	33.88	5.42	34.46
PK	5.783G	114.64	Inf	-Inf	109.43	3	Vertical	0	2.06	-	34.23	5.49	34.51
AV	5.783G	102.83	Inf	-Inf	97.62	3	Vertical	0	2.06	-	34.23	5.49	34.51
PK	5.941G	60.54	68.20	-7.66	54.64	3	Vertical	0	2.06	-	34.96	5.50	34.56

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5785MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.90	68.20	-5.30	58.05	3	Horizontal	65	2.56	-	33.89	5.42	34.46
PK	5.791G	120.32	Inf	-Inf	115.07	3	Horizontal	65	2.56	-	34.26	5.50	34.51
AV	5.787G	109.30	Inf	-Inf	104.07	3	Horizontal	65	2.56	-	34.25	5.49	34.51
PK	5.925G	63.46	68.20	-4.74	57.61	3	Horizontal	65	2.56	-	34.90	5.50	34.55

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5785MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56922G	55.94	74.00	-18.06	44.17	3	Vertical	14	1.80	-	38.40	7.85	34.48
AV	11.57048G	43.73	54.00	-10.27	31.96	3	Vertical	14	1.80	-	38.40	7.85	34.48

802.11ax HEW20_Nss2,(MCS0)_2TX

01/05/2021

5785MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57708G	58.32	74.00	-15.68	46.55	3	Horizontal	58	1.93	-	38.40	7.85	34.48
AV	11.56862G	45.87	54.00	-8.13	34.10	3	Horizontal	58	1.93	-	38.40	7.85	34.48

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5825MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	55.68	68.20	-12.52	50.95	3	Vertical	0	2.10	-	33.77	5.40	34.44
PK	5.823G	108.76	Inf	-Inf	103.39	3	Vertical	0	2.10	-	34.39	5.50	34.52
AV	5.823G	98.66	Inf	-Inf	93.29	3	Vertical	0	2.10	-	34.39	5.50	34.52
PK	5.932G	61.22	68.20	-6.98	55.35	3	Vertical	0	2.10	-	34.93	5.50	34.56

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5825MHz_TX




EUT Y_2TX
Setting 120
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	56.70	68.20	-11.50	51.86	3	Horizontal	65	2.55	-	33.88	5.42	34.46
PK	5.828G	116.94	Inf	-Inf	111.55	3	Horizontal	65	2.55	-	34.41	5.50	34.52
AV	5.827G	105.86	Inf	-Inf	100.47	3	Horizontal	65	2.55	-	34.41	5.50	34.52
PK	5.926G	66.97	68.20	-1.23	61.12	3	Horizontal	65	2.55	-	34.90	5.50	34.55

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5825MHz_TX




EUT Y_2TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6536G	58.26	74.00	-15.74	46.42	3	Vertical	201	2.96	-	38.45	7.88	34.49
AV	11.65738G	45.24	54.00	-8.76	33.40	3	Vertical	201	2.96	-	38.46	7.88	34.50

802.11ax HEW20_Nss2,(MCS0)_2TX

10/05/2021

5825MHz_TX




EUT Y_2TX
Setting 120
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66218G	58.02	74.00	-15.98	46.18	3	Horizontal	12	1.66	-	38.46	7.88	34.50
AV	11.65342G	45.29	54.00	-8.71	33.45	3	Horizontal	12	1.66	-	38.45	7.88	34.49

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5190MHz_TX




EUT Y_2TX
Setting 60
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.38	74.00	-8.62	62.06	3	Vertical	327	2.95	-	32.60	5.17	34.45
AV	5.15G	46.29	54.00	-7.71	42.97	3	Vertical	327	2.95	-	32.60	5.17	34.45
PK	5.1964G	101.80	Inf	-Inf	98.36	3	Vertical	327	2.95	-	32.69	5.20	34.45
AV	5.194G	90.86	Inf	-Inf	87.42	3	Vertical	327	2.95	-	32.69	5.20	34.45

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5190MHz_TX




EUT Y_2TX
Setting 60
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.61	74.00	-1.39	69.29	3	Horizontal	62	1.74	-	32.60	5.17	34.45
AV	5.1496G	52.36	54.00	-1.64	49.04	3	Horizontal	62	1.74	-	32.60	5.17	34.45
PK	5.1944G	108.12	Inf	-Inf	104.68	3	Horizontal	62	1.74	-	32.69	5.20	34.45
AV	5.182G	97.51	Inf	-Inf	94.11	3	Horizontal	62	1.74	-	32.66	5.19	34.45

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5190MHz_TX




EUT Y_2TX
Setting 60
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58212G	58.30	74.00	-15.70	45.23	3	Vertical	310	1.80	-	38.26	9.22	34.41
AV	15.5766G	45.68	54.00	-8.32	32.62	3	Vertical	310	1.80	-	38.25	9.22	34.41

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5190MHz_TX




EUT Y_2TX
Setting 60
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56706G	58.63	74.00	-15.37	45.59	3	Horizontal	278	1.80	-	38.23	9.21	34.40
AV	15.58398G	46.04	54.00	-7.96	32.96	3	Horizontal	278	1.80	-	38.27	9.22	34.41

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5230MHz_TX




EUT Y_2TX
Setting 82
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	58.42	74.00	-15.58	55.10	3	Vertical	332	2.91	-	32.60	5.17	34.45
AV	5.1478G	46.58	54.00	-7.42	43.26	3	Vertical	332	2.91	-	32.60	5.17	34.45
PK	5.2276G	108.83	Inf	-Inf	105.28	3	Vertical	332	2.91	-	32.76	5.23	34.44
AV	5.2264G	98.06	Inf	-Inf	94.52	3	Vertical	332	2.91	-	32.75	5.23	34.44
PK	5.3518G	58.67	74.00	-15.33	54.84	3	Vertical	332	2.91	-	32.91	5.35	34.43
AV	5.3524G	46.09	54.00	-7.91	42.26	3	Vertical	332	2.91	-	32.91	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5230MHz_TX




EUT Y_2TX
Setting 82
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.87	74.00	-6.13	64.55	3	Horizontal	60	1.68	-	32.60	5.17	34.45
AV	5.15G	53.61	54.00	-0.39	50.29	3	Horizontal	60	1.68	-	32.60	5.17	34.45
PK	5.2276G	113.49	Inf	-Inf	109.94	3	Horizontal	60	1.68	-	32.76	5.23	34.44
AV	5.2264G	102.23	Inf	-Inf	98.69	3	Horizontal	60	1.68	-	32.75	5.23	34.44
PK	5.35G	61.24	74.00	-12.76	57.42	3	Horizontal	60	1.68	-	32.90	5.35	34.43
AV	5.3512G	47.17	54.00	-6.83	43.34	3	Horizontal	60	1.68	-	32.91	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5230MHz_TX




EUT Y_2TX
Setting 82
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69408G	58.89	74.00	-15.11	45.78	3	Vertical	358	1.80	-	38.39	9.24	34.52
AV	15.69882G	45.91	54.00	-8.09	32.80	3	Vertical	358	1.80	-	38.40	9.24	34.53

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5230MHz_TX




EUT Y_2TX
Setting 82
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6927G	58.04	74.00	-15.96	44.93	3	Horizontal	316	2.03	-	38.39	9.24	34.52
AV	15.6954G	45.77	54.00	-8.23	32.66	3	Horizontal	316	2.03	-	38.40	9.24	34.53

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5270MHz_TX




EUT Y_2TX
Setting 87
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	57.19	74.00	-16.81	53.87	3	Vertical	328	2.87	-	32.60	5.17	34.45
AV	5.1386G	45.20	54.00	-8.80	41.88	3	Vertical	328	2.87	-	32.60	5.17	34.45
PK	5.2568G	108.18	Inf	-Inf	104.53	3	Vertical	328	2.87	-	32.83	5.26	34.44
AV	5.2658G	97.48	Inf	-Inf	93.79	3	Vertical	328	2.87	-	32.86	5.27	34.44
PK	5.3612G	64.46	74.00	-9.54	60.56	3	Vertical	328	2.87	-	32.97	5.36	34.43
AV	5.35G	49.82	54.00	-4.18	46.00	3	Vertical	328	2.87	-	32.90	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5270MHz_TX




EUT Y_2TX
Setting 87
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.19	74.00	-11.81	58.87	3	Horizontal	70	1.58	-	32.60	5.17	34.45
AV	5.1428G	47.73	54.00	-6.27	44.41	3	Horizontal	70	1.58	-	32.60	5.17	34.45
PK	5.2628G	113.57	Inf	-Inf	109.90	3	Horizontal	70	1.58	-	32.85	5.26	34.44
AV	5.2616G	101.87	Inf	-Inf	98.20	3	Horizontal	70	1.58	-	32.85	5.26	34.44
PK	5.3546G	69.19	74.00	-4.81	65.34	3	Horizontal	70	1.58	-	32.93	5.35	34.43
AV	5.351G	53.77	54.00	-0.23	49.94	3	Horizontal	70	1.58	-	32.91	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5270MHz_TX




EUT Y_2TX
Setting 87
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79668G	58.33	74.00	-15.67	45.30	3	Vertical	349	1.80	-	38.40	9.26	34.63
AV	15.8142G	45.14	54.00	-8.86	32.09	3	Vertical	349	1.80	-	38.43	9.26	34.64

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5270MHz_TX




EUT Y_2TX
Setting 87
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80886G	57.45	74.00	-16.55	44.41	3	Horizontal	40	1.80	-	38.42	9.26	34.64
AV	15.79944G	45.17	54.00	-8.83	32.14	3	Horizontal	40	1.80	-	38.40	9.26	34.63

802.11ax HEW40_Nss2,(MCS0)_2TX

02/05/2021

5310MHz_TX




EUT Y_2TX
Setting 65
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	103.94	Inf	-Inf	100.09	3	Vertical	327	2.95	-	32.96	5.32	34.43
AV	5.3056G	92.27	Inf	-Inf	88.40	3	Vertical	327	2.95	-	32.99	5.31	34.43
PK	5.3516G	66.63	74.00	-7.37	62.80	3	Vertical	327	2.95	-	32.91	5.35	34.43
AV	5.35G	49.31	54.00	-4.69	45.49	3	Vertical	327	2.95	-	32.90	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

02/05/2021

5310MHz_TX




EUT Y_2TX
Setting 65
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	107.76	Inf	-Inf	103.93	3	Horizontal	65	1.74	-	32.97	5.29	34.43
AV	5.306G	96.74	Inf	-Inf	92.87	3	Horizontal	65	1.74	-	32.99	5.31	34.43
PK	5.35G	72.25	74.00	-1.75	68.43	3	Horizontal	65	1.74	-	32.90	5.35	34.43
AV	5.35G	53.61	54.00	-0.39	49.79	3	Horizontal	65	1.74	-	32.90	5.35	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

02/05/2021

5310MHz_TX




EUT Y_2TX
Setting 65
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6293G	53.73	74.00	-20.27	42.50	3	Vertical	41	1.80	-	38.43	7.52	34.72
AV	10.62048G	41.52	54.00	-12.48	30.31	3	Vertical	41	1.80	-	38.42	7.52	34.73
PK	15.93036G	57.41	74.00	-16.59	44.25	3	Vertical	37	1.77	-	38.63	9.29	34.76
AV	15.9198G	44.98	54.00	-9.02	31.83	3	Vertical	37	1.77	-	38.62	9.28	34.75

802.11ax HEW40_Nss2,(MCS0)_2TX

02/05/2021

5310MHz_TX




EUT Y_2TX
Setting 65
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60998G	53.42	74.00	-20.58	42.24	3	Horizontal	337	1.80	-	38.41	7.51	34.74
AV	10.63176G	41.25	54.00	-12.75	30.02	3	Horizontal	337	1.80	-	38.43	7.52	34.72
PK	15.92682G	57.29	74.00	-16.71	44.13	3	Horizontal	41	1.82	-	38.63	9.29	34.76
AV	15.93498G	45.00	54.00	-9.00	31.84	3	Horizontal	41	1.82	-	38.63	9.29	34.76

802.11ax HEW40_Nss2,(MCS0)_2TX

10/05/2021

5510MHz_TX




EUT Y_2TX
Setting 62
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	56.55	74.00	-17.45	52.14	3	Vertical	6	2.14	-	33.42	5.40	34.41
AV	5.4592G	44.37	54.00	-9.63	39.96	3	Vertical	6	2.14	-	33.42	5.40	34.41
PK	5.47G	64.92	68.20	-3.28	60.49	3	Vertical	6	2.14	-	33.44	5.40	34.41
PK	5.5196G	99.35	Inf	-Inf	94.79	3	Vertical	6	2.14	-	33.58	5.40	34.42
AV	5.5068G	87.40	Inf	-Inf	82.88	3	Vertical	6	2.14	-	33.53	5.40	34.41

802.11ax HEW40_Nss2,(MCS0)_2TX

10/05/2021

5510MHz_TX




EUT Y_2TX
Setting 62
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	59.85	74.00	-14.15	55.46	3	Horizontal	77	2.82	-	33.41	5.40	34.42
AV	5.46G	44.77	54.00	-9.23	40.36	3	Horizontal	77	2.82	-	33.42	5.40	34.41
PK	5.47G	68.14	68.20	-0.06	63.71	3	Horizontal	77	2.82	-	33.44	5.40	34.41
PK	5.5148G	103.57	Inf	-Inf	99.03	3	Horizontal	77	2.82	-	33.56	5.40	34.42
AV	5.5056G	91.95	Inf	-Inf	87.44	3	Horizontal	77	2.82	-	33.52	5.40	34.41

802.11ax HEW40_Nss2,(MCS0)_2TX

10/05/2021

5510MHz_TX




EUT Y_2TX
Setting 62
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0194G	53.58	74.00	-20.42	42.09	3	Vertical	50	1.51	-	38.22	7.66	34.39
AV	11.01982G	41.72	54.00	-12.28	30.23	3	Vertical	50	1.51	-	38.22	7.66	34.39

802.11ax HEW40_Nss2,(MCS0)_2TX

10/05/2021

5510MHz_TX




EUT Y_2TX
Setting 62
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02552G	54.27	74.00	-19.73	42.77	3	Horizontal	207	2.78	-	38.23	7.66	34.39
AV	11.01214G	41.57	54.00	-12.43	30.10	3	Horizontal	207	2.78	-	38.21	7.65	34.39

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5550MHz_TX




EUT Y_2TX
Setting 82
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	59.56	74.00	-14.44	55.28	3	Vertical	336	2.74	-	33.30	5.40	34.42
PK	5.47G	61.26	68.20	-6.94	56.83	3	Vertical	336	2.74	-	33.44	5.40	34.41
AV	5.4588G	47.72	54.00	-6.28	43.31	3	Vertical	336	2.74	-	33.42	5.40	34.41
PK	5.5596G	108.76	Inf	-Inf	104.07	3	Vertical	336	2.74	-	33.72	5.40	34.43
AV	5.5452G	97.62	Inf	-Inf	92.97	3	Vertical	336	2.74	-	33.68	5.40	34.43
PK	5.7404G	58.22	68.20	-9.98	53.18	3	Vertical	336	2.74	-	34.06	5.47	34.49

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5550MHz_TX




EUT Y_2TX
Setting 82
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	67.10	74.00	-6.90	62.71	3	Horizontal	66	1.51	-	33.41	5.40	34.42
PK	5.4644G	67.82	68.20	-0.38	63.40	3	Horizontal	66	1.51	-	33.43	5.40	34.41
AV	5.4596G	51.86	54.00	-2.14	47.45	3	Horizontal	66	1.51	-	33.42	5.40	34.41
PK	5.546G	113.43	Inf	-Inf	108.78	3	Horizontal	66	1.51	-	33.68	5.40	34.43
AV	5.546G	102.18	Inf	-Inf	97.53	3	Horizontal	66	1.51	-	33.68	5.40	34.43
PK	5.7452G	59.53	68.20	-8.67	54.47	3	Horizontal	66	1.51	-	34.08	5.47	34.49

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5550MHz_TX




EUT Y_2TX
Setting 82
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0688G	53.84	74.00	-20.16	42.30	3	Vertical	356	1.80	-	38.27	7.67	34.40
AV	11.1306G	41.58	54.00	-12.42	30.02	3	Vertical	356	1.80	-	38.27	7.70	34.41

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5550MHz_TX




EUT Y_2TX
Setting 82
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1282G	53.87	74.00	-20.13	42.32	3	Horizontal	146	1.80	-	38.27	7.69	34.41
AV	11.0784G	41.61	54.00	-12.39	30.05	3	Horizontal	146	1.80	-	38.28	7.68	34.40

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5670MHz_TX




EUT Y_2TX
Setting 69
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6796G	104.47	Inf	-Inf	99.60	3	Vertical	352	2.21	-	33.90	5.44	34.47
AV	5.684G	93.01	Inf	-Inf	88.14	3	Vertical	352	2.21	-	33.90	5.44	34.47
PK	5.7256G	63.73	68.20	-4.47	58.76	3	Vertical	352	2.21	-	34.00	5.46	34.49

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5670MHz_TX




EUT Y_2TX
Setting 69
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6744G	111.12	Inf	-Inf	106.25	3	Horizontal	61	2.88	-	33.90	5.44	34.47
AV	5.6832G	99.37	Inf	-Inf	94.50	3	Horizontal	61	2.88	-	33.90	5.44	34.47
PK	5.7272G	67.90	68.20	-0.30	62.92	3	Horizontal	61	2.88	-	34.01	5.46	34.49

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5670MHz_TX




EUT Y_2TX
Setting 69
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3428G	54.03	74.00	-19.97	42.36	3	Vertical	43	1.39	-	38.34	7.77	34.44
AV	11.3246G	41.89	54.00	-12.11	30.25	3	Vertical	43	1.39	-	38.32	7.76	34.44

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5670MHz_TX




EUT Y_2TX
Setting 69
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3472G	54.76	74.00	-19.24	43.09	3	Horizontal	73	1.39	-	38.35	7.77	34.45
AV	11.3428G	42.21	54.00	-11.79	30.54	3	Horizontal	73	1.39	-	38.34	7.77	34.44

802.11ax HEW40_Nss2,(MCS0)_2TX

08/06/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 99
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7196G	111.83	Inf	-Inf	105.31	3	Vertical	357	2.13	-	33.98	5.46	32.92
AV	5.714G	99.97	Inf	-Inf	93.47	3	Vertical	357	2.13	-	33.96	5.46	32.92
PK	5.878G	62.69	68.20	-5.51	55.46	3	Vertical	357	2.13	-	34.67	5.50	32.94

802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT Y_2TX
Setting 99
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	116.11	Inf	-Inf	109.66	3	Horizontal	69	2.59	-	33.92	5.45	32.92
AV	5.7148G	104.66	Inf	-Inf	98.16	3	Horizontal	69	2.59	-	33.96	5.46	32.92
PK	5.8548G	67.97	68.20	-0.23	60.88	3	Horizontal	69	2.59	-	34.53	5.50	32.94

802.11ax HEW40_Nss2,(MCS0)_2TX

08/06/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 99
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5864G	53.95	74.00	-20.05	40.51	3	Vertical	179	2.93	-	38.40	7.86	32.82
AV	11.4936G	42.68	54.00	-11.32	29.27	3	Vertical	179	2.93	-	38.40	7.82	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

08/06/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 99
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4136G	54.25	74.00	-19.75	40.86	3	Horizontal	270	1.20	-	38.40	7.79	32.80
AV	11.5864G	42.85	54.00	-11.15	29.41	3	Horizontal	270	1.20	-	38.40	7.86	32.82

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5755MHz_TX




EUT Y_2TX
Setting 95
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.15	68.20	-4.05	59.29	3	Vertical	355	2.09	-	33.90	5.42	34.46
PK	5.765G	110.43	Inf	-Inf	105.29	3	Vertical	355	2.09	-	34.16	5.48	34.50
AV	5.763G	99.02	Inf	-Inf	93.89	3	Vertical	355	2.09	-	34.15	5.48	34.50
PK	5.969G	58.55	68.20	-9.65	52.54	3	Vertical	355	2.09	-	35.08	5.50	34.57

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5755MHz_TX




EUT Y_2TX
Setting 95
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.64	68.94	-0.30	63.77	3	Horizontal	66	2.58	-	33.90	5.43	34.46
PK	5.76G	115.81	Inf	-Inf	110.69	3	Horizontal	66	2.58	-	34.14	5.48	34.50
AV	5.76G	104.47	Inf	-Inf	99.35	3	Horizontal	66	2.58	-	34.14	5.48	34.50
PK	5.929G	62.90	68.20	-5.30	57.04	3	Horizontal	66	2.58	-	34.92	5.50	34.56

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5755MHz_TX




EUT Y_2TX
Setting 95
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5522G	54.41	74.00	-19.59	42.65	3	Vertical	19	2.47	-	38.40	7.84	34.48
AV	11.508G	42.82	54.00	-11.18	31.06	3	Vertical	19	2.47	-	38.40	7.83	34.47

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5755MHz_TX




EUT Y_2TX
Setting 95
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5084G	55.42	74.00	-18.58	43.66	3	Horizontal	59	1.97	-	38.40	7.83	34.47
AV	11.5126G	43.43	54.00	-10.57	31.67	3	Horizontal	59	1.97	-	38.40	7.83	34.47

802.11ax HEW40_Nss2,(MCS0)_2TX

02/05/2021

5795MHz_TX




EUT Y_2TX
Setting 97
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.31	68.20	-9.89	53.47	3	Vertical	0	2.07	-	33.88	5.42	34.46
PK	5.805G	110.04	Inf	-Inf	104.73	3	Vertical	0	2.07	-	34.32	5.50	34.51
AV	5.791G	98.29	Inf	-Inf	93.04	3	Vertical	0	2.07	-	34.26	5.50	34.51
PK	5.926G	61.69	68.20	-6.51	55.84	3	Vertical	0	2.07	-	34.90	5.50	34.55

802.11ax HEW40_Nss2,(MCS0)_2TX

02/05/2021

5795MHz_TX




EUT Y_2TX
Setting 97
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.50	68.20	-5.70	57.65	3	Horizontal	67	2.55	-	33.89	5.42	34.46
PK	5.79G	116.31	Inf	-Inf	111.06	3	Horizontal	67	2.55	-	34.26	5.50	34.51
AV	5.8G	104.62	Inf	-Inf	99.33	3	Horizontal	67	2.55	-	34.30	5.50	34.51
PK	5.926G	67.84	68.20	-0.36	61.99	3	Horizontal	67	2.55	-	34.90	5.50	34.55

802.11ax HEW40_Nss2,(MCS0)_2TX

02/05/2021

5795MHz_TX




EUT Y_2TX
Setting 97
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5882G	54.97	74.00	-19.03	43.19	3	Vertical	355	1.58	-	38.40	7.86	34.48
AV	11.5984G	43.27	54.00	-10.73	31.50	3	Vertical	355	1.58	-	38.40	7.86	34.49

802.11ax HEW40_Nss2,(MCS0)_2TX

02/05/2021

5795MHz_TX




EUT Y_2TX
Setting 97
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5896G	55.22	74.00	-18.78	43.44	3	Horizontal	58	1.80	-	38.40	7.86	34.48
AV	11.586G	43.04	54.00	-10.96	31.26	3	Horizontal	58	1.80	-	38.40	7.86	34.48

802.11ax HEW80_Nss2,(MCS0)_2TX

10/05/2021

5210MHz_TX




EUT Y_2TX
Setting 64
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	61.31	74.00	-12.69	57.99	3	Vertical	330	2.95	-	32.60	5.17	34.45
AV	5.148G	46.57	54.00	-7.43	43.25	3	Vertical	330	2.95	-	32.60	5.17	34.45
PK	5.221G	99.57	Inf	-Inf	96.05	3	Vertical	330	2.95	-	32.74	5.22	34.44
AV	5.219G	88.33	Inf	-Inf	84.81	3	Vertical	330	2.95	-	32.74	5.22	34.44
PK	5.437G	56.05	74.00	-17.95	51.72	3	Vertical	330	2.95	-	33.35	5.40	34.42
AV	5.353G	44.60	54.00	-9.40	40.76	3	Vertical	330	2.95	-	32.92	5.35	34.43

802.11ax HEW80_Nss2,(MCS0)_2TX

10/05/2021

5210MHz_TX




EUT Y_2TX
Setting 64
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.15	74.00	-6.85	63.83	3	Horizontal	68	1.59	-	32.60	5.17	34.45
AV	5.15G	53.84	54.00	-0.16	50.52	3	Horizontal	68	1.59	-	32.60	5.17	34.45
PK	5.23G	104.10	Inf	-Inf	100.55	3	Horizontal	68	1.59	-	32.76	5.23	34.44
AV	5.205G	92.74	Inf	-Inf	89.27	3	Horizontal	68	1.59	-	32.71	5.21	34.45
PK	5.402G	56.84	74.00	-17.16	52.65	3	Horizontal	68	1.59	-	33.21	5.40	34.42
AV	5.359G	44.73	54.00	-9.27	40.85	3	Horizontal	68	1.59	-	32.95	5.36	34.43

802.11ax HEW80_Nss2,(MCS0)_2TX

10/05/2021

5210MHz_TX




EUT Y_2TX
Setting 64
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6261G	58.85	74.00	-15.15	45.75	3	Vertical	284	1.51	-	38.33	9.23	34.46
AV	15.61692G	47.36	54.00	-6.64	34.27	3	Vertical	284	1.51	-	38.32	9.22	34.45

802.11ax HEW80_Nss2,(MCS0)_2TX

10/05/2021

5210MHz_TX




EUT Y_2TX
Setting 64
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61554G	58.57	74.00	-15.43	45.48	3	Horizontal	123	2.63	-	38.32	9.22	34.45
AV	15.63654G	47.49	54.00	-6.51	34.39	3	Horizontal	123	2.63	-	38.34	9.23	34.47

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5290MHz_TX




EUT Y_2TX
Setting 61
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	56.36	74.00	-17.64	53.06	3	Vertical	327	2.94	-	32.60	5.16	34.46
AV	5.139G	46.16	54.00	-7.84	42.84	3	Vertical	327	2.94	-	32.60	5.17	34.45
PK	5.302G	98.62	Inf	-Inf	94.75	3	Vertical	327	2.94	-	33.00	5.30	34.43
AV	5.302G	88.65	Inf	-Inf	84.78	3	Vertical	327	2.94	-	33.00	5.30	34.43
PK	5.35G	61.91	74.00	-12.09	58.09	3	Vertical	327	2.94	-	32.90	5.35	34.43
AV	5.351G	50.14	54.00	-3.86	46.31	3	Vertical	327	2.94	-	32.91	5.35	34.43
PK	5.522G	57.58	68.20	-10.62	53.01	3	Vertical	327	2.94	-	33.59	5.40	34.42

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5290MHz_TX




EUT Y_2TX
Setting 61
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	58.13	74.00	-15.87	54.81	3	Horizontal	57	1.79	-	32.60	5.17	34.45
AV	5.145G	47.67	54.00	-6.33	44.35	3	Horizontal	57	1.79	-	32.60	5.17	34.45
PK	5.285G	103.99	Inf	-Inf	100.20	3	Horizontal	57	1.79	-	32.94	5.29	34.44
AV	5.286G	94.03	Inf	-Inf	90.24	3	Horizontal	57	1.79	-	32.94	5.29	34.44
PK	5.35G	65.81	74.00	-8.19	61.99	3	Horizontal	57	1.79	-	32.90	5.35	34.43
AV	5.357G	53.56	54.00	-0.44	49.69	3	Horizontal	57	1.79	-	32.94	5.36	34.43
PK	5.461G	57.65	68.20	-10.55	53.24	3	Horizontal	57	1.79	-	33.42	5.40	34.41

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5290MHz_TX




EUT Y_2TX
Setting 61
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8726G	58.10	74.00	-15.90	44.98	3	Vertical	47	1.77	-	38.55	9.27	34.70
AV	15.8604G	47.06	54.00	-6.94	33.96	3	Vertical	47	1.77	-	38.52	9.27	34.69

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5290MHz_TX




EUT Y_2TX
Setting 61
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8384G	57.58	74.00	-16.42	44.50	3	Horizontal	207	1.54	-	38.48	9.27	34.67
AV	15.8526G	46.77	54.00	-7.23	33.67	3	Horizontal	207	1.54	-	38.51	9.27	34.68

802.11ax HEW80_Nss2,(MCS0)_2TX

10/05/2021

5530MHz_TX




EUT Y_2TX
Setting 65
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	54.12	68.20	-14.08	50.27	3	Vertical	0	2.21	-	32.95	5.33	34.43
PK	5.46G	60.32	74.00	-13.68	55.91	3	Vertical	0	2.21	-	33.42	5.40	34.41
AV	5.458G	48.29	54.00	-5.71	43.89	3	Vertical	0	2.21	-	33.42	5.40	34.42
PK	5.47G	62.56	68.20	-5.64	58.13	3	Vertical	0	2.21	-	33.44	5.40	34.41
PK	5.55G	96.95	Inf	-Inf	92.28	3	Vertical	0	2.21	-	33.70	5.40	34.43
AV	5.544G	85.63	Inf	-Inf	80.97	3	Vertical	0	2.21	-	33.68	5.40	34.42
PK	5.762G	57.16	68.20	-11.04	52.03	3	Vertical	0	2.21	-	34.15	5.48	34.50

802.11ax HEW80_Nss2,(MCS0)_2TX

10/05/2021

5530MHz_TX




EUT Y_2TX
Setting 65
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	56.12	68.20	-12.08	52.29	3	Horizontal	70	2.92	-	32.92	5.34	34.43
PK	5.46G	64.81	74.00	-9.19	60.40	3	Horizontal	70	2.92	-	33.42	5.40	34.41
AV	5.46G	52.59	54.00	-1.41	48.18	3	Horizontal	70	2.92	-	33.42	5.40	34.41
PK	5.47G	68.08	68.20	-0.12	63.65	3	Horizontal	70	2.92	-	33.44	5.40	34.41
PK	5.533G	104.64	Inf	-Inf	100.03	3	Horizontal	70	2.92	-	33.63	5.40	34.42
AV	5.521G	93.99	Inf	-Inf	89.43	3	Horizontal	70	2.92	-	33.58	5.40	34.42
PK	5.738G	57.68	68.20	-10.52	52.65	3	Horizontal	70	2.92	-	34.05	5.47	34.49

802.11ax HEW80_Nss2,(MCS0)_2TX

10/05/2021

5530MHz_TX




EUT Y_2TX
Setting 65
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04848G	53.98	74.00	-20.02	42.46	3	Vertical	234	2.71	-	38.25	7.67	34.40
AV	11.04506G	42.36	54.00	-11.64	30.84	3	Vertical	234	2.71	-	38.25	7.67	34.40

802.11ax HEW80_Nss2,(MCS0)_2TX

10/05/2021

5530MHz_TX




EUT Y_2TX
Setting 65
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06216G	53.87	74.00	-20.13	42.34	3	Horizontal	76	1.40	-	38.26	7.67	34.40
AV	11.0672G	43.14	54.00	-10.86	31.60	3	Horizontal	76	1.40	-	38.27	7.67	34.40

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5610MHz_TX




EUT Y_2TX
Setting 77
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	60.46	74.00	-13.54	56.07	3	Vertical	0	2.25	-	33.41	5.40	34.42
AV	5.46G	49.45	54.00	-4.55	45.04	3	Vertical	0	2.25	-	33.42	5.40	34.41
PK	5.469G	60.41	68.20	-7.79	55.98	3	Vertical	0	2.25	-	33.44	5.40	34.41
PK	5.602G	103.97	Inf	-Inf	99.21	3	Vertical	0	2.25	-	33.80	5.40	34.44
AV	5.622G	93.18	Inf	-Inf	88.38	3	Vertical	0	2.25	-	33.84	5.41	34.45
PK	5.742G	63.32	68.20	-4.88	58.27	3	Vertical	0	2.25	-	34.07	5.47	34.49

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5610MHz_TX




EUT Y_2TX
Setting 77
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	62.97	74.00	-11.03	58.59	3	Horizontal	65	2.95	-	33.40	5.40	34.42
PK	5.466G	63.06	68.20	-5.14	58.64	3	Horizontal	65	2.95	-	33.43	5.40	34.41
AV	5.46G	51.37	54.00	-2.63	46.96	3	Horizontal	65	2.95	-	33.42	5.40	34.41
PK	5.613G	109.83	Inf	-Inf	105.04	3	Horizontal	65	2.95	-	33.83	5.41	34.45
AV	5.601G	99.30	Inf	-Inf	94.54	3	Horizontal	65	2.95	-	33.80	5.40	34.44
PK	5.729G	67.87	68.20	-0.33	62.88	3	Horizontal	65	2.95	-	34.02	5.46	34.49

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5610MHz_TX




EUT Y_2TX
Setting 77
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2668G	53.61	74.00	-20.39	42.03	3	Vertical	118	1.64	-	38.27	7.74	34.43
AV	11.1858G	43.59	54.00	-10.41	32.08	3	Vertical	118	1.64	-	38.21	7.72	34.42

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5610MHz_TX




EUT Y_2TX
Setting 77
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1876G	53.26	74.00	-20.74	41.75	3	Horizontal	313	1.25	-	38.21	7.72	34.42
AV	11.2018G	43.37	54.00	-10.63	31.87	3	Horizontal	313	1.25	-	38.20	7.72	34.42

802.11ax HEW80_Nss2,(MCS0)_2TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 88
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6924G	106.71	Inf	-Inf	100.28	3	Vertical	354	2.25	-	33.90	5.45	32.92
AV	5.702G	95.95	Inf	-Inf	89.51	3	Vertical	354	2.25	-	33.91	5.45	32.92
PK	5.8564G	62.65	68.20	-5.55	55.55	3	Vertical	354	2.25	-	34.54	5.50	32.94

802.11ax HEW80_Nss2,(MCS0)_2TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 88
01-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.674G	111.61	Inf	-Inf	105.19	3	Horizontal	68	2.58	-	33.90	5.44	32.92
AV	5.6812G	101.38	Inf	-Inf	94.96	3	Horizontal	68	2.58	-	33.90	5.44	32.92
PK	5.8572G	68.08	68.20	-0.12	60.98	3	Horizontal	68	2.58	-	34.54	5.50	32.94

802.11ax HEW80_Nss2,(MCS0)_2TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 88
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3992G	54.91	74.00	-19.09	41.52	3	Vertical	253	2.36	-	38.40	7.79	32.80
AV	11.4448G	44.49	54.00	-9.51	31.08	3	Vertical	253	2.36	-	38.40	7.81	32.80

802.11ax HEW80_Nss2,(MCS0)_2TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 88
01-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.436G	54.31	74.00	-19.69	40.91	3	Horizontal	190	2.57	-	38.40	7.80	32.80
AV	11.5008G	44.59	54.00	-9.41	31.17	3	Horizontal	190	2.57	-	38.40	7.83	32.81

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5775MHz_TX




EUT Y_2TX
Setting 81
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.27	68.20	-5.93	57.42	3	Vertical	356	2.07	-	33.89	5.42	34.46
PK	5.766G	105.84	Inf	-Inf	100.70	3	Vertical	356	2.07	-	34.16	5.48	34.50
AV	5.767G	94.84	Inf	-Inf	89.69	3	Vertical	356	2.07	-	34.17	5.48	34.50
PK	5.925G	61.28	68.20	-6.92	55.43	3	Vertical	356	2.07	-	34.90	5.50	34.55

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5775MHz_TX




EUT Y_2TX
Setting 81
01-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	67.73	68.20	-0.47	62.89	3	Horizontal	67	2.57	-	33.88	5.42	34.46
PK	5.762G	110.43	Inf	-Inf	105.30	3	Horizontal	67	2.57	-	34.15	5.48	34.50
AV	5.792G	100.33	Inf	-Inf	95.07	3	Horizontal	67	2.57	-	34.27	5.50	34.51
PK	5.932G	66.12	68.20	-2.08	60.25	3	Horizontal	67	2.57	-	34.93	5.50	34.56

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5775MHz_TX




EUT Y_2TX
Setting 81
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5412G	53.76	74.00	-20.24	42.00	3	Vertical	195	1.09	-	38.40	7.84	34.48
AV	11.5152G	43.15	54.00	-10.85	31.39	3	Vertical	195	1.09	-	38.40	7.83	34.47

802.11ax HEW80_Nss2,(MCS0)_2TX

02/05/2021

5775MHz_TX




EUT Y_2TX
Setting 81
01-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.582G	54.78	74.00	-19.22	43.01	3	Horizontal	56	1.80	-	38.40	7.85	34.48
AV	11.55G	43.76	54.00	-10.24	32.00	3	Horizontal	56	1.80	-	38.40	7.84	34.48

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 55
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	59.80	74.00	-14.20	56.48	3	Vertical	337	2.91	-	32.60	5.17	34.45
AV	5.1048G	47.15	54.00	-6.85	43.86	3	Vertical	337	2.91	-	32.60	5.15	34.46
PK	5.232G	96.02	Inf	-Inf	92.47	3	Vertical	337	2.91	-	32.76	5.23	34.44
AV	5.2224G	86.04	Inf	-Inf	82.52	3	Vertical	337	2.91	-	32.74	5.22	34.44
PK	5.3868G	65.26	74.00	-8.74	61.17	3	Vertical	337	2.91	-	33.12	5.39	34.42
AV	5.3736G	51.28	54.00	-2.72	47.30	3	Vertical	337	2.91	-	33.04	5.37	34.43
PK	5.502G	57.99	68.20	-10.21	53.49	3	Vertical	337	2.91	-	33.51	5.40	34.41
AV	5.46G	46.92	54.00	-7.08	42.51	3	Vertical	337	2.91	-	33.42	5.40	34.41

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 55
01-F-G-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1288G	66.56	74.00	-7.44	63.25	3	Horizontal	66	1.40	-	32.60	5.16	34.45
AV	5.1432G	51.89	54.00	-2.11	48.57	3	Horizontal	66	1.40	-	32.60	5.17	34.45
PK	5.214G	101.40	Inf	-Inf	97.90	3	Horizontal	66	1.40	-	32.73	5.21	34.44
AV	5.2116G	90.80	Inf	-Inf	87.31	3	Horizontal	66	1.40	-	32.72	5.21	34.44
PK	5.3808G	68.17	74.00	-5.83	64.13	3	Horizontal	66	1.40	-	33.08	5.38	34.42
AV	5.3808G	53.78	54.00	-0.22	49.74	3	Horizontal	66	1.40	-	33.08	5.38	34.42
PK	5.4612G	59.56	68.20	-8.64	55.15	3	Horizontal	66	1.40	-	33.42	5.40	34.41
AV	5.46G	47.80	54.00	-6.20	43.39	3	Horizontal	66	1.40	-	33.42	5.40	34.41

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5250MHz Straddle 5.25-5.35GHz_TX



EUT Y_2TX
Setting 55
01-F-G-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74188G	58.42	74.00	-15.58	45.34	3	Vertical	9	2.94	-	38.40	9.25	34.57
AV	15.75196G	47.90	54.00	-6.10	34.83	3	Vertical	9	2.94	-	38.40	9.25	34.58