



Profile: 1992128R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.561	31.210	-30.439	74.000	12.351	PK
2	*	15660.000	48.938	31.411	-25.062	74.000	17.527	PK

Profile: 1992128R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.189	30.122	-31.811	74.000	12.068	PK
2	*	15720.000	48.742	30.591	-25.258	74.000	18.152	PK

Profile: 1992128R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.026	30.959	-30.974	74.000	12.068	PK
2	*	15720.000	49.578	31.427	-24.422	74.000	18.152	PK

Profile: 1992128R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.891	28.960	-31.109	74.000	13.931	PK
2	*	17235.000	51.086	30.805	-22.914	74.000	20.281	PK

Profile: 1992128R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.835	29.904	-30.165	74.000	13.931	PK
2	*	17235.000	50.055	29.774	-23.945	74.000	20.281	PK

Profile: 1992128R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.070	30.856	-28.930	74.000	14.214	PK
2	*	17355.000	47.351	27.588	-26.649	74.000	19.762	PK

Profile: 1992128R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.235	31.021	-28.765	74.000	14.214	PK
2	*	17355.000	48.086	28.323	-25.914	74.000	19.762	PK


Profile: 1992128R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.408	30.831	-28.592	74.000	14.577	PK
2	*	17475.000	49.544	29.635	-24.456	74.000	19.909	PK




Profile: 1992128R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.124	30.547	-28.876	74.000	14.577	PK
2	*	17475.000	50.385	30.476	-23.615	74.000	19.909	PK

Profile: 1992128R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.536	31.753	-30.464	74.000	11.783	PK
2	*	15570.000	49.305	31.293	-24.695	74.000	18.012	PK

Profile: 1992128R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.857	30.074	-32.143	74.000	11.783	PK
2	*	15570.000	48.388	30.376	-25.612	74.000	18.012	PK

Profile: 1992128R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.516	29.659	-32.484	74.000	11.857	PK
2	*	15690.000	48.331	29.977	-25.669	74.000	18.354	PK

Profile: 1992128R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.448	29.591	-32.552	74.000	11.857	PK
2	*	15690.000	48.993	30.639	-25.007	74.000	18.354	PK

Profile: 1992128R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.395	30.905	-28.605	74.000	14.490	PK
2	*	17265.000	50.826	30.226	-23.174	74.000	20.600	PK

Profile: 1992128R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.788	30.298	-29.212	74.000	14.490	PK
2	*	17265.000	50.662	30.062	-23.338	74.000	20.600	PK


Profile: 1992128R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.595	29.550	-29.405	74.000	15.045	PK
2	*	17385.000	48.343	28.427	-25.657	74.000	19.916	PK




Profile: 1992128R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.154	30.109	-28.846	74.000	15.045	PK
2	*	17385.000	49.603	29.687	-24.397	74.000	19.916	PK

Profile: 1992128R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.959	32.201	-30.041	74.000	11.757	PK
2	*	15540.000	49.279	31.808	-24.721	74.000	17.471	PK

Profile: 1992128R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.787	31.029	-31.213	74.000	11.757	PK
2	*	15540.000	49.251	31.780	-24.749	74.000	17.471	PK

Profile: 1992128R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.834	30.483	-31.166	74.000	12.351	PK
2	*	15660.000	47.353	29.826	-26.647	74.000	17.527	PK

Profile: 1992128R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.910	30.559	-31.090	74.000	12.351	PK
2	*	15660.000	47.505	29.978	-26.495	74.000	17.527	PK

Profile: 1992128R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.034	30.967	-30.966	74.000	12.068	PK
2	*	15720.000	49.345	31.194	-24.655	74.000	18.152	PK

Profile: 1992128R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.085	30.018	-31.915	74.000	12.068	PK
2	*	15720.000	48.978	30.827	-25.022	74.000	18.152	PK


Profile: 1992128R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.550	29.619	-30.450	74.000	13.931	PK
2	*	17235.000	49.104	28.823	-24.896	74.000	20.281	PK




Profile: 1992128R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.401	30.470	-29.599	74.000	13.931	PK
2	*	17235.000	50.272	29.991	-23.728	74.000	20.281	PK

Profile: 1992128R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.195	29.981	-29.805	74.000	14.214	PK
2	*	17355.000	46.764	27.001	-27.236	74.000	19.762	PK

Profile: 1992128R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.113	29.899	-29.887	74.000	14.214	PK
2	*	17355.000	47.465	27.702	-26.535	74.000	19.762	PK

Profile: 1992128R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.501	28.924	-30.499	74.000	14.577	PK
2	*	17475.000	51.083	31.174	-22.917	74.000	19.909	PK

Profile: 1992128R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.664	29.087	-30.336	74.000	14.577	PK
2	*	17475.000	50.074	30.165	-23.926	74.000	19.909	PK

Profile: 1992128R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.865	31.082	-31.135	74.000	11.783	PK
2	*	15570.000	48.695	30.683	-25.305	74.000	18.012	PK

Profile: 1992128R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.615	31.832	-30.385	74.000	11.783	PK
2	*	15570.000	47.585	29.573	-26.415	74.000	18.012	PK


Profile: 1992128R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.632	28.775	-33.368	74.000	11.857	PK
2	*	15690.000	48.842	30.488	-25.158	74.000	18.354	PK




Profile: 1992128R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.511	30.654	-31.489	74.000	11.857	PK
2	*	15690.000	48.898	30.544	-25.102	74.000	18.354	PK

Profile: 1992128R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.689	29.199	-30.311	74.000	14.490	PK
2	*	17265.000	50.102	29.502	-23.898	74.000	20.600	PK

Profile: 1992128R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.248	29.758	-29.752	74.000	14.490	PK
2	*	17265.000	49.141	28.541	-24.859	74.000	20.600	PK

Profile: 1992128R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.416	29.371	-29.584	74.000	15.045	PK
2	*	17385.000	50.037	30.121	-23.963	74.000	19.916	PK

Profile: 1992128R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.476	29.431	-29.524	74.000	15.045	PK
2	*	17385.000	48.508	28.592	-25.492	74.000	19.916	PK

Profile: 1992128R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.544	31.765	-30.456	74.000	11.780	PK
2	*	15630.000	49.766	31.904	-24.234	74.000	17.862	PK

Profile: 1992128R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.138	30.359	-31.862	74.000	11.780	PK
2	*	15630.000	47.113	29.251	-26.887	74.000	17.862	PK


Profile: 1992128R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.567	30.157	-29.433	74.000	14.409	PK
2	*	17325.000	47.804	27.239	-26.196	74.000	20.565	PK




Profile: 1992128R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.072	29.662	-29.928	74.000	14.409	PK
2	*	17325.000	48.102	27.537	-25.898	74.000	20.565	PK

Profile: 1992128R	Page No.: 137
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.954	32.196	-30.046	74.000	11.757	PK
2	*	15540.000	49.318	31.847	-24.682	74.000	17.471	PK

Profile: 1992128R	Page No.: 138
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.530	30.772	-31.470	74.000	11.757	PK
2	*	15540.000	48.540	31.069	-25.460	74.000	17.471	PK

Profile: 1992128R	Page No.: 139
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.187	30.836	-30.813	74.000	12.351	PK
2	*	15660.000	47.232	29.705	-26.768	74.000	17.527	PK

Profile: 1992128R	Page No.: 140
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.344	29.993	-31.656	74.000	12.351	PK
2	*	15660.000	47.796	30.269	-26.204	74.000	17.527	PK

Profile: 1992128R	Page No.: 141
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.364	30.297	-31.636	74.000	12.068	PK
2	*	15720.000	47.419	29.268	-26.581	74.000	18.152	PK

Profile: 1992128R	Page No.: 142
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.796	31.729	-30.204	74.000	12.068	PK
2	*	15720.000	49.283	31.132	-24.717	74.000	18.152	PK


Profile: 1992128R	Page No.: 143
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.670	30.739	-29.330	74.000	13.931	PK
2	*	17235.000	50.251	29.970	-23.749	74.000	20.281	PK




Profile: 1992128R	Page No.: 144
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.719	29.788	-30.281	74.000	13.931	PK
2	*	17235.000	50.400	30.119	-23.600	74.000	20.281	PK

Profile: 1992128R	Page No.: 145
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.938	29.724	-30.062	74.000	14.214	PK
2	*	17355.000	47.556	27.793	-26.444	74.000	19.762	PK

Profile: 1992128R	Page No.: 146
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.596	29.382	-30.404	74.000	14.214	PK
2	*	17355.000	47.623	27.860	-26.377	74.000	19.762	PK

Profile: 1992128R	Page No.: 147
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.709	29.132	-30.291	74.000	14.577	PK
2	*	17475.000	49.932	30.023	-24.068	74.000	19.909	PK

Profile: 1992128R	Page No.: 148
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.773	32.196	-27.227	74.000	14.577	PK
2	*	17475.000	50.637	30.728	-23.363	74.000	19.909	PK

Profile: 1992128R	Page No.: 149
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.388	30.605	-31.612	74.000	11.783	PK
2	*	15570.000	48.196	30.184	-25.804	74.000	18.012	PK

Profile: 1992128R	Page No.: 150
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.089	31.306	-30.911	74.000	11.783	PK
2	*	15570.000	48.463	30.451	-25.537	74.000	18.012	PK


Profile: 1992128R	Page No.: 151
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.006	29.149	-32.994	74.000	11.857	PK
2	*	15690.000	48.219	29.865	-25.781	74.000	18.354	PK




Profile: 1992128R	Page No.: 152
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.414	29.557	-32.586	74.000	11.857	PK
2	*	15690.000	48.662	30.308	-25.338	74.000	18.354	PK

Profile: 1992128R	Page No.: 153
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.536	30.046	-29.464	74.000	14.490	PK
2	*	17265.000	51.418	30.818	-22.582	74.000	20.600	PK

Profile: 1992128R	Page No.: 154
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.437	30.947	-28.563	74.000	14.490	PK
2	*	17265.000	52.457	31.857	-21.543	74.000	20.600	PK

Profile: 1992128R	Page No.: 155
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.671	30.626	-28.329	74.000	15.045	PK
2	*	17385.000	49.519	29.603	-24.481	74.000	19.916	PK

Profile: 1992128R	Page No.: 156
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.410	29.365	-29.590	74.000	15.045	PK
2	*	17385.000	49.564	29.648	-24.436	74.000	19.916	PK

Profile: 1992128R	Page No.: 157
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.691	30.912	-31.309	74.000	11.780	PK
2	*	15630.000	48.677	30.815	-25.323	74.000	17.862	PK

Profile: 1992128R	Page No.: 158
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.938	30.159	-32.062	74.000	11.780	PK
2	*	15630.000	47.718	29.856	-26.282	74.000	17.862	PK


Profile: 1992128R	Page No.: 159
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.631	29.221	-30.369	74.000	14.409	PK
2	*	17325.000	47.574	27.009	-26.426	74.000	20.565	PK




Profile: 1992128R	Page No.: 160
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.174	29.764	-29.826	74.000	14.409	PK
2	*	17325.000	48.296	27.731	-25.704	74.000	20.565	PK


**4\*4 CDD:**

Profile: 1992128R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.694	32.936	-29.306	74.000	11.757	PK
2	*	15540.000	50.561	33.090	-23.439	74.000	17.471	PK

Profile: 1992128R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.233	33.475	-28.767	74.000	11.757	PK
2	*	15540.000	49.576	32.105	-24.424	74.000	17.471	PK

Profile: 1992128R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.612	32.261	-29.388	74.000	12.351	PK
2	*	15660.000	50.092	32.565	-23.908	74.000	17.527	PK

Profile: 1992128R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.374	33.023	-28.626	74.000	12.351	PK
2	*	15660.000	49.222	31.695	-24.778	74.000	17.527	PK

Profile: 1992128R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.331	33.264	-28.669	74.000	12.068	PK
2	*	15720.000	51.677	33.526	-22.323	74.000	18.152	PK

Profile: 1992128R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.462	32.395	-29.538	74.000	12.068	PK
2	*	15720.000	50.593	32.442	-23.407	74.000	18.152	PK


Profile: 1992128R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.133	32.202	-27.867	74.000	13.931	PK
2	*	17235.000	51.718	31.437	-22.282	74.000	20.281	PK




Profile: 1992128R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.481	32.550	-27.519	74.000	13.931	PK
2	*	17235.000	52.300	32.019	-21.700	74.000	20.281	PK

Profile: 1992128R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.121	30.907	-28.879	74.000	14.214	PK
2	*	17355.000	49.485	29.722	-24.515	74.000	19.762	PK

Profile: 1992128R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.080	31.866	-27.920	74.000	14.214	PK
2	*	17355.000	50.807	31.044	-23.193	74.000	19.762	PK

Profile: 1992128R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.359	31.782	-27.641	74.000	14.577	PK
2	*	17475.000	51.619	31.710	-22.381	74.000	19.909	PK

Profile: 1992128R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.709	33.132	-26.291	74.000	14.577	PK
2	*	17475.000	52.312	32.403	-21.688	74.000	19.909	PK

Profile: 1992128R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.766	33.008	-29.234	74.000	11.757	PK
2	*	15540.000	50.474	33.003	-23.526	74.000	17.471	PK

Profile: 1992128R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.125	33.367	-28.875	74.000	11.757	PK
2	*	15540.000	50.272	32.801	-23.728	74.000	17.471	PK


Profile: 1992128R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.656	32.305	-29.344	74.000	12.351	PK
2	*	15660.000	50.268	32.741	-23.732	74.000	17.527	PK




Profile: 1992128R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.390	32.039	-29.610	74.000	12.351	PK
2	*	15660.000	50.215	32.688	-23.785	74.000	17.527	PK

Profile: 1992128R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.901	31.834	-30.099	74.000	12.068	PK
2	*	15720.000	50.797	32.646	-23.203	74.000	18.152	PK

Profile: 1992128R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.946	31.879	-30.054	74.000	12.068	PK
2	*	15720.000	50.122	31.971	-23.878	74.000	18.152	PK

Profile: 1992128R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.579	31.648	-28.421	74.000	13.931	PK
2	*	17235.000	51.760	31.479	-22.240	74.000	20.281	PK

Profile: 1992128R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	47.351	33.420	-26.649	74.000	13.931	PK
2	*	17235.000	53.856	33.575	-20.144	74.000	20.281	PK

Profile: 1992128R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.513	31.299	-28.487	74.000	14.214	PK
2	*	17355.000	49.708	29.945	-24.292	74.000	19.762	PK

Profile: 1992128R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.201	31.987	-27.799	74.000	14.214	PK
2	*	17355.000	48.784	29.021	-25.216	74.000	19.762	PK


Profile: 1992128R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.923	31.346	-28.077	74.000	14.577	PK
2	*	17475.000	52.078	32.169	-21.922	74.000	19.909	PK




Profile: 1992128R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.634	33.057	-26.366	74.000	14.577	PK
2	*	17475.000	52.242	32.333	-21.758	74.000	19.909	PK

Profile: 1992128R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.292	33.509	-28.708	74.000	11.783	PK
2	*	15570.000	52.466	34.454	-21.534	74.000	18.012	PK

Profile: 1992128R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.215	33.432	-28.785	74.000	11.783	PK
2	*	15570.000	53.062	35.050	-20.938	74.000	18.012	PK

Profile: 1992128R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.412	32.555	-29.588	74.000	11.857	PK
2	*	15690.000	50.877	32.523	-23.123	74.000	18.354	PK

Profile: 1992128R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.828	31.971	-30.172	74.000	11.857	PK
2	*	15690.000	50.889	32.535	-23.111	74.000	18.354	PK

Profile: 1992128R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.213	31.723	-27.787	74.000	14.490	PK
2	*	17265.000	51.736	31.136	-22.264	74.000	20.600	PK

Profile: 1992128R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.462	31.972	-27.538	74.000	14.490	PK
2	*	17265.000	52.611	32.011	-21.389	74.000	20.600	PK


Profile: 1992128R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	49.301	34.256	-24.699	74.000	15.045	PK
2	*	17385.000	51.178	31.262	-22.822	74.000	19.916	PK




Profile: 1992128R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.155	31.110	-27.845	74.000	15.045	PK
2	*	17385.000	50.809	30.893	-23.191	74.000	19.916	PK

Profile: 1992128R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.464	32.706	-29.536	74.000	11.757	PK
2	*	15540.000	50.244	32.773	-23.756	74.000	17.471	PK

Profile: 1992128R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.531	32.773	-29.469	74.000	11.757	PK
2	*	15540.000	50.586	33.115	-23.414	74.000	17.471	PK

Profile: 1992128R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.889	31.538	-30.111	74.000	12.351	PK
2	*	15660.000	49.148	31.621	-24.852	74.000	17.527	PK

Profile: 1992128R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.886	33.535	-28.114	74.000	12.351	PK
2	*	15660.000	49.764	32.237	-24.236	74.000	17.527	PK

Profile: 1992128R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.949	32.882	-29.051	74.000	12.068	PK
2	*	15720.000	51.395	33.244	-22.605	74.000	18.152	PK

Profile: 1992128R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.478	33.411	-28.522	74.000	12.068	PK
2	*	15720.000	50.753	32.602	-23.247	74.000	18.152	PK


Profile: 1992128R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.520	30.589	-29.480	74.000	13.931	PK
2	*	17235.000	51.879	31.598	-22.121	74.000	20.281	PK




Profile: 1992128R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.763	30.832	-29.237	74.000	13.931	PK
2	*	17235.000	52.035	31.754	-21.965	74.000	20.281	PK

Profile: 1992128R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.464	31.250	-28.536	74.000	14.214	PK
2	*	17355.000	50.312	30.549	-23.688	74.000	19.762	PK

Profile: 1992128R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.996	32.782	-27.004	74.000	14.214	PK
2	*	17355.000	49.547	29.784	-24.453	74.000	19.762	PK

Profile: 1992128R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.948	32.371	-27.052	74.000	14.577	PK
2	*	17475.000	51.885	31.976	-22.115	74.000	19.909	PK

Profile: 1992128R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.193	31.616	-27.807	74.000	14.577	PK
2	*	17475.000	51.349	31.440	-22.651	74.000	19.909	PK

Profile: 1992128R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.312	33.529	-28.688	74.000	11.783	PK
2	*	15570.000	51.051	33.039	-22.949	74.000	18.012	PK

Profile: 1992128R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.169	33.386	-28.831	74.000	11.783	PK
2	*	15570.000	49.721	31.709	-24.279	74.000	18.012	PK


Profile: 1992128R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.026	32.169	-29.974	74.000	11.857	PK
2	*	15690.000	50.769	32.415	-23.231	74.000	18.354	PK




Profile: 1992128R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.978	34.121	-28.022	74.000	11.857	PK
2	*	15690.000	50.782	32.428	-23.218	74.000	18.354	PK

Profile: 1992128R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.968	32.478	-27.032	74.000	14.490	PK
2	*	17265.000	52.888	32.288	-21.112	74.000	20.600	PK

Profile: 1992128R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.029	31.539	-27.971	74.000	14.490	PK
2	*	17265.000	53.199	32.599	-20.801	74.000	20.600	PK

Profile: 1992128R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	48.572	33.527	-25.428	74.000	15.045	PK
2	*	17385.000	51.359	31.443	-22.641	74.000	19.916	PK

Profile: 1992128R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.357	32.312	-26.643	74.000	15.045	PK
2	*	17385.000	50.475	30.559	-23.525	74.000	19.916	PK

Profile: 1992128R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.276	33.497	-28.724	74.000	11.780	PK
2	*	15630.000	50.567	32.705	-23.433	74.000	17.862	PK

Profile: 1992128R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.478	33.699	-28.522	74.000	11.780	PK
2	*	15630.000	51.061	33.199	-22.939	74.000	17.862	PK


Profile: 1992128R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.805	31.395	-28.195	74.000	14.409	PK
2	*	17325.000	50.082	29.517	-23.918	74.000	20.565	PK




Profile: 1992128R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.031	32.621	-26.969	74.000	14.409	PK
2	*	17325.000	49.554	28.989	-24.446	74.000	20.565	PK

Profile: 1992128R	Page No.: 137
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.229	34.471	-27.771	74.000	11.757	PK
2	*	15540.000	49.971	32.500	-24.029	74.000	17.471	PK

Profile: 1992128R	Page No.: 138
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.706	33.948	-28.294	74.000	11.757	PK
2	*	15540.000	50.989	33.518	-23.011	74.000	17.471	PK

Profile: 1992128R	Page No.: 139
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.847	32.496	-29.153	74.000	12.351	PK
2	*	15660.000	49.942	32.415	-24.058	74.000	17.527	PK

Profile: 1992128R	Page No.: 140
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.469	32.118	-29.531	74.000	12.351	PK
2	*	15660.000	50.871	33.344	-23.129	74.000	17.527	PK

Profile: 1992128R	Page No.: 141
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.935	31.868	-30.065	74.000	12.068	PK
2	*	15720.000	50.557	32.406	-23.443	74.000	18.152	PK

Profile: 1992128R	Page No.: 142
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.029	32.962	-28.971	74.000	12.068	PK
2	*	15720.000	50.804	32.653	-23.196	74.000	18.152	PK


Profile: 1992128R	Page No.: 143
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.121	32.190	-27.879	74.000	13.931	PK
2	*	17235.000	51.756	31.475	-22.244	74.000	20.281	PK




Profile: 1992128R	Page No.: 144
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.412	31.481	-28.588	74.000	13.931	PK
2	*	17235.000	52.435	32.154	-21.565	74.000	20.281	PK

Profile: 1992128R	Page No.: 145
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.748	32.534	-27.252	74.000	14.214	PK
2	*	17355.000	50.101	30.338	-23.899	74.000	19.762	PK

Profile: 1992128R	Page No.: 146
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.173	32.959	-26.827	74.000	14.214	PK
2	*	17355.000	49.666	29.903	-24.334	74.000	19.762	PK

Profile: 1992128R	Page No.: 147
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.501	32.924	-26.499	74.000	14.577	PK
2	*	17475.000	51.890	31.981	-22.110	74.000	19.909	PK

Profile: 1992128R	Page No.: 148
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.765	33.188	-26.235	74.000	14.577	PK
2	*	17475.000	53.320	33.411	-20.680	74.000	19.909	PK

Profile: 1992128R	Page No.: 149
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.356	33.573	-28.644	74.000	11.783	PK
2	*	15570.000	51.424	33.412	-22.576	74.000	18.012	PK

Profile: 1992128R	Page No.: 150
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.981	33.198	-29.019	74.000	11.783	PK
2	*	15570.000	49.642	31.630	-24.358	74.000	18.012	PK


Profile: 1992128R	Page No.: 151
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.679	31.822	-30.321	74.000	11.857	PK
2	*	15690.000	50.062	31.708	-23.938	74.000	18.354	PK




Profile: 1992128R	Page No.: 152
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.564	32.707	-29.436	74.000	11.857	PK
2	*	15690.000	49.817	31.463	-24.183	74.000	18.354	PK

Profile: 1992128R	Page No.: 153
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.035	31.545	-27.965	74.000	14.490	PK
2	*	17265.000	52.182	31.582	-21.818	74.000	20.600	PK

Profile: 1992128R	Page No.: 154
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.436	32.946	-26.564	74.000	14.490	PK
2	*	17265.000	53.640	33.040	-20.360	74.000	20.600	PK

Profile: 1992128R	Page No.: 155
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.236	32.191	-26.764	74.000	15.045	PK
2	*	17385.000	50.927	31.011	-23.073	74.000	19.916	PK

Profile: 1992128R	Page No.: 156
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.738	31.693	-27.262	74.000	15.045	PK
2	*	17385.000	51.055	31.139	-22.945	74.000	19.916	PK

Profile: 1992128R	Page No.: 157
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.519	32.740	-29.481	74.000	11.780	PK
2	*	15630.000	50.254	32.392	-23.746	74.000	17.862	PK

Profile: 1992128R	Page No.: 158
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.121	32.342	-29.879	74.000	11.780	PK
2	*	15630.000	50.423	32.561	-23.577	74.000	17.862	PK


Profile: 1992128R	Page No.: 159
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.699	31.289	-28.301	74.000	14.409	PK
2	*	17325.000	49.048	28.483	-24.952	74.000	20.565	PK




Profile: 1992128R	Page No.: 160
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.909	31.499	-28.091	74.000	14.409	PK
2	*	17325.000	49.828	29.263	-24.172	74.000	20.565	PK


**2\*2 Beamforming:**

Profile: 1992128R	Page No.: 69
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.641	31.883	-30.359	74.000	11.757	PK
2	*	15540.000	48.386	30.915	-25.614	74.000	17.471	PK

Profile: 1992128R	Page No.: 70
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.096	30.338	-31.904	74.000	11.757	PK
2	*	15540.000	48.550	31.079	-25.450	74.000	17.471	PK

Profile: 1992128R	Page No.: 71
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.332	29.981	-31.668	74.000	12.351	PK
2	*	15660.000	48.381	30.854	-25.619	74.000	17.527	PK

Profile: 1992128R	Page No.: 72
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.788	30.437	-31.212	74.000	12.351	PK
2	*	15660.000	47.721	30.194	-26.279	74.000	17.527	PK

Profile: 1992128R	Page No.: 73
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.643	30.576	-31.357	74.000	12.068	PK
2	*	15720.000	48.166	30.015	-25.834	74.000	18.152	PK

Profile: 1992128R	Page No.: 74
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.079	31.012	-30.921	74.000	12.068	PK
2	*	15720.000	49.795	31.644	-24.205	74.000	18.152	PK


Profile: 1992128R	Page No.: 75
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.948	30.017	-30.052	74.000	13.931	PK
2	*	17235.000	51.371	31.090	-22.629	74.000	20.281	PK




Profile: 1992128R	Page No.: 76
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.509	30.578	-29.491	74.000	13.931	PK
2	*	17235.000	50.387	30.106	-23.613	74.000	20.281	PK

Profile: 1992128R	Page No.: 77
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.877	29.663	-30.123	74.000	14.214	PK
2	*	17355.000	46.624	26.861	-27.376	74.000	19.762	PK

Profile: 1992128R	Page No.: 78
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.809	30.595	-29.191	74.000	14.214	PK
2	*	17355.000	46.792	27.029	-27.208	74.000	19.762	PK

Profile: 1992128R	Page No.: 79
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.884	30.307	-29.116	74.000	14.577	PK
2	*	17475.000	50.053	30.144	-23.947	74.000	19.909	PK

Profile: 1992128R	Page No.: 80
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.557	29.980	-29.443	74.000	14.577	PK
2	*	17475.000	49.601	29.692	-24.399	74.000	19.909	PK

Profile: 1992128R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.149	31.366	-30.851	74.000	11.783	PK
2	*	15570.000	49.496	31.484	-24.504	74.000	18.012	PK

Profile: 1992128R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.430	31.647	-30.570	74.000	11.783	PK
2	*	15570.000	48.817	30.805	-25.183	74.000	18.012	PK


Profile: 1992128R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.454	28.597	-33.546	74.000	11.857	PK
2	*	15690.000	48.586	30.232	-25.414	74.000	18.354	PK




Profile: 1992128R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.011	30.154	-31.989	74.000	11.857	PK
2	*	15690.000	48.632	30.278	-25.368	74.000	18.354	PK

Profile: 1992128R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.890	30.400	-29.110	74.000	14.490	PK
2	*	17265.000	50.542	29.942	-23.458	74.000	20.600	PK

Profile: 1992128R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.659	29.169	-30.341	74.000	14.490	PK
2	*	17265.000	49.822	29.222	-24.178	74.000	20.600	PK

Profile: 1992128R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.663	30.618	-28.337	74.000	15.045	PK
2	*	17385.000	48.698	28.782	-25.302	74.000	19.916	PK

Profile: 1992128R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 02:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.044	29.999	-28.956	74.000	15.045	PK
2	*	17385.000	48.715	28.799	-25.285	74.000	19.916	PK