


802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 80
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	59.95	74.00	-14.05	8.44	3	Horizontal	66	2.47	-	51.51
AV	5.46G	47.83	54.00	-6.17	8.45	3	Horizontal	66	2.47	-	39.38
PK	5.47G	63.70	68.20	-4.50	8.46	3	Horizontal	66	2.47	-	55.24
PK	5.5008G	112.31	Inf	-Inf	8.52	3	Horizontal	66	2.47	-	103.79
AV	5.4952G	100.52	Inf	-Inf	8.51	3	Horizontal	66	2.47	-	92.01

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 80
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99488G	53.20	74.00	-20.80	14.26	3	Vertical	191	2.36	-	38.94
AV	11.00488G	40.83	54.00	-13.17	14.26	3	Vertical	191	2.36	-	26.57

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 80
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99568G	53.58	74.00	-20.42	14.26	3	Horizontal	261	2.99	-	39.32
AV	10.99984G	40.78	54.00	-13.22	14.26	3	Horizontal	261	2.99	-	26.52

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 108
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	66.02	74.00	-7.98	8.45	3	Vertical	232	2.45	-	57.57
AV	5.4576G	52.80	54.00	-1.20	8.44	3	Vertical	232	2.45	-	44.36
PK	5.4656G	67.44	68.20	-0.76	8.46	3	Vertical	232	2.45	-	58.98
PK	5.5792G	121.36	Inf	-Inf	8.57	3	Vertical	232	2.45	-	112.79
AV	5.5784G	109.23	Inf	-Inf	8.57	3	Vertical	232	2.45	-	100.66
PK	5.732G	63.73	68.20	-4.47	8.80	3	Vertical	232	2.45	-	54.93

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 108
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	65.83	74.00	-8.17	8.45	3	Horizontal	223	2.24	-	57.38
AV	5.46G	51.97	54.00	-2.03	8.45	3	Horizontal	223	2.24	-	43.52
PK	5.468G	66.74	68.20	-1.46	8.46	3	Horizontal	223	2.24	-	58.28
PK	5.5792G	120.66	Inf	-Inf	8.57	3	Horizontal	223	2.24	-	112.09
AV	5.5816G	108.50	Inf	-Inf	8.57	3	Horizontal	223	2.24	-	99.93
PK	5.728G	62.89	68.20	-5.31	8.80	3	Horizontal	223	2.24	-	54.09

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT Z_2TX
Setting 108
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1564G	54.13	74.00	-19.87	14.46	3	Vertical	23	2.91	-	39.67
AV	11.16036G	41.40	54.00	-12.60	14.46	3	Vertical	23	2.91	-	26.94
PK	16.7361G	65.18	68.20	-3.02	18.14	3	Vertical	236	1.97	-	47.04

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT Z_2TX
Setting 108
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15754G	53.33	74.00	-20.67	14.46	3	Horizontal	15	2.98	-	38.87
AV	11.17272G	40.47	54.00	-13.53	14.48	3	Horizontal	15	2.98	-	25.99
PK	16.7313G	60.05	68.20	-8.15	18.12	3	Horizontal	2	2.91	-	41.93

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 67
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.696G	112.48	Inf	-Inf	8.74	3	Vertical	322	2.35	-	103.74
AV	5.7032G	100.77	Inf	-Inf	8.75	3	Vertical	322	2.35	-	92.02
PK	5.7252G	67.43	68.20	-0.77	8.79	3	Vertical	322	2.35	-	58.64

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 67
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6992G	110.14	Inf	-Inf	8.75	3	Horizontal	8	2.63	-	101.39
AV	5.6952G	97.96	Inf	-Inf	8.74	3	Horizontal	8	2.63	-	89.22
PK	5.7252G	64.84	68.20	-3.36	8.79	3	Horizontal	8	2.63	-	56.05

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39188G	54.31	74.00	-19.69	14.76	3	Vertical	122	1.14	-	39.55
AV	11.39068G	41.51	54.00	-12.49	14.76	3	Vertical	122	1.14	-	26.75

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3942G	54.88	74.00	-19.12	14.77	3	Horizontal	133	1.89	-	40.11
AV	11.39032G	41.37	54.00	-12.63	14.76	3	Horizontal	133	1.89	-	26.61

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 120
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	58.20	74.00	-15.80	8.45	3	Vertical	295	2.30	-	49.75
AV	5.456G	46.59	54.00	-7.41	8.44	3	Vertical	295	2.30	-	38.15
PK	5.46G	58.20	68.20	-10.00	8.45	3	Vertical	295	2.30	-	49.75
PK	5.7236G	120.06	Inf	-Inf	8.78	3	Vertical	295	2.30	-	111.28
AV	5.7212G	108.68	Inf	-Inf	8.78	3	Vertical	295	2.30	-	99.90
PK	5.852G	67.57	68.20	-0.63	8.90	3	Vertical	295	2.30	-	58.67

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 120
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4452G	58.33	74.00	-15.67	8.42	3	Horizontal	338	2.39	-	49.91
AV	5.4428G	46.51	54.00	-7.49	8.42	3	Horizontal	338	2.39	-	38.09
PK	5.462G	58.19	68.20	-10.01	8.45	3	Horizontal	338	2.39	-	49.74
PK	5.7116G	117.44	Inf	-Inf	8.78	3	Horizontal	338	2.39	-	108.66
AV	5.7116G	105.66	Inf	-Inf	8.78	3	Horizontal	338	2.39	-	96.88
PK	5.852G	62.76	68.20	-5.44	8.90	3	Horizontal	338	2.39	-	53.86

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 120
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43586G	55.34	74.00	-18.66	14.82	3	Vertical	286	2.04	-	40.52
AV	11.44306G	42.63	54.00	-11.37	14.82	3	Vertical	286	2.04	-	27.81
PK	17.1729G	65.13	68.20	-3.07	20.35	3	Vertical	44	2.00	-	44.78

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 120
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44666G	54.27	74.00	-19.73	14.84	3	Horizontal	224	2.82	-	39.43
AV	11.44558G	41.30	54.00	-12.70	14.84	3	Horizontal	224	2.82	-	26.46
PK	17.16708G	60.47	68.20	-7.73	20.31	3	Horizontal	16	2.66	-	40.16

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	61.04	74.00	-12.96	7.94	3	Vertical	215	2.40	-	53.10
AV	5.1458G	47.71	54.00	-6.29	7.94	3	Vertical	215	2.40	-	39.77
PK	5.2742G	114.20	Inf	-Inf	8.17	3	Vertical	215	2.40	-	106.03
AV	5.2754G	102.02	Inf	-Inf	8.17	3	Vertical	215	2.40	-	93.85
PK	5.363G	69.88	74.00	-4.12	8.29	3	Vertical	215	2.40	-	61.59
AV	5.35G	53.44	54.00	-0.56	8.28	3	Vertical	215	2.40	-	45.16

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	62.56	74.00	-11.44	7.94	3	Horizontal	160	2.65	-	54.62
AV	5.1494G	47.97	54.00	-6.03	7.94	3	Horizontal	160	2.65	-	40.03
PK	5.2538G	112.43	Inf	-Inf	8.14	3	Horizontal	160	2.65	-	104.29
AV	5.2664G	101.20	Inf	-Inf	8.16	3	Horizontal	160	2.65	-	93.04
PK	5.3612G	70.09	74.00	-3.91	8.29	3	Horizontal	160	2.65	-	61.80
AV	5.3504G	52.83	54.00	-1.17	8.28	3	Horizontal	160	2.65	-	44.55

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80898G	55.05	74.00	-18.95	15.36	3	Vertical	258	2.05	-	39.69
AV	15.80759G	41.88	54.00	-12.12	15.37	3	Vertical	258	2.05	-	26.51

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5270MHz_TX




EUT_Z_2TX
 Setting 91
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80928G	54.66	74.00	-19.34	15.36	3	Horizontal	17	2.79	-	39.30
AV	15.81064G	41.98	54.00	-12.02	15.36	3	Horizontal	17	2.79	-	26.62

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5310MHz_TX




EUT Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3136G	110.04	Inf	-Inf	8.22	3	Vertical	169	2.36	-	101.82
AV	5.3108G	97.56	Inf	-Inf	8.22	3	Vertical	169	2.36	-	89.34
PK	5.352G	73.19	74.00	-0.81	8.28	3	Vertical	169	2.36	-	64.91
AV	5.3508G	52.55	54.00	-1.45	8.28	3	Vertical	169	2.36	-	44.27

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5310MHz_TX




EUT Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2944G	107.94	Inf	-Inf	8.20	3	Horizontal	90	2.63	-	99.74
AV	5.2976G	96.30	Inf	-Inf	8.21	3	Horizontal	90	2.63	-	88.09
PK	5.35G	72.01	74.00	-1.99	8.28	3	Horizontal	90	2.63	-	63.73
AV	5.35G	51.22	54.00	-2.78	8.28	3	Horizontal	90	2.63	-	42.94

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62004G	53.00	74.00	-21.00	14.51	3	Vertical	117	2.76	-	38.49
AV	10.61791G	40.62	54.00	-13.38	14.50	3	Vertical	117	2.76	-	26.12
PK	15.93089G	53.91	74.00	-20.09	15.04	3	Vertical	318	1.40	-	38.87
AV	15.93189G	41.22	54.00	-12.78	15.04	3	Vertical	318	1.40	-	26.18

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61911G	53.62	74.00	-20.38	14.51	3	Horizontal	65	1.51	-	39.11
AV	10.6202G	40.60	54.00	-13.40	14.51	3	Horizontal	65	1.51	-	26.09
PK	15.93169G	53.98	74.00	-20.02	15.04	3	Horizontal	224	1.40	-	38.94
AV	15.93031G	41.27	54.00	-12.73	15.04	3	Horizontal	224	1.40	-	26.23

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	64.17	74.00	-9.83	8.44	3	Vertical	78	2.38	-	55.73
AV	5.4588G	48.10	54.00	-5.90	8.45	3	Vertical	78	2.38	-	39.65
PK	5.47G	67.46	68.20	-0.74	8.46	3	Vertical	78	2.38	-	59.00
PK	5.5196G	109.35	Inf	-Inf	8.53	3	Vertical	78	2.38	-	100.82
AV	5.5228G	97.03	Inf	-Inf	8.53	3	Vertical	78	2.38	-	88.50

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	63.02	74.00	-10.98	8.45	3	Horizontal	277	2.40	-	54.57
AV	5.4572G	47.90	54.00	-6.10	8.44	3	Horizontal	277	2.40	-	39.46
PK	5.47G	67.47	68.20	-0.73	8.46	3	Horizontal	277	2.40	-	59.01
PK	5.5196G	106.68	Inf	-Inf	8.53	3	Horizontal	277	2.40	-	98.15
AV	5.514G	94.86	Inf	-Inf	8.53	3	Horizontal	277	2.40	-	86.33

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02186G	53.27	74.00	-20.73	14.29	3	Vertical	31	1.37	-	38.98
AV	11.02096G	40.50	54.00	-13.50	14.29	3	Vertical	31	1.37	-	26.21

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02178G	53.08	74.00	-20.92	14.29	3	Horizontal	90	1.01	-	38.79
AV	11.01608G	40.44	54.00	-13.56	14.28	3	Horizontal	90	1.01	-	26.16

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4498G	63.41	74.00	-10.59	8.42	3	Vertical	75	2.38	-	54.99
AV	5.4348G	48.06	54.00	-5.94	8.41	3	Vertical	75	2.38	-	39.65
PK	5.47G	67.62	68.20	-0.58	8.46	3	Vertical	75	2.38	-	59.16
PK	5.5344G	114.13	Inf	-Inf	8.54	3	Vertical	75	2.38	-	105.59
AV	5.5464G	101.75	Inf	-Inf	8.55	3	Vertical	75	2.38	-	93.20

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4546G	63.90	74.00	-10.10	8.44	3	Horizontal	233	2.47	-	55.46
AV	5.4582G	47.85	54.00	-6.15	8.45	3	Horizontal	233	2.47	-	39.40
PK	5.47G	65.86	68.20	-2.34	8.46	3	Horizontal	233	2.47	-	57.40
PK	5.5596G	110.45	Inf	-Inf	8.56	3	Horizontal	233	2.47	-	101.89
AV	5.5644G	98.83	Inf	-Inf	8.56	3	Horizontal	233	2.47	-	90.27

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10086G	53.20	74.00	-20.80	14.39	3	Vertical	341	2.09	-	38.81
AV	11.10117G	40.65	54.00	-13.35	14.39	3	Vertical	341	2.09	-	26.26

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10056G	53.98	74.00	-20.02	14.39	3	Horizontal	218	1.93	-	39.59
AV	11.10227G	40.69	54.00	-13.31	14.39	3	Horizontal	218	1.93	-	26.30

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5670MHz_TX




EUT Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6744G	111.58	Inf	-Inf	8.70	3	Vertical	169	2.31	-	102.88
AV	5.6748G	99.44	Inf	-Inf	8.70	3	Vertical	169	2.31	-	90.74
PK	5.7432G	67.59	68.20	-0.61	8.82	3	Vertical	169	2.31	-	58.77

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5670MHz_TX




EUT Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6676G	109.19	Inf	-Inf	8.69	3	Horizontal	212	2.64	-	100.50
AV	5.6784G	97.30	Inf	-Inf	8.72	3	Horizontal	212	2.64	-	88.58
PK	5.7256G	64.27	68.20	-3.93	8.79	3	Horizontal	212	2.64	-	55.48

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3389G	53.01	74.00	-20.99	14.70	3	Vertical	214	2.01	-	38.31
AV	11.34008G	40.22	54.00	-13.78	14.70	3	Vertical	214	2.01	-	25.52

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34182G	52.74	74.00	-21.26	14.70	3	Horizontal	287	1.50	-	38.04
AV	11.34154G	39.99	54.00	-14.01	14.70	3	Horizontal	287	1.50	-	25.29

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 95
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	57.92	74.00	-16.08	8.44	3	Vertical	134	2.38	-	49.48
AV	5.4196G	46.77	54.00	-7.23	8.38	3	Vertical	134	2.38	-	38.39
PK	5.4628G	57.87	68.20	-10.33	8.45	3	Vertical	134	2.38	-	49.42
PK	5.7052G	116.27	Inf	-Inf	8.76	3	Vertical	134	2.38	-	107.51
AV	5.7088G	104.01	Inf	-Inf	8.77	3	Vertical	134	2.38	-	95.24
PK	5.8528G	67.61	68.20	-0.59	8.90	3	Vertical	134	2.38	-	58.71

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 95
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4328G	59.25	74.00	-14.75	8.40	3	Horizontal	181	2.39	-	50.85
PK	5.4628G	58.12	68.20	-10.08	8.45	3	Horizontal	181	2.39	-	49.67
AV	5.4508G	46.81	54.00	-7.19	8.44	3	Horizontal	181	2.39	-	38.37
PK	5.7016G	113.16	Inf	-Inf	8.75	3	Horizontal	181	2.39	-	104.41
AV	5.7064G	101.87	Inf	-Inf	8.76	3	Horizontal	181	2.39	-	93.11
PK	5.8636G	63.29	68.20	-4.91	8.91	3	Horizontal	181	2.39	-	54.38

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 95
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41975G	54.09	74.00	-19.91	14.80	3	Vertical	61	1.57	-	39.29
AV	11.41884G	40.96	54.00	-13.04	14.80	3	Vertical	61	1.57	-	26.16
PK	17.1394G	67.03	68.20	-1.17	20.14	3	Vertical	314	1.94	-	46.89

802.11ax HEW40_Nss2,(MCS0)_2TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 95
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42001G	53.61	74.00	-20.39	14.80	3	Horizontal	282	1.37	-	38.81
AV	11.42172G	40.91	54.00	-13.09	14.80	3	Horizontal	282	1.37	-	26.11
PK	17.12971G	61.39	68.20	-6.81	20.08	3	Horizontal	64	1.89	-	41.31

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	59.45	74.00	-14.55	7.92	3	Vertical	52	2.26	-	51.53
AV	5.138G	48.75	54.00	-5.25	7.92	3	Vertical	52	2.26	-	40.83
PK	5.2964G	105.79	Inf	-Inf	8.21	3	Vertical	52	2.26	-	97.58
AV	5.2988G	95.70	Inf	-Inf	8.21	3	Vertical	52	2.26	-	87.49
PK	5.3508G	65.79	74.00	-8.21	8.28	3	Vertical	52	2.26	-	57.51
AV	5.3524G	53.23	54.00	-0.77	8.28	3	Vertical	52	2.26	-	44.95

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1268G	59.02	74.00	-14.98	7.90	3	Horizontal	337	2.62	-	51.12
AV	5.1404G	48.49	54.00	-5.51	7.93	3	Horizontal	337	2.62	-	40.56
PK	5.2724G	104.74	Inf	-Inf	8.17	3	Horizontal	337	2.62	-	96.57
AV	5.2812G	93.95	Inf	-Inf	8.18	3	Horizontal	337	2.62	-	85.77
PK	5.35G	65.02	74.00	-8.98	8.28	3	Horizontal	337	2.62	-	56.74
AV	5.3516G	52.28	54.00	-1.72	8.28	3	Horizontal	337	2.62	-	44.00

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 69
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86672G	53.15	74.00	-20.85	15.22	3	Vertical	283	1.60	-	37.93
AV	15.87078G	42.45	54.00	-11.55	15.20	3	Vertical	283	1.60	-	27.25

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 69
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87426G	53.35	74.00	-20.65	15.19	3	Horizontal	126	2.15	-	38.16
AV	15.86628G	42.36	54.00	-11.64	15.22	3	Horizontal	126	2.15	-	27.14

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 74
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	66.53	74.00	-7.47	8.44	3	Vertical	306	2.47	-	58.09
AV	5.46G	53.46	54.00	-0.54	8.45	3	Vertical	306	2.47	-	45.01
PK	5.465G	67.48	68.20	-0.72	8.45	3	Vertical	306	2.47	-	59.03
PK	5.546G	107.46	Inf	-Inf	8.55	3	Vertical	306	2.47	-	98.91
AV	5.542G	97.69	Inf	-Inf	8.55	3	Vertical	306	2.47	-	89.14
PK	5.77G	59.77	68.20	-8.43	8.85	3	Vertical	306	2.47	-	50.92

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 74
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	64.19	74.00	-9.81	8.44	3	Horizontal	141	2.47	-	55.75
AV	5.46G	51.22	54.00	-2.78	8.45	3	Horizontal	141	2.47	-	42.77
PK	5.466G	67.01	68.20	-1.19	8.46	3	Horizontal	141	2.47	-	58.55
PK	5.533G	105.69	Inf	-Inf	8.54	3	Horizontal	141	2.47	-	97.15
AV	5.525G	94.61	Inf	-Inf	8.53	3	Horizontal	141	2.47	-	86.08
PK	5.745G	59.77	68.20	-8.43	8.82	3	Horizontal	141	2.47	-	50.95

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 74
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.059G	54.02	74.00	-19.98	14.34	3	Vertical	25	2.73	-	39.68
AV	11.059G	42.00	54.00	-12.00	14.34	3	Vertical	25	2.73	-	27.66

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 74
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05644G	52.93	74.00	-21.07	14.34	3	Horizontal	26	2.88	-	38.59
AV	11.05766G	42.17	54.00	-11.83	14.34	3	Horizontal	26	2.88	-	27.83

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	62.69	74.00	-11.31	8.45	3	Vertical	286	2.43	-	54.24
AV	5.456G	52.22	54.00	-1.78	8.44	3	Vertical	286	2.43	-	43.78
PK	5.462G	63.67	68.20	-4.53	8.45	3	Vertical	286	2.43	-	55.22
PK	5.596G	110.39	Inf	-Inf	8.58	3	Vertical	286	2.43	-	101.81
AV	5.601G	99.63	Inf	-Inf	8.58	3	Vertical	286	2.43	-	91.05
PK	5.738G	67.52	68.20	-0.68	8.80	3	Vertical	286	2.43	-	58.72

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	60.77	74.00	-13.23	8.45	3	Horizontal	108	2.44	-	52.32
AV	5.456G	50.22	54.00	-3.78	8.44	3	Horizontal	108	2.44	-	41.78
PK	5.464G	61.23	68.20	-6.97	8.45	3	Horizontal	108	2.44	-	52.78
PK	5.604G	107.26	Inf	-Inf	8.59	3	Horizontal	108	2.44	-	98.67
AV	5.607G	96.93	Inf	-Inf	8.59	3	Horizontal	108	2.44	-	88.34
PK	5.729G	65.77	68.20	-2.43	8.80	3	Horizontal	108	2.44	-	56.97

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5610MHz_TX




EUT_Z_2TX
 Setting 85
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21926G	52.81	74.00	-21.19	14.55	3	Vertical	92	2.28	-	38.26
AV	11.22188G	42.13	54.00	-11.87	14.55	3	Vertical	92	2.28	-	27.58

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 85
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21862G	53.81	74.00	-20.19	14.54	3	Horizontal	165	2.14	-	39.27
AV	11.22162G	42.32	54.00	-11.68	14.55	3	Horizontal	165	2.14	-	27.77

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 89
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	58.93	74.00	-15.07	8.45	3	Vertical	276	2.28	-	50.48
AV	5.3924G	48.60	54.00	-5.40	8.33	3	Vertical	276	2.28	-	40.27
PK	5.47G	60.52	68.20	-7.68	8.46	3	Vertical	276	2.28	-	52.06
PK	5.6768G	111.71	Inf	-Inf	8.72	3	Vertical	276	2.28	-	102.99
AV	5.6864G	100.94	Inf	-Inf	8.72	3	Vertical	276	2.28	-	92.22
PK	5.8616G	67.48	68.20	-0.72	8.91	3	Vertical	276	2.28	-	58.57

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 89
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4212G	58.46	74.00	-15.54	8.38	3	Horizontal	84	2.63	-	50.08
PK	5.468G	58.68	68.20	-9.52	8.46	3	Horizontal	84	2.63	-	50.22
AV	5.4572G	48.04	54.00	-5.96	8.44	3	Horizontal	84	2.63	-	39.60
PK	5.6732G	108.47	Inf	-Inf	8.70	3	Horizontal	84	2.63	-	99.77
AV	5.6816G	98.37	Inf	-Inf	8.72	3	Horizontal	84	2.63	-	89.65
PK	5.852G	64.01	68.20	-4.19	8.90	3	Horizontal	84	2.63	-	55.11

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 89
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38308G	53.79	74.00	-20.21	14.75	3	Vertical	15	2.14	-	39.04
AV	11.37576G	42.56	54.00	-11.44	14.74	3	Vertical	15	2.14	-	27.82

802.11ax HEW80_Nss2,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 89
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37866G	53.99	74.00	-20.01	14.74	3	Horizontal	185	2.09	-	39.25
AV	11.3836G	42.41	54.00	-11.59	14.75	3	Horizontal	185	2.09	-	27.66




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.726G	67.69	68.20	-0.51	8.79	3	Vertical	67	2.30	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 99
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1454G	64.50	74.00	-9.50	7.94	3	Vertical	49	2.81	-	56.56
AV	5.15G	49.55	54.00	-4.45	7.94	3	Vertical	49	2.81	-	41.61
PK	5.2642G	118.83	Inf	-Inf	8.16	3	Vertical	49	2.81	-	110.67
AV	5.2654G	107.44	Inf	-Inf	8.16	3	Vertical	49	2.81	-	99.28
PK	5.35G	67.74	74.00	-6.26	8.28	3	Vertical	49	2.81	-	59.46
AV	5.3512G	51.77	54.00	-2.23	8.28	3	Vertical	49	2.81	-	43.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 99
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1436G	64.80	74.00	-9.20	7.94	3	Horizontal	305	2.57	-	56.86
AV	5.15G	48.20	54.00	-5.80	7.94	3	Horizontal	305	2.57	-	40.26
PK	5.2666G	117.92	Inf	-Inf	8.16	3	Horizontal	305	2.57	-	109.76
AV	5.2672G	106.10	Inf	-Inf	8.16	3	Horizontal	305	2.57	-	97.94
PK	5.3524G	67.60	74.00	-6.40	8.28	3	Horizontal	305	2.57	-	59.32
AV	5.3524G	51.90	54.00	-2.10	8.28	3	Horizontal	305	2.57	-	43.62

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 99
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.526G	56.17	68.20	-12.03	14.56	3	Vertical	8	2.44	-	41.61
PK	15.78408G	64.39	74.00	-9.61	15.43	3	Vertical	309	1.90	-	48.96
AV	15.78096G	52.20	54.00	-1.80	15.44	3	Vertical	309	1.90	-	36.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 99
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54088G	53.47	68.20	-14.73	14.55	3	Horizontal	113	2.12	-	38.92
PK	15.78384G	59.49	74.00	-14.51	15.43	3	Horizontal	142	1.86	-	44.06
AV	15.7818G	46.65	54.00	-7.35	15.43	3	Horizontal	142	1.86	-	31.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 94
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2922G	119.14	Inf	-Inf	8.20	3	Vertical	10	2.62	-	110.94
AV	5.2928G	107.51	Inf	-Inf	8.20	3	Vertical	10	2.62	-	99.31
PK	5.3501G	72.69	74.00	-1.31	8.28	3	Vertical	10	2.62	-	64.41
AV	5.3501G	53.47	54.00	-0.53	8.28	3	Vertical	10	2.62	-	45.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 94
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3048G	117.29	Inf	-Inf	8.22	3	Horizontal	335	2.43	-	109.07
AV	5.297G	104.81	Inf	-Inf	8.21	3	Horizontal	335	2.43	-	96.60
PK	5.35G	70.41	74.00	-3.59	8.28	3	Horizontal	335	2.43	-	62.13
AV	5.35G	50.97	54.00	-3.03	8.28	3	Horizontal	335	2.43	-	42.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 94
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60092G	55.88	74.00	-18.12	14.51	3	Vertical	351	2.38	-	41.37
AV	10.60048G	42.96	54.00	-11.04	14.51	3	Vertical	351	2.38	-	28.45
PK	15.89784G	60.24	74.00	-13.76	15.14	3	Vertical	320	2.45	-	45.10
AV	15.89748G	48.10	54.00	-5.90	15.14	3	Vertical	320	2.45	-	32.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 94
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60168G	54.24	74.00	-19.76	14.51	3	Horizontal	96	1.50	-	39.73
AV	10.62712G	39.82	54.00	-14.18	14.49	3	Horizontal	96	1.50	-	25.33
PK	15.90408G	58.61	74.00	-15.39	15.12	3	Horizontal	222	1.89	-	43.49
AV	15.89796G	44.96	54.00	-9.04	15.14	3	Horizontal	222	1.89	-	29.82

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3164G	118.50	Inf	-Inf	8.23	3	Vertical	49	2.42	-	110.27
AV	5.314G	104.90	Inf	-Inf	8.23	3	Vertical	49	2.42	-	96.67
PK	5.352G	73.43	74.00	-0.57	8.28	3	Vertical	49	2.42	-	65.15
AV	5.35G	52.08	Inf	-Inf	8.28	3	Vertical	49	2.42	-	43.80

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.312G	116.43	Inf	-Inf	8.22	3	Horizontal	329	2.35	-	108.21
AV	5.3112G	104.42	Inf	-Inf	8.22	3	Horizontal	329	2.35	-	96.20
PK	5.356G	72.29	74.00	-1.71	8.28	3	Horizontal	329	2.35	-	64.01
AV	5.35G	50.78	54.00	-3.22	8.28	3	Horizontal	329	2.35	-	42.50

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 84
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63652G	53.64	74.00	-20.36	14.49	3	Vertical	40	1.42	-	39.15
AV	10.6478G	40.24	54.00	-13.76	14.48	3	Vertical	40	1.42	-	25.76
PK	15.966G	58.35	74.00	-15.65	14.95	3	Vertical	323	1.97	-	43.40
AV	15.95832G	42.51	54.00	-11.49	14.97	3	Vertical	323	1.97	-	27.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 84
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61492G	53.84	74.00	-20.16	14.50	3	Horizontal	294	1.79	-	39.34
AV	10.63712G	40.30	54.00	-13.70	14.49	3	Horizontal	294	1.79	-	25.81
PK	15.98472G	53.75	74.00	-20.25	14.89	3	Horizontal	246	1.25	-	38.86
AV	15.95136G	40.75	54.00	-13.25	14.98	3	Horizontal	246	1.25	-	25.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 74
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	62.56	74.00	-11.44	8.45	3	Vertical	74	2.39	-	54.11
AV	5.4598G	47.19	54.00	-6.81	8.45	3	Vertical	74	2.39	-	38.74
PK	5.47G	67.55	68.20	-0.65	8.46	3	Vertical	74	2.39	-	59.09
PK	5.5084G	116.11	Inf	-Inf	8.53	3	Vertical	74	2.39	-	107.58
AV	5.503G	103.50	Inf	-Inf	8.52	3	Vertical	74	2.39	-	94.98

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 74
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	58.28	74.00	-15.72	8.44	3	Horizontal	4	2.39	-	49.84
AV	5.4518G	45.87	54.00	-8.13	8.44	3	Horizontal	4	2.39	-	37.43
PK	5.4676G	63.49	68.20	-4.71	8.46	3	Horizontal	4	2.39	-	55.03
PK	5.5084G	114.55	Inf	-Inf	8.53	3	Horizontal	4	2.39	-	106.02
AV	5.5088G	101.56	Inf	-Inf	8.53	3	Horizontal	4	2.39	-	93.03

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.98884G	53.47	74.00	-20.53	14.27	3	Vertical	294	2.67	-	39.20
AV	11.01788G	39.81	54.00	-14.19	14.28	3	Vertical	294	2.67	-	25.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.027G	54.05	74.00	-19.95	14.29	3	Horizontal	351	2.73	-	39.76
AV	11.02076G	39.97	54.00	-14.03	14.29	3	Horizontal	351	2.73	-	25.68

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 100
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	64.71	74.00	-9.29	8.44	3	Vertical	70	2.41	-	56.27
AV	5.46G	50.14	54.00	-3.86	8.45	3	Vertical	70	2.41	-	41.69
PK	5.4696G	67.62	68.20	-0.58	8.46	3	Vertical	70	2.41	-	59.16
PK	5.5864G	122.55	Inf	-Inf	8.57	3	Vertical	70	2.41	-	113.98
AV	5.5848G	110.09	Inf	-Inf	8.57	3	Vertical	70	2.41	-	101.52
PK	5.7264G	66.40	68.20	-1.80	8.79	3	Vertical	70	2.41	-	57.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 100
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	61.54	74.00	-12.46	8.45	3	Horizontal	1	1.18	-	53.09
AV	5.4592G	48.00	54.00	-6.00	8.45	3	Horizontal	1	1.18	-	39.55
PK	5.4648G	63.81	68.20	-4.39	8.45	3	Horizontal	1	1.18	-	55.36
PK	5.5808G	117.14	Inf	-Inf	8.57	3	Horizontal	1	1.18	-	108.57
AV	5.576G	104.35	Inf	-Inf	8.57	3	Horizontal	1	1.18	-	95.78
PK	5.7312G	60.16	68.20	-8.04	8.80	3	Horizontal	1	1.18	-	51.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 100
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16012G	54.72	74.00	-19.28	14.46	3	Vertical	153	1.93	-	40.26
AV	11.15772G	41.99	54.00	-12.01	14.46	3	Vertical	153	1.93	-	27.53
PK	16.7268G	64.58	68.20	-3.62	18.09	3	Vertical	177	2.70	-	46.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




EUT Z_2TX
Setting 100
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16612G	53.13	74.00	-20.87	14.47	3	Horizontal	5	1.53	-	38.66
AV	11.15844G	39.66	54.00	-14.34	14.46	3	Horizontal	5	1.53	-	25.20
PK	16.73772G	66.95	68.20	-1.25	18.14	3	Horizontal	249	1.92	-	48.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7084G	117.14	Inf	-Inf	8.77	3	Vertical	23	2.51	-	108.37
AV	5.7072G	103.92	Inf	-Inf	8.76	3	Vertical	23	2.51	-	95.16
PK	5.7252G	67.53	68.20	-0.67	8.79	3	Vertical	23	2.51	-	58.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7084G	112.76	Inf	-Inf	8.77	3	Horizontal	308	2.96	-	103.99
AV	5.7072G	99.59	Inf	-Inf	8.76	3	Horizontal	308	2.96	-	90.83
PK	5.7276G	65.94	68.20	-2.26	8.80	3	Horizontal	308	2.96	-	57.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37384G	53.51	74.00	-20.49	14.75	3	Vertical	103	1.42	-	38.76
AV	11.41524G	40.38	54.00	-13.62	14.79	3	Vertical	103	1.42	-	25.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42004G	54.28	74.00	-19.72	14.80	3	Horizontal	213	1.41	-	39.48
AV	11.39424G	40.40	54.00	-13.60	14.77	3	Horizontal	213	1.41	-	25.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.728G	118.26	Inf	-Inf	8.80	3	Vertical	74	2.32	-	109.46
AV	5.7288G	105.50	Inf	-Inf	8.80	3	Vertical	74	2.32	-	96.70
PK	5.8704G	59.34	68.20	-8.86	8.91	3	Vertical	74	2.32	-	50.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7232G	115.00	Inf	-Inf	8.78	3	Horizontal	145	2.84	-	106.22
AV	5.7272G	101.65	Inf	-Inf	8.80	3	Horizontal	145	2.84	-	92.85
PK	5.8536G	59.37	68.20	-8.83	8.90	3	Horizontal	145	2.84	-	50.47

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44108G	53.73	74.00	-20.27	14.82	3	Vertical	112	1.90	-	38.91
AV	11.43508G	40.79	54.00	-13.21	14.82	3	Vertical	112	1.90	-	25.97
PK	17.18376G	67.63	68.20	-0.57	20.40	3	Vertical	242	2.54	-	47.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.45836G	54.25	74.00	-19.75	14.85	3	Horizontal	14	1.89	-	39.40
AV	11.41228G	40.62	54.00	-13.38	14.79	3	Horizontal	14	1.89	-	25.83
PK	17.16612G	60.77	68.20	-7.43	20.29	3	Horizontal	214	2.59	-	40.48

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	59.97	74.00	-14.03	7.94	3	Vertical	54	2.29	-	52.03
AV	5.15G	46.44	54.00	-7.56	7.94	3	Vertical	54	2.29	-	38.50
PK	5.288G	115.53	Inf	-Inf	8.20	3	Vertical	54	2.29	-	107.33
AV	5.288G	104.02	Inf	-Inf	8.20	3	Vertical	54	2.29	-	95.82
PK	5.35G	70.57	74.00	-3.43	8.28	3	Vertical	54	2.29	-	62.29
AV	5.35G	53.38	54.00	-0.62	8.28	3	Vertical	54	2.29	-	45.10

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1404G	60.80	74.00	-13.20	7.93	3	Horizontal	298	2.80	-	52.87
AV	5.1482G	46.85	54.00	-7.15	7.94	3	Horizontal	298	2.80	-	38.91
PK	5.2832G	115.35	Inf	-Inf	8.18	3	Horizontal	298	2.80	-	107.17
AV	5.2844G	103.33	Inf	-Inf	8.19	3	Horizontal	298	2.80	-	95.14
PK	5.3534G	65.70	74.00	-8.30	8.28	3	Horizontal	298	2.80	-	57.42
AV	5.3504G	50.20	54.00	-3.80	8.28	3	Horizontal	298	2.80	-	41.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 88
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.55824G	53.68	68.20	-14.52	14.54	3	Vertical	312	1.47	-	39.14
PK	15.78984G	56.11	74.00	-17.89	15.41	3	Vertical	90	1.88	-	40.70
AV	15.78072G	43.99	54.00	-10.01	15.44	3	Vertical	90	1.88	-	28.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5270MHz_TX




EUT_Z_2TX
Setting 88
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.53792G	53.46	68.20	-14.74	14.55	3	Horizontal	330	1.21	-	38.91
PK	15.78792G	54.09	74.00	-19.91	15.42	3	Horizontal	162	2.55	-	38.67
AV	15.77416G	40.78	54.00	-13.22	15.45	3	Horizontal	162	2.55	-	25.33

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5310MHz_TX




EUT Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3144G	111.96	Inf	-Inf	8.23	3	Vertical	176	2.44	-	103.73
AV	5.3156G	98.87	Inf	-Inf	8.23	3	Vertical	176	2.44	-	90.64
PK	5.3501G	72.96	74.00	-1.04	8.28	3	Vertical	176	2.44	-	64.68
AV	5.3501G	53.46	54.00	-0.54	8.28	3	Vertical	176	2.44	-	45.18

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2988G	111.25	Inf	-Inf	8.21	3	Horizontal	328	2.29	-	103.04
AV	5.2956G	97.85	Inf	-Inf	8.20	3	Horizontal	328	2.29	-	89.65
PK	5.3516G	70.95	74.00	-3.05	8.28	3	Horizontal	328	2.29	-	62.67
AV	5.3516G	50.33	54.00	-3.67	8.28	3	Horizontal	328	2.29	-	42.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62528G	53.83	74.00	-20.17	14.49	3	Vertical	298	1.79	-	39.34
AV	10.63328G	39.89	54.00	-14.11	14.49	3	Vertical	298	1.79	-	25.40
PK	15.89688G	53.33	74.00	-20.67	15.14	3	Vertical	182	1.07	-	38.19
AV	15.92456G	40.10	54.00	-13.90	15.06	3	Vertical	182	1.07	-	25.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5310MHz_TX




EUT_Z_2TX
Setting 72
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6592G	53.45	74.00	-20.55	14.48	3	Horizontal	114	2.03	-	38.97
AV	10.60352G	40.27	54.00	-13.73	14.52	3	Horizontal	114	2.03	-	25.75
PK	15.90888G	53.82	74.00	-20.18	15.10	3	Horizontal	109	1.07	-	38.72
AV	15.91128G	40.02	54.00	-13.98	15.10	3	Horizontal	109	1.07	-	24.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	66.52	74.00	-7.48	8.44	3	Vertical	71	2.36	-	58.08
AV	5.4584G	48.44	54.00	-5.56	8.45	3	Vertical	71	2.36	-	39.99
PK	5.4672G	67.55	68.20	-0.65	8.46	3	Vertical	71	2.36	-	59.09
PK	5.5128G	111.90	Inf	-Inf	8.53	3	Vertical	71	2.36	-	103.37
AV	5.516G	99.39	Inf	-Inf	8.53	3	Vertical	71	2.36	-	90.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	63.54	74.00	-10.46	8.45	3	Horizontal	333	2.57	-	55.09
AV	5.46G	47.63	54.00	-6.37	8.45	3	Horizontal	333	2.57	-	39.18
PK	5.4696G	67.41	68.20	-0.79	8.46	3	Horizontal	333	2.57	-	58.95
PK	5.4948G	111.57	Inf	-Inf	8.51	3	Horizontal	333	2.57	-	103.06
AV	5.4928G	98.97	Inf	-Inf	8.51	3	Horizontal	333	2.57	-	90.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 69
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00976G	53.02	74.00	-20.98	14.28	3	Vertical	32	1.91	-	38.74
AV	11.02976G	39.71	54.00	-14.29	14.30	3	Vertical	32	1.91	-	25.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5510MHz_TX




EUT_Z_2TX
Setting 69
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02944G	53.21	74.00	-20.79	14.30	3	Horizontal	284	2.81	-	38.91
AV	11.02608G	39.77	54.00	-14.23	14.29	3	Horizontal	284	2.81	-	25.48

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	63.86	74.00	-10.14	8.45	3	Vertical	74	2.47	-	55.41
AV	5.4596G	49.52	54.00	-4.48	8.45	3	Vertical	74	2.47	-	41.07
PK	5.4676G	67.03	68.20	-1.17	8.46	3	Vertical	74	2.47	-	58.57
PK	5.5388G	118.30	Inf	-Inf	8.54	3	Vertical	74	2.47	-	109.76
AV	5.5324G	105.31	Inf	-Inf	8.54	3	Vertical	74	2.47	-	96.77
PK	5.7364G	60.21	68.20	-7.99	8.81	3	Vertical	74	2.47	-	51.40

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	65.30	74.00	-8.70	8.44	3	Horizontal	300	3.00	-	56.86
AV	5.458G	50.16	54.00	-3.84	8.45	3	Horizontal	300	3.00	-	41.71
PK	5.47G	67.48	68.20	-0.72	8.46	3	Horizontal	300	3.00	-	59.02
PK	5.5396G	114.75	Inf	-Inf	8.54	3	Horizontal	300	3.00	-	106.21
AV	5.5508G	103.64	Inf	-Inf	8.55	3	Horizontal	300	3.00	-	95.09
PK	5.7396G	58.91	68.20	-9.29	8.80	3	Horizontal	300	3.00	-	50.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1G	54.58	74.00	-19.42	14.39	3	Vertical	142	1.36	-	40.19
AV	11.07936G	40.00	54.00	-14.00	14.36	3	Vertical	142	1.36	-	25.64
PK	16.62888G	63.32	68.20	-4.88	17.66	3	Vertical	326	1.91	-	45.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5550MHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0784G	53.69	74.00	-20.31	14.36	3	Horizontal	115	1.19	-	39.33
AV	11.068G	39.67	54.00	-14.33	14.35	3	Horizontal	115	1.19	-	25.32
PK	16.61592G	57.10	68.20	-11.10	17.60	3	Horizontal	329	2.70	-	39.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5670MHz_TX




EUT Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6676G	115.03	Inf	-Inf	8.69	3	Vertical	67	2.30	-	106.34
AV	5.6664G	102.32	Inf	-Inf	8.69	3	Vertical	67	2.30	-	93.63
PK	5.726G	67.69	68.20	-0.51	8.79	3	Vertical	67	2.30	-	58.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5670MHz_TX




EUT Z_2TX
Setting 76
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6544G	113.48	Inf	-Inf	8.67	3	Horizontal	309	2.76	-	104.81
AV	5.6528G	100.67	Inf	-Inf	8.66	3	Horizontal	309	2.76	-	92.01
PK	5.7252G	63.93	68.20	-4.27	8.79	3	Horizontal	309	2.76	-	55.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.36432G	53.46	74.00	-20.54	14.73	3	Vertical	305	2.22	-	38.73
AV	11.37744G	39.90	54.00	-14.10	14.74	3	Vertical	305	2.22	-	25.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5670MHz_TX




EUT_Z_2TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33408G	52.96	74.00	-21.04	14.70	3	Horizontal	23	1.42	-	38.26
AV	11.37872G	40.14	54.00	-13.86	14.74	3	Horizontal	23	1.42	-	25.40

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 81
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6988G	115.31	Inf	-Inf	8.75	3	Vertical	69	2.55	-	106.56
AV	5.7236G	103.18	Inf	-Inf	8.78	3	Vertical	69	2.55	-	94.40
PK	5.8548G	60.13	68.20	-8.07	8.90	3	Vertical	69	2.55	-	51.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 81
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7124G	111.56	Inf	-Inf	8.78	3	Horizontal	120	2.44	-	102.78
AV	5.7244G	99.34	Inf	-Inf	8.78	3	Horizontal	120	2.44	-	90.56
PK	5.8572G	58.65	68.20	-9.55	8.90	3	Horizontal	120	2.44	-	49.75

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 81
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39504G	54.26	74.00	-19.74	14.77	3	Vertical	37	1.21	-	39.49
AV	11.42032G	40.23	54.00	-13.77	14.80	3	Vertical	37	1.21	-	25.43
PK	17.108G	67.61	68.20	-0.59	19.95	3	Vertical	327	2.00	-	47.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

24/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 81
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4104G	53.19	74.00	-20.81	14.79	3	Horizontal	220	2.00	-	38.40
AV	11.4032G	40.44	54.00	-13.56	14.77	3	Horizontal	220	2.00	-	25.67
PK	17.12584G	62.45	68.20	-5.75	20.06	3	Horizontal	145	1.85	-	42.39

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 68
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	59.63	74.00	-14.37	7.94	3	Vertical	355	2.40	-	51.69
AV	5.1468G	46.59	54.00	-7.41	7.94	3	Vertical	355	2.40	-	38.65
PK	5.2716G	108.76	Inf	-Inf	8.17	3	Vertical	355	2.40	-	100.59
AV	5.2732G	96.39	Inf	-Inf	8.17	3	Vertical	355	2.40	-	88.22
PK	5.3532G	73.08	74.00	-0.92	8.28	3	Vertical	355	2.40	-	64.80
AV	5.35G	53.43	54.00	-0.57	8.28	3	Vertical	355	2.40	-	45.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 68
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1164G	59.77	74.00	-14.23	7.87	3	Horizontal	306	2.38	-	51.90
AV	5.1468G	46.78	54.00	-7.22	7.94	3	Horizontal	306	2.38	-	38.84
PK	5.266G	110.21	Inf	-Inf	8.16	3	Horizontal	306	2.38	-	102.05
AV	5.2796G	95.91	Inf	-Inf	8.18	3	Horizontal	306	2.38	-	87.73
PK	5.3644G	70.45	74.00	-3.55	8.29	3	Horizontal	306	2.38	-	62.16
AV	5.35G	52.05	54.00	-1.95	8.28	3	Horizontal	306	2.38	-	43.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89064G	53.72	74.00	-20.28	15.15	3	Vertical	10	1.04	-	38.57
AV	15.86136G	39.85	54.00	-14.15	15.22	3	Vertical	10	1.04	-	24.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5290MHz_TX




EUT_Z_2TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.84984G	53.79	74.00	-20.21	15.26	3	Horizontal	140	2.97	-	38.53
AV	15.83976G	39.83	54.00	-14.17	15.28	3	Horizontal	140	2.97	-	24.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 63
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	65.37	74.00	-8.63	8.45	3	Vertical	286	2.43	-	56.92
AV	5.46G	49.87	54.00	-4.13	8.45	3	Vertical	286	2.43	-	41.42
PK	5.467G	67.63	68.20	-0.57	8.46	3	Vertical	286	2.43	-	59.17
PK	5.501G	110.33	Inf	-Inf	8.52	3	Vertical	286	2.43	-	101.81
AV	5.544G	96.88	Inf	-Inf	8.55	3	Vertical	286	2.43	-	88.33
PK	5.757G	59.30	68.20	-8.90	8.83	3	Vertical	286	2.43	-	50.47

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 63
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	61.69	74.00	-12.31	8.44	3	Horizontal	279	2.34	-	53.25
AV	5.46G	47.37	54.00	-6.63	8.45	3	Horizontal	279	2.34	-	38.92
PK	5.47G	64.54	68.20	-3.66	8.46	3	Horizontal	279	2.34	-	56.08
PK	5.501G	107.30	Inf	-Inf	8.52	3	Horizontal	279	2.34	-	98.78
AV	5.502G	94.86	Inf	-Inf	8.52	3	Horizontal	279	2.34	-	86.34
PK	5.763G	58.60	68.20	-9.60	8.84	3	Horizontal	279	2.34	-	49.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5530MHz_TX




EUT_Z_2TX
 Setting 63
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06016G	53.26	74.00	-20.74	14.34	3	Vertical	282	2.41	-	38.92
AV	11.02352G	39.42	54.00	-14.58	14.29	3	Vertical	282	2.41	-	25.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5530MHz_TX




EUT_Z_2TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02928G	52.84	74.00	-21.16	14.30	3	Horizontal	346	1.26	-	38.54
AV	11.02624G	39.37	54.00	-14.63	14.29	3	Horizontal	346	1.26	-	25.08

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 82
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	63.65	74.00	-10.35	8.42	3	Vertical	208	2.47	-	55.23
PK	5.462G	64.57	68.20	-3.63	8.45	3	Vertical	208	2.47	-	56.12
AV	5.46G	49.66	54.00	-4.34	8.45	3	Vertical	208	2.47	-	41.21
PK	5.586G	115.92	Inf	-Inf	8.57	3	Vertical	208	2.47	-	107.35
AV	5.605G	100.77	Inf	-Inf	8.59	3	Vertical	208	2.47	-	92.18
PK	5.73G	67.44	68.20	-0.76	8.80	3	Vertical	208	2.47	-	58.64

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 82
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	61.72	74.00	-12.28	8.45	3	Horizontal	193	2.47	-	53.27
AV	5.46G	47.78	54.00	-6.22	8.45	3	Horizontal	193	2.47	-	39.33
PK	5.465G	62.86	68.20	-5.34	8.45	3	Horizontal	193	2.47	-	54.41
PK	5.616G	111.10	Inf	-Inf	8.61	3	Horizontal	193	2.47	-	102.49
AV	5.613G	98.50	Inf	-Inf	8.61	3	Horizontal	193	2.47	-	89.89
PK	5.73G	64.96	68.20	-3.24	8.80	3	Horizontal	193	2.47	-	56.16

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2312G	53.21	74.00	-20.79	14.55	3	Vertical	355	1.26	-	38.66
AV	11.25536G	39.19	54.00	-14.81	14.59	3	Vertical	355	1.26	-	24.60

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5610MHz_TX




EUT_Z_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.23296G	52.88	74.00	-21.12	14.56	3	Horizontal	360	2.58	-	38.32
AV	11.23824G	39.21	54.00	-14.79	14.57	3	Horizontal	360	2.58	-	24.64

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	60.32	74.00	-13.68	8.44	3	Vertical	213	2.47	-	51.88
AV	5.4512G	46.69	54.00	-7.31	8.44	3	Vertical	213	2.47	-	38.25
PK	5.4692G	59.98	68.20	-8.22	8.46	3	Vertical	213	2.47	-	51.52
PK	5.6792G	114.43	Inf	-Inf	8.72	3	Vertical	213	2.47	-	105.71
AV	5.678G	101.18	Inf	-Inf	8.72	3	Vertical	213	2.47	-	92.46
PK	5.85G	67.65	68.20	-0.55	8.90	3	Vertical	213	2.47	-	58.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4044G	58.46	74.00	-15.54	8.35	3	Horizontal	195	2.26	-	50.11
PK	5.4608G	57.92	68.20	-10.28	8.45	3	Horizontal	195	2.26	-	49.47
AV	5.4584G	45.95	54.00	-8.05	8.45	3	Horizontal	195	2.26	-	37.50
PK	5.6804G	113.65	Inf	-Inf	8.72	3	Horizontal	195	2.26	-	104.93
AV	5.6804G	101.98	Inf	-Inf	8.72	3	Horizontal	195	2.26	-	93.26
PK	5.8556G	63.62	68.20	-4.58	8.90	3	Horizontal	195	2.26	-	54.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38768G	54.05	74.00	-19.95	14.76	3	Vertical	26	2.71	-	39.29
AV	11.38824G	39.95	54.00	-14.05	14.76	3	Vertical	26	2.71	-	25.19
PK	17.0679G	65.68	68.20	-2.52	19.71	3	Vertical	191	2.65	-	45.97

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

24/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37048G	53.50	74.00	-20.50	14.75	3	Horizontal	26	2.92	-	38.75
AV	11.3852G	39.94	54.00	-14.06	14.75	3	Horizontal	26	2.92	-	25.19
PK	17.0512G	62.91	68.20	-5.29	19.61	3	Horizontal	210	1.93	-	43.30