

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5180MHz_TX



EUT_Z_4TX
Setting 78
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35922G	56.31	68.20	-11.89	14.66	3	Vertical	103	2.65	-	41.65
PK	15.5394G	56.76	74.00	-17.24	16.08	3	Vertical	45	1.82	-	40.68
AV	15.53922G	42.65	54.00	-11.35	16.08	3	Vertical	45	1.82	-	26.57

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5180MHz_TX




EUT_Z_4TX
Setting 78
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3747G	52.96	68.20	-15.24	14.66	3	Horizontal	354	2.69	-	38.30
PK	15.54846G	54.71	74.00	-19.29	16.05	3	Horizontal	326	2.19	-	38.66
AV	15.546G	40.94	54.00	-13.06	16.06	3	Horizontal	326	2.19	-	24.88

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 97
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	72.21	74.00	-1.79	7.94	3	Vertical	344	2.43	-	64.27
AV	5.15G	53.48	54.00	-0.52	7.94	3	Vertical	344	2.43	-	45.54
PK	5.1968G	122.70	Inf	-Inf	8.06	3	Vertical	344	2.43	-	114.64
AV	5.1976G	113.28	Inf	-Inf	8.06	3	Vertical	344	2.43	-	105.22

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5200MHz_TX




EUT Z_4TX
Setting 97
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14G	65.83	74.00	-8.17	7.93	3	Horizontal	326	2.25	-	57.90
AV	5.15G	49.71	54.00	-4.29	7.94	3	Horizontal	326	2.25	-	41.77
PK	5.2024G	115.77	Inf	-Inf	8.06	3	Horizontal	326	2.25	-	107.71
AV	5.202G	106.18	Inf	-Inf	8.06	3	Horizontal	326	2.25	-	98.12

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 97
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.401G	60.87	68.20	-7.33	14.64	3	Vertical	103	2.15	-	46.23
PK	15.59932G	62.62	74.00	-11.38	15.91	3	Vertical	142	2.06	-	46.71
AV	15.59936G	47.83	54.00	-6.17	15.91	3	Vertical	142	2.06	-	31.92

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 97
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39792G	53.76	68.20	-14.44	14.63	3	Horizontal	199	2.11	-	39.13
PK	15.59286G	57.27	74.00	-16.73	15.93	3	Horizontal	160	2.43	-	41.34
AV	15.59268G	43.31	54.00	-10.69	15.93	3	Horizontal	160	2.43	-	27.38

802.11a_Nss1,(6Mbps)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1404G	71.14	74.00	-2.86	7.93	3	Vertical	329	1.50	-	63.21
AV	5.1416G	53.45	54.00	-0.55	7.94	3	Vertical	329	1.50	-	45.51
PK	5.2388G	125.40	Inf	-Inf	8.12	3	Vertical	329	1.50	-	117.28
AV	5.2388G	114.64	Inf	-Inf	8.12	3	Vertical	329	1.50	-	106.52
PK	5.354G	68.08	74.00	-5.92	8.28	3	Vertical	329	1.50	-	59.80
AV	5.35G	51.89	54.00	-2.11	8.28	3	Vertical	329	1.50	-	43.61

802.11a_Nss1,(6Mbps)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	66.14	74.00	-7.86	7.92	3	Horizontal	319	2.39	-	58.22
AV	5.1368G	50.80	54.00	-3.20	7.92	3	Horizontal	319	2.39	-	42.88
PK	5.2436G	120.34	Inf	-Inf	8.12	3	Horizontal	319	2.39	-	112.22
AV	5.2424G	109.73	Inf	-Inf	8.12	3	Horizontal	319	2.39	-	101.61
PK	5.3654G	65.04	74.00	-8.96	8.29	3	Horizontal	319	2.39	-	56.75
AV	5.35G	49.89	54.00	-4.11	8.28	3	Horizontal	319	2.39	-	41.61

802.11a_Nss1,(6Mbps)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48204G	60.65	68.20	-7.55	14.58	3	Vertical	23	1.94	-	46.07
PK	15.71752G	62.64	74.00	-11.36	15.61	3	Vertical	337	2.77	-	47.03
AV	15.71824G	49.63	54.00	-4.37	15.61	3	Vertical	337	2.77	-	34.02

802.11a_Nss1,(6Mbps)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47224G	54.27	68.20	-13.93	14.59	3	Horizontal	360	1.01	-	39.68
PK	15.71408G	57.74	74.00	-16.26	15.62	3	Horizontal	83	1.25	-	42.12
AV	15.71472G	43.89	54.00	-10.11	15.62	3	Horizontal	83	1.25	-	28.27

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	68.32	68.94	-0.62	8.66	3	Vertical	177	2.39	-	59.66
PK	5.742G	126.07	Inf	-Inf	8.81	3	Vertical	177	2.39	-	117.26
AV	5.741G	115.46	Inf	-Inf	8.80	3	Vertical	177	2.39	-	106.66
PK	5.943G	61.64	68.20	-6.56	8.94	3	Vertical	177	2.39	-	52.70

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	63.89	68.20	-4.31	8.66	3	Horizontal	174	2.37	-	55.23
PK	5.751G	119.86	Inf	-Inf	8.83	3	Horizontal	174	2.37	-	111.03
AV	5.751G	109.36	Inf	-Inf	8.83	3	Horizontal	174	2.37	-	100.53
PK	5.963G	59.44	68.20	-8.76	8.93	3	Horizontal	174	2.37	-	50.51

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49092G	59.01	74.00	-14.99	14.89	3	Vertical	86	2.06	-	44.12
AV	11.48972G	46.40	54.00	-7.60	14.89	3	Vertical	86	2.06	-	31.51
PK	17.23036G	63.49	68.20	-4.71	20.68	3	Vertical	262	1.81	-	42.81

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49988G	53.35	74.00	-20.65	14.90	3	Horizontal	131	2.11	-	38.45
AV	11.4986G	44.39	54.00	-9.61	14.90	3	Horizontal	131	2.11	-	29.49
PK	17.23052G	57.34	68.20	-10.86	20.68	3	Horizontal	68	1.45	-	36.66

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	65.64	68.20	-2.56	8.66	3	Vertical	187	1.50	-	56.98
PK	5.781G	123.24	Inf	-Inf	8.88	3	Vertical	187	1.50	-	114.36
AV	5.781G	113.10	Inf	-Inf	8.88	3	Vertical	187	1.50	-	104.22
PK	5.925G	67.48	68.20	-0.72	8.93	3	Vertical	187	1.50	-	58.55

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	65.13	68.20	-3.07	8.67	3	Horizontal	175	2.62	-	56.46
PK	5.791G	120.82	Inf	-Inf	8.88	3	Horizontal	175	2.62	-	111.94
AV	5.792G	110.11	Inf	-Inf	8.89	3	Horizontal	175	2.62	-	101.22
PK	5.926G	64.24	68.20	-3.96	8.93	3	Horizontal	175	2.62	-	55.31

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57116G	59.83	74.00	-14.17	15.00	3	Vertical	90	2.07	-	44.83
AV	11.56976G	46.22	54.00	-7.78	15.00	3	Vertical	90	2.07	-	31.22
PK	17.35228G	62.44	68.20	-5.76	21.41	3	Vertical	357	2.58	-	41.03

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
 Setting 120
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57532G	57.94	74.00	-16.06	15.00	3	Horizontal	54	1.89	-	42.94
AV	11.57584G	44.95	54.00	-9.05	15.01	3	Horizontal	54	1.89	-	29.94
PK	17.3518G	58.44	68.20	-9.76	21.40	3	Horizontal	137	2.11	-	37.04

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
Setting 111
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.632G	60.73	68.20	-7.47	8.63	3	Vertical	175	2.38	-	52.10
PK	5.822G	125.49	Inf	-Inf	8.90	3	Vertical	175	2.38	-	116.59
AV	5.823G	115.54	Inf	-Inf	8.90	3	Vertical	175	2.38	-	106.64
PK	5.922G	69.74	70.42	-0.68	8.92	3	Vertical	175	2.38	-	60.82

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
Setting 111
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	59.88	68.94	-9.06	8.66	3	Horizontal	167	2.49	-	51.22
PK	5.831G	120.79	Inf	-Inf	8.91	3	Horizontal	167	2.49	-	111.88
AV	5.831G	110.44	Inf	-Inf	8.91	3	Horizontal	167	2.49	-	101.53
PK	5.935G	61.70	68.20	-6.50	8.93	3	Horizontal	167	2.49	-	52.77

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
Setting 111
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64728G	54.20	74.00	-19.80	15.09	3	Vertical	91	2.03	-	39.11
AV	11.65252G	46.46	54.00	-7.54	15.10	3	Vertical	91	2.03	-	31.36
PK	17.47396G	61.72	68.20	-6.48	22.12	3	Vertical	358	2.97	-	39.60

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5825MHz_TX




EUT Z_4TX
 Setting 111
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64608G	53.30	74.00	-20.70	15.09	3	Horizontal	257	2.21	-	38.21
AV	11.64868G	42.38	54.00	-11.62	15.09	3	Horizontal	257	2.21	-	27.29
PK	17.47716G	58.52	68.20	-7.68	22.15	3	Horizontal	113	2.97	-	38.37

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5180MHz_TX




EUT_Z_4TX
Setting 69
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.13	74.00	-3.87	7.94	3	Vertical	335	2.22	-	62.19
AV	5.1492G	52.75	54.00	-1.25	7.94	3	Vertical	335	2.22	-	44.81
PK	5.1746G	115.86	Inf	-Inf	8.00	3	Vertical	335	2.22	-	107.86
AV	5.1746G	105.58	Inf	-Inf	8.00	3	Vertical	335	2.22	-	97.58

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5180MHz_TX




EUT Z_4TX
Setting 69
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	62.32	74.00	-11.68	7.94	3	Horizontal	181	1.01	-	54.38
AV	5.1472G	47.16	54.00	-6.84	7.94	3	Horizontal	181	1.01	-	39.22
PK	5.173G	109.76	Inf	-Inf	8.00	3	Horizontal	181	1.01	-	101.76
AV	5.1726G	97.97	Inf	-Inf	8.00	3	Horizontal	181	1.01	-	89.97

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5180MHz_TX




EUT Z_4TX
Setting 69
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53932G	54.58	74.00	-19.42	16.08	3	Vertical	5	1.66	-	38.50
AV	15.5372G	42.10	54.00	-11.90	16.08	3	Vertical	5	1.66	-	26.02

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5180MHz_TX




EUT_Z_4TX
Setting 69
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5468G	54.69	74.00	-19.31	16.05	3	Horizontal	360	1.95	-	38.64
AV	15.54672G	42.07	54.00	-11.93	16.05	3	Horizontal	360	1.95	-	26.02

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5200MHz_TX




EUT Z_4TX
Setting 91
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	69.49	74.00	-4.51	7.94	3	Vertical	203	2.55	-	61.55
AV	5.1492G	53.41	54.00	-0.59	7.94	3	Vertical	203	2.55	-	45.47
PK	5.2044G	121.19	Inf	-Inf	8.07	3	Vertical	203	2.55	-	113.12
AV	5.1944G	110.05	Inf	-Inf	8.04	3	Vertical	203	2.55	-	102.01

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 91
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	66.15	74.00	-7.85	7.94	3	Horizontal	179	1.04	-	58.21
AV	5.1472G	48.47	54.00	-5.53	7.94	3	Horizontal	179	1.04	-	40.53
PK	5.2024G	113.91	Inf	-Inf	8.06	3	Horizontal	179	1.04	-	105.85
AV	5.2028G	103.95	Inf	-Inf	8.06	3	Horizontal	179	1.04	-	95.89

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5200MHz_TX




EUT Z_4TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40276G	58.91	68.20	-9.29	14.64	3	Vertical	151	2.07	-	44.27
PK	15.53944G	54.35	74.00	-19.65	16.08	3	Vertical	12	1.89	-	38.27
AV	15.53552G	42.09	54.00	-11.91	16.09	3	Vertical	12	1.89	-	26.00

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40872G	53.33	68.20	-14.87	14.63	3	Horizontal	311	1.92	-	38.70
PK	15.5934G	55.40	74.00	-18.60	15.93	3	Horizontal	85	1.44	-	39.47
AV	15.59272G	42.34	54.00	-11.66	15.93	3	Horizontal	85	1.44	-	26.41

802.11ax HEW20_Nss1,(MCS0)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	68.28	74.00	-5.72	7.94	3	Vertical	330	2.29	-	60.34
AV	5.1494G	53.48	54.00	-0.52	7.94	3	Vertical	0	1.50	-	45.54
PK	5.24G	124.81	Inf	-Inf	8.12	3	Vertical	330	2.29	-	116.69
AV	5.2346G	114.28	Inf	-Inf	8.11	3	Vertical	330	2.29	-	106.17
PK	5.3654G	64.47	74.00	-9.53	8.29	3	Vertical	330	2.29	-	56.18
AV	5.3528G	51.46	54.00	-2.54	8.28	3	Vertical	330	2.29	-	43.18

802.11ax HEW20_Nss1,(MCS0)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1422G	62.27	74.00	-11.73	7.94	3	Horizontal	2	2.63	-	54.33
AV	5.1428G	49.28	54.00	-4.72	7.94	3	Horizontal	2	2.63	-	41.34
PK	5.237G	120.23	Inf	-Inf	8.11	3	Horizontal	2	2.63	-	112.12
AV	5.2424G	107.63	Inf	-Inf	8.12	3	Horizontal	2	2.63	-	99.51
PK	5.351G	62.59	74.00	-11.41	8.28	3	Horizontal	2	2.63	-	54.31
AV	5.35G	49.51	54.00	-4.49	8.28	3	Horizontal	2	2.63	-	41.23

802.11ax HEW20_Nss1,(MCS0)_4TX

28/09/2019

5240MHz_TX




EUT Z_4TX
Setting 106
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48112G	58.23	68.20	-9.97	14.58	3	Vertical	139	1.50	-	43.65
PK	15.71752G	63.67	74.00	-10.33	15.61	3	Vertical	324	2.92	-	48.06
AV	15.71812G	51.75	54.00	-2.25	15.61	3	Vertical	324	2.92	-	36.14

802.11ax HEW20_Nss1,(MCS0)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47912G	61.34	68.20	-6.86	14.58	3	Horizontal	195	1.67	-	46.76
PK	15.71244G	62.77	74.00	-11.23	15.62	3	Horizontal	68	1.35	-	47.15
AV	15.71892G	47.08	54.00	-6.92	15.61	3	Horizontal	68	1.35	-	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 106
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	67.52	68.20	-0.68	8.67	3	Vertical	2	2.30	-	58.85
PK	5.746G	126.71	Inf	-Inf	8.82	3	Vertical	2	2.30	-	117.89
AV	5.746G	114.83	Inf	-Inf	8.82	3	Vertical	2	2.30	-	106.01
PK	5.934G	61.07	68.20	-7.13	8.93	3	Vertical	2	2.30	-	52.14

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 106
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	60.73	68.20	-7.47	8.66	3	Horizontal	169	2.53	-	52.07
PK	5.753G	118.96	Inf	-Inf	8.83	3	Horizontal	169	2.53	-	110.13
AV	5.748G	108.69	Inf	-Inf	8.82	3	Horizontal	169	2.53	-	99.87
PK	5.942G	59.12	68.20	-9.08	8.94	3	Horizontal	169	2.53	-	50.18

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 106
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48976G	60.01	74.00	-13.99	14.89	3	Vertical	86	2.02	-	45.12
AV	11.488G	47.82	54.00	-6.18	14.89	3	Vertical	86	2.02	-	32.93

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5745MHz_TX




EUT Z_4TX
Setting 106
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4836G	54.24	74.00	-19.76	14.89	3	Horizontal	141	1.96	-	39.35
AV	11.48484G	41.23	54.00	-12.77	14.89	3	Horizontal	141	1.96	-	26.34

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5785MHz_TX




EUT Z_4TX
Setting 115
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	66.30	68.20	-1.90	8.67	3	Vertical	176	2.39	-	57.63
PK	5.778G	127.68	Inf	-Inf	8.87	3	Vertical	176	2.39	-	118.81
AV	5.788G	116.37	Inf	-Inf	8.87	3	Vertical	176	2.39	-	107.50
PK	5.928G	67.46	68.20	-0.74	8.93	3	Vertical	176	2.39	-	58.53

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
Setting 115
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	59.63	68.20	-8.57	8.67	3	Horizontal	175	2.62	-	50.96
PK	5.778G	120.23	Inf	-Inf	8.87	3	Horizontal	175	2.62	-	111.36
AV	5.788G	109.66	Inf	-Inf	8.87	3	Horizontal	175	2.62	-	100.79
PK	5.936G	60.07	68.20	-8.13	8.93	3	Horizontal	175	2.62	-	51.14

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5785MHz_TX




EUT Z_4TX
Setting 115
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57094G	60.29	74.00	-13.71	15.00	3	Vertical	93	2.06	-	45.29
AV	11.5703G	47.62	54.00	-6.38	15.00	3	Vertical	93	2.06	-	32.62

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5785MHz_TX




EUT Z_4TX
Setting 115
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56754G	54.59	74.00	-19.41	14.99	3	Horizontal	93	1.67	-	39.60
AV	11.57004G	41.90	54.00	-12.10	15.00	3	Horizontal	93	1.67	-	26.90

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
Setting 108
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	61.02	68.20	-7.18	8.66	3	Vertical	180	2.37	-	52.36
PK	5.818G	126.72	Inf	-Inf	8.90	3	Vertical	180	2.37	-	117.82
AV	5.818G	115.59	Inf	-Inf	8.90	3	Vertical	180	2.37	-	106.69
PK	5.927G	67.51	68.20	-0.69	8.93	3	Vertical	180	2.37	-	58.58

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
Setting 108
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.631G	58.65	68.20	-9.55	8.63	3	Horizontal	161	2.59	-	50.02
PK	5.818G	119.41	Inf	-Inf	8.90	3	Horizontal	161	2.59	-	110.51
AV	5.823G	109.23	Inf	-Inf	8.90	3	Horizontal	161	2.59	-	100.33
PK	5.932G	67.37	68.20	-0.83	8.93	3	Horizontal	161	2.59	-	58.44

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5825MHz_TX




EUT Z_4TX
Setting 108
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65G	60.71	74.00	-13.29	15.09	3	Vertical	92	2.04	-	45.62
AV	11.65016G	48.81	54.00	-5.19	15.09	3	Vertical	92	2.04	-	33.72

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5825MHz_TX




EUT Z_4TX
Setting 108
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65258G	54.89	74.00	-19.11	15.10	3	Horizontal	57	2.35	-	39.79
AV	11.65272G	43.34	54.00	-10.66	15.10	3	Horizontal	57	2.35	-	28.24

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5190MHz_TX




EUT Z_4TX
Setting 63
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	65.41	74.00	-8.59	7.94	3	Vertical	78	2.31	-	57.47
AV	5.146G	53.48	54.00	-0.52	7.94	3	Vertical	78	2.31	-	45.54
PK	5.206G	112.10	Inf	-Inf	8.07	3	Vertical	78	2.31	-	104.03
AV	5.186G	101.55	Inf	-Inf	8.03	3	Vertical	78	2.31	-	93.52

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5190MHz_TX




EUT Z_4TX
Setting 63
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	62.01	74.00	-11.99	7.94	3	Horizontal	181	2.14	-	54.07
AV	5.15G	50.07	54.00	-3.93	7.94	3	Horizontal	181	2.14	-	42.13
PK	5.182G	107.46	Inf	-Inf	8.02	3	Horizontal	181	2.14	-	99.44
AV	5.182G	94.99	Inf	-Inf	8.02	3	Horizontal	181	2.14	-	86.97

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5190MHz_TX




EUT_Z_4TX
Setting 63
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56044G	55.10	74.00	-18.90	16.01	3	Vertical	45	1.50	-	39.09
AV	15.56236G	44.02	54.00	-9.98	16.02	3	Vertical	45	1.50	-	28.00

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5190MHz_TX




EUT_Z_4TX
Setting 63
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5752G	55.85	74.00	-18.15	15.98	3	Horizontal	319	2.18	-	39.87
AV	15.561G	43.71	54.00	-10.29	16.02	3	Horizontal	319	2.18	-	27.69

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5230MHz_TX




EUT_Z_4TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	68.46	74.00	-5.54	7.94	3	Vertical	345	2.29	-	60.52
AV	5.1472G	53.32	54.00	-0.68	7.94	3	Vertical	345	2.29	-	45.38
PK	5.2246G	118.51	Inf	-Inf	8.10	3	Vertical	345	2.29	-	110.41
AV	5.2348G	108.00	Inf	-Inf	8.11	3	Vertical	345	2.29	-	99.89
PK	5.3512G	61.01	74.00	-12.99	8.28	3	Vertical	345	2.29	-	52.73
AV	5.3506G	49.90	54.00	-4.10	8.28	3	Vertical	345	2.29	-	41.62

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5230MHz_TX




EUT_Z_4TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1424G	60.43	74.00	-13.57	7.94	3	Horizontal	4	2.63	-	52.49
AV	5.1478G	49.31	54.00	-4.69	7.94	3	Horizontal	4	2.63	-	41.37
PK	5.2222G	112.79	Inf	-Inf	8.10	3	Horizontal	4	2.63	-	104.69
AV	5.2324G	100.99	Inf	-Inf	8.11	3	Horizontal	4	2.63	-	92.88
PK	5.368G	58.89	74.00	-15.11	8.29	3	Horizontal	4	2.63	-	50.60
AV	5.3512G	47.93	54.00	-6.07	8.28	3	Horizontal	4	2.63	-	39.65

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5230MHz_TX




EUT_Z_4TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68748G	56.73	74.00	-17.27	15.69	3	Vertical	132	2.99	-	41.04
AV	15.68848G	43.88	54.00	-10.12	15.68	3	Vertical	132	2.99	-	28.20

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5230MHz_TX




EUT_Z_4TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68144G	54.88	74.00	-19.12	15.69	3	Horizontal	69	2.18	-	39.19
AV	15.68128G	44.14	54.00	-9.86	15.69	3	Horizontal	69	2.18	-	28.45

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5755MHz_TX




EUT Z_4TX
Setting 93
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	67.69	68.20	-0.51	8.66	3	Vertical	163	2.41	-	59.03
PK	5.747G	122.38	Inf	-Inf	8.82	3	Vertical	163	2.41	-	113.56
AV	5.753G	110.91	Inf	-Inf	8.83	3	Vertical	163	2.41	-	102.08
PK	5.952G	60.88	68.20	-7.32	8.92	3	Vertical	163	2.41	-	51.96

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5755MHz_TX




EUT Z_4TX
Setting 93
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	60.05	68.20	-8.15	8.66	3	Horizontal	156	1.69	-	51.39
PK	5.763G	111.99	Inf	-Inf	8.84	3	Horizontal	156	1.69	-	103.15
AV	5.763G	101.45	Inf	-Inf	8.84	3	Horizontal	156	1.69	-	92.61
PK	5.975G	58.70	68.20	-9.50	8.94	3	Horizontal	156	1.69	-	49.76

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5755MHz_TX




EUT Z_4TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50852G	53.93	74.00	-20.07	14.92	3	Vertical	190	1.65	-	39.01
AV	11.509G	42.87	54.00	-11.13	14.92	3	Vertical	190	1.65	-	27.95

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5755MHz_TX




EUT_Z_4TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5014G	54.23	74.00	-19.77	14.91	3	Horizontal	280	2.11	-	39.32
AV	11.51556G	42.77	54.00	-11.23	14.92	3	Horizontal	280	2.11	-	27.85

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5795MHz_TX




EUT Z_4TX
Setting 98
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.633G	64.51	68.20	-3.69	8.64	3	Vertical	176	2.37	-	55.87
PK	5.788G	122.36	Inf	-Inf	8.87	3	Vertical	176	2.37	-	113.49
AV	5.793G	111.88	Inf	-Inf	8.89	3	Vertical	176	2.37	-	102.99
PK	5.925G	67.55	68.20	-0.65	8.93	3	Vertical	176	2.37	-	58.62

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5795MHz_TX




EUT_Z_4TX
Setting 98
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.628G	59.56	68.20	-8.64	8.63	3	Horizontal	172	2.63	-	50.93
PK	5.803G	115.07	Inf	-Inf	8.90	3	Horizontal	172	2.63	-	106.17
AV	5.788G	105.29	Inf	-Inf	8.87	3	Horizontal	172	2.63	-	96.42
PK	5.929G	60.05	68.20	-8.15	8.93	3	Horizontal	172	2.63	-	51.12

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5795MHz_TX




EUT Z_4TX
Setting 98
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59044G	53.49	74.00	-20.51	15.02	3	Vertical	95	1.97	-	38.47
AV	11.5904G	46.04	54.00	-7.96	15.02	3	Vertical	95	1.97	-	31.02

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5795MHz_TX




EUT_Z_4TX
Setting 98
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5902G	54.22	74.00	-19.78	15.02	3	Horizontal	172	2.00	-	39.20
AV	11.58452G	42.47	54.00	-11.53	15.02	3	Horizontal	172	2.00	-	27.45

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5210MHz_TX




EUT_Z_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	65.37	74.00	-8.63	7.94	3	Vertical	345	2.30	-	57.43
AV	5.141G	53.28	54.00	-0.72	7.94	3	Vertical	345	2.30	-	45.34
PK	5.2G	109.26	Inf	-Inf	8.06	3	Vertical	345	2.30	-	101.20
AV	5.224G	98.79	Inf	-Inf	8.10	3	Vertical	345	2.30	-	90.69
PK	5.375G	59.18	74.00	-14.82	8.31	3	Vertical	345	2.30	-	50.87
AV	5.353G	48.13	54.00	-5.87	8.28	3	Vertical	345	2.30	-	39.85

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5210MHz_TX




EUT_Z_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	59.71	74.00	-14.29	7.94	3	Horizontal	182	1.01	-	51.77
AV	5.146G	48.66	54.00	-5.34	7.94	3	Horizontal	182	1.01	-	40.72
PK	5.203G	101.40	Inf	-Inf	8.06	3	Horizontal	182	1.01	-	93.34
AV	5.223G	90.75	Inf	-Inf	8.10	3	Horizontal	182	1.01	-	82.65
PK	5.429G	57.94	74.00	-16.06	8.40	3	Horizontal	182	1.01	-	49.54
AV	5.387G	47.47	54.00	-6.53	8.33	3	Horizontal	182	1.01	-	39.14

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5210MHz_TX




EUT_Z_4TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62624G	55.39	74.00	-18.61	15.84	3	Vertical	169	2.04	-	39.55
AV	15.626G	44.60	54.00	-9.40	15.84	3	Vertical	169	2.04	-	28.76

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5210MHz_TX




EUT_Z_4TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63044G	53.64	74.00	-20.36	15.83	3	Horizontal	2	1.48	-	37.81
AV	15.62724G	42.56	54.00	-11.44	15.84	3	Horizontal	2	1.48	-	26.72

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5775MHz_TX




EUT Z_4TX
Setting 76
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.66	68.20	-0.54	8.66	3	Vertical	180	2.41	-	59.00
PK	5.753G	115.47	Inf	-Inf	8.83	3	Vertical	180	2.41	-	106.64
AV	5.762G	104.16	Inf	-Inf	8.85	3	Vertical	180	2.41	-	95.31
PK	5.923G	65.25	69.68	-4.43	8.92	3	Vertical	180	2.41	-	56.33

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5775MHz_TX




EUT_Z_4TX
Setting 76
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.632G	61.71	68.20	-6.49	8.63	3	Horizontal	183	2.26	-	53.08
PK	5.788G	107.69	Inf	-Inf	8.87	3	Horizontal	183	2.26	-	98.82
AV	5.763G	97.81	Inf	-Inf	8.84	3	Horizontal	183	2.26	-	88.97
PK	5.93G	59.21	68.20	-8.99	8.93	3	Horizontal	183	2.26	-	50.28

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5775MHz_TX




EUT Z_4TX
Setting 76
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55988G	53.86	74.00	-20.14	14.99	3	Vertical	237	2.40	-	38.87
AV	11.54016G	42.80	54.00	-11.20	14.96	3	Vertical	237	2.40	-	27.84

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5775MHz_TX



EUT Z_4TX
Setting 76
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54368G	53.39	74.00	-20.61	14.96	3	Horizontal	201	1.62	-	38.43
AV	11.55492G	42.60	54.00	-11.40	14.97	3	Horizontal	201	1.62	-	27.63




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.651G	68.42	68.94	-0.52	8.66	3	Vertical	184	2.85	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5180MHz_TX




EUT_Z_4TX
 Setting 75
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	73.43	74.00	-0.57	7.94	3	Vertical	358	2.32	-	65.49
AV	5.1488G	52.88	54.00	-1.12	7.94	3	Vertical	358	2.32	-	44.94
PK	5.1716G	119.40	Inf	-Inf	7.99	3	Vertical	358	2.32	-	111.41
AV	5.171G	108.10	Inf	-Inf	7.99	3	Vertical	358	2.32	-	100.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5180MHz_TX




EUT Z_4TX
 Setting 75
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	60.99	74.00	-13.01	7.94	3	Horizontal	157	1.35	-	53.05
AV	5.15G	46.56	54.00	-7.44	7.94	3	Horizontal	157	1.35	-	38.62
PK	5.1758G	110.43	Inf	-Inf	8.01	3	Horizontal	157	1.35	-	102.42
AV	5.1758G	99.00	Inf	-Inf	8.01	3	Horizontal	157	1.35	-	90.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5180MHz_TX




EUT Z_4TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.52986G	56.36	74.00	-17.64	16.09	3	Vertical	63	1.78	-	40.27
AV	15.55044G	41.90	54.00	-12.10	16.04	3	Vertical	63	1.78	-	25.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5180MHz_TX




EUT Z_4TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.55386G	55.28	74.00	-18.72	16.03	3	Horizontal	255	2.26	-	39.25
AV	15.52548G	41.86	54.00	-12.14	16.11	3	Horizontal	255	2.26	-	25.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 94
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1418G	71.52	74.00	-2.48	7.94	3	Vertical	72	2.54	-	63.58
AV	5.149G	53.36	54.00	-0.64	7.94	3	Vertical	72	2.54	-	45.42
PK	5.2084G	124.78	Inf	-Inf	8.07	3	Vertical	72	2.54	-	116.71
AV	5.2072G	112.62	Inf	-Inf	8.07	3	Vertical	72	2.54	-	104.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 94
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	64.40	74.00	-9.60	7.94	3	Horizontal	28	2.55	-	56.46
AV	5.15G	48.82	54.00	-5.18	7.94	3	Horizontal	28	2.55	-	40.88
PK	5.191G	116.00	Inf	-Inf	8.04	3	Horizontal	28	2.55	-	107.96
AV	5.1922G	104.74	Inf	-Inf	8.04	3	Horizontal	28	2.55	-	96.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 94
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5971G	58.09	74.00	-15.91	15.92	3	Vertical	101	1.83	-	42.17
AV	15.5988G	43.68	54.00	-10.32	15.91	3	Vertical	101	1.83	-	27.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 94
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5795G	54.95	74.00	-19.05	15.97	3	Horizontal	96	2.24	-	38.98
AV	15.6011G	41.77	54.00	-12.23	15.91	3	Horizontal	96	2.24	-	25.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	68.60	74.00	-5.40	7.94	3	Vertical	77	2.42	-	60.66
AV	5.1482G	53.45	54.00	-0.55	7.94	3	Vertical	77	2.42	-	45.51
PK	5.2466G	126.32	Inf	-Inf	8.13	3	Vertical	77	2.42	-	118.19
AV	5.2472G	114.91	Inf	-Inf	8.13	3	Vertical	77	2.42	-	106.78
PK	5.354G	65.72	74.00	-8.28	8.28	3	Vertical	77	2.42	-	57.44
AV	5.3534G	52.08	54.00	-1.92	8.28	3	Vertical	77	2.42	-	43.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	63.81	74.00	-10.19	7.94	3	Horizontal	325	2.29	-	55.87
AV	5.15G	49.74	54.00	-4.26	7.94	3	Horizontal	325	2.29	-	41.80
PK	5.237G	118.49	Inf	-Inf	8.11	3	Horizontal	325	2.29	-	110.38
AV	5.2382G	106.24	Inf	-Inf	8.12	3	Horizontal	325	2.29	-	98.12
PK	5.3534G	61.84	74.00	-12.16	8.28	3	Horizontal	325	2.29	-	53.56
AV	5.35G	48.22	54.00	-5.78	8.28	3	Horizontal	325	2.29	-	39.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4797G	55.62	68.20	-12.58	14.58	3	Vertical	11	2.65	-	41.04
PK	15.7152G	62.86	74.00	-11.14	15.62	3	Vertical	297	2.73	-	47.24
AV	15.7142G	50.01	54.00	-3.99	15.62	3	Vertical	297	2.73	-	34.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47826G	54.32	68.20	-13.88	14.59	3	Horizontal	25	2.10	-	39.73
PK	15.7275G	60.79	74.00	-13.21	15.58	3	Horizontal	157	2.99	-	45.21
AV	15.72276G	47.61	54.00	-6.39	15.59	3	Horizontal	157	2.99	-	32.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 110
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	68.42	68.94	-0.52	8.66	3	Vertical	184	2.85	-	59.76
PK	5.752G	127.56	Inf	-Inf	8.83	3	Vertical	184	2.85	-	118.73
AV	5.752G	115.99	Inf	-Inf	8.83	3	Vertical	184	2.85	-	107.16
PK	5.954G	60.46	68.20	-7.74	8.92	3	Vertical	184	2.85	-	51.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 110
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	61.87	68.20	-6.33	8.66	3	Horizontal	14	2.29	-	53.21
PK	5.738G	118.62	Inf	-Inf	8.80	3	Horizontal	14	2.29	-	109.82
AV	5.738G	107.26	Inf	-Inf	8.80	3	Horizontal	14	2.29	-	98.46
PK	5.983G	58.77	68.20	-9.43	8.94	3	Horizontal	14	2.29	-	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 110
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48456G	57.10	74.00	-16.90	14.89	3	Vertical	41	2.94	-	42.21
AV	11.48992G	44.23	54.00	-9.77	14.89	3	Vertical	41	2.94	-	29.34
PK	17.2337G	60.09	68.20	-8.11	20.70	3	Vertical	313	2.68	-	39.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 110
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5142G	53.25	74.00	-20.75	14.92	3	Horizontal	32	1.24	-	38.33
AV	11.4878G	40.54	54.00	-13.46	14.89	3	Horizontal	32	1.24	-	25.65
PK	17.2444G	59.76	68.20	-8.44	20.77	3	Horizontal	22	2.14	-	38.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	67.06	68.20	-1.14	8.66	3	Vertical	37	2.55	-	58.40
PK	5.777G	125.49	Inf	-Inf	8.87	3	Vertical	37	2.55	-	116.62
AV	5.777G	114.26	Inf	-Inf	8.87	3	Vertical	37	2.55	-	105.39
PK	5.924G	65.19	68.94	-3.75	8.92	3	Vertical	37	2.55	-	56.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5785MHz_TX




EUT_Z_4TX
 Setting 120
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	59.35	68.20	-8.85	8.66	3	Horizontal	337	2.85	-	50.69
PK	5.776G	117.57	Inf	-Inf	8.87	3	Horizontal	337	2.85	-	108.70
AV	5.776G	106.96	Inf	-Inf	8.87	3	Horizontal	337	2.85	-	98.09
PK	5.935G	59.51	68.20	-8.69	8.93	3	Horizontal	337	2.85	-	50.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5829G	56.29	74.00	-17.71	15.02	3	Vertical	8	2.14	-	41.27
AV	11.5813G	43.47	54.00	-10.53	15.02	3	Vertical	8	2.14	-	28.45
PK	17.3711G	60.34	68.20	-7.86	21.52	3	Vertical	261	1.42	-	38.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5785MHz_TX




EUT Z_4TX
Setting 120
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5872G	54.49	74.00	-19.51	15.02	3	Horizontal	136	1.64	-	39.47
AV	11.5803G	41.08	54.00	-12.92	15.01	3	Horizontal	136	1.64	-	26.07
PK	17.3762G	60.66	68.20	-7.54	21.54	3	Horizontal	214	2.15	-	39.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5825MHz_TX




EUT_Z_4TX
Setting 115
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.584G	61.13	68.20	-7.07	8.57	3	Vertical	87	2.57	-	52.56
PK	5.832G	125.52	Inf	-Inf	8.91	3	Vertical	87	2.57	-	116.61
AV	5.832G	114.75	Inf	-Inf	8.91	3	Vertical	87	2.57	-	105.84
PK	5.926G	67.67	68.20	-0.53	8.93	3	Vertical	87	2.57	-	58.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5825MHz_TX




EUT_Z_4TX
Setting 115
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.592G	58.65	68.20	-9.55	8.58	3	Horizontal	263	2.53	-	50.07
PK	5.816G	116.39	Inf	-Inf	8.91	3	Horizontal	263	2.53	-	107.48
AV	5.817G	104.45	Inf	-Inf	8.90	3	Horizontal	263	2.53	-	95.55
PK	5.933G	62.00	68.20	-6.20	8.93	3	Horizontal	263	2.53	-	53.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5825MHz_TX




EUT Z_4TX
Setting 115
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6451G	55.99	74.00	-18.01	15.09	3	Vertical	358	1.23	-	40.90
AV	11.6472G	42.69	54.00	-11.31	15.09	3	Vertical	358	1.23	-	27.60
PK	17.4824G	60.70	68.20	-7.50	22.18	3	Vertical	219	2.12	-	38.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5825MHz_TX




EUT Z_4TX
 Setting 115
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6597G	55.09	74.00	-18.91	15.11	3	Horizontal	329	2.96	-	39.98
AV	11.6466G	40.54	54.00	-13.46	15.09	3	Horizontal	329	2.96	-	25.45
PK	17.4955G	61.39	68.20	-6.81	22.26	3	Horizontal	286	1.66	-	39.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5190MHz_TX




EUT_Z_4TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	70.51	74.00	-3.49	7.94	3	Vertical	66	2.22	-	62.57
AV	5.15G	53.43	54.00	-0.57	7.94	3	Vertical	66	2.22	-	45.49
PK	5.206G	117.49	Inf	-Inf	8.07	3	Vertical	66	2.22	-	109.42
AV	5.2076G	105.05	Inf	-Inf	8.07	3	Vertical	66	2.22	-	96.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5190MHz_TX



EUT_Z_4TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	67.05	74.00	-6.95	7.94	3	Horizontal	152	2.73	-	59.11
AV	5.15G	48.77	54.00	-5.23	7.94	3	Horizontal	152	2.73	-	40.83
PK	5.1864G	107.59	Inf	-Inf	8.04	3	Horizontal	152	2.73	-	99.55
AV	5.1888G	95.50	Inf	-Inf	8.04	3	Horizontal	152	2.73	-	87.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5190MHz_TX



EUT_Z_4TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5626G	55.82	74.00	-18.18	16.02	3	Vertical	312	2.07	-	39.80
AV	15.5531G	42.01	54.00	-11.99	16.04	3	Vertical	312	2.07	-	25.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5190MHz_TX




EUT_Z_4TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.558G	55.07	74.00	-18.93	16.02	3	Horizontal	232	2.01	-	39.05
AV	15.5511G	41.65	54.00	-12.35	16.04	3	Horizontal	232	2.01	-	25.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5230MHz_TX




EUT_Z_4TX
Setting 87
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	70.00	74.00	-4.00	7.94	3	Vertical	343	2.57	-	62.06
AV	5.15G	53.34	54.00	-0.66	7.94	3	Vertical	343	2.57	-	45.40
PK	5.2348G	121.33	Inf	-Inf	8.11	3	Vertical	343	2.57	-	113.22
AV	5.2372G	108.47	Inf	-Inf	8.11	3	Vertical	343	2.57	-	100.36
PK	5.3542G	61.98	74.00	-12.02	8.28	3	Vertical	343	2.57	-	53.70
AV	5.35G	48.31	54.00	-5.69	8.28	3	Vertical	343	2.57	-	40.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5230MHz_TX




EUT_Z_4TX
Setting 87
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	63.12	74.00	-10.88	7.94	3	Horizontal	33	2.60	-	55.18
AV	5.15G	48.76	54.00	-5.24	7.94	3	Horizontal	33	2.60	-	40.82
PK	5.2438G	112.47	Inf	-Inf	8.12	3	Horizontal	33	2.60	-	104.35
AV	5.2426G	100.66	Inf	-Inf	8.12	3	Horizontal	33	2.60	-	92.54
PK	5.3524G	59.20	74.00	-14.80	8.28	3	Horizontal	33	2.60	-	50.92
AV	5.356G	46.35	54.00	-7.65	8.28	3	Horizontal	33	2.60	-	38.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5230MHz_TX




EUT Z_4TX
Setting 87
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.686G	56.40	74.00	-17.60	15.69	3	Vertical	200	1.94	-	40.71
AV	15.6928G	43.30	54.00	-10.70	15.67	3	Vertical	200	1.94	-	27.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5230MHz_TX




EUT_Z_4TX
Setting 87
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6881G	55.10	74.00	-18.90	15.68	3	Horizontal	297	1.52	-	39.42
AV	15.6905G	41.50	54.00	-12.50	15.68	3	Horizontal	297	1.52	-	25.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5755MHz_TX




EUT_Z_4TX
 Setting 90
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	68.29	68.94	-0.65	8.66	3	Vertical	180	2.60	-	59.63
PK	5.757G	121.58	Inf	-Inf	8.83	3	Vertical	180	2.60	-	112.75
AV	5.761G	109.50	Inf	-Inf	8.85	3	Vertical	180	2.60	-	100.65
PK	5.96G	60.09	68.20	-8.11	8.93	3	Vertical	180	2.60	-	51.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5755MHz_TX




EUT_Z_4TX
Setting 90
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	61.91	68.20	-6.29	8.67	3	Horizontal	6	2.26	-	53.24
PK	5.745G	112.69	Inf	-Inf	8.82	3	Horizontal	6	2.26	-	103.87
AV	5.742G	100.60	Inf	-Inf	8.81	3	Horizontal	6	2.26	-	91.79
PK	5.95G	58.63	68.20	-9.57	8.93	3	Horizontal	6	2.26	-	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5755MHz_TX




EUT_Z_4TX
Setting 90
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5G	54.13	74.00	-19.87	14.90	3	Vertical	153	2.44	-	39.23
AV	11.5112G	40.38	54.00	-13.62	14.92	3	Vertical	153	2.44	-	25.46
PK	17.2821G	59.30	68.20	-8.90	20.99	3	Vertical	290	2.03	-	38.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5755MHz_TX




EUT Z_4TX
Setting 90
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5025G	53.21	74.00	-20.79	14.91	3	Horizontal	320	1.70	-	38.30
AV	11.5038G	40.30	54.00	-13.70	14.91	3	Horizontal	320	1.70	-	25.39
PK	17.26616G	59.63	68.20	-8.57	20.90	3	Horizontal	62	2.10	-	38.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5795MHz_TX




EUT_Z_4TX
Setting 102
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	66.52	68.94	-2.42	8.66	3	Vertical	147	2.28	-	57.86
PK	5.787G	121.27	Inf	-Inf	8.88	3	Vertical	147	2.28	-	112.39
AV	5.79G	108.82	Inf	-Inf	8.88	3	Vertical	147	2.28	-	99.94
PK	5.929G	67.65	68.20	-0.55	8.93	3	Vertical	147	2.28	-	58.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5795MHz_TX



EUT_Z_4TX
Setting 102
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.627G	58.90	68.20	-9.30	8.63	3	Horizontal	294	2.31	-	50.27
PK	5.812G	110.36	Inf	-Inf	8.91	3	Horizontal	294	2.31	-	101.45
AV	5.813G	99.71	Inf	-Inf	8.91	3	Horizontal	294	2.31	-	90.80
PK	5.929G	61.08	68.20	-7.12	8.93	3	Horizontal	294	2.31	-	52.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5795MHz_TX




EUT_Z_4TX
Setting 102
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58996G	55.98	74.00	-18.02	15.02	3	Vertical	206	3.00	-	40.96
AV	11.58988G	42.10	54.00	-11.90	15.02	3	Vertical	206	3.00	-	27.08
PK	17.37612G	61.04	68.20	-7.16	21.54	3	Vertical	96	2.30	-	39.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5795MHz_TX




EUT_Z_4TX
Setting 102
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59G	56.45	74.00	-17.55	15.02	3	Horizontal	112	2.35	-	41.43
AV	11.58508G	41.19	54.00	-12.81	15.02	3	Horizontal	112	2.35	-	26.17
PK	17.4068G	60.97	68.20	-7.23	21.73	3	Horizontal	76	2.68	-	39.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/10/2019

5210MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.145G	68.14	74.00	-5.86	7.94	3	Vertical	75	2.77	-	60.20
AV	5.15G	53.41	54.00	-0.59	7.94	3	Vertical	75	2.77	-	45.47
PK	5.213G	113.54	Inf	-Inf	8.08	3	Vertical	75	2.77	-	105.46
AV	5.212G	100.61	Inf	-Inf	8.07	3	Vertical	75	2.77	-	92.54
PK	5.36G	59.08	74.00	-14.92	8.29	3	Vertical	75	2.77	-	50.79
AV	5.352G	45.99	54.00	-8.01	8.28	3	Vertical	75	2.77	-	37.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/10/2019

5210MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	62.04	74.00	-11.96	7.94	3	Horizontal	42	2.59	-	54.10
AV	5.148G	49.89	54.00	-4.11	7.94	3	Horizontal	42	2.59	-	41.95
PK	5.239G	104.02	Inf	-Inf	8.12	3	Horizontal	42	2.59	-	95.90
AV	5.24G	92.18	Inf	-Inf	8.12	3	Horizontal	42	2.59	-	84.06
PK	5.381G	58.02	74.00	-15.98	8.32	3	Horizontal	42	2.59	-	49.70
AV	5.36G	45.45	54.00	-8.55	8.29	3	Horizontal	42	2.59	-	37.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

15/10/2019

5210MHz_TX




EUT_Z_4TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62644G	54.69	74.00	-19.31	15.84	3	Vertical	36	1.04	-	38.85
AV	15.62396G	40.71	54.00	-13.29	15.85	3	Vertical	36	1.04	-	24.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

15/10/2019

5210MHz_TX




EUT Z_4TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63104G	54.80	74.00	-19.20	15.83	3	Horizontal	48	1.63	-	38.97
AV	15.62384G	40.70	54.00	-13.30	15.85	3	Horizontal	48	1.63	-	24.85

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/10/2019

5775MHz_TX




EUT_Z_4TX
Setting 80
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	67.56	68.20	-0.64	8.66	3	Vertical	179	2.84	-	58.90
PK	5.763G	117.66	Inf	-Inf	8.84	3	Vertical	179	2.84	-	108.82
AV	5.764G	104.34	Inf	-Inf	8.84	3	Vertical	179	2.84	-	95.50
PK	5.927G	63.69	68.20	-4.51	8.93	3	Vertical	179	2.84	-	54.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/10/2019

5775MHz_TX




EUT_Z_4TX
 Setting 80
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	63.51	68.20	-4.69	8.66	3	Horizontal	341	2.25	-	54.85
PK	5.742G	105.20	Inf	-Inf	8.81	3	Horizontal	341	2.25	-	96.39
AV	5.743G	92.61	Inf	-Inf	8.82	3	Horizontal	341	2.25	-	83.79
PK	5.937G	60.80	68.20	-7.40	8.93	3	Horizontal	341	2.25	-	51.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

15/10/2019

5775MHz_TX




EUT_Z_4TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55816G	53.79	74.00	-20.21	14.99	3	Vertical	355	2.64	-	38.80
AV	11.55984G	39.62	54.00	-14.38	14.99	3	Vertical	355	2.64	-	24.63
PK	17.32172G	59.68	68.20	-8.52	21.23	3	Vertical	99	2.58	-	38.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

15/10/2019

5775MHz_TX



EUT_Z_4TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55052G	53.25	74.00	-20.75	14.97	3	Horizontal	290	1.68	-	38.28
AV	11.547G	39.63	54.00	-14.37	14.97	3	Horizontal	290	1.68	-	24.66
PK	17.33336G	59.60	68.20	-8.60	21.30	3	Horizontal	211	1.51	-	38.30




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	PK	5.632G	67.67	68.20	-0.53	8.63	3	Vertical	185	2.61	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5180MHz_TX




EUT Z_4TX
Setting 72
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	67.16	74.00	-6.84	7.94	3	Vertical	343	2.56	-	59.22
AV	5.1498G	53.26	54.00	-0.74	7.94	3	Vertical	343	2.56	-	45.32
PK	5.1788G	117.51	Inf	-Inf	8.02	3	Vertical	343	2.56	-	109.49
AV	5.1758G	104.27	Inf	-Inf	8.01	3	Vertical	343	2.56	-	96.26

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5180MHz_TX




EUT Z_4TX
Setting 72
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	63.83	74.00	-10.17	7.94	3	Horizontal	323	2.52	-	55.89
AV	5.149G	48.96	54.00	-5.04	7.94	3	Horizontal	323	2.52	-	41.02
PK	5.1836G	110.01	Inf	-Inf	8.03	3	Horizontal	323	2.52	-	101.98
AV	5.1768G	97.69	Inf	-Inf	8.01	3	Horizontal	323	2.52	-	89.68

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5180MHz_TX




EUT Z_4TX
Setting 72
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54614G	55.22	74.00	-18.78	16.06	3	Vertical	259	2.50	-	39.16
AV	15.54642G	42.47	54.00	-11.53	16.06	3	Vertical	259	2.50	-	26.41

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5180MHz_TX




EUT Z_4TX
Setting 72
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54098G	55.06	74.00	-18.94	16.07	3	Horizontal	190	2.16	-	38.99
AV	15.540916G	42.21	54.00	-11.79	16.07	3	Horizontal	190	2.16	-	26.14

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5200MHz_TX




EUT Z_4TX
Setting 89
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	66.97	74.00	-7.03	7.94	3	Vertical	342	2.66	-	59.03
AV	5.1496G	53.31	54.00	-0.69	7.94	3	Vertical	342	2.66	-	45.37
PK	5.1956G	120.23	Inf	-Inf	8.06	3	Vertical	342	2.66	-	112.17
AV	5.1956G	108.09	Inf	-Inf	8.06	3	Vertical	342	2.66	-	100.03

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5200MHz_TX




EUT Z_4TX
Setting 89
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	61.88	74.00	-12.12	7.94	3	Horizontal	360	2.54	-	53.94
AV	5.15G	48.52	54.00	-5.48	7.94	3	Horizontal	360	2.54	-	40.58
PK	5.2052G	113.02	Inf	-Inf	8.07	3	Horizontal	360	2.54	-	104.95
AV	5.198G	100.99	Inf	-Inf	8.06	3	Horizontal	360	2.54	-	92.93

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 89
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5965G	57.39	74.00	-16.61	15.92	3	Vertical	162	2.38	-	41.47
AV	15.59628G	43.97	54.00	-10.03	15.92	3	Vertical	162	2.38	-	28.05

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 89
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59868G	55.93	74.00	-18.07	15.91	3	Horizontal	105	1.84	-	40.02
AV	15.59856G	43.51	54.00	-10.49	15.91	3	Horizontal	105	1.84	-	27.60

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1404G	65.82	74.00	-8.18	7.93	3	Vertical	344	2.49	-	57.89
AV	5.1499G	53.28	54.00	-0.72	7.94	3	Vertical	344	2.49	-	45.34
PK	5.2388G	123.37	Inf	-Inf	8.12	3	Vertical	344	2.49	-	115.25
AV	5.2358G	110.49	Inf	-Inf	8.11	3	Vertical	344	2.49	-	102.38
PK	5.3504G	63.62	74.00	-10.38	8.28	3	Vertical	344	2.49	-	55.34
AV	5.3516G	50.89	54.00	-3.11	8.28	3	Vertical	344	2.49	-	42.61

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	63.05	74.00	-10.95	7.94	3	Horizontal	326	2.49	-	55.11
AV	5.15G	49.91	54.00	-4.09	7.94	3	Horizontal	326	2.49	-	41.97
PK	5.2412G	117.11	Inf	-Inf	8.12	3	Horizontal	326	2.49	-	108.99
AV	5.237G	104.86	Inf	-Inf	8.11	3	Horizontal	326	2.49	-	96.75
PK	5.35G	61.23	74.00	-12.77	8.28	3	Horizontal	326	2.49	-	52.95
AV	5.3516G	48.36	54.00	-5.64	8.28	3	Horizontal	326	2.49	-	40.08

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5240MHz_TX




EUT Z_4TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48126G	60.56	68.20	-7.64	14.58	3	Vertical	148	2.10	-	45.98
PK	15.72078G	61.38	74.00	-12.62	15.60	3	Vertical	198	1.90	-	45.78
AV	15.72076G	48.70	54.00	-5.30	15.60	3	Vertical	198	1.90	-	33.10

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47166G	54.74	68.20	-13.46	14.59	3	Horizontal	329	2.14	-	40.15
PK	15.72276G	60.12	74.00	-13.88	15.59	3	Horizontal	104	2.81	-	44.53
AV	15.72258G	46.57	54.00	-7.43	15.59	3	Horizontal	104	2.81	-	30.98

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.55	68.20	-0.65	8.66	3	Vertical	182	2.55	-	58.89
PK	5.739G	123.57	Inf	-Inf	8.80	3	Vertical	182	2.55	-	114.77
AV	5.743G	111.73	Inf	-Inf	8.82	3	Vertical	182	2.55	-	102.91
PK	5.95G	60.91	68.20	-7.29	8.93	3	Vertical	182	2.55	-	51.98

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	64.12	68.20	-4.08	8.66	3	Horizontal	178	2.35	-	55.46
PK	5.751G	118.57	Inf	-Inf	8.83	3	Horizontal	178	2.35	-	109.74
AV	5.743G	105.82	Inf	-Inf	8.82	3	Horizontal	178	2.35	-	97.00
PK	5.969G	59.26	68.20	-8.94	8.93	3	Horizontal	178	2.35	-	50.33

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49144G	60.49	74.00	-13.51	14.89	3	Vertical	108	2.04	-	45.60
AV	11.49102G	46.85	54.00	-7.15	14.89	3	Vertical	108	2.04	-	31.96

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48694G	54.26	74.00	-19.74	14.89	3	Horizontal	326	2.11	-	39.37
AV	11.48616G	40.95	54.00	-13.05	14.89	3	Horizontal	326	2.11	-	26.06

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	65.75	68.20	-2.45	8.66	3	Vertical	181	2.38	-	57.09
PK	5.78G	124.14	Inf	-Inf	8.87	3	Vertical	181	2.38	-	115.27
AV	5.781G	112.50	Inf	-Inf	8.88	3	Vertical	181	2.38	-	103.62
PK	5.929G	67.46	68.20	-0.74	8.93	3	Vertical	181	2.38	-	58.53

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5785MHz_TX




EUT Z_4TX
Setting 120
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	61.77	68.20	-6.43	8.66	3	Horizontal	180	2.30	-	53.11
PK	5.791G	118.74	Inf	-Inf	8.88	3	Horizontal	180	2.30	-	109.86
AV	5.783G	105.79	Inf	-Inf	8.88	3	Horizontal	180	2.30	-	96.91
PK	5.933G	60.31	68.20	-7.89	8.93	3	Horizontal	180	2.30	-	51.38

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56964G	60.89	74.00	-13.11	15.00	3	Vertical	104	1.98	-	45.89
AV	11.5706G	47.32	54.00	-6.68	15.00	3	Vertical	104	1.98	-	32.32
PK	17.35056G	62.54	68.20	-5.66	21.40	3	Vertical	87	1.77	-	41.14

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57066G	54.45	74.00	-19.55	15.00	3	Horizontal	220	1.73	-	39.45
AV	11.5702G	41.51	54.00	-12.49	15.00	3	Horizontal	220	1.73	-	26.51
PK	17.35476G	63.04	68.20	-5.16	21.42	3	Horizontal	228	2.92	-	41.62

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5825MHz_TX




EUT Z_4TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.634G	61.07	68.20	-7.13	8.64	3	Vertical	180	2.47	-	52.43
PK	5.832G	123.67	Inf	-Inf	8.91	3	Vertical	180	2.47	-	114.76
AV	5.819G	112.37	Inf	-Inf	8.90	3	Vertical	180	2.47	-	103.47
PK	5.926G	67.66	68.20	-0.54	8.93	3	Vertical	180	2.47	-	58.73

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5825MHz_TX




EUT_Z_4TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	59.39	68.20	-8.81	8.63	3	Horizontal	180	2.31	-	50.76
PK	5.831G	118.63	Inf	-Inf	8.91	3	Horizontal	180	2.31	-	109.72
AV	5.823G	105.51	Inf	-Inf	8.90	3	Horizontal	180	2.31	-	96.61
PK	5.933G	61.33	68.20	-6.87	8.93	3	Horizontal	180	2.31	-	52.40

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5825MHz_TX




EUT_Z_4TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64982G	61.06	74.00	-12.94	15.09	3	Vertical	106	2.03	-	45.97
AV	11.65048G	47.73	54.00	-6.27	15.09	3	Vertical	106	2.03	-	32.64

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5825MHz_TX




EUT Z_4TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65126G	56.43	74.00	-17.57	15.10	3	Horizontal	343	2.09	-	41.33
AV	11.65588G	43.03	54.00	-10.97	15.10	3	Horizontal	343	2.09	-	27.93

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5190MHz_TX




EUT Z_4TX
Setting 64
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	64.11	74.00	-9.89	7.94	3	Vertical	158	2.32	-	56.17
AV	5.15G	53.45	54.00	-0.55	7.94	3	Vertical	158	2.32	-	45.51
PK	5.1968G	110.45	Inf	-Inf	8.06	3	Vertical	158	2.32	-	102.39
AV	5.1756G	98.96	Inf	-Inf	8.01	3	Vertical	158	2.32	-	90.95

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5190MHz_TX




EUT Z_4TX
Setting 64
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	64.07	74.00	-9.93	7.94	3	Horizontal	2	2.51	-	56.13
AV	5.15G	49.02	54.00	-4.98	7.94	3	Horizontal	2	2.51	-	41.08
PK	5.1944G	102.44	Inf	-Inf	8.04	3	Horizontal	2	2.51	-	94.40
AV	5.2G	92.18	Inf	-Inf	8.06	3	Horizontal	2	2.51	-	84.12

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5190MHz_TX




EUT_Z_4TX
Setting 64
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57792G	55.44	74.00	-18.56	15.97	3	Vertical	272	1.80	-	39.47
AV	15.57798G	43.88	54.00	-10.12	15.97	3	Vertical	272	1.80	-	27.91

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5190MHz_TX




EUT_Z_4TX
Setting 64
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5741G	54.83	74.00	-19.17	15.99	3	Horizontal	60	1.58	-	38.84
AV	15.5731G	43.97	54.00	-10.03	15.99	3	Horizontal	60	1.58	-	27.98

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5230MHz_TX




EUT_Z_4TX
Setting 82
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	65.70	74.00	-8.30	7.94	3	Vertical	65	2.31	-	57.76
AV	5.15G	53.28	54.00	-0.72	7.94	3	Vertical	65	2.31	-	45.34
PK	5.239G	114.73	Inf	-Inf	8.12	3	Vertical	65	2.31	-	106.61
AV	5.2426G	104.56	Inf	-Inf	8.12	3	Vertical	65	2.31	-	96.44
PK	5.3518G	60.33	74.00	-13.67	8.28	3	Vertical	65	2.31	-	52.05
AV	5.3518G	49.65	54.00	-4.35	8.28	3	Vertical	65	2.31	-	41.37

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5230MHz_TX




EUT_Z_4TX
Setting 82
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	62.03	74.00	-11.97	7.94	3	Horizontal	329	2.37	-	54.09
AV	5.1484G	49.24	54.00	-4.76	7.94	3	Horizontal	329	2.37	-	41.30
PK	5.239G	109.07	Inf	-Inf	8.12	3	Horizontal	329	2.37	-	100.95
AV	5.2378G	98.48	Inf	-Inf	8.12	3	Horizontal	329	2.37	-	90.36
PK	5.3644G	58.57	74.00	-15.43	8.29	3	Horizontal	329	2.37	-	50.28
AV	5.3512G	48.19	54.00	-5.81	8.28	3	Horizontal	329	2.37	-	39.91

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5230MHz_TX




EUT_Z_4TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69244G	54.77	74.00	-19.23	15.67	3	Vertical	57	2.47	-	39.10
AV	15.69204G	44.03	54.00	-9.97	15.67	3	Vertical	57	2.47	-	28.36

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5230MHz_TX




EUT_Z_4TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69612G	54.42	74.00	-19.58	15.66	3	Horizontal	326	1.27	-	38.76
AV	15.69488G	44.45	54.00	-9.55	15.66	3	Horizontal	326	1.27	-	28.79

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5755MHz_TX




EUT Z_4TX
Setting 94
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	68.29	68.94	-0.65	8.66	3	Vertical	176	2.40	-	59.63
PK	5.763G	119.01	Inf	-Inf	8.84	3	Vertical	176	2.40	-	110.17
AV	5.752G	108.31	Inf	-Inf	8.83	3	Vertical	176	2.40	-	99.48
PK	5.925G	60.42	68.20	-7.78	8.93	3	Vertical	176	2.40	-	51.49

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5755MHz_TX




EUT Z_4TX
Setting 94
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	60.25	68.20	-7.95	8.66	3	Horizontal	179	2.42	-	51.59
PK	5.76G	112.45	Inf	-Inf	8.85	3	Horizontal	179	2.42	-	103.60
AV	5.763G	101.40	Inf	-Inf	8.84	3	Horizontal	179	2.42	-	92.56
PK	5.952G	59.12	68.20	-9.08	8.92	3	Horizontal	179	2.42	-	50.20

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5755MHz_TX




EUT_Z_4TX
Setting 94
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5134G	56.89	74.00	-17.11	14.92	3	Vertical	98	2.10	-	41.97
AV	11.5148G	45.60	54.00	-8.40	14.92	3	Vertical	98	2.10	-	30.68

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5755MHz_TX




EUT Z_4TX
Setting 94
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50994G	53.38	74.00	-20.62	14.92	3	Horizontal	228	2.05	-	38.46
AV	11.51008G	42.62	54.00	-11.38	14.92	3	Horizontal	228	2.05	-	27.70

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5795MHz_TX




EUT_Z_4TX
Setting 99
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.653G	68.10	70.42	-2.32	8.66	3	Vertical	177	2.36	-	59.44
PK	5.8G	119.51	Inf	-Inf	8.90	3	Vertical	177	2.36	-	110.61
AV	5.799G	109.47	Inf	-Inf	8.90	3	Vertical	177	2.36	-	100.57
PK	5.925G	67.57	68.20	-0.63	8.93	3	Vertical	177	2.36	-	58.64

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5795MHz_TX




EUT_Z_4TX
Setting 99
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	59.21	68.20	-8.99	8.67	3	Horizontal	179	2.32	-	50.54
PK	5.802G	112.49	Inf	-Inf	8.90	3	Horizontal	179	2.32	-	103.59
AV	5.803G	101.53	Inf	-Inf	8.90	3	Horizontal	179	2.32	-	92.63
PK	5.926G	60.18	68.20	-8.02	8.93	3	Horizontal	179	2.32	-	51.25

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5795MHz_TX




EUT_Z_4TX
Setting 99
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59546G	59.36	74.00	-14.64	15.04	3	Vertical	101	2.05	-	44.32
AV	11.59504G	47.03	54.00	-6.97	15.04	3	Vertical	101	2.05	-	31.99

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5795MHz_TX




EUT_Z_4TX
Setting 99
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59654G	54.30	74.00	-19.70	15.04	3	Horizontal	252	1.43	-	39.26
AV	11.60356G	42.95	54.00	-11.05	15.04	3	Horizontal	252	1.43	-	27.91

802.11ax HEW80_Nss4,(MCS0)_4TX

02/10/2019

5210MHz_TX




EUT_Z_4TX
Setting 60
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	64.96	74.00	-9.04	7.94	3	Vertical	352	2.31	-	57.02
AV	5.15G	53.34	54.00	-0.66	7.94	3	Vertical	352	2.31	-	45.40
PK	5.2276G	107.19	Inf	-Inf	8.10	3	Vertical	352	2.31	-	99.09
AV	5.2076G	96.33	Inf	-Inf	8.07	3	Vertical	352	2.31	-	88.26
PK	5.4068G	58.98	74.00	-15.02	8.35	3	Vertical	352	2.31	-	50.63
AV	5.3772G	48.39	54.00	-5.61	8.31	3	Vertical	352	2.31	-	40.08

802.11ax HEW80_Nss4,(MCS0)_4TX

02/10/2019

5210MHz_TX




EUT_Z_4TX
Setting 60
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1444G	60.26	74.00	-13.74	7.94	3	Horizontal	183	2.41	-	52.32
AV	5.1484G	48.24	54.00	-5.76	7.94	3	Horizontal	183	2.41	-	40.30
PK	5.2268G	99.99	Inf	-Inf	8.10	3	Horizontal	183	2.41	-	91.89
AV	5.2284G	88.21	Inf	-Inf	8.10	3	Horizontal	183	2.41	-	80.11
PK	5.3612G	58.36	74.00	-15.64	8.29	3	Horizontal	183	2.41	-	50.07
AV	5.3652G	47.71	54.00	-6.29	8.29	3	Horizontal	183	2.41	-	39.42

802.11ax HEW80_Nss4,(MCS0)_4TX

02/10/2019

5210MHz_TX




EUT_Z_4TX
Setting 60
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63948G	54.37	74.00	-19.63	15.81	3	Vertical	97	2.26	-	38.56
AV	15.63748G	43.62	54.00	-10.38	15.81	3	Vertical	97	2.26	-	27.81

802.11ax HEW80_Nss4,(MCS0)_4TX

02/10/2019

5210MHz_TX




EUT_Z_4TX
Setting 60
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63304G	54.72	74.00	-19.28	15.82	3	Horizontal	85	1.82	-	38.90
AV	15.63384G	43.68	54.00	-10.32	15.82	3	Horizontal	85	1.82	-	27.86

802.11ax HEW80_Nss4,(MCS0)_4TX

02/10/2019

5775MHz_TX




EUT_Z_4TX
Setting 80
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.632G	67.67	68.20	-0.53	8.63	3	Vertical	185	2.61	-	59.04
PK	5.757G	113.59	Inf	-Inf	8.83	3	Vertical	185	2.61	-	104.76
AV	5.767G	102.76	Inf	-Inf	8.85	3	Vertical	185	2.61	-	93.91
PK	5.927G	63.00	68.20	-5.20	8.93	3	Vertical	185	2.61	-	54.07

802.11ax HEW80_Nss4,(MCS0)_4TX

02/10/2019

5775MHz_TX




EUT_Z_4TX
Setting 80
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	62.34	68.20	-5.86	8.66	3	Horizontal	180	2.42	-	53.68
PK	5.761G	107.39	Inf	-Inf	8.85	3	Horizontal	180	2.42	-	98.54
AV	5.762G	95.94	Inf	-Inf	8.85	3	Horizontal	180	2.42	-	87.09
PK	5.928G	59.34	68.20	-8.86	8.93	3	Horizontal	180	2.42	-	50.41

802.11ax HEW80_Nss4,(MCS0)_4TX

02/10/2019

5775MHz_TX




EUT_Z_4TX
Setting 80
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55012G	54.06	74.00	-19.94	14.97	3	Vertical	299	2.21	-	39.09
AV	11.55104G	42.65	54.00	-11.35	14.97	3	Vertical	299	2.21	-	27.68

802.11ax HEW80_Nss4,(MCS0)_4TX

02/10/2019

5775MHz_TX



EUT_Z_4TX
Setting 80
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56056G	54.14	74.00	-19.86	14.99	3	Horizontal	184	1.63	-	39.15
AV	11.5596G	42.54	54.00	-11.46	14.99	3	Horizontal	184	1.63	-	27.55




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.134G	53.49	54.00	-0.51	7.92	3	Horizontal	337	1.87	-

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 114
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	58.29	74.00	-15.71	7.94	3	Vertical	13	3.00	-	50.35
AV	5.1496G	46.41	54.00	-7.59	7.94	3	Vertical	13	3.00	-	38.47
PK	5.2624G	110.78	Inf	-Inf	8.15	3	Vertical	13	3.00	-	102.63
AV	5.2624G	100.93	Inf	-Inf	8.15	3	Vertical	13	3.00	-	92.78
PK	5.3692G	58.61	74.00	-15.39	8.30	3	Vertical	13	3.00	-	50.31
AV	5.3686G	46.11	54.00	-7.89	8.30	3	Vertical	13	3.00	-	37.81

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 114
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	61.08	74.00	-12.92	7.94	3	Horizontal	298	1.94	-	53.14
AV	5.1466G	48.92	54.00	-5.08	7.94	3	Horizontal	298	1.94	-	40.98
PK	5.2552G	118.64	Inf	-Inf	8.15	3	Horizontal	298	1.94	-	110.49
AV	5.254G	108.35	Inf	-Inf	8.14	3	Horizontal	298	1.94	-	100.21
PK	5.3512G	63.73	74.00	-10.27	8.28	3	Horizontal	298	1.94	-	55.45
AV	5.3626G	47.62	54.00	-6.38	8.29	3	Horizontal	298	1.94	-	39.33

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 114
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5196G	57.43	68.20	-10.77	14.57	3	Vertical	344	1.49	-	42.86
PK	15.784G	64.59	74.00	-9.41	15.43	3	Vertical	325	1.08	-	49.16
AV	15.7818G	50.77	54.00	-3.23	15.43	3	Vertical	325	1.08	-	35.34

802.11a_Nss1,(6Mbps)_1TX

19/10/2019

5260MHz_TX




EUT Y_1TX
Setting 114
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5154G	60.63	68.20	-7.57	14.56	3	Horizontal	346	1.38	-	46.07
PK	15.784G	64.51	74.00	-9.49	15.43	3	Horizontal	290	1.56	-	49.08
AV	15.7804G	51.28	54.00	-2.72	15.44	3	Horizontal	290	1.56	-	35.84

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 108
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2952G	111.22	Inf	-Inf	8.20	3	Vertical	166	2.92	-	103.02
AV	5.2924G	101.28	Inf	-Inf	8.20	3	Vertical	166	2.92	-	93.08
PK	5.3516G	61.05	74.00	-12.95	8.28	3	Vertical	166	2.92	-	52.77
AV	5.3516G	46.84	54.00	-7.16	8.28	3	Vertical	166	2.92	-	38.56

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 108
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2952G	116.41	Inf	-Inf	8.20	3	Horizontal	300	1.80	-	108.21
AV	5.2976G	106.37	Inf	-Inf	8.21	3	Horizontal	300	1.80	-	98.16
PK	5.3516G	71.28	74.00	-2.72	8.28	3	Horizontal	300	1.80	-	63.00
AV	5.35G	53.28	54.00	-0.72	8.28	3	Horizontal	300	1.80	-	45.00

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 108
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6008G	57.38	74.00	-16.62	14.51	3	Vertical	331	1.48	-	42.87
AV	10.6006G	44.52	54.00	-9.48	14.51	3	Vertical	331	1.48	-	30.01
PK	15.8994G	61.20	74.00	-12.80	15.13	3	Vertical	326	2.70	-	46.07
AV	15.9014G	47.82	54.00	-6.18	15.13	3	Vertical	326	2.70	-	32.69

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 108
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6002G	58.38	74.00	-15.62	14.51	3	Horizontal	359	1.36	-	43.87
AV	10.6008G	44.70	54.00	-9.30	14.51	3	Horizontal	359	1.36	-	30.19
PK	15.9042G	62.14	74.00	-11.86	15.12	3	Horizontal	292	1.52	-	47.02
AV	15.901G	48.99	54.00	-5.01	15.13	3	Horizontal	292	1.52	-	33.86

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	108.86	Inf	-Inf	8.23	3	Vertical	168	2.89	-	100.63
AV	5.3126G	95.72	Inf	-Inf	8.22	3	Vertical	168	2.89	-	87.50
PK	5.35G	63.89	74.00	-10.11	8.28	3	Vertical	168	2.89	-	55.61
AV	5.35G	47.91	54.00	-6.09	8.28	3	Vertical	168	2.89	-	39.63

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5320MHz_TX




EUT_V_1TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	112.57	Inf	-Inf	8.23	3	Horizontal	284	1.72	-	104.34
AV	5.3228G	99.65	Inf	-Inf	8.24	3	Horizontal	284	1.72	-	91.41
PK	5.3518G	71.22	74.00	-2.78	8.28	3	Horizontal	284	1.72	-	62.94
AV	5.35G	53.38	54.00	-0.62	8.28	3	Horizontal	284	1.72	-	45.10

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 83
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6394G	52.68	74.00	-21.32	14.49	3	Vertical	309	2.12	-	38.19
AV	10.6368G	40.23	54.00	-13.77	14.49	3	Vertical	309	2.12	-	25.74
PK	15.914G	53.15	74.00	-20.85	15.09	3	Vertical	328	1.75	-	38.06
AV	15.9282G	40.10	54.00	-13.90	15.05	3	Vertical	328	1.75	-	25.05

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 83
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.637G	53.67	74.00	-20.33	14.49	3	Horizontal	56	1.51	-	39.18
AV	10.643G	40.62	54.00	-13.38	14.49	3	Horizontal	56	1.51	-	26.13
PK	15.951G	55.67	74.00	-18.33	14.98	3	Horizontal	295	1.47	-	40.69
AV	15.9554G	41.02	54.00	-12.98	14.98	3	Horizontal	295	1.47	-	26.04

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4566G	57.84	74.00	-16.16	8.44	3	Vertical	20	2.91	-	49.40
AV	5.4548G	45.48	54.00	-8.52	8.44	3	Vertical	20	2.91	-	37.04
PK	5.4682G	60.09	68.20	-8.11	8.46	3	Vertical	20	2.91	-	51.63
PK	5.5024G	103.72	Inf	-Inf	8.52	3	Vertical	20	2.91	-	95.20
AV	5.504G	93.64	Inf	-Inf	8.52	3	Vertical	20	2.91	-	85.12

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	65.11	74.00	-8.89	8.45	3	Horizontal	295	1.80	-	56.66
AV	5.4594G	46.79	54.00	-7.21	8.45	3	Horizontal	295	1.80	-	38.34
PK	5.47G	67.60	68.20	-0.60	8.46	3	Horizontal	295	1.80	-	59.14
PK	5.5014G	111.58	Inf	-Inf	8.52	3	Horizontal	295	1.80	-	103.06
AV	5.5042G	101.46	Inf	-Inf	8.52	3	Horizontal	295	1.80	-	92.94

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.9977G	53.43	74.00	-20.57	14.26	3	Vertical	351	1.75	-	39.17
AV	10.99694G	39.41	54.00	-14.59	14.26	3	Vertical	351	1.75	-	25.15

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.9914G	53.99	74.00	-20.01	14.26	3	Horizontal	327	1.99	-	39.73
AV	10.9984G	40.87	54.00	-13.13	14.26	3	Horizontal	327	1.99	-	26.61

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4392G	58.53	74.00	-15.47	8.41	3	Vertical	145	2.91	-	50.12
AV	5.4512G	45.76	54.00	-8.24	8.44	3	Vertical	145	2.91	-	37.32
PK	5.464G	58.31	68.20	-9.89	8.45	3	Vertical	145	2.91	-	49.86
PK	5.5792G	110.43	Inf	-Inf	8.57	3	Vertical	145	2.91	-	101.86
AV	5.5776G	100.09	Inf	-Inf	8.57	3	Vertical	145	2.91	-	91.52
PK	5.7344G	58.84	68.20	-9.36	8.80	3	Vertical	145	2.91	-	50.04

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	59.20	74.00	-14.80	8.45	3	Horizontal	288	1.83	-	50.75
AV	5.4568G	46.66	54.00	-7.34	8.44	3	Horizontal	288	1.83	-	38.22
PK	5.4688G	59.56	68.20	-8.64	8.46	3	Horizontal	288	1.83	-	51.10
PK	5.5848G	117.26	Inf	-Inf	8.57	3	Horizontal	288	1.83	-	108.69
AV	5.5824G	107.11	Inf	-Inf	8.57	3	Horizontal	288	1.83	-	98.54
PK	5.7272G	59.23	68.20	-8.97	8.80	3	Horizontal	288	1.83	-	50.43

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 112
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1608G	57.50	74.00	-16.50	14.47	3	Vertical	326	1.74	-	43.03
AV	11.162G	44.35	54.00	-9.65	14.47	3	Vertical	326	1.74	-	29.88
PK	16.7396G	60.02	68.20	-8.18	18.15	3	Vertical	158	1.09	-	41.87

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 112
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1608G	58.21	74.00	-15.79	14.47	3	Horizontal	297	1.57	-	43.74
AV	11.1606G	44.44	54.00	-9.56	14.47	3	Horizontal	297	1.57	-	29.97
PK	16.738G	63.37	68.20	-4.83	18.14	3	Horizontal	318	1.56	-	45.23

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 74
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7014G	101.51	Inf	-Inf	8.75	3	Vertical	43	1.50	-	92.76
AV	5.704G	91.13	Inf	-Inf	8.76	3	Vertical	43	1.50	-	82.37
PK	5.7268G	59.73	68.20	-8.47	8.79	3	Vertical	43	1.50	-	50.94

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 74
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7016G	110.31	Inf	-Inf	8.75	3	Horizontal	295	1.65	-	101.56
AV	5.704G	100.00	Inf	-Inf	8.76	3	Horizontal	295	1.65	-	91.24
PK	5.7264G	67.54	68.20	-0.66	8.79	3	Horizontal	295	1.65	-	58.75

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 74
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39754G	53.74	74.00	-20.26	14.77	3	Vertical	253	2.32	-	38.97
AV	11.40234G	40.19	54.00	-13.81	14.77	3	Vertical	253	2.32	-	25.42

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 74
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40282G	53.46	74.00	-20.54	14.77	3	Horizontal	163	1.99	-	38.69
AV	11.40104G	40.27	54.00	-13.73	14.77	3	Horizontal	163	1.99	-	25.50

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4284G	58.27	74.00	-15.73	8.40	3	Horizontal	53	1.20	-	49.87
AV	5.4452G	45.56	54.00	-8.44	8.42	3	Horizontal	53	1.20	-	37.14
PK	5.468G	57.76	68.20	-10.44	8.46	3	Horizontal	53	1.20	-	49.30
PK	5.7188G	110.75	Inf	-Inf	8.77	3	Horizontal	53	1.20	-	101.98
AV	5.7224G	100.10	Inf	-Inf	8.78	3	Horizontal	53	1.20	-	91.32
PK	5.96G	58.85	68.20	-9.35	8.93	3	Horizontal	53	1.20	-	49.92

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	59.44	74.00	-14.56	8.45	3	Horizontal	301	1.79	-	50.99
AV	5.45G	46.38	54.00	-7.62	8.44	3	Horizontal	301	1.79	-	37.94
PK	5.4632G	59.38	68.20	-8.82	8.45	3	Horizontal	301	1.79	-	50.93
PK	5.7188G	117.88	Inf	-Inf	8.77	3	Horizontal	301	1.79	-	109.11
AV	5.7224G	107.17	Inf	-Inf	8.78	3	Horizontal	301	1.79	-	98.39
PK	5.852G	62.90	68.20	-5.30	8.90	3	Horizontal	301	1.79	-	54.00

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.437G	55.75	74.00	-18.25	14.82	3	Vertical	326	1.67	-	40.93
AV	11.4404G	42.75	54.00	-11.25	14.82	3	Vertical	326	1.67	-	27.93
PK	17.1686G	60.00	68.20	-8.20	20.31	3	Vertical	351	1.14	-	39.69

802.11a_Nss1,(6Mbps)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4374G	58.95	74.00	-15.05	14.82	3	Horizontal	329	1.45	-	44.13
AV	11.4386G	45.17	54.00	-8.83	14.82	3	Horizontal	329	1.45	-	30.35
PK	17.1554G	62.98	68.20	-5.22	20.23	3	Horizontal	286	1.53	-	42.75

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 114
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	59.89	74.00	-14.11	7.94	3	Vertical	16	3.00	-	51.95
AV	5.1472G	46.33	54.00	-7.67	7.94	3	Vertical	16	3.00	-	38.39
PK	5.257G	114.30	Inf	-Inf	8.15	3	Vertical	16	3.00	-	106.15
AV	5.2582G	100.91	Inf	-Inf	8.15	3	Vertical	16	3.00	-	92.76
PK	5.3692G	59.63	74.00	-14.37	8.30	3	Vertical	16	3.00	-	51.33
AV	5.3674G	46.49	54.00	-7.51	8.29	3	Vertical	16	3.00	-	38.20

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 114
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	62.67	74.00	-11.33	7.94	3	Horizontal	253	1.96	-	54.73
AV	5.1496G	49.11	54.00	-4.89	7.94	3	Horizontal	253	1.96	-	41.17
PK	5.257G	120.05	Inf	-Inf	8.15	3	Horizontal	253	1.96	-	111.90
AV	5.2528G	106.90	Inf	-Inf	8.14	3	Horizontal	253	1.96	-	98.76
PK	5.3542G	65.91	74.00	-8.09	8.28	3	Horizontal	253	1.96	-	57.63
AV	5.3506G	49.31	54.00	-4.69	8.28	3	Horizontal	253	1.96	-	41.03

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 114
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5212G	56.37	68.20	-11.83	14.57	3	Vertical	5	1.01	-	41.80
PK	15.7796G	63.76	74.00	-10.24	15.44	3	Vertical	320	1.08	-	48.32
AV	15.7812G	50.91	54.00	-3.09	15.43	3	Vertical	320	1.08	-	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5260MHz_TX




EUT Y_1TX
Setting 114
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5144G	59.06	68.20	-9.14	14.56	3	Horizontal	354	1.47	-	44.50
PK	15.7724G	63.39	74.00	-10.61	15.45	3	Horizontal	294	1.57	-	47.94
AV	15.7798G	50.49	54.00	-3.51	15.44	3	Horizontal	294	1.57	-	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2972G	112.70	Inf	-Inf	8.21	3	Vertical	171	2.92	-	104.49
AV	5.2928G	100.37	Inf	-Inf	8.20	3	Vertical	171	2.92	-	92.17
PK	5.352G	61.07	74.00	-12.93	8.28	3	Vertical	171	2.92	-	52.79
AV	5.35G	47.18	54.00	-6.82	8.28	3	Vertical	171	2.92	-	38.90

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	118.91	Inf	-Inf	8.21	3	Horizontal	276	1.82	-	110.70
AV	5.2928G	105.51	Inf	-Inf	8.20	3	Horizontal	276	1.82	-	97.31
PK	5.3512G	69.66	74.00	-4.34	8.28	3	Horizontal	276	1.82	-	61.38
AV	5.35G	53.48	54.00	-0.52	8.28	3	Horizontal	276	1.82	-	45.20

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5944G	54.30	68.20	-13.90	14.51	3	Vertical	301	1.02	-	39.79
PK	15.901G	58.19	74.00	-15.81	15.13	3	Vertical	170	1.91	-	43.06
AV	15.8994G	44.63	54.00	-9.37	15.13	3	Vertical	170	1.91	-	29.50

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59666G	56.77	68.20	-11.43	14.51	3	Horizontal	0	1.39	-	42.26
PK	15.8898G	58.53	74.00	-15.47	15.15	3	Horizontal	332	1.59	-	43.38
AV	15.8982G	44.88	54.00	-9.12	15.14	3	Horizontal	332	1.59	-	29.74

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	109.07	Inf	-Inf	8.23	3	Vertical	170	2.90	-	100.84
AV	5.3182G	95.85	Inf	-Inf	8.23	3	Vertical	170	2.90	-	87.62
PK	5.3514G	64.48	74.00	-9.52	8.28	3	Vertical	170	2.90	-	56.20
AV	5.3502G	48.37	54.00	-5.63	8.28	3	Vertical	170	2.90	-	40.09

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.317G	113.36	Inf	-Inf	8.23	3	Horizontal	297	2.09	-	105.13
AV	5.3126G	100.17	Inf	-Inf	8.22	3	Horizontal	297	2.09	-	91.95
PK	5.3518G	70.96	74.00	-3.04	8.28	3	Horizontal	297	2.09	-	62.68
AV	5.35G	53.29	54.00	-0.71	8.28	3	Horizontal	297	2.09	-	45.01

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 83
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63626G	54.28	74.00	-19.72	14.49	3	Vertical	44	1.35	-	39.79
AV	10.64216G	40.56	54.00	-13.44	14.49	3	Vertical	44	1.35	-	26.07
PK	15.9578G	53.03	74.00	-20.97	14.97	3	Vertical	230	2.02	-	38.06
AV	15.95904G	40.35	54.00	-13.65	14.97	3	Vertical	230	2.02	-	25.38

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5320MHz_TX




EUT Y_1TX
Setting 83
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6358G	54.54	74.00	-19.46	14.49	3	Horizontal	359	1.49	-	40.05
AV	10.6052G	39.65	54.00	-14.35	14.52	3	Horizontal	359	1.49	-	25.13
PK	15.96172G	54.29	74.00	-19.71	14.96	3	Horizontal	303	2.01	-	39.33
AV	15.95834G	40.83	54.00	-13.17	14.97	3	Horizontal	303	2.01	-	25.86

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 77
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4594G	57.59	74.00	-16.41	8.45	3	Vertical	13	2.92	-	49.14
AV	5.4596G	45.48	54.00	-8.52	8.45	3	Vertical	13	2.92	-	37.03
PK	5.4672G	61.24	68.20	-6.96	8.46	3	Vertical	13	2.92	-	52.78
PK	5.5048G	105.80	Inf	-Inf	8.52	3	Vertical	13	2.92	-	97.28
AV	5.5028G	93.13	Inf	-Inf	8.52	3	Vertical	13	2.92	-	84.61

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 77
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	62.96	74.00	-11.04	8.45	3	Horizontal	301	1.82	-	54.51
AV	5.46G	46.85	54.00	-7.15	8.45	3	Horizontal	301	1.82	-	38.40
PK	5.469G	67.62	68.20	-0.58	8.46	3	Horizontal	301	1.82	-	59.16
PK	5.497G	113.33	Inf	-Inf	8.52	3	Horizontal	301	1.82	-	104.81
AV	5.503G	100.17	Inf	-Inf	8.52	3	Horizontal	301	1.82	-	91.65

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 77
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00332G	53.46	74.00	-20.54	14.26	3	Vertical	286	1.79	-	39.20
AV	11.00432G	39.87	54.00	-14.13	14.26	3	Vertical	286	1.79	-	25.61

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5500MHz_TX




EUT Y_1TX
Setting 77
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99992G	53.37	74.00	-20.63	14.26	3	Horizontal	143	1.69	-	39.11
AV	11.0008G	39.90	54.00	-14.10	14.26	3	Horizontal	143	1.69	-	25.64

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5580MHz_TX




EUT Y_1TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4496G	59.49	74.00	-14.51	8.42	3	Vertical	73	1.55	-	51.07
AV	5.4312G	45.71	54.00	-8.29	8.40	3	Vertical	73	1.55	-	37.31
PK	5.4608G	56.97	68.20	-11.23	8.45	3	Vertical	73	1.55	-	48.52
PK	5.5768G	109.36	Inf	-Inf	8.57	3	Vertical	73	1.55	-	100.79
AV	5.5808G	96.43	Inf	-Inf	8.57	3	Vertical	73	1.55	-	87.86
PK	5.7464G	58.40	68.20	-9.80	8.82	3	Vertical	73	1.55	-	49.58

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5580MHz_TX




EUT_Y_1TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	60.18	74.00	-13.82	8.44	3	Horizontal	291	1.84	-	51.74
AV	5.4568G	47.24	54.00	-6.76	8.44	3	Horizontal	291	1.84	-	38.80
PK	5.4696G	61.72	68.20	-6.48	8.46	3	Horizontal	291	1.84	-	53.26
PK	5.5768G	119.46	Inf	-Inf	8.57	3	Horizontal	291	1.84	-	110.89
AV	5.5808G	106.52	Inf	-Inf	8.57	3	Horizontal	291	1.84	-	97.95
PK	5.7448G	59.48	68.20	-8.72	8.82	3	Horizontal	291	1.84	-	50.66

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
Setting 112
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1608G	57.38	74.00	-16.62	14.47	3	Vertical	346	1.87	-	42.91
AV	11.163G	43.72	54.00	-10.28	14.47	3	Vertical	346	1.87	-	29.25
PK	16.7368G	59.86	68.20	-8.34	18.14	3	Vertical	160	1.45	-	41.72

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5580MHz_TX




EUT Y_1TX
Setting 112
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1564G	58.59	74.00	-15.41	14.46	3	Horizontal	334	1.43	-	44.13
AV	11.1596G	45.26	54.00	-8.74	14.46	3	Horizontal	334	1.43	-	30.80
PK	16.742G	62.01	68.20	-6.19	18.16	3	Horizontal	311	2.01	-	43.85

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6968G	104.91	Inf	-Inf	8.75	3	Vertical	37	2.87	-	96.16
AV	5.6926G	91.73	Inf	-Inf	8.74	3	Vertical	37	2.87	-	82.99
PK	5.7252G	62.83	68.20	-5.37	8.79	3	Vertical	37	2.87	-	54.04

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.697G	111.61	Inf	-Inf	8.75	3	Horizontal	294	1.78	-	102.86
AV	5.7028G	98.43	Inf	-Inf	8.75	3	Horizontal	294	1.78	-	89.68
PK	5.726G	67.58	68.20	-0.62	8.79	3	Horizontal	294	1.78	-	58.79

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 69
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40422G	54.28	74.00	-19.72	14.77	3	Vertical	158	1.72	-	39.51
AV	11.4015G	40.44	54.00	-13.56	14.77	3	Vertical	158	1.72	-	25.67

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5700MHz_TX




EUT Y_1TX
Setting 69
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40048G	53.84	74.00	-20.16	14.77	3	Horizontal	350	1.66	-	39.07
AV	11.4027G	40.37	54.00	-13.63	14.77	3	Horizontal	350	1.66	-	25.60

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 120
 02-G-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4392G	59.14	74.00	-14.86	8.41	3	Vertical	280	1.77	-	50.73
PK	5.4644G	59.21	68.20	-8.99	8.45	3	Vertical	280	1.77	-	50.76
AV	5.4536G	46.37	54.00	-7.63	8.44	3	Vertical	280	1.77	-	37.93
PK	5.7176G	118.84	Inf	-Inf	8.77	3	Vertical	280	1.77	-	110.07
AV	5.7212G	105.75	Inf	-Inf	8.78	3	Vertical	280	1.77	-	96.97
PK	5.85G	63.02	68.20	-5.18	8.90	3	Vertical	280	1.77	-	54.12

802.11ax HEW20_Nss1,(MCS0)_1TX

18/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.438G	59.42	74.00	-14.58	8.41	3	Horizontal	289	1.87	-	51.01
PK	5.462G	58.60	68.20	-9.60	8.45	3	Horizontal	289	1.87	-	50.15
AV	5.4584G	46.44	54.00	-7.56	8.45	3	Horizontal	289	1.87	-	37.99
PK	5.7164G	118.53	Inf	-Inf	8.77	3	Horizontal	289	1.87	-	109.76
AV	5.7212G	105.58	Inf	-Inf	8.78	3	Horizontal	289	1.87	-	96.80
PK	5.8556G	63.77	68.20	-4.43	8.90	3	Horizontal	289	1.87	-	54.87

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

19/10/2019




EUT Y_1TX
 Setting 120
 02-P-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4388G	55.18	74.00	-18.82	14.82	3	Vertical	297	1.69	-	40.36
AV	11.4402G	42.54	54.00	-11.46	14.82	3	Vertical	297	1.69	-	27.72
PK	17.1704G	59.72	68.20	-8.48	20.33	3	Vertical	149	2.72	-	39.39

802.11ax HEW20_Nss1,(MCS0)_1TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4328G	56.73	74.00	-17.27	14.82	3	Horizontal	306	1.49	-	41.91
AV	11.4384G	44.57	54.00	-9.43	14.82	3	Horizontal	306	1.49	-	29.75
PK	17.1566G	62.44	68.20	-5.76	20.24	3	Horizontal	354	2.60	-	42.20

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5270MHz_TX




EUT Y_1TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	58.68	74.00	-15.32	7.94	3	Vertical	18	2.99	-	50.74
AV	5.1452G	46.69	54.00	-7.31	7.94	3	Vertical	18	2.99	-	38.75
PK	5.2862G	108.21	Inf	-Inf	8.19	3	Vertical	18	2.99	-	100.02
AV	5.282G	95.77	Inf	-Inf	8.18	3	Vertical	18	2.99	-	87.59
PK	5.3852G	60.11	74.00	-13.89	8.32	3	Vertical	18	2.99	-	51.79
AV	5.3576G	47.44	54.00	-6.56	8.28	3	Vertical	18	2.99	-	39.16

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5270MHz_TX




EUT Y_1TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	62.11	74.00	-11.89	7.94	3	Horizontal	288	1.75	-	54.17
AV	5.1464G	49.06	54.00	-4.94	7.94	3	Horizontal	288	1.75	-	41.12
PK	5.2622G	113.99	Inf	-Inf	8.15	3	Horizontal	288	1.75	-	105.84
AV	5.2742G	102.08	Inf	-Inf	8.17	3	Horizontal	288	1.75	-	93.91
PK	5.3528G	66.38	74.00	-7.62	8.28	3	Horizontal	288	1.75	-	58.10
AV	5.35G	53.42	54.00	-0.58	8.28	3	Horizontal	288	1.75	-	45.14

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5270MHz_TX




EUT Y_1TX
Setting 95
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.533G	53.83	68.20	-14.37	14.55	3	Vertical	339	1.54	-	39.28
PK	15.7602G	55.44	74.00	-18.56	15.49	3	Vertical	26	2.47	-	39.95
AV	15.7612G	41.87	54.00	-12.13	15.48	3	Vertical	26	2.47	-	26.39

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5270MHz_TX




EUT Y_1TX
Setting 95
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5438G	54.45	68.20	-13.75	14.55	3	Horizontal	34	2.05	-	39.90
PK	15.8106G	57.07	74.00	-16.93	15.36	3	Horizontal	282	1.54	-	41.71
AV	15.7642G	41.86	54.00	-12.14	15.47	3	Horizontal	282	1.54	-	26.39

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5310MHz_TX




EUT Y_1TX
Setting 74
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2948G	103.81	Inf	-Inf	8.20	3	Vertical	171	2.92	-	95.61
AV	5.2932G	91.26	Inf	-Inf	8.20	3	Vertical	171	2.92	-	83.06
PK	5.3512G	62.07	74.00	-11.93	8.28	3	Vertical	171	2.92	-	53.79
AV	5.35G	47.29	54.00	-6.71	8.28	3	Vertical	171	2.92	-	39.01

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5310MHz_TX




EUT Y_1TX
Setting 74
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.302G	109.11	Inf	-Inf	8.21	3	Horizontal	293	1.99	-	100.90
AV	5.302G	96.39	Inf	-Inf	8.21	3	Horizontal	293	1.99	-	88.18
PK	5.3508G	69.75	74.00	-4.25	8.28	3	Horizontal	293	1.99	-	61.47
AV	5.35G	53.28	54.00	-0.72	8.28	3	Horizontal	293	1.99	-	45.00

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5310MHz_TX




EUT Y_1TX
Setting 74
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62378G	53.00	74.00	-21.00	14.50	3	Vertical	289	2.32	-	38.50
AV	10.6238G	40.52	54.00	-13.48	14.50	3	Vertical	289	2.32	-	26.02
PK	15.93264G	53.56	74.00	-20.44	15.04	3	Vertical	255	1.09	-	38.52
AV	15.93282G	41.10	54.00	-12.90	15.03	3	Vertical	255	1.09	-	26.07

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5310MHz_TX




EUT Y_1TX
Setting 74
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61512G	53.25	74.00	-20.75	14.50	3	Horizontal	166	1.71	-	38.75
AV	10.61626G	40.91	54.00	-13.09	14.50	3	Horizontal	166	1.71	-	26.41
PK	15.9288G	53.53	74.00	-20.47	15.05	3	Horizontal	40	1.42	-	38.48
AV	15.92904G	41.22	54.00	-12.78	15.05	3	Horizontal	40	1.42	-	26.17

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5510MHz_TX




EUT Y_1TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	59.30	74.00	-14.70	8.45	3	Vertical	161	2.86	-	50.85
AV	5.4568G	46.26	54.00	-7.74	8.44	3	Vertical	161	2.86	-	37.82
PK	5.4688G	61.08	68.20	-7.12	8.46	3	Vertical	161	2.86	-	52.62
PK	5.5048G	101.35	Inf	-Inf	8.52	3	Vertical	161	2.86	-	92.83
AV	5.506G	88.90	Inf	-Inf	8.52	3	Vertical	161	2.86	-	80.38

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5510MHz_TX




EUT Y_1TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	63.04	74.00	-10.96	8.45	3	Horizontal	298	1.81	-	54.59
AV	5.4588G	48.32	54.00	-5.68	8.45	3	Horizontal	298	1.81	-	39.87
PK	5.4688G	67.47	68.20	-0.73	8.46	3	Horizontal	298	1.81	-	59.01
PK	5.502G	108.49	Inf	-Inf	8.52	3	Horizontal	298	1.81	-	99.97
AV	5.514G	96.11	Inf	-Inf	8.53	3	Horizontal	298	1.81	-	87.58

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5510MHz_TX




EUT Y_1TX
Setting 71
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01704G	53.91	74.00	-20.09	14.28	3	Vertical	172	1.96	-	39.63
AV	11.02252G	40.93	54.00	-13.07	14.29	3	Vertical	172	1.96	-	26.64

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5510MHz_TX




EUT Y_1TX
Setting 71
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02012G	54.04	74.00	-19.96	14.29	3	Horizontal	246	1.79	-	39.75
AV	11.01888G	40.87	54.00	-13.13	14.29	3	Horizontal	246	1.79	-	26.58

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5550MHz_TX




EUT Y_1TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4582G	59.60	74.00	-14.40	8.45	3	Vertical	159	2.81	-	51.15
AV	5.4594G	47.76	54.00	-6.24	8.45	3	Vertical	159	2.81	-	39.31
PK	5.47G	62.06	68.20	-6.14	8.46	3	Vertical	159	2.81	-	53.60
PK	5.5422G	105.86	Inf	-Inf	8.55	3	Vertical	159	2.81	-	97.31
AV	5.5542G	94.75	Inf	-Inf	8.55	3	Vertical	159	2.81	-	86.20

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5550MHz_TX




EUT Y_1TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	65.40	74.00	-8.60	8.45	3	Horizontal	289	2.15	-	56.95
AV	5.4594G	52.48	54.00	-1.52	8.45	3	Horizontal	289	2.15	-	44.03
PK	5.47G	67.62	68.20	-0.58	8.46	3	Horizontal	289	2.15	-	59.16
PK	5.5422G	113.94	Inf	-Inf	8.55	3	Horizontal	289	2.15	-	105.39
AV	5.544G	101.49	Inf	-Inf	8.55	3	Horizontal	289	2.15	-	92.94

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5550MHz_TX




EUT Y_1TX
Setting 95
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0984G	53.99	74.00	-20.01	14.39	3	Vertical	307	2.43	-	39.60
AV	11.1012G	41.19	54.00	-12.81	14.39	3	Vertical	307	2.43	-	26.80
PK	16.647G	56.67	68.20	-11.53	17.74	3	Vertical	164	2.66	-	38.93

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5550MHz_TX




EUT Y_1TX
Setting 95
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.092G	55.75	74.00	-18.25	14.38	3	Horizontal	334	1.42	-	41.37
AV	11.0958G	43.06	54.00	-10.94	14.39	3	Horizontal	334	1.42	-	28.67
PK	16.651G	58.57	68.20	-9.63	17.75	3	Horizontal	318	2.12	-	40.82

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5670MHz_TX




EUT Y_1TX
Setting 81
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.662G	104.25	Inf	-Inf	8.69	3	Vertical	56	2.88	-	95.56
AV	5.674G	92.01	Inf	-Inf	8.70	3	Vertical	56	2.88	-	83.31
PK	5.726G	59.55	68.20	-8.65	8.79	3	Vertical	56	2.88	-	50.76

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5670MHz_TX




EUT Y_1TX
Setting 81
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.686G	110.90	Inf	-Inf	8.72	3	Horizontal	292	1.89	-	102.18
AV	5.6744G	98.99	Inf	-Inf	8.70	3	Horizontal	292	1.89	-	90.29
PK	5.7264G	67.59	68.20	-0.61	8.79	3	Horizontal	292	1.89	-	58.80

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5670MHz_TX




EUT Y_1TX
Setting 81
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33902G	53.09	74.00	-20.91	14.70	3	Vertical	230	1.26	-	38.39
AV	11.33698G	40.11	54.00	-13.89	14.70	3	Vertical	230	1.26	-	25.41

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5670MHz_TX




EUT Y_1TX
Setting 81
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33538G	52.83	74.00	-21.17	14.70	3	Horizontal	198	2.21	-	38.13
AV	11.3373G	40.37	54.00	-13.63	14.70	3	Horizontal	198	2.21	-	25.67

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 113
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	58.68	74.00	-15.32	8.45	3	Vertical	28	2.96	-	50.23
AV	5.4316G	46.77	54.00	-7.23	8.40	3	Vertical	28	2.96	-	38.37
PK	5.4676G	57.96	68.20	-10.24	8.46	3	Vertical	28	2.96	-	49.50
PK	5.7256G	110.24	Inf	-Inf	8.79	3	Vertical	28	2.96	-	101.45
AV	5.7052G	97.54	Inf	-Inf	8.76	3	Vertical	28	2.96	-	88.78
PK	5.85G	62.25	68.20	-5.95	8.90	3	Vertical	28	2.96	-	53.35

802.11ax HEW40_Nss1,(MCS0)_1TX

18/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 113
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	60.75	74.00	-13.25	8.45	3	Horizontal	290	1.63	-	52.30
AV	5.46G	48.43	54.00	-5.57	8.45	3	Horizontal	290	1.63	-	39.98
PK	5.4664G	61.37	68.20	-6.83	8.46	3	Horizontal	290	1.63	-	52.91
PK	5.7028G	115.44	Inf	-Inf	8.75	3	Horizontal	290	1.63	-	106.69
AV	5.6992G	103.24	Inf	-Inf	8.75	3	Horizontal	290	1.63	-	94.49
PK	5.85G	67.58	68.20	-0.62	8.90	3	Horizontal	290	1.63	-	58.68

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 113
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.434G	56.12	74.00	-17.88	14.82	3	Vertical	314	1.45	-	41.30
AV	11.4138G	43.51	54.00	-10.49	14.79	3	Vertical	314	1.45	-	28.72
PK	17.1792G	59.79	68.20	-8.41	20.38	3	Vertical	103	1.94	-	39.41

802.11ax HEW40_Nss1,(MCS0)_1TX

19/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 113
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.423G	55.93	74.00	-18.07	14.80	3	Horizontal	26	1.46	-	41.13
AV	11.4194G	43.81	54.00	-10.19	14.80	3	Horizontal	26	1.46	-	29.01
PK	17.1222G	61.15	68.20	-7.05	20.04	3	Horizontal	328	1.30	-	41.11

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5290MHz_TX




EUT Y_1TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1156G	58.26	74.00	-15.74	7.87	3	Vertical	12	2.99	-	50.39
AV	5.15G	46.17	54.00	-7.83	7.94	3	Vertical	12	2.99	-	38.23
PK	5.2804G	100.55	Inf	-Inf	8.18	3	Vertical	12	2.99	-	92.37
AV	5.282G	88.68	Inf	-Inf	8.18	3	Vertical	12	2.99	-	80.50
PK	5.3868G	63.89	74.00	-10.11	8.33	3	Vertical	12	2.99	-	55.56
AV	5.362G	48.99	54.00	-5.01	8.29	3	Vertical	12	2.99	-	40.70
PK	5.4692G	57.63	68.20	-10.57	8.46	3	Vertical	12	2.99	-	49.17

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5290MHz_TX




EUT Y_1TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1028G	59.67	74.00	-14.33	7.84	3	Horizontal	286	2.00	-	51.83
AV	5.1492G	47.75	54.00	-6.25	7.94	3	Horizontal	286	2.00	-	39.81
PK	5.2884G	105.86	Inf	-Inf	8.20	3	Horizontal	286	2.00	-	97.66
AV	5.2772G	93.78	Inf	-Inf	8.17	3	Horizontal	286	2.00	-	85.61
PK	5.35G	67.46	74.00	-6.54	8.28	3	Horizontal	286	2.00	-	59.18
AV	5.3524G	53.34	54.00	-0.66	8.28	3	Horizontal	286	2.00	-	45.06
PK	5.4804G	58.56	68.20	-9.64	8.48	3	Horizontal	286	2.00	-	50.08

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5290MHz_TX




EUT Y_1TX
Setting 75
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86644G	53.54	74.00	-20.46	15.22	3	Vertical	332	1.86	-	38.32
AV	15.86838G	41.07	54.00	-12.93	15.21	3	Vertical	332	1.86	-	25.86

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5290MHz_TX




EUT Y_1TX
Setting 75
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87374G	54.05	74.00	-19.95	15.20	3	Horizontal	89	2.07	-	38.85
AV	15.87038G	41.07	54.00	-12.93	15.21	3	Horizontal	89	2.07	-	25.86

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5530MHz_TX




EUT Y_1TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.286G	58.09	68.20	-10.11	8.19	3	Vertical	162	2.84	-	49.90
PK	5.46G	58.72	74.00	-15.28	8.45	3	Vertical	162	2.84	-	50.27
AV	5.459G	46.65	54.00	-7.35	8.45	3	Vertical	162	2.84	-	38.20
PK	5.468G	59.17	68.20	-9.03	8.46	3	Vertical	162	2.84	-	50.71
PK	5.517G	97.68	Inf	-Inf	8.53	3	Vertical	162	2.84	-	89.15
AV	5.519G	85.86	Inf	-Inf	8.53	3	Vertical	162	2.84	-	77.33
PK	5.772G	59.26	68.20	-8.94	8.85	3	Vertical	162	2.84	-	50.41

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5530MHz_TX




EUT Y_1TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.284G	58.06	68.20	-10.14	8.19	3	Horizontal	283	1.88	-	49.87
PK	5.459G	65.72	74.00	-8.28	8.45	3	Horizontal	283	1.88	-	57.27
AV	5.459G	49.87	54.00	-4.13	8.45	3	Horizontal	283	1.88	-	41.42
PK	5.466G	67.69	68.20	-0.51	8.46	3	Horizontal	283	1.88	-	59.23
PK	5.517G	106.36	Inf	-Inf	8.53	3	Horizontal	283	1.88	-	97.83
AV	5.519G	93.55	Inf	-Inf	8.53	3	Horizontal	283	1.88	-	85.02
PK	5.759G	58.59	68.20	-9.61	8.85	3	Horizontal	283	1.88	-	49.74

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5530MHz_TX




EUT Y_1TX
Setting 71
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05896G	52.85	74.00	-21.15	14.34	3	Vertical	307	1.92	-	38.51
AV	11.06332G	40.48	54.00	-13.52	14.34	3	Vertical	307	1.92	-	26.14

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5530MHz_TX




EUT Y_1TX
Setting 71
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06212G	53.49	74.00	-20.51	14.34	3	Horizontal	278	1.71	-	39.15
AV	11.06398G	40.24	54.00	-13.76	14.34	3	Horizontal	278	1.71	-	25.90

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5610MHz_TX




EUT Y_1TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	60.88	74.00	-13.12	8.44	3	Vertical	163	2.91	-	52.44
AV	5.4532G	47.98	54.00	-6.02	8.44	3	Vertical	163	2.91	-	39.54
PK	5.466G	60.66	68.20	-7.54	8.46	3	Vertical	163	2.91	-	52.20
PK	5.5884G	102.21	Inf	-Inf	8.57	3	Vertical	163	2.91	-	93.64
AV	5.5828G	89.81	Inf	-Inf	8.57	3	Vertical	163	2.91	-	81.24
PK	5.7372G	62.52	68.20	-5.68	8.81	3	Vertical	163	2.91	-	53.71

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5610MHz_TX




EUT Y_1TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4492G	65.94	74.00	-8.06	8.42	3	Horizontal	300	1.83	-	57.52
AV	5.4564G	52.64	54.00	-1.36	8.44	3	Horizontal	300	1.83	-	44.20
PK	5.4692G	66.26	68.20	-1.94	8.46	3	Horizontal	300	1.83	-	57.80
PK	5.6148G	110.33	Inf	-Inf	8.61	3	Horizontal	300	1.83	-	101.72
AV	5.6156G	97.66	Inf	-Inf	8.61	3	Horizontal	300	1.83	-	89.05
PK	5.7268G	67.46	68.20	-0.74	8.79	3	Horizontal	300	1.83	-	58.67

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5610MHz_TX




EUT Y_1TX
Setting 90
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21622G	53.67	74.00	-20.33	14.53	3	Vertical	221	1.23	-	39.14
AV	11.2202G	40.27	54.00	-13.73	14.55	3	Vertical	221	1.23	-	25.72

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5610MHz_TX




EUT Y_1TX
Setting 90
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21634G	53.19	74.00	-20.81	14.53	3	Horizontal	323	2.32	-	38.66
AV	11.225G	40.31	54.00	-13.69	14.55	3	Horizontal	323	2.32	-	25.76

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7036G	105.05	Inf	-Inf	8.75	3	Vertical	35	2.98	-	96.30
AV	5.7028G	93.00	Inf	-Inf	8.75	3	Vertical	35	2.98	-	84.25
PK	5.8524G	64.18	68.20	-4.02	8.90	3	Vertical	35	2.98	-	55.28

802.11ax HEW80_Nss1,(MCS0)_1TX

18/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6884G	111.21	Inf	-Inf	8.72	3	Horizontal	288	1.63	-	102.49
AV	5.7036G	99.10	Inf	-Inf	8.75	3	Horizontal	288	1.63	-	90.35
PK	5.8516G	67.47	68.20	-0.73	8.90	3	Horizontal	288	1.63	-	58.57

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38422G	53.64	74.00	-20.36	14.75	3	Vertical	29	1.47	-	38.89
AV	11.38202G	40.89	54.00	-13.11	14.75	3	Vertical	29	1.47	-	26.14
PK	17.07104G	59.29	68.20	-8.91	19.73	3	Vertical	326	2.35	-	39.56

802.11ax HEW80_Nss1,(MCS0)_1TX

19/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38318G	54.32	74.00	-19.68	14.75	3	Horizontal	1	1.93	-	39.57
AV	11.3777G	41.44	54.00	-12.56	14.74	3	Horizontal	1	1.93	-	26.70
PK	17.07012G	58.58	68.20	-9.62	19.72	3	Horizontal	19	1.89	-	38.86

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5250MHz_TX




EUT Y_1TX
Setting 70
02-P-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.134G	60.41	74.00	-13.59	7.92	3	Vertical	4	2.99	-	52.49
AV	5.148G	50.13	54.00	-3.87	7.94	3	Vertical	4	2.99	-	42.19
PK	5.282G	95.59	Inf	-Inf	8.18	3	Vertical	4	2.99	-	87.41
AV	5.288G	85.22	Inf	-Inf	8.20	3	Vertical	4	2.99	-	77.02
PK	5.426G	59.36	74.00	-14.64	8.39	3	Vertical	4	2.99	-	50.97
AV	5.386G	48.82	54.00	-5.18	8.32	3	Vertical	4	2.99	-	40.50
PK	5.741G	58.47	68.20	-9.73	8.80	3	Vertical	4	2.99	-	49.67

802.11ax HEW160_Nss1,(MCS0)_1TX

31/10/2019

5250MHz_TX




EUT Y_1TX
Setting 70
02-P-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.122G	65.04	74.00	-8.96	7.88	3	Horizontal	337	1.87	-	57.16
AV	5.134G	53.49	54.00	-0.51	7.92	3	Horizontal	337	1.87	-	45.57
PK	5.234G	102.06	Inf	-Inf	8.11	3	Horizontal	337	1.87	-	93.95
AV	5.234G	91.02	Inf	-Inf	8.11	3	Horizontal	337	1.87	-	82.91
PK	5.379G	64.11	74.00	-9.89	8.32	3	Horizontal	337	1.87	-	55.79
AV	5.378G	53.11	54.00	-0.89	8.32	3	Horizontal	337	1.87	-	44.79
PK	5.47G	59.07	68.20	-9.13	8.46	3	Horizontal	337	1.87	-	50.61

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5250MHz_TX




EUT Y_1TX
Setting 70
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.50221G	53.52	68.20	-14.68	14.58	3	Vertical	20	1.69	-	38.94
PK	15.7481G	54.59	74.00	-19.41	15.53	3	Vertical	287	1.88	-	39.06
AV	15.75039G	43.87	54.00	-10.13	15.51	3	Vertical	287	1.88	-	28.36

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5250MHz_TX




EUT Y_1TX
Setting 70
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.49713G	53.44	68.20	-14.76	14.57	3	Horizontal	170	1.10	-	38.87
PK	15.75412G	54.98	74.00	-19.02	15.50	3	Horizontal	144	1.22	-	39.48
AV	15.75G	43.98	54.00	-10.02	15.51	3	Horizontal	144	1.22	-	28.47

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5570MHz_TX




EUT Y_1TX
Setting 71
02-P-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2718G	58.45	68.20	-9.75	8.17	3	Vertical	141	2.94	-	50.28
PK	5.4308G	60.31	74.00	-13.69	8.40	3	Vertical	141	2.94	-	51.91
PK	5.4656G	58.84	68.20	-9.36	8.46	3	Vertical	141	2.94	-	50.38
AV	5.4584G	48.93	54.00	-5.07	8.45	3	Vertical	141	2.94	-	40.48
PK	5.5526G	96.13	Inf	-Inf	8.55	3	Vertical	141	2.94	-	87.58
AV	5.5544G	84.53	Inf	-Inf	8.55	3	Vertical	141	2.94	-	75.98
PK	5.804G	58.50	68.20	-9.70	8.90	3	Vertical	141	2.94	-	49.60

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5570MHz_TX




EUT Y_1TX
Setting 71
02-P-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2838G	59.55	68.20	-8.65	8.19	3	Horizontal	280	2.13	-	51.36
PK	5.4536G	66.15	74.00	-7.85	8.44	3	Horizontal	280	2.13	-	57.71
AV	5.4548G	52.70	54.00	-1.30	8.44	3	Horizontal	280	2.13	-	44.26
PK	5.4668G	67.52	68.20	-0.68	8.46	3	Horizontal	280	2.13	-	59.06
PK	5.5526G	103.40	Inf	-Inf	8.55	3	Horizontal	280	2.13	-	94.85
AV	5.5646G	91.82	Inf	-Inf	8.56	3	Horizontal	280	2.13	-	83.26
PK	5.726G	64.96	68.20	-3.24	8.79	3	Horizontal	280	2.13	-	56.17

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5570MHz_TX




EUT Y_1TX
Setting 71
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13685G	52.70	74.00	-21.30	14.43	3	Vertical	329	2.06	-	38.27
AV	11.14302G	41.61	54.00	-12.39	14.44	3	Vertical	329	2.06	-	27.17
PK	16.70872G	57.25	68.20	-10.95	18.01	3	Vertical	34	2.22	-	39.24

802.11ax HEW160_Nss1,(MCS0)_1TX

18/10/2019

5570MHz_TX



EUT Y_1TX
Setting 71
02-P-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13728G	52.52	74.00	-21.48	14.43	3	Horizontal	152	1.77	-	38.09
AV	11.14322G	41.74	54.00	-12.26	14.44	3	Horizontal	152	1.77	-	27.30
PK	16.71091G	56.68	68.20	-11.52	18.02	3	Horizontal	190	1.23	-	38.66




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	67.69	68.20	-0.51	8.79	3	Horizontal	283	2.05	-

802.11a_Nss1,(6Mbps)_2TX

19/10/2019

5260MHz_TX




EUT_X_2TX
Setting 114
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1442G	62.27	74.00	-11.73	7.94	3	Vertical	187	3.00	-	54.33
AV	5.1478G	48.04	54.00	-5.96	7.94	3	Vertical	187	3.00	-	40.10
PK	5.2666G	115.79	Inf	-Inf	8.16	3	Vertical	187	3.00	-	107.63
AV	5.2666G	105.27	Inf	-Inf	8.16	3	Vertical	187	3.00	-	97.11
PK	5.3794G	60.00	74.00	-14.00	8.32	3	Vertical	187	3.00	-	51.68
AV	5.3692G	46.63	54.00	-7.37	8.30	3	Vertical	187	3.00	-	38.33

802.11a_Nss1,(6Mbps)_2TX

19/10/2019

5260MHz_TX




EUT X_2TX
Setting 114
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	67.63	74.00	-6.37	7.94	3	Horizontal	162	1.93	-	59.69
AV	5.1478G	52.62	54.00	-1.38	7.94	3	Horizontal	162	1.93	-	44.68
PK	5.2654G	122.42	Inf	-Inf	8.16	3	Horizontal	162	1.93	-	114.26
AV	5.2552G	111.86	Inf	-Inf	8.15	3	Horizontal	162	1.93	-	103.71
PK	5.3584G	68.64	74.00	-5.36	8.28	3	Horizontal	162	1.93	-	60.36
AV	5.353G	51.58	54.00	-2.42	8.28	3	Horizontal	162	1.93	-	43.30

802.11a_Nss1,(6Mbps)_2TX

19/10/2019

5260MHz_TX




EUT_X_2TX
Setting 114
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52126G	60.88	68.20	-7.32	14.57	3	Vertical	288	1.89	-	46.31
PK	15.78396G	63.83	74.00	-10.17	15.43	3	Vertical	239	1.89	-	48.40
AV	15.77844G	50.72	54.00	-3.28	15.44	3	Vertical	239	1.89	-	35.28

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




EUT X_2TX
Setting 114
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5215G	59.92	68.20	-8.28	14.56	3	Horizontal	201	1.96	-	45.36
PK	15.78396G	66.71	74.00	-7.29	15.43	3	Horizontal	101	1.92	-	51.28
AV	15.7786G	52.82	54.00	-1.18	15.44	3	Horizontal	101	1.92	-	37.38

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5300MHz_TX




EUT X_2TX
Setting 99
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	113.38	Inf	-Inf	8.21	3	Vertical	159	2.98	-	105.17
AV	5.3016G	103.48	Inf	-Inf	8.21	3	Vertical	159	2.98	-	95.27
PK	5.3508G	60.91	74.00	-13.09	8.28	3	Vertical	159	2.98	-	52.63
AV	5.3504G	46.84	54.00	-7.16	8.28	3	Vertical	159	2.98	-	38.56

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5300MHz_TX




EUT_X_2TX
Setting 99
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2952G	119.18	Inf	-Inf	8.20	3	Horizontal	150	2.05	-	110.98
AV	5.2948G	108.93	Inf	-Inf	8.20	3	Horizontal	150	2.05	-	100.73
PK	5.35G	70.67	74.00	-3.33	8.28	3	Horizontal	150	2.05	-	62.39
AV	5.35G	53.30	54.00	-0.70	8.28	3	Horizontal	150	2.05	-	45.02

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5300MHz_TX




EUT_X_2TX
Setting 99
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6018G	57.30	74.00	-16.70	14.52	3	Vertical	5	1.85	-	42.78
AV	10.60072G	43.56	54.00	-10.44	14.51	3	Vertical	5	1.85	-	29.05
PK	15.89358G	58.87	74.00	-15.13	15.14	3	Vertical	331	1.89	-	43.73
AV	15.89832G	45.38	54.00	-8.62	15.13	3	Vertical	331	1.89	-	30.25

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5300MHz_TX




EUT_X_2TX
Setting 99
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60042G	57.07	74.00	-16.93	14.51	3	Horizontal	270	1.98	-	42.56
AV	10.60048G	43.24	54.00	-10.76	14.51	3	Horizontal	270	1.98	-	28.73
PK	15.90222G	59.98	74.00	-14.02	15.12	3	Horizontal	356	2.29	-	44.86
AV	15.89832G	46.30	54.00	-7.70	15.13	3	Horizontal	356	2.29	-	31.17

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5320MHz_TX




EUT X_2TX
Setting 82
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3156G	109.35	Inf	-Inf	8.23	3	Vertical	173	3.00	-	101.12
AV	5.3156G	100.05	Inf	-Inf	8.23	3	Vertical	173	3.00	-	91.82
PK	5.3556G	65.76	74.00	-8.24	8.28	3	Vertical	173	3.00	-	57.48
AV	5.35G	49.04	54.00	-4.96	8.28	3	Vertical	173	3.00	-	40.76

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5320MHz_TX




EUT_X_2TX
Setting 82
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3252G	115.46	Inf	-Inf	8.25	3	Horizontal	113	1.97	-	107.21
AV	5.3256G	105.66	Inf	-Inf	8.25	3	Horizontal	113	1.97	-	97.41
PK	5.3556G	72.12	74.00	-1.88	8.28	3	Horizontal	113	1.97	-	63.84
AV	5.35G	53.32	54.00	-0.68	8.28	3	Horizontal	113	1.97	-	45.04

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5320MHz_TX




EUT X_2TX
Setting 82
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64384G	53.32	74.00	-20.68	14.49	3	Vertical	336	2.27	-	38.83
AV	10.64568G	39.95	54.00	-14.05	14.48	3	Vertical	336	2.27	-	25.47
PK	15.9585G	53.89	74.00	-20.11	14.97	3	Vertical	90	1.14	-	38.92
AV	15.9579G	40.45	54.00	-13.55	14.97	3	Vertical	90	1.14	-	25.48

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5320MHz_TX




EUT X_2TX
Setting 82
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64936G	53.29	74.00	-20.71	14.48	3	Horizontal	51	2.00	-	38.81
AV	10.6454G	39.85	54.00	-14.15	14.48	3	Horizontal	51	2.00	-	25.37
PK	15.96012G	53.46	74.00	-20.54	14.97	3	Horizontal	145	2.75	-	38.49
AV	15.95304G	40.54	54.00	-13.46	14.98	3	Horizontal	145	2.75	-	25.56

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5500MHz_TX




EUT_X_2TX
Setting 66
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4228G	58.64	74.00	-15.36	8.38	3	Vertical	97	2.89	-	50.26
PK	5.4684G	58.47	68.20	-9.73	8.46	3	Vertical	97	2.89	-	50.01
AV	5.456G	45.47	54.00	-8.53	8.44	3	Vertical	97	2.89	-	37.03
PK	5.4968G	102.63	Inf	-Inf	8.52	3	Vertical	97	2.89	-	94.11
AV	5.4972G	93.08	Inf	-Inf	8.52	3	Vertical	97	2.89	-	84.56

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5500MHz_TX




EUT_X_2TX
Setting 66
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4432G	59.07	74.00	-14.93	8.42	3	Horizontal	98	2.08	-	50.65
PK	5.47G	67.67	68.20	-0.53	8.46	3	Horizontal	98	2.08	-	59.21
AV	5.4596G	46.20	54.00	-7.80	8.45	3	Horizontal	98	2.08	-	37.75
PK	5.5048G	111.89	Inf	-Inf	8.52	3	Horizontal	98	2.08	-	103.37
AV	5.5056G	101.99	Inf	-Inf	8.52	3	Horizontal	98	2.08	-	93.47

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5500MHz_TX



EUT X_2TX
 Setting 66
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99148G	53.42	74.00	-20.58	14.26	3	Vertical	94	1.34	-	39.16
AV	11.01146G	39.69	54.00	-14.31	14.28	3	Vertical	94	1.34	-	25.41
PK	16.51002G	56.55	68.20	-11.65	17.13	3	Vertical	29	1.66	-	39.42

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5500MHz_TX




EUT X_2TX
Setting 66
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.98938G	52.82	74.00	-21.18	14.27	3	Horizontal	122	2.98	-	38.55
AV	11.00546G	39.58	54.00	-14.42	14.26	3	Horizontal	122	2.98	-	25.32
PK	16.50792G	56.55	68.20	-11.65	17.12	3	Horizontal	4	1.47	-	39.43

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5580MHz_TX




EUT_X_2TX
Setting 113
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4176G	58.90	74.00	-15.10	8.37	3	Vertical	124	2.42	-	50.53
PK	5.4656G	57.54	68.20	-10.66	8.46	3	Vertical	124	2.42	-	49.08
AV	5.4488G	46.05	54.00	-7.95	8.42	3	Vertical	124	2.42	-	37.63
PK	5.5872G	113.70	Inf	-Inf	8.57	3	Vertical	124	2.42	-	105.13
AV	5.5864G	103.19	Inf	-Inf	8.57	3	Vertical	124	2.42	-	94.62
PK	5.7592G	58.72	68.20	-9.48	8.85	3	Vertical	124	2.42	-	49.87

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5580MHz_TX




EUT X_2TX
Setting 113
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	67.91	74.00	-6.09	8.45	3	Horizontal	76	2.31	-	59.46
AV	5.4584G	49.74	54.00	-4.26	8.45	3	Horizontal	76	2.31	-	41.29
PK	5.4672G	67.51	68.20	-0.69	8.46	3	Horizontal	76	2.31	-	59.05
PK	5.5848G	121.77	Inf	-Inf	8.57	3	Horizontal	76	2.31	-	113.20
AV	5.5848G	110.61	Inf	-Inf	8.57	3	Horizontal	76	2.31	-	102.04
PK	5.728G	63.71	68.20	-4.49	8.80	3	Horizontal	76	2.31	-	54.91

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5580MHz_TX




EUT X_2TX
Setting 113
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1609G	60.25	74.00	-13.75	14.47	3	Vertical	108	1.43	-	45.78
AV	11.16054G	46.68	54.00	-7.32	14.47	3	Vertical	108	1.43	-	32.21
PK	16.743G	63.36	68.20	-4.84	18.16	3	Vertical	87	1.63	-	45.20

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5580MHz_TX




EUT X_2TX
Setting 113
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16132G	60.09	74.00	-13.91	14.47	3	Horizontal	113	1.66	-	45.62
AV	11.1606G	46.60	54.00	-7.40	14.47	3	Horizontal	113	1.66	-	32.13
PK	16.74252G	64.69	68.20	-3.51	18.16	3	Horizontal	291	1.45	-	46.53

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5700MHz_TX




EUT_X_2TX
 Setting 60
 02-B-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6968G	105.50	Inf	-Inf	8.75	3	Vertical	14	1.93	-	96.75
AV	5.6972G	96.36	Inf	-Inf	8.75	3	Vertical	14	1.93	-	87.61
PK	5.7268G	59.81	68.20	-8.39	8.79	3	Vertical	14	1.93	-	51.02

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5700MHz_TX




EUT_X_2TX
Setting 60
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7016G	112.18	Inf	-Inf	8.75	3	Horizontal	336	1.77	-	103.43
AV	5.6964G	102.67	Inf	-Inf	8.74	3	Horizontal	336	1.77	-	93.93
PK	5.7252G	67.68	68.20	-0.52	8.79	3	Horizontal	336	1.77	-	58.89

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5700MHz_TX



EUT X_2TX
 Setting 60
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4043G	53.46	74.00	-20.54	14.77	3	Vertical	9	1.17	-	38.69
AV	11.40242G	40.35	54.00	-13.65	14.77	3	Vertical	9	1.17	-	25.58
PK	17.10528G	59.01	68.20	-9.19	19.94	3	Vertical	20	1.08	-	39.07

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5700MHz_TX




EUT X_2TX
Setting 60
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40472G	53.85	74.00	-20.15	14.77	3	Horizontal	141	1.75	-	39.08
AV	11.40928G	40.34	54.00	-13.66	14.79	3	Horizontal	141	1.75	-	25.55
PK	17.11278G	59.35	68.20	-8.85	19.98	3	Horizontal	106	1.93	-	39.37

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 118
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4416G	57.46	74.00	-16.54	8.41	3	Vertical	304	3.00	-	49.05
AV	5.4224G	45.57	54.00	-8.43	8.38	3	Vertical	304	3.00	-	37.19
PK	5.4632G	57.31	68.20	-10.89	8.45	3	Vertical	304	3.00	-	48.86
PK	5.7164G	115.69	Inf	-Inf	8.77	3	Vertical	304	3.00	-	106.92
AV	5.7164G	105.32	Inf	-Inf	8.77	3	Vertical	304	3.00	-	96.55
PK	5.8628G	62.17	68.20	-6.03	8.91	3	Vertical	304	3.00	-	53.26

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 118
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	59.16	74.00	-14.84	8.44	3	Horizontal	316	1.75	-	50.72
AV	5.4428G	46.67	54.00	-7.33	8.42	3	Horizontal	316	1.75	-	38.25
PK	5.462G	58.45	68.20	-9.75	8.45	3	Horizontal	316	1.75	-	50.00
PK	5.7164G	122.84	Inf	-Inf	8.77	3	Horizontal	316	1.75	-	114.07
AV	5.7164G	112.22	Inf	-Inf	8.77	3	Horizontal	316	1.75	-	103.45
PK	5.8532G	67.63	68.20	-0.57	8.90	3	Horizontal	316	1.75	-	58.73

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 118
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4373G	59.40	74.00	-14.60	14.82	3	Vertical	3	2.05	-	44.58
AV	11.44216G	45.79	54.00	-8.21	14.82	3	Vertical	3	2.05	-	30.97
PK	17.15796G	64.96	68.20	-3.24	20.25	3	Vertical	3	1.66	-	44.71

802.11a_Nss1,(6Mbps)_2TX

20/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 118
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44072G	59.98	74.00	-14.02	14.82	3	Horizontal	30	1.63	-	45.16
AV	11.44114G	45.84	54.00	-8.16	14.82	3	Horizontal	30	1.63	-	31.02
PK	17.16396G	65.43	68.20	-2.77	20.28	3	Horizontal	45	1.68	-	45.15

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5260MHz_TX




EUT X_2TX
Setting 110
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	60.02	74.00	-13.98	7.94	3	Vertical	312	3.00	-	52.08
AV	5.1496G	47.58	54.00	-6.42	7.94	3	Vertical	312	3.00	-	39.64
PK	5.2642G	113.79	Inf	-Inf	8.16	3	Vertical	312	3.00	-	105.63
AV	5.2618G	102.61	Inf	-Inf	8.15	3	Vertical	312	3.00	-	94.46
PK	5.3812G	59.05	74.00	-14.95	8.32	3	Vertical	312	3.00	-	50.73
AV	5.3764G	47.04	54.00	-6.96	8.31	3	Vertical	312	3.00	-	38.73

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5260MHz_TX




EUT X_2TX
Setting 110
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	65.55	74.00	-8.45	7.94	3	Horizontal	290	1.95	-	57.61
AV	5.1496G	51.20	54.00	-2.80	7.94	3	Horizontal	290	1.95	-	43.26
PK	5.2552G	120.55	Inf	-Inf	8.15	3	Horizontal	290	1.95	-	112.40
AV	5.2546G	109.15	Inf	-Inf	8.15	3	Horizontal	290	1.95	-	101.00
PK	5.353G	64.32	74.00	-9.68	8.28	3	Horizontal	290	1.95	-	56.04
AV	5.3506G	51.26	54.00	-2.74	8.28	3	Horizontal	290	1.95	-	42.98

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5260MHz_TX




EUT X_2TX
Setting 110
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.50932G	54.05	68.20	-14.15	14.57	3	Vertical	318	2.85	-	39.48
PK	15.7743G	58.34	74.00	-15.66	15.45	3	Vertical	106	2.15	-	42.89
AV	15.77958G	45.63	54.00	-8.37	15.44	3	Vertical	106	2.15	-	30.19

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5260MHz_TX




EUT X_2TX
Setting 110
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5185G	58.20	68.20	-10.00	14.57	3	Horizontal	277	2.38	-	43.63
PK	15.77436G	62.43	74.00	-11.57	15.45	3	Horizontal	14	2.74	-	46.98
AV	15.77952G	49.74	54.00	-4.26	15.44	3	Horizontal	14	2.74	-	34.30

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5300MHz_TX




EUT X_2TX
Setting 96
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3024G	112.69	Inf	-Inf	8.21	3	Vertical	250	2.12	-	104.48
AV	5.3008G	100.68	Inf	-Inf	8.21	3	Vertical	250	2.12	-	92.47
PK	5.354G	63.45	74.00	-10.55	8.28	3	Vertical	250	2.12	-	55.17
AV	5.35G	48.86	54.00	-5.14	8.28	3	Vertical	250	2.12	-	40.58

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5300MHz_TX




EUT X_2TX
Setting 96
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3032G	117.81	Inf	-Inf	8.21	3	Horizontal	253	2.31	-	109.60
AV	5.2952G	106.52	Inf	-Inf	8.20	3	Horizontal	253	2.31	-	98.32
PK	5.3508G	67.86	74.00	-6.14	8.28	3	Horizontal	253	2.31	-	59.58
AV	5.3508G	53.48	54.00	-0.52	8.28	3	Horizontal	253	2.31	-	45.20

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5300MHz_TX




EUT X_2TX
Setting 96
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5967G	54.77	68.20	-13.43	14.51	3	Vertical	232	2.93	-	40.26
PK	15.90648G	57.51	74.00	-16.49	15.11	3	Vertical	172	2.89	-	42.40
AV	15.89232G	41.25	54.00	-12.75	15.14	3	Vertical	172	2.89	-	26.11

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5300MHz_TX




EUT X_2TX
Setting 96
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59092G	53.66	68.20	-14.54	14.52	3	Horizontal	336	2.05	-	39.14
PK	15.89388G	56.93	74.00	-17.07	15.14	3	Horizontal	6	2.66	-	41.79
AV	15.90192G	44.54	54.00	-9.46	15.12	3	Horizontal	6	2.66	-	29.42

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5320MHz_TX




EUT X_2TX
Setting 78
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3156G	108.25	Inf	-Inf	8.23	3	Vertical	184	2.95	-	100.02
AV	5.3168G	96.70	Inf	-Inf	8.23	3	Vertical	184	2.95	-	88.47
PK	5.3536G	64.06	74.00	-9.94	8.28	3	Vertical	184	2.95	-	55.78
AV	5.3508G	48.63	54.00	-5.37	8.28	3	Vertical	184	2.95	-	40.35

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5320MHz_TX




EUT X_2TX
Setting 78
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3172G	113.43	Inf	-Inf	8.23	3	Horizontal	219	1.87	-	105.20
AV	5.3152G	102.29	Inf	-Inf	8.23	3	Horizontal	219	1.87	-	94.06
PK	5.35G	68.77	74.00	-5.23	8.28	3	Horizontal	219	1.87	-	60.49
AV	5.35G	53.28	54.00	-0.72	8.28	3	Horizontal	219	1.87	-	45.00

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5320MHz_TX




EUT X_2TX
Setting 78
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64588G	53.35	74.00	-20.65	14.48	3	Vertical	95	2.27	-	38.87
AV	10.64618G	40.87	54.00	-13.13	14.48	3	Vertical	95	2.27	-	26.39
PK	15.94506G	53.67	74.00	-20.33	15.00	3	Vertical	244	1.11	-	38.67
AV	15.95442G	40.84	54.00	-13.16	14.97	3	Vertical	244	1.11	-	25.87

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5320MHz_TX




EUT X_2TX
Setting 78
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6484G	54.08	74.00	-19.92	14.48	3	Horizontal	297	2.31	-	39.60
AV	10.64346G	41.26	54.00	-12.74	14.49	3	Horizontal	297	2.31	-	26.77
PK	15.95034G	53.34	74.00	-20.66	14.98	3	Horizontal	106	2.99	-	38.36
AV	15.9594G	40.92	54.00	-13.08	14.97	3	Horizontal	106	2.99	-	25.95

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5500MHz_TX




EUT X_2TX
Setting 76
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	59.77	74.00	-14.23	8.45	3	Vertical	348	1.25	-	51.32
AV	5.46G	47.11	54.00	-6.89	8.45	3	Vertical	348	1.25	-	38.66
PK	5.4652G	62.36	68.20	-5.84	8.45	3	Vertical	348	1.25	-	53.91
PK	5.4956G	108.44	Inf	-Inf	8.51	3	Vertical	348	1.25	-	99.93
AV	5.4952G	96.50	Inf	-Inf	8.51	3	Vertical	348	1.25	-	87.99

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5500MHz_TX




EUT_X_2TX
Setting 76
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	63.40	74.00	-10.60	8.45	3	Horizontal	285	2.07	-	54.95
AV	5.46G	48.20	54.00	-5.80	8.45	3	Horizontal	285	2.07	-	39.75
PK	5.47G	67.59	68.20	-0.61	8.46	3	Horizontal	285	2.07	-	59.13
PK	5.4988G	114.73	Inf	-Inf	8.52	3	Horizontal	285	2.07	-	106.21
AV	5.4948G	102.99	Inf	-Inf	8.51	3	Horizontal	285	2.07	-	94.48

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5500MHz_TX




EUT X_2TX
Setting 76
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99652G	53.83	74.00	-20.17	14.26	3	Vertical	122	2.89	-	39.57
AV	11.00384G	41.05	54.00	-12.95	14.26	3	Vertical	122	2.89	-	26.79
PK	16.50858G	56.43	68.20	-11.77	17.12	3	Vertical	166	1.97	-	39.31

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5500MHz_TX




EUT X_2TX
Setting 76
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.98992G	53.09	74.00	-20.91	14.27	3	Horizontal	244	2.69	-	38.82
AV	11.00696G	40.59	54.00	-13.41	14.27	3	Horizontal	244	2.69	-	26.32
PK	16.49724G	57.37	68.20	-10.83	17.07	3	Horizontal	79	2.94	-	40.30

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5580MHz_TX




EUT_X_2TX
Setting 117
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	60.53	74.00	-13.47	8.45	3	Vertical	351	1.16	-	52.08
AV	5.4584G	47.68	54.00	-6.32	8.45	3	Vertical	351	1.16	-	39.23
PK	5.4656G	60.32	68.20	-7.88	8.46	3	Vertical	351	1.16	-	51.86
PK	5.5784G	114.65	Inf	-Inf	8.57	3	Vertical	351	1.16	-	106.08
AV	5.5816G	103.28	Inf	-Inf	8.57	3	Vertical	351	1.16	-	94.71
PK	5.7336G	60.45	68.20	-7.75	8.80	3	Vertical	351	1.16	-	51.65

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5580MHz_TX




EUT X_2TX
Setting 117
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	64.86	74.00	-9.14	8.45	3	Horizontal	282	1.91	-	56.41
AV	5.4576G	52.25	54.00	-1.75	8.44	3	Horizontal	282	1.91	-	43.81
PK	5.468G	66.62	68.20	-1.58	8.46	3	Horizontal	282	1.91	-	58.16
PK	5.5792G	121.07	Inf	-Inf	8.57	3	Horizontal	282	1.91	-	112.50
AV	5.5816G	109.41	Inf	-Inf	8.57	3	Horizontal	282	1.91	-	100.84
PK	5.7304G	64.39	68.20	-3.81	8.80	3	Horizontal	282	1.91	-	55.59

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5580MHz_TX




EUT X_2TX
Setting 117
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1651G	59.05	74.00	-14.95	14.47	3	Vertical	359	1.52	-	44.58
AV	11.1579G	46.09	54.00	-7.91	14.46	3	Vertical	359	1.52	-	31.63
PK	16.73796G	63.12	68.20	-5.08	18.14	3	Vertical	358	1.99	-	44.98

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5580MHz_TX




EUT X_2TX
Setting 117
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16114G	59.14	74.00	-14.86	14.47	3	Horizontal	39	1.65	-	44.67
AV	11.15604G	40.35	54.00	-13.65	14.45	3	Horizontal	39	1.65	-	25.90
PK	16.73796G	63.34	68.20	-4.86	18.14	3	Horizontal	281	1.42	-	45.20

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5700MHz_TX




EUT X_2TX
Setting 60
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6956G	105.48	Inf	-Inf	8.74	3	Vertical	330	2.99	-	96.74
AV	5.6984G	93.57	Inf	-Inf	8.75	3	Vertical	330	2.99	-	84.82
PK	5.7256G	62.69	68.20	-5.51	8.79	3	Vertical	330	2.99	-	53.90

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5700MHz_TX




EUT X_2TX
 Setting 60
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6952G	112.50	Inf	-Inf	8.74	3	Horizontal	283	2.05	-	103.76
AV	5.6948G	101.21	Inf	-Inf	8.74	3	Horizontal	283	2.05	-	92.47
PK	5.7252G	67.69	68.20	-0.51	8.79	3	Horizontal	283	2.05	-	58.90

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5700MHz_TX




EUT X_2TX
Setting 60
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40834G	53.63	74.00	-20.37	14.79	3	Vertical	161	2.64	-	38.84
AV	11.407G	41.10	54.00	-12.90	14.79	3	Vertical	161	2.64	-	26.31
PK	17.09808G	58.64	68.20	-9.56	19.89	3	Vertical	211	1.43	-	38.75

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5700MHz_TX




EUT X_2TX
Setting 60
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4045G	53.67	74.00	-20.33	14.77	3	Horizontal	48	2.87	-	38.90
AV	11.40544G	40.92	54.00	-13.08	14.77	3	Horizontal	48	2.87	-	26.15
PK	17.08782G	58.60	68.20	-9.60	19.83	3	Horizontal	262	1.96	-	38.77

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 120
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4404G	58.22	74.00	-15.78	8.41	3	Vertical	329	1.84	-	49.81
AV	5.4284G	46.19	54.00	-7.81	8.40	3	Vertical	329	1.84	-	37.79
PK	5.468G	56.98	68.20	-11.22	8.46	3	Vertical	329	1.84	-	48.52
PK	5.7188G	114.19	Inf	-Inf	8.77	3	Vertical	329	1.84	-	105.42
AV	5.7176G	103.21	Inf	-Inf	8.77	3	Vertical	329	1.84	-	94.44
PK	5.8616G	60.17	68.20	-8.03	8.91	3	Vertical	329	1.84	-	51.26

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 120
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4452G	59.32	74.00	-14.68	8.42	3	Horizontal	280	1.97	-	50.90
AV	5.4536G	47.32	54.00	-6.68	8.44	3	Horizontal	280	1.97	-	38.88
PK	5.4668G	59.21	68.20	-8.99	8.46	3	Horizontal	280	1.97	-	50.75
PK	5.7188G	121.48	Inf	-Inf	8.77	3	Horizontal	280	1.97	-	112.71
AV	5.7188G	109.90	Inf	-Inf	8.77	3	Horizontal	280	1.97	-	101.13
PK	5.8544G	67.67	68.20	-0.53	8.90	3	Horizontal	280	1.97	-	58.77

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

20/10/2019




EUT X_2TX
 Setting 120
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44162G	57.20	74.00	-16.80	14.82	3	Vertical	24	1.55	-	42.38
AV	11.43958G	44.30	54.00	-9.70	14.82	3	Vertical	24	1.55	-	29.48
PK	17.15814G	62.76	68.20	-5.44	20.25	3	Vertical	5	1.60	-	42.51

802.11ax HEW20_Nss2,(MCS0)_2TX

20/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 120
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4391G	57.38	74.00	-16.62	14.82	3	Horizontal	37	1.65	-	42.56
AV	11.43796G	44.69	54.00	-9.31	14.82	3	Horizontal	37	1.65	-	29.87
PK	17.15982G	63.70	68.20	-4.50	20.26	3	Horizontal	286	2.75	-	43.44

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5270MHz_TX



EUT X_2TX
Setting 89
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	57.68	74.00	-16.32	7.94	3	Vertical	267	2.97	-	49.74
AV	5.1446G	46.22	54.00	-7.78	7.94	3	Vertical	267	2.97	-	38.28
PK	5.2742G	108.19	Inf	-Inf	8.17	3	Vertical	267	2.97	-	100.02
AV	5.2748G	95.90	Inf	-Inf	8.17	3	Vertical	267	2.97	-	87.73
PK	5.3546G	59.65	74.00	-14.35	8.28	3	Vertical	267	2.97	-	51.37
AV	5.3516G	47.55	54.00	-6.45	8.28	3	Vertical	267	2.97	-	39.27