


802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5270MHz_TX




EUT X_2TX
Setting 89
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	64.21	74.00	-9.79	7.94	3	Horizontal	272	1.89	-	56.27
AV	5.15G	49.28	54.00	-4.72	7.94	3	Horizontal	272	1.89	-	41.34
PK	5.2658G	114.49	Inf	-Inf	8.16	3	Horizontal	272	1.89	-	106.33
AV	5.2664G	103.05	Inf	-Inf	8.16	3	Horizontal	272	1.89	-	94.89
PK	5.3612G	68.57	74.00	-5.43	8.29	3	Horizontal	272	1.89	-	60.28
AV	5.35G	53.46	54.00	-0.54	8.28	3	Horizontal	272	1.89	-	45.18

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5270MHz_TX




EUT X_2TX
Setting 89
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.53376G	53.26	68.20	-14.94	14.55	3	Vertical	100	1.03	-	38.71
PK	15.82044G	54.50	74.00	-19.50	15.33	3	Vertical	159	1.95	-	39.17
AV	15.7962G	41.12	54.00	-12.88	15.39	3	Vertical	159	1.95	-	25.73

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5270MHz_TX




EUT X_2TX
Setting 89
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.53502G	53.04	68.20	-15.16	14.56	3	Horizontal	182	2.44	-	38.48
PK	15.81582G	53.93	74.00	-20.07	15.34	3	Horizontal	315	2.66	-	38.59
AV	15.81606G	41.47	54.00	-12.53	15.34	3	Horizontal	315	2.66	-	26.13

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5310MHz_TX




EUT X_2TX
Setting 70
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3058G	103.91	Inf	-Inf	8.22	3	Vertical	349	2.87	-	95.69
AV	5.3064G	92.32	Inf	-Inf	8.22	3	Vertical	349	2.87	-	84.10
PK	5.35G	65.48	74.00	-8.52	8.28	3	Vertical	349	2.87	-	57.20
AV	5.3508G	48.68	54.00	-5.32	8.28	3	Vertical	349	2.87	-	40.40

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5310MHz_TX




EUT X_2TX
Setting 70
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3016G	109.90	Inf	-Inf	8.21	3	Horizontal	67	2.03	-	101.69
AV	5.3064G	97.50	Inf	-Inf	8.22	3	Horizontal	67	2.03	-	89.28
PK	5.3514G	71.12	74.00	-2.88	8.28	3	Horizontal	67	2.03	-	62.84
AV	5.35G	53.48	54.00	-0.52	8.28	3	Horizontal	67	2.03	-	45.20

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5310MHz_TX




EUT X_2TX
Setting 70
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63368G	53.03	74.00	-20.97	14.49	3	Vertical	136	2.53	-	38.54
AV	10.62456G	40.45	54.00	-13.55	14.50	3	Vertical	136	2.53	-	25.95
PK	15.92806G	53.53	74.00	-20.47	15.05	3	Vertical	75	2.64	-	38.48
AV	15.93762G	40.87	54.00	-13.13	15.02	3	Vertical	75	2.64	-	25.85

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5310MHz_TX




EUT X_2TX
Setting 70
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6233G	53.48	74.00	-20.52	14.50	3	Horizontal	225	1.14	-	38.98
AV	10.62708G	40.55	54.00	-13.45	14.49	3	Horizontal	225	1.14	-	26.06
PK	15.9351G	52.99	74.00	-21.01	15.03	3	Horizontal	328	2.69	-	37.96
AV	15.92536G	40.92	54.00	-13.08	15.09	3	Horizontal	328	2.69	-	25.83

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5510MHz_TX




EUT_X_2TX
Setting 59
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.381G	59.20	74.00	-14.80	8.32	3	Vertical	351	1.27	-	50.88
PK	5.4698G	63.55	68.20	-4.65	8.46	3	Vertical	351	1.27	-	55.09
AV	5.4428G	46.34	54.00	-7.66	8.42	3	Vertical	351	1.27	-	37.92
PK	5.5058G	101.02	Inf	-Inf	8.52	3	Vertical	351	1.27	-	92.50
AV	5.5052G	89.53	Inf	-Inf	8.52	3	Vertical	351	1.27	-	81.01

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5510MHz_TX




EUT_X_2TX
Setting 59
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4566G	60.94	74.00	-13.06	8.44	3	Horizontal	287	2.06	-	52.50
AV	5.4584G	47.08	54.00	-6.92	8.45	3	Horizontal	287	2.06	-	38.63
PK	5.4698G	67.47	68.20	-0.73	8.46	3	Horizontal	287	2.06	-	59.01
PK	5.5064G	107.17	Inf	-Inf	8.52	3	Horizontal	287	2.06	-	98.65
AV	5.5064G	95.99	Inf	-Inf	8.52	3	Horizontal	287	2.06	-	87.47

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5510MHz_TX




EUT X_2TX
Setting 59
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02636G	53.33	74.00	-20.67	14.29	3	Vertical	122	1.27	-	39.04
AV	11.02852G	40.45	54.00	-13.55	14.30	3	Vertical	122	1.27	-	26.15
PK	16.52526G	56.39	68.20	-11.81	17.20	3	Vertical	281	2.99	-	39.19

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5510MHz_TX




EUT X_2TX
Setting 59
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02876G	52.68	74.00	-21.32	14.30	3	Horizontal	228	1.43	-	38.38
AV	11.02978G	40.88	54.00	-13.12	14.30	3	Horizontal	228	1.43	-	26.58
PK	16.5246G	56.70	68.20	-11.50	17.19	3	Horizontal	69	2.81	-	39.51

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5550MHz_TX




EUT X_2TX
Setting 87
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	59.42	74.00	-14.58	8.45	3	Vertical	331	1.07	-	50.97
AV	5.4596G	47.34	54.00	-6.66	8.45	3	Vertical	331	1.07	-	38.89
PK	5.47G	61.81	68.20	-6.39	8.46	3	Vertical	331	1.07	-	53.35
PK	5.566G	107.43	Inf	-Inf	8.56	3	Vertical	331	1.07	-	98.87
AV	5.5628G	96.35	Inf	-Inf	8.56	3	Vertical	331	1.07	-	87.79
PK	5.7316G	58.65	68.20	-9.55	8.80	3	Vertical	331	1.07	-	49.85

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5550MHz_TX




EUT_X_2TX
Setting 87
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	65.56	74.00	-8.44	8.45	3	Horizontal	278	2.13	-	57.11
AV	5.4596G	51.15	54.00	-2.85	8.45	3	Horizontal	278	2.13	-	42.70
PK	5.47G	67.62	68.20	-0.58	8.46	3	Horizontal	278	2.13	-	59.16
PK	5.5596G	113.64	Inf	-Inf	8.56	3	Horizontal	278	2.13	-	105.08
AV	5.5588G	102.74	Inf	-Inf	8.56	3	Horizontal	278	2.13	-	94.18
PK	5.7444G	60.38	68.20	-7.82	8.82	3	Horizontal	278	2.13	-	51.56

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5550MHz_TX




EUT X_2TX
Setting 87
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1033G	53.75	74.00	-20.25	14.39	3	Vertical	317	2.38	-	39.36
AV	11.09898G	41.03	54.00	-12.97	14.39	3	Vertical	317	2.38	-	26.64
PK	16.6599G	57.34	68.20	-10.86	17.80	3	Vertical	333	2.40	-	39.54

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5550MHz_TX




EUT X_2TX
Setting 87
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09448G	53.41	74.00	-20.59	14.39	3	Horizontal	59	1.32	-	39.02
AV	11.0907G	41.06	54.00	-12.94	14.38	3	Horizontal	59	1.32	-	26.68
PK	16.64982G	56.70	68.20	-11.50	17.75	3	Horizontal	103	2.20	-	38.95

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5670MHz_TX




EUT X_2TX
Setting 69
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6744G	102.69	Inf	-Inf	8.70	3	Vertical	170	1.51	-	93.99
AV	5.6804G	91.10	Inf	-Inf	8.72	3	Vertical	170	1.51	-	82.38
PK	5.7252G	60.58	68.20	-7.62	8.79	3	Vertical	170	1.51	-	51.79

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5670MHz_TX




EUT X_2TX
Setting 69
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6664G	111.94	Inf	-Inf	8.69	3	Horizontal	288	1.86	-	103.25
AV	5.6744G	100.02	Inf	-Inf	8.70	3	Horizontal	288	1.86	-	91.32
PK	5.7272G	67.54	68.20	-0.66	8.80	3	Horizontal	288	1.86	-	58.74

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5670MHz_TX



EUT X_2TX
Setting 69
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34522G	52.77	74.00	-21.23	14.71	3	Vertical	225	2.93	-	38.06
AV	11.34824G	40.39	54.00	-13.61	14.71	3	Vertical	225	2.93	-	25.68
PK	17.01546G	58.69	68.20	-9.51	19.40	3	Vertical	129	2.83	-	39.29

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5670MHz_TX




EUT X_2TX
Setting 69
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34024G	52.51	74.00	-21.49	14.70	3	Horizontal	193	2.68	-	37.81
AV	11.34872G	40.28	54.00	-13.72	14.71	3	Horizontal	193	2.68	-	25.57
PK	17.02278G	58.97	68.20	-9.23	19.44	3	Horizontal	25	2.33	-	39.53

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 103
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4316G	57.96	74.00	-16.04	8.40	3	Vertical	335	1.84	-	49.56
AV	5.4424G	46.47	54.00	-7.53	8.42	3	Vertical	335	1.84	-	38.05
PK	5.4652G	57.73	68.20	-10.47	8.45	3	Vertical	335	1.84	-	49.28
PK	5.7064G	110.91	Inf	-Inf	8.76	3	Vertical	335	1.84	-	102.15
AV	5.7088G	98.74	Inf	-Inf	8.77	3	Vertical	335	1.84	-	89.97
PK	5.8744G	61.49	68.20	-6.71	8.91	3	Vertical	335	1.84	-	52.58

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 103
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4496G	59.31	74.00	-14.69	8.42	3	Horizontal	284	1.88	-	50.89
PK	5.4628G	59.30	68.20	-8.90	8.45	3	Horizontal	284	1.88	-	50.85
AV	5.46G	47.86	54.00	-6.14	8.45	3	Horizontal	284	1.88	-	39.41
PK	5.7172G	117.35	Inf	-Inf	8.77	3	Horizontal	284	1.88	-	108.58
AV	5.7064G	106.03	Inf	-Inf	8.76	3	Horizontal	284	1.88	-	97.27
PK	5.8564G	67.65	68.20	-0.55	8.90	3	Horizontal	284	1.88	-	58.75

802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX

20/10/2019




EUT X_2TX
 Setting 103
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42792G	53.70	74.00	-20.30	14.81	3	Vertical	288	1.57	-	38.89
AV	11.41934G	41.34	54.00	-12.66	14.80	3	Vertical	288	1.57	-	26.54
PK	17.13834G	59.12	68.20	-9.08	20.13	3	Vertical	335	2.45	-	38.99

802.11ax HEW40_Nss2,(MCS0)_2TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 103
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41658G	55.73	74.00	-18.27	14.79	3	Horizontal	30	1.62	-	40.94
AV	11.42072G	42.82	54.00	-11.18	14.80	3	Horizontal	30	1.62	-	28.02
PK	17.12922G	63.08	68.20	-5.12	20.07	3	Horizontal	52	1.70	-	43.01

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5290MHz_TX




EUT X_2TX
Setting 67
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.055G	57.91	74.00	-16.09	7.72	3	Vertical	350	2.89	-	50.19
AV	5.127G	47.59	54.00	-6.41	7.90	3	Vertical	350	2.89	-	39.69
PK	5.282G	98.89	Inf	-Inf	8.18	3	Vertical	350	2.89	-	90.71
AV	5.281G	89.11	Inf	-Inf	8.18	3	Vertical	350	2.89	-	80.93
PK	5.353G	58.70	74.00	-15.30	8.28	3	Vertical	350	2.89	-	50.42
AV	5.416G	47.50	54.00	-6.50	8.36	3	Vertical	350	2.89	-	39.14
PK	5.526G	58.13	68.20	-10.07	8.54	3	Vertical	350	2.89	-	49.59

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5290MHz_TX




EUT_X_2TX
Setting 67
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.117G	59.53	74.00	-14.47	7.88	3	Horizontal	262	2.02	-	51.65
AV	5.15G	48.24	54.00	-5.76	7.94	3	Horizontal	262	2.02	-	40.30
PK	5.273G	106.14	Inf	-Inf	8.17	3	Horizontal	262	2.02	-	97.97
AV	5.277G	95.23	Inf	-Inf	8.17	3	Horizontal	262	2.02	-	87.06
PK	5.352G	65.76	74.00	-8.24	8.28	3	Horizontal	262	2.02	-	57.48
AV	5.35G	53.38	54.00	-0.62	8.28	3	Horizontal	262	2.02	-	45.10
PK	5.485G	58.71	68.20	-9.49	8.50	3	Horizontal	262	2.02	-	50.21

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5290MHz_TX




EUT X_2TX
Setting 67
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.57922G	53.47	68.20	-14.73	14.52	3	Vertical	285	1.25	-	38.95
PK	15.87048G	53.91	74.00	-20.09	15.21	3	Vertical	345	2.28	-	38.70
AV	15.8574G	42.59	54.00	-11.41	15.23	3	Vertical	345	2.28	-	27.36

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5290MHz_TX




EUT X_2TX
Setting 67
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59182G	52.72	68.20	-15.48	14.52	3	Horizontal	147	1.56	-	38.20
PK	15.87542G	53.77	74.00	-20.23	15.19	3	Horizontal	154	2.40	-	38.58
AV	15.86772G	42.74	54.00	-11.26	15.21	3	Horizontal	154	2.40	-	27.53

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5530MHz_TX




EUT X_2TX
Setting 66
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.308G	58.09	68.20	-10.11	8.22	3	Vertical	354	1.23	-	49.87
PK	5.459G	60.67	74.00	-13.33	8.45	3	Vertical	354	1.23	-	52.22
AV	5.46G	48.90	54.00	-5.10	8.45	3	Vertical	354	1.23	-	40.45
PK	5.469G	62.06	68.20	-6.14	8.46	3	Vertical	354	1.23	-	53.60
PK	5.533G	99.69	Inf	-Inf	8.54	3	Vertical	354	1.23	-	91.15
AV	5.543G	89.87	Inf	-Inf	8.55	3	Vertical	354	1.23	-	81.32
PK	5.74G	58.76	68.20	-9.44	8.80	3	Vertical	354	1.23	-	49.96

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5530MHz_TX




EUT X_2TX
Setting 66
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.293G	58.63	68.20	-9.57	8.20	3	Horizontal	287	1.84	-	50.43
PK	5.459G	65.33	74.00	-8.67	8.45	3	Horizontal	287	1.84	-	56.88
AV	5.458G	52.37	54.00	-1.63	8.45	3	Horizontal	287	1.84	-	43.92
PK	5.467G	67.69	68.20	-0.51	8.46	3	Horizontal	287	1.84	-	59.23
PK	5.536G	105.57	Inf	-Inf	8.54	3	Horizontal	287	1.84	-	97.03
AV	5.539G	95.73	Inf	-Inf	8.54	3	Horizontal	287	1.84	-	87.19
PK	5.731G	59.54	68.20	-8.66	8.80	3	Horizontal	287	1.84	-	50.74

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5530MHz_TX




EUT X_2TX
Setting 66
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.07146G	53.12	74.00	-20.88	14.36	3	Vertical	157	2.33	-	38.76
AV	11.06378G	42.52	54.00	-11.48	14.34	3	Vertical	157	2.33	-	28.18
PK	16.60314G	56.59	68.20	-11.61	17.54	3	Vertical	210	1.71	-	39.05

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5530MHz_TX




EUT X_2TX
Setting 66
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.07422G	53.12	74.00	-20.88	14.36	3	Horizontal	177	1.97	-	38.76
AV	11.0723G	42.04	54.00	-11.96	14.36	3	Horizontal	177	1.97	-	27.68
PK	16.57512G	56.18	68.20	-12.02	17.42	3	Horizontal	2	2.31	-	38.76

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5610MHz_TX




EUT X_2TX
Setting 81
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.445G	59.05	74.00	-14.95	8.42	3	Vertical	2	1.13	-	50.63
PK	5.47G	59.70	68.20	-8.50	8.46	3	Vertical	2	1.13	-	51.24
AV	5.46G	48.23	54.00	-5.77	8.45	3	Vertical	2	1.13	-	39.78
PK	5.604G	104.76	Inf	-Inf	8.59	3	Vertical	2	1.13	-	96.17
AV	5.602G	94.42	Inf	-Inf	8.58	3	Vertical	2	1.13	-	85.84
PK	5.732G	64.26	68.20	-3.94	8.80	3	Vertical	2	1.13	-	55.46

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5610MHz_TX




EUT_X_2TX
Setting 81
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	63.42	74.00	-10.58	8.42	3	Horizontal	278	2.39	-	55.00
PK	5.461G	63.77	68.20	-4.43	8.45	3	Horizontal	278	2.39	-	55.32
AV	5.46G	53.16	54.00	-0.84	8.45	3	Horizontal	278	2.39	-	44.71
PK	5.597G	111.20	Inf	-Inf	8.58	3	Horizontal	278	2.39	-	102.62
AV	5.623G	99.89	Inf	-Inf	8.61	3	Horizontal	278	2.39	-	91.28
PK	5.727G	67.55	68.20	-0.65	8.80	3	Horizontal	278	2.39	-	58.75

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5610MHz_TX




EUT X_2TX
Setting 81
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22884G	52.74	74.00	-21.26	14.55	3	Vertical	55	1.55	-	38.19
AV	11.22312G	41.81	54.00	-12.19	14.55	3	Vertical	55	1.55	-	27.26
PK	16.81776G	57.47	68.20	-10.73	18.50	3	Vertical	24	1.95	-	38.97

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5610MHz_TX




EUT X_2TX
Setting 81
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2143G	52.91	74.00	-21.09	14.53	3	Horizontal	336	2.50	-	38.38
AV	11.21622G	41.69	54.00	-12.31	14.53	3	Horizontal	336	2.50	-	27.16
PK	16.8288G	57.41	68.20	-10.79	18.55	3	Horizontal	94	2.52	-	38.86

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 90
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4332G	58.20	74.00	-15.80	8.40	3	Vertical	331	1.94	-	49.80
AV	5.4296G	47.53	54.00	-6.47	8.40	3	Vertical	331	1.94	-	39.13
PK	5.4644G	57.64	68.20	-10.56	8.45	3	Vertical	331	1.94	-	49.19
PK	5.7008G	105.32	Inf	-Inf	8.75	3	Vertical	331	1.94	-	96.57
AV	5.6984G	94.82	Inf	-Inf	8.75	3	Vertical	331	1.94	-	86.07
PK	5.8508G	62.41	68.20	-5.79	8.90	3	Vertical	331	1.94	-	53.51

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 90
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	60.41	74.00	-13.59	8.44	3	Horizontal	287	1.81	-	51.97
AV	5.4548G	49.55	54.00	-4.45	8.44	3	Horizontal	287	1.81	-	41.11
PK	5.4656G	61.50	68.20	-6.70	8.46	3	Horizontal	287	1.81	-	53.04
PK	5.7068G	112.69	Inf	-Inf	8.76	3	Horizontal	287	1.81	-	103.93
AV	5.702G	102.58	Inf	-Inf	8.75	3	Horizontal	287	1.81	-	93.83
PK	5.8532G	67.51	68.20	-0.69	8.90	3	Horizontal	287	1.81	-	58.61

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 90
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37262G	53.57	74.00	-20.43	14.75	3	Vertical	211	2.70	-	38.82
AV	11.38384G	42.29	54.00	-11.71	14.75	3	Vertical	211	2.70	-	27.54
PK	17.06502G	58.43	68.20	-9.77	19.69	3	Vertical	297	2.11	-	38.74

802.11ax HEW80_Nss2,(MCS0)_2TX

20/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 90
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39488G	53.50	74.00	-20.50	14.77	3	Horizontal	314	2.36	-	38.73
AV	11.39224G	42.49	54.00	-11.51	14.76	3	Horizontal	314	2.36	-	27.73
PK	17.08002G	58.46	68.20	-9.74	19.78	3	Horizontal	100	2.28	-	38.68

802.11ax HEW160_Nss2,(MCS0)_2TX

20/10/2019

5250MHz_TX




EUT_X_2TX
Setting 58
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0964G	58.41	74.00	-15.59	7.84	3	Vertical	269	2.97	-	50.57
AV	5.1476G	47.72	54.00	-6.28	7.94	3	Vertical	269	2.97	-	39.78
PK	5.266G	95.03	Inf	-Inf	8.16	3	Vertical	269	2.97	-	86.87
AV	5.2628G	84.52	Inf	-Inf	8.16	3	Vertical	269	2.97	-	76.36
PK	5.3876G	58.81	74.00	-15.19	8.33	3	Vertical	269	2.97	-	50.48
AV	5.3876G	48.28	54.00	-5.72	8.33	3	Vertical	269	2.97	-	39.95
PK	5.6116G	59.38	68.20	-8.82	8.61	3	Vertical	269	2.97	-	50.77

802.11ax HEW160_Nss2,(MCS0)_2TX

20/10/2019

5250MHz_TX




EUT_X_2TX
Setting 58
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1268G	63.28	74.00	-10.72	7.90	3	Horizontal	289	1.85	-	55.38
AV	5.1268G	52.35	54.00	-1.65	7.90	3	Horizontal	289	1.85	-	44.45
PK	5.2356G	100.71	Inf	-Inf	8.11	3	Horizontal	289	1.85	-	92.60
AV	5.2228G	90.94	Inf	-Inf	8.10	3	Horizontal	289	1.85	-	82.84
PK	5.386G	65.90	74.00	-8.10	8.32	3	Horizontal	289	1.85	-	57.58
AV	5.3764G	53.38	54.00	-0.62	8.31	3	Horizontal	289	1.85	-	45.07
PK	5.5076G	58.22	68.20	-9.98	8.52	3	Horizontal	289	1.85	-	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

20/10/2019

5250MHz_TX




EUT X_2TX
Setting 58
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51112G	52.77	68.20	-15.43	14.56	3	Vertical	167	2.36	-	38.21
PK	15.73512G	54.43	74.00	-19.57	15.56	3	Vertical	335	2.23	-	38.87
AV	15.73644G	43.49	54.00	-10.51	15.55	3	Vertical	335	2.23	-	27.94

802.11ax HEW160_Nss2,(MCS0)_2TX

20/10/2019

5250MHz_TX




EUT X_2TX
Setting 58
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5147G	53.40	68.20	-14.80	14.56	3	Horizontal	125	1.09	-	38.84
PK	15.76068G	54.74	74.00	-19.26	15.48	3	Horizontal	265	2.42	-	39.26
AV	15.74412G	43.72	54.00	-10.28	15.54	3	Horizontal	265	2.42	-	28.18

802.11ax HEW160_Nss2,(MCS0)_2TX

20/10/2019

5570MHz_TX




EUT_X_2TX
Setting 63
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2948G	57.77	68.20	-10.43	8.20	3	Vertical	353	1.05	-	49.57
PK	5.4532G	59.34	74.00	-14.66	8.44	3	Vertical	353	1.05	-	50.90
AV	5.4532G	48.85	54.00	-5.15	8.44	3	Vertical	353	1.05	-	40.41
PK	5.466G	59.83	68.20	-8.37	8.46	3	Vertical	353	1.05	-	51.37
PK	5.6068G	96.47	Inf	-Inf	8.59	3	Vertical	353	1.05	-	87.88
AV	5.5956G	86.17	Inf	-Inf	8.58	3	Vertical	353	1.05	-	77.59
PK	5.7252G	62.57	68.20	-5.63	8.79	3	Vertical	353	1.05	-	53.78

802.11ax HEW160_Nss2,(MCS0)_2TX

20/10/2019

5570MHz_TX




EUT_X_2TX
Setting 63
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2804G	58.86	68.20	-9.34	8.18	3	Horizontal	281	1.69	-	50.68
PK	5.458G	66.31	74.00	-7.69	8.45	3	Horizontal	281	1.69	-	57.86
AV	5.4532G	52.83	54.00	-1.17	8.44	3	Horizontal	281	1.69	-	44.39
PK	5.4644G	64.01	68.20	-4.19	8.45	3	Horizontal	281	1.69	-	55.56
PK	5.5812G	103.02	Inf	-Inf	8.57	3	Horizontal	281	1.69	-	94.45
AV	5.5796G	92.08	Inf	-Inf	8.57	3	Horizontal	281	1.69	-	83.51
PK	5.7252G	67.46	68.20	-0.74	8.79	3	Horizontal	281	1.69	-	58.67

802.11ax HEW160_Nss2,(MCS0)_2TX

20/10/2019

5570MHz_TX




EUT X_2TX
Setting 63
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1274G	52.87	74.00	-21.13	14.42	3	Vertical	72	1.07	-	38.45
AV	11.13694G	41.53	54.00	-12.47	14.43	3	Vertical	72	1.07	-	27.10
PK	16.71936G	56.85	68.20	-11.35	18.06	3	Vertical	197	1.12	-	38.79

802.11ax HEW160_Nss2,(MCS0)_2TX

20/10/2019

5570MHz_TX



EUT X_2TX
Setting 63
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14546G	52.31	74.00	-21.69	14.45	3	Horizontal	21	2.04	-	37.86
AV	11.14096G	41.62	54.00	-12.38	14.43	3	Horizontal	21	2.04	-	27.19
PK	16.70142G	56.66	68.20	-11.54	17.99	3	Horizontal	312	1.20	-	38.67




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.1268G	53.48	54.00	-0.52	7.90	3	Vertical	337	2.37	-

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 113
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.81	74.00	-7.19	7.94	3	Vertical	336	2.32	-	58.87
AV	5.1496G	52.64	54.00	-1.36	7.94	3	Vertical	336	2.32	-	44.70
PK	5.2576G	125.94	Inf	-Inf	8.15	3	Vertical	336	2.32	-	117.79
AV	5.2576G	116.42	Inf	-Inf	8.15	3	Vertical	336	2.32	-	108.27
PK	5.35G	70.16	74.00	-3.84	8.28	3	Vertical	336	2.32	-	61.88
AV	5.35G	53.45	54.00	-0.55	8.28	3	Vertical	336	2.32	-	45.17

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 113
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	58.88	74.00	-15.12	7.94	3	Horizontal	37	2.55	-	50.94
AV	5.15G	46.33	54.00	-7.67	7.94	3	Horizontal	37	2.55	-	38.39
PK	5.266G	118.00	Inf	-Inf	8.16	3	Horizontal	37	2.55	-	109.84
AV	5.266G	107.62	Inf	-Inf	8.16	3	Horizontal	37	2.55	-	99.46
PK	5.3548G	62.99	74.00	-11.01	8.28	3	Horizontal	37	2.55	-	54.71
AV	5.3536G	47.09	54.00	-6.91	8.28	3	Horizontal	37	2.55	-	38.81

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 113
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77886G	65.09	74.00	-8.91	15.44	3	Vertical	200	1.89	-	49.65
AV	15.78006G	51.82	54.00	-2.18	15.44	3	Vertical	200	1.89	-	36.38

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 113
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78404G	60.10	74.00	-13.90	15.43	3	Horizontal	196	1.12	-	44.67
AV	15.77944G	47.54	54.00	-6.46	15.44	3	Horizontal	196	1.12	-	32.10

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 99
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2972G	123.15	Inf	-Inf	8.21	3	Vertical	337	2.48	-	114.94
AV	5.298G	114.03	Inf	-Inf	8.21	3	Vertical	337	2.48	-	105.82
PK	5.3508G	73.27	74.00	-0.73	8.28	3	Vertical	337	2.48	-	64.99
AV	5.3508G	53.30	54.00	-0.70	8.28	3	Vertical	337	2.48	-	45.02

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 99
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2992G	115.50	Inf	-Inf	8.21	3	Horizontal	38	2.88	-	107.29
AV	5.2992G	106.00	Inf	-Inf	8.21	3	Horizontal	38	2.88	-	97.79
PK	5.354G	65.05	74.00	-8.95	8.28	3	Horizontal	38	2.88	-	56.77
AV	5.3548G	48.49	54.00	-5.51	8.28	3	Horizontal	38	2.88	-	40.21

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 99
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89336G	61.55	74.00	-12.45	15.14	3	Vertical	77	1.14	-	46.41
AV	15.894G	46.94	54.00	-7.06	15.15	3	Vertical	77	1.14	-	31.79

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5300MHz_TX




EUT_Z_4TX
 Setting 99
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90092G	57.63	74.00	-16.37	15.13	3	Horizontal	299	2.73	-	42.50
AV	15.89612G	44.40	54.00	-9.60	15.14	3	Horizontal	299	2.73	-	29.26

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.318G	119.00	Inf	-Inf	8.23	3	Vertical	335	2.48	-	110.77
AV	5.3182G	109.59	Inf	-Inf	8.23	3	Vertical	335	2.48	-	101.36
PK	5.3558G	73.47	74.00	-0.53	8.28	3	Vertical	335	2.48	-	65.19
AV	5.35G	53.03	54.00	-0.97	8.28	3	Vertical	335	2.48	-	44.75

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3224G	112.16	Inf	-Inf	8.23	3	Horizontal	307	2.40	-	103.93
AV	5.3228G	102.69	Inf	-Inf	8.24	3	Horizontal	307	2.40	-	94.45
PK	5.3502G	67.53	74.00	-6.47	8.28	3	Horizontal	307	2.40	-	59.25
AV	5.3502G	48.34	54.00	-5.66	8.28	3	Horizontal	307	2.40	-	40.06

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96132G	56.13	74.00	-17.87	14.96	3	Vertical	65	1.09	-	41.17
AV	15.954G	41.53	54.00	-12.47	14.97	3	Vertical	65	1.09	-	26.56

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96184G	53.29	74.00	-20.71	14.96	3	Horizontal	142	1.43	-	38.33
AV	15.95416G	39.83	54.00	-14.17	14.97	3	Horizontal	142	1.43	-	24.86

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 64
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	59.23	74.00	-14.77	8.44	3	Vertical	77	2.44	-	50.79
AV	5.4588G	46.15	54.00	-7.85	8.45	3	Vertical	77	2.44	-	37.70
PK	5.4696G	67.62	68.20	-0.58	8.46	3	Vertical	77	2.44	-	59.16
PK	5.5074G	113.21	Inf	-Inf	8.52	3	Vertical	77	2.44	-	104.69
AV	5.5076G	103.95	Inf	-Inf	8.52	3	Vertical	77	2.44	-	95.43

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 64
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4586G	57.44	74.00	-16.56	8.45	3	Horizontal	172	2.63	-	48.99
AV	5.459G	45.60	54.00	-8.40	8.45	3	Horizontal	172	2.63	-	37.15
PK	5.467G	62.10	68.20	-6.10	8.46	3	Horizontal	172	2.63	-	53.64
PK	5.4972G	107.55	Inf	-Inf	8.52	3	Horizontal	172	2.63	-	99.03
AV	5.4972G	97.87	Inf	-Inf	8.52	3	Horizontal	172	2.63	-	89.35

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99612G	53.64	74.00	-20.36	14.26	3	Vertical	300	1.06	-	39.38
AV	11.00528G	40.11	54.00	-13.89	14.26	3	Vertical	300	1.06	-	25.85

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0044G	52.66	74.00	-21.34	14.26	3	Horizontal	120	2.90	-	38.40
AV	11.0068G	39.37	54.00	-14.63	14.27	3	Horizontal	120	2.90	-	25.10

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4472G	62.18	74.00	-11.82	8.42	3	Vertical	161	2.45	-	53.76
AV	5.448G	47.99	54.00	-6.01	8.42	3	Vertical	161	2.45	-	39.57
PK	5.468G	65.39	68.20	-2.81	8.46	3	Vertical	161	2.45	-	56.93
PK	5.5736G	124.41	Inf	-Inf	8.56	3	Vertical	161	2.45	-	115.85
AV	5.5744G	114.01	Inf	-Inf	8.56	3	Vertical	161	2.45	-	105.45
PK	5.7432G	64.92	68.20	-3.28	8.82	3	Vertical	161	2.45	-	56.10

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4416G	58.56	74.00	-15.44	8.41	3	Horizontal	175	2.45	-	50.15
PK	5.468G	58.91	68.20	-9.29	8.46	3	Horizontal	175	2.45	-	50.45
AV	5.4552G	46.47	54.00	-7.53	8.44	3	Horizontal	175	2.45	-	38.03
PK	5.5848G	118.47	Inf	-Inf	8.57	3	Horizontal	175	2.45	-	109.90
AV	5.5856G	107.94	Inf	-Inf	8.57	3	Horizontal	175	2.45	-	99.37
PK	5.7304G	59.75	68.20	-8.45	8.80	3	Horizontal	175	2.45	-	50.95

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 112
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16115G	62.07	74.00	-11.93	14.47	3	Vertical	108	1.95	-	47.60
AV	11.16235G	48.92	54.00	-5.08	14.47	3	Vertical	108	1.95	-	34.45

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 112
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15384G	55.50	74.00	-18.50	14.45	3	Horizontal	50	1.98	-	41.05
AV	11.16616G	42.30	54.00	-11.70	14.47	3	Horizontal	50	1.98	-	27.83

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 59
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7026G	115.05	Inf	-Inf	8.75	3	Vertical	103	2.33	-	106.30
AV	5.7022G	105.62	Inf	-Inf	8.75	3	Vertical	103	2.33	-	96.87
PK	5.7258G	67.46	68.20	-0.74	8.79	3	Vertical	103	2.33	-	58.67

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5700MHz_TX




EUT Z_4TX
Setting 59
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.705G	109.19	Inf	-Inf	8.76	3	Horizontal	180	2.21	-	100.43
AV	5.7058G	99.87	Inf	-Inf	8.76	3	Horizontal	180	2.21	-	91.11
PK	5.7254G	63.44	68.20	-4.76	8.79	3	Horizontal	180	2.21	-	54.65

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40788G	53.19	74.00	-20.81	14.79	3	Vertical	116	1.02	-	38.40
AV	11.4046G	40.36	54.00	-13.64	14.77	3	Vertical	116	1.02	-	25.59

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5700MHz_TX




EUT_Z_4TX
 Setting 59
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40956G	53.42	74.00	-20.58	14.79	3	Horizontal	212	2.56	-	38.63
AV	11.4086G	39.88	54.00	-14.12	14.79	3	Horizontal	212	2.56	-	25.09

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4416G	59.63	74.00	-14.37	8.41	3	Vertical	188	2.38	-	51.22
PK	5.4608G	59.18	68.20	-9.02	8.45	3	Vertical	188	2.38	-	50.73
AV	5.4584G	47.08	54.00	-6.92	8.45	3	Vertical	188	2.38	-	38.63
PK	5.7164G	126.43	Inf	-Inf	8.77	3	Vertical	188	2.38	-	117.66
AV	5.7176G	116.06	Inf	-Inf	8.77	3	Vertical	188	2.38	-	107.29
PK	5.852G	67.52	68.20	-0.68	8.90	3	Vertical	188	2.38	-	58.62

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4452G	58.44	74.00	-15.56	8.42	3	Horizontal	174	2.29	-	50.02
AV	5.432G	46.05	54.00	-7.95	8.40	3	Horizontal	174	2.29	-	37.65
PK	5.46G	57.49	68.20	-10.71	8.45	3	Horizontal	174	2.29	-	49.04
PK	5.7248G	120.60	Inf	-Inf	8.78	3	Horizontal	174	2.29	-	111.82
AV	5.726G	110.68	Inf	-Inf	8.79	3	Horizontal	174	2.29	-	101.89
PK	5.8628G	61.99	68.20	-6.21	8.91	3	Horizontal	174	2.29	-	53.08

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44104G	63.85	74.00	-10.15	14.82	3	Vertical	338	1.52	-	49.03
AV	11.44252G	49.64	54.00	-4.36	14.82	3	Vertical	338	1.52	-	34.82

802.11a_Nss1,(6Mbps)_4TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4416G	57.43	74.00	-16.57	14.82	3	Horizontal	202	1.21	-	42.61
AV	11.44184G	46.14	54.00	-7.86	14.82	3	Horizontal	202	1.21	-	31.32

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	67.10	74.00	-6.90	7.94	3	Vertical	339	2.39	-	59.16
AV	5.1466G	52.19	54.00	-1.81	7.94	3	Vertical	339	2.39	-	44.25
PK	5.2642G	125.92	Inf	-Inf	8.16	3	Vertical	339	2.39	-	117.76
AV	5.2642G	114.80	Inf	-Inf	8.16	3	Vertical	339	2.39	-	106.64
PK	5.35G	69.68	74.00	-4.32	8.28	3	Vertical	339	2.39	-	61.40
AV	5.35G	53.27	54.00	-0.73	8.28	3	Vertical	339	2.39	-	44.99

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1424G	59.67	74.00	-14.33	7.94	3	Horizontal	38	2.90	-	51.73
AV	5.1466G	46.89	54.00	-7.11	7.94	3	Horizontal	38	2.90	-	38.95
PK	5.2648G	118.40	Inf	-Inf	8.16	3	Horizontal	38	2.90	-	110.24
AV	5.2648G	107.68	Inf	-Inf	8.16	3	Horizontal	38	2.90	-	99.52
PK	5.353G	61.93	74.00	-12.07	8.28	3	Horizontal	38	2.90	-	53.65
AV	5.353G	48.27	54.00	-5.73	8.28	3	Horizontal	38	2.90	-	39.99

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 112
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7768G	60.97	74.00	-13.03	15.45	3	Vertical	8	1.88	-	45.52
AV	15.777G	47.18	54.00	-6.82	15.45	3	Vertical	8	1.88	-	31.73

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 112
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77464G	60.08	74.00	-13.92	15.45	3	Horizontal	223	1.92	-	44.63
AV	15.77924G	47.45	54.00	-6.55	15.44	3	Horizontal	223	1.92	-	32.01

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 92
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3048G	122.29	Inf	-Inf	8.22	3	Vertical	342	2.26	-	114.07
AV	5.2944G	111.10	Inf	-Inf	8.20	3	Vertical	342	2.26	-	102.90
PK	5.35G	71.50	74.00	-2.50	8.28	3	Vertical	342	2.26	-	63.22
AV	5.35G	53.31	54.00	-0.69	8.28	3	Vertical	342	2.26	-	45.03

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 92
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3024G	114.85	Inf	-Inf	8.21	3	Horizontal	183	2.36	-	106.64
AV	5.3028G	104.52	Inf	-Inf	8.21	3	Horizontal	183	2.36	-	96.31
PK	5.3504G	66.18	74.00	-7.82	8.28	3	Horizontal	183	2.36	-	57.90
AV	5.35G	48.98	54.00	-5.02	8.28	3	Horizontal	183	2.36	-	40.70

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89716G	55.38	74.00	-18.62	15.14	3	Vertical	341	1.94	-	40.24
AV	15.90212G	41.69	54.00	-12.31	15.12	3	Vertical	341	1.94	-	26.57

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5300MHz_TX




EUT Z_4TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90132G	54.16	74.00	-19.84	15.13	3	Horizontal	23	2.35	-	39.03
AV	15.9012G	41.19	54.00	-12.81	15.13	3	Horizontal	23	2.35	-	26.06

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3242G	117.94	Inf	-Inf	8.24	3	Vertical	336	2.26	-	109.70
AV	5.3146G	106.85	Inf	-Inf	8.23	3	Vertical	336	2.26	-	98.62
PK	5.35G	72.31	74.00	-1.69	8.28	3	Vertical	336	2.26	-	64.03
AV	5.35G	53.36	54.00	-0.64	8.28	3	Vertical	336	2.26	-	45.08

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.313G	113.21	Inf	-Inf	8.22	3	Horizontal	176	2.33	-	104.99
AV	5.3228G	101.21	Inf	-Inf	8.24	3	Horizontal	176	2.33	-	92.97
PK	5.3526G	66.01	74.00	-7.99	8.28	3	Horizontal	176	2.33	-	57.73
AV	5.3528G	48.47	54.00	-5.53	8.28	3	Horizontal	176	2.33	-	40.19

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5320MHz_TX




EUT Z_4TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9572G	53.64	74.00	-20.36	14.97	3	Vertical	13	2.94	-	38.67
AV	15.95648G	39.78	54.00	-14.22	14.98	3	Vertical	13	2.94	-	24.80

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5320MHz_TX




EUT Z_4TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95416G	52.77	74.00	-21.23	14.97	3	Horizontal	258	1.79	-	37.80
AV	15.95424G	39.78	54.00	-14.22	14.97	3	Horizontal	258	1.79	-	24.81

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	59.39	74.00	-14.61	8.45	3	Vertical	89	2.24	-	50.94
AV	5.4582G	46.99	54.00	-7.01	8.45	3	Vertical	89	2.24	-	38.54
PK	5.4686G	67.56	68.20	-0.64	8.46	3	Vertical	89	2.24	-	59.10
PK	5.4938G	116.75	Inf	-Inf	8.51	3	Vertical	89	2.24	-	108.24
AV	5.4988G	104.60	Inf	-Inf	8.52	3	Vertical	89	2.24	-	96.08

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4506G	57.96	74.00	-16.04	8.44	3	Horizontal	182	2.40	-	49.52
AV	5.4572G	45.73	54.00	-8.27	8.44	3	Horizontal	182	2.40	-	37.29
PK	5.468G	61.62	68.20	-6.58	8.46	3	Horizontal	182	2.40	-	53.16
PK	5.5024G	111.21	Inf	-Inf	8.52	3	Horizontal	182	2.40	-	102.69
AV	5.5026G	99.97	Inf	-Inf	8.52	3	Horizontal	182	2.40	-	91.45

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00216G	53.67	74.00	-20.33	14.26	3	Vertical	354	2.41	-	39.41
AV	10.99532G	40.06	54.00	-13.94	14.26	3	Vertical	354	2.41	-	25.80

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5500MHz_TX




EUT Z_4TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.002G	53.24	74.00	-20.76	14.26	3	Horizontal	35	1.70	-	38.98
AV	10.99684G	39.25	54.00	-14.75	14.26	3	Horizontal	35	1.70	-	24.99

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	66.26	74.00	-7.74	8.45	3	Vertical	4	2.42	-	57.81
AV	5.46G	50.18	54.00	-3.82	8.45	3	Vertical	4	2.42	-	41.73
PK	5.4696G	67.65	68.20	-0.55	8.46	3	Vertical	4	2.42	-	59.19
PK	5.5808G	126.85	Inf	-Inf	8.57	3	Vertical	4	2.42	-	118.28
AV	5.5808G	114.94	Inf	-Inf	8.57	3	Vertical	4	2.42	-	106.37
PK	5.7376G	64.24	68.20	-3.96	8.80	3	Vertical	4	2.42	-	55.44

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 112
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	61.31	74.00	-12.69	8.44	3	Horizontal	181	2.13	-	52.87
AV	5.456G	46.71	54.00	-7.29	8.44	3	Horizontal	181	2.13	-	38.27
PK	5.4664G	63.30	68.20	-4.90	8.46	3	Horizontal	181	2.13	-	54.84
PK	5.5776G	120.18	Inf	-Inf	8.57	3	Horizontal	181	2.13	-	111.61
AV	5.5832G	108.69	Inf	-Inf	8.57	3	Horizontal	181	2.13	-	100.12
PK	5.7408G	58.98	68.20	-9.22	8.80	3	Horizontal	181	2.13	-	50.18

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5580MHz_TX



EUT Z_4TX
Setting 112
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.162G	60.79	74.00	-13.21	14.47	3	Vertical	215	2.35	-	46.32
AV	11.1604G	47.44	54.00	-6.56	14.47	3	Vertical	215	2.35	-	32.97

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 112
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15768G	58.81	74.00	-15.19	14.46	3	Horizontal	99	1.58	-	44.35
AV	11.16328G	44.16	54.00	-9.84	14.47	3	Horizontal	99	1.58	-	29.69

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 49
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.697G	115.80	Inf	-Inf	8.75	3	Vertical	183	2.28	-	107.05
AV	5.6974G	103.57	Inf	-Inf	8.75	3	Vertical	183	2.28	-	94.82
PK	5.7272G	67.48	68.20	-0.72	8.80	3	Vertical	183	2.28	-	58.68

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5700MHz_TX




EUT Z_4TX
Setting 49
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.693G	109.74	Inf	-Inf	8.74	3	Horizontal	175	2.35	-	101.00
AV	5.698G	97.45	Inf	-Inf	8.75	3	Horizontal	175	2.35	-	88.70
PK	5.7284G	61.90	68.20	-6.30	8.80	3	Horizontal	175	2.35	-	53.10

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5700MHz_TX




EUT Z_4TX
Setting 49
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39316G	53.82	74.00	-20.18	14.76	3	Vertical	93	2.86	-	39.06
AV	11.40268G	40.24	54.00	-13.76	14.77	3	Vertical	93	2.86	-	25.47

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 49
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4074G	53.62	74.00	-20.38	14.79	3	Horizontal	29	2.42	-	38.83
AV	11.3996G	39.91	54.00	-14.09	14.77	3	Horizontal	29	2.42	-	25.14

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

21/10/2019




EUT_Z_4TX
 Setting 113
 02-G-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4284G	58.62	74.00	-15.38	8.40	3	Vertical	186	2.26	-	50.22
AV	5.4428G	46.53	54.00	-7.47	8.42	3	Vertical	186	2.26	-	38.11
PK	5.462G	59.21	68.20	-8.99	8.45	3	Vertical	186	2.26	-	50.76
PK	5.7164G	126.48	Inf	-Inf	8.77	3	Vertical	186	2.26	-	117.71
AV	5.7224G	115.08	Inf	-Inf	8.78	3	Vertical	186	2.26	-	106.30
PK	5.87G	66.80	68.20	-1.40	8.91	3	Vertical	186	2.26	-	57.89

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 113
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4224G	57.84	74.00	-16.16	8.38	3	Horizontal	172	2.32	-	49.46
AV	5.4224G	45.89	54.00	-8.11	8.38	3	Horizontal	172	2.32	-	37.51
PK	5.462G	57.56	68.20	-10.64	8.45	3	Horizontal	172	2.32	-	49.11
PK	5.7128G	121.15	Inf	-Inf	8.77	3	Horizontal	172	2.32	-	112.38
AV	5.7224G	109.36	Inf	-Inf	8.78	3	Horizontal	172	2.32	-	100.58
PK	5.8604G	61.85	68.20	-6.35	8.91	3	Horizontal	172	2.32	-	52.94

802.11ax HEW20_Nss1,(MCS0)_4TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 113
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44012G	61.25	74.00	-12.75	14.82	3	Vertical	343	1.79	-	46.43
AV	11.43996G	47.40	54.00	-6.60	14.82	3	Vertical	343	1.79	-	32.58

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

21/10/2019




EUT_Z_4TX
 Setting 113
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44748G	57.64	74.00	-16.36	14.84	3	Horizontal	264	2.73	-	42.80
AV	11.44024G	43.39	54.00	-10.61	14.82	3	Horizontal	264	2.73	-	28.57

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	60.72	74.00	-13.28	7.94	3	Vertical	342	2.37	-	52.78
AV	5.15G	48.61	54.00	-5.39	7.94	3	Vertical	342	2.37	-	40.67
PK	5.2544G	119.46	Inf	-Inf	8.15	3	Vertical	342	2.37	-	111.31
AV	5.2748G	107.56	Inf	-Inf	8.17	3	Vertical	342	2.37	-	99.39
PK	5.35G	68.57	74.00	-5.43	8.28	3	Vertical	342	2.37	-	60.29
AV	5.3504G	53.28	54.00	-0.72	8.28	3	Vertical	342	2.37	-	45.00

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	60.88	74.00	-13.12	7.94	3	Horizontal	336	2.38	-	52.94
AV	5.147G	48.64	54.00	-5.36	7.94	3	Horizontal	336	2.38	-	40.70
PK	5.2544G	119.45	Inf	-Inf	8.15	3	Horizontal	336	2.38	-	111.30
AV	5.2748G	107.57	Inf	-Inf	8.17	3	Horizontal	336	2.38	-	99.40
PK	5.35G	69.40	74.00	-4.60	8.28	3	Horizontal	336	2.38	-	61.12
AV	5.35G	52.98	54.00	-1.02	8.28	3	Horizontal	336	2.38	-	44.70

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 86
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8016G	58.32	74.00	-15.68	15.38	3	Vertical	48	2.87	-	42.94
AV	15.8064G	44.45	54.00	-9.55	15.37	3	Vertical	48	2.87	-	29.08

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5270MHz_TX




EUT Z_4TX
Setting 86
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.797G	54.29	74.00	-19.71	15.39	3	Horizontal	174	1.75	-	38.90
AV	15.7858G	41.81	54.00	-12.19	15.42	3	Horizontal	174	1.75	-	26.39

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5310MHz_TX




EUT Z_4TX
Setting 64
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2948G	113.17	Inf	-Inf	8.20	3	Vertical	333	2.27	-	104.97
AV	5.2996G	101.81	Inf	-Inf	8.21	3	Vertical	333	2.27	-	93.60
PK	5.3504G	70.83	74.00	-3.17	8.28	3	Vertical	333	2.27	-	62.55
AV	5.35G	53.42	54.00	-0.58	8.28	3	Vertical	333	2.27	-	45.14

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5310MHz_TX




EUT_Z_4TX
Setting 64
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.318G	106.70	Inf	-Inf	8.23	3	Horizontal	177	2.34	-	98.47
AV	5.3128G	95.09	Inf	-Inf	8.22	3	Horizontal	177	2.34	-	86.87
PK	5.3556G	64.20	74.00	-9.80	8.28	3	Horizontal	177	2.34	-	55.92
AV	5.3532G	48.97	54.00	-5.03	8.28	3	Horizontal	177	2.34	-	40.69

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5310MHz_TX




EUT_Z_4TX
Setting 64
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9197G	54.30	74.00	-19.70	15.06	3	Vertical	32	1.90	-	39.24
AV	15.9243G	41.78	54.00	-12.22	15.06	3	Vertical	32	1.90	-	26.72

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5310MHz_TX




EUT Z_4TX
Setting 64
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9457G	54.46	74.00	-19.54	15.00	3	Horizontal	30	1.33	-	39.46
AV	15.9379G	41.38	54.00	-12.62	15.02	3	Horizontal	30	1.33	-	26.36

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 63
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	67.33	74.00	-6.67	8.45	3	Vertical	1	2.36	-	58.88
AV	5.4588G	48.61	54.00	-5.39	8.45	3	Vertical	1	2.36	-	40.16
PK	5.4616G	67.45	68.20	-0.75	8.45	3	Vertical	1	2.36	-	59.00
PK	5.5208G	114.08	Inf	-Inf	8.53	3	Vertical	1	2.36	-	105.55
AV	5.506G	102.24	Inf	-Inf	8.52	3	Vertical	1	2.36	-	93.72

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 63
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	60.62	74.00	-13.38	8.44	3	Horizontal	185	2.42	-	52.18
AV	5.4576G	46.76	54.00	-7.24	8.44	3	Horizontal	185	2.42	-	38.32
PK	5.4672G	63.11	68.20	-5.09	8.46	3	Horizontal	185	2.42	-	54.65
PK	5.5176G	108.02	Inf	-Inf	8.53	3	Horizontal	185	2.42	-	99.49
AV	5.5076G	96.08	Inf	-Inf	8.52	3	Horizontal	185	2.42	-	87.56

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 63
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0155G	53.53	74.00	-20.47	14.28	3	Vertical	289	2.91	-	39.25
AV	11.0352G	40.23	54.00	-13.77	14.31	3	Vertical	289	2.91	-	25.92

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 63
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0252G	53.59	74.00	-20.41	14.29	3	Horizontal	314	2.39	-	39.30
AV	11.0269G	40.81	54.00	-13.19	14.29	3	Horizontal	314	2.39	-	26.52

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.64	74.00	-9.36	8.45	3	Vertical	2	2.43	-	56.19
AV	5.46G	51.42	54.00	-2.58	8.45	3	Vertical	2	2.43	-	42.97
PK	5.46G	67.47	68.20	-0.73	8.46	3	Vertical	2	2.43	-	59.01
PK	5.5656G	119.99	Inf	-Inf	8.56	3	Vertical	2	2.43	-	111.43
AV	5.5458G	108.19	Inf	-Inf	8.55	3	Vertical	2	2.43	-	99.64

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4516G	60.10	74.00	-13.90	8.44	3	Horizontal	173	2.41	-	51.66
AV	5.457G	48.23	54.00	-5.77	8.44	3	Horizontal	173	2.41	-	39.79
PK	5.4672G	64.31	68.20	-3.89	8.46	3	Horizontal	173	2.41	-	55.85
PK	5.5422G	113.66	Inf	-Inf	8.55	3	Horizontal	173	2.41	-	105.11
AV	5.5524G	102.67	Inf	-Inf	8.55	3	Horizontal	173	2.41	-	94.12

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5550MHz_TX




EUT Z_4TX
Setting 86
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.101G	54.65	74.00	-19.35	14.39	3	Vertical	260	2.01	-	40.26
AV	11.0956G	42.94	54.00	-11.06	14.39	3	Vertical	260	2.01	-	28.55

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5550MHz_TX




EUT Z_4TX
Setting 86
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0942G	52.95	74.00	-21.05	14.39	3	Horizontal	87	2.81	-	38.56
AV	11.0861G	40.79	54.00	-13.21	14.38	3	Horizontal	87	2.81	-	26.41

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5670MHz_TX




EUT Z_4TX
Setting 66
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.662G	117.21	Inf	-Inf	8.69	3	Vertical	187	2.29	-	108.52
AV	5.6772G	105.17	Inf	-Inf	8.72	3	Vertical	187	2.29	-	96.45
PK	5.7276G	67.55	68.20	-0.65	8.80	3	Vertical	187	2.29	-	58.75

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5670MHz_TX




EUT Z_4TX
Setting 66
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6624G	110.56	Inf	-Inf	8.69	3	Horizontal	178	2.42	-	101.87
AV	5.6628G	99.01	Inf	-Inf	8.69	3	Horizontal	178	2.42	-	90.32
PK	5.7284G	61.37	68.20	-6.83	8.80	3	Horizontal	178	2.42	-	52.57

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 66
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.362G	53.05	74.00	-20.95	14.73	3	Vertical	181	1.39	-	38.32
AV	11.3565G	40.49	54.00	-13.51	14.73	3	Vertical	181	1.39	-	25.76

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5670MHz_TX




EUT Z_4TX
Setting 66
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3321G	53.18	74.00	-20.82	14.70	3	Horizontal	310	2.24	-	38.48
AV	11.3629G	40.62	54.00	-13.38	14.73	3	Horizontal	310	2.24	-	25.89

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	59.00	74.00	-15.00	8.44	3	Vertical	184	2.41	-	50.56
PK	5.464G	58.52	68.20	-9.68	8.45	3	Vertical	184	2.41	-	50.07
AV	5.46G	47.23	54.00	-6.77	8.45	3	Vertical	184	2.41	-	38.78
PK	5.7028G	123.41	Inf	-Inf	8.75	3	Vertical	184	2.41	-	114.66
AV	5.7076G	111.38	Inf	-Inf	8.76	3	Vertical	184	2.41	-	102.62
PK	5.8528G	67.41	68.20	-0.79	8.90	3	Vertical	184	2.41	-	58.51

802.11ax HEW40_Nss1,(MCS0)_4TX

21/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4292G	57.67	74.00	-16.33	8.40	3	Horizontal	178	2.33	-	49.27
AV	5.4256G	46.55	54.00	-7.45	8.39	3	Horizontal	178	2.33	-	38.16
PK	5.47G	57.87	68.20	-10.33	8.46	3	Horizontal	178	2.33	-	49.41
PK	5.7028G	114.73	Inf	-Inf	8.75	3	Horizontal	178	2.33	-	105.98
AV	5.7232G	103.78	Inf	-Inf	8.78	3	Horizontal	178	2.33	-	95.00
PK	5.8636G	62.93	68.20	-5.27	8.91	3	Horizontal	178	2.33	-	54.02

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

21/10/2019




EUT_Z_4TX
 Setting 100
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4211G	57.56	74.00	-16.44	14.80	3	Vertical	150	2.06	-	42.76
AV	11.4202G	45.13	54.00	-8.87	14.80	3	Vertical	150	2.06	-	30.33

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

21/10/2019




EUT_Z_4TX
 Setting 100
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4162G	54.54	74.00	-19.46	14.79	3	Horizontal	207	2.76	-	39.75
AV	11.4418G	41.59	54.00	-12.41	14.82	3	Horizontal	207	2.76	-	26.77

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.101G	59.71	74.00	-14.29	7.84	3	Vertical	346	2.38	-	51.87
AV	5.142G	47.61	54.00	-6.39	7.94	3	Vertical	346	2.38	-	39.67
PK	5.28G	109.56	Inf	-Inf	8.18	3	Vertical	346	2.38	-	101.38
AV	5.279G	99.03	Inf	-Inf	8.17	3	Vertical	346	2.38	-	90.86
PK	5.3501G	67.31	74.00	-6.69	8.28	3	Vertical	346	2.38	-	59.03
AV	5.3501G	53.41	54.00	-0.59	8.28	3	Vertical	346	2.38	-	45.13

802.11ax HEW80_Nss1,(MCS0)_4TX

22/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.121G	58.28	74.00	-15.72	7.88	3	Horizontal	320	2.73	-	50.40
AV	5.097G	46.39	54.00	-7.61	7.84	3	Horizontal	320	2.73	-	38.55
PK	5.28G	103.82	Inf	-Inf	8.18	3	Horizontal	320	2.73	-	95.64
AV	5.275G	92.23	Inf	-Inf	8.17	3	Horizontal	320	2.73	-	84.06
PK	5.354G	60.84	74.00	-13.16	8.28	3	Horizontal	320	2.73	-	52.56
AV	5.354G	49.38	54.00	-4.62	8.28	3	Horizontal	320	2.73	-	41.10

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5290MHz_TX




EUT Z_4TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8717G	54.29	74.00	-19.71	15.20	3	Vertical	73	2.20	-	39.09
AV	15.8532G	41.45	54.00	-12.55	15.25	3	Vertical	73	2.20	-	26.20

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5290MHz_TX




EUT Z_4TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8794G	54.82	74.00	-19.18	15.18	3	Horizontal	140	2.52	-	39.64
AV	15.8744G	41.43	54.00	-12.57	15.19	3	Horizontal	140	2.52	-	26.24

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	66.04	74.00	-7.96	8.44	3	Vertical	76	2.24	-	57.60
AV	5.458G	52.59	54.00	-1.41	8.45	3	Vertical	76	2.24	-	44.14
PK	5.461G	67.55	68.20	-0.65	8.45	3	Vertical	76	2.24	-	59.10
PK	5.529G	110.74	Inf	-Inf	8.54	3	Vertical	76	2.24	-	102.20
AV	5.519G	99.14	Inf	-Inf	8.53	3	Vertical	76	2.24	-	90.61
PK	5.726G	59.32	68.20	-8.88	8.79	3	Vertical	76	2.24	-	50.53

802.11ax HEW80_Nss1,(MCS0)_4TX

22/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	61.00	74.00	-13.00	8.45	3	Horizontal	177	2.52	-	52.55
AV	5.457G	48.26	54.00	-5.74	8.44	3	Horizontal	177	2.52	-	39.82
PK	5.465G	61.23	68.20	-6.97	8.45	3	Horizontal	177	2.52	-	52.78
PK	5.508G	105.61	Inf	-Inf	8.52	3	Horizontal	177	2.52	-	97.09
AV	5.543G	94.22	Inf	-Inf	8.55	3	Horizontal	177	2.52	-	85.67
PK	5.777G	58.59	68.20	-9.61	8.87	3	Horizontal	177	2.52	-	49.72

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0841G	52.98	74.00	-21.02	14.37	3	Vertical	140	1.99	-	38.61
AV	11.0405G	41.39	54.00	-12.61	14.31	3	Vertical	140	1.99	-	27.08

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5530MHz_TX




EUT Z_4TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0792G	53.74	74.00	-20.26	14.36	3	Horizontal	301	2.07	-	39.38
AV	11.0353G	40.78	54.00	-13.22	14.31	3	Horizontal	301	2.07	-	26.47

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5610MHz_TX




EUT Z_4TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	63.56	74.00	-10.44	8.44	3	Vertical	360	2.49	-	55.12
AV	5.453G	49.08	54.00	-4.92	8.44	3	Vertical	360	2.49	-	40.64
PK	5.468G	63.97	68.20	-4.23	8.46	3	Vertical	360	2.49	-	55.51
PK	5.601G	114.47	Inf	-Inf	8.58	3	Vertical	360	2.49	-	105.89
AV	5.621G	103.47	Inf	-Inf	8.61	3	Vertical	360	2.49	-	94.86
PK	5.729G	67.58	68.20	-0.62	8.80	3	Vertical	360	2.49	-	58.78

802.11ax HEW80_Nss1,(MCS0)_4TX

22/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.417G	59.11	74.00	-14.89	8.37	3	Horizontal	177	2.48	-	50.74
PK	5.468G	60.18	68.20	-8.02	8.46	3	Horizontal	177	2.48	-	51.72
AV	5.455G	47.04	54.00	-6.96	8.44	3	Horizontal	177	2.48	-	38.60
PK	5.588G	108.33	Inf	-Inf	8.57	3	Horizontal	177	2.48	-	99.76
AV	5.613G	97.74	Inf	-Inf	8.61	3	Horizontal	177	2.48	-	89.13
PK	5.733G	61.57	68.20	-6.63	8.80	3	Horizontal	177	2.48	-	52.77

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5610MHz_TX




EUT Z_4TX
Setting 72
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22648G	54.56	74.00	-19.44	14.55	3	Vertical	19	1.18	-	40.01
AV	11.24724G	40.71	54.00	-13.29	14.58	3	Vertical	19	1.18	-	26.13

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5610MHz_TX




EUT Z_4TX
Setting 72
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.23524G	53.29	74.00	-20.71	14.56	3	Horizontal	102	2.90	-	38.73
AV	11.22972G	40.56	54.00	-13.44	14.55	3	Horizontal	102	2.90	-	26.01

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.448G	59.79	74.00	-14.21	8.42	3	Vertical	360	2.66	-	51.37
PK	5.461G	61.14	68.20	-7.06	8.45	3	Vertical	360	2.66	-	52.69
AV	5.459G	47.87	54.00	-6.13	8.45	3	Vertical	360	2.66	-	39.42
PK	5.681G	117.60	Inf	-Inf	8.72	3	Vertical	360	2.66	-	108.88
AV	5.701G	105.93	Inf	-Inf	8.75	3	Vertical	360	2.66	-	97.18
PK	5.861G	67.62	68.20	-0.58	8.91	3	Vertical	360	2.66	-	58.71

802.11ax HEW80_Nss1,(MCS0)_4TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.442G	59.17	74.00	-14.83	8.41	3	Horizontal	169	2.56	-	50.76
PK	5.468G	58.06	68.20	-10.14	8.46	3	Horizontal	169	2.56	-	49.60
AV	5.459G	46.33	54.00	-7.67	8.45	3	Horizontal	169	2.56	-	37.88
PK	5.703G	111.31	Inf	-Inf	8.75	3	Horizontal	169	2.56	-	102.56
AV	5.703G	100.20	Inf	-Inf	8.75	3	Horizontal	169	2.56	-	91.45
PK	5.867G	63.12	68.20	-5.08	8.91	3	Horizontal	169	2.56	-	54.21

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.23512G	52.93	74.00	-21.07	14.56	3	Vertical	195	1.01	-	38.37
AV	11.2332G	40.56	54.00	-13.44	14.56	3	Vertical	195	1.01	-	26.00

802.11ax HEW80_Nss1,(MCS0)_4TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21592G	52.96	74.00	-21.04	14.53	3	Horizontal	339	1.14	-	38.43
AV	11.23536G	40.60	54.00	-13.40	14.56	3	Horizontal	339	1.14	-	26.04

802.11ax HEW160_Nss1,(MCS0)_4TX

21/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 56
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1436G	63.78	74.00	-10.22	7.94	3	Vertical	337	2.37	-	55.84
AV	5.1268G	53.48	54.00	-0.52	7.90	3	Vertical	337	2.37	-	45.58
PK	5.2696G	104.86	Inf	-Inf	8.16	3	Vertical	337	2.37	-	96.70
AV	5.2444G	95.16	Inf	-Inf	8.12	3	Vertical	337	2.37	-	87.04
PK	5.3508G	62.35	74.00	-11.65	8.28	3	Vertical	337	2.37	-	54.07
AV	5.3886G	51.79	54.00	-2.21	8.33	3	Vertical	337	2.37	-	43.46

802.11ax HEW160_Nss1,(MCS0)_4TX

22/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 56
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0778G	58.96	74.00	-15.04	7.79	3	Horizontal	3	2.66	-	51.17
AV	5.1422G	48.91	54.00	-5.09	7.94	3	Horizontal	3	2.66	-	40.97
PK	5.2332G	99.91	Inf	-Inf	8.11	3	Horizontal	3	2.66	-	91.80
AV	5.243G	89.82	Inf	-Inf	8.12	3	Horizontal	3	2.66	-	81.70
PK	5.3732G	59.40	74.00	-14.60	8.30	3	Horizontal	3	2.66	-	51.10
AV	5.3774G	49.39	54.00	-4.61	8.32	3	Horizontal	3	2.66	-	41.07

802.11ax HEW160_Nss1,(MCS0)_4TX

21/10/2019

5250MHz_TX




EUT Z_4TX
Setting 56
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6789G	54.77	74.00	-19.23	15.70	3	Vertical	257	2.83	-	39.07
AV	15.7548G	43.84	54.00	-10.16	15.50	3	Vertical	257	2.83	-	28.34

802.11ax HEW160_Nss1,(MCS0)_4TX

21/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 56
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7626G	54.66	74.00	-19.34	15.48	3	Horizontal	5	1.77	-	39.18
AV	15.7344G	44.22	54.00	-9.78	15.56	3	Horizontal	5	1.77	-	28.66

802.11ax HEW160_Nss1,(MCS0)_4TX

21/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 67
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4468G	65.18	74.00	-8.82	8.42	3	Vertical	189	2.57	-	56.76
AV	5.451G	52.14	54.00	-1.86	8.44	3	Vertical	189	2.57	-	43.70
PK	5.4664G	67.68	68.20	-0.52	8.46	3	Vertical	189	2.57	-	59.22
PK	5.6022G	107.80	Inf	-Inf	8.58	3	Vertical	189	2.57	-	99.22
AV	5.5924G	97.67	Inf	-Inf	8.58	3	Vertical	189	2.57	-	89.09
PK	5.7338G	66.35	68.20	-1.85	8.80	3	Vertical	189	2.57	-	57.55

802.11ax HEW160_Nss1,(MCS0)_4TX

22/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 67
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.451G	61.96	74.00	-12.04	8.44	3	Horizontal	175	2.38	-	53.52
AV	5.4524G	50.62	54.00	-3.38	8.44	3	Horizontal	175	2.38	-	42.18
PK	5.4664G	64.12	68.20	-4.08	8.46	3	Horizontal	175	2.38	-	55.66
PK	5.6036G	102.51	Inf	-Inf	8.59	3	Horizontal	175	2.38	-	93.92
AV	5.5826G	93.16	Inf	-Inf	8.57	3	Horizontal	175	2.38	-	84.59
PK	5.7282G	60.77	68.20	-7.43	8.80	3	Horizontal	175	2.38	-	51.97

802.11ax HEW160_Nss1,(MCS0)_4TX

21/10/2019

5570MHz_TX




EUT Z_4TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1613G	53.15	74.00	-20.85	14.47	3	Vertical	205	1.25	-	38.68
AV	11.1742G	42.20	54.00	-11.80	14.48	3	Vertical	205	1.25	-	27.72

802.11ax HEW160_Nss1,(MCS0)_4TX

21/10/2019

5570MHz_TX



EUT_Z_4TX
Setting 67
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2027G	53.40	74.00	-20.60	14.52	3	Horizontal	351	2.46	-	38.88
AV	11.0755G	42.37	54.00	-11.63	14.36	3	Horizontal	351	2.46	-	28.01




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	53.50	54.00	-0.50	8.28	3	Vertical	238	2.32	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 106
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	65.55	74.00	-8.45	7.94	3	Vertical	257	2.15	-	57.61
AV	5.143G	49.87	54.00	-4.13	7.94	3	Vertical	257	2.15	-	41.93
PK	5.266G	125.76	Inf	-Inf	8.16	3	Vertical	257	2.15	-	117.60
AV	5.2684G	115.08	Inf	-Inf	8.16	3	Vertical	257	2.15	-	106.92
PK	5.3512G	69.89	74.00	-4.11	8.28	3	Vertical	257	2.15	-	61.61
AV	5.35G	53.01	54.00	-0.99	8.28	3	Vertical	257	2.15	-	44.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 106
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1316G	59.88	74.00	-14.12	7.91	3	Horizontal	322	2.22	-	51.97
AV	5.15G	46.65	54.00	-7.35	7.94	3	Horizontal	322	2.22	-	38.71
PK	5.2684G	118.13	Inf	-Inf	8.16	3	Horizontal	322	2.22	-	109.97
AV	5.269G	107.96	Inf	-Inf	8.16	3	Horizontal	322	2.22	-	99.80
PK	5.3518G	63.50	74.00	-10.50	8.28	3	Horizontal	322	2.22	-	55.22
AV	5.3512G	48.48	54.00	-5.52	8.28	3	Horizontal	322	2.22	-	40.20

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 106
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77766G	59.30	74.00	-14.70	15.44	3	Vertical	164	2.37	-	43.86
AV	15.77736G	46.26	54.00	-7.74	15.45	3	Vertical	164	2.37	-	30.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 106
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.777G	56.56	74.00	-17.44	15.45	3	Horizontal	273	1.77	-	41.11
AV	15.7722G	43.42	54.00	-10.58	15.45	3	Horizontal	273	1.77	-	27.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 89
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.292G	123.35	Inf	-Inf	8.20	3	Vertical	238	2.32	-	115.15
AV	5.2932G	111.08	Inf	-Inf	8.20	3	Vertical	238	2.32	-	102.88
PK	5.35G	71.80	74.00	-2.20	8.28	3	Vertical	238	2.32	-	63.52
AV	5.3504G	53.50	54.00	-0.50	8.28	3	Vertical	238	2.32	-	45.22

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 89
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3052G	117.11	Inf	-Inf	8.22	3	Horizontal	302	2.68	-	108.89
AV	5.3084G	104.63	Inf	-Inf	8.22	3	Horizontal	302	2.68	-	96.41
PK	5.3512G	62.92	74.00	-11.08	8.28	3	Horizontal	302	2.68	-	54.64
AV	5.3504G	47.56	54.00	-6.44	8.28	3	Horizontal	302	2.68	-	39.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.88728G	56.34	74.00	-17.66	15.16	3	Vertical	97	2.52	-	41.18
AV	15.89784G	42.21	54.00	-11.79	15.14	3	Vertical	97	2.52	-	27.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89262G	54.16	74.00	-19.84	15.14	3	Horizontal	317	2.80	-	39.02
AV	15.89382G	40.61	54.00	-13.39	15.14	3	Horizontal	317	2.80	-	25.47

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5320MHz_TX




EUT Z_4TX
Setting 68
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3284G	119.14	Inf	-Inf	8.25	3	Vertical	263	2.30	-	110.89
AV	5.3252G	106.31	Inf	-Inf	8.25	3	Vertical	263	2.30	-	98.06
PK	5.35G	73.42	74.00	-0.58	8.28	3	Vertical	263	2.30	-	65.14
AV	5.3506G	52.83	54.00	-1.17	8.28	3	Vertical	263	2.30	-	44.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5320MHz_TX




EUT Z_4TX
Setting 68
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3284G	111.09	Inf	-Inf	8.25	3	Horizontal	319	2.55	-	102.84
AV	5.3282G	97.49	Inf	-Inf	8.25	3	Horizontal	319	2.55	-	89.24
PK	5.3502G	60.35	74.00	-13.65	8.28	3	Horizontal	319	2.55	-	52.07
AV	5.3514G	46.49	54.00	-7.51	8.28	3	Horizontal	319	2.55	-	38.21

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96366G	53.72	74.00	-20.28	14.96	3	Vertical	355	2.11	-	38.76
AV	15.95574G	40.42	54.00	-13.58	14.98	3	Vertical	355	2.11	-	25.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9525G	53.51	74.00	-20.49	14.98	3	Horizontal	80	1.96	-	38.53
AV	15.94992G	40.48	54.00	-13.52	14.99	3	Horizontal	80	1.96	-	25.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	63.82	74.00	-10.18	8.45	3	Vertical	89	2.47	-	55.37
AV	5.46G	46.92	54.00	-7.08	8.45	3	Vertical	89	2.47	-	38.47
PK	5.4686G	67.63	68.20	-0.57	8.46	3	Vertical	89	2.47	-	59.17
PK	5.5084G	118.54	Inf	-Inf	8.53	3	Vertical	89	2.47	-	110.01
AV	5.5072G	105.24	Inf	-Inf	8.52	3	Vertical	89	2.47	-	96.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4562G	57.74	74.00	-16.26	8.44	3	Horizontal	7	2.61	-	49.30
AV	5.4506G	45.72	54.00	-8.28	8.44	3	Horizontal	7	2.61	-	37.28
PK	5.4604G	59.66	68.20	-8.54	8.45	3	Horizontal	7	2.61	-	51.21
PK	5.4918G	110.71	Inf	-Inf	8.51	3	Horizontal	7	2.61	-	102.20
AV	5.4912G	98.81	Inf	-Inf	8.51	3	Horizontal	7	2.61	-	90.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 58
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99106G	52.99	74.00	-21.01	14.26	3	Vertical	135	2.32	-	38.73
AV	11.01158G	39.64	54.00	-14.36	14.28	3	Vertical	135	2.32	-	25.36
PK	16.51392G	56.25	68.20	-11.95	17.14	3	Vertical	96	1.03	-	39.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5500MHz_TX




EUT Z_4TX
Setting 58
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00864G	52.38	74.00	-21.62	14.27	3	Horizontal	288	1.44	-	38.11
AV	11.00966G	39.58	54.00	-14.42	14.28	3	Horizontal	288	1.44	-	25.30
PK	16.51272G	55.98	68.20	-12.22	17.14	3	Horizontal	280	2.48	-	38.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.12	74.00	-9.88	8.45	3	Vertical	250	2.45	-	55.67
AV	5.4584G	50.44	54.00	-3.56	8.45	3	Vertical	250	2.45	-	41.99
PK	5.4656G	66.83	68.20	-1.37	8.46	3	Vertical	250	2.45	-	58.37
PK	5.5864G	126.16	Inf	-Inf	8.57	3	Vertical	250	2.45	-	117.59
AV	5.5848G	113.89	Inf	-Inf	8.57	3	Vertical	250	2.45	-	105.32
PK	5.7424G	64.21	68.20	-3.99	8.82	3	Vertical	250	2.45	-	55.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	58.83	74.00	-15.17	8.44	3	Horizontal	2	2.24	-	50.39
AV	5.4584G	46.53	54.00	-7.47	8.45	3	Horizontal	2	2.24	-	38.08
PK	5.468G	60.61	68.20	-7.59	8.46	3	Horizontal	2	2.24	-	52.15
PK	5.5864G	116.26	Inf	-Inf	8.57	3	Horizontal	2	2.24	-	107.69
AV	5.5872G	105.01	Inf	-Inf	8.57	3	Horizontal	2	2.24	-	96.44
PK	5.7264G	59.80	68.20	-8.40	8.79	3	Horizontal	2	2.24	-	51.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16222G	53.81	74.00	-20.19	14.47	3	Vertical	337	1.93	-	39.34
AV	11.1579G	40.80	54.00	-13.20	14.46	3	Vertical	337	1.93	-	26.34
PK	16.73292G	63.30	68.20	-4.90	18.13	3	Vertical	233	2.70	-	45.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1738G	52.72	74.00	-21.28	14.48	3	Horizontal	59	2.69	-	38.24
AV	11.16978G	39.82	54.00	-14.18	14.48	3	Horizontal	59	2.69	-	25.34
PK	16.74798G	59.32	68.20	-8.88	18.19	3	Horizontal	61	2.93	-	41.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5700MHz_TX




EUT Z_4TX
Setting 43
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7086G	116.04	Inf	-Inf	8.77	3	Vertical	80	1.90	-	107.27
AV	5.7086G	102.84	Inf	-Inf	8.77	3	Vertical	80	1.90	-	94.07
PK	5.7254G	67.54	68.20	-0.66	8.79	3	Vertical	80	1.90	-	58.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 43
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6922G	106.16	Inf	-Inf	8.74	3	Horizontal	193	1.09	-	97.42
AV	5.691G	94.66	Inf	-Inf	8.73	3	Horizontal	193	1.09	-	85.93
PK	5.7432G	58.60	68.20	-9.60	8.82	3	Horizontal	193	1.09	-	49.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 43
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41392G	53.70	74.00	-20.30	14.79	3	Vertical	76	1.73	-	38.91
AV	11.41368G	40.16	54.00	-13.84	14.79	3	Vertical	76	1.73	-	25.37
PK	17.08962G	58.64	68.20	-9.56	19.84	3	Vertical	41	1.01	-	38.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 43
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38938G	53.65	74.00	-20.35	14.76	3	Horizontal	293	1.41	-	38.89
AV	11.41356G	40.37	54.00	-13.63	14.79	3	Horizontal	293	1.41	-	25.58
PK	17.09322G	59.22	68.20	-8.98	19.86	3	Horizontal	123	2.72	-	39.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4404G	58.40	74.00	-15.60	8.41	3	Vertical	181	2.28	-	49.99
AV	5.4452G	46.23	54.00	-7.77	8.42	3	Vertical	181	2.28	-	37.81
PK	5.462G	57.64	68.20	-10.56	8.45	3	Vertical	181	2.28	-	49.19
PK	5.7248G	125.41	Inf	-Inf	8.78	3	Vertical	181	2.28	-	116.63
AV	5.7272G	114.05	Inf	-Inf	8.80	3	Vertical	181	2.28	-	105.25
PK	5.8676G	65.80	68.20	-2.40	8.91	3	Vertical	181	2.28	-	56.89

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	57.98	74.00	-16.02	8.44	3	Horizontal	317	2.49	-	49.54
AV	5.432G	45.74	54.00	-8.26	8.40	3	Horizontal	317	2.49	-	37.34
PK	5.468G	57.96	68.20	-10.24	8.46	3	Horizontal	317	2.49	-	49.50
PK	5.7164G	119.58	Inf	-Inf	8.77	3	Horizontal	317	2.49	-	110.81
AV	5.7116G	107.90	Inf	-Inf	8.78	3	Horizontal	317	2.49	-	99.12
PK	5.852G	60.25	68.20	-7.95	8.90	3	Horizontal	317	2.49	-	51.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4508G	54.48	74.00	-19.52	14.84	3	Vertical	343	1.69	-	39.64
AV	11.43496G	41.31	54.00	-12.69	14.82	3	Vertical	343	1.69	-	26.49
PK	17.16252G	62.83	68.20	-5.37	20.27	3	Vertical	257	1.11	-	42.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4262G	53.82	74.00	-20.18	14.81	3	Horizontal	162	2.45	-	39.01
AV	11.42902G	40.32	54.00	-13.68	14.81	3	Horizontal	162	2.45	-	25.51
PK	17.16114G	61.32	68.20	-6.88	20.26	3	Horizontal	165	2.84	-	41.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	60.89	74.00	-13.11	7.94	3	Vertical	254	2.13	-	52.95
AV	5.144G	47.95	54.00	-6.05	7.94	3	Vertical	254	2.13	-	40.01
PK	5.276G	120.27	Inf	-Inf	8.17	3	Vertical	254	2.13	-	112.10
AV	5.2772G	108.36	Inf	-Inf	8.17	3	Vertical	254	2.13	-	100.19
PK	5.3546G	70.03	74.00	-3.97	8.28	3	Vertical	254	2.13	-	61.75
AV	5.3504G	53.46	54.00	-0.54	8.28	3	Vertical	254	2.13	-	45.18

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	58.26	74.00	-15.74	7.94	3	Horizontal	317	2.63	-	50.32
AV	5.1488G	45.82	54.00	-8.18	7.94	3	Horizontal	317	2.63	-	37.88
PK	5.2586G	113.33	Inf	-Inf	8.15	3	Horizontal	317	2.63	-	105.18
AV	5.264G	101.33	Inf	-Inf	8.16	3	Horizontal	317	2.63	-	93.17
PK	5.35G	65.22	74.00	-8.78	8.28	3	Horizontal	317	2.63	-	56.94
AV	5.3528G	47.52	54.00	-6.48	8.28	3	Horizontal	317	2.63	-	39.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.79644G	54.05	74.00	-19.95	15.39	3	Vertical	249	2.09	-	38.66
AV	15.7959G	40.52	54.00	-13.48	15.39	3	Vertical	249	2.09	-	25.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8001G	53.55	74.00	-20.45	15.38	3	Horizontal	57	2.36	-	38.17
AV	15.79938G	40.35	54.00	-13.65	15.38	3	Horizontal	57	2.36	-	24.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5310MHz_TX




EUT Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2986G	114.93	Inf	-Inf	8.21	3	Vertical	252	2.10	-	106.72
AV	5.2962G	101.72	Inf	-Inf	8.21	3	Vertical	252	2.10	-	93.51
PK	5.3532G	69.74	74.00	-4.26	8.28	3	Vertical	252	2.10	-	61.46
AV	5.35G	53.26	54.00	-0.74	8.28	3	Vertical	252	2.10	-	44.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5310MHz_TX




EUT Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3226G	108.36	Inf	-Inf	8.23	3	Horizontal	315	2.33	-	100.13
AV	5.3238G	96.49	Inf	-Inf	8.24	3	Horizontal	315	2.33	-	88.25
PK	5.3508G	65.99	74.00	-8.01	8.28	3	Horizontal	315	2.33	-	57.71
AV	5.35G	49.43	54.00	-4.57	8.28	3	Horizontal	315	2.33	-	41.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5310MHz_TX




EUT_Z_4TX
Setting 62
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93948G	53.74	74.00	-20.26	15.02	3	Vertical	292	2.85	-	38.72
AV	15.9198G	40.05	54.00	-13.95	15.06	3	Vertical	292	2.85	-	24.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5310MHz_TX




EUT_Z_4TX
 Setting 62
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93354G	53.20	74.00	-20.80	15.03	3	Horizontal	338	1.20	-	38.17
AV	15.92958G	40.09	54.00	-13.91	15.04	3	Horizontal	338	1.20	-	25.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	62.84	74.00	-11.16	8.45	3	Vertical	260	2.19	-	54.39
AV	5.458G	47.63	54.00	-6.37	8.45	3	Vertical	260	2.19	-	39.18
PK	5.4696G	67.63	68.20	-0.57	8.46	3	Vertical	260	2.19	-	59.17
PK	5.4988G	114.94	Inf	-Inf	8.52	3	Vertical	260	2.19	-	106.42
AV	5.5068G	102.04	Inf	-Inf	8.52	3	Vertical	260	2.19	-	93.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5510MHz_TX



EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	58.25	74.00	-15.75	8.44	3	Horizontal	175	2.33	-	49.81
AV	5.4288G	45.88	54.00	-8.12	8.40	3	Horizontal	175	2.33	-	37.48
PK	5.4624G	59.92	68.20	-8.28	8.45	3	Horizontal	175	2.33	-	51.47
PK	5.4912G	105.73	Inf	-Inf	8.51	3	Horizontal	175	2.33	-	97.22
AV	5.4916G	93.49	Inf	-Inf	8.51	3	Horizontal	175	2.33	-	84.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 58
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0287G	53.42	74.00	-20.58	14.30	3	Vertical	305	2.89	-	39.12
AV	11.02498G	39.87	54.00	-14.13	14.29	3	Vertical	305	2.89	-	25.58
PK	16.5252G	56.26	68.20	-11.94	17.20	3	Vertical	205	2.83	-	39.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5510MHz_TX




EUT Z_4TX
Setting 58
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03092G	53.34	74.00	-20.66	14.30	3	Horizontal	359	2.18	-	39.04
AV	11.02504G	39.59	54.00	-14.41	14.29	3	Horizontal	359	2.18	-	25.30
PK	16.53384G	55.71	68.20	-12.49	17.24	3	Horizontal	50	1.72	-	38.47

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 88
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	65.41	74.00	-8.59	8.45	3	Vertical	206	2.30	-	56.96
AV	5.46G	51.64	54.00	-2.36	8.45	3	Vertical	206	2.30	-	43.19
PK	5.4678G	67.46	68.20	-0.74	8.46	3	Vertical	206	2.30	-	59.00
PK	5.5578G	118.90	Inf	-Inf	8.55	3	Vertical	206	2.30	-	110.35
AV	5.5584G	107.02	Inf	-Inf	8.56	3	Vertical	206	2.30	-	98.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 88
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.451G	62.13	74.00	-11.87	8.44	3	Horizontal	166	2.49	-	53.69
PK	5.4642G	62.25	68.20	-5.95	8.45	3	Horizontal	166	2.49	-	53.80
AV	5.46G	47.38	54.00	-6.62	8.45	3	Horizontal	166	2.49	-	38.93
PK	5.5392G	110.70	Inf	-Inf	8.54	3	Horizontal	166	2.49	-	102.16
AV	5.5422G	98.10	Inf	-Inf	8.55	3	Horizontal	166	2.49	-	89.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10792G	52.67	74.00	-21.33	14.41	3	Vertical	341	2.01	-	38.26
AV	11.09406G	39.73	54.00	-14.27	14.39	3	Vertical	341	2.01	-	25.34
PK	16.6479G	58.50	68.20	-9.70	17.74	3	Vertical	248	2.32	-	40.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09052G	52.93	74.00	-21.07	14.38	3	Horizontal	139	2.69	-	38.55
AV	11.09922G	39.53	54.00	-14.47	14.39	3	Horizontal	139	2.69	-	25.14
PK	16.64484G	56.36	68.20	-11.84	17.73	3	Horizontal	50	2.10	-	38.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5670MHz_TX




EUT Z_4TX
Setting 70
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6688G	111.70	Inf	-Inf	8.70	3	Vertical	339	2.23	-	103.00
AV	5.6684G	99.16	Inf	-Inf	8.70	3	Vertical	339	2.23	-	90.46
PK	5.7252G	67.51	68.20	-0.69	8.79	3	Vertical	339	2.23	-	58.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 70
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6644G	110.37	Inf	-Inf	8.69	3	Horizontal	322	2.35	-	101.68
AV	5.664G	98.53	Inf	-Inf	8.69	3	Horizontal	322	2.35	-	89.84
PK	5.7256G	66.78	68.20	-1.42	8.79	3	Horizontal	322	2.35	-	57.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5670MHz_TX



EUT_Z_4TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33082G	52.35	74.00	-21.65	14.69	3	Vertical	203	2.26	-	37.66
AV	11.3493G	39.36	54.00	-14.64	14.72	3	Vertical	203	2.26	-	24.64
PK	16.9965G	57.83	68.20	-10.37	19.30	3	Vertical	83	1.04	-	38.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.32824G	52.75	74.00	-21.25	14.68	3	Horizontal	336	2.85	-	38.07
AV	11.34624G	39.27	54.00	-14.73	14.71	3	Horizontal	336	2.85	-	24.56
PK	17.00688G	57.78	68.20	-10.42	19.35	3	Horizontal	63	2.71	-	38.43

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4124G	58.80	74.00	-15.20	8.36	3	Vertical	177	2.52	-	50.44
AV	5.4172G	46.24	54.00	-7.76	8.37	3	Vertical	177	2.52	-	37.87
PK	5.4664G	57.48	68.20	-10.72	8.46	3	Vertical	177	2.52	-	49.02
PK	5.6944G	121.25	Inf	-Inf	8.74	3	Vertical	177	2.52	-	112.51
AV	5.692G	109.79	Inf	-Inf	8.74	3	Vertical	177	2.52	-	101.05
PK	5.85G	67.68	68.20	-0.52	8.90	3	Vertical	177	2.52	-	58.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 93
 02-G-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.44G	58.21	74.00	-15.79	8.41	3	Horizontal	334	2.74	-	49.80
AV	5.4256G	45.90	54.00	-8.10	8.39	3	Horizontal	334	2.74	-	37.51
PK	5.46G	56.58	68.20	-11.62	8.45	3	Horizontal	334	2.74	-	48.13
PK	5.704G	115.05	Inf	-Inf	8.76	3	Horizontal	334	2.74	-	106.29
AV	5.7088G	103.52	Inf	-Inf	8.77	3	Horizontal	334	2.74	-	94.75
PK	5.8528G	61.82	68.20	-6.38	8.90	3	Horizontal	334	2.74	-	52.92

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42882G	53.96	74.00	-20.04	14.81	3	Vertical	269	1.47	-	39.15
AV	11.42672G	40.33	54.00	-13.67	14.81	3	Vertical	269	1.47	-	25.52
PK	17.12394G	59.75	68.20	-8.45	20.05	3	Vertical	303	1.48	-	39.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40674G	54.01	74.00	-19.99	14.79	3	Horizontal	312	2.29	-	39.22
AV	11.41868G	40.79	54.00	-13.21	14.79	3	Horizontal	312	2.29	-	26.00
PK	17.1441G	58.95	68.20	-9.25	20.16	3	Horizontal	122	1.33	-	38.79

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	60.03	74.00	-13.97	7.94	3	Vertical	249	2.20	-	52.09
AV	5.1476G	47.29	54.00	-6.71	7.94	3	Vertical	249	2.20	-	39.35
PK	5.2732G	112.46	Inf	-Inf	8.17	3	Vertical	249	2.20	-	104.29
AV	5.2788G	98.61	Inf	-Inf	8.17	3	Vertical	249	2.20	-	90.44
PK	5.35G	66.11	74.00	-7.89	8.28	3	Vertical	249	2.20	-	57.83
AV	5.35G	53.27	54.00	-0.73	8.28	3	Vertical	249	2.20	-	44.99
PK	5.4772G	58.48	68.20	-9.72	8.48	3	Vertical	249	2.20	-	50.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0948G	57.82	74.00	-16.18	7.82	3	Horizontal	314	2.25	-	50.00
AV	5.1412G	45.47	54.00	-8.53	7.94	3	Horizontal	314	2.25	-	37.53
PK	5.2732G	106.14	Inf	-Inf	8.17	3	Horizontal	314	2.25	-	97.97
AV	5.2788G	93.24	Inf	-Inf	8.17	3	Horizontal	314	2.25	-	85.07
PK	5.3532G	61.12	74.00	-12.88	8.28	3	Horizontal	314	2.25	-	52.84
AV	5.3516G	47.79	54.00	-6.21	8.28	3	Horizontal	314	2.25	-	39.51
PK	5.4804G	58.40	68.20	-9.80	8.48	3	Horizontal	314	2.25	-	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5290MHz_TX




EUT_Z_4TX
 Setting 62
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86408G	54.82	74.00	-19.18	15.22	3	Vertical	267	2.86	-	39.60
AV	15.83752G	40.93	54.00	-13.07	15.29	3	Vertical	267	2.86	-	25.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8804G	54.40	74.00	-19.60	15.18	3	Horizontal	89	2.02	-	39.22
AV	15.8508G	40.74	54.00	-13.26	15.25	3	Horizontal	89	2.02	-	25.49

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.33G	58.23	68.20	-9.97	8.25	3	Vertical	66	2.40	-	49.98
PK	5.459G	65.64	74.00	-8.36	8.45	3	Vertical	66	2.40	-	57.19
AV	5.46G	49.58	54.00	-4.42	8.45	3	Vertical	66	2.40	-	41.13
PK	5.47G	67.63	68.20	-0.57	8.46	3	Vertical	66	2.40	-	59.17
PK	5.512G	110.51	Inf	-Inf	8.53	3	Vertical	66	2.40	-	101.98
AV	5.515G	97.99	Inf	-Inf	8.53	3	Vertical	66	2.40	-	89.46
PK	5.748G	58.62	68.20	-9.58	8.82	3	Vertical	66	2.40	-	49.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 62
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.292G	57.75	68.20	-10.45	8.20	3	Horizontal	10	2.30	-	49.55
PK	5.454G	62.90	74.00	-11.10	8.44	3	Horizontal	10	2.30	-	54.46
AV	5.458G	46.95	54.00	-7.05	8.45	3	Horizontal	10	2.30	-	38.50
PK	5.469G	62.88	68.20	-5.32	8.46	3	Horizontal	10	2.30	-	54.42
PK	5.539G	104.62	Inf	-Inf	8.54	3	Horizontal	10	2.30	-	96.08
AV	5.54G	92.01	Inf	-Inf	8.54	3	Horizontal	10	2.30	-	83.47
PK	5.754G	58.43	68.20	-9.77	8.83	3	Horizontal	10	2.30	-	49.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0576G	53.29	74.00	-20.71	14.34	3	Vertical	22	1.80	-	38.95
AV	11.0248G	39.95	54.00	-14.05	14.29	3	Vertical	22	1.80	-	25.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.044G	53.82	74.00	-20.18	14.32	3	Horizontal	110	1.68	-	39.50
AV	11.02336G	39.91	54.00	-14.09	14.29	3	Horizontal	110	1.68	-	25.62

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	61.81	74.00	-12.19	8.44	3	Vertical	273	2.65	-	53.37
AV	5.4596G	48.27	54.00	-5.73	8.45	3	Vertical	273	2.65	-	39.82
PK	5.47G	62.22	68.20	-5.98	8.46	3	Vertical	273	2.65	-	53.76
PK	5.6396G	114.94	Inf	-Inf	8.65	3	Vertical	273	2.65	-	106.29
AV	5.5972G	102.22	Inf	-Inf	8.58	3	Vertical	273	2.65	-	93.64
PK	5.7404G	67.68	68.20	-0.52	8.80	3	Vertical	273	2.65	-	58.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 71
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	58.66	74.00	-15.34	8.44	3	Horizontal	172	2.58	-	50.22
AV	5.458G	46.17	54.00	-7.83	8.45	3	Horizontal	172	2.58	-	37.72
PK	5.47G	58.45	68.20	-9.75	8.46	3	Horizontal	172	2.58	-	49.99
PK	5.5788G	110.23	Inf	-Inf	8.57	3	Horizontal	172	2.58	-	101.66
AV	5.6124G	96.40	Inf	-Inf	8.61	3	Horizontal	172	2.58	-	87.79
PK	5.7252G	60.67	68.20	-7.53	8.79	3	Horizontal	172	2.58	-	51.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5610MHz_TX




EUT Z_4TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.20864G	53.42	74.00	-20.58	14.53	3	Vertical	180	1.12	-	38.89
AV	11.23696G	39.57	54.00	-14.43	14.57	3	Vertical	180	1.12	-	25.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5610MHz_TX




EUT Z_4TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2456G	53.14	74.00	-20.86	14.58	3	Horizontal	238	1.05	-	38.56
AV	11.24192G	39.62	54.00	-14.38	14.57	3	Horizontal	238	1.05	-	25.05

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 78
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6884G	117.19	Inf	-Inf	8.72	3	Vertical	183	2.51	-	108.47
AV	5.6924G	103.57	Inf	-Inf	8.74	3	Vertical	183	2.51	-	94.83
PK	5.8516G	67.45	68.20	-0.75	8.90	3	Vertical	183	2.51	-	58.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 78
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6596G	109.51	Inf	-Inf	8.68	3	Horizontal	6	2.21	-	100.83
AV	5.6588G	96.25	Inf	-Inf	8.68	3	Horizontal	6	2.21	-	87.57
PK	5.8524G	61.46	68.20	-6.74	8.90	3	Horizontal	6	2.21	-	52.56

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 78
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37136G	54.08	74.00	-19.92	14.75	3	Vertical	36	1.09	-	39.33
AV	11.41936G	40.45	54.00	-13.55	14.80	3	Vertical	36	1.09	-	25.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 78
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40448G	54.49	74.00	-19.51	14.77	3	Horizontal	307	1.19	-	39.72
AV	11.4152G	40.38	54.00	-13.62	14.79	3	Horizontal	307	1.19	-	25.59

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	67.31	74.00	-6.69	7.94	3	Vertical	265	2.49	-	59.37
AV	5.1444G	51.68	54.00	-2.32	7.94	3	Vertical	265	2.49	-	43.74
PK	5.2532G	106.92	Inf	-Inf	8.14	3	Vertical	265	2.49	-	98.78
AV	5.2388G	94.73	Inf	-Inf	8.12	3	Vertical	265	2.49	-	86.61
PK	5.3572G	69.72	74.00	-4.28	8.28	3	Vertical	265	2.49	-	61.44
AV	5.3684G	53.46	54.00	-0.54	8.30	3	Vertical	265	2.49	-	45.16
PK	5.4692G	58.99	68.20	-9.21	8.46	3	Vertical	265	2.49	-	50.53

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1348G	60.38	74.00	-13.62	7.92	3	Horizontal	321	2.77	-	52.46
AV	5.1396G	47.51	54.00	-6.49	7.93	3	Horizontal	321	2.77	-	39.58
PK	5.2308G	101.42	Inf	-Inf	8.11	3	Horizontal	321	2.77	-	93.31
AV	5.2292G	89.62	Inf	-Inf	8.11	3	Horizontal	321	2.77	-	81.51
PK	5.378G	64.56	74.00	-9.44	8.32	3	Horizontal	321	2.77	-	56.24
AV	5.362G	48.10	54.00	-5.90	8.29	3	Horizontal	321	2.77	-	39.81
PK	5.5876G	58.39	68.20	-9.81	8.57	3	Horizontal	321	2.77	-	49.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7132G	55.59	74.00	-18.41	15.62	3	Vertical	160	2.31	-	39.97
AV	15.75288G	41.92	54.00	-12.08	15.51	3	Vertical	160	2.31	-	26.41

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 61
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72424G	55.35	74.00	-18.65	15.59	3	Horizontal	68	2.07	-	39.76
AV	15.74472G	41.85	54.00	-12.15	15.54	3	Horizontal	68	2.07	-	26.31

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2724G	58.94	68.20	-9.26	8.17	3	Vertical	257	2.55	-	50.77
PK	5.4532G	67.22	74.00	-6.78	8.44	3	Vertical	257	2.55	-	58.78
AV	5.4564G	53.23	54.00	-0.77	8.44	3	Vertical	257	2.55	-	44.79
PK	5.4612G	65.15	68.20	-3.05	8.45	3	Vertical	257	2.55	-	56.70
AV	5.4948G	95.38	Inf	-Inf	8.51	3	Vertical	257	2.55	-	86.87
PK	5.5844G	105.83	Inf	-Inf	8.57	3	Vertical	257	2.55	-	97.26
PK	5.7348G	64.01	68.20	-4.19	8.81	3	Vertical	257	2.55	-	55.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 58
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2996G	58.17	68.20	-10.03	8.21	3	Horizontal	7	2.23	-	49.96
PK	5.45G	63.09	74.00	-10.91	8.44	3	Horizontal	7	2.23	-	54.65
AV	5.4404G	46.22	54.00	-7.78	8.41	3	Horizontal	7	2.23	-	37.81
PK	5.466G	60.64	68.20	-7.56	8.46	3	Horizontal	7	2.23	-	52.18
PK	5.5652G	99.26	Inf	-Inf	8.56	3	Horizontal	7	2.23	-	90.70
AV	5.5588G	87.46	Inf	-Inf	8.56	3	Horizontal	7	2.23	-	78.90
PK	5.7316G	60.47	68.20	-7.73	8.80	3	Horizontal	7	2.23	-	51.67

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5570MHz_TX




EUT Z_4TX
Setting 58
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.17568G	53.11	74.00	-20.89	14.48	3	Vertical	200	1.58	-	38.63
AV	11.10272G	39.95	54.00	-14.05	14.39	3	Vertical	200	1.58	-	25.56

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

23/10/2019

5570MHz_TX



EUT_Z_4TX
Setting 58
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15536G	52.77	74.00	-21.23	14.45	3	Horizontal	107	1.00	-	38.32
AV	11.1792G	39.97	54.00	-14.03	14.48	3	Horizontal	107	1.00	-	25.49




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.351G	53.48	54.00	-0.52	8.28	3	Vertical	347	2.40	-

802.11ax HEW20_Nss4,(MCS0)_4TX

21/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 110
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	64.39	74.00	-9.61	7.94	3	Vertical	338	2.49	-	56.45
AV	5.1496G	51.90	54.00	-2.10	7.94	3	Vertical	338	2.49	-	43.96
PK	5.2588G	124.65	Inf	-Inf	8.15	3	Vertical	338	2.49	-	116.50
AV	5.2558G	111.19	Inf	-Inf	8.15	3	Vertical	338	2.49	-	103.04
PK	5.35G	65.85	74.00	-8.15	8.28	3	Vertical	338	2.49	-	57.57
AV	5.35G	52.46	54.00	-1.54	8.28	3	Vertical	338	2.49	-	44.18

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 110
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	59.84	74.00	-14.16	7.94	3	Horizontal	77	2.90	-	51.90
AV	5.1442G	47.02	54.00	-6.98	7.94	3	Horizontal	77	2.90	-	39.08
PK	5.2588G	116.45	Inf	-Inf	8.15	3	Horizontal	77	2.90	-	108.30
AV	5.2594G	104.23	Inf	-Inf	8.15	3	Horizontal	77	2.90	-	96.08
PK	5.3506G	62.03	74.00	-11.97	8.28	3	Horizontal	77	2.90	-	53.75
AV	5.3506G	49.49	54.00	-4.51	8.28	3	Horizontal	77	2.90	-	41.21

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 110
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52132G	61.57	68.20	-6.63	14.57	3	Vertical	98	2.20	-	47.00
PK	15.7793G	66.83	74.00	-7.17	15.44	3	Vertical	30	1.94	-	51.39
AV	15.7775G	53.45	54.00	-0.55	15.45	3	Vertical	30	1.94	-	38.00

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5260MHz_TX




EUT_Z_4TX
Setting 110
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5214G	56.27	68.20	-11.93	14.57	3	Horizontal	90	2.01	-	41.70
PK	15.771G	62.88	74.00	-11.12	15.45	3	Horizontal	313	1.97	-	47.43
AV	15.7771G	50.01	54.00	-3.99	15.45	3	Horizontal	313	1.97	-	34.56

802.11ax HEW20_Nss4,(MCS0)_4TX

21/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2988G	120.32	Inf	-Inf	8.21	3	Vertical	350	2.61	-	112.11
AV	5.296G	108.13	Inf	-Inf	8.21	3	Vertical	350	2.61	-	99.92
PK	5.3544G	68.01	74.00	-5.99	8.28	3	Vertical	350	2.61	-	59.73
AV	5.35G	53.44	54.00	-0.56	8.28	3	Vertical	350	2.61	-	45.16

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3056G	113.16	Inf	-Inf	8.22	3	Horizontal	178	2.41	-	104.94
AV	5.298G	100.65	Inf	-Inf	8.21	3	Horizontal	178	2.41	-	92.44
PK	5.35G	61.55	74.00	-12.45	8.28	3	Horizontal	178	2.41	-	53.27
AV	5.3504G	48.71	54.00	-5.29	8.28	3	Horizontal	178	2.41	-	40.43

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 93
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59988G	56.91	68.20	-11.29	14.51	3	Vertical	59	2.08	-	42.40
PK	15.8978G	60.23	74.00	-13.77	15.14	3	Vertical	359	1.86	-	45.09
AV	15.89516G	46.80	54.00	-7.20	15.14	3	Vertical	359	1.86	-	31.66

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5300MHz_TX




EUT_Z_4TX
Setting 93
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59612G	54.36	68.20	-13.84	14.51	3	Horizontal	29	1.97	-	39.85
PK	15.89496G	57.32	74.00	-16.68	15.14	3	Horizontal	229	1.89	-	42.18
AV	15.89828G	43.95	54.00	-10.05	15.13	3	Horizontal	229	1.89	-	28.82

802.11ax HEW20_Nss4,(MCS0)_4TX

21/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3186G	117.62	Inf	-Inf	8.23	3	Vertical	349	2.46	-	109.39
AV	5.3158G	103.92	Inf	-Inf	8.23	3	Vertical	349	2.46	-	95.69
PK	5.3506G	69.11	74.00	-4.89	8.28	3	Vertical	349	2.46	-	60.83
AV	5.3506G	53.43	54.00	-0.57	8.28	3	Vertical	349	2.46	-	45.15

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3254G	109.58	Inf	-Inf	8.25	3	Horizontal	173	2.24	-	101.33
AV	5.3182G	96.69	Inf	-Inf	8.23	3	Horizontal	173	2.24	-	88.46
PK	5.35G	61.72	74.00	-12.28	8.28	3	Horizontal	173	2.24	-	53.44
AV	5.3504G	48.71	54.00	-5.29	8.28	3	Horizontal	173	2.24	-	40.43

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6396G	53.61	74.00	-20.39	14.49	3	Vertical	66	2.05	-	39.12
AV	10.63512G	40.85	54.00	-13.15	14.49	3	Vertical	66	2.05	-	26.36
PK	15.95068G	54.66	74.00	-19.34	14.98	3	Vertical	347	1.84	-	39.68
AV	15.96072G	41.82	54.00	-12.18	14.96	3	Vertical	347	1.84	-	26.86

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5320MHz_TX




EUT_Z_4TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63532G	53.33	74.00	-20.67	14.49	3	Horizontal	86	1.82	-	38.84
AV	10.63096G	40.71	54.00	-13.29	14.49	3	Horizontal	86	1.82	-	26.22
PK	15.95144G	54.52	74.00	-19.48	14.98	3	Horizontal	323	2.02	-	39.54
AV	15.95748G	41.85	54.00	-12.15	14.97	3	Horizontal	323	2.02	-	26.88

802.11ax HEW20_Nss4,(MCS0)_4TX

21/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	59.83	74.00	-14.17	8.44	3	Vertical	162	2.65	-	51.39
AV	5.4596G	47.91	54.00	-6.09	8.45	3	Vertical	162	2.65	-	39.46
PK	5.4684G	67.56	68.20	-0.64	8.46	3	Vertical	162	2.65	-	59.10
PK	5.5064G	116.35	Inf	-Inf	8.52	3	Vertical	162	2.65	-	107.83
AV	5.504G	103.78	Inf	-Inf	8.52	3	Vertical	162	2.65	-	95.26

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4356G	59.10	74.00	-14.90	8.41	3	Horizontal	171	2.55	-	50.69
AV	5.45G	46.73	54.00	-7.27	8.44	3	Horizontal	171	2.55	-	38.29
PK	5.468G	63.53	68.20	-4.67	8.46	3	Horizontal	171	2.55	-	55.07
PK	5.4956G	109.68	Inf	-Inf	8.51	3	Horizontal	171	2.55	-	101.17
AV	5.4984G	98.26	Inf	-Inf	8.52	3	Horizontal	171	2.55	-	89.74

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.9924G	53.95	74.00	-20.05	14.27	3	Vertical	85	1.99	-	39.68
AV	10.993G	40.97	54.00	-13.03	14.26	3	Vertical	85	1.99	-	26.71

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5500MHz_TX




EUT_Z_4TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99208G	54.16	74.00	-19.84	14.27	3	Horizontal	112	1.93	-	39.89
AV	11.00304G	40.89	54.00	-13.11	14.26	3	Horizontal	112	1.93	-	26.63

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 114
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4416G	66.89	74.00	-7.11	8.41	3	Vertical	170	2.57	-	58.48
AV	5.4592G	53.25	54.00	-0.75	8.45	3	Vertical	170	2.57	-	44.80
PK	5.4616G	67.61	68.20	-0.59	8.45	3	Vertical	170	2.57	-	59.16
PK	5.5816G	122.92	Inf	-Inf	8.57	3	Vertical	170	2.57	-	114.35
AV	5.584G	110.82	Inf	-Inf	8.57	3	Vertical	170	2.57	-	102.25
PK	5.7352G	64.83	68.20	-3.37	8.81	3	Vertical	170	2.57	-	56.02

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 114
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	61.67	74.00	-12.33	8.44	3	Horizontal	185	2.47	-	53.23
AV	5.4592G	48.96	54.00	-5.04	8.45	3	Horizontal	185	2.47	-	40.51
PK	5.4688G	63.44	68.20	-4.76	8.46	3	Horizontal	185	2.47	-	54.98
PK	5.5848G	116.64	Inf	-Inf	8.57	3	Horizontal	185	2.47	-	108.07
AV	5.5776G	105.61	Inf	-Inf	8.57	3	Horizontal	185	2.47	-	97.04
PK	5.7256G	61.11	68.20	-7.09	8.79	3	Horizontal	185	2.47	-	52.32

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 114
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16284G	61.88	74.00	-12.12	14.47	3	Vertical	101	1.98	-	47.41
AV	11.15844G	48.86	54.00	-5.14	14.46	3	Vertical	101	1.98	-	34.40
PK	16.7305G	67.56	68.20	-0.64	18.11	3	Vertical	148	1.91	-	49.45

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5580MHz_TX




EUT_Z_4TX
Setting 114
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16304G	56.16	74.00	-17.84	14.47	3	Horizontal	191	2.03	-	41.69
AV	11.15836G	43.14	54.00	-10.86	14.46	3	Horizontal	191	2.03	-	28.68
PK	16.73044G	65.73	68.20	-2.47	18.11	3	Horizontal	232	1.97	-	47.62

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 60
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.696G	114.58	Inf	-Inf	8.74	3	Vertical	91	2.64	-	105.84
AV	5.6958G	103.05	Inf	-Inf	8.74	3	Vertical	91	2.64	-	94.31
PK	5.7252G	67.65	68.20	-0.55	8.79	3	Vertical	91	2.64	-	58.86

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 60
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7056G	110.14	Inf	-Inf	8.76	3	Horizontal	178	2.34	-	101.38
AV	5.6984G	96.92	Inf	-Inf	8.75	3	Horizontal	178	2.34	-	88.17
PK	5.7282G	61.92	68.20	-6.28	8.80	3	Horizontal	178	2.34	-	53.12

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40796G	54.22	74.00	-19.78	14.79	3	Vertical	18	1.96	-	39.43
AV	11.40748G	41.15	54.00	-12.85	14.79	3	Vertical	18	1.96	-	26.36

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5700MHz_TX




EUT_Z_4TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39472G	53.71	74.00	-20.29	14.77	3	Horizontal	344	2.01	-	38.94
AV	11.40344G	41.07	54.00	-12.93	14.77	3	Horizontal	344	2.01	-	26.30

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.716G	124.32	Inf	-Inf	8.77	3	Vertical	184	2.48	-	115.55
AV	5.7176G	112.58	Inf	-Inf	8.77	3	Vertical	184	2.48	-	103.81
PK	5.8504G	67.11	68.20	-1.09	8.90	3	Vertical	184	2.48	-	58.21

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7264G	118.89	Inf	-Inf	8.79	3	Horizontal	179	2.48	-	110.10
AV	5.7184G	106.09	Inf	-Inf	8.77	3	Horizontal	179	2.48	-	97.32
PK	5.8504G	62.96	68.20	-5.24	8.90	3	Horizontal	179	2.48	-	54.06

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44144G	60.86	74.00	-13.14	14.82	3	Vertical	320	2.02	-	46.04
AV	11.44008G	47.88	54.00	-6.12	14.82	3	Vertical	320	2.02	-	33.06
PK	17.15048G	65.33	68.20	-2.87	20.20	3	Vertical	199	1.91	-	45.13

802.11ax HEW20_Nss4,(MCS0)_4TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 114
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44236G	54.21	74.00	-19.79	14.82	3	Horizontal	17	1.91	-	39.39
AV	11.4314G	41.56	54.00	-12.44	14.82	3	Horizontal	17	1.91	-	26.74
PK	17.15056G	64.66	68.20	-3.54	20.20	3	Horizontal	14	1.93	-	44.46

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	62.77	74.00	-11.23	7.94	3	Vertical	347	2.40	-	54.83
AV	5.1428G	50.44	54.00	-3.56	7.94	3	Vertical	347	2.40	-	42.50
PK	5.2664G	116.84	Inf	-Inf	8.16	3	Vertical	347	2.40	-	108.68
AV	5.2694G	105.68	Inf	-Inf	8.16	3	Vertical	347	2.40	-	97.52
PK	5.3501G	68.57	74.00	-5.43	8.28	3	Vertical	347	2.40	-	60.29
AV	5.351G	53.48	54.00	-0.52	8.28	3	Vertical	347	2.40	-	45.20

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5270MHz_TX




EUT_Z_4TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1284G	58.54	74.00	-15.46	7.91	3	Horizontal	3	2.63	-	50.63
AV	5.1446G	48.14	54.00	-5.86	7.94	3	Horizontal	3	2.63	-	40.20
PK	5.2586G	109.77	Inf	-Inf	8.15	3	Horizontal	3	2.63	-	101.62
AV	5.2676G	99.01	Inf	-Inf	8.16	3	Horizontal	3	2.63	-	90.85
PK	5.357G	60.85	74.00	-13.15	8.28	3	Horizontal	3	2.63	-	52.57
AV	5.35G	49.10	54.00	-4.90	8.28	3	Horizontal	3	2.63	-	40.82

802.11ax HEW40_Nss4,(MCS0)_4TX

06/11/2019

5270MHz_TX




EUT_Z_4TX
Setting 85
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80432G	54.77	74.00	-19.23	15.38	3	Vertical	118	2.15	-	39.39
AV	15.8048G	43.84	54.00	-10.16	15.38	3	Vertical	118	2.15	-	28.46

802.11ax HEW40_Nss4,(MCS0)_4TX

06/11/2019

5270MHz_TX




EUT_Z_4TX
Setting 85
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80696G	55.53	74.00	-18.47	15.37	3	Horizontal	305	1.95	-	40.16
AV	15.80268G	43.91	54.00	-10.09	15.37	3	Horizontal	305	1.95	-	28.54

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5310MHz_TX




EUT_Z_4TX
Setting 63
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3064G	110.08	Inf	-Inf	8.22	3	Vertical	351	2.48	-	101.86
AV	5.2948G	99.68	Inf	-Inf	8.20	3	Vertical	351	2.48	-	91.48
PK	5.3504G	71.71	74.00	-2.29	8.28	3	Vertical	351	2.48	-	63.43
AV	5.3532G	53.46	54.00	-0.54	8.28	3	Vertical	351	2.48	-	45.18

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5310MHz_TX




EUT_Z_4TX
Setting 63
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3156G	103.45	Inf	-Inf	8.23	3	Horizontal	5	2.62	-	95.22
AV	5.318G	92.67	Inf	-Inf	8.23	3	Horizontal	5	2.62	-	84.44
PK	5.356G	66.04	74.00	-7.96	8.28	3	Horizontal	5	2.62	-	57.76
AV	5.35G	49.25	54.00	-4.75	8.28	3	Horizontal	5	2.62	-	40.97

802.11ax HEW40_Nss4,(MCS0)_4TX

06/11/2019

5310MHz_TX




EUT_Z_4TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.92276G	54.12	74.00	-19.88	15.05	3	Vertical	18	2.06	-	39.07
AV	15.93064G	43.13	54.00	-10.87	15.04	3	Vertical	18	2.06	-	28.09

802.11ax HEW40_Nss4,(MCS0)_4TX

06/11/2019

5310MHz_TX




EUT_Z_4TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.92584G	54.25	74.00	-19.75	15.06	3	Horizontal	53	1.88	-	39.19
AV	15.93036G	43.35	54.00	-10.65	15.04	3	Horizontal	53	1.88	-	28.31

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 59
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	65.17	74.00	-8.83	8.44	3	Vertical	170	2.56	-	56.73
AV	5.4584G	48.91	54.00	-5.09	8.45	3	Vertical	170	2.56	-	40.46
PK	5.464G	67.60	68.20	-0.60	8.45	3	Vertical	170	2.56	-	59.15
PK	5.5168G	109.99	Inf	-Inf	8.53	3	Vertical	170	2.56	-	101.46
AV	5.4988G	98.22	Inf	-Inf	8.52	3	Vertical	170	2.56	-	89.70

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 59
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	60.58	74.00	-13.42	8.44	3	Horizontal	183	2.40	-	52.14
AV	5.4472G	47.82	54.00	-6.18	8.42	3	Horizontal	183	2.40	-	39.40
PK	5.47G	63.90	68.20	-4.30	8.46	3	Horizontal	183	2.40	-	55.44
PK	5.5144G	103.06	Inf	-Inf	8.53	3	Horizontal	183	2.40	-	94.53
AV	5.5128G	93.02	Inf	-Inf	8.53	3	Horizontal	183	2.40	-	84.49

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 59
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01376G	53.30	74.00	-20.70	14.28	3	Vertical	313	1.95	-	39.02
AV	11.01852G	43.02	54.00	-10.98	14.28	3	Vertical	313	1.95	-	28.74

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5510MHz_TX




EUT_Z_4TX
Setting 59
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01644G	54.00	74.00	-20.00	14.28	3	Horizontal	350	2.05	-	39.72
AV	11.01356G	42.79	54.00	-11.21	14.28	3	Horizontal	350	2.05	-	28.51

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	68.50	74.00	-5.50	8.45	3	Vertical	172	2.49	-	60.05
AV	5.458G	53.48	54.00	-0.52	8.45	3	Vertical	172	2.49	-	45.03
PK	5.4644G	67.07	68.20	-1.13	8.45	3	Vertical	172	2.49	-	58.62
PK	5.5572G	116.09	Inf	-Inf	8.55	3	Vertical	172	2.49	-	107.54
AV	5.5524G	105.19	Inf	-Inf	8.55	3	Vertical	172	2.49	-	96.64
PK	5.7324G	60.12	68.20	-8.08	8.80	3	Vertical	172	2.49	-	51.32

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	62.40	74.00	-11.60	8.44	3	Horizontal	184	2.52	-	53.96
AV	5.458G	48.77	54.00	-5.23	8.45	3	Horizontal	184	2.52	-	40.32
PK	5.4676G	65.73	68.20	-2.47	8.46	3	Horizontal	184	2.52	-	57.27
PK	5.5388G	109.79	Inf	-Inf	8.54	3	Horizontal	184	2.52	-	101.25
AV	5.5532G	99.94	Inf	-Inf	8.55	3	Horizontal	184	2.52	-	91.39
PK	5.7348G	58.90	68.20	-9.30	8.81	3	Horizontal	184	2.52	-	50.09

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 85
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10164G	53.44	74.00	-20.56	14.39	3	Vertical	31	2.09	-	39.05
AV	11.09264G	42.06	54.00	-11.94	14.38	3	Vertical	31	2.09	-	27.68

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5550MHz_TX




EUT_Z_4TX
Setting 85
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10876G	53.03	74.00	-20.97	14.41	3	Horizontal	321	1.93	-	38.62
AV	11.09276G	42.26	54.00	-11.74	14.38	3	Horizontal	321	1.93	-	27.88

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.664G	112.89	Inf	-Inf	8.69	3	Vertical	184	2.52	-	104.20
AV	5.6672G	102.51	Inf	-Inf	8.69	3	Vertical	184	2.52	-	93.82
PK	5.7276G	67.67	68.20	-0.53	8.80	3	Vertical	184	2.52	-	58.87

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6752G	107.52	Inf	-Inf	8.72	3	Horizontal	180	2.44	-	98.80
AV	5.6728G	96.54	Inf	-Inf	8.70	3	Horizontal	180	2.44	-	87.84
PK	5.736G	61.27	68.20	-6.93	8.81	3	Horizontal	180	2.44	-	52.46

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3422G	53.09	74.00	-20.91	14.70	3	Vertical	331	1.97	-	38.39
AV	11.33464G	42.07	54.00	-11.93	14.70	3	Vertical	331	1.97	-	27.37

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5670MHz_TX




EUT_Z_4TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3377G	53.29	74.00	-20.71	14.70	3	Horizontal	349	2.10	-	38.59
AV	11.34224G	42.18	54.00	-11.82	14.70	3	Horizontal	349	2.10	-	27.48

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6988G	118.62	Inf	-Inf	8.75	3	Vertical	186	2.50	-	109.87
AV	5.7124G	108.35	Inf	-Inf	8.78	3	Vertical	186	2.50	-	99.57
PK	5.8524G	67.52	68.20	-0.68	8.90	3	Vertical	186	2.50	-	58.62

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7156G	112.77	Inf	-Inf	8.77	3	Horizontal	179	2.49	-	104.00
AV	5.7124G	101.93	Inf	-Inf	8.78	3	Horizontal	179	2.49	-	93.15
PK	5.854G	59.44	68.20	-8.76	8.90	3	Horizontal	179	2.49	-	50.54

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41826G	57.01	74.00	-16.99	14.79	3	Vertical	233	2.01	-	42.22
AV	11.42336G	43.11	54.00	-10.89	14.80	3	Vertical	233	2.01	-	28.31

802.11ax HEW40_Nss4,(MCS0)_4TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41502G	54.39	74.00	-19.61	14.79	3	Horizontal	17	1.98	-	39.60
AV	11.4221G	43.61	54.00	-10.39	14.80	3	Horizontal	17	1.98	-	28.81

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 63
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.106G	59.52	74.00	-14.48	7.86	3	Vertical	174	2.47	-	51.66
AV	5.134G	48.47	54.00	-5.53	7.92	3	Vertical	174	2.47	-	40.55
PK	5.277G	108.04	Inf	-Inf	8.17	3	Vertical	174	2.47	-	99.87
AV	5.286G	96.46	Inf	-Inf	8.19	3	Vertical	174	2.47	-	88.27
PK	5.359G	64.25	74.00	-9.75	8.28	3	Vertical	174	2.47	-	55.97
AV	5.353G	53.39	54.00	-0.61	8.28	3	Vertical	174	2.47	-	45.11

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 63
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.074G	59.10	74.00	-14.90	7.77	3	Horizontal	332	2.58	-	51.33
AV	5.051G	47.70	54.00	-6.30	7.72	3	Horizontal	332	2.58	-	39.98
PK	5.284G	102.56	Inf	-Inf	8.19	3	Horizontal	332	2.58	-	94.37
AV	5.275G	91.15	Inf	-Inf	8.17	3	Horizontal	332	2.58	-	82.98
PK	5.352G	61.25	74.00	-12.75	8.28	3	Horizontal	332	2.58	-	52.97
AV	5.35G	49.93	54.00	-4.07	8.28	3	Horizontal	332	2.58	-	41.65

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8748G	54.76	74.00	-19.24	15.19	3	Vertical	337	2.07	-	39.57
AV	15.86646G	43.32	54.00	-10.68	15.22	3	Vertical	337	2.07	-	28.10

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5290MHz_TX




EUT_Z_4TX
Setting 63
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8707G	54.62	74.00	-19.38	15.20	3	Horizontal	308	1.94	-	39.42
AV	15.87312G	43.27	54.00	-10.73	15.20	3	Horizontal	308	1.94	-	28.07

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	68.02	74.00	-5.98	8.45	3	Vertical	84	2.67	-	59.57
AV	5.455G	52.85	54.00	-1.15	8.44	3	Vertical	84	2.67	-	44.41
PK	5.4699G	67.64	68.20	-0.56	8.46	3	Vertical	84	2.67	-	59.18
PK	5.519G	110.73	Inf	-Inf	8.53	3	Vertical	84	2.67	-	102.20
AV	5.519G	97.89	Inf	-Inf	8.53	3	Vertical	84	2.67	-	89.36
PK	5.769G	59.10	68.20	-9.10	8.85	3	Vertical	84	2.67	-	50.25

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	60.43	74.00	-13.57	8.42	3	Horizontal	182	2.53	-	52.01
AV	5.446G	48.62	54.00	-5.38	8.42	3	Horizontal	182	2.53	-	40.20
PK	5.467G	64.25	68.20	-3.95	8.46	3	Horizontal	182	2.53	-	55.79
PK	5.555G	101.38	Inf	-Inf	8.55	3	Horizontal	182	2.53	-	92.83
AV	5.547G	91.42	Inf	-Inf	8.55	3	Horizontal	182	2.53	-	82.87
PK	5.772G	59.05	68.20	-9.15	8.85	3	Horizontal	182	2.53	-	50.20

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06048G	53.86	74.00	-20.14	14.34	3	Vertical	34	2.14	-	39.52
AV	11.06346G	42.43	54.00	-11.57	14.34	3	Vertical	34	2.14	-	28.09

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5530MHz_TX




EUT_Z_4TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0599G	53.40	74.00	-20.60	14.34	3	Horizontal	63	1.96	-	39.06
AV	11.06162G	42.38	54.00	-11.62	14.34	3	Horizontal	63	1.96	-	28.04

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 77
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	62.73	74.00	-11.27	8.44	3	Vertical	189	2.54	-	54.29
AV	5.457G	51.23	54.00	-2.77	8.44	3	Vertical	189	2.54	-	42.79
PK	5.468G	62.35	68.20	-5.85	8.46	3	Vertical	189	2.54	-	53.89
PK	5.625G	110.82	Inf	-Inf	8.63	3	Vertical	189	2.54	-	102.19
AV	5.622G	101.30	Inf	-Inf	8.61	3	Vertical	189	2.54	-	92.69
PK	5.726G	67.64	68.20	-0.56	8.79	3	Vertical	189	2.54	-	58.85

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 77
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.441G	59.80	74.00	-14.20	8.41	3	Horizontal	169	2.70	-	51.39
AV	5.459G	48.34	54.00	-5.66	8.45	3	Horizontal	169	2.70	-	39.89
PK	5.461G	59.30	68.20	-8.90	8.45	3	Horizontal	169	2.70	-	50.85
PK	5.635G	105.04	Inf	-Inf	8.64	3	Horizontal	169	2.70	-	96.40
AV	5.602G	94.81	Inf	-Inf	8.58	3	Horizontal	169	2.70	-	86.23
PK	5.728G	61.48	68.20	-6.72	8.80	3	Horizontal	169	2.70	-	52.68

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22454G	53.16	74.00	-20.84	14.55	3	Vertical	17	2.09	-	38.61
AV	11.2241G	42.36	54.00	-11.64	14.55	3	Vertical	17	2.09	-	27.81

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5610MHz_TX




EUT_Z_4TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2211G	53.70	74.00	-20.30	14.55	3	Horizontal	43	1.91	-	39.15
AV	11.22052G	42.03	54.00	-11.97	14.55	3	Horizontal	43	1.91	-	27.48

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.451G	59.17	74.00	-14.83	8.44	3	Vertical	191	2.52	-	50.73
AV	5.443G	48.92	54.00	-5.08	8.42	3	Vertical	191	2.52	-	40.50
PK	5.469G	61.63	68.20	-6.57	8.46	3	Vertical	191	2.52	-	53.17
PK	5.686G	114.51	Inf	-Inf	8.72	3	Vertical	191	2.52	-	105.79
AV	5.682G	103.80	Inf	-Inf	8.72	3	Vertical	191	2.52	-	95.08
PK	5.854G	67.64	68.20	-0.56	8.90	3	Vertical	191	2.52	-	58.74

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.445G	58.53	74.00	-15.47	8.41	3	Horizontal	184	2.47	-	50.12
AV	5.45G	47.81	54.00	-6.19	8.44	3	Horizontal	184	2.47	-	39.37
PK	5.467G	58.08	68.20	-10.12	8.46	3	Horizontal	184	2.47	-	49.62
PK	5.696G	108.50	Inf	-Inf	8.74	3	Horizontal	184	2.47	-	99.76
AV	5.678G	98.06	Inf	-Inf	8.72	3	Horizontal	184	2.47	-	89.34
PK	5.857G	61.55	68.20	-6.65	8.90	3	Horizontal	184	2.47	-	52.65

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38484G	53.63	74.00	-20.37	14.75	3	Vertical	25	2.00	-	38.88
AV	11.38156G	42.82	54.00	-11.18	14.75	3	Vertical	25	2.00	-	28.07

802.11ax HEW80_Nss4,(MCS0)_4TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 84
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.384G	54.20	74.00	-19.80	14.75	3	Horizontal	49	1.95	-	39.45
AV	11.38274G	42.78	54.00	-11.22	14.75	3	Horizontal	49	1.95	-	28.03

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 54
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1212G	63.22	74.00	-10.78	7.88	3	Vertical	77	2.62	-	55.34
AV	5.1212G	52.70	54.00	-1.30	7.88	3	Vertical	77	2.62	-	44.82
PK	5.222G	101.76	Inf	-Inf	8.10	3	Vertical	77	2.62	-	93.66
AV	5.2416G	92.74	Inf	-Inf	8.12	3	Vertical	77	2.62	-	84.62
PK	5.362G	65.97	74.00	-8.03	8.29	3	Vertical	77	2.62	-	57.68
AV	5.383G	53.47	54.00	-0.53	8.32	3	Vertical	77	2.62	-	45.15

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 54
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1366G	59.71	74.00	-14.29	7.92	3	Horizontal	360	2.79	-	51.79
AV	5.1338G	48.88	54.00	-5.12	7.92	3	Horizontal	360	2.79	-	40.96
PK	5.2458G	96.39	Inf	-Inf	8.12	3	Horizontal	360	2.79	-	88.27
AV	5.257G	85.45	Inf	-Inf	8.15	3	Horizontal	360	2.79	-	77.30
PK	5.425G	58.96	74.00	-15.04	8.38	3	Horizontal	360	2.79	-	50.58
AV	5.3872G	49.26	54.00	-4.74	8.33	3	Horizontal	360	2.79	-	40.93

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 54
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7468G	55.77	74.00	-18.23	15.53	3	Vertical	335	1.93	-	40.24
AV	15.74518G	44.48	54.00	-9.52	15.54	3	Vertical	335	1.93	-	28.94

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5250MHz_TX




EUT_Z_4TX
Setting 54
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74786G	55.19	74.00	-18.81	15.53	3	Horizontal	315	2.09	-	39.66
AV	15.7474G	44.15	54.00	-9.85	15.53	3	Horizontal	315	2.09	-	28.62

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	64.11	74.00	-9.89	8.45	3	Vertical	162	2.97	-	55.66
AV	5.4454G	49.59	54.00	-4.41	8.42	3	Vertical	162	2.97	-	41.17
PK	5.465G	67.52	68.20	-0.68	8.45	3	Vertical	162	2.97	-	59.07
PK	5.5868G	102.12	Inf	-Inf	8.57	3	Vertical	162	2.97	-	93.55
AV	5.5784G	91.80	Inf	-Inf	8.57	3	Vertical	162	2.97	-	83.23
PK	5.7254G	66.89	68.20	-1.31	8.79	3	Vertical	162	2.97	-	58.10

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 62
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	65.41	74.00	-8.59	8.44	3	Horizontal	179	2.31	-	56.97
AV	5.4524G	49.39	54.00	-4.61	8.44	3	Horizontal	179	2.31	-	40.95
PK	5.4622G	60.78	68.20	-7.42	8.45	3	Horizontal	179	2.31	-	52.33
PK	5.5868G	99.17	Inf	-Inf	8.57	3	Horizontal	179	2.31	-	90.60
AV	5.577G	87.63	Inf	-Inf	8.57	3	Horizontal	179	2.31	-	79.06
PK	5.7268G	64.75	68.20	-3.45	8.79	3	Horizontal	179	2.31	-	55.96

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5570MHz_TX




EUT_Z_4TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1445G	52.65	74.00	-21.35	14.45	3	Vertical	74	2.18	-	38.20
AV	11.13804G	42.10	54.00	-11.90	14.43	3	Vertical	74	2.18	-	27.67

802.11ax HEW160_Nss4,(MCS0)_4TX

22/10/2019

5570MHz_TX



EUT_Z_4TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14028G	52.46	74.00	-21.54	14.43	3	Horizontal	44	1.98	-	38.03
AV	11.1438G	42.15	54.00	-11.85	14.45	3	Horizontal	44	1.98	-	27.70




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	17.35626G	67.68	68.20	-0.52	21.43	3	Horizontal	115	2.18	-

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5180MHz_TX




EUT Y_1TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1474G	71.62	74.00	-2.38	7.94	3	Vertical	207	2.30	-	63.68
AV	5.1498G	53.42	54.00	-0.58	7.94	3	Vertical	207	2.30	-	45.48
PK	5.1734G	112.44	Inf	-Inf	8.00	3	Vertical	207	2.30	-	104.44
AV	5.1752G	102.38	Inf	-Inf	8.01	3	Vertical	207	2.30	-	94.37

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5180MHz_TX




EUT Y_1TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1474G	69.25	74.00	-4.75	7.94	3	Horizontal	239	1.24	-	61.31
AV	5.1498G	51.14	54.00	-2.86	7.94	3	Horizontal	239	1.24	-	43.20
PK	5.1826G	111.17	Inf	-Inf	8.02	3	Horizontal	239	1.24	-	103.15
AV	5.1816G	101.01	Inf	-Inf	8.02	3	Horizontal	239	1.24	-	92.99

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5180MHz_TX




EUT Y_1TX
Setting 90
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5373G	60.14	74.00	-13.86	16.08	3	Vertical	345	1.89	-	44.06
AV	15.53702G	46.55	54.00	-7.45	16.08	3	Vertical	345	1.89	-	30.47

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5180MHz_TX




EUT Y_1TX
 Setting 90
 02-B-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54242G	59.20	74.00	-14.80	16.07	3	Horizontal	286	1.55	-	43.13
AV	15.54078G	46.12	54.00	-7.88	16.07	3	Horizontal	286	1.55	-	30.05

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5200MHz_TX




EUT Y_1TX
Setting 102
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	69.85	74.00	-4.15	7.94	3	Vertical	198	2.39	-	61.91
AV	5.15G	53.41	54.00	-0.59	7.94	3	Vertical	198	2.39	-	45.47
PK	5.1952G	115.89	Inf	-Inf	8.05	3	Vertical	198	2.39	-	107.84
AV	5.1976G	105.74	Inf	-Inf	8.06	3	Vertical	198	2.39	-	97.68

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5200MHz_TX




EUT Y_1TX
Setting 102
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	68.00	74.00	-6.00	7.94	3	Horizontal	245	1.13	-	60.06
AV	5.15G	51.89	54.00	-2.11	7.94	3	Horizontal	245	1.13	-	43.95
PK	5.1952G	113.69	Inf	-Inf	8.05	3	Horizontal	245	1.13	-	105.64
AV	5.2024G	103.76	Inf	-Inf	8.06	3	Horizontal	245	1.13	-	95.70

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5200MHz_TX




EUT Y_1TX
Setting 102
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60354G	60.17	74.00	-13.83	15.90	3	Vertical	136	1.83	-	44.27
AV	15.60192G	46.82	54.00	-7.18	15.90	3	Vertical	136	1.83	-	30.92

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5200MHz_TX




EUT Y_1TX
 Setting 102
 02-B-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60804G	60.88	74.00	-13.12	15.89	3	Horizontal	42	1.89	-	44.99
AV	15.608322G	47.45	54.00	-6.55	15.89	3	Horizontal	42	1.89	-	31.56

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5240MHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	69.06	74.00	-4.94	7.94	3	Vertical	206	2.26	-	61.12
AV	5.1482G	51.51	54.00	-2.49	7.94	3	Vertical	206	2.26	-	43.57
PK	5.2436G	118.17	Inf	-Inf	8.12	3	Vertical	206	2.26	-	110.05
AV	5.2424G	106.98	Inf	-Inf	8.12	3	Vertical	206	2.26	-	98.86
PK	5.357G	65.92	74.00	-8.08	8.28	3	Vertical	206	2.26	-	57.64
AV	5.35G	48.87	54.00	-5.13	8.28	3	Vertical	206	2.26	-	40.59

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5240MHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	66.15	74.00	-7.85	7.94	3	Horizontal	246	1.39	-	58.21
AV	5.1458G	49.89	54.00	-4.11	7.94	3	Horizontal	246	1.39	-	41.95
PK	5.2436G	116.22	Inf	-Inf	8.12	3	Horizontal	246	1.39	-	108.10
AV	5.2424G	105.17	Inf	-Inf	8.12	3	Horizontal	246	1.39	-	97.05
PK	5.3516G	64.75	74.00	-9.25	8.28	3	Horizontal	246	1.39	-	56.47
AV	5.3504G	47.90	54.00	-6.10	8.28	3	Horizontal	246	1.39	-	39.62

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5240MHz_TX




EUT Y_1TX
Setting 120
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47832G	58.60	68.20	-9.60	14.59	3	Vertical	205	2.21	-	44.01
PK	15.72018G	59.50	74.00	-14.50	15.60	3	Vertical	66	2.80	-	43.90
AV	15.72096G	45.82	54.00	-8.18	15.60	3	Vertical	66	2.80	-	30.22

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5240MHz_TX




EUT Y_1TX
Setting 120
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48108G	57.04	68.20	-11.16	14.58	3	Horizontal	129	1.50	-	42.46
PK	15.71994G	58.97	74.00	-15.03	15.60	3	Horizontal	127	2.00	-	43.37
AV	15.71992G	45.93	54.00	-8.07	15.60	3	Horizontal	127	2.00	-	30.33

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5745MHz_TX




EUT Y_1TX
Setting 92
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.556G	60.89	68.20	-7.31	8.55	3	Vertical	152	2.56	-	52.34
PK	5.748G	111.11	Inf	-Inf	8.82	3	Vertical	152	2.56	-	102.29
AV	5.749G	101.35	Inf	-Inf	8.82	3	Vertical	152	2.56	-	92.53
PK	5.936G	60.83	68.20	-7.37	8.93	3	Vertical	152	2.56	-	51.90

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5745MHz_TX



EUT_V_1TX
Setting 92
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.556G	60.89	68.20	-7.31	8.55	3	Horizontal	222	2.68	-	52.34
PK	5.746G	112.45	Inf	-Inf	8.82	3	Horizontal	222	2.68	-	103.63
AV	5.748G	102.54	Inf	-Inf	8.82	3	Horizontal	222	2.68	-	93.72
PK	5.981G	60.61	68.20	-7.59	8.94	3	Horizontal	222	2.68	-	51.67