


802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5745MHz_TX




EUT Y_1TX
Setting 92
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.47962G	54.33	74.00	-19.67	14.87	3	Vertical	165	1.39	-	39.46
AV	11.49144G	41.50	54.00	-12.50	14.89	3	Vertical	165	1.39	-	26.61
PK	17.22216G	67.08	68.20	-1.12	20.64	3	Vertical	9	2.52	-	46.44

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5745MHz_TX




EUT Y_1TX
Setting 92
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49348G	54.71	74.00	-19.29	14.89	3	Horizontal	28	1.35	-	39.82
AV	11.49144G	41.20	54.00	-12.80	14.89	3	Horizontal	28	1.35	-	26.31
PK	17.23644G	67.61	68.20	-0.59	20.72	3	Horizontal	124	1.17	-	46.89

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5785MHz_TX




EUT Y_1TX
Setting 88
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	61.50	68.20	-6.70	8.66	3	Vertical	177	2.52	-	52.84
PK	5.787G	109.89	Inf	-Inf	8.88	3	Vertical	177	2.52	-	101.01
AV	5.789G	100.20	Inf	-Inf	8.88	3	Vertical	177	2.52	-	91.32
PK	5.988G	60.23	68.20	-7.97	8.93	3	Vertical	177	2.52	-	51.30

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5785MHz_TX




EUT_Y_1TX
Setting 88
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.553G	60.86	68.20	-7.34	8.55	3	Horizontal	233	2.33	-	52.31
PK	5.787G	113.36	Inf	-Inf	8.88	3	Horizontal	233	2.33	-	104.48
AV	5.789G	103.59	Inf	-Inf	8.88	3	Horizontal	233	2.33	-	94.71
PK	5.962G	61.52	68.20	-6.68	8.93	3	Horizontal	233	2.33	-	52.59

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5785MHz_TX




EUT_Y_1TX
Setting 88
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57518G	54.84	74.00	-19.16	15.00	3	Vertical	173	2.28	-	39.84
AV	11.57662G	41.14	54.00	-12.86	15.01	3	Vertical	173	2.28	-	26.13
PK	17.34756G	64.78	68.20	-3.42	21.38	3	Vertical	135	2.83	-	43.40

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5785MHz_TX




EUT Y_1TX
Setting 88
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57504G	54.62	74.00	-19.38	15.00	3	Horizontal	247	1.44	-	39.62
AV	11.57346G	41.11	54.00	-12.89	15.00	3	Horizontal	247	1.44	-	26.11
PK	17.35626G	67.68	68.20	-0.52	21.43	3	Horizontal	115	2.18	-	46.25

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5825MHz_TX




EUT Y_1TX
Setting 93
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.621G	61.36	68.20	-6.84	8.61	3	Vertical	200	2.53	-	52.75
PK	5.827G	114.44	Inf	-Inf	8.91	3	Vertical	200	2.53	-	105.53
AV	5.828G	104.32	Inf	-Inf	8.91	3	Vertical	200	2.53	-	95.41
PK	5.945G	60.93	68.20	-7.27	8.94	3	Vertical	200	2.53	-	51.99

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5825MHz_TX




EUT_V_1TX
Setting 93
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.635G	61.11	68.20	-7.09	8.64	3	Horizontal	209	2.32	-	52.47
PK	5.83G	113.91	Inf	-Inf	8.91	3	Horizontal	209	2.32	-	105.00
AV	5.829G	104.40	Inf	-Inf	8.91	3	Horizontal	209	2.32	-	95.49
PK	5.93G	62.17	68.20	-6.03	8.93	3	Horizontal	209	2.32	-	53.24

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5825MHz_TX




EUT Y_1TX
Setting 93
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65452G	54.64	74.00	-19.36	15.10	3	Vertical	184	1.93	-	39.54
AV	11.65198G	41.25	54.00	-12.75	15.10	3	Vertical	184	1.93	-	26.15
PK	17.48028G	64.75	68.20	-3.45	22.17	3	Vertical	8	2.01	-	42.58

802.11a_Nss1,(6Mbps)_1TX

02/10/2019

5825MHz_TX




EUT Y_1TX
Setting 93
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6521G	55.60	74.00	-18.40	15.10	3	Horizontal	350	1.96	-	40.50
AV	11.65162G	42.67	54.00	-11.33	15.10	3	Horizontal	350	1.96	-	27.57
PK	17.46828G	67.57	68.20	-0.63	22.09	3	Horizontal	120	2.16	-	45.48

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5180MHz_TX




EUT Y_1TX
Setting 86
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	69.14	74.00	-4.86	7.94	3	Vertical	159	2.89	-	61.20
AV	5.1498G	51.52	54.00	-2.48	7.94	3	Vertical	159	2.89	-	43.58
PK	5.177G	112.73	Inf	-Inf	8.01	3	Vertical	159	2.89	-	104.72
AV	5.1808G	98.57	Inf	-Inf	8.02	3	Vertical	159	2.89	-	90.55

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5180MHz_TX




EUT Y_1TX
Setting 86
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	71.37	74.00	-2.63	7.94	3	Horizontal	230	2.49	-	63.43
AV	5.1498G	53.30	54.00	-0.70	7.94	3	Horizontal	230	2.49	-	45.36
PK	5.177G	114.35	Inf	-Inf	8.01	3	Horizontal	230	2.49	-	106.34
AV	5.1782G	100.02	Inf	-Inf	8.02	3	Horizontal	230	2.49	-	92.00

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5180MHz_TX




EUT Y_1TX
Setting 86
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5418G	60.14	74.00	-13.86	16.07	3	Vertical	334	1.69	-	44.07
AV	15.54178G	45.70	54.00	-8.30	16.07	3	Vertical	334	1.69	-	29.63

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5180MHz_TX




EUT Y_1TX
Setting 86
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.540683G	59.81	74.00	-14.19	16.07	3	Horizontal	192	1.97	-	43.74
AV	15.540614G	45.74	54.00	-8.26	16.07	3	Horizontal	192	1.97	-	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5200MHz_TX




EUT Y_1TX
Setting 100
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	68.02	74.00	-5.98	7.94	3	Vertical	223	2.37	-	60.08
AV	5.15G	52.26	54.00	-1.74	7.94	3	Vertical	223	2.37	-	44.32
PK	5.1968G	117.48	Inf	-Inf	8.06	3	Vertical	223	2.37	-	109.42
AV	5.2032G	103.33	Inf	-Inf	8.06	3	Vertical	223	2.37	-	95.27

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5200MHz_TX




EUT Y_1TX
Setting 100
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	69.91	74.00	-4.09	7.94	3	Horizontal	231	2.48	-	61.97
AV	5.15G	53.38	54.00	-0.62	7.94	3	Horizontal	231	2.48	-	45.44
PK	5.1968G	116.87	Inf	-Inf	8.06	3	Horizontal	231	2.48	-	108.81
AV	5.1928G	103.59	Inf	-Inf	8.04	3	Horizontal	231	2.48	-	95.55

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5200MHz_TX




EUT Y_1TX
Setting 100
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5971G	59.68	74.00	-14.32	15.92	3	Vertical	212	1.80	-	43.76
AV	15.5991G	45.73	54.00	-8.27	15.91	3	Vertical	212	1.80	-	29.82

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5200MHz_TX




EUT Y_1TX
Setting 100
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6048G	60.22	74.00	-13.78	15.90	3	Horizontal	39	1.55	-	44.32
AV	15.60322G	45.79	54.00	-8.21	15.90	3	Horizontal	39	1.55	-	29.89

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5240MHz_TX




EUT Y_1TX
Setting 105
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	66.05	74.00	-7.95	7.94	3	Vertical	227	2.25	-	58.11
AV	5.1488G	50.04	54.00	-3.96	7.94	3	Vertical	227	2.25	-	42.10
PK	5.237G	118.98	Inf	-Inf	8.11	3	Vertical	227	2.25	-	110.87
AV	5.2424G	105.05	Inf	-Inf	8.12	3	Vertical	227	2.25	-	96.93
PK	5.3576G	67.67	74.00	-6.33	8.28	3	Vertical	227	2.25	-	59.39
AV	5.35G	49.30	54.00	-4.70	8.28	3	Vertical	227	2.25	-	41.02

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5240MHz_TX




EUT Y_1TX
Setting 105
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	65.27	74.00	-8.73	7.94	3	Horizontal	247	2.86	-	57.33
AV	5.1458G	49.19	54.00	-4.81	7.94	3	Horizontal	247	2.86	-	41.25
PK	5.237G	119.24	Inf	-Inf	8.11	3	Horizontal	247	2.86	-	111.13
AV	5.2382G	105.59	Inf	-Inf	8.12	3	Horizontal	247	2.86	-	97.47
PK	5.3546G	63.59	74.00	-10.41	8.28	3	Horizontal	247	2.86	-	55.31
AV	5.35G	48.71	54.00	-5.29	8.28	3	Horizontal	247	2.86	-	40.43

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5240MHz_TX




EUT Y_1TX
Setting 105
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72016G	58.84	74.00	-15.16	15.60	3	Vertical	359	2.30	-	43.24
AV	15.72042G	44.29	54.00	-9.71	15.60	3	Vertical	359	2.30	-	28.69

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5240MHz_TX




EUT Y_1TX
Setting 105
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72572G	58.24	74.00	-15.76	15.59	3	Horizontal	42	1.81	-	42.65
AV	15.72536G	44.47	54.00	-9.53	15.59	3	Horizontal	42	1.81	-	28.88

802.11ax HEW20_Nss1,(MCS0)_1TX

03/10/2019

5745MHz_TX




EUT Y_1TX
Setting 92
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.566G	61.19	68.20	-7.01	8.56	3	Vertical	181	2.66	-	52.63
PK	5.742G	111.48	Inf	-Inf	8.81	3	Vertical	181	2.66	-	102.67
AV	5.748G	97.95	Inf	-Inf	8.82	3	Vertical	181	2.66	-	89.13
PK	5.94G	60.10	68.20	-8.10	8.93	3	Vertical	181	2.66	-	51.17

802.11ax HEW20_Nss1,(MCS0)_1TX

03/10/2019

5745MHz_TX




EUT Y_1TX
Setting 92
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	61.71	68.20	-6.49	8.66	3	Horizontal	234	2.34	-	53.05
PK	5.742G	115.73	Inf	-Inf	8.81	3	Horizontal	234	2.34	-	106.92
AV	5.743G	101.55	Inf	-Inf	8.82	3	Horizontal	234	2.34	-	92.73
PK	5.929G	61.80	68.20	-6.40	8.93	3	Horizontal	234	2.34	-	52.87

802.11ax HEW20_Nss1,(MCS0)_1TX

03/10/2019

5745MHz_TX




EUT Y_1TX
Setting 92
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48804G	55.03	74.00	-18.97	14.89	3	Vertical	101	1.89	-	40.14
AV	11.48836G	40.53	54.00	-13.47	14.89	3	Vertical	101	1.89	-	25.64
PK	17.22936G	65.20	68.20	-3.00	20.68	3	Vertical	349	2.32	-	44.52

802.11ax HEW20_Nss1,(MCS0)_1TX

03/10/2019

5745MHz_TX




EUT Y_1TX
Setting 92
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49026G	54.96	74.00	-19.04	14.89	3	Horizontal	10	1.95	-	40.07
AV	11.49088G	40.64	54.00	-13.36	14.89	3	Horizontal	10	1.95	-	25.75
PK	17.23956G	67.48	68.20	-0.72	20.74	3	Horizontal	115	2.20	-	46.74

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5785MHz_TX




EUT Y_1TX
Setting 89
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.588G	61.05	68.20	-7.15	8.57	3	Vertical	172	1.00	-	52.48
PK	5.782G	112.70	Inf	-Inf	8.88	3	Vertical	172	1.00	-	103.82
AV	5.783G	98.54	Inf	-Inf	8.88	3	Vertical	172	1.00	-	89.66
PK	5.936G	60.34	68.20	-7.86	8.93	3	Vertical	172	1.00	-	51.41

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5785MHz_TX




EUT Y_1TX
Setting 89
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.607G	60.15	68.20	-8.05	8.59	3	Horizontal	229	2.31	-	51.56
PK	5.782G	115.60	Inf	-Inf	8.88	3	Horizontal	229	2.31	-	106.72
AV	5.788G	102.38	Inf	-Inf	8.87	3	Horizontal	229	2.31	-	93.51
PK	5.93G	61.27	68.20	-6.93	8.93	3	Horizontal	229	2.31	-	52.34

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5785MHz_TX




EUT Y_1TX
Setting 89
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56842G	55.24	74.00	-18.76	14.99	3	Vertical	56	2.09	-	40.25
AV	11.56872G	40.37	54.00	-13.63	14.99	3	Vertical	56	2.09	-	25.38
PK	17.34582G	65.13	68.20	-3.07	21.36	3	Vertical	161	2.07	-	43.77

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5785MHz_TX




EUT Y_1TX
Setting 89
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56882G	55.09	74.00	-18.91	15.00	3	Horizontal	194	1.21	-	40.09
AV	11.56824G	40.58	54.00	-13.42	14.99	3	Horizontal	194	1.21	-	25.59
PK	17.34618G	67.51	68.20	-0.69	21.36	3	Horizontal	126	2.16	-	46.15

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5825MHz_TX




EUT Y_1TX
Setting 94
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.596G	60.52	68.20	-7.68	8.58	3	Vertical	183	1.06	-	51.94
PK	5.822G	112.85	Inf	-Inf	8.90	3	Vertical	183	1.06	-	103.95
AV	5.828G	99.09	Inf	-Inf	8.91	3	Vertical	183	1.06	-	90.18
PK	5.962G	60.89	68.20	-7.31	8.93	3	Vertical	183	1.06	-	51.96

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5825MHz_TX




EUT Y_1TX
Setting 94
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	60.85	68.20	-7.35	8.63	3	Horizontal	225	2.30	-	52.22
PK	5.822G	117.74	Inf	-Inf	8.90	3	Horizontal	225	2.30	-	108.84
AV	5.828G	103.70	Inf	-Inf	8.91	3	Horizontal	225	2.30	-	94.79
PK	5.929G	61.82	68.20	-6.38	8.93	3	Horizontal	225	2.30	-	52.89

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5825MHz_TX




EUT Y_1TX
Setting 94
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65114G	55.39	74.00	-18.61	15.10	3	Vertical	168	1.88	-	40.29
AV	11.65174G	41.13	54.00	-12.87	15.10	3	Vertical	168	1.88	-	26.03
PK	17.48238G	65.90	68.20	-2.30	22.18	3	Vertical	169	2.03	-	43.72

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2019

5825MHz_TX




EUT Y_1TX
Setting 94
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65104G	55.98	74.00	-18.02	15.10	3	Horizontal	214	1.87	-	40.88
AV	11.65108G	41.72	54.00	-12.28	15.10	3	Horizontal	214	1.87	-	26.62
PK	17.46618G	67.48	68.20	-0.72	22.08	3	Horizontal	118	2.16	-	45.40

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5190MHz_TX




EUT Y_1TX
Setting 76
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.01	74.00	-7.99	7.94	3	Vertical	159	2.86	-	58.07
AV	5.15G	49.92	54.00	-4.08	7.94	3	Vertical	159	2.86	-	41.98
PK	5.2012G	107.16	Inf	-Inf	8.06	3	Vertical	159	2.86	-	99.10
AV	5.1944G	95.57	Inf	-Inf	8.04	3	Vertical	159	2.86	-	87.53

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5190MHz_TX




EUT Y_1TX
Setting 76
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	71.45	74.00	-2.55	7.94	3	Horizontal	227	2.26	-	63.51
AV	5.15G	52.82	54.00	-1.18	7.94	3	Horizontal	227	2.26	-	44.88
PK	5.182G	109.14	Inf	-Inf	8.02	3	Horizontal	227	2.26	-	101.12
AV	5.1836G	96.68	Inf	-Inf	8.03	3	Horizontal	227	2.26	-	88.65

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5190MHz_TX




EUT Y_1TX
Setting 76
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56678G	59.73	74.00	-14.27	16.01	3	Vertical	158	1.98	-	43.72
AV	15.56626G	46.99	54.00	-7.01	16.01	3	Vertical	158	1.98	-	30.98

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5190MHz_TX




EUT Y_1TX
Setting 76
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56564G	59.62	74.00	-14.38	16.01	3	Horizontal	317	1.02	-	43.61
AV	15.56542G	47.05	54.00	-6.95	16.01	3	Horizontal	317	1.02	-	31.04

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5230MHz_TX




EUT Y_1TX
Setting 94
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	67.73	74.00	-6.27	7.94	3	Vertical	230	2.26	-	59.79
AV	5.15G	53.35	54.00	-0.65	7.94	3	Vertical	230	2.26	-	45.41
PK	5.215G	113.39	Inf	-Inf	8.08	3	Vertical	230	2.26	-	105.31
AV	5.2342G	101.27	Inf	-Inf	8.11	3	Vertical	230	2.26	-	93.16
PK	5.3542G	63.44	74.00	-10.56	8.28	3	Vertical	230	2.26	-	55.16
AV	5.3554G	49.22	54.00	-4.78	8.28	3	Vertical	230	2.26	-	40.94

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5230MHz_TX




EUT Y_1TX
Setting 94
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	67.11	74.00	-6.89	7.94	3	Horizontal	241	2.98	-	59.17
AV	5.1484G	52.76	54.00	-1.24	7.94	3	Horizontal	241	2.98	-	44.82
PK	5.2462G	114.27	Inf	-Inf	8.13	3	Horizontal	241	2.98	-	106.14
AV	5.2342G	102.42	Inf	-Inf	8.11	3	Horizontal	241	2.98	-	94.31
PK	5.3524G	62.30	74.00	-11.70	8.28	3	Horizontal	241	2.98	-	54.02
AV	5.3656G	49.18	54.00	-4.82	8.29	3	Horizontal	241	2.98	-	40.89

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5230MHz_TX




EUT Y_1TX
 Setting 94
 02-B-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68776G	58.61	74.00	-15.39	15.69	3	Vertical	350	1.53	-	42.92
AV	15.68786G	46.22	54.00	-7.78	15.69	3	Vertical	350	1.53	-	30.53

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5230MHz_TX




EUT Y_1TX
Setting 94
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68866G	58.96	74.00	-15.04	15.68	3	Horizontal	212	2.42	-	43.28
AV	15.68872G	46.07	54.00	-7.93	15.68	3	Horizontal	212	2.42	-	30.39

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5755MHz_TX




EUT Y_1TX
Setting 93
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	61.22	68.20	-6.98	8.66	3	Vertical	190	1.02	-	52.56
PK	5.747G	109.35	Inf	-Inf	8.82	3	Vertical	190	1.02	-	100.53
AV	5.751G	97.38	Inf	-Inf	8.83	3	Vertical	190	1.02	-	88.55
PK	5.962G	60.14	68.20	-8.06	8.93	3	Vertical	190	1.02	-	51.21

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5755MHz_TX



EUT Y_1TX
Setting 93
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	62.91	68.20	-5.29	8.67	3	Horizontal	232	2.44	-	54.24
PK	5.771G	113.71	Inf	-Inf	8.85	3	Horizontal	232	2.44	-	104.86
AV	5.77G	101.02	Inf	-Inf	8.85	3	Horizontal	232	2.44	-	92.17
PK	5.967G	61.55	68.20	-6.65	8.93	3	Horizontal	232	2.44	-	52.62

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5755MHz_TX




EUT Y_1TX
Setting 93
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51428G	54.84	74.00	-19.16	14.92	3	Vertical	136	2.46	-	39.92
AV	11.51408G	42.01	54.00	-11.99	14.92	3	Vertical	136	2.46	-	27.09
PK	17.26878G	65.59	68.20	-2.61	20.91	3	Vertical	348	1.86	-	44.68

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5755MHz_TX




EUT Y_1TX
Setting 93
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.52062G	54.39	74.00	-19.61	14.94	3	Horizontal	340	1.78	-	39.45
AV	11.52188G	41.77	54.00	-12.23	14.94	3	Horizontal	340	1.78	-	26.83
PK	17.277G	67.62	68.20	-0.58	20.96	3	Horizontal	126	1.13	-	46.66

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5795MHz_TX




EUT Y_1TX
Setting 93
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.602G	60.12	68.20	-8.08	8.58	3	Vertical	267	1.00	-	51.54
PK	5.811G	110.10	Inf	-Inf	8.91	3	Vertical	267	1.00	-	101.19
AV	5.81G	97.46	Inf	-Inf	8.91	3	Vertical	267	1.00	-	88.55
PK	5.927G	61.05	68.20	-7.15	8.93	3	Vertical	267	1.00	-	52.12

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5795MHz_TX




EUT Y_1TX
Setting 93
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6G	61.61	68.20	-6.59	8.58	3	Horizontal	228	2.64	-	53.03
PK	5.787G	114.07	Inf	-Inf	8.88	3	Horizontal	228	2.64	-	105.19
AV	5.797G	101.69	Inf	-Inf	8.90	3	Horizontal	228	2.64	-	92.79
PK	5.925G	62.25	68.20	-5.95	8.93	3	Horizontal	228	2.64	-	53.32

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5795MHz_TX




EUT Y_1TX
Setting 93
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59182G	54.50	74.00	-19.50	15.02	3	Vertical	250	1.20	-	39.48
AV	11.59128G	42.02	54.00	-11.98	15.02	3	Vertical	250	1.20	-	27.00
PK	17.38092G	64.50	68.20	-3.70	21.58	3	Vertical	118	2.70	-	42.92

802.11ax HEW40_Nss1,(MCS0)_1TX

03/10/2019

5795MHz_TX




EUT Y_1TX
Setting 93
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6005G	54.79	74.00	-19.21	15.04	3	Horizontal	344	1.26	-	39.75
AV	11.60056G	42.25	54.00	-11.75	15.04	3	Horizontal	344	1.26	-	27.21
PK	17.37636G	67.67	68.20	-0.53	21.54	3	Horizontal	132	2.70	-	46.13

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5210MHz_TX




EUT Y_1TX
Setting 76
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	68.13	74.00	-5.87	7.94	3	Vertical	229	2.37	-	60.19
AV	5.15G	52.29	54.00	-1.71	7.94	3	Vertical	229	2.37	-	44.35
PK	5.2004G	105.37	Inf	-Inf	8.06	3	Vertical	229	2.37	-	97.31
AV	5.1996G	93.69	Inf	-Inf	8.06	3	Vertical	229	2.37	-	85.63
PK	5.3636G	60.85	74.00	-13.15	8.29	3	Vertical	229	2.37	-	52.56
AV	5.35G	48.67	54.00	-5.33	8.28	3	Vertical	229	2.37	-	40.39

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5210MHz_TX




EUT Y_1TX
Setting 76
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	68.97	74.00	-5.03	7.94	3	Horizontal	242	2.85	-	61.03
AV	5.1492G	53.29	54.00	-0.71	7.94	3	Horizontal	242	2.85	-	45.35
PK	5.2236G	107.38	Inf	-Inf	8.10	3	Horizontal	242	2.85	-	99.28
AV	5.2236G	95.26	Inf	-Inf	8.10	3	Horizontal	242	2.85	-	87.16
PK	5.3684G	60.60	74.00	-13.40	8.30	3	Horizontal	242	2.85	-	52.30
AV	5.3548G	48.92	54.00	-5.08	8.28	3	Horizontal	242	2.85	-	40.64

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5210MHz_TX




EUT Y_1TX
Setting 76
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63914G	60.06	74.00	-13.94	15.81	3	Vertical	218	2.32	-	44.25
AV	15.63912G	46.81	54.00	-7.19	15.81	3	Vertical	218	2.32	-	31.00

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5210MHz_TX




EUT Y_1TX
Setting 76
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62652G	59.94	74.00	-14.06	15.84	3	Horizontal	315	1.53	-	44.10
AV	15.62662G	46.64	54.00	-7.36	15.84	3	Horizontal	315	1.53	-	30.80

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5775MHz_TX




EUT Y_1TX
Setting 87
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	63.53	68.20	-4.67	8.63	3	Vertical	182	2.40	-	54.90
PK	5.788G	105.63	Inf	-Inf	8.87	3	Vertical	182	2.40	-	96.76
AV	5.788G	94.03	Inf	-Inf	8.87	3	Vertical	182	2.40	-	85.16
PK	5.951G	62.35	68.20	-5.85	8.92	3	Vertical	182	2.40	-	53.43

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5775MHz_TX




EUT Y_1TX
Setting 87
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.628G	65.58	68.20	-2.62	8.63	3	Horizontal	233	2.33	-	56.95
PK	5.788G	109.99	Inf	-Inf	8.87	3	Horizontal	233	2.33	-	101.12
AV	5.788G	97.80	Inf	-Inf	8.87	3	Horizontal	233	2.33	-	88.93
PK	5.952G	67.50	68.20	-0.70	8.92	3	Horizontal	233	2.33	-	58.58

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5775MHz_TX




EUT Y_1TX
Setting 87
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55104G	54.11	74.00	-19.89	14.97	3	Vertical	294	1.27	-	39.14
AV	11.55184G	41.47	54.00	-12.53	14.97	3	Vertical	294	1.27	-	26.50

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5775MHz_TX



EUT Y_1TX
Setting 87
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54826G	54.31	74.00	-19.69	14.97	3	Horizontal	203	1.78	-	39.34
AV	11.54858G	41.44	54.00	-12.56	14.97	3	Horizontal	203	1.78	-	26.47




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	17.39428G	67.69	68.20	-0.51	21.65	3	Vertical	182	1.47	-

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT_Z_2TX
Setting 86
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1462G	71.78	74.00	-2.22	7.94	3	Vertical	299	2.22	-	63.84
AV	5.1468G	52.43	54.00	-1.57	7.94	3	Vertical	299	2.22	-	44.49
PK	5.1768G	115.24	Inf	-Inf	8.01	3	Vertical	299	2.22	-	107.23
AV	5.182G	105.87	Inf	-Inf	8.02	3	Vertical	299	2.22	-	97.85

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT_Z_2TX
Setting 86
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	71.89	74.00	-2.11	7.94	3	Horizontal	294	2.64	-	63.95
AV	5.15G	53.36	54.00	-0.64	7.94	3	Horizontal	294	2.64	-	45.42
PK	5.1756G	114.16	Inf	-Inf	8.01	3	Horizontal	294	2.64	-	106.15
AV	5.1754G	104.53	Inf	-Inf	8.01	3	Horizontal	294	2.64	-	96.52

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT_Z_2TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54014G	54.50	74.00	-19.50	16.07	3	Vertical	178	2.66	-	38.43
AV	15.53594G	41.47	54.00	-12.53	16.09	3	Vertical	178	2.66	-	25.38

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT_Z_2TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54004G	55.28	74.00	-18.72	16.07	3	Horizontal	341	1.75	-	39.21
AV	15.53764G	41.49	54.00	-12.51	16.08	3	Horizontal	341	1.75	-	25.41

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT_Z_2TX
Setting 98
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.95	74.00	-3.05	7.94	3	Vertical	124	2.32	-	63.01
AV	5.1488G	53.30	54.00	-0.70	7.94	3	Vertical	124	2.32	-	45.36
PK	5.1984G	118.79	Inf	-Inf	8.06	3	Vertical	124	2.32	-	110.73
AV	5.204G	108.69	Inf	-Inf	8.06	3	Vertical	124	2.32	-	100.63

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT_Z_2TX
Setting 98
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	69.03	74.00	-4.97	7.94	3	Horizontal	294	2.62	-	61.09
AV	5.15G	52.73	54.00	-1.27	7.94	3	Horizontal	294	2.62	-	44.79
PK	5.2056G	117.03	Inf	-Inf	8.07	3	Horizontal	294	2.62	-	108.96
AV	5.2056G	106.95	Inf	-Inf	8.07	3	Horizontal	294	2.62	-	98.88

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT_Z_2TX
Setting 98
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59742G	55.72	74.00	-18.28	15.92	3	Vertical	142	2.85	-	39.80
AV	15.6019G	42.93	54.00	-11.07	15.90	3	Vertical	142	2.85	-	27.03

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT_Z_2TX
Setting 98
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6032G	55.73	74.00	-18.27	15.90	3	Horizontal	300	1.67	-	39.83
AV	15.60236G	42.87	54.00	-11.13	15.90	3	Horizontal	300	1.67	-	26.97

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5240MHz_TX




EUT_Z_2TX
Setting 105
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	70.52	74.00	-3.48	7.94	3	Vertical	133	2.29	-	62.58
AV	5.15G	53.28	54.00	-0.72	7.94	3	Vertical	133	2.29	-	45.34
PK	5.2388G	121.38	Inf	-Inf	8.12	3	Vertical	133	2.29	-	113.26
AV	5.2442G	110.32	Inf	-Inf	8.12	3	Vertical	133	2.29	-	102.20
PK	5.3576G	64.49	74.00	-9.51	8.28	3	Vertical	133	2.29	-	56.21
AV	5.3522G	49.27	54.00	-4.73	8.28	3	Vertical	133	2.29	-	40.99

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5240MHz_TX




EUT_Z_2TX
Setting 105
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	67.03	74.00	-6.97	7.94	3	Horizontal	313	2.99	-	59.09
AV	5.1494G	51.37	54.00	-2.63	7.94	3	Horizontal	313	2.99	-	43.43
PK	5.2376G	118.17	Inf	-Inf	8.12	3	Horizontal	313	2.99	-	110.05
AV	5.2376G	107.85	Inf	-Inf	8.12	3	Horizontal	313	2.99	-	99.73
PK	5.3504G	65.10	74.00	-8.90	8.28	3	Horizontal	313	2.99	-	56.82
AV	5.351G	48.55	54.00	-5.45	8.28	3	Horizontal	313	2.99	-	40.27

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5240MHz_TX




EUT_Z_2TX
Setting 105
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47988G	59.11	68.20	-9.09	14.58	3	Vertical	355	2.96	-	44.53
PK	15.71818G	59.48	74.00	-14.52	15.61	3	Vertical	156	2.99	-	43.87
AV	15.72264G	46.62	54.00	-7.38	15.59	3	Vertical	156	2.99	-	31.03

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5240MHz_TX




EUT Z_2TX
Setting 105
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48356G	52.90	68.20	-15.30	14.59	3	Horizontal	345	2.49	-	38.31
PK	15.72128G	56.25	74.00	-17.75	15.60	3	Horizontal	63	2.49	-	40.65
AV	15.72186G	42.92	54.00	-11.08	15.60	3	Horizontal	63	2.49	-	27.32

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5745MHz_TX




EUT_Z_2TX
Setting 91
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	61.99	68.20	-6.21	8.67	3	Vertical	73	2.29	-	53.32
PK	5.748G	117.38	Inf	-Inf	8.82	3	Vertical	73	2.29	-	108.56
AV	5.747G	107.79	Inf	-Inf	8.82	3	Vertical	73	2.29	-	98.97
PK	5.93G	59.72	68.20	-8.48	8.93	3	Vertical	73	2.29	-	50.79

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5745MHz_TX




EUT_Z_2TX
Setting 91
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.639G	60.69	68.20	-7.51	8.64	3	Horizontal	306	2.37	-	52.05
PK	5.749G	113.38	Inf	-Inf	8.82	3	Horizontal	306	2.37	-	104.56
AV	5.749G	103.77	Inf	-Inf	8.82	3	Horizontal	306	2.37	-	94.95
PK	5.938G	59.23	68.20	-8.97	8.93	3	Horizontal	306	2.37	-	50.30

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5745MHz_TX




EUT_Z_2TX
Setting 91
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.445G	54.44	74.00	-19.56	14.84	3	Vertical	99	2.42	-	39.60
AV	11.455G	39.93	54.00	-14.07	14.84	3	Vertical	99	2.42	-	25.09
PK	17.22824G	67.47	68.20	-0.73	20.67	3	Vertical	18	1.61	-	46.80

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5745MHz_TX




EUT_Z_2TX
Setting 91
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4956G	53.25	74.00	-20.75	14.90	3	Horizontal	36	1.28	-	38.35
AV	11.49316G	39.87	54.00	-14.13	14.89	3	Horizontal	36	1.28	-	24.98
PK	17.22856G	64.74	68.20	-3.46	20.67	3	Horizontal	7	1.23	-	44.07

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5785MHz_TX




EUT_Z_2TX
Setting 88
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.638G	59.13	68.20	-9.07	8.64	3	Vertical	63	2.28	-	50.49
PK	5.789G	116.73	Inf	-Inf	8.88	3	Vertical	63	2.28	-	107.85
AV	5.783G	107.08	Inf	-Inf	8.88	3	Vertical	63	2.28	-	98.20
PK	5.987G	59.37	68.20	-8.83	8.93	3	Vertical	63	2.28	-	50.44

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5785MHz_TX




EUT_Z_2TX
Setting 88
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.587G	59.35	68.20	-8.85	8.57	3	Horizontal	135	2.99	-	50.78
PK	5.78G	111.27	Inf	-Inf	8.87	3	Horizontal	135	2.99	-	102.40
AV	5.786G	101.94	Inf	-Inf	8.88	3	Horizontal	135	2.99	-	93.06
PK	5.933G	58.25	68.20	-9.95	8.93	3	Horizontal	135	2.99	-	49.32

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5785MHz_TX




EUT_Z_2TX
Setting 88
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57892G	53.20	74.00	-20.80	15.01	3	Vertical	38	1.73	-	38.19
AV	11.57572G	40.11	54.00	-13.89	15.01	3	Vertical	38	1.73	-	25.10
PK	17.34912G	67.66	68.20	-0.54	21.39	3	Vertical	281	2.62	-	46.27

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5785MHz_TX




EUT_Z_2TX
Setting 88
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57908G	53.35	74.00	-20.65	15.01	3	Horizontal	32	2.58	-	38.34
AV	11.5702G	40.15	54.00	-13.85	15.00	3	Horizontal	32	2.58	-	25.15
PK	17.36464G	63.60	68.20	-4.60	21.48	3	Horizontal	303	1.72	-	42.12

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5825MHz_TX




EUT_Z_2TX
Setting 87
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.576G	59.56	68.20	-8.64	8.57	3	Vertical	78	2.14	-	50.99
PK	5.828G	116.66	Inf	-Inf	8.91	3	Vertical	78	2.14	-	107.75
AV	5.819G	107.08	Inf	-Inf	8.90	3	Vertical	78	2.14	-	98.18
PK	5.933G	60.75	68.20	-7.45	8.93	3	Vertical	78	2.14	-	51.82

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5825MHz_TX




EUT_Z_2TX
Setting 87
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.61G	58.21	68.20	-9.99	8.60	3	Horizontal	292	2.32	-	49.61
PK	5.829G	111.89	Inf	-Inf	8.91	3	Horizontal	292	2.32	-	102.98
AV	5.819G	102.38	Inf	-Inf	8.90	3	Horizontal	292	2.32	-	93.48
PK	5.933G	58.93	68.20	-9.27	8.93	3	Horizontal	292	2.32	-	50.00

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5825MHz_TX




EUT_Z_2TX
Setting 87
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6464G	55.24	74.00	-18.76	15.09	3	Vertical	55	1.05	-	40.15
AV	11.65092G	41.51	54.00	-12.49	15.09	3	Vertical	55	1.05	-	26.42
PK	17.4694G	67.53	68.20	-0.67	22.10	3	Vertical	9	2.58	-	45.43

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5825MHz_TX




EUT_Z_2TX
Setting 87
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6508G	54.58	74.00	-19.42	15.09	3	Horizontal	105	2.36	-	39.49
AV	11.65016G	41.47	54.00	-12.53	15.09	3	Horizontal	105	2.36	-	26.38
PK	17.46848G	63.86	68.20	-4.34	22.09	3	Horizontal	356	2.77	-	41.77

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5180MHz_TX




EUT Z_2TX
Setting 81
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	68.18	74.00	-5.82	7.94	3	Vertical	356	2.33	-	60.24
AV	5.1492G	53.13	54.00	-0.87	7.94	3	Vertical	356	2.33	-	45.19
PK	5.1756G	113.48	Inf	-Inf	8.01	3	Vertical	356	2.33	-	105.47
AV	5.1768G	101.79	Inf	-Inf	8.01	3	Vertical	356	2.33	-	93.78

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5180MHz_TX




EUT Z_2TX
Setting 81
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	69.46	74.00	-4.54	7.94	3	Horizontal	299	2.47	-	61.52
AV	5.1496G	53.45	54.00	-0.55	7.94	3	Horizontal	299	2.47	-	45.51
PK	5.1792G	113.74	Inf	-Inf	8.02	3	Horizontal	299	2.47	-	105.72
AV	5.175G	101.78	Inf	-Inf	8.01	3	Horizontal	299	2.47	-	93.77

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53312G	55.18	74.00	-18.82	16.09	3	Vertical	209	2.74	-	39.09
AV	15.53236G	42.24	54.00	-11.76	16.10	3	Vertical	209	2.74	-	26.14

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53076G	55.12	74.00	-18.88	16.10	3	Horizontal	307	1.28	-	39.02
AV	15.5318G	42.06	54.00	-11.94	16.10	3	Horizontal	307	1.28	-	25.96

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	68.25	74.00	-5.75	7.94	3	Vertical	1	2.41	-	60.31
AV	5.1496G	52.85	54.00	-1.15	7.94	3	Vertical	1	2.41	-	44.91
PK	5.2016G	115.70	Inf	-Inf	8.06	3	Vertical	1	2.41	-	107.64
AV	5.1968G	104.21	Inf	-Inf	8.06	3	Vertical	1	2.41	-	96.15

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5200MHz_TX




EUT Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	69.38	74.00	-4.62	7.94	3	Horizontal	290	2.34	-	61.44
AV	5.15G	53.27	54.00	-0.73	7.94	3	Horizontal	290	2.34	-	45.33
PK	5.192G	115.38	Inf	-Inf	8.04	3	Horizontal	290	2.34	-	107.34
AV	5.1948G	103.87	Inf	-Inf	8.05	3	Horizontal	290	2.34	-	95.82

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5200MHz_TX




EUT_Z_2TX
 Setting 95
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59688G	55.09	74.00	-18.91	15.92	3	Vertical	271	2.03	-	39.17
AV	15.59176G	42.13	54.00	-11.87	15.93	3	Vertical	271	2.03	-	26.20

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60524G	55.29	74.00	-18.71	15.89	3	Horizontal	269	1.06	-	39.40
AV	15.59928G	42.15	54.00	-11.85	15.91	3	Horizontal	269	1.06	-	26.24

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	62.05	74.00	-11.95	7.94	3	Vertical	301	2.41	-	54.11
AV	5.1434G	49.93	54.00	-4.07	7.94	3	Vertical	301	2.41	-	41.99
PK	5.2418G	118.38	Inf	-Inf	8.12	3	Vertical	301	2.41	-	110.26
AV	5.2418G	106.73	Inf	-Inf	8.12	3	Vertical	301	2.41	-	98.61
PK	5.3528G	63.06	74.00	-10.94	8.28	3	Vertical	301	2.41	-	54.78
AV	5.35G	49.70	54.00	-4.30	8.28	3	Vertical	301	2.41	-	41.42

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1368G	63.93	74.00	-10.07	7.92	3	Horizontal	292	2.61	-	56.01
AV	5.1428G	49.83	54.00	-4.17	7.94	3	Horizontal	292	2.61	-	41.89
PK	5.2352G	117.24	Inf	-Inf	8.11	3	Horizontal	292	2.61	-	109.13
AV	5.2352G	105.68	Inf	-Inf	8.11	3	Horizontal	292	2.61	-	97.57
PK	5.3528G	61.92	74.00	-12.08	8.28	3	Horizontal	292	2.61	-	53.64
AV	5.35G	48.52	54.00	-5.48	8.28	3	Horizontal	292	2.61	-	40.24

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5240MHz_TX




EUT Z_2TX
Setting 100
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71824G	54.73	74.00	-19.27	15.61	3	Vertical	269	1.95	-	39.12
AV	15.72076G	42.20	54.00	-11.80	15.60	3	Vertical	269	1.95	-	26.60

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5240MHz_TX




EUT Z_2TX
Setting 100
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.726G	54.99	74.00	-19.01	15.58	3	Horizontal	277	2.35	-	39.41
AV	15.71416G	42.23	54.00	-11.77	15.62	3	Horizontal	277	2.35	-	26.61

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	61.21	68.20	-6.99	8.66	3	Vertical	127	2.18	-	52.55
PK	5.747G	116.38	Inf	-Inf	8.82	3	Vertical	127	2.18	-	107.56
AV	5.742G	104.59	Inf	-Inf	8.81	3	Vertical	127	2.18	-	95.78
PK	5.935G	59.66	68.20	-8.54	8.93	3	Vertical	127	2.18	-	50.73

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	62.67	68.20	-5.53	8.66	3	Horizontal	127	2.35	-	54.01
PK	5.74G	116.63	Inf	-Inf	8.80	3	Horizontal	127	2.35	-	107.83
AV	5.74G	105.03	Inf	-Inf	8.80	3	Horizontal	127	2.35	-	96.23
PK	5.976G	58.98	68.20	-9.22	8.94	3	Horizontal	127	2.35	-	50.04

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5745MHz_TX




EUT Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50428G	53.79	74.00	-20.21	14.91	3	Vertical	291	1.09	-	38.88
AV	11.50032G	40.97	54.00	-13.03	14.91	3	Vertical	291	1.09	-	26.06
PK	17.2351G	67.59	68.20	-0.61	20.72	3	Vertical	54	2.85	-	46.87

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4813G	53.75	74.00	-20.25	14.89	3	Horizontal	48	1.53	-	38.86
AV	11.49162G	40.96	54.00	-13.04	14.89	3	Horizontal	48	1.53	-	26.07
PK	17.2342G	66.46	68.20	-1.74	20.71	3	Horizontal	18	1.92	-	45.75

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 89
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	59.14	68.20	-9.06	8.66	3	Vertical	249	2.21	-	50.48
PK	5.781G	116.24	Inf	-Inf	8.88	3	Vertical	249	2.21	-	107.36
AV	5.782G	104.66	Inf	-Inf	8.88	3	Vertical	249	2.21	-	95.78
PK	5.957G	59.58	68.20	-8.62	8.92	3	Vertical	249	2.21	-	50.66

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 89
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.627G	58.84	68.20	-9.36	8.63	3	Horizontal	301	2.32	-	50.21
PK	5.788G	113.77	Inf	-Inf	8.87	3	Horizontal	301	2.32	-	104.90
AV	5.781G	102.21	Inf	-Inf	8.88	3	Horizontal	301	2.32	-	93.33
PK	5.952G	58.80	68.20	-9.40	8.92	3	Horizontal	301	2.32	-	49.88

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57678G	54.29	74.00	-19.71	15.01	3	Vertical	21	1.83	-	39.28
AV	11.57624G	41.26	54.00	-12.74	15.01	3	Vertical	21	1.83	-	26.25
PK	17.34348G	67.47	68.20	-0.73	21.35	3	Vertical	186	2.32	-	46.12

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5799G	54.51	74.00	-19.49	15.01	3	Horizontal	175	2.97	-	39.50
AV	11.58182G	41.50	54.00	-12.50	15.02	3	Horizontal	175	2.97	-	26.48
PK	17.3604G	64.79	68.20	-3.41	21.45	3	Horizontal	243	1.37	-	43.34

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	59.20	68.20	-9.00	8.66	3	Vertical	66	2.25	-	50.54
PK	5.828G	118.15	Inf	-Inf	8.91	3	Vertical	66	2.25	-	109.24
AV	5.82G	106.48	Inf	-Inf	8.90	3	Vertical	66	2.25	-	97.58
PK	5.929G	62.33	68.20	-5.87	8.93	3	Vertical	66	2.25	-	53.40

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.634G	58.64	68.20	-9.56	8.64	3	Horizontal	2	1.06	-	50.00
PK	5.83G	112.68	Inf	-Inf	8.91	3	Horizontal	2	1.06	-	103.77
AV	5.828G	101.49	Inf	-Inf	8.91	3	Horizontal	2	1.06	-	92.58
PK	5.928G	59.36	68.20	-8.84	8.93	3	Horizontal	2	1.06	-	50.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5825MHz_TX



EUT_Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.66236G	53.61	74.00	-20.39	15.11	3	Vertical	57	1.18	-	38.50
AV	11.64508G	41.25	54.00	-12.75	15.09	3	Vertical	57	1.18	-	26.16
PK	17.4749G	67.55	68.20	-0.65	22.13	3	Vertical	97	1.45	-	45.42

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.63722G	53.68	74.00	-20.32	15.08	3	Horizontal	166	1.66	-	38.60
AV	11.65138G	41.01	54.00	-12.99	15.10	3	Horizontal	166	1.66	-	25.91
PK	17.47362G	65.74	68.20	-2.46	22.12	3	Horizontal	72	2.91	-	43.62

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	73.33	74.00	-0.67	7.94	3	Vertical	132	2.44	-	65.39
AV	5.15G	50.38	54.00	-3.62	7.94	3	Vertical	132	2.44	-	42.44
PK	5.187G	108.58	Inf	-Inf	8.04	3	Vertical	132	2.44	-	100.54
AV	5.182G	97.22	Inf	-Inf	8.02	3	Vertical	132	2.44	-	89.20

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	73.02	74.00	-0.98	7.94	3	Horizontal	291	2.63	-	65.08
AV	5.1484G	49.97	54.00	-4.03	7.94	3	Horizontal	291	2.63	-	42.03
PK	5.1808G	107.29	Inf	-Inf	8.02	3	Horizontal	291	2.63	-	99.27
AV	5.1856G	96.14	Inf	-Inf	8.03	3	Horizontal	291	2.63	-	88.11

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5917G	54.36	74.00	-19.64	15.93	3	Vertical	173	1.10	-	38.43
AV	15.5555G	42.33	54.00	-11.67	16.03	3	Vertical	173	1.10	-	26.30

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5645G	55.02	74.00	-18.98	16.01	3	Horizontal	164	2.00	-	39.01
AV	15.5608G	42.21	54.00	-11.79	16.02	3	Horizontal	164	2.00	-	26.19

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	67.46	74.00	-6.54	7.94	3	Vertical	8	2.40	-	59.52
AV	5.1484G	52.55	54.00	-1.45	7.94	3	Vertical	8	2.40	-	44.61
PK	5.2412G	112.99	Inf	-Inf	8.12	3	Vertical	8	2.40	-	104.87
AV	5.2288G	101.02	Inf	-Inf	8.10	3	Vertical	8	2.40	-	92.92

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1388G	67.75	74.00	-6.25	7.92	3	Horizontal	296	2.59	-	59.83
AV	5.15G	52.53	54.00	-1.47	7.94	3	Horizontal	296	2.59	-	44.59
PK	5.2212G	112.96	Inf	-Inf	8.10	3	Horizontal	296	2.59	-	104.86
AV	5.2264G	100.94	Inf	-Inf	8.10	3	Horizontal	296	2.59	-	92.84

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5230MHz_TX




EUT_Z_2TX
 Setting 90
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6988G	55.50	74.00	-18.50	15.65	3	Vertical	187	1.92	-	39.85
AV	15.7123G	42.07	54.00	-11.93	15.62	3	Vertical	187	1.92	-	26.45

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 90
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6755G	55.19	74.00	-18.81	15.71	3	Horizontal	142	1.50	-	39.48
AV	15.6893G	42.31	54.00	-11.69	15.68	3	Horizontal	142	1.50	-	26.63

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5755MHz_TX




EUT Z_2TX
Setting 94
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	67.50	68.20	-0.70	8.67	3	Vertical	78	2.35	-	58.83
PK	5.766G	115.49	Inf	-Inf	8.85	3	Vertical	78	2.35	-	106.64
AV	5.761G	104.06	Inf	-Inf	8.85	3	Vertical	78	2.35	-	95.21
PK	5.939G	63.47	68.20	-4.73	8.93	3	Vertical	78	2.35	-	54.54

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 94
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	64.42	68.20	-3.78	8.67	3	Horizontal	304	2.24	-	55.75
PK	5.753G	112.47	Inf	-Inf	8.83	3	Horizontal	304	2.24	-	103.64
AV	5.747G	100.70	Inf	-Inf	8.82	3	Horizontal	304	2.24	-	91.88
PK	5.939G	60.00	68.20	-8.20	8.93	3	Horizontal	304	2.24	-	51.07

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5162G	53.74	74.00	-20.26	14.92	3	Vertical	360	1.55	-	38.82
AV	11.5078G	41.03	54.00	-12.97	14.92	3	Vertical	360	1.55	-	26.11
PK	17.2736G	67.22	68.20	-0.98	20.94	3	Vertical	163	2.74	-	46.28

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5207G	53.41	74.00	-20.59	14.94	3	Horizontal	122	2.50	-	38.47
AV	11.5107G	40.98	54.00	-13.02	14.92	3	Horizontal	122	2.50	-	26.06
PK	17.2742G	64.44	68.20	-3.76	20.94	3	Horizontal	223	1.81	-	43.50

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.598G	59.20	68.20	-9.00	8.58	3	Vertical	65	1.50	-	50.62
PK	5.799G	112.11	Inf	-Inf	8.90	3	Vertical	65	1.50	-	103.21
AV	5.794G	100.19	Inf	-Inf	8.89	3	Vertical	65	1.50	-	91.30
PK	5.939G	63.06	68.20	-5.14	8.93	3	Vertical	65	1.50	-	54.13

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.557G	58.90	68.20	-9.30	8.55	3	Horizontal	126	2.23	-	50.35
PK	5.798G	111.18	Inf	-Inf	8.90	3	Horizontal	126	2.23	-	102.28
AV	5.8G	99.67	Inf	-Inf	8.90	3	Horizontal	126	2.23	-	90.77
PK	5.939G	61.50	68.20	-6.70	8.93	3	Horizontal	126	2.23	-	52.57

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 90
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6125G	53.78	74.00	-20.22	15.05	3	Vertical	233	1.66	-	38.73
AV	11.5802G	41.14	54.00	-12.86	15.01	3	Vertical	233	1.66	-	26.13
PK	17.39428G	67.69	68.20	-0.51	21.65	3	Vertical	182	1.47	-	46.04

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 90
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6147G	53.26	74.00	-20.74	15.06	3	Horizontal	69	2.01	-	38.20
AV	11.5792G	41.49	54.00	-12.51	15.01	3	Horizontal	69	2.01	-	26.48
PK	17.387G	63.96	68.20	-4.24	21.61	3	Horizontal	197	2.34	-	42.35

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 71
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	67.54	74.00	-6.46	7.94	3	Vertical	4	2.54	-	59.60
AV	5.1492G	53.31	54.00	-0.69	7.94	3	Vertical	4	2.54	-	45.37
PK	5.2132G	104.75	Inf	-Inf	8.08	3	Vertical	4	2.54	-	96.67
AV	5.2004G	94.73	Inf	-Inf	8.06	3	Vertical	4	2.54	-	86.67
PK	5.3548G	60.21	74.00	-13.79	8.28	3	Vertical	4	2.54	-	51.93
AV	5.3652G	49.00	54.00	-5.00	8.29	3	Vertical	4	2.54	-	40.71

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 71
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	66.33	74.00	-7.67	7.94	3	Horizontal	298	2.73	-	58.39
AV	5.1492G	52.92	54.00	-1.08	7.94	3	Horizontal	298	2.73	-	44.98
PK	5.1948G	104.67	Inf	-Inf	8.05	3	Horizontal	298	2.73	-	96.62
AV	5.2188G	94.54	Inf	-Inf	8.09	3	Horizontal	298	2.73	-	86.45
PK	5.3668G	58.97	74.00	-15.03	8.29	3	Horizontal	298	2.73	-	50.68
AV	5.3508G	48.31	54.00	-5.69	8.28	3	Horizontal	298	2.73	-	40.03

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 71
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63952G	55.03	74.00	-18.97	15.81	3	Vertical	9	2.09	-	39.22
AV	15.61552G	44.07	54.00	-9.93	15.86	3	Vertical	9	2.09	-	28.21

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 71
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.61144G	54.76	74.00	-19.24	15.88	3	Horizontal	260	2.47	-	38.88
AV	15.61164G	44.14	54.00	-9.86	15.88	3	Horizontal	260	2.47	-	28.26

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 85
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	66.25	68.20	-1.95	8.67	3	Vertical	76	2.35	-	57.58
PK	5.764G	110.95	Inf	-Inf	8.84	3	Vertical	76	2.35	-	102.11
AV	5.76G	100.62	Inf	-Inf	8.85	3	Vertical	76	2.35	-	91.77
PK	5.929G	67.46	68.20	-0.74	8.93	3	Vertical	76	2.35	-	58.53

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 85
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	65.67	68.20	-2.53	8.66	3	Horizontal	122	2.44	-	57.01
PK	5.758G	108.60	Inf	-Inf	8.84	3	Horizontal	122	2.44	-	99.76
AV	5.767G	97.89	Inf	-Inf	8.85	3	Horizontal	122	2.44	-	89.04
PK	5.928G	63.31	68.20	-4.89	8.93	3	Horizontal	122	2.44	-	54.38

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 85
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55896G	54.04	74.00	-19.96	14.99	3	Vertical	291	1.02	-	39.05
AV	11.55968G	42.78	54.00	-11.22	14.99	3	Vertical	291	1.02	-	27.79
PK	17.31756G	62.71	68.20	-5.49	21.20	3	Vertical	62	1.84	-	41.51

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5775MHz_TX



EUT_Z_2TX
Setting 85
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54776G	53.66	74.00	-20.34	14.97	3	Horizontal	183	1.40	-	38.69
AV	11.54736G	43.00	54.00	-11.00	14.97	3	Horizontal	183	1.40	-	28.03
PK	17.3326G	60.13	68.20	-8.07	21.29	3	Horizontal	317	1.03	-	38.84




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.49	54.00	-0.51	7.94	3	Vertical	311	2.24	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 76
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.79	74.00	-3.21	7.94	3	Vertical	311	2.24	-	62.85
AV	5.1492G	53.49	54.00	-0.51	7.94	3	Vertical	311	2.24	-	45.55
PK	5.1788G	115.01	Inf	-Inf	8.02	3	Vertical	311	2.24	-	106.99
AV	5.1808G	102.68	Inf	-Inf	8.02	3	Vertical	311	2.24	-	94.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 76
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	66.84	74.00	-7.16	7.94	3	Horizontal	312	2.71	-	58.90
AV	5.1498G	52.32	54.00	-1.68	7.94	3	Horizontal	312	2.71	-	44.38
PK	5.1754G	113.82	Inf	-Inf	8.01	3	Horizontal	312	2.71	-	105.81
AV	5.1778G	100.64	Inf	-Inf	8.02	3	Horizontal	312	2.71	-	92.62

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 76
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54596G	55.69	74.00	-18.31	16.09	3	Vertical	310	1.84	-	39.60
AV	15.547G	42.64	54.00	-11.36	16.08	3	Vertical	310	1.84	-	26.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 76
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54124G	56.34	74.00	-17.66	16.10	3	Horizontal	220	2.63	-	40.24
AV	15.54808G	42.41	54.00	-11.59	16.05	3	Horizontal	220	2.63	-	26.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 94
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	70.10	74.00	-3.90	7.94	3	Vertical	354	1.32	-	62.16
AV	5.15G	53.42	54.00	-0.58	7.94	3	Vertical	354	1.32	-	45.48
PK	5.2024G	118.79	Inf	-Inf	8.06	3	Vertical	354	1.32	-	110.73
AV	5.1982G	107.21	Inf	-Inf	8.06	3	Vertical	354	1.32	-	99.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 94
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.32	74.00	-7.68	7.94	3	Horizontal	295	2.71	-	58.38
AV	5.1496G	50.25	54.00	-3.75	7.94	3	Horizontal	295	2.71	-	42.31
PK	5.2036G	118.81	Inf	-Inf	8.06	3	Horizontal	295	2.71	-	110.75
AV	5.2048G	107.07	Inf	-Inf	8.07	3	Horizontal	295	2.71	-	99.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 94
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5978G	57.68	74.00	-16.32	15.92	3	Vertical	140	1.83	-	41.76
AV	15.5989G	44.44	54.00	-9.56	15.91	3	Vertical	140	1.83	-	28.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 94
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6G	56.46	74.00	-17.54	15.91	3	Horizontal	279	1.97	-	40.55
AV	15.5993G	43.34	54.00	-10.66	15.91	3	Horizontal	279	1.97	-	27.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 98
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	67.04	74.00	-6.96	7.94	3	Vertical	11	1.09	-	59.10
AV	5.1494G	52.45	54.00	-1.55	7.94	3	Vertical	11	1.09	-	44.51
PK	5.2418G	120.68	Inf	-Inf	8.12	3	Vertical	11	1.09	-	112.56
AV	5.2418G	109.20	Inf	-Inf	8.12	3	Vertical	11	1.09	-	101.08
PK	5.3534G	65.81	74.00	-8.19	8.28	3	Vertical	11	1.09	-	57.53
AV	5.35G	51.16	54.00	-2.84	8.28	3	Vertical	11	1.09	-	42.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 98
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	64.86	74.00	-9.14	7.94	3	Horizontal	318	2.31	-	56.92
AV	5.1452G	49.78	54.00	-4.22	7.94	3	Horizontal	318	2.31	-	41.84
PK	5.2418G	119.16	Inf	-Inf	8.12	3	Horizontal	318	2.31	-	111.04
AV	5.2466G	107.46	Inf	-Inf	8.13	3	Horizontal	318	2.31	-	99.33
PK	5.357G	62.19	74.00	-11.81	8.28	3	Horizontal	318	2.31	-	53.91
AV	5.35G	47.94	54.00	-6.06	8.28	3	Horizontal	318	2.31	-	39.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 98
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7252G	61.39	74.00	-12.61	15.59	3	Vertical	47	2.08	-	45.80
AV	15.7231G	49.18	54.00	-4.82	15.59	3	Vertical	47	2.08	-	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 98
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7184G	60.65	74.00	-13.35	15.61	3	Horizontal	40	1.97	-	45.04
AV	15.7219G	45.78	54.00	-8.22	15.60	3	Horizontal	40	1.97	-	30.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	61.10	68.20	-7.10	8.67	3	Vertical	66	2.30	-	52.43
PK	5.753G	118.13	Inf	-Inf	8.83	3	Vertical	66	2.30	-	109.30
AV	5.752G	105.37	Inf	-Inf	8.83	3	Vertical	66	2.30	-	96.54
PK	5.93G	59.37	68.20	-8.83	8.93	3	Vertical	66	2.30	-	50.44

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.641G	59.20	68.20	-9.00	8.65	3	Horizontal	252	2.18	-	50.55
PK	5.747G	114.14	Inf	-Inf	8.82	3	Horizontal	252	2.18	-	105.32
AV	5.743G	101.32	Inf	-Inf	8.82	3	Horizontal	252	2.18	-	92.50
PK	5.99G	59.28	68.20	-8.92	8.93	3	Horizontal	252	2.18	-	50.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.24561G	67.60	68.20	-0.60	20.77	3	Vertical	201	1.80	-	46.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.23441G	67.11	68.20	-1.09	20.71	3	Horizontal	205	2.56	-	46.40

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 81
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	58.73	68.20	-9.47	8.63	3	Vertical	46	2.44	-	50.10
PK	5.78G	114.94	Inf	-Inf	8.87	3	Vertical	46	2.44	-	106.07
AV	5.781G	103.98	Inf	-Inf	8.88	3	Vertical	46	2.44	-	95.10
PK	5.987G	58.85	68.20	-9.35	8.93	3	Vertical	46	2.44	-	49.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 81
02-G-3-10
FSU(100015))

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.581G	58.95	68.20	-9.25	8.57	3	Horizontal	154	2.58	-	50.38
PK	5.776G	112.43	Inf	-Inf	8.87	3	Horizontal	154	2.58	-	103.56
AV	5.776G	102.48	Inf	-Inf	8.87	3	Horizontal	154	2.58	-	93.61
PK	5.959G	58.55	68.20	-9.65	8.93	3	Horizontal	154	2.58	-	49.62

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.34386G	67.53	68.20	-0.67	21.35	3	Vertical	208	1.75	-	46.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3503G	63.28	68.20	-4.92	21.40	3	Horizontal	207	2.70	-	41.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.591G	59.01	68.20	-9.19	8.57	3	Vertical	67	2.28	-	50.44
PK	5.826G	118.18	Inf	-Inf	8.91	3	Vertical	67	2.28	-	109.27
AV	5.822G	106.21	Inf	-Inf	8.90	3	Vertical	67	2.28	-	97.31
PK	5.932G	61.70	68.20	-6.50	8.93	3	Vertical	67	2.28	-	52.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.617G	59.10	68.20	-9.10	8.60	3	Horizontal	284	2.84	-	50.50
PK	5.833G	111.17	Inf	-Inf	8.91	3	Horizontal	284	2.84	-	102.26
AV	5.833G	98.97	Inf	-Inf	8.91	3	Horizontal	284	2.84	-	90.06
PK	5.985G	58.86	68.20	-9.34	8.93	3	Horizontal	284	2.84	-	49.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.47482G	67.48	68.20	-0.72	22.13	3	Vertical	208	1.81	-	45.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.47566G	66.57	68.20	-1.63	22.13	3	Horizontal	210	2.19	-	44.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 70
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	73.31	74.00	-0.69	7.94	3	Vertical	274	2.54	-	65.37
AV	5.15G	52.37	54.00	-1.63	7.94	3	Vertical	274	2.54	-	44.43
PK	5.1808G	111.49	Inf	-Inf	8.02	3	Vertical	274	2.54	-	103.47
AV	5.1764G	99.58	Inf	-Inf	8.01	3	Vertical	274	2.54	-	91.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT Z_2TX
Setting 70
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	65.09	74.00	-8.91	7.94	3	Horizontal	261	1.00	-	57.15
AV	5.15G	48.28	54.00	-5.72	7.94	3	Horizontal	261	1.00	-	40.34
PK	5.184G	108.04	Inf	-Inf	8.03	3	Horizontal	261	1.00	-	100.01
AV	5.1824G	96.16	Inf	-Inf	8.02	3	Horizontal	261	1.00	-	88.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5604G	54.88	74.00	-19.12	16.01	3	Vertical	189	2.34	-	38.87
AV	15.5778G	41.30	54.00	-12.70	15.97	3	Vertical	189	2.34	-	25.33

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57246G	55.05	74.00	-18.95	15.99	3	Horizontal	82	1.38	-	39.06
AV	15.56538G	41.31	54.00	-12.69	16.01	3	Horizontal	82	1.38	-	25.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 89
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	70.72	74.00	-3.28	7.94	3	Vertical	5	2.36	-	62.78
AV	5.149G	53.39	54.00	-0.61	7.94	3	Vertical	5	2.36	-	45.45
PK	5.2312G	116.76	Inf	-Inf	8.11	3	Vertical	5	2.36	-	108.65
AV	5.2312G	104.60	Inf	-Inf	8.11	3	Vertical	5	2.36	-	96.49
PK	5.3518G	62.94	74.00	-11.06	8.28	3	Vertical	5	2.36	-	54.66
AV	5.35G	47.97	54.00	-6.03	8.28	3	Vertical	5	2.36	-	39.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 89
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	67.08	74.00	-6.92	7.94	3	Horizontal	270	2.87	-	59.14
AV	5.15G	49.27	54.00	-4.73	7.94	3	Horizontal	270	2.87	-	41.33
PK	5.2198G	112.77	Inf	-Inf	8.09	3	Horizontal	270	2.87	-	104.68
AV	5.2156G	100.35	Inf	-Inf	8.08	3	Horizontal	270	2.87	-	92.27
PK	5.3704G	58.69	74.00	-15.31	8.30	3	Horizontal	270	2.87	-	50.39
AV	5.35G	46.60	54.00	-7.40	8.28	3	Horizontal	270	2.87	-	38.32

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69438G	54.84	74.00	-19.16	15.67	3	Vertical	247	2.83	-	39.17
AV	15.67662G	41.40	54.00	-12.60	15.71	3	Vertical	247	2.83	-	25.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6792G	54.75	74.00	-19.25	15.70	3	Horizontal	273	2.25	-	39.05
AV	15.68118G	41.28	54.00	-12.72	15.69	3	Horizontal	273	2.25	-	25.59

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6G	58.67	68.20	-9.53	8.58	3	Vertical	2	2.30	-	50.09
PK	5.761G	103.50	Inf	-Inf	8.85	3	Vertical	2	2.30	-	94.65
AV	5.739G	92.16	Inf	-Inf	8.80	3	Vertical	2	2.30	-	83.36
PK	5.978G	60.10	68.20	-8.10	8.94	3	Vertical	2	2.30	-	51.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.524G	59.39	68.20	-8.81	8.53	3	Horizontal	360	2.32	-	50.86
PK	5.741G	104.69	Inf	-Inf	8.80	3	Horizontal	360	2.32	-	95.89
AV	5.741G	91.98	Inf	-Inf	8.80	3	Horizontal	360	2.32	-	83.18
PK	5.962G	59.42	68.20	-8.78	8.93	3	Horizontal	360	2.32	-	50.49

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT_Z_2TX
 Setting 82
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.2597G	67.67	68.20	-0.53	20.86	3	Vertical	207	1.77	-	46.81

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT_Z_2TX
 Setting 82
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.2744G	63.87	68.20	-4.33	20.94	3	Horizontal	239	2.49	-	42.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.564G	59.26	68.20	-8.94	8.56	3	Vertical	289	2.16	-	50.70
PK	5.798G	115.28	Inf	-Inf	8.90	3	Vertical	289	2.16	-	106.38
AV	5.79G	102.48	Inf	-Inf	8.88	3	Vertical	289	2.16	-	93.60
PK	5.963G	59.18	68.20	-9.02	8.93	3	Vertical	289	2.16	-	50.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.55G	58.96	68.20	-9.24	8.54	3	Horizontal	94	1.04	-	50.42
PK	5.798G	107.49	Inf	-Inf	8.90	3	Horizontal	94	1.04	-	98.59
AV	5.808G	95.49	Inf	-Inf	8.90	3	Horizontal	94	1.04	-	86.59
PK	5.979G	58.86	68.20	-9.34	8.94	3	Horizontal	94	1.04	-	49.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3892G	67.51	68.20	-0.69	21.62	3	Vertical	210	1.80	-	45.89

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.37G	64.48	68.20	-3.72	21.51	3	Horizontal	192	2.70	-	42.97
AV	17.3892G	49.90	Inf	-Inf	21.62	3	Horizontal	192	2.70	-	28.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	73.33	74.00	-0.67	7.94	3	Vertical	353	1.31	-	65.39
AV	5.149G	53.47	54.00	-0.53	7.94	3	Vertical	353	1.31	-	45.53
PK	5.186G	111.00	Inf	-Inf	8.03	3	Vertical	353	1.31	-	102.97
AV	5.241G	98.25	Inf	-Inf	8.12	3	Vertical	353	1.31	-	90.13
PK	5.388G	60.64	74.00	-13.36	8.33	3	Vertical	353	1.31	-	52.31
AV	5.351G	47.29	54.00	-6.71	8.28	3	Vertical	353	1.31	-	39.01

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	71.15	74.00	-2.85	7.94	3	Horizontal	322	2.97	-	63.21
AV	5.149G	52.64	54.00	-1.36	7.94	3	Horizontal	322	2.97	-	44.70
PK	5.224G	107.78	Inf	-Inf	8.10	3	Horizontal	322	2.97	-	99.68
AV	5.22G	95.43	Inf	-Inf	8.09	3	Horizontal	322	2.97	-	87.34
PK	5.351G	59.53	74.00	-14.47	8.28	3	Horizontal	322	2.97	-	51.25
AV	5.35G	46.54	54.00	-7.46	8.28	3	Horizontal	322	2.97	-	38.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62886G	55.29	74.00	-18.71	15.84	3	Vertical	286	2.63	-	39.45
AV	15.61668G	41.02	54.00	-12.98	15.86	3	Vertical	286	2.63	-	25.16

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT Z_2TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62598G	54.94	74.00	-19.06	15.84	3	Horizontal	227	2.37	-	39.10
AV	15.63552G	41.02	54.00	-12.98	15.82	3	Horizontal	227	2.37	-	25.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 83
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.37	68.20	-0.83	8.66	3	Vertical	69	2.40	-	58.71
PK	5.763G	115.54	Inf	-Inf	8.84	3	Vertical	69	2.40	-	106.70
AV	5.764G	102.18	Inf	-Inf	8.84	3	Vertical	69	2.40	-	93.34
PK	5.925G	67.69	68.20	-0.51	8.93	3	Vertical	69	2.40	-	58.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 83
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	61.73	68.20	-6.47	8.67	3	Horizontal	5	2.60	-	53.06
PK	5.789G	108.14	Inf	-Inf	8.88	3	Horizontal	5	2.60	-	99.26
AV	5.791G	95.21	Inf	-Inf	8.88	3	Horizontal	5	2.60	-	86.33
PK	5.932G	61.41	68.20	-6.79	8.93	3	Horizontal	5	2.60	-	52.48

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3357G	64.92	68.20	-3.28	21.31	3	Vertical	7	2.48	-	43.61

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX



EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3118G	63.54	68.20	-4.66	21.16	3	Horizontal	218	2.00	-	42.38




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.3516G	53.49	54.00	-0.51	8.28	3	Vertical	41	2.14	-

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 110
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	66.40	74.00	-7.60	7.94	3	Vertical	13	2.22	-	58.46
AV	5.1496G	49.38	54.00	-4.62	7.94	3	Vertical	13	2.22	-	41.44
PK	5.2594G	117.28	Inf	-Inf	8.15	3	Vertical	13	2.22	-	109.13
AV	5.2576G	106.60	Inf	-Inf	8.15	3	Vertical	13	2.22	-	98.45
PK	5.35G	70.44	74.00	-3.56	8.28	3	Vertical	13	2.22	-	62.16
AV	5.3506G	53.38	54.00	-0.62	8.28	3	Vertical	13	2.22	-	45.10

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 110
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1334G	63.60	74.00	-10.40	7.92	3	Horizontal	14	2.97	-	55.68
AV	5.1454G	48.02	54.00	-5.98	7.94	3	Horizontal	14	2.97	-	40.08
PK	5.254G	115.90	Inf	-Inf	8.14	3	Horizontal	14	2.97	-	107.76
AV	5.2576G	105.14	Inf	-Inf	8.15	3	Horizontal	14	2.97	-	96.99
PK	5.35G	66.68	74.00	-7.32	8.28	3	Horizontal	14	2.97	-	58.40
AV	5.353G	50.05	54.00	-3.95	8.28	3	Horizontal	14	2.97	-	41.77

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 110
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7677G	55.12	74.00	-18.88	15.46	3	Vertical	182	1.12	-	39.66
AV	15.77376G	42.13	54.00	-11.87	15.46	3	Vertical	182	1.12	-	26.67

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 110
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7851G	55.30	74.00	-18.70	15.42	3	Horizontal	254	1.32	-	39.88
AV	15.7722G	41.40	54.00	-12.60	15.45	3	Horizontal	254	1.32	-	25.95

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5300MHz_TX




EUT_Y_1TX
Setting 104
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2958G	114.97	Inf	-Inf	8.20	3	Vertical	341	2.33	-	106.77
AV	5.2976G	105.01	Inf	-Inf	8.21	3	Vertical	341	2.33	-	96.80
PK	5.35G	72.11	74.00	-1.89	8.28	3	Vertical	341	2.33	-	63.83
AV	5.35G	53.11	54.00	-0.89	8.28	3	Vertical	341	2.33	-	44.83

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5300MHz_TX




EUT_Y_1TX
Setting 104
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2958G	113.54	Inf	-Inf	8.20	3	Horizontal	338	2.91	-	105.34
AV	5.2982G	103.57	Inf	-Inf	8.21	3	Horizontal	338	2.91	-	95.36
PK	5.35G	69.80	74.00	-4.20	8.28	3	Horizontal	338	2.91	-	61.52
AV	5.35G	51.32	54.00	-2.68	8.28	3	Horizontal	338	2.91	-	43.04

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 104
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8913G	54.05	74.00	-19.95	15.15	3	Vertical	237	2.97	-	38.90
AV	15.90918G	40.52	54.00	-13.48	15.10	3	Vertical	237	2.97	-	25.42

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 104
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89172G	53.79	74.00	-20.21	15.14	3	Horizontal	315	2.64	-	38.65
AV	15.91212G	40.67	54.00	-13.33	15.09	3	Horizontal	315	2.64	-	25.58

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 93
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3224G	112.23	Inf	-Inf	8.23	3	Vertical	328	2.20	-	104.00
AV	5.324G	101.98	Inf	-Inf	8.24	3	Vertical	328	2.20	-	93.74
PK	5.3548G	72.75	74.00	-1.25	8.28	3	Vertical	328	2.20	-	64.47
AV	5.3508G	53.35	54.00	-0.65	8.28	3	Vertical	328	2.20	-	45.07

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 93
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3224G	110.56	Inf	-Inf	8.23	3	Horizontal	325	2.90	-	102.33
AV	5.324G	100.50	Inf	-Inf	8.24	3	Horizontal	325	2.90	-	92.26
PK	5.3512G	71.32	74.00	-2.68	8.28	3	Horizontal	325	2.90	-	63.04
AV	5.35G	52.98	54.00	-1.02	8.28	3	Horizontal	325	2.90	-	44.70

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94806G	54.40	74.00	-19.60	14.99	3	Vertical	215	1.46	-	39.41
AV	15.9576G	40.78	54.00	-13.22	14.97	3	Vertical	215	1.46	-	25.81

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94968G	54.54	74.00	-19.46	14.99	3	Horizontal	347	1.59	-	39.55
AV	15.95646G	41.03	54.00	-12.97	14.98	3	Horizontal	347	1.59	-	26.05

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5500MHz_TX




EUT_Y_1TX
Setting 86
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	64.19	74.00	-9.81	8.44	3	Vertical	317	2.91	-	55.75
AV	5.4028G	46.55	54.00	-7.45	8.34	3	Vertical	317	2.91	-	38.21
PK	5.4684G	67.49	68.20	-0.71	8.46	3	Vertical	317	2.91	-	59.03
PK	5.5024G	111.11	Inf	-Inf	8.52	3	Vertical	317	2.91	-	102.59
AV	5.5024G	100.76	Inf	-Inf	8.52	3	Vertical	317	2.91	-	92.24

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5500MHz_TX




EUT_Y_1TX
Setting 86
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	64.44	74.00	-9.56	8.44	3	Horizontal	139	2.30	-	56.00
AV	5.4596G	46.72	54.00	-7.28	8.45	3	Horizontal	139	2.30	-	38.27
PK	5.47G	67.43	68.20	-0.77	8.46	3	Horizontal	139	2.30	-	58.97
PK	5.5016G	111.44	Inf	-Inf	8.52	3	Horizontal	139	2.30	-	102.92
AV	5.504G	101.47	Inf	-Inf	8.52	3	Horizontal	139	2.30	-	92.95

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99832G	53.43	74.00	-20.57	14.26	3	Vertical	318	2.63	-	39.17
AV	11.00324G	40.29	54.00	-13.71	14.26	3	Vertical	318	2.63	-	26.03

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99262G	53.93	74.00	-20.07	14.27	3	Horizontal	189	1.21	-	39.66
AV	11.00924G	40.42	54.00	-13.58	14.27	3	Horizontal	189	1.21	-	26.15

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	63.93	74.00	-10.07	8.44	3	Vertical	274	2.26	-	55.49
AV	5.46G	48.51	54.00	-5.49	8.45	3	Vertical	274	2.26	-	40.06
PK	5.4696G	65.98	68.20	-2.22	8.46	3	Vertical	274	2.26	-	57.52
PK	5.5832G	117.99	Inf	-Inf	8.57	3	Vertical	274	2.26	-	109.42
AV	5.5824G	106.72	Inf	-Inf	8.57	3	Vertical	274	2.26	-	98.15
PK	5.7544G	61.74	68.20	-6.46	8.83	3	Vertical	274	2.26	-	52.91

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	61.24	74.00	-12.76	8.44	3	Horizontal	266	1.97	-	52.80
AV	5.4592G	47.44	54.00	-6.56	8.45	3	Horizontal	266	1.97	-	38.99
PK	5.4656G	64.80	68.20	-3.40	8.46	3	Horizontal	266	1.97	-	56.34
PK	5.5824G	116.21	Inf	-Inf	8.57	3	Horizontal	266	1.97	-	107.64
AV	5.5824G	105.01	Inf	-Inf	8.57	3	Horizontal	266	1.97	-	96.44
PK	5.7256G	61.15	68.20	-7.05	8.79	3	Horizontal	266	1.97	-	52.36

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16978G	53.35	74.00	-20.65	14.48	3	Vertical	132	2.43	-	38.87
AV	11.1639G	39.67	54.00	-14.33	14.47	3	Vertical	132	2.43	-	25.20

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15424G	53.81	74.00	-20.19	14.45	3	Horizontal	287	1.21	-	39.36
AV	11.1606G	40.18	54.00	-13.82	14.47	3	Horizontal	287	1.21	-	25.71

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 81
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7024G	110.26	Inf	-Inf	8.75	3	Vertical	254	2.38	-	101.51
AV	5.7016G	99.97	Inf	-Inf	8.75	3	Vertical	254	2.38	-	91.22
PK	5.7252G	67.52	68.20	-0.68	8.79	3	Vertical	254	2.38	-	58.73

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5700MHz_TX




EUT_Y_1TX
Setting 81
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7024G	109.43	Inf	-Inf	8.75	3	Horizontal	118	2.11	-	100.68
AV	5.704G	99.15	Inf	-Inf	8.76	3	Horizontal	118	2.11	-	90.39
PK	5.7252G	66.82	68.20	-1.38	8.79	3	Horizontal	118	2.11	-	58.03

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40258G	54.04	74.00	-19.96	14.77	3	Vertical	165	1.60	-	39.27
AV	11.41338G	40.38	54.00	-13.62	14.79	3	Vertical	165	1.60	-	25.59

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38602G	53.64	74.00	-20.36	14.75	3	Horizontal	21	1.72	-	38.89
AV	11.40006G	40.61	54.00	-13.39	14.77	3	Horizontal	21	1.72	-	25.84

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 120
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	58.30	74.00	-15.70	8.45	3	Vertical	223	2.71	-	49.85
AV	5.4296G	45.74	54.00	-8.26	8.40	3	Vertical	223	2.71	-	37.34
PK	5.47G	57.80	68.20	-10.40	8.46	3	Vertical	223	2.71	-	49.34
PK	5.7236G	115.22	Inf	-Inf	8.78	3	Vertical	223	2.71	-	106.44
AV	5.7176G	103.92	Inf	-Inf	8.77	3	Vertical	223	2.71	-	95.15
PK	5.8532G	65.50	68.20	-2.70	8.90	3	Vertical	223	2.71	-	56.60

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-B-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4332G	58.15	74.00	-15.85	8.40	3	Horizontal	222	2.38	-	49.75
AV	5.4236G	45.67	54.00	-8.33	8.38	3	Horizontal	222	2.38	-	37.29
PK	5.46G	58.06	68.20	-10.14	8.45	3	Horizontal	222	2.38	-	49.61
PK	5.7272G	115.10	Inf	-Inf	8.80	3	Horizontal	222	2.38	-	106.30
AV	5.7224G	104.29	Inf	-Inf	8.78	3	Horizontal	222	2.38	-	95.51
PK	5.85G	66.69	68.20	-1.51	8.90	3	Horizontal	222	2.38	-	57.79

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4466G	54.42	74.00	-19.58	14.84	3	Vertical	22	2.97	-	39.58
AV	11.44546G	40.52	54.00	-13.48	14.84	3	Vertical	22	2.97	-	25.68

802.11a_Nss1,(6Mbps)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44774G	54.49	74.00	-19.51	14.84	3	Horizontal	310	1.78	-	39.65
AV	11.4382G	40.60	54.00	-13.40	14.82	3	Horizontal	310	1.78	-	25.78

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 107
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	63.13	74.00	-10.87	7.94	3	Vertical	39	2.24	-	55.19
AV	5.15G	48.70	54.00	-5.30	7.94	3	Vertical	39	2.24	-	40.76
PK	5.257G	118.49	Inf	-Inf	8.15	3	Vertical	39	2.24	-	110.34
AV	5.263G	105.62	Inf	-Inf	8.16	3	Vertical	39	2.24	-	97.46
PK	5.3512G	69.12	74.00	-4.88	8.28	3	Vertical	39	2.24	-	60.84
AV	5.3512G	51.59	54.00	-2.41	8.28	3	Vertical	39	2.24	-	43.31

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 107
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1442G	63.04	74.00	-10.96	7.94	3	Horizontal	353	2.96	-	55.10
AV	5.15G	47.79	54.00	-6.21	7.94	3	Horizontal	353	2.96	-	39.85
PK	5.257G	118.33	Inf	-Inf	8.15	3	Horizontal	353	2.96	-	110.18
AV	5.263G	105.40	Inf	-Inf	8.16	3	Horizontal	353	2.96	-	97.24
PK	5.3506G	66.85	74.00	-7.15	8.28	3	Horizontal	353	2.96	-	58.57
AV	5.353G	50.49	54.00	-3.51	8.28	3	Horizontal	353	2.96	-	42.21

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 107
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77094G	55.20	74.00	-18.80	15.45	3	Vertical	290	1.81	-	39.75
AV	15.77292G	41.95	54.00	-12.05	15.46	3	Vertical	290	1.81	-	26.49

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5260MHz_TX




EUT Y_1TX
Setting 107
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78156G	54.90	74.00	-19.10	15.43	3	Horizontal	353	2.71	-	39.47
AV	15.77844G	41.78	54.00	-12.22	15.44	3	Horizontal	353	2.71	-	26.34

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	117.28	Inf	-Inf	8.21	3	Vertical	44	2.24	-	109.07
AV	5.3028G	103.96	Inf	-Inf	8.21	3	Vertical	44	2.24	-	95.75
PK	5.35G	70.97	74.00	-3.03	8.28	3	Vertical	44	2.24	-	62.69
AV	5.35G	52.88	54.00	-1.12	8.28	3	Vertical	44	2.24	-	44.60

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2972G	116.88	Inf	-Inf	8.21	3	Horizontal	360	2.90	-	108.67
AV	5.298G	103.55	Inf	-Inf	8.21	3	Horizontal	360	2.90	-	95.34
PK	5.35G	72.40	74.00	-1.60	8.28	3	Horizontal	360	2.90	-	64.12
AV	5.35G	53.32	54.00	-0.68	8.28	3	Horizontal	360	2.90	-	45.04

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90636G	54.10	74.00	-19.90	15.11	3	Vertical	303	2.72	-	38.99
AV	15.90444G	40.40	54.00	-13.60	15.12	3	Vertical	303	2.72	-	25.28

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5300MHz_TX




EUT Y_1TX
Setting 101
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89496G	54.76	74.00	-19.24	15.14	3	Horizontal	342	1.75	-	39.62
AV	15.89508G	41.30	54.00	-12.70	15.14	3	Horizontal	342	1.75	-	26.16

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	112.33	Inf	-Inf	8.23	3	Vertical	42	2.20	-	104.10
AV	5.318G	99.14	Inf	-Inf	8.23	3	Vertical	42	2.20	-	90.91
PK	5.3512G	72.90	74.00	-1.10	8.28	3	Vertical	42	2.20	-	64.62
AV	5.3506G	51.49	54.00	-2.51	8.28	3	Vertical	42	2.20	-	43.21

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 85
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	113.17	Inf	-Inf	8.23	3	Horizontal	358	2.89	-	104.94
AV	5.3228G	100.37	Inf	-Inf	8.24	3	Horizontal	358	2.89	-	92.13
PK	5.3512G	72.87	74.00	-1.13	8.28	3	Horizontal	358	2.89	-	64.59
AV	5.3504G	51.47	54.00	-2.53	8.28	3	Horizontal	358	2.89	-	43.19

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 85
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.94584G	54.39	74.00	-19.61	15.00	3	Vertical	276	1.11	-	39.39
AV	15.95472G	40.74	54.00	-13.26	14.98	3	Vertical	276	1.11	-	25.76

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5320MHz_TX




EUT Y_1TX
Setting 85
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96078G	54.20	74.00	-19.80	14.96	3	Horizontal	56	2.64	-	39.24
AV	15.95856G	40.81	54.00	-13.19	14.97	3	Horizontal	56	2.64	-	25.84

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	59.59	74.00	-14.41	8.45	3	Vertical	48	2.23	-	51.14
AV	5.4598G	46.72	54.00	-7.28	8.45	3	Vertical	48	2.23	-	38.27
PK	5.4686G	67.05	68.20	-1.15	8.46	3	Vertical	48	2.23	-	58.59
PK	5.497G	112.60	Inf	-Inf	8.52	3	Vertical	48	2.23	-	104.08
AV	5.498G	99.44	Inf	-Inf	8.52	3	Vertical	48	2.23	-	90.92

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4538G	59.83	74.00	-14.17	8.44	3	Horizontal	60	2.76	-	51.39
AV	5.4592G	46.77	54.00	-7.23	8.45	3	Horizontal	60	2.76	-	38.32
PK	5.4688G	67.33	68.20	-0.87	8.46	3	Horizontal	60	2.76	-	58.87
PK	5.4968G	113.16	Inf	-Inf	8.52	3	Horizontal	60	2.76	-	104.64
AV	5.505G	100.13	Inf	-Inf	8.52	3	Horizontal	60	2.76	-	91.61

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01284G	53.60	74.00	-20.40	14.28	3	Vertical	320	2.94	-	39.32
AV	11.01032G	39.84	54.00	-14.16	14.28	3	Vertical	320	2.94	-	25.56

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5500MHz_TX




EUT Y_1TX
Setting 80
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00288G	53.17	74.00	-20.83	14.26	3	Horizontal	156	2.63	-	38.91
AV	11.00462G	40.01	54.00	-13.99	14.26	3	Horizontal	156	2.63	-	25.75

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	65.65	74.00	-8.35	8.45	3	Vertical	52	2.97	-	57.20
AV	5.46G	49.97	54.00	-4.03	8.45	3	Vertical	52	2.97	-	41.52
PK	5.4696G	65.95	68.20	-2.25	8.46	3	Vertical	52	2.97	-	57.49
PK	5.5768G	117.46	Inf	-Inf	8.57	3	Vertical	52	2.97	-	108.89
AV	5.5784G	104.30	Inf	-Inf	8.57	3	Vertical	52	2.97	-	95.73
PK	5.7288G	61.38	68.20	-6.82	8.80	3	Vertical	52	2.97	-	52.58

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.432G	64.37	74.00	-9.63	8.40	3	Horizontal	42	2.25	-	55.97
PK	5.4696G	65.81	68.20	-2.39	8.46	3	Horizontal	42	2.25	-	57.35
AV	5.46G	49.35	54.00	-4.65	8.45	3	Horizontal	42	2.25	-	40.90
PK	5.5768G	116.38	Inf	-Inf	8.57	3	Horizontal	42	2.25	-	107.81
AV	5.5832G	103.57	Inf	-Inf	8.57	3	Horizontal	42	2.25	-	95.00
PK	5.7288G	61.63	68.20	-6.57	8.80	3	Horizontal	42	2.25	-	52.83

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1648G	53.69	74.00	-20.31	14.47	3	Vertical	12	2.64	-	39.22
AV	11.16138G	40.37	54.00	-13.63	14.47	3	Vertical	12	2.64	-	25.90

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5580MHz_TX




EUT Y_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1609G	53.09	74.00	-20.91	14.47	3	Horizontal	69	1.54	-	38.62
AV	11.16618G	39.82	54.00	-14.18	14.47	3	Horizontal	69	1.54	-	25.35

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 73
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6968G	108.19	Inf	-Inf	8.75	3	Vertical	354	2.72	-	99.44
AV	5.702G	95.10	Inf	-Inf	8.75	3	Vertical	354	2.72	-	86.35
PK	5.7252G	64.37	68.20	-3.83	8.79	3	Vertical	354	2.72	-	55.58

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 73
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.697G	109.95	Inf	-Inf	8.75	3	Horizontal	60	2.41	-	101.20
AV	5.7028G	96.99	Inf	-Inf	8.75	3	Horizontal	60	2.41	-	88.24
PK	5.7252G	67.63	68.20	-0.57	8.79	3	Horizontal	60	2.41	-	58.84

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41098G	54.27	74.00	-19.73	14.79	3	Vertical	226	2.88	-	39.48
AV	11.41116G	40.14	54.00	-13.86	14.79	3	Vertical	226	2.88	-	25.35

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5700MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.388G	53.43	74.00	-20.57	14.76	3	Horizontal	9	1.81	-	38.67
AV	11.41266G	40.27	54.00	-13.73	14.79	3	Horizontal	9	1.81	-	25.48

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4404G	57.88	74.00	-16.12	8.41	3	Vertical	358	1.30	-	49.47
AV	5.444G	45.75	54.00	-8.25	8.42	3	Vertical	358	1.30	-	37.33
PK	5.4692G	57.16	68.20	-11.04	8.46	3	Vertical	358	1.30	-	48.70
PK	5.7176G	114.29	Inf	-Inf	8.77	3	Vertical	358	1.30	-	105.52
AV	5.7212G	101.38	Inf	-Inf	8.78	3	Vertical	358	1.30	-	92.60
PK	5.8508G	62.29	68.20	-5.91	8.90	3	Vertical	358	1.30	-	53.39

802.11ax HEW20_Nss1,(MCS0)_1TX

22/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 120
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	58.34	74.00	-15.66	8.45	3	Horizontal	51	2.40	-	49.89
AV	5.426G	45.76	54.00	-8.24	8.39	3	Horizontal	51	2.40	-	37.37
PK	5.462G	58.10	68.20	-10.10	8.45	3	Horizontal	51	2.40	-	49.65
PK	5.7176G	117.30	Inf	-Inf	8.77	3	Horizontal	51	2.40	-	108.53
AV	5.7188G	104.15	Inf	-Inf	8.77	3	Horizontal	51	2.40	-	95.38
PK	5.85G	66.48	68.20	-1.72	8.90	3	Horizontal	51	2.40	-	57.58

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT Y_1TX
 Setting 120
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44006G	54.17	74.00	-19.83	14.82	3	Vertical	133	2.55	-	39.35
AV	11.43124G	40.29	54.00	-13.71	14.81	3	Vertical	133	2.55	-	25.48

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT Y_1TX
 Setting 120
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44732G	53.91	74.00	-20.09	14.84	3	Horizontal	12	1.40	-	39.07
AV	11.4523G	40.26	54.00	-13.74	14.84	3	Horizontal	12	1.40	-	25.42

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5270MHz_TX




EUT Y_1TX
Setting 97
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	61.70	74.00	-12.30	7.94	3	Vertical	37	2.25	-	53.76
AV	5.1494G	48.19	54.00	-5.81	7.94	3	Vertical	37	2.25	-	40.25
PK	5.255G	113.12	Inf	-Inf	8.15	3	Vertical	37	2.25	-	104.97
AV	5.2742G	101.00	Inf	-Inf	8.17	3	Vertical	37	2.25	-	92.83
PK	5.3618G	67.96	74.00	-6.04	8.29	3	Vertical	37	2.25	-	59.67
AV	5.351G	53.10	54.00	-0.90	8.28	3	Vertical	37	2.25	-	44.82

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5270MHz_TX




EUT Y_1TX
Setting 97
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	63.31	74.00	-10.69	7.94	3	Horizontal	356	2.93	-	55.37
AV	5.147G	48.03	54.00	-5.97	7.94	3	Horizontal	356	2.93	-	40.09
PK	5.2862G	113.03	Inf	-Inf	8.19	3	Horizontal	356	2.93	-	104.84
AV	5.2742G	101.50	Inf	-Inf	8.17	3	Horizontal	356	2.93	-	93.33
PK	5.3522G	67.52	74.00	-6.48	8.28	3	Horizontal	356	2.93	-	59.24
AV	5.35G	53.35	54.00	-0.65	8.28	3	Horizontal	356	2.93	-	45.07

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5270MHz_TX




EUT Y_1TX
Setting 97
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80112G	54.40	74.00	-19.60	15.38	3	Vertical	257	2.97	-	39.02
AV	15.81588G	41.40	54.00	-12.60	15.34	3	Vertical	257	2.97	-	26.06

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5270MHz_TX




EUT Y_1TX
Setting 97
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81552G	54.28	74.00	-19.72	15.34	3	Horizontal	214	1.28	-	38.94
AV	15.82002G	41.30	54.00	-12.70	15.33	3	Horizontal	214	1.28	-	25.97

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5310MHz_TX




EUT Y_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.302G	108.80	Inf	-Inf	8.21	3	Vertical	52	2.20	-	100.59
AV	5.3044G	96.19	Inf	-Inf	8.21	3	Vertical	52	2.20	-	87.98
PK	5.3508G	71.25	74.00	-2.75	8.28	3	Vertical	52	2.20	-	62.97
AV	5.3504G	52.92	54.00	-1.08	8.28	3	Vertical	52	2.20	-	44.64

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5310MHz_TX




EUT Y_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3048G	108.32	Inf	-Inf	8.22	3	Horizontal	44	2.10	-	100.10
AV	5.3056G	94.90	Inf	-Inf	8.22	3	Horizontal	44	2.10	-	86.68
PK	5.3508G	68.60	74.00	-5.40	8.28	3	Horizontal	44	2.10	-	60.32
AV	5.3504G	51.18	54.00	-2.82	8.28	3	Horizontal	44	2.10	-	42.90

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5310MHz_TX




EUT Y_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.92622G	54.66	74.00	-19.34	15.05	3	Vertical	123	2.14	-	39.61
AV	15.93228G	41.65	54.00	-12.35	15.04	3	Vertical	123	2.14	-	26.61

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5310MHz_TX




EUT Y_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.92616G	54.25	74.00	-19.75	15.05	3	Horizontal	243	2.76	-	39.20
AV	15.945G	41.27	54.00	-12.73	15.00	3	Horizontal	243	2.76	-	26.27

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5510MHz_TX




EUT Y_1TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	62.31	74.00	-11.69	8.44	3	Vertical	38	2.21	-	53.87
AV	5.4592G	48.48	54.00	-5.52	8.45	3	Vertical	38	2.21	-	40.03
PK	5.4692G	67.44	68.20	-0.76	8.46	3	Vertical	38	2.21	-	58.98
PK	5.502G	108.80	Inf	-Inf	8.52	3	Vertical	38	2.21	-	100.28
AV	5.514G	96.86	Inf	-Inf	8.53	3	Vertical	38	2.21	-	88.33

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5510MHz_TX




EUT Y_1TX
Setting 75
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	61.41	74.00	-12.59	8.45	3	Horizontal	67	2.75	-	52.96
AV	5.4592G	48.66	54.00	-5.34	8.45	3	Horizontal	67	2.75	-	40.21
PK	5.4696G	66.10	68.20	-2.10	8.46	3	Horizontal	67	2.75	-	57.64
PK	5.526G	109.29	Inf	-Inf	8.54	3	Horizontal	67	2.75	-	100.75
AV	5.516G	97.26	Inf	-Inf	8.53	3	Horizontal	67	2.75	-	88.73

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5510MHz_TX




EUT Y_1TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.03062G	53.69	74.00	-20.31	14.30	3	Vertical	273	2.32	-	39.39
AV	11.0098G	40.96	54.00	-13.04	14.28	3	Vertical	273	2.32	-	26.68

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5510MHz_TX




EUT Y_1TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0188G	54.13	74.00	-19.87	14.29	3	Horizontal	166	1.85	-	39.84
AV	11.03308G	40.69	54.00	-13.31	14.31	3	Horizontal	166	1.85	-	26.38

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5550MHz_TX




EUT Y_1TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4378G	65.41	74.00	-8.59	8.41	3	Vertical	20	2.98	-	57.00
PK	5.47G	66.68	68.20	-1.52	8.46	3	Vertical	20	2.98	-	58.22
AV	5.4588G	51.74	54.00	-2.26	8.45	3	Vertical	20	2.98	-	43.29
PK	5.5656G	114.20	Inf	-Inf	8.56	3	Vertical	20	2.98	-	105.64
AV	5.5626G	102.02	Inf	-Inf	8.56	3	Vertical	20	2.98	-	93.46

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5550MHz_TX




EUT Y_1TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4582G	65.71	74.00	-8.29	8.45	3	Horizontal	46	2.10	-	57.26
AV	5.4594G	51.83	54.00	-2.17	8.45	3	Horizontal	46	2.10	-	43.38
PK	5.47G	67.46	68.20	-0.74	8.46	3	Horizontal	46	2.10	-	59.00
PK	5.5614G	111.93	Inf	-Inf	8.56	3	Horizontal	46	2.10	-	103.37
AV	5.5542G	99.78	Inf	-Inf	8.55	3	Horizontal	46	2.10	-	91.23

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5550MHz_TX




EUT Y_1TX
Setting 100
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09142G	53.68	74.00	-20.32	14.38	3	Vertical	1	1.23	-	39.30
AV	11.09922G	40.92	54.00	-13.08	14.39	3	Vertical	1	1.23	-	26.53

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5550MHz_TX




EUT Y_1TX
Setting 100
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.08854G	53.52	74.00	-20.48	14.38	3	Horizontal	138	2.03	-	39.14
AV	11.08866G	40.60	54.00	-13.40	14.38	3	Horizontal	138	2.03	-	26.22

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5670MHz_TX




EUT Y_1TX
Setting 87
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6548G	109.74	Inf	-Inf	8.67	3	Vertical	352	2.86	-	101.07
AV	5.6744G	97.32	Inf	-Inf	8.70	3	Vertical	352	2.86	-	88.62
PK	5.7324G	64.76	68.20	-3.44	8.80	3	Vertical	352	2.86	-	55.96

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5670MHz_TX




EUT Y_1TX
Setting 87
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6876G	111.29	Inf	-Inf	8.72	3	Horizontal	51	2.41	-	102.57
AV	5.6772G	98.60	Inf	-Inf	8.72	3	Horizontal	51	2.41	-	89.88
PK	5.7256G	67.46	68.20	-0.74	8.79	3	Horizontal	51	2.41	-	58.67

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5670MHz_TX




EUT Y_1TX
Setting 87
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34306G	52.61	74.00	-21.39	14.70	3	Vertical	84	1.95	-	37.91
AV	11.32854G	40.10	54.00	-13.90	14.68	3	Vertical	84	1.95	-	25.42

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5670MHz_TX




EUT Y_1TX
Setting 87
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.35278G	52.63	74.00	-21.37	14.72	3	Horizontal	139	2.17	-	37.91
AV	11.32536G	40.18	54.00	-13.82	14.68	3	Horizontal	139	2.17	-	25.50

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.434G	58.55	74.00	-15.45	8.40	3	Vertical	352	2.58	-	50.15
AV	5.4412G	46.73	54.00	-7.27	8.41	3	Vertical	352	2.58	-	38.32
PK	5.464G	57.87	68.20	-10.33	8.45	3	Vertical	352	2.58	-	49.42
PK	5.7256G	112.43	Inf	-Inf	8.79	3	Vertical	352	2.58	-	103.64
AV	5.7052G	100.03	Inf	-Inf	8.76	3	Vertical	352	2.58	-	91.27
PK	5.86G	65.13	68.20	-3.07	8.91	3	Vertical	352	2.58	-	56.22

802.11ax HEW40_Nss1,(MCS0)_1TX

22/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 103
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4316G	58.53	74.00	-15.47	8.40	3	Horizontal	52	2.20	-	50.13
PK	5.4616G	58.40	68.20	-9.80	8.45	3	Horizontal	52	2.20	-	49.95
AV	5.452G	46.94	54.00	-7.06	8.44	3	Horizontal	52	2.20	-	38.50
PK	5.6944G	114.19	Inf	-Inf	8.74	3	Horizontal	52	2.20	-	105.45
AV	5.6968G	101.75	Inf	-Inf	8.75	3	Horizontal	52	2.20	-	93.00
PK	5.85G	67.67	68.20	-0.53	8.90	3	Horizontal	52	2.20	-	58.77

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT Y_1TX
 Setting 103
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40548G	53.54	74.00	-20.46	14.77	3	Vertical	175	2.23	-	38.77
AV	11.42822G	41.01	54.00	-12.99	14.81	3	Vertical	175	2.23	-	26.20

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT Y_1TX
 Setting 103
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43236G	53.93	74.00	-20.07	14.82	3	Horizontal	224	1.67	-	39.11
AV	11.41646G	41.41	54.00	-12.59	14.79	3	Horizontal	224	1.67	-	26.62

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5290MHz_TX




EUT Y_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1372G	60.01	74.00	-13.99	7.92	3	Vertical	41	2.14	-	52.09
AV	5.1476G	47.79	54.00	-6.21	7.94	3	Vertical	41	2.14	-	39.85
PK	5.2764G	106.55	Inf	-Inf	8.17	3	Vertical	41	2.14	-	98.38
AV	5.2748G	94.32	Inf	-Inf	8.17	3	Vertical	41	2.14	-	86.15
PK	5.3516G	70.35	74.00	-3.65	8.28	3	Vertical	41	2.14	-	62.07
AV	5.3516G	53.49	54.00	-0.51	8.28	3	Vertical	41	2.14	-	45.21
PK	5.4684G	59.23	68.20	-8.97	8.46	3	Vertical	41	2.14	-	50.77

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5290MHz_TX




EUT Y_1TX
Setting 79
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1052G	59.64	74.00	-14.36	7.85	3	Horizontal	0	2.97	-	51.79
AV	5.1308G	47.55	54.00	-6.45	7.91	3	Horizontal	0	2.97	-	39.64
PK	5.2684G	105.83	Inf	-Inf	8.16	3	Horizontal	0	2.97	-	97.67
AV	5.2748G	93.92	Inf	-Inf	8.17	3	Horizontal	0	2.97	-	85.75
PK	5.366G	69.88	74.00	-4.12	8.29	3	Horizontal	0	2.97	-	61.59
AV	5.3524G	53.14	54.00	-0.86	8.28	3	Horizontal	0	2.97	-	44.86
PK	5.486G	58.57	68.20	-9.63	8.50	3	Horizontal	0	2.97	-	50.07

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5290MHz_TX




EUT Y_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.85866G	53.72	74.00	-20.28	15.23	3	Vertical	311	1.78	-	38.49
AV	15.85914G	41.32	54.00	-12.68	15.23	3	Vertical	311	1.78	-	26.09

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5290MHz_TX




EUT Y_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86928G	53.97	74.00	-20.03	15.21	3	Horizontal	243	1.86	-	38.76
AV	15.86874G	41.22	54.00	-12.78	15.21	3	Horizontal	243	1.86	-	26.01

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5530MHz_TX




EUT Y_1TX
Setting 78
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.349G	58.33	68.20	-9.87	8.27	3	Vertical	22	2.90	-	50.06
PK	5.458G	63.91	74.00	-10.09	8.45	3	Vertical	22	2.90	-	55.46
AV	5.459G	50.16	54.00	-3.84	8.45	3	Vertical	22	2.90	-	41.71
PK	5.47G	66.89	68.20	-1.31	8.46	3	Vertical	22	2.90	-	58.43
PK	5.509G	105.73	Inf	-Inf	8.53	3	Vertical	22	2.90	-	97.20
AV	5.515G	93.54	Inf	-Inf	8.53	3	Vertical	22	2.90	-	85.01
PK	5.742G	59.36	68.20	-8.84	8.81	3	Vertical	22	2.90	-	50.55

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5530MHz_TX




EUT Y_1TX
Setting 78
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.348G	58.24	68.20	-9.96	8.27	3	Horizontal	43	2.73	-	49.97
PK	5.459G	66.63	74.00	-7.37	8.45	3	Horizontal	43	2.73	-	58.18
AV	5.456G	50.15	54.00	-3.85	8.44	3	Horizontal	43	2.73	-	41.71
PK	5.468G	66.68	68.20	-1.52	8.46	3	Horizontal	43	2.73	-	58.22
PK	5.544G	106.53	Inf	-Inf	8.55	3	Horizontal	43	2.73	-	97.98
AV	5.543G	94.65	Inf	-Inf	8.55	3	Horizontal	43	2.73	-	86.10
PK	5.731G	59.12	68.20	-9.08	8.80	3	Horizontal	43	2.73	-	50.32

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5530MHz_TX




EUT Y_1TX
Setting 78
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06492G	53.76	74.00	-20.24	14.34	3	Vertical	345	2.73	-	39.42
AV	11.05892G	40.62	54.00	-13.38	14.34	3	Vertical	345	2.73	-	26.28

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5530MHz_TX




EUT Y_1TX
 Setting 78
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0522G	53.31	74.00	-20.69	14.33	3	Horizontal	356	2.19	-	38.98
AV	11.06804G	40.66	54.00	-13.34	14.35	3	Horizontal	356	2.19	-	26.31

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5610MHz_TX




EUT Y_1TX
Setting 94
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	63.20	74.00	-10.80	8.42	3	Vertical	341	2.90	-	54.78
PK	5.463G	65.68	68.20	-2.52	8.45	3	Vertical	341	2.90	-	57.23
AV	5.456G	50.22	54.00	-3.78	8.44	3	Vertical	341	2.90	-	41.78
PK	5.609G	108.67	Inf	-Inf	8.60	3	Vertical	341	2.90	-	100.07
AV	5.603G	96.46	Inf	-Inf	8.58	3	Vertical	341	2.90	-	87.88
PK	5.743G	67.59	68.20	-0.61	8.82	3	Vertical	341	2.90	-	58.77

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5610MHz_TX




EUT Y_1TX
Setting 94
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	63.67	74.00	-10.33	8.42	3	Horizontal	30	2.14	-	55.25
PK	5.464G	65.56	68.20	-2.64	8.45	3	Horizontal	30	2.14	-	57.11
AV	5.458G	49.91	54.00	-4.09	8.45	3	Horizontal	30	2.14	-	41.46
PK	5.623G	108.69	Inf	-Inf	8.61	3	Horizontal	30	2.14	-	100.08
AV	5.616G	96.69	Inf	-Inf	8.61	3	Horizontal	30	2.14	-	88.08
PK	5.731G	67.48	68.20	-0.72	8.80	3	Horizontal	30	2.14	-	58.68

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5610MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22624G	52.62	74.00	-21.38	14.55	3	Vertical	103	2.22	-	38.07
AV	11.22492G	40.28	54.00	-13.72	14.55	3	Vertical	103	2.22	-	25.73

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5610MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22516G	53.07	74.00	-20.93	14.55	3	Horizontal	237	1.71	-	38.52
AV	11.2068G	40.31	54.00	-13.69	14.53	3	Horizontal	237	1.71	-	25.78

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.449G	59.18	74.00	-14.82	8.42	3	Vertical	30	2.85	-	50.76
AV	5.451G	46.74	54.00	-7.26	8.44	3	Vertical	30	2.85	-	38.30
PK	5.465G	59.33	68.20	-8.87	8.45	3	Vertical	30	2.85	-	50.88
PK	5.704G	109.32	Inf	-Inf	8.76	3	Vertical	30	2.85	-	100.56
AV	5.703G	97.26	Inf	-Inf	8.75	3	Vertical	30	2.85	-	88.51
PK	5.85G	66.59	68.20	-1.61	8.90	3	Vertical	30	2.85	-	57.69

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	59.11	74.00	-14.89	8.44	3	Horizontal	48	2.22	-	50.67
AV	5.459G	47.07	54.00	-6.93	8.45	3	Horizontal	48	2.22	-	38.62
PK	5.468G	59.38	68.20	-8.82	8.46	3	Horizontal	48	2.22	-	50.92
PK	5.703G	108.87	Inf	-Inf	8.75	3	Horizontal	48	2.22	-	100.12
AV	5.696G	96.92	Inf	-Inf	8.74	3	Horizontal	48	2.22	-	88.18
PK	5.854G	67.59	68.20	-0.61	8.90	3	Horizontal	48	2.22	-	58.69

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39488G	53.72	74.00	-20.28	14.77	3	Vertical	306	1.00	-	38.95
AV	11.389G	40.83	54.00	-13.17	14.76	3	Vertical	306	1.00	-	26.07

802.11ax HEW80_Nss1,(MCS0)_1TX

22/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_1TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39068G	53.71	74.00	-20.29	14.76	3	Horizontal	220	2.04	-	38.95
AV	11.3905G	41.22	54.00	-12.78	14.76	3	Horizontal	220	2.04	-	26.46




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.15436G	67.67	68.20	-0.53	20.23	3	Vertical	326	2.02	-

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 102
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	63.01	74.00	-10.99	7.94	3	Vertical	3	2.52	-	55.07
AV	5.15G	47.64	54.00	-6.36	7.94	3	Vertical	3	2.52	-	39.70
PK	5.2666G	120.89	Inf	-Inf	8.16	3	Vertical	3	2.52	-	112.73
AV	5.2624G	110.64	Inf	-Inf	8.15	3	Vertical	3	2.52	-	102.49
PK	5.3572G	68.07	74.00	-5.93	8.28	3	Vertical	3	2.52	-	59.79
AV	5.362G	50.99	54.00	-3.01	8.29	3	Vertical	3	2.52	-	42.70

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 102
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	60.80	74.00	-13.20	7.94	3	Horizontal	300	2.94	-	52.86
AV	5.15G	47.09	54.00	-6.91	7.94	3	Horizontal	300	2.94	-	39.15
PK	5.266G	120.02	Inf	-Inf	8.16	3	Horizontal	300	2.94	-	111.86
AV	5.2612G	109.78	Inf	-Inf	8.15	3	Horizontal	300	2.94	-	101.63
PK	5.3506G	64.45	74.00	-9.55	8.28	3	Horizontal	300	2.94	-	56.17
AV	5.3656G	49.97	54.00	-4.03	8.29	3	Horizontal	300	2.94	-	41.68

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 102
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52036G	55.60	68.20	-12.60	14.57	3	Vertical	16	1.91	-	41.03
PK	15.77298G	59.58	74.00	-14.42	15.46	3	Vertical	131	1.79	-	44.12
AV	15.78246G	46.06	54.00	-7.94	15.43	3	Vertical	131	1.79	-	30.63

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 102
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52474G	53.55	68.20	-14.65	14.56	3	Horizontal	52	1.89	-	38.99
PK	15.78126G	55.64	74.00	-18.36	15.43	3	Horizontal	317	2.00	-	40.21
AV	15.78216G	42.93	54.00	-11.07	15.43	3	Horizontal	317	2.00	-	27.50

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 97
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2976G	119.31	Inf	-Inf	8.21	3	Vertical	5	2.37	-	111.10
AV	5.3024G	109.51	Inf	-Inf	8.21	3	Vertical	5	2.37	-	101.30
PK	5.3501G	73.44	74.00	-0.56	8.28	3	Vertical	5	2.37	-	65.16
AV	5.3501G	53.27	54.00	-0.73	8.28	3	Vertical	5	2.37	-	44.99

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 97
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2952G	117.88	Inf	-Inf	8.20	3	Horizontal	303	2.77	-	109.68
AV	5.2952G	108.08	Inf	-Inf	8.20	3	Horizontal	303	2.77	-	99.88
PK	5.3528G	70.43	74.00	-3.57	8.28	3	Horizontal	303	2.77	-	62.15
AV	5.3504G	50.93	54.00	-3.07	8.28	3	Horizontal	303	2.77	-	42.65

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 97
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60736G	52.66	74.00	-21.34	14.50	3	Vertical	124	2.85	-	38.16
AV	10.60268G	40.25	54.00	-13.75	14.52	3	Vertical	124	2.85	-	25.73
PK	15.90036G	56.31	74.00	-17.69	15.13	3	Vertical	267	1.71	-	41.18
AV	15.9021G	43.63	54.00	-10.37	15.12	3	Vertical	267	1.71	-	28.51

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 97
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60052G	53.21	74.00	-20.79	14.51	3	Horizontal	215	1.59	-	38.70
AV	10.60636G	39.84	54.00	-14.16	14.51	3	Horizontal	223	1.50	-	25.33
PK	15.91416G	54.12	74.00	-19.88	15.09	3	Horizontal	170	1.11	-	39.03
AV	15.89352G	40.52	54.00	-13.48	15.14	3	Horizontal	170	1.11	-	25.38

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 86
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.317G	116.02	Inf	-Inf	8.23	3	Vertical	2	2.37	-	107.79
AV	5.322G	106.55	Inf	-Inf	8.23	3	Vertical	2	2.37	-	98.32
PK	5.352G	72.75	74.00	-1.25	8.28	3	Vertical	2	2.37	-	64.47
AV	5.352G	53.33	54.00	-0.67	8.28	3	Vertical	2	2.37	-	45.05

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 86
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3158G	114.49	Inf	-Inf	8.23	3	Horizontal	301	2.88	-	106.26
AV	5.321G	105.09	Inf	-Inf	8.23	3	Horizontal	301	2.88	-	96.86
PK	5.3556G	71.99	74.00	-2.01	8.28	3	Horizontal	301	2.88	-	63.71
AV	5.3508G	52.72	54.00	-1.28	8.28	3	Horizontal	301	2.88	-	44.44

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 86
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.634G	53.31	74.00	-20.69	14.49	3	Vertical	103	2.68	-	38.82
AV	10.63364G	39.94	54.00	-14.06	14.49	3	Vertical	103	2.68	-	25.45
PK	15.94614G	54.67	74.00	-19.33	15.00	3	Vertical	190	1.69	-	39.67
AV	15.96048G	42.63	54.00	-11.37	14.96	3	Vertical	190	1.69	-	27.67

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 86
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64128G	53.53	74.00	-20.47	14.49	3	Horizontal	84	1.60	-	39.04
AV	10.63116G	39.91	54.00	-14.09	14.49	3	Horizontal	84	1.60	-	25.42
PK	15.96624G	53.90	74.00	-20.10	14.95	3	Horizontal	343	2.68	-	38.95
AV	15.94524G	40.56	54.00	-13.44	15.00	3	Horizontal	343	2.68	-	25.56

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	59.20	74.00	-14.80	8.45	3	Vertical	15	2.35	-	50.75
AV	5.4586G	46.68	54.00	-7.32	8.45	3	Vertical	15	2.35	-	38.23
PK	5.4684G	67.50	68.20	-0.70	8.46	3	Vertical	15	2.35	-	59.04
PK	5.5044G	112.92	Inf	-Inf	8.52	3	Vertical	15	2.35	-	104.40
AV	5.504G	104.07	Inf	-Inf	8.52	3	Vertical	15	2.35	-	95.55

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4526G	59.02	74.00	-14.98	8.44	3	Horizontal	325	2.33	-	50.58
AV	5.4598G	45.98	54.00	-8.02	8.45	3	Horizontal	325	2.33	-	37.53
PK	5.469G	63.23	68.20	-4.97	8.46	3	Horizontal	325	2.33	-	54.77
PK	5.5036G	109.42	Inf	-Inf	8.52	3	Horizontal	325	2.33	-	100.90
AV	5.504G	100.17	Inf	-Inf	8.52	3	Horizontal	325	2.33	-	91.65

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5500MHz_TX




EUT_Z_2TX
 Setting 72
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99184G	53.80	74.00	-20.20	14.27	3	Vertical	90	2.34	-	39.53
AV	11.00834G	39.93	54.00	-14.07	14.27	3	Vertical	90	2.34	-	25.66

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5500MHz_TX




EUT_Z_2TX
Setting 72
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00744G	53.60	74.00	-20.40	14.27	3	Horizontal	78	1.18	-	39.33
AV	11.003G	40.18	54.00	-13.82	14.26	3	Horizontal	78	1.18	-	25.92

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 103
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4528G	62.32	74.00	-11.68	8.44	3	Vertical	69	2.14	-	53.88
AV	5.46G	47.59	54.00	-6.41	8.45	3	Vertical	69	2.14	-	39.14
PK	5.4656G	64.80	68.20	-3.40	8.46	3	Vertical	69	2.14	-	56.34
PK	5.5776G	119.84	Inf	-Inf	8.57	3	Vertical	69	2.14	-	111.27
AV	5.5824G	109.50	Inf	-Inf	8.57	3	Vertical	69	2.14	-	100.93
PK	5.7288G	61.08	68.20	-7.12	8.80	3	Vertical	69	2.14	-	52.28

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 103
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	61.04	74.00	-12.96	8.44	3	Horizontal	326	2.43	-	52.60
AV	5.4584G	46.62	54.00	-7.38	8.45	3	Horizontal	326	2.43	-	38.17
PK	5.4696G	61.16	68.20	-7.04	8.46	3	Horizontal	326	2.43	-	52.70
PK	5.5792G	116.54	Inf	-Inf	8.57	3	Horizontal	326	2.43	-	107.97
AV	5.584G	105.91	Inf	-Inf	8.57	3	Horizontal	326	2.43	-	97.34
PK	5.7328G	59.04	68.20	-9.16	8.80	3	Horizontal	326	2.43	-	50.24

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
 Setting 103
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15142G	54.63	74.00	-19.37	14.45	3	Vertical	14	2.04	-	40.18
AV	11.16096G	41.70	54.00	-12.30	14.47	3	Vertical	14	2.04	-	27.23
PK	16.74768G	67.56	68.20	-0.64	18.19	3	Vertical	330	1.86	-	49.37

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




EUT_Z_2TX
Setting 103
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.17254G	53.61	74.00	-20.39	14.48	3	Horizontal	346	2.82	-	39.13
AV	11.1726G	39.83	54.00	-14.17	14.48	3	Horizontal	346	2.82	-	25.35
PK	16.74684G	63.42	68.20	-4.78	18.19	3	Horizontal	213	1.83	-	45.23

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6968G	112.66	Inf	-Inf	8.75	3	Vertical	64	2.29	-	103.91
AV	5.7022G	103.10	Inf	-Inf	8.75	3	Vertical	64	2.29	-	94.35
PK	5.7274G	67.59	68.20	-0.61	8.80	3	Vertical	64	2.29	-	58.79

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




EUT Z_2TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6974G	110.09	Inf	-Inf	8.75	3	Horizontal	270	2.49	-	101.34
AV	5.698G	100.72	Inf	-Inf	8.75	3	Horizontal	270	2.49	-	91.97
PK	5.729G	63.14	68.20	-5.06	8.80	3	Horizontal	270	2.49	-	54.34

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4036G	53.61	74.00	-20.39	14.77	3	Vertical	57	2.09	-	38.84
AV	11.40204G	40.67	54.00	-13.33	14.77	3	Vertical	57	2.09	-	25.90

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




EUT_Z_2TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41272G	53.51	74.00	-20.49	14.79	3	Horizontal	48	2.73	-	38.72
AV	11.4147G	40.51	54.00	-13.49	14.79	3	Horizontal	48	2.73	-	25.72

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7272G	117.79	Inf	-Inf	8.80	3	Vertical	70	2.24	-	108.99
AV	5.7224G	108.26	Inf	-Inf	8.78	3	Vertical	70	2.24	-	99.48
PK	5.8888G	59.50	68.20	-8.70	8.91	3	Vertical	70	2.24	-	50.59

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7136G	114.28	Inf	-Inf	8.77	3	Horizontal	265	2.54	-	105.51
AV	5.7184G	104.97	Inf	-Inf	8.77	3	Horizontal	265	2.54	-	96.20
PK	5.8992G	59.33	68.20	-8.87	8.92	3	Horizontal	265	2.54	-	50.41

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44624G	55.45	74.00	-18.55	14.84	3	Vertical	176	2.01	-	40.61
AV	11.44162G	42.35	54.00	-11.65	14.82	3	Vertical	176	2.01	-	27.53
PK	17.15436G	67.67	68.20	-0.53	20.23	3	Vertical	326	2.02	-	47.44

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 91
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4511G	53.81	74.00	-20.19	14.84	3	Horizontal	157	2.01	-	38.97
AV	11.43532G	41.10	54.00	-12.90	14.82	3	Horizontal	157	2.01	-	26.28
PK	17.15418G	65.13	68.20	-3.07	20.23	3	Horizontal	224	1.89	-	44.90

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 101
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	61.81	74.00	-12.19	7.94	3	Vertical	9	2.38	-	53.87
AV	5.15G	48.58	54.00	-5.42	7.94	3	Vertical	9	2.38	-	40.64
PK	5.2624G	118.45	Inf	-Inf	8.15	3	Vertical	9	2.38	-	110.30
AV	5.2618G	106.76	Inf	-Inf	8.15	3	Vertical	9	2.38	-	98.61
PK	5.3506G	68.61	74.00	-5.39	8.28	3	Vertical	9	2.38	-	60.33
AV	5.3518G	51.62	54.00	-2.38	8.28	3	Vertical	9	2.38	-	43.34

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT_Z_2TX
Setting 101
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	63.09	74.00	-10.91	7.94	3	Horizontal	299	2.34	-	55.15
AV	5.15G	49.21	54.00	-4.79	7.94	3	Horizontal	299	2.34	-	41.27
PK	5.2528G	118.91	Inf	-Inf	8.14	3	Horizontal	299	2.34	-	110.77
AV	5.263G	108.31	Inf	-Inf	8.16	3	Horizontal	299	2.34	-	100.15
PK	5.3542G	67.38	74.00	-6.62	8.28	3	Horizontal	299	2.34	-	59.10
AV	5.3524G	51.74	54.00	-2.26	8.28	3	Horizontal	299	2.34	-	43.46

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT Z_2TX
Setting 101
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51744G	55.99	68.20	-12.21	14.57	3	Vertical	2	2.47	-	41.42
PK	15.77732G	59.89	74.00	-14.11	15.45	3	Vertical	262	1.85	-	44.44
AV	15.77956G	46.81	54.00	-7.19	15.44	3	Vertical	262	1.85	-	31.37

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5260MHz_TX




EUT Z_2TX
 Setting 101
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52152G	54.21	68.20	-13.99	14.56	3	Horizontal	105	2.09	-	39.65
PK	15.77716G	55.92	74.00	-18.08	15.45	3	Horizontal	300	2.65	-	40.47
AV	15.77296G	43.03	54.00	-10.97	15.46	3	Horizontal	300	2.65	-	27.57

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3024G	116.92	Inf	-Inf	8.21	3	Vertical	9	2.36	-	108.71
AV	5.3012G	106.29	Inf	-Inf	8.21	3	Vertical	9	2.36	-	98.08
PK	5.3504G	70.27	74.00	-3.73	8.28	3	Vertical	9	2.36	-	61.99
AV	5.35G	52.90	54.00	-1.10	8.28	3	Vertical	9	2.36	-	44.62

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT Z_2TX
Setting 93
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2952G	115.88	Inf	-Inf	8.20	3	Horizontal	294	2.64	-	107.68
AV	5.2952G	104.51	Inf	-Inf	8.20	3	Horizontal	294	2.64	-	96.31
PK	5.3534G	66.70	74.00	-7.30	8.28	3	Horizontal	294	2.64	-	58.42
AV	5.3504G	50.62	54.00	-3.38	8.28	3	Horizontal	294	2.64	-	42.34

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 93
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6096G	53.23	74.00	-20.77	14.50	3	Vertical	115	2.40	-	38.73
AV	10.60016G	41.24	54.00	-12.76	14.51	3	Vertical	115	2.40	-	26.73
PK	15.89856G	53.93	74.00	-20.07	15.13	3	Vertical	38	2.21	-	38.80
AV	15.8946G	41.02	54.00	-12.98	15.15	3	Vertical	38	2.21	-	25.87

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5300MHz_TX




EUT_Z_2TX
Setting 93
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60008G	53.41	74.00	-20.59	14.51	3	Horizontal	308	1.79	-	38.90
AV	10.60056G	41.45	54.00	-12.55	14.51	3	Horizontal	308	1.79	-	26.94
PK	15.89332G	54.39	74.00	-19.61	15.14	3	Horizontal	68	2.61	-	39.25
AV	15.90172G	42.18	54.00	-11.82	15.13	3	Horizontal	68	2.61	-	27.05

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT Z_2TX
Setting 81
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3264G	114.98	Inf	-Inf	8.25	3	Vertical	337	2.60	-	106.73
AV	5.3228G	102.89	Inf	-Inf	8.24	3	Vertical	337	2.60	-	94.65
PK	5.3532G	70.54	74.00	-3.46	8.28	3	Vertical	337	2.60	-	62.26
AV	5.35G	53.25	54.00	-0.75	8.28	3	Vertical	337	2.60	-	44.97

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT Z_2TX
Setting 81
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3188G	112.56	Inf	-Inf	8.23	3	Horizontal	265	2.91	-	104.33
AV	5.3168G	100.86	Inf	-Inf	8.23	3	Horizontal	265	2.91	-	92.63
PK	5.35G	66.34	74.00	-7.66	8.28	3	Horizontal	265	2.91	-	58.06
AV	5.3508G	50.95	54.00	-3.05	8.28	3	Horizontal	265	2.91	-	42.67

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5320MHz_TX



EUT_Z_2TX
Setting 81
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64348G	53.74	74.00	-20.26	14.49	3	Vertical	294	2.56	-	39.25
AV	10.64688G	40.76	54.00	-13.24	14.48	3	Vertical	294	2.56	-	26.28
PK	15.95796G	53.72	74.00	-20.28	14.97	3	Vertical	248	1.81	-	38.75
AV	15.95488G	40.98	54.00	-13.02	14.98	3	Vertical	248	1.81	-	26.00

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5320MHz_TX




EUT_Z_2TX
Setting 81
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64896G	53.69	74.00	-20.31	14.48	3	Horizontal	338	1.29	-	39.21
AV	10.63232G	41.00	54.00	-13.00	14.49	3	Horizontal	338	1.29	-	26.51
PK	15.96392G	54.33	74.00	-19.67	14.95	3	Horizontal	297	2.66	-	39.38
AV	15.95808G	41.02	54.00	-12.98	14.97	3	Horizontal	297	2.66	-	26.05

802.11ax HEW20_Nss2,(MCS0)_2TX

23/10/2019

5500MHz_TX



EUT_Z_2TX
Setting 80
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	61.95	74.00	-12.05	8.44	3	Vertical	316	2.36	-	53.51
AV	5.4596G	49.08	54.00	-4.92	8.45	3	Vertical	316	2.36	-	40.63
PK	5.47G	67.63	68.20	-0.57	8.46	3	Vertical	316	2.36	-	59.17
PK	5.5048G	115.56	Inf	-Inf	8.52	3	Vertical	316	2.36	-	107.04
AV	5.496G	103.25	Inf	-Inf	8.51	3	Vertical	316	2.36	-	94.74