



Summary

Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	21.42	0.13868
802.11ac VHT20_Nss2,(MCS0)_2TX	23.80	0.23988
802.11ac VHT40_Nss2,(MCS0)_2TX	23.70	0.23442
802.11ac VHT80_Nss2,(MCS0)_2TX	20.40	0.10965
802.11ax HEW20_Nss2,(MCS0)_2TX	23.96	0.24889
802.11ax HEW40_Nss2,(MCS0)_2TX	23.94	0.24774
802.11ax HEW80_Nss2,(MCS0)_2TX	20.52	0.11272
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	21.45	0.13964
802.11ac VHT20_Nss2,(MCS0)_2TX	23.72	0.23550
802.11ac VHT40_Nss2,(MCS0)_2TX	23.67	0.23281
802.11ac VHT80_Nss2,(MCS0)_2TX	23.79	0.23933
802.11ax HEW20_Nss2,(MCS0)_2TX	23.93	0.24717
802.11ax HEW40_Nss2,(MCS0)_2TX	23.90	0.24547
802.11ax HEW80_Nss2,(MCS0)_2TX	23.94	0.24774
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	14.55	0.02851
802.11ac VHT20_Nss2,(MCS0)_2TX	17.45	0.05559
802.11ac VHT40_Nss2,(MCS0)_2TX	13.23	0.02104
802.11ac VHT80_Nss2,(MCS0)_2TX	9.83	0.00962
802.11ax HEW20_Nss2,(MCS0)_2TX	18.12	0.06486
802.11ax HEW40_Nss2,(MCS0)_2TX	14.32	0.02704
802.11ax HEW80_Nss2,(MCS0)_2TX	10.60	0.01148



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	Conducted setting
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
5260MHz	Pass	5.02	17.92	18.76	21.37	23.98	18.25
5300MHz	Pass	5.02	17.94	18.83	21.42	23.98	18.25
5320MHz	Pass	5.02	17.91	18.65	21.31	23.98	18.25
5500MHz	Pass	5.02	17.68	18.31	21.02	23.98	18
5580MHz	Pass	5.02	17.97	18.87	21.45	23.98	18.75
5700MHz	Pass	5.02	17.10	17.72	20.43	23.98	17.5
5720MHz Straddle 5.47-5.725GHz	Pass	5.02	17.47	18.28	20.90	22.96	18.5
5720MHz Straddle 5.725-5.85GHz	Pass	5.02	11.16	11.88	14.55	30.00	18.5
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5260MHz	Pass	5.02	20.28	21.24	23.80	23.98	20.75
5300MHz	Pass	5.02	20.23	21.12	23.71	23.98	20.75
5320MHz	Pass	5.02	19.91	20.54	23.25	23.98	20.25
5500MHz	Pass	5.02	19.45	20.11	22.80	23.98	20
5580MHz	Pass	5.02	20.16	21.20	23.72	23.98	21
5700MHz	Pass	5.02	16.39	17.12	19.78	23.98	16.75
5720MHz Straddle 5.47-5.725GHz	Pass	5.02	19.63	20.40	23.04	23.88	21
5720MHz Straddle 5.725-5.85GHz	Pass	5.02	13.99	14.84	17.45	30.00	21
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5270MHz	Pass	5.02	20.42	20.95	23.70	23.98	20.75
5310MHz	Pass	5.02	17.74	18.63	21.22	23.98	18
5510MHz	Pass	5.02	16.78	17.52	20.18	23.98	17
5550MHz	Pass	5.02	20.19	21.08	23.67	23.98	21
5670MHz	Pass	5.02	18.64	19.48	22.09	23.98	19
5710MHz Straddle 5.47-5.725GHz	Pass	5.02	20.16	20.78	23.49	23.98	20.5
5710MHz Straddle 5.725-5.85GHz	Pass	5.02	9.89	10.53	13.23	30.00	20.5
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5290MHz	Pass	5.02	17.05	17.71	20.40	23.98	17.25
5530MHz	Pass	5.02	17.67	18.55	21.14	23.98	18.5
5610MHz	Pass	5.02	20.04	21.12	23.62	23.98	21
5690MHz Straddle 5.47-5.725GHz	Pass	5.02	20.25	21.26	23.79	23.98	20.75
5690MHz Straddle 5.725-5.85GHz	Pass	5.02	6.40	7.20	9.83	30.00	20.75
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5260MHz	Pass	5.02	20.50	21.36	23.96	23.98	20.75
5300MHz	Pass	5.02	20.55	21.29	23.95	23.98	20.75
5320MHz	Pass	5.02	20.14	20.87	23.53	23.98	20.25
5500MHz	Pass	5.02	19.78	20.36	23.09	23.98	20
5580MHz	Pass	5.02	20.45	21.35	23.93	23.98	21
5700MHz	Pass	5.02	16.67	17.38	20.05	23.98	16.75
5720MHz Straddle 5.47-5.725GHz	Pass	5.02	19.74	20.41	23.10	23.64	21
5720MHz Straddle 5.725-5.85GHz	Pass	5.02	14.82	15.38	18.12	30.00	21
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5270MHz	Pass	5.02	20.61	21.23	23.94	23.98	20.75
5310MHz	Pass	5.02	17.94	18.81	21.41	23.98	18






### Average Power\_Radio 3




### Appendix C.15

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	Conducted setting
5510MHz	Pass	5.02	16.89	17.60	20.27	23.98	17
5550MHz	Pass	5.02	20.41	21.23	23.85	23.98	21
5670MHz	Pass	5.02	18.75	19.59	22.20	23.98	19
5710MHz Straddle 5.47-5.725GHz	Pass	5.02	20.45	21.28	23.90	23.98	20.5
5710MHz Straddle 5.725-5.85GHz	Pass	5.02	10.98	11.62	14.32	30.00	20.5
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5290MHz	Pass	5.02	17.12	17.86	20.52	23.98	17.25
5530MHz	Pass	5.02	17.95	18.70	21.35	23.98	18.5
5610MHz	Pass	5.02	20.36	21.18	23.80	23.98	21
5690MHz Straddle 5.47-5.725GHz	Pass	5.02	20.38	21.42	23.94	23.98	20.75
5690MHz Straddle 5.725-5.85GHz	Pass	5.02	7.21	7.93	10.60	30.00	20.75




**DG** = Directional Gain; **Port X** = Port X output power




**Note** : **Conducted setting = Pass** conducted setting division 4

















Summary

Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	21.47	0.14028
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	21.72	0.14859
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	20.59	0.11455
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	21.58	0.14388
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	21.83	0.15241
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	20.73	0.11830
5.47-5.725GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	21.52	0.14191
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	21.86	0.15346
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	21.76	0.14997
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	21.61	0.14488
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	21.92	0.15560
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	21.85	0.15311
5.725-5.85GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	14.77	0.02999
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	11.54	0.01426
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	7.66	0.00583
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	15.64	0.03664
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	12.31	0.01702
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	8.48	0.00705



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	Conducted setting
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5260MHz	Pass	8.03	18.73	18.15	21.46	21.95	18.25
5300MHz	Pass	8.03	18.71	18.09	21.42	21.95	18
5320MHz	Pass	8.03	18.68	18.22	21.47	21.95	18
5500MHz	Pass	8.03	18.63	18.39	21.52	21.95	18
5580MHz	Pass	8.03	18.34	18.50	21.43	21.95	18.25
5700MHz	Pass	8.03	16.46	16.18	19.33	21.95	16.25
5720MHz Straddle 5.47-5.725GHz	Pass	8.03	17.60	17.19	20.41	20.97	18
5720MHz Straddle 5.725-5.85GHz	Pass	8.03	11.96	11.54	14.77	27.97	18
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5270MHz	Pass	8.03	18.95	18.46	21.72	21.95	18.5
5310MHz	Pass	8.03	18.69	18.18	21.45	21.95	18
5510MHz	Pass	8.03	17.82	17.91	20.88	21.95	17.25
5550MHz	Pass	8.03	18.49	18.74	21.63	21.95	18.25
5670MHz	Pass	8.03	18.77	18.58	21.69	21.95	18.5
5710MHz Straddle 5.47-5.725GHz	Pass	8.03	19.09	18.59	21.86	21.95	18.5
5710MHz Straddle 5.725-5.85GHz	Pass	8.03	8.78	8.26	11.54	27.97	18.5
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5290MHz	Pass	8.03	17.85	17.29	20.59	21.95	17
5530MHz	Pass	8.03	16.35	16.50	19.44	21.95	15.75
5610MHz	Pass	8.03	18.70	18.56	21.64	21.95	18.5
5690MHz Straddle 5.47-5.725GHz	Pass	8.03	19.01	18.48	21.76	21.95	18.5
5690MHz Straddle 5.725-5.85GHz	Pass	8.03	5.04	4.22	7.66	27.97	18.5
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5260MHz	Pass	8.03	18.76	18.34	21.57	21.95	18.25
5300MHz	Pass	8.03	18.80	18.12	21.48	21.95	18
5320MHz	Pass	8.03	18.77	18.35	21.58	21.95	18
5500MHz	Pass	8.03	18.74	18.46	21.61	21.95	18
5580MHz	Pass	8.03	18.41	18.56	21.50	21.95	18.25
5700MHz	Pass	8.03	16.58	16.24	19.42	21.95	16.25
5720MHz Straddle 5.47-5.725GHz	Pass	8.03	18.02	17.66	20.85	20.96	18
5720MHz Straddle 5.725-5.85GHz	Pass	8.03	12.87	12.38	15.64	27.97	18
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5270MHz	Pass	8.03	19.04	18.58	21.83	21.95	18.5
5310MHz	Pass	8.03	18.75	18.26	21.52	21.95	18
5510MHz	Pass	8.03	17.88	17.95	20.93	21.95	17.25
5550MHz	Pass	8.03	18.75	18.85	21.81	21.95	18.25
5670MHz	Pass	8.03	18.89	18.61	21.76	21.95	18.5
5710MHz Straddle 5.47-5.725GHz	Pass	8.03	19.10	18.72	21.92	21.95	18.5
5710MHz Straddle 5.725-5.85GHz	Pass	8.03	9.59	8.98	12.31	27.97	18.5
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5290MHz	Pass	8.03	17.96	17.47	20.73	21.95	17
5530MHz	Pass	8.03	16.54	16.63	19.60	21.95	15.75
5610MHz	Pass	8.03	18.98	18.67	21.84	21.95	18.5






### Average Power\_Radio 3




### Appendix C.16

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	Conducted setting
5690MHz Straddle 5.47-5.725GHz	Pass	8.03	19.03	18.65	21.85	21.95	18.5
5690MHz Straddle 5.725-5.85GHz	Pass	8.03	5.84	5.06	8.48	27.97	18.5




**DG** = Directional Gain; **Port X** = Port X output power




**Note** : Conducted setting = Pass conducted setting division 4











**Summary**




Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.81
802.11ac VHT20_Nss1,(MCS0)_1TX	9.79
802.11ac VHT40_Nss1,(MCS0)_1TX	5.43
802.11ac VHT80_Nss1,(MCS0)_1TX	-1.90
802.11ax HEW20_Nss1,(MCS0)_1TX	9.64
802.11ax HEW40_Nss1,(MCS0)_1TX	5.50
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.73
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.62
802.11ac VHT20_Nss1,(MCS0)_1TX	10.39
802.11ac VHT40_Nss1,(MCS0)_1TX	6.90
802.11ac VHT80_Nss1,(MCS0)_1TX	1.17
802.11ax HEW20_Nss1,(MCS0)_1TX	10.27
802.11ax HEW40_Nss1,(MCS0)_1TX	6.79
802.11ax HEW80_Nss1,(MCS0)_1TX	1.01




**RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	5.36	7.28	7.28	17.00
5200MHz	Pass	5.36	10.81	10.81	17.00
5240MHz	Pass	5.36	10.22	10.22	17.00
5745MHz	Pass	5.36	9.71	9.71	30.00
5785MHz	Pass	5.36	10.62	10.62	30.00
5825MHz	Pass	5.36	10.12	10.12	30.00
802.11ac_VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	5.36	5.85	5.85	17.00
5200MHz	Pass	5.36	9.79	9.79	17.00
5240MHz	Pass	5.36	9.38	9.38	17.00
5745MHz	Pass	5.36	9.44	9.44	30.00
5785MHz	Pass	5.36	10.39	10.39	30.00
5825MHz	Pass	5.36	10.00	10.00	30.00
802.11ac_VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	5.36	1.07	1.07	17.00
5230MHz	Pass	5.36	5.43	5.43	17.00
5755MHz	Pass	5.36	5.27	5.27	30.00
5795MHz	Pass	5.36	6.90	6.90	30.00
802.11ac_VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	5.36	-1.90	-1.90	17.00
5775MHz	Pass	5.36	1.17	1.17	30.00
802.11ax_HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	5.36	5.78	5.78	17.00
5200MHz	Pass	5.36	9.64	9.64	17.00
5240MHz	Pass	5.36	9.37	9.37	17.00
5745MHz	Pass	5.36	9.02	9.02	30.00
5785MHz	Pass	5.36	10.27	10.27	30.00
5825MHz	Pass	5.36	9.43	9.43	30.00
802.11ax_HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	5.36	1.04	1.04	17.00
5230MHz	Pass	5.36	5.50	5.50	17.00
5755MHz	Pass	5.36	5.42	5.42	30.00
5795MHz	Pass	5.36	6.79	6.79	30.00
802.11ax_HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	5.36	-1.73	-1.73	17.00
5775MHz	Pass	5.36	1.01	1.01	30.00

DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;







































**Summary**

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	13.57
802.11ac VHT20_Nss2,(MCS0)_2TX	11.92
802.11ac VHT40_Nss2,(MCS0)_2TX	8.17
802.11ac VHT80_Nss2,(MCS0)_2TX	0.03
802.11ax HEW20_Nss2,(MCS0)_2TX	11.55
802.11ax HEW40_Nss2,(MCS0)_2TX	7.81
802.11ax HEW80_Nss2,(MCS0)_2TX	0.40
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	14.40
802.11ac VHT20_Nss2,(MCS0)_2TX	13.98
802.11ac VHT40_Nss2,(MCS0)_2TX	9.23
802.11ac VHT80_Nss2,(MCS0)_2TX	3.10
802.11ax HEW20_Nss2,(MCS0)_2TX	13.47
802.11ax HEW40_Nss2,(MCS0)_2TX	8.69
802.11ax HEW80_Nss2,(MCS0)_2TX	2.74




**RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;**




Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	8.37	6.14	6.67	9.35	14.63
5200MHz	Pass	8.37	10.34	10.94	13.57	14.63
5240MHz	Pass	8.37	8.93	9.62	12.22	14.63
5745MHz	Pass	8.37	10.58	11.04	13.73	27.63
5785MHz	Pass	8.37	11.54	11.46	14.40	27.63
5825MHz	Pass	8.37	10.96	11.48	14.16	27.63
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	5.36	4.70	5.05	7.88	17.00
5200MHz	Pass	5.36	8.67	9.27	11.92	17.00
5240MHz	Pass	5.36	7.99	8.91	11.42	17.00
5745MHz	Pass	5.36	10.04	10.64	13.20	30.00
5785MHz	Pass	5.36	11.08	11.15	13.98	30.00
5825MHz	Pass	5.36	10.36	10.89	13.51	30.00
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	5.36	-0.31	-0.09	2.77	17.00
5230MHz	Pass	5.36	4.72	5.93	8.17	17.00
5755MHz	Pass	5.36	5.63	6.18	8.77	30.00
5795MHz	Pass	5.36	6.13	6.52	9.23	30.00
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	5.36	-3.10	-2.69	0.03	17.00
5775MHz	Pass	5.36	-0.39	0.65	3.10	30.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	5.36	4.66	4.95	7.77	17.00
5200MHz	Pass	5.36	8.16	8.95	11.55	17.00
5240MHz	Pass	5.36	7.59	8.36	10.97	17.00
5745MHz	Pass	5.36	9.55	10.15	12.79	30.00
5785MHz	Pass	5.36	10.58	10.68	13.47	30.00
5825MHz	Pass	5.36	9.96	10.45	13.16	30.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	5.36	-0.58	-0.16	2.55	17.00
5230MHz	Pass	5.36	4.10	5.44	7.81	17.00
5755MHz	Pass	5.36	4.85	5.54	8.18	30.00
5795MHz	Pass	5.36	5.51	6.00	8.69	30.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	5.36	-2.65	-2.48	0.40	17.00
5775MHz	Pass	5.36	-0.61	0.25	2.74	30.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;

















802.11ac VHT40\_Nss2,(MCS0)\_2TX




PSD

5795MHz

05/10/2019

CF  
5.795GHz  
Span  
60MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.23	9.23	6.13	6.52


802.11ac VHT80\_Nss2,(MCS0)\_2TX




PSD

5210MHz

05/10/2019

CF  
5.21GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.03	0.03	-3.10	-2.69


802.11ac VHT80\_Nss2,(MCS0)\_2TX




PSD

5775MHz




05/10/2019




CF  
5.775GHz  
Span  
120MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS






Sum   
Port 1   
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.10	3.10	-0.39	0.65










802.11ax HEW40\_Nss2,(MCS0)\_2TX

PSD

5795MHz

05/10/2019

CF  
5.795GHz  
Span  
60MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.69	8.69	5.51	6.00


802.11ax HEW80\_Nss2,(MCS0)\_2TX

PSD

5210MHz

05/10/2019

CF  
5.21GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.40	0.40	-2.65	-2.48


802.11ax HEW80\_Nss2,(MCS0)\_2TX

PSD

5775MHz

05/10/2019

CF  
5.775GHz  
Span  
120MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.74	2.74	-0.61	0.25