







Summary



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.4625G	15.28	-14.72	2.30612G	-52.78	2.39996G	-35.57	2.48474G	-49.66	7.23514G	-46.05	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.43073G	11.68	-18.32	592.11M	-53.26	2.39986G	-30.40	2.4958G	-50.82	6.77999G	-47.18	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.43198G	10.77	-19.23	948.31M	-52.42	2.39944G	-27.01	2.48408G	-51.26	24.63476G	-47.18	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	2.42948G	3.98	-26.02	2.30311G	-52.29	2.39956G	-30.49	2.49078G	-36.36	16.35353G	-47.06	1



Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.4625G	15.28	-14.72	2.30612G	-52.78	2.39996G	-35.57	2.48474G	-49.66	7.23514G	-46.05	1
2437MHz	Pass	2.4625G	15.28	-14.72	631.72M	-52.35	2.39896G	-46.46	2.48698G	-47.80	16.51512G	-47.09	1
2462MHz	Pass	2.4625G	15.28	-14.72	1.84332G	-52.64	2.39948G	-48.27	2.48446G	-37.85	15.26206G	-47.28	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	11.68	-18.32	592.11M	-53.26	2.39986G	-30.40	2.4958G	-50.82	6.77999G	-47.18	1
2437MHz	Pass	2.43073G	11.68	-18.32	788.42M	-52.13	2.39954G	-36.37	2.487G	-39.22	15.29296G	-46.76	1
2462MHz	Pass	2.43073G	11.68	-18.32	901.71M	-52.78	2.39168G	-49.73	2.48414G	-39.06	16.7736G	-46.22	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43198G	10.77	-19.23	948.31M	-52.42	2.39944G	-27.01	2.48408G	-51.26	24.63476G	-47.18	1
2437MHz	Pass	2.43198G	10.77	-19.23	1.95021G	-53.31	2.39942G	-36.41	2.48384G	-39.33	24.74433G	-46.81	1
2462MHz	Pass	2.43198G	10.77	-19.23	726.38M	-52.74	2.39912G	-51.24	2.48354G	-38.89	16.78765G	-46.84	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.42948G	3.98	-26.02	2.12592G	-53.31	2.39712G	-36.08	2.48574G	-48.57	24.58492G	-46.96	1
2437MHz	Pass	2.42948G	3.98	-26.02	2.30311G	-52.29	2.39956G	-30.49	2.49078G	-36.36	16.35353G	-47.06	1
2452MHz	Pass	2.42948G	3.98	-26.02	2.30569G	-53.22	2.39964G	-43.77	2.48574G	-34.76	16.85836G	-45.79	1





















Summary



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43649G	15.86	-14.14	948.31M	-52.51	2.39998G	-25.88	2.48398G	-50.00	7.23233G	-45.87	2
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44196G	10.65	-19.35	954.43M	-53.42	2.39884G	-32.78	2.49442G	-50.27	24.47742G	-47.29	2
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	2.442G	9.92	-20.08	382.12M	-53.19	2.39942G	-33.61	2.4854G	-39.10	15.20306G	-46.98	2
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	2.43198G	3.55	-26.45	2.30225G	-52.77	2.39924G	-28.02	2.4837G	-35.38	17.38561G	-46.62	2



Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43649G	15.86	-14.14	898.22M	-52.54	2.3945G	-36.12	2.49074G	-49.60	17.30742G	-46.74	1
2412MHz	Pass	2.43649G	15.86	-14.14	948.31M	-52.51	2.39998G	-25.88	2.48398G	-50.00	7.23233G	-45.87	2
2437MHz	Pass	2.43649G	15.86	-14.14	2.14011G	-52.74	2.39398G	-44.83	2.48846G	-46.66	24.48023G	-46.71	1
2437MHz	Pass	2.43649G	15.86	-14.14	822.78M	-53.48	2.39948G	-34.18	2.48544G	-38.31	15.21429G	-47.28	2
2462MHz	Pass	2.43649G	15.86	-14.14	2.30961G	-53.06	2.39908G	-49.98	2.49174G	-45.58	16.7736G	-46.35	1
2462MHz	Pass	2.43649G	15.86	-14.14	875.5M	-52.71	2.39146G	-48.88	2.48844G	-39.95	15.09348G	-46.91	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44196G	10.65	-19.35	2.30437G	-52.87	2.39984G	-37.02	2.48478G	-51.46	15.11034G	-46.84	1
2412MHz	Pass	2.44196G	10.65	-19.35	954.43M	-53.42	2.39884G	-32.78	2.49442G	-50.27	24.47742G	-47.29	2
2437MHz	Pass	2.44196G	10.65	-19.35	573.18M	-52.71	2.39856G	-38.07	2.48474G	-44.67	24.83143G	-46.38	1
2437MHz	Pass	2.44196G	10.65	-19.35	865.01M	-53.03	2.39792G	-34.50	2.48574G	-36.20	6.76594G	-46.64	2
2462MHz	Pass	2.44196G	10.65	-19.35	933.75M	-52.97	2.39758G	-50.58	2.48384G	-43.63	16.43364G	-46.80	1
2462MHz	Pass	2.44196G	10.65	-19.35	2.30816G	-52.71	2.39626G	-50.70	2.48478G	-40.20	15.15248G	-47.13	2
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.442G	9.92	-20.08	1.97002G	-52.93	2.39886G	-36.58	2.49984G	-50.98	15.18901G	-46.34	1
2412MHz	Pass	2.442G	9.92	-20.08	1.99477G	-52.70	2.39902G	-34.52	2.50402G	-50.15	21.40657G	-46.78	2
2437MHz	Pass	2.442G	9.92	-20.08	1.86488G	-52.23	2.39964G	-38.71	2.49108G	-45.14	23.1794G	-47.30	1
2437MHz	Pass	2.442G	9.92	-20.08	382.12M	-53.19	2.39942G	-33.61	2.4854G	-39.10	15.20306G	-46.98	2
2462MHz	Pass	2.442G	9.92	-20.08	822.78M	-52.25	2.39726G	-50.73	2.4837G	-40.69	16.4196G	-46.89	1
2462MHz	Pass	2.442G	9.92	-20.08	924.72M	-53.01	2.39474G	-49.49	2.48366G	-35.49	24.53923G	-46.88	2
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	3.55	-26.45	2.11648G	-52.89	2.39824G	-38.70	2.49422G	-50.86	16.77983G	-46.77	1
2422MHz	Pass	2.43198G	3.55	-26.45	2.10589G	-52.65	2.39276G	-36.19	2.48534G	-48.78	6.94423G	-46.67	2
2437MHz	Pass	2.43198G	3.55	-26.45	2.30139G	-52.42	2.39924G	-30.21	2.48594G	-38.51	21.85328G	-47.42	1
2437MHz	Pass	2.43198G	3.55	-26.45	2.30225G	-52.77	2.39924G	-28.02	2.4837G	-35.38	17.38561G	-46.62	2
2452MHz	Pass	2.43198G	3.55	-26.45	948.86M	-52.86	2.39956G	-47.80	2.48698G	-39.74	16.47133G	-47.07	1
2452MHz	Pass	2.43198G	3.55	-26.45	908.5M	-52.90	2.39572G	-45.66	2.48698G	-38.25	16.8864G	-46.26	2





















Summary



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	2.442G	10.28	-19.72	734.24M	-53.50	2.39956G	-30.22	2.50118G	-51.67	6.61703G	-47.06	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	2.43194G	2.69	-27.31	2.08499G	-53.72	2.39948G	-34.28	2.48494G	-40.58	16.7041G	-46.92	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.442G	10.28	-19.72	1.85934G	-53.07	2.39986G	-31.59	2.49326G	-51.48	6.69008G	-47.05	1
2412MHz	Pass	2.442G	10.28	-19.72	734.24M	-53.50	2.39956G	-30.22	2.50118G	-51.67	6.61703G	-47.06	2
2437MHz	Pass	2.442G	10.28	-19.72	953.55M	-53.37	2.39978G	-38.08	2.48392G	-40.00	16.73989G	-47.18	1
2437MHz	Pass	2.442G	10.28	-19.72	1.81769G	-52.79	2.39754G	-35.31	2.48376G	-37.45	16.93375G	-47.55	2
2462MHz	Pass	2.442G	10.28	-19.72	2.14651G	-52.16	2.39962G	-51.10	2.48368G	-38.50	15.20867G	-47.16	1
2462MHz	Pass	2.442G	10.28	-19.72	1.96973G	-51.94	2.39796G	-49.82	2.48384G	-34.98	23.24402G	-47.35	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43194G	2.69	-27.31	523.21M	-53.35	2.39388G	-39.99	2.48762G	-50.96	16.6985G	-46.92	1
2422MHz	Pass	2.43194G	2.69	-27.31	2.30741G	-51.74	2.39044G	-38.58	2.48678G	-49.84	24.77844G	-47.33	2
2437MHz	Pass	2.43194G	2.69	-27.31	2.30683G	-53.06	2.39828G	-34.31	2.49374G	-43.86	16.46852G	-47.77	1
2437MHz	Pass	2.43194G	2.69	-27.31	2.08499G	-53.72	2.39948G	-34.28	2.48494G	-40.58	16.7041G	-46.92	2
2452MHz	Pass	2.43194G	2.69	-27.31	941.99M	-53.17	2.39888G	-48.43	2.49074G	-43.63	15.1644G	-47.43	1
2452MHz	Pass	2.43194G	2.69	-27.31	2.12879G	-53.33	2.39852G	-47.35	2.48822G	-43.19	16.84994G	-46.74	2










Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 5	Pass	QP	41.64M	37.99	40.00	-2.01	Vertical

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	41.64M	37.99	40.00	-2.01	-12.93	3	Vertical	0	1.00	"Worst"	50.92	17.82	0.93	31.68
QP	51.34M	36.88	40.00	-3.12	-17.17	3	Vertical	36	1.00	-	54.05	13.57	1.03	31.77
QP	59.1M	37.98	40.00	-2.02	-18.34	3	Vertical	360	2.00	-	56.32	12.31	1.18	31.83
PK	73.65M	34.23	40.00	-5.77	-18.40	3	Vertical	87	1.25	-	52.63	12.20	1.30	31.90
PK	84.32M	34.22	40.00	-5.78	-17.07	3	Vertical	359	2.00	-	51.29	13.46	1.39	31.92
PK	213.33M	36.72	43.50	-6.78	-15.11	3	Vertical	292	1.00	-	51.83	14.71	2.18	32.00

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	60.07M	28.00	40.00	-12.00	-18.37	3	Horizontal	88	2.00	-	46.37	12.27	1.20	31.84
PK	84.32M	26.00	40.00	-14.00	-17.07	3	Horizontal	255	1.50	-	43.07	13.46	1.39	31.92
PK	141.55M	29.34	43.50	-14.16	-13.28	3	Horizontal	69	2.00	-	42.62	16.87	1.81	31.96
PK	199.75M	33.08	43.50	-10.42	-14.91	3	Horizontal	251	1.25	-	47.99	14.98	2.10	31.99
PK	216M	40.67	46.00	-5.33	-15.07	3	Horizontal	260	2.00	-	55.74	14.73	2.20	32.00
PK	219.15M	41.30	46.00	-4.70	-14.92	3	Horizontal	256	1.50	"Worst"	56.22	14.87	2.21	32.00




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	53.48	54.00	-0.52	31.20	3	Vertical	4	2.77	-

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.369G	59.73	74.00	-14.27	31.15	3	Vertical	53	2.68	-	28.58
AV	2.39G	47.15	54.00	-6.85	31.20	3	Vertical	53	2.68	-	15.95
PK	2.413G	109.07	Inf	-Inf	31.26	3	Vertical	53	2.68	-	77.81
AV	2.4112G	105.28	Inf	-Inf	31.25	3	Vertical	53	2.68	-	74.03

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.388G	62.68	74.00	-11.32	31.20	3	Horizontal	48	2.22	-	31.48
AV	2.39G	51.11	54.00	-2.89	31.20	3	Horizontal	48	2.22	-	19.91
PK	2.413G	113.17	Inf	-Inf	31.26	3	Horizontal	48	2.22	-	81.91
AV	2.4112G	109.48	Inf	-Inf	31.25	3	Horizontal	48	2.22	-	78.23

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82411G	49.55	74.00	-24.45	7.17	3	Vertical	360	1.80	-	42.38
AV	4.82397G	41.97	54.00	-12.03	7.17	3	Vertical	360	1.80	-	34.80

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82384G	48.88	74.00	-25.12	7.17	3	Horizontal	338	2.18	-	41.71
AV	4.82394G	41.11	54.00	-12.89	7.17	3	Horizontal	338	2.18	-	33.94

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	62.56	74.00	-11.44	31.20	3	Vertical	347	2.79	-	31.36
AV	2.39G	53.32	54.00	-0.68	31.20	3	Vertical	347	2.79	-	22.12
PK	2.416G	117.90	Inf	-Inf	31.27	3	Vertical	347	2.79	-	86.63
AV	2.4162G	114.26	Inf	-Inf	31.27	3	Vertical	347	2.79	-	82.99

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.04	74.00	-11.96	31.20	3	Horizontal	349	1.00	-	30.84
AV	2.39G	51.45	54.00	-2.55	31.20	3	Horizontal	349	1.00	-	20.25
PK	2.418G	115.18	Inf	-Inf	31.27	3	Horizontal	349	1.00	-	83.91
AV	2.4162G	111.38	Inf	-Inf	31.27	3	Horizontal	349	1.00	-	80.11

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	61.53	74.00	-12.47	31.20	3	Vertical	43	1.00	-	30.33
AV	2.3882G	52.57	54.00	-1.43	31.20	3	Vertical	43	1.00	-	21.37
PK	2.4362G	112.83	Inf	-Inf	31.30	3	Vertical	43	1.00	-	81.53
AV	2.4362G	109.16	Inf	-Inf	31.30	3	Vertical	43	1.00	-	77.86
PK	2.4886G	62.27	74.00	-11.73	31.41	3	Vertical	43	1.00	-	30.86
AV	2.4886G	52.69	54.00	-1.31	31.41	3	Vertical	43	1.00	-	21.28

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3854G	62.14	74.00	-11.86	31.19	3	Horizontal	44	1.51	-	30.95
AV	2.3882G	52.79	54.00	-1.21	31.20	3	Horizontal	44	1.51	-	21.59
PK	2.4378G	114.72	Inf	-Inf	31.31	3	Horizontal	44	1.51	-	83.41
AV	2.4362G	111.19	Inf	-Inf	31.30	3	Horizontal	44	1.51	-	79.89
PK	2.4886G	62.92	74.00	-11.08	31.41	3	Horizontal	44	1.51	-	31.51
AV	2.4886G	52.94	54.00	-1.06	31.41	3	Horizontal	44	1.51	-	21.53

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87388G	49.35	74.00	-24.65	7.28	3	Vertical	12	1.49	-	42.07
AV	4.87396G	42.49	54.00	-11.51	7.28	3	Vertical	12	1.49	-	35.21
PK	7.30956G	51.75	74.00	-22.25	10.54	3	Vertical	70	1.76	-	41.21
AV	7.31022G	42.05	54.00	-11.95	10.54	3	Vertical	70	1.76	-	31.51

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8738G	49.22	74.00	-24.78	7.28	3	Horizontal	88	1.64	-	41.94
AV	4.87396G	42.05	54.00	-11.95	7.28	3	Horizontal	88	1.64	-	34.77
PK	7.31188G	56.30	74.00	-17.70	10.55	3	Horizontal	300	2.21	-	45.75
AV	7.3102G	49.92	54.00	-4.08	10.54	3	Horizontal	300	2.21	-	39.38

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 104
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.458G	116.38	Inf	-Inf	31.34	3	Vertical	355	2.99	-	85.04
AV	2.4562G	112.73	Inf	-Inf	31.34	3	Vertical	355	2.99	-	81.39
PK	2.4868G	61.93	74.00	-12.07	31.40	3	Vertical	355	2.99	-	30.53
AV	2.4838G	51.12	54.00	-2.88	31.39	3	Vertical	355	2.99	-	19.73

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 104
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.456G	116.66	Inf	-Inf	31.34	3	Horizontal	56	1.01	-	85.32
AV	2.4562G	112.93	Inf	-Inf	31.34	3	Horizontal	56	1.01	-	81.59
PK	2.4836G	63.93	74.00	-10.07	31.39	3	Horizontal	56	1.01	-	32.54
AV	2.4838G	53.35	54.00	-0.65	31.39	3	Horizontal	56	1.01	-	21.96

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	110.58	Inf	-Inf	31.36	3	Vertical	49	1.36	-	79.22
AV	2.4628G	106.71	Inf	-Inf	31.36	3	Vertical	49	1.36	-	75.35
PK	2.4896G	62.64	74.00	-11.36	31.41	3	Vertical	49	1.36	-	31.23
AV	2.4894G	51.11	54.00	-2.89	31.41	3	Vertical	49	1.36	-	19.70

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	114.82	Inf	-Inf	31.36	3	Horizontal	60	2.91	-	83.46
AV	2.4612G	111.01	Inf	-Inf	31.35	3	Horizontal	60	2.91	-	79.66
PK	2.485G	64.34	74.00	-9.66	31.40	3	Horizontal	60	2.91	-	32.94
AV	2.4848G	53.45	54.00	-0.55	31.40	3	Horizontal	60	2.91	-	22.05

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.924G	45.90	74.00	-28.10	7.40	3	Vertical	5	1.43	-	38.50
AV	4.924G	36.49	54.00	-17.51	7.40	3	Vertical	5	1.43	-	29.09
PK	7.39224G	49.10	74.00	-24.90	10.77	3	Vertical	96	1.59	-	38.33
AV	7.3852G	35.04	54.00	-18.96	10.76	3	Vertical	96	1.59	-	24.28

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92412G	45.57	74.00	-28.43	7.40	3	Horizontal	191	1.43	-	38.17
AV	4.92404G	33.92	54.00	-20.08	7.40	3	Horizontal	191	1.43	-	26.52
PK	7.38628G	49.21	74.00	-24.79	10.76	3	Horizontal	253	1.59	-	38.45
AV	7.38648G	35.18	54.00	-18.82	10.76	3	Horizontal	253	1.59	-	24.42

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 84
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.32	74.00	-3.68	31.20	3	Vertical	357	2.76	-	39.12
AV	2.39G	49.75	54.00	-4.25	31.20	3	Vertical	357	2.76	-	18.55
PK	2.4136G	112.77	Inf	-Inf	31.26	3	Vertical	357	2.76	-	81.51
AV	2.4136G	102.44	Inf	-Inf	31.26	3	Vertical	357	2.76	-	71.18

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 84
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.35	74.00	-1.65	31.20	3	Horizontal	330	2.39	-	41.15
AV	2.39G	51.57	54.00	-2.43	31.20	3	Horizontal	330	2.39	-	20.37
PK	2.4136G	111.30	Inf	-Inf	31.26	3	Horizontal	330	2.39	-	80.04
AV	2.4136G	100.91	Inf	-Inf	31.26	3	Horizontal	330	2.39	-	69.65

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 84
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82436G	45.79	74.00	-28.21	7.17	3	Vertical	18	1.62	-	38.62
AV	4.8246G	32.06	54.00	-21.94	7.17	3	Vertical	18	1.62	-	24.89

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
 Setting 84
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82538G	46.08	74.00	-27.92	7.18	3	Horizontal	86	1.50	-	38.90
AV	4.82454G	32.18	54.00	-21.82	7.17	3	Horizontal	86	1.50	-	25.01

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.27	74.00	-2.73	31.20	3	Vertical	1	2.99	-	40.07
AV	2.39G	53.06	54.00	-0.94	31.20	3	Vertical	1	2.99	-	21.86
PK	2.4194G	114.44	Inf	-Inf	31.27	3	Vertical	1	2.99	-	83.17
AV	2.421G	104.60	Inf	-Inf	31.27	3	Vertical	1	2.99	-	73.33

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	71.13	74.00	-2.87	31.20	3	Horizontal	343	2.41	-	39.93
AV	2.39G	53.47	54.00	-0.53	31.20	3	Horizontal	343	2.41	-	22.27
PK	2.4186G	112.57	Inf	-Inf	31.27	3	Horizontal	343	2.41	-	81.30
AV	2.4142G	102.78	Inf	-Inf	31.26	3	Horizontal	343	2.41	-	71.52

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	66.91	74.00	-7.09	31.20	3	Vertical	1	3.00	-	35.71
AV	2.3898G	50.66	54.00	-3.34	31.20	3	Vertical	1	3.00	-	19.46
PK	2.4394G	117.83	Inf	-Inf	31.31	3	Vertical	1	3.00	-	86.52
AV	2.4414G	107.82	Inf	-Inf	31.32	3	Vertical	1	3.00	-	76.50
PK	2.4842G	71.53	74.00	-2.47	31.39	3	Vertical	1	3.00	-	40.14
AV	2.4835G	53.29	54.00	-0.71	31.39	3	Vertical	1	3.00	-	21.90

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT_X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	68.02	74.00	-5.98	31.20	3	Horizontal	354	1.55	-	36.82
AV	2.3898G	50.98	54.00	-3.02	31.20	3	Horizontal	354	1.55	-	19.78
PK	2.4322G	115.66	Inf	-Inf	31.29	3	Horizontal	354	1.55	-	84.37
AV	2.4326G	105.75	Inf	-Inf	31.29	3	Horizontal	354	1.55	-	74.46
PK	2.4842G	71.20	74.00	-2.80	31.39	3	Horizontal	354	1.55	-	39.81
AV	2.4835G	53.16	54.00	-0.84	31.39	3	Horizontal	354	1.55	-	21.77

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87432G	46.41	74.00	-27.59	7.28	3	Vertical	56	1.20	-	39.13
AV	4.8734G	33.33	54.00	-20.67	7.28	3	Vertical	56	1.20	-	26.05
PK	7.3143G	49.14	74.00	-24.86	10.56	3	Vertical	275	2.91	-	38.58
AV	7.31414G	36.02	54.00	-17.98	10.56	3	Vertical	275	2.91	-	25.46

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8765G	46.16	74.00	-27.84	7.30	3	Horizontal	93	1.63	-	38.86
AV	4.87634G	33.25	54.00	-20.75	7.30	3	Horizontal	93	1.63	-	25.95
PK	7.31296G	52.41	74.00	-21.59	10.56	3	Horizontal	334	2.12	-	41.85
AV	7.31292G	38.51	54.00	-15.49	10.56	3	Horizontal	334	2.12	-	27.95

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2457MHz_TX




EUT_X_1TX
Setting 90
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4594G	113.26	Inf	-Inf	31.35	3	Vertical	9	2.99	-	81.91
AV	2.4612G	103.27	Inf	-Inf	31.35	3	Vertical	9	2.99	-	71.92
PK	2.4838G	71.11	74.00	-2.89	31.39	3	Vertical	9	2.99	-	39.72
AV	2.4835G	52.65	54.00	-1.35	31.39	3	Vertical	9	2.99	-	21.26

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 90
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4586G	112.90	Inf	-Inf	31.34	3	Horizontal	46	1.03	-	81.56
AV	2.4542G	103.15	Inf	-Inf	31.34	3	Horizontal	46	1.03	-	71.81
PK	2.4838G	72.27	74.00	-1.73	31.39	3	Horizontal	46	1.03	-	40.88
AV	2.4835G	53.36	54.00	-0.64	31.39	3	Horizontal	46	1.03	-	21.97

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	111.47	Inf	-Inf	31.36	3	Vertical	7	2.99	-	80.11
AV	2.4638G	101.14	Inf	-Inf	31.36	3	Vertical	7	2.99	-	69.78
PK	2.4842G	69.61	74.00	-4.39	31.39	3	Vertical	7	2.99	-	38.22
AV	2.4835G	50.31	54.00	-3.69	31.39	3	Vertical	7	2.99	-	18.92

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	111.79	Inf	-Inf	31.36	3	Horizontal	50	1.09	-	80.43
AV	2.4638G	101.27	Inf	-Inf	31.36	3	Horizontal	50	1.09	-	69.91
PK	2.4836G	73.34	74.00	-0.66	31.39	3	Horizontal	50	1.09	-	41.95
AV	2.4835G	49.74	54.00	-4.26	31.39	3	Horizontal	50	1.09	-	18.35

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38648G	48.66	74.00	-25.34	10.76	3	Vertical	289	2.23	-	37.90
AV	7.38636G	35.24	54.00	-18.76	10.76	3	Vertical	289	2.23	-	24.48

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38534G	48.48	74.00	-25.52	10.76	3	Horizontal	67	1.89	-	37.72
AV	7.38066G	35.35	54.00	-18.65	10.75	3	Horizontal	67	1.89	-	24.60

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.38	74.00	-3.62	31.20	3	Vertical	348	2.77	-	39.18
AV	2.39G	50.58	54.00	-3.42	31.20	3	Vertical	348	2.77	-	19.38
PK	2.4088G	114.03	Inf	-Inf	31.24	3	Vertical	348	2.77	-	82.79
AV	2.4128G	100.36	Inf	-Inf	31.26	3	Vertical	348	2.77	-	69.10

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.87	74.00	-1.13	31.20	3	Horizontal	328	2.40	-	41.67
AV	2.39G	53.44	54.00	-0.56	31.20	3	Horizontal	328	2.40	-	22.24
PK	2.4088G	112.81	Inf	-Inf	31.24	3	Horizontal	328	2.40	-	81.57
AV	2.4128G	99.07	Inf	-Inf	31.26	3	Horizontal	328	2.40	-	67.81

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82402G	45.66	74.00	-28.34	7.17	3	Vertical	128	2.17	-	38.49
AV	4.82408G	31.57	54.00	-22.43	7.17	3	Vertical	128	2.17	-	24.40

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82504G	45.92	74.00	-28.08	7.18	3	Horizontal	321	1.54	-	38.74
AV	4.82504G	31.37	54.00	-22.63	7.18	3	Horizontal	321	1.54	-	24.19

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 93
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.41	74.00	-3.59	31.20	3	Vertical	4	2.77	-	39.21
AV	2.39G	53.48	54.00	-0.52	31.20	3	Vertical	4	2.77	-	22.28
PK	2.4138G	116.73	Inf	-Inf	31.26	3	Vertical	4	2.77	-	85.47
AV	2.4126G	102.34	Inf	-Inf	31.26	3	Vertical	4	2.77	-	71.08

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 93
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.69	74.00	-3.31	31.20	3	Horizontal	349	2.41	-	39.49
AV	2.39G	53.30	54.00	-0.70	31.20	3	Horizontal	349	2.41	-	22.10
PK	2.4138G	115.00	Inf	-Inf	31.26	3	Horizontal	349	2.41	-	83.74
AV	2.4124G	101.21	Inf	-Inf	31.25	3	Horizontal	349	2.41	-	69.96

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT_X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	66.13	74.00	-7.87	31.20	3	Vertical	3	3.00	-	34.93
AV	2.3898G	49.53	54.00	-4.47	31.20	3	Vertical	3	3.00	-	18.33
PK	2.4342G	118.50	Inf	-Inf	31.29	3	Vertical	3	3.00	-	87.21
AV	2.4398G	104.82	Inf	-Inf	31.31	3	Vertical	3	3.00	-	73.51
PK	2.4866G	69.40	74.00	-4.60	31.40	3	Vertical	3	3.00	-	38.00
AV	2.4835G	52.17	54.00	-1.83	31.39	3	Vertical	3	3.00	-	20.78

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	70.81	74.00	-3.19	31.20	3	Horizontal	58	1.00	-	39.61
AV	2.3898G	51.95	54.00	-2.05	31.20	3	Horizontal	58	1.00	-	20.75
PK	2.4338G	119.38	Inf	-Inf	31.29	3	Horizontal	58	1.00	-	88.09
AV	2.4326G	104.82	Inf	-Inf	31.29	3	Horizontal	58	1.00	-	73.53
PK	2.4846G	69.67	74.00	-4.33	31.40	3	Horizontal	58	1.00	-	38.27
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Horizontal	58	1.00	-	21.93

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86852G	45.87	74.00	-28.13	7.27	3	Vertical	10	1.56	-	38.60
AV	4.86848G	32.20	54.00	-21.80	7.27	3	Vertical	10	1.56	-	24.93
PK	7.314G	48.39	74.00	-25.61	10.56	3	Vertical	319	1.79	-	37.83
AV	7.314G	34.72	54.00	-19.28	10.56	3	Vertical	319	1.79	-	24.16

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87852G	46.59	74.00	-27.41	7.30	3	Horizontal	81	1.74	-	39.29
AV	4.87692G	31.97	54.00	-22.03	7.30	3	Horizontal	81	1.74	-	24.67
PK	7.31184G	51.61	74.00	-22.39	10.55	3	Horizontal	286	2.75	-	41.06
AV	7.31164G	37.27	54.00	-16.73	10.55	3	Horizontal	286	2.75	-	26.72

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	115.28	Inf	-Inf	31.34	3	Vertical	349	2.99	-	83.94
AV	2.4524G	101.12	Inf	-Inf	31.33	3	Vertical	349	2.99	-	69.79
PK	2.4836G	71.40	74.00	-2.60	31.39	3	Vertical	349	2.99	-	40.01
AV	2.4835G	52.42	54.00	-1.58	31.39	3	Vertical	349	2.99	-	21.03

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.454G	115.71	Inf	-Inf	31.34	3	Horizontal	48	1.00	-	84.37
AV	2.4536G	102.40	Inf	-Inf	31.34	3	Horizontal	48	1.00	-	71.06
PK	2.484G	70.49	74.00	-3.51	31.39	3	Horizontal	48	1.00	-	39.10
AV	2.4836G	53.41	54.00	-0.59	31.39	3	Horizontal	48	1.00	-	22.02

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4588G	111.02	Inf	-Inf	31.34	3	Vertical	6	2.71	-	79.68
AV	2.4628G	97.23	Inf	-Inf	31.36	3	Vertical	6	2.71	-	65.87
PK	2.4836G	71.28	74.00	-2.72	31.39	3	Vertical	6	2.71	-	39.89
AV	2.4835G	48.56	54.00	-5.44	31.39	3	Vertical	6	2.71	-	17.17

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.455G	111.82	Inf	-Inf	31.34	3	Horizontal	54	1.01	-	80.48
AV	2.4548G	97.73	Inf	-Inf	31.34	3	Horizontal	54	1.01	-	66.39
PK	2.4835G	73.38	74.00	-0.62	31.39	3	Horizontal	54	1.01	-	41.99
AV	2.4835G	48.83	54.00	-5.17	31.39	3	Horizontal	54	1.01	-	17.44

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38648G	48.60	74.00	-25.40	10.76	3	Vertical	25	2.12	-	37.84
AV	7.3862G	34.82	54.00	-19.18	10.76	3	Vertical	25	2.12	-	24.06

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38636G	49.01	74.00	-24.99	10.76	3	Horizontal	124	1.60	-	38.25
AV	7.3864G	34.79	54.00	-19.21	10.76	3	Horizontal	124	1.60	-	24.03

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	64.12	74.00	-9.88	31.20	3	Vertical	1	2.98	-	32.92
AV	2.39G	50.51	54.00	-3.49	31.20	3	Vertical	1	2.98	-	19.31
PK	2.4392G	108.63	Inf	-Inf	31.31	3	Vertical	1	2.98	-	77.32
AV	2.4264G	96.55	Inf	-Inf	31.28	3	Vertical	1	2.98	-	65.27
PK	2.4856G	60.61	74.00	-13.39	31.40	3	Vertical	1	2.98	-	29.21
AV	2.4844G	48.53	54.00	-5.47	31.40	3	Vertical	1	2.98	-	17.13

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	65.95	74.00	-8.05	31.20	3	Horizontal	349	1.54	-	34.75
AV	2.39G	53.38	54.00	-0.62	31.20	3	Horizontal	349	1.54	-	22.18
PK	2.41G	107.03	Inf	-Inf	31.25	3	Horizontal	349	1.54	-	75.78
AV	2.4312G	95.21	Inf	-Inf	31.29	3	Horizontal	349	1.54	-	63.92
PK	2.4884G	60.42	74.00	-13.58	31.41	3	Horizontal	349	1.54	-	29.01
AV	2.484G	48.13	54.00	-5.87	31.39	3	Horizontal	349	1.54	-	16.74

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8446G	46.13	74.00	-27.87	7.21	3	Vertical	224	1.51	-	38.92
AV	4.8444G	32.83	54.00	-21.17	7.21	3	Vertical	224	1.51	-	25.62

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84456G	45.60	74.00	-28.40	7.21	3	Horizontal	255	2.42	-	38.39
AV	4.84492G	32.72	54.00	-21.28	7.22	3	Horizontal	255	2.42	-	25.50

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
 Setting 82
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.95	74.00	-10.05	31.20	3	Vertical	6	3.00	-	32.75
AV	2.3898G	48.96	54.00	-5.04	31.20	3	Vertical	6	3.00	-	17.76
PK	2.453G	111.29	Inf	-Inf	31.33	3	Vertical	6	3.00	-	79.96
AV	2.4414G	99.00	Inf	-Inf	31.32	3	Vertical	6	3.00	-	67.68
PK	2.4835G	69.07	74.00	-4.93	31.39	3	Vertical	6	3.00	-	37.68
AV	2.4835G	52.98	54.00	-1.02	31.39	3	Vertical	6	3.00	-	21.59

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	67.83	74.00	-6.17	31.20	3	Horizontal	63	1.19	-	36.63
AV	2.389G	52.54	54.00	-1.46	31.20	3	Horizontal	63	1.19	-	21.34
PK	2.453G	111.29	Inf	-Inf	31.33	3	Horizontal	63	1.19	-	79.96
AV	2.4442G	99.21	Inf	-Inf	31.32	3	Horizontal	63	1.19	-	67.89
PK	2.4838G	70.98	74.00	-3.02	31.39	3	Horizontal	63	1.19	-	39.59
AV	2.4835G	53.39	54.00	-0.61	31.39	3	Horizontal	63	1.19	-	22.00

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31516G	48.94	74.00	-25.06	10.56	3	Vertical	302	1.83	-	38.38
AV	7.31544G	36.27	54.00	-17.73	10.56	3	Vertical	302	1.83	-	25.71

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31616G	49.29	74.00	-24.71	10.57	3	Horizontal	254	2.48	-	38.72
AV	7.31616G	36.28	54.00	-17.72	10.57	3	Horizontal	254	2.48	-	25.71

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX




EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3816G	59.30	74.00	-14.70	31.19	3	Vertical	4	2.97	-	28.11
AV	2.3848G	47.29	54.00	-6.71	31.19	3	Vertical	4	2.97	-	16.10
PK	2.4628G	109.49	Inf	-Inf	31.36	3	Vertical	4	2.97	-	78.13
AV	2.456G	97.47	Inf	-Inf	31.34	3	Vertical	4	2.97	-	66.13
PK	2.4912G	68.76	74.00	-5.24	31.42	3	Vertical	4	2.97	-	37.34
AV	2.4836G	53.28	54.00	-0.72	31.39	3	Vertical	4	2.97	-	21.89

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX




EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3696G	60.27	74.00	-13.73	31.16	3	Horizontal	55	1.20	-	29.11
AV	2.39G	47.72	54.00	-6.28	31.20	3	Horizontal	55	1.20	-	16.52
PK	2.444G	110.13	Inf	-Inf	31.32	3	Horizontal	55	1.20	-	78.81
AV	2.4472G	97.53	Inf	-Inf	31.33	3	Horizontal	55	1.20	-	66.20
PK	2.4835G	72.81	74.00	-1.19	31.39	3	Horizontal	55	1.20	-	41.42
AV	2.484G	52.04	54.00	-1.96	31.39	3	Horizontal	55	1.20	-	20.65

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX




EUT X_1TX
 Setting 76
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.35536G	49.44	74.00	-24.56	10.68	3	Vertical	175	1.52	-	38.76
AV	7.35508G	36.99	54.00	-17.01	10.68	3	Vertical	175	1.52	-	26.31

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX



EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.3568G	49.86	74.00	-24.14	10.68	3	Horizontal	75	1.91	-	39.18
AV	7.3568G	36.73	54.00	-17.27	10.68	3	Horizontal	75	1.91	-	26.05




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.50	54.00	-0.50	31.39	3	Horizontal	298	1.35	-

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT X_2TX
Setting 99
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3856G	61.43	74.00	-12.57	31.19	3	Vertical	330	1.56	-	30.24
AV	2.3876G	49.46	54.00	-4.54	31.20	3	Vertical	330	1.56	-	18.26
PK	2.413G	117.08	Inf	-Inf	31.26	3	Vertical	330	1.56	-	85.82
AV	2.4112G	113.44	Inf	-Inf	31.25	3	Vertical	330	1.56	-	82.19

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT X_2TX
Setting 99
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	64.37	74.00	-9.63	31.20	3	Horizontal	278	1.57	-	33.17
AV	2.388G	53.27	54.00	-0.73	31.20	3	Horizontal	278	1.57	-	22.07
PK	2.413G	119.95	Inf	-Inf	31.26	3	Horizontal	278	1.57	-	88.69
AV	2.4112G	116.07	Inf	-Inf	31.25	3	Horizontal	278	1.57	-	84.82

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 99
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82404G	51.05	74.00	-22.95	7.17	3	Vertical	143	1.50	-	43.88
AV	4.82394G	45.74	54.00	-8.26	7.17	3	Vertical	143	1.50	-	38.57

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 99
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82401G	52.32	74.00	-21.68	7.17	3	Horizontal	234	2.65	-	45.15
AV	4.82392G	47.88	54.00	-6.12	7.17	3	Horizontal	234	2.65	-	40.71

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_X_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	60.09	74.00	-13.91	31.20	3	Vertical	59	1.75	-	28.89
AV	2.3894G	47.20	54.00	-6.80	31.20	3	Vertical	59	1.75	-	16.00
PK	2.4362G	118.79	Inf	-Inf	31.30	3	Vertical	59	1.75	-	87.49
AV	2.4362G	115.10	Inf	-Inf	31.30	3	Vertical	59	1.75	-	83.80
PK	2.4842G	61.93	74.00	-12.07	31.39	3	Vertical	59	1.75	-	30.54
AV	2.4835G	48.48	54.00	-5.52	31.39	3	Vertical	59	1.75	-	17.09

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_X_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3594G	61.11	74.00	-12.89	31.13	3	Horizontal	286	1.54	-	29.98
AV	2.3838G	48.28	54.00	-5.72	31.19	3	Horizontal	286	1.54	-	17.09
PK	2.4362G	120.65	Inf	-Inf	31.30	3	Horizontal	286	1.54	-	89.35
AV	2.4362G	117.09	Inf	-Inf	31.30	3	Horizontal	286	1.54	-	85.79
PK	2.4886G	62.90	74.00	-11.10	31.41	3	Horizontal	286	1.54	-	31.49
AV	2.4838G	49.48	54.00	-4.52	31.39	3	Horizontal	286	1.54	-	18.09

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87404G	50.74	74.00	-23.26	7.28	3	Vertical	142	1.35	-	43.46
AV	4.87396G	46.24	54.00	-7.76	7.28	3	Vertical	142	1.35	-	38.96
PK	7.30986G	59.30	74.00	-14.70	10.54	3	Vertical	89	2.19	-	48.76
AV	7.30968G	53.48	54.00	-0.52	10.54	3	Vertical	89	2.19	-	42.94

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87392G	49.16	74.00	-24.84	7.28	3	Horizontal	237	2.18	-	41.88
AV	4.87396G	43.55	54.00	-10.45	7.28	3	Horizontal	237	2.18	-	36.27
PK	7.30996G	55.70	74.00	-18.30	10.54	3	Horizontal	1	2.17	-	45.16
AV	7.30968G	48.51	54.00	-5.49	10.54	3	Horizontal	1	2.17	-	37.97

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT X_2TX
Setting 98
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	120.58	Inf	-Inf	31.35	3	Vertical	304	2.21	-	89.23
AV	2.4612G	116.87	Inf	-Inf	31.35	3	Vertical	304	2.21	-	85.52
PK	2.4864G	64.16	74.00	-9.84	31.40	3	Vertical	304	2.21	-	32.76
AV	2.4835G	52.22	54.00	-1.78	31.39	3	Vertical	304	2.21	-	20.83

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT X_2TX
Setting 98
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	121.36	Inf	-Inf	31.35	3	Horizontal	302	2.20	-	90.01
AV	2.4612G	117.66	Inf	-Inf	31.35	3	Horizontal	302	2.20	-	86.31
PK	2.4864G	64.50	74.00	-9.50	31.40	3	Horizontal	302	2.20	-	33.10
AV	2.486G	53.24	54.00	-0.76	31.40	3	Horizontal	304	2.21	-	21.84

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92393G	48.47	74.00	-25.53	7.40	3	Vertical	149	1.13	-	41.07
AV	4.92396G	40.73	54.00	-13.27	7.40	3	Vertical	149	1.13	-	33.33
PK	7.38432G	54.64	74.00	-19.36	10.76	3	Vertical	0	2.14	-	43.88
AV	7.38466G	46.63	54.00	-7.37	10.76	3	Vertical	0	2.14	-	35.87

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92382G	49.31	74.00	-24.69	7.40	3	Horizontal	136	1.20	-	41.91
AV	4.92393G	42.39	54.00	-11.61	7.40	3	Horizontal	136	1.20	-	34.99
PK	7.38708G	53.58	74.00	-20.42	10.76	3	Horizontal	265	2.09	-	42.82
AV	7.38472G	45.01	54.00	-8.99	10.76	3	Horizontal	265	2.09	-	34.25

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2412MHz_TX




EUT X_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	71.53	74.00	-2.47	31.20	3	Vertical	315	1.46	-	40.33
AV	2.39G	49.83	54.00	-4.17	31.20	3	Vertical	315	1.46	-	18.63
PK	2.4158G	112.19	Inf	-Inf	31.27	3	Vertical	315	1.46	-	80.92
AV	2.416G	102.82	Inf	-Inf	31.27	3	Vertical	315	1.46	-	71.55

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2412MHz_TX




EUT X_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.388G	73.37	74.00	-0.63	31.20	3	Horizontal	286	2.44	-	42.17
AV	2.3894G	51.83	54.00	-2.17	31.20	3	Horizontal	286	2.44	-	20.63
PK	2.409G	114.61	Inf	-Inf	31.24	3	Horizontal	286	2.44	-	83.37
AV	2.4142G	105.37	Inf	-Inf	31.26	3	Horizontal	286	2.44	-	74.11

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
 Setting 79
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82716G	45.49	74.00	-28.51	7.18	3	Vertical	357	1.70	-	38.31
AV	4.82324G	32.06	54.00	-21.94	7.16	3	Vertical	357	170	-	24.90

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8322G	45.48	74.00	-28.52	7.19	3	Horizontal	1	1.61	-	38.29
AV	4.82528G	31.66	54.00	-22.34	7.18	3	Horizontal	1	1.61	-	24.48

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT_X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	68.71	74.00	-5.29	31.20	3	Vertical	5	1.57	-	37.51
AV	2.3878G	48.42	54.00	-5.58	31.20	3	Vertical	5	1.57	-	17.22
PK	2.4138G	113.72	Inf	-Inf	31.26	3	Vertical	5	1.57	-	82.46
AV	2.414G	104.36	Inf	-Inf	31.26	3	Vertical	5	1.57	-	73.10

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT_X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	73.35	74.00	-0.65	31.20	3	Horizontal	294	1.20	-	42.15
AV	2.3872G	50.71	54.00	-3.29	31.20	3	Horizontal	294	1.20	-	19.51
PK	2.422G	115.90	Inf	-Inf	31.28	3	Horizontal	294	1.20	-	84.62
AV	2.4228G	106.30	Inf	-Inf	31.28	3	Horizontal	294	1.20	-	75.02

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2437MHz_TX




EUT X_2TX
Setting 103
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3814G	67.79	74.00	-6.21	31.19	3	Vertical	6	1.22	-	36.60
AV	2.3858G	49.91	54.00	-4.09	31.19	3	Vertical	6	1.22	-	18.72
PK	2.4406G	118.58	Inf	-Inf	31.31	3	Vertical	6	1.22	-	87.27
AV	2.441G	109.54	Inf	-Inf	31.32	3	Vertical	6	1.22	-	78.22
PK	2.4858G	69.52	74.00	-4.48	31.40	3	Vertical	6	1.22	-	38.12
AV	2.4862G	51.06	54.00	-2.94	31.40	3	Vertical	6	1.22	-	19.66

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_X_2TX
Setting 103
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	69.51	74.00	-4.49	31.20	3	Horizontal	288	1.78	-	38.31
AV	2.3898G	52.28	54.00	-1.72	31.20	3	Horizontal	288	1.78	-	21.08
PK	2.4406G	121.13	Inf	-Inf	31.31	3	Horizontal	288	1.78	-	89.82
AV	2.441G	111.69	Inf	-Inf	31.32	3	Horizontal	288	1.78	-	80.37
PK	2.4862G	71.46	74.00	-2.54	31.40	3	Horizontal	288	1.78	-	40.06
AV	2.4858G	53.26	54.00	-0.74	31.40	3	Horizontal	288	1.78	-	21.86

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 103
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31504G	62.75	74.00	-11.25	10.56	3	Vertical	27	2.26	-	52.19
AV	7.31492G	48.18	54.00	-5.82	10.56	3	Vertical	27	2.26	-	37.62

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 103
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31632G	54.24	74.00	-19.76	10.57	3	Horizontal	287	1.56	-	43.67
AV	7.3164G	40.35	54.00	-13.65	10.57	3	Horizontal	287	1.56	-	29.78

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT_X_2TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	112.91	Inf	-Inf	31.34	3	Vertical	4	1.54	-	81.57
AV	2.4534G	103.64	Inf	-Inf	31.34	3	Vertical	4	1.54	-	72.30
PK	2.4838G	69.98	74.00	-4.02	31.39	3	Vertical	4	1.54	-	38.59
AV	2.4836G	50.12	54.00	-3.88	31.39	3	Vertical	4	1.54	-	18.73

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT_X_2TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	116.30	Inf	-Inf	31.34	3	Horizontal	286	1.97	-	84.96
AV	2.4534G	106.99	Inf	-Inf	31.34	3	Horizontal	286	1.97	-	75.65
PK	2.4836G	73.32	74.00	-0.68	31.39	3	Horizontal	286	1.97	-	41.93
AV	2.4836G	51.85	54.00	-2.15	31.39	3	Horizontal	286	1.97	-	20.46

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2462MHz_TX




EUT X_2TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.469G	111.38	Inf	-Inf	31.37	3	Vertical	9	1.45	-	80.01
AV	2.4642G	102.32	Inf	-Inf	31.36	3	Vertical	9	1.45	-	70.96
PK	2.484G	70.35	74.00	-3.65	31.39	3	Vertical	9	1.45	-	38.96
AV	2.4838G	48.85	54.00	-5.15	31.39	3	Vertical	9	1.45	-	17.46

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2462MHz_TX




EUT X_2TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4688G	114.06	Inf	-Inf	31.37	3	Horizontal	295	1.53	-	82.69
AV	2.4638G	105.01	Inf	-Inf	31.36	3	Horizontal	295	1.53	-	73.65
PK	2.4835G	73.32	74.00	-0.68	31.39	3	Horizontal	295	1.53	-	41.93
AV	2.4836G	50.05	54.00	-3.95	31.39	3	Horizontal	295	1.53	-	18.66

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 76
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38744G	57.36	74.00	-16.64	10.76	3	Vertical	194	1.74	-	46.60
AV	7.387G	38.34	54.00	-15.66	10.76	3	Vertical	194	1.74	-	27.58

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 76
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.394G	49.03	74.00	-24.97	10.78	3	Horizontal	0	1.56	-	38.25
AV	7.37904G	35.60	54.00	-18.40	10.73	3	Horizontal	0	1.56	-	24.87

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT X_2TX
Setting 74
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	61.38	74.00	-12.62	31.20	3	Vertical	7	1.57	-	30.18
AV	2.39G	48.35	54.00	-5.65	31.20	3	Vertical	7	1.57	-	17.15
PK	2.4168G	112.15	Inf	-Inf	31.27	3	Vertical	7	1.57	-	80.88
AV	2.4134G	99.86	Inf	-Inf	31.26	3	Vertical	7	1.57	-	68.60

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT X_2TX
Setting 74
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	66.70	74.00	-7.30	31.20	3	Horizontal	287	1.97	-	35.50
AV	2.3896G	53.28	54.00	-0.72	31.20	3	Horizontal	287	1.97	-	22.08
PK	2.4154G	114.02	Inf	-Inf	31.26	3	Horizontal	287	1.97	-	82.76
AV	2.414G	101.68	Inf	-Inf	31.26	3	Horizontal	287	1.97	-	70.42

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83324G	45.19	74.00	-28.81	7.19	3	Vertical	198	1.46	-	38.00
AV	4.82244G	32.49	54.00	-21.51	7.16	3	Vertical	198	1.46	-	25.33

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT Z_2TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81744G	45.98	74.00	-28.02	7.15	3	Horizontal	325	1.67	-	38.83
AV	4.82668G	32.44	54.00	-21.56	7.18	3	Horizontal	325	1.67	-	25.26

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	65.22	74.00	-8.78	31.20	3	Vertical	11	1.56	-	34.02
AV	2.39G	49.52	54.00	-4.48	31.20	3	Vertical	11	1.56	-	18.32
PK	2.4106G	113.63	Inf	-Inf	31.25	3	Vertical	11	1.56	-	82.38
AV	2.412G	102.07	Inf	-Inf	31.25	3	Vertical	11	1.56	-	70.82

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.01	74.00	-3.99	31.20	3	Horizontal	294	1.59	-	38.81
AV	2.3898G	53.40	54.00	-0.60	31.20	3	Horizontal	294	1.59	-	22.20
PK	2.4252G	116.11	Inf	-Inf	31.28	3	Horizontal	294	1.59	-	84.83
AV	2.4128G	104.09	Inf	-Inf	31.26	3	Horizontal	294	1.59	-	72.83

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT X_2TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	62.88	74.00	-11.12	31.20	3	Vertical	3	1.22	-	31.68
AV	2.3894G	49.83	54.00	-4.17	31.20	3	Vertical	3	1.22	-	18.63
PK	2.4362G	116.14	Inf	-Inf	31.30	3	Vertical	3	1.22	-	84.84
AV	2.439G	105.04	Inf	-Inf	31.31	3	Vertical	3	1.22	-	73.73
PK	2.4835G	65.04	74.00	-8.96	31.39	3	Vertical	3	1.22	-	33.65
AV	2.4835G	50.63	54.00	-3.37	31.39	3	Vertical	3	1.22	-	19.24

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT X_2TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	64.81	74.00	-9.19	31.20	3	Horizontal	287	2.40	-	33.61
AV	2.3898G	51.22	54.00	-2.78	31.20	3	Horizontal	287	2.40	-	20.02
PK	2.4446G	119.12	Inf	-Inf	31.32	3	Horizontal	287	2.40	-	87.80
AV	2.4418G	107.38	Inf	-Inf	31.32	3	Horizontal	287	2.40	-	76.06
PK	2.4835G	69.64	74.00	-4.36	31.39	3	Horizontal	287	2.40	-	38.25
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Horizontal	287	2.40	-	21.93

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.32092G	58.28	74.00	-15.72	10.59	3	Vertical	24	1.12	-	47.69
AV	7.31448G	44.95	54.00	-9.05	10.56	3	Vertical	24	1.12	-	34.39

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31772G	53.55	74.00	-20.45	10.57	3	Horizontal	292	1.82	-	42.98
AV	7.31436G	40.98	54.00	-13.02	10.56	3	Horizontal	292	1.82	-	30.42

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	113.26	Inf	-Inf	31.36	3	Vertical	51	1.64	-	81.90
AV	2.4646G	101.53	Inf	-Inf	31.36	3	Vertical	51	1.64	-	70.17
PK	2.4835G	68.26	74.00	-5.74	31.39	3	Vertical	51	1.64	-	36.87
AV	2.4835G	52.23	54.00	-1.77	31.39	3	Vertical	51	1.64	-	20.84

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4606G	116.79	Inf	-Inf	31.35	3	Horizontal	288	2.62	-	85.44
AV	2.452G	104.88	Inf	-Inf	31.33	3	Horizontal	288	2.62	-	73.55
PK	2.4835G	70.57	74.00	-3.43	31.39	3	Horizontal	288	2.62	-	39.18
AV	2.4836G	53.42	54.00	-0.58	31.39	3	Horizontal	288	2.62	-	22.03

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT X_2TX
Setting 80
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4646G	112.25	Inf	-Inf	31.36	3	Vertical	12	1.73	-	80.89
AV	2.4666G	100.98	Inf	-Inf	31.37	3	Vertical	12	1.73	-	69.61
PK	2.4835G	69.69	74.00	-4.31	31.39	3	Vertical	12	1.73	-	38.30
AV	2.4835G	51.44	54.00	-2.56	31.39	3	Vertical	12	1.73	-	20.05

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT X_2TX
Setting 80
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4614G	115.55	Inf	-Inf	31.35	3	Horizontal	298	1.35	-	84.20
AV	2.4638G	103.91	Inf	-Inf	31.36	3	Horizontal	298	1.35	-	72.55
PK	2.4835G	72.79	74.00	-1.21	31.39	3	Horizontal	298	1.35	-	41.40
AV	2.4835G	53.50	54.00	-0.50	31.39	3	Horizontal	298	1.35	-	22.11

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Z_2TX
Setting 80
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38304G	51.69	74.00	-22.31	10.75	3	Vertical	300	2.02	-	40.94
AV	7.38184G	38.11	54.00	-15.89	10.75	3	Vertical	300	2.02	-	27.36

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Z_2TX
Setting 80
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.37988G	49.29	74.00	-24.71	10.75	3	Horizontal	311	1.41	-	38.54
AV	7.38156G	36.74	54.00	-17.26	10.75	3	Horizontal	311	1.41	-	25.99

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT_X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	64.95	74.00	-9.05	31.19	3	Vertical	2	1.34	-	33.76
AV	2.39G	49.49	54.00	-4.51	31.20	3	Vertical	2	1.34	-	18.29
PK	2.4336G	107.48	Inf	-Inf	31.29	3	Vertical	2	1.34	-	76.19
AV	2.4308G	96.44	Inf	-Inf	31.29	3	Vertical	2	1.34	-	65.15
PK	2.4844G	60.05	74.00	-13.95	31.40	3	Vertical	2	1.34	-	28.65
AV	2.4864G	48.67	54.00	-5.33	31.40	3	Vertical	2	1.34	-	17.27

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	69.68	74.00	-4.32	31.19	3	Horizontal	282	2.21	-	38.49
AV	2.39G	53.48	54.00	-0.52	31.20	3	Horizontal	282	2.21	-	22.28
PK	2.434G	110.02	Inf	-Inf	31.29	3	Horizontal	282	2.21	-	78.73
AV	2.4308G	99.18	Inf	-Inf	31.29	3	Horizontal	282	2.21	-	67.89
PK	2.4835G	61.18	74.00	-12.82	31.39	3	Horizontal	282	2.21	-	29.79
AV	2.484G	48.98	54.00	-5.02	31.39	3	Horizontal	282	2.21	-	17.59

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT_Z_2TX
Setting 70
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84452G	45.13	74.00	-28.87	7.21	3	Vertical	39	1.38	-	37.92
AV	4.8382G	32.55	54.00	-21.45	7.20	3	Vertical	39	1.38	-	25.35

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT_Z_2TX
Setting 70
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83868G	44.78	74.00	-29.22	7.20	3	Horizontal	105	2.28	-	37.58
AV	4.8388G	32.40	54.00	-21.60	7.20	3	Horizontal	105	2.28	-	25.20

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT_X_2TX
Setting 78
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.379G	67.26	74.00	-6.74	31.18	3	Vertical	4	1.33	-	36.08
AV	2.3894G	49.99	54.00	-4.01	31.20	3	Vertical	4	1.33	-	18.79
PK	2.433G	110.56	Inf	-Inf	31.29	3	Vertical	4	1.33	-	79.27
AV	2.433G	98.98	Inf	-Inf	31.29	3	Vertical	4	1.33	-	67.69
PK	2.4838G	72.18	74.00	-1.82	31.39	3	Vertical	4	1.33	-	40.79
AV	2.4835G	51.36	54.00	-2.64	31.39	3	Vertical	4	1.33	-	19.97

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT X_2TX
Setting 78
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.383G	70.52	74.00	-3.48	31.19	3	Horizontal	295	2.19	-	39.33
AV	2.3894G	52.53	54.00	-1.47	31.20	3	Horizontal	295	2.19	-	21.33
PK	2.4334G	113.18	Inf	-Inf	31.29	3	Horizontal	295	2.19	-	81.89
AV	2.4522G	101.26	Inf	-Inf	31.33	3	Horizontal	295	2.19	-	69.93
PK	2.4838G	73.37	74.00	-0.63	31.39	3	Horizontal	295	2.19	-	41.98
AV	2.4842G	53.00	54.00	-1.00	31.39	3	Horizontal	295	2.19	-	21.61

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 78
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.30792G	49.11	74.00	-24.89	10.55	3	Vertical	222	1.78	-	38.56
AV	7.3166G	35.86	54.00	-18.14	10.57	3	Vertical	222	1.78	-	25.29

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 78
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31708G	48.69	74.00	-25.31	10.57	3	Horizontal	324	1.49	-	38.12
AV	7.32092G	35.80	54.00	-18.20	10.59	3	Horizontal	324	1.49	-	25.21

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT_X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	59.02	74.00	-14.98	31.20	3	Vertical	61	1.53	-	27.82
AV	2.3688G	47.29	54.00	-6.71	31.15	3	Vertical	61	1.53	-	16.14
PK	2.4492G	107.09	Inf	-Inf	31.33	3	Vertical	61	1.53	-	75.76
AV	2.4672G	96.01	Inf	-Inf	31.37	3	Vertical	61	1.53	-	64.64
PK	2.4872G	67.09	74.00	-6.91	31.40	3	Vertical	61	1.53	-	35.69
AV	2.4852G	49.05	54.00	-4.95	31.40	3	Vertical	61	1.53	-	17.65

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.23	74.00	-10.77	31.20	3	Horizontal	288	2.43	-	32.03
AV	2.382G	48.24	54.00	-5.76	31.19	3	Horizontal	288	2.43	-	17.05
PK	2.4484G	111.12	Inf	-Inf	31.33	3	Horizontal	288	2.43	-	79.79
AV	2.4496G	99.22	Inf	-Inf	31.33	3	Horizontal	288	2.43	-	67.89
PK	2.4852G	73.34	74.00	-0.66	31.40	3	Horizontal	288	2.43	-	41.94
AV	2.4835G	51.55	54.00	-2.45	31.39	3	Horizontal	288	2.43	-	20.16

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT_Z_2TX
Setting 70
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.35772G	49.42	74.00	-24.58	10.69	3	Vertical	101	1.59	-	38.73
AV	7.35448G	36.33	54.00	-17.67	10.68	3	Vertical	101	1.59	-	25.65

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX



EUT Z_2TX
 Setting 70
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.36052G	52.22	74.00	-21.78	10.68	3	Horizontal	34	1.40	-	41.54
AV	7.36184G	36.85	54.00	-17.15	10.69	3	Horizontal	34	1.40	-	26.16




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.47	54.00	-0.53	31.39	3	Horizontal	137	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT X_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	72.83	74.00	-1.17	31.20	3	Vertical	145	1.67	-	41.63
AV	2.388G	53.12	54.00	-0.88	31.20	3	Vertical	145	1.67	-	21.92
PK	2.409G	118.29	Inf	-Inf	31.24	3	Vertical	145	1.67	-	87.05
AV	2.4094G	105.86	Inf	-Inf	31.25	3	Vertical	145	1.67	-	74.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT X_2TX
 Setting 80
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	72.07	74.00	-1.93	31.20	3	Horizontal	34	2.02	-	40.87
AV	2.3898G	51.42	54.00	-2.58	31.20	3	Horizontal	34	2.02	-	20.22
PK	2.4204G	120.31	Inf	-Inf	31.27	3	Horizontal	34	2.02	-	89.04
AV	2.4198G	107.53	Inf	-Inf	31.27	3	Horizontal	34	2.02	-	76.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82604G	46.51	74.00	-27.49	7.18	3	Vertical	321	1.85	-	39.33
AV	4.82196G	31.96	54.00	-22.04	7.16	3	Vertical	321	1.85	-	24.80

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82568G	46.43	74.00	-27.57	7.18	3	Horizontal	163	1.34	-	39.25
AV	4.82262G	32.05	54.00	-21.95	7.16	3	Horizontal	163	1.34	-	24.89

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT X_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	70.60	74.00	-3.40	31.20	3	Vertical	11	1.41	-	39.40
AV	2.3898G	50.96	54.00	-3.04	31.20	3	Vertical	11	1.41	-	19.76
PK	2.4254G	119.41	Inf	-Inf	31.28	3	Vertical	11	1.41	-	88.13
AV	2.4244G	106.38	Inf	-Inf	31.28	3	Vertical	11	1.41	-	75.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_X_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	72.67	74.00	-1.33	31.20	3	Horizontal	98	1.59	-	41.47
AV	2.3896G	53.26	54.00	-0.74	31.20	3	Horizontal	98	1.59	-	22.06
PK	2.4098G	120.29	Inf	-Inf	31.25	3	Horizontal	98	1.59	-	89.04
AV	2.4082G	108.17	Inf	-Inf	31.24	3	Horizontal	98	1.59	-	76.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_X_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3862G	65.21	74.00	-8.79	31.20	3	Vertical	53	2.64	-	34.01
AV	2.3898G	50.05	54.00	-3.95	31.20	3	Vertical	53	2.64	-	18.85
PK	2.4378G	120.96	Inf	-Inf	31.31	3	Vertical	53	2.64	-	89.65
AV	2.4354G	108.38	Inf	-Inf	31.30	3	Vertical	53	2.64	-	77.08
PK	2.4866G	70.70	74.00	-3.30	31.40	3	Vertical	53	2.64	-	39.30
AV	2.4835G	52.47	54.00	-1.53	31.39	3	Vertical	53	2.64	-	21.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT X_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	68.62	74.00	-5.38	31.20	3	Horizontal	137	2.41	-	37.42
AV	2.3898G	51.45	54.00	-2.55	31.20	3	Horizontal	137	2.41	-	20.25
PK	2.4338G	123.22	Inf	-Inf	31.29	3	Horizontal	137	2.41	-	91.93
AV	2.4338G	111.82	Inf	-Inf	31.29	3	Horizontal	137	2.41	-	80.53
PK	2.4866G	71.25	74.00	-2.75	31.40	3	Horizontal	137	2.41	-	39.85
AV	2.4835G	53.47	54.00	-0.53	31.39	3	Horizontal	137	2.41	-	22.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.30674G	57.45	74.00	-16.55	10.54	3	Vertical	92	2.14	-	46.91
AV	7.31286G	43.80	54.00	-10.20	10.56	3	Vertical	92	2.14	-	33.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.30656G	57.40	74.00	-16.60	10.54	3	Horizontal	355	1.06	-	46.86
AV	7.3143G	42.04	54.00	-11.96	10.56	3	Horizontal	355	1.06	-	31.48

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT X_2TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4514G	115.69	Inf	-Inf	31.33	3	Vertical	341	1.17	-	84.36
AV	2.454G	103.22	Inf	-Inf	31.34	3	Vertical	341	1.17	-	71.88
PK	2.4854G	68.19	74.00	-5.81	31.40	3	Vertical	341	1.17	-	36.79
AV	2.4878G	48.95	54.00	-5.05	31.41	3	Vertical	341	1.17	-	17.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_X_2TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4652G	118.97	Inf	-Inf	31.36	3	Horizontal	304	1.06	-	87.61
AV	2.4642G	106.11	Inf	-Inf	31.36	3	Horizontal	304	1.06	-	74.75
PK	2.4835G	73.45	74.00	-0.55	31.39	3	Horizontal	304	1.06	-	42.06
AV	2.4835G	49.84	54.00	-4.16	31.39	3	Horizontal	304	1.06	-	18.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT X_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	115.57	Inf	-Inf	31.36	3	Vertical	255	1.61	-	84.21
AV	2.4638G	103.72	Inf	-Inf	31.36	3	Vertical	255	1.61	-	72.36
PK	2.485G	68.78	74.00	-5.22	31.40	3	Vertical	255	1.61	-	37.38
AV	2.4836G	50.03	54.00	-3.97	31.39	3	Vertical	255	1.61	-	18.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT X_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4628G	119.47	Inf	-Inf	31.36	3	Horizontal	281	1.63	-	88.11
AV	2.4632G	106.08	Inf	-Inf	31.36	3	Horizontal	281	1.63	-	74.72
PK	2.4846G	70.44	74.00	-3.56	31.40	3	Horizontal	281	1.63	-	39.04
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Horizontal	281	1.63	-	21.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.39704G	51.61	74.00	-22.39	10.79	3	Vertical	334	1.31	-	40.82
AV	7.37292G	37.48	54.00	-16.52	10.73	3	Vertical	334	1.31	-	26.75

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Z_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.37448G	50.30	74.00	-23.70	10.73	3	Horizontal	14	2.08	-	39.57
AV	7.37358G	35.50	54.00	-18.50	10.73	3	Horizontal	14	2.08	-	24.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT_X_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	68.58	74.00	-5.42	31.20	3	Vertical	315	1.00	-	37.38
AV	2.3892G	50.10	54.00	-3.90	31.20	3	Vertical	315	1.00	-	18.90
PK	2.4372G	114.43	Inf	-Inf	31.30	3	Vertical	315	1.00	-	83.13
AV	2.4348G	101.96	Inf	-Inf	31.30	3	Vertical	315	1.00	-	70.66
PK	2.492G	60.50	74.00	-13.50	31.42	3	Vertical	315	1.00	-	29.08
AV	2.4835G	48.04	54.00	-5.96	31.39	3	Vertical	315	1.00	-	16.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT X_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.386G	73.03	74.00	-0.97	31.19	3	Horizontal	344	1.59	-	41.84
AV	2.39G	53.38	54.00	-0.62	31.20	3	Horizontal	344	1.59	-	22.18
PK	2.4072G	116.58	Inf	-Inf	31.24	3	Horizontal	344	1.59	-	85.34
AV	2.4076G	104.66	Inf	-Inf	31.24	3	Horizontal	344	1.59	-	73.42
PK	2.4835G	63.84	74.00	-10.16	31.39	3	Horizontal	344	1.59	-	32.45
AV	2.4852G	49.25	54.00	-4.75	31.40	3	Horizontal	344	1.59	-	17.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.85408G	45.24	74.00	-28.76	7.24	3	Vertical	209	2.50	-	38.00
AV	4.83398G	31.42	54.00	-22.58	7.19	3	Vertical	209	2.50	-	24.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84676G	44.85	74.00	-29.15	7.22	3	Horizontal	208	2.53	-	37.63
AV	4.83512G	31.45	54.00	-22.55	7.20	3	Horizontal	208	2.53	-	24.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_X_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	70.28	74.00	-3.72	31.20	3	Vertical	221	1.27	-	39.08
AV	2.3898G	50.39	54.00	-3.61	31.20	3	Vertical	221	1.27	-	19.19
PK	2.4418G	114.43	Inf	-Inf	31.32	3	Vertical	221	1.27	-	83.11
AV	2.443G	102.25	Inf	-Inf	31.32	3	Vertical	221	1.27	-	70.93
PK	2.485G	69.86	74.00	-4.14	31.40	3	Vertical	221	1.27	-	38.46
AV	2.4835G	52.10	54.00	-1.90	31.39	3	Vertical	221	1.27	-	20.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_X_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	70.45	74.00	-3.55	31.20	3	Horizontal	324	1.99	-	39.25
AV	2.3898G	52.90	54.00	-1.10	31.20	3	Horizontal	324	1.99	-	21.70
PK	2.433G	116.00	Inf	-Inf	31.29	3	Horizontal	324	1.99	-	84.71
AV	2.433G	104.02	Inf	-Inf	31.29	3	Horizontal	324	1.99	-	72.73
PK	2.4858G	71.06	74.00	-2.94	31.40	3	Horizontal	324	1.99	-	39.66
AV	2.4835G	53.36	54.00	-0.64	31.39	3	Horizontal	324	1.99	-	21.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
 Setting 77
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.3122G	51.29	74.00	-22.71	10.55	3	Vertical	43	2.65	-	40.74
AV	7.3104G	34.10	54.00	-19.90	10.54	3	Vertical	43	2.65	-	23.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.3239G	53.20	74.00	-20.80	10.59	3	Horizontal	250	1.70	-	42.61
AV	7.32114G	35.38	54.00	-18.62	10.59	3	Horizontal	250	1.70	-	24.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT X_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3852G	61.23	74.00	-12.77	31.19	3	Vertical	194	2.65	-	30.04
AV	2.3892G	47.40	54.00	-6.60	31.20	3	Vertical	194	2.65	-	16.20
PK	2.4392G	112.19	Inf	-Inf	31.31	3	Vertical	194	2.65	-	80.88
AV	2.4432G	100.05	Inf	-Inf	31.32	3	Vertical	194	2.65	-	68.73
PK	2.4864G	70.28	74.00	-3.72	31.40	3	Vertical	194	2.65	-	38.88
AV	2.484G	51.11	54.00	-2.89	31.39	3	Vertical	194	2.65	-	19.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT X_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	63.18	74.00	-10.82	31.20	3	Horizontal	273	1.00	-	31.98
AV	2.388G	48.55	54.00	-5.45	31.20	3	Horizontal	273	1.00	-	17.35
PK	2.4512G	114.75	Inf	-Inf	31.33	3	Horizontal	273	1.00	-	83.42
AV	2.4552G	102.94	Inf	-Inf	31.34	3	Horizontal	273	1.00	-	71.60
PK	2.486G	73.44	74.00	-0.56	31.40	3	Horizontal	273	1.00	-	42.04
AV	2.4848G	51.14	54.00	-2.86	31.40	3	Horizontal	273	1.00	-	19.74

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT Z_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.36554G	48.77	74.00	-25.23	10.70	3	Vertical	358	1.59	-	38.07
AV	7.3707G	35.57	54.00	-18.43	10.72	3	Vertical	358	1.59	-	24.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX



EUT Z_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.36362G	49.26	74.00	-24.74	10.70	3	Horizontal	147	2.04	-	38.56
AV	7.3686G	35.65	54.00	-18.35	10.71	3	Horizontal	147	2.04	-	24.94




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.4835G	73.49	74.00	-0.51	31.39	3	Horizontal	301	2.89	-

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2412MHz_TX




EUT_Y_1TX
Setting 88
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3814G	60.20	74.00	-13.80	31.19	3	Vertical	21	2.37	-	29.01
AV	2.3888G	48.39	54.00	-5.61	31.20	3	Vertical	21	2.37	-	17.19
PK	2.413G	108.65	Inf	-Inf	31.26	3	Vertical	21	2.37	-	77.39
AV	2.4128G	104.65	Inf	-Inf	31.26	3	Vertical	21	2.37	-	73.39

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 88
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	63.60	74.00	-10.40	31.20	3	Horizontal	312	3.00	-	32.40
AV	2.3886G	53.43	54.00	-0.57	31.20	3	Horizontal	312	3.00	-	22.23
PK	2.413G	115.34	Inf	-Inf	31.26	3	Horizontal	312	3.00	-	84.08
AV	2.4128G	111.33	Inf	-Inf	31.26	3	Horizontal	312	3.00	-	80.07

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 88
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82405G	49.09	74.00	-24.91	7.17	3	Vertical	36	1.50	-	41.92
AV	4.82393G	41.87	54.00	-12.13	7.17	3	Vertical	36	1.50	-	34.70

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 88
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82384G	49.10	74.00	-24.90	7.17	3	Horizontal	351	1.28	-	41.93
AV	4.82396G	41.96	54.00	-12.04	7.17	3	Horizontal	351	1.28	-	34.79

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3726G	59.21	74.00	-14.79	31.16	3	Vertical	11	1.50	-	28.05
AV	2.3886G	46.67	54.00	-7.33	31.20	3	Vertical	11	1.50	-	15.47
PK	2.4362G	108.65	Inf	-Inf	31.30	3	Vertical	11	1.50	-	77.35
AV	2.4362G	104.79	Inf	-Inf	31.30	3	Vertical	11	1.50	-	73.49
PK	2.4882G	59.55	74.00	-14.45	31.41	3	Vertical	11	1.50	-	28.14
AV	2.4846G	47.25	54.00	-6.75	31.40	3	Vertical	11	1.50	-	15.85

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3866G	59.62	74.00	-14.38	31.20	3	Horizontal	326	2.64	-	28.42
AV	2.3862G	47.55	54.00	-6.45	31.20	3	Horizontal	326	2.64	-	16.35
PK	2.4378G	113.53	Inf	-Inf	31.31	3	Horizontal	326	2.64	-	82.22
AV	2.4362G	109.80	Inf	-Inf	31.30	3	Horizontal	326	2.64	-	78.50
PK	2.4838G	61.97	74.00	-12.03	31.39	3	Horizontal	326	2.64	-	30.58
AV	2.4835G	50.03	54.00	-3.97	31.39	3	Horizontal	326	2.64	-	18.64

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87392G	49.54	74.00	-24.46	7.28	3	Vertical	26	2.87	-	42.26
AV	4.87397G	43.15	54.00	-10.85	7.28	3	Vertical	26	2.87	-	35.87
PK	7.3094G	54.02	74.00	-19.98	10.54	3	Vertical	19	1.25	-	43.48
AV	7.3097G	46.10	54.00	-7.90	10.54	3	Vertical	19	1.25	-	35.56

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87401G	49.99	74.00	-24.01	7.28	3	Horizontal	345	1.11	-	42.71
AV	4.87394G	43.93	54.00	-10.07	7.28	3	Horizontal	345	1.11	-	36.65
PK	7.30996G	58.94	74.00	-15.06	10.54	3	Horizontal	246	2.80	-	48.40
AV	7.30968G	53.21	54.00	-0.79	10.54	3	Horizontal	246	2.80	-	42.67

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4628G	110.00	Inf	-Inf	31.36	3	Vertical	15	1.65	-	78.64
AV	2.4628G	106.22	Inf	-Inf	31.36	3	Vertical	15	1.65	-	74.86
PK	2.494G	60.18	74.00	-13.82	31.42	3	Vertical	15	1.65	-	28.76
AV	2.4916G	47.99	54.00	-6.01	31.42	3	Vertical	15	1.65	-	16.57

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4628G	115.59	Inf	-Inf	31.36	3	Horizontal	306	2.87	-	84.23
AV	2.4612G	111.80	Inf	-Inf	31.35	3	Horizontal	306	2.87	-	80.45
PK	2.486G	63.46	74.00	-10.54	31.40	3	Horizontal	306	2.87	-	32.06
AV	2.4858G	53.06	54.00	-0.94	31.40	3	Horizontal	306	2.87	-	21.66

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92391G	50.88	74.00	-23.12	7.40	3	Vertical	36	3.00	-	43.48
AV	4.92397G	45.42	54.00	-8.58	7.40	3	Vertical	36	3.00	-	38.02
PK	7.38478G	56.02	74.00	-17.98	10.76	3	Vertical	345	1.00	-	45.26
AV	7.3847G	48.92	54.00	-5.08	10.76	3	Vertical	345	1.00	-	38.16

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.924G	50.78	74.00	-23.22	7.40	3	Horizontal	336	1.05	-	43.38
AV	4.92397G	45.33	54.00	-8.67	7.40	3	Horizontal	336	1.05	-	37.93
PK	7.38442G	58.76	74.00	-15.24	10.76	3	Horizontal	249	2.85	-	48.00
AV	7.3847G	52.81	54.00	-1.19	10.76	3	Horizontal	249	2.85	-	42.05

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	64.50	74.00	-9.50	31.20	3	Vertical	13	2.92	-	33.30
AV	2.3898G	47.41	54.00	-6.59	31.20	3	Vertical	13	2.92	-	16.21
PK	2.4144G	104.60	Inf	-Inf	31.26	3	Vertical	13	2.92	-	73.34
AV	2.4162G	94.71	Inf	-Inf	31.27	3	Vertical	13	2.92	-	63.44

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.66	74.00	-1.34	31.20	3	Horizontal	317	3.00	-	41.46
AV	2.39G	51.14	54.00	-2.86	31.20	3	Horizontal	317	3.00	-	19.94
PK	2.4144G	111.12	Inf	-Inf	31.26	3	Horizontal	317	3.00	-	79.86
AV	2.4162G	100.96	Inf	-Inf	31.27	3	Horizontal	317	3.00	-	69.69

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8253G	45.40	74.00	-28.60	7.18	3	Vertical	205	1.71	-	38.22
AV	4.82348G	31.86	54.00	-22.14	7.16	3	Vertical	205	1.71	-	24.70

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82068G	45.19	74.00	-28.81	7.16	3	Horizontal	106	1.47	-	38.03
AV	4.82546G	32.20	54.00	-21.80	7.18	3	Horizontal	106	1.47	-	25.02

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2417MHz_TX




EUT Y_1TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	64.64	74.00	-9.36	31.20	3	Vertical	14	2.93	-	33.44
AV	2.3896G	48.22	54.00	-5.78	31.20	3	Vertical	14	2.93	-	17.02
PK	2.4194G	107.62	Inf	-Inf	31.27	3	Vertical	14	2.93	-	76.35
AV	2.421G	97.82	Inf	-Inf	31.27	3	Vertical	14	2.93	-	66.55

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2417MHz_TX




EUT Y_1TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	71.73	74.00	-2.27	31.20	3	Horizontal	314	2.67	-	40.53
AV	2.39G	53.32	54.00	-0.68	31.20	3	Horizontal	314	2.67	-	22.12
PK	2.4194G	113.85	Inf	-Inf	31.27	3	Horizontal	314	2.67	-	82.58
AV	2.421G	103.99	Inf	-Inf	31.27	3	Horizontal	314	2.67	-	72.72

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3866G	64.34	74.00	-9.66	31.20	3	Vertical	25	2.95	-	33.14
AV	2.3898G	49.07	54.00	-4.93	31.20	3	Vertical	25	2.95	-	17.87
PK	2.4302G	108.98	Inf	-Inf	31.29	3	Vertical	25	2.95	-	77.69
AV	2.4322G	99.01	Inf	-Inf	31.29	3	Vertical	25	2.95	-	67.72
PK	2.4946G	61.01	74.00	-12.99	31.42	3	Vertical	25	2.95	-	29.59
AV	2.4954G	47.54	54.00	-6.46	31.42	3	Vertical	25	2.95	-	16.12

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	66.04	74.00	-7.96	31.20	3	Horizontal	322	2.65	-	34.84
AV	2.3898G	51.37	54.00	-2.63	31.20	3	Horizontal	322	2.65	-	20.17
PK	2.4394G	114.65	Inf	-Inf	31.31	3	Horizontal	322	2.65	-	83.34
AV	2.439G	104.63	Inf	-Inf	31.31	3	Horizontal	322	2.65	-	73.32
PK	2.4846G	73.03	74.00	-0.97	31.40	3	Horizontal	322	2.65	-	41.63
AV	2.4838G	52.70	54.00	-1.30	31.39	3	Horizontal	322	2.65	-	21.31

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
 Setting 98
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31342G	55.15	74.00	-18.85	10.56	3	Vertical	33	1.33	-	44.59
AV	7.31236G	40.63	54.00	-13.37	10.55	3	Vertical	33	1.33	-	30.08

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31516G	59.76	74.00	-14.24	10.56	3	Horizontal	260	2.81	-	49.20
AV	7.31244G	45.65	54.00	-8.35	10.55	3	Horizontal	260	2.81	-	35.10

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2457MHz_TX




EUT Y_1TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4504G	106.96	Inf	-Inf	31.33	3	Vertical	13	1.69	-	75.63
AV	2.452G	97.31	Inf	-Inf	31.33	3	Vertical	13	1.69	-	65.98
PK	2.4836G	68.33	74.00	-5.67	31.39	3	Vertical	13	1.69	-	36.94
AV	2.4835G	49.79	54.00	-4.21	31.39	3	Vertical	13	1.69	-	18.40

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2457MHz_TX




EUT_Y_1TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4522G	112.31	Inf	-Inf	31.33	3	Horizontal	299	2.88	-	80.98
AV	2.461G	102.56	Inf	-Inf	31.35	3	Horizontal	299	2.88	-	71.21
PK	2.4838G	72.65	74.00	-1.35	31.39	3	Horizontal	299	2.88	-	41.26
AV	2.4835G	53.48	54.00	-0.52	31.39	3	Horizontal	299	2.88	-	22.09

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 72
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	108.94	Inf	-Inf	31.36	3	Vertical	320	2.87	-	77.58
AV	2.466G	98.68	Inf	-Inf	31.37	3	Vertical	320	2.87	-	67.31
PK	2.4836G	72.01	74.00	-1.99	31.39	3	Vertical	320	2.87	-	40.62
AV	2.4835G	49.56	54.00	-4.44	31.39	3	Vertical	320	2.87	-	18.17

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 72
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4634G	109.77	Inf	-Inf	31.36	3	Horizontal	316	2.87	-	78.41
AV	2.4636G	99.56	Inf	-Inf	31.36	3	Horizontal	316	2.87	-	68.20
PK	2.484G	72.23	74.00	-1.77	31.39	3	Horizontal	316	2.87	-	40.84
AV	2.4835G	49.80	54.00	-4.20	31.39	3	Horizontal	316	2.87	-	18.41

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 72
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38516G	51.55	74.00	-22.45	10.76	3	Vertical	247	1.76	-	40.79
AV	7.38356G	35.92	54.00	-18.08	10.75	3	Vertical	247	1.76	-	25.17

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 72
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38756G	49.45	74.00	-24.55	10.77	3	Horizontal	323	1.04	-	38.68
AV	7.38508G	35.61	54.00	-18.39	10.76	3	Horizontal	323	1.04	-	24.85

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	64.08	74.00	-9.92	31.20	3	Vertical	14	2.93	-	32.88
AV	2.3898G	48.60	54.00	-5.40	31.20	3	Vertical	14	2.93	-	17.40
PK	2.4174G	106.39	Inf	-Inf	31.27	3	Vertical	14	2.93	-	75.12
AV	2.417G	94.16	Inf	-Inf	31.27	3	Vertical	14	2.93	-	62.89

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	72.04	74.00	-1.96	31.20	3	Horizontal	315	2.41	-	40.84
AV	2.39G	53.36	54.00	-0.64	31.20	3	Horizontal	315	2.41	-	22.16
PK	2.409G	112.81	Inf	-Inf	31.24	3	Horizontal	315	2.41	-	81.57
AV	2.413G	99.94	Inf	-Inf	31.26	3	Horizontal	315	2.41	-	68.68

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82128G	46.87	74.00	-27.13	7.16	3	Vertical	54	1.69	-	39.71
AV	4.82404G	32.81	54.00	-21.19	7.17	3	Vertical	54	1.69	-	25.64

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82624G	46.15	74.00	-27.85	7.18	3	Horizontal	67	1.61	-	38.97
AV	4.82784G	32.39	54.00	-21.61	7.18	3	Horizontal	67	1.61	-	25.21

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2417MHz_TX




EUT Y_1TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.97	74.00	-12.03	31.20	3	Vertical	28	2.92	-	30.77
AV	2.3898G	47.39	54.00	-6.61	31.20	3	Vertical	28	2.92	-	16.19
PK	2.4224G	108.13	Inf	-Inf	31.28	3	Vertical	28	2.92	-	76.85
AV	2.4198G	95.94	Inf	-Inf	31.27	3	Vertical	28	2.92	-	64.67

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2417MHz_TX




EUT Y_1TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.78	74.00	-2.22	31.20	3	Horizontal	330	2.43	-	40.58
AV	2.39G	53.26	54.00	-0.74	31.20	3	Horizontal	330	2.43	-	22.06
PK	2.414G	114.66	Inf	-Inf	31.26	3	Horizontal	330	2.43	-	83.40
AV	2.4126G	101.46	Inf	-Inf	31.26	3	Horizontal	330	2.43	-	70.20

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	65.64	74.00	-8.36	31.20	3	Vertical	15	1.50	-	34.44
AV	2.3898G	50.09	54.00	-3.91	31.20	3	Vertical	15	1.50	-	18.89
PK	2.4338G	110.64	Inf	-Inf	31.29	3	Vertical	15	1.50	-	79.35
AV	2.433G	97.25	Inf	-Inf	31.29	3	Vertical	15	1.50	-	65.96
PK	2.4838G	65.41	74.00	-8.59	31.39	3	Vertical	15	1.50	-	34.02
AV	2.4835G	50.04	54.00	-3.96	31.39	3	Vertical	15	1.50	-	18.65

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	67.02	74.00	-6.98	31.20	3	Horizontal	310	2.92	-	35.82
AV	2.3898G	50.85	54.00	-3.15	31.20	3	Horizontal	310	2.92	-	19.65
PK	2.4338G	117.35	Inf	-Inf	31.29	3	Horizontal	310	2.92	-	86.06
AV	2.4422G	104.03	Inf	-Inf	31.32	3	Horizontal	310	2.92	-	72.71
PK	2.4838G	69.30	74.00	-4.70	31.39	3	Horizontal	310	2.92	-	37.91
AV	2.4835G	53.26	54.00	-0.74	31.39	3	Horizontal	310	2.92	-	21.87

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.30218G	56.86	74.00	-17.14	10.52	3	Vertical	348	1.11	-	46.34
AV	7.31052G	42.26	54.00	-11.74	10.54	3	Vertical	348	1.11	-	31.72

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31838G	57.82	74.00	-16.18	10.57	3	Horizontal	284	2.89	-	47.25
AV	7.31046G	43.82	54.00	-10.18	10.54	3	Horizontal	284	2.89	-	33.28

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2457MHz_TX




EUT Y_1TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4624G	107.99	Inf	-Inf	31.35	3	Vertical	28	1.31	-	76.64
AV	2.462G	95.78	Inf	-Inf	31.35	3	Vertical	28	1.31	-	64.43
PK	2.4862G	66.00	74.00	-8.00	31.40	3	Vertical	28	1.31	-	34.60
AV	2.4836G	49.41	54.00	-4.59	31.39	3	Vertical	28	1.31	-	18.02

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2457MHz_TX




EUT Y_1TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	114.44	Inf	-Inf	31.34	3	Horizontal	320	2.93	-	83.10
AV	2.4498G	101.39	Inf	-Inf	31.33	3	Horizontal	320	2.93	-	70.06
PK	2.4838G	72.21	74.00	-1.79	31.39	3	Horizontal	320	2.93	-	40.82
AV	2.4835G	52.81	54.00	-1.19	31.39	3	Horizontal	320	2.93	-	21.42

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Y_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4594G	105.08	Inf	-Inf	31.35	3	Vertical	17	1.62	-	73.73
AV	2.4648G	92.89	Inf	-Inf	31.36	3	Vertical	17	1.62	-	61.53
PK	2.4842G	67.03	74.00	-6.97	31.39	3	Vertical	17	1.62	-	35.64
AV	2.4952G	47.25	54.00	-6.75	31.42	3	Vertical	17	1.62	-	15.83

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Y_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.459G	110.38	Inf	-Inf	31.34	3	Horizontal	301	2.89	-	79.04
AV	2.4648G	97.52	Inf	-Inf	31.36	3	Horizontal	301	2.89	-	66.16
PK	2.4835G	73.49	74.00	-0.51	31.39	3	Horizontal	301	2.89	-	42.10
AV	2.4835G	48.49	54.00	-5.51	31.39	3	Horizontal	301	2.89	-	17.10

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Y_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.37876G	49.23	74.00	-24.77	10.73	3	Vertical	215	2.24	-	38.50
AV	7.38668G	35.65	54.00	-18.35	10.76	3	Vertical	215	2.24	-	24.89

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Y_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38932G	52.42	74.00	-21.58	10.78	3	Horizontal	119	1.99	-	41.64
AV	7.38884G	35.79	54.00	-18.21	10.78	3	Horizontal	119	1.99	-	25.01

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Y_1TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	62.67	74.00	-11.33	31.20	3	Vertical	16	2.92	-	31.47
AV	2.3896G	49.08	54.00	-4.92	31.20	3	Vertical	16	2.92	-	17.88
PK	2.4144G	103.08	Inf	-Inf	31.26	3	Vertical	16	2.92	-	71.82
AV	2.4172G	90.61	Inf	-Inf	31.27	3	Vertical	16	2.92	-	59.34
PK	2.4912G	59.85	74.00	-14.15	31.42	3	Vertical	16	2.92	-	28.43
AV	2.4888G	47.51	54.00	-6.49	31.41	3	Vertical	16	2.92	-	16.10

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Y_1TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	69.01	74.00	-4.99	31.20	3	Horizontal	310	2.44	-	37.81
AV	2.388G	53.35	54.00	-0.65	31.20	3	Horizontal	310	2.44	-	22.15
PK	2.414G	108.68	Inf	-Inf	31.26	3	Horizontal	310	2.44	-	77.42
AV	2.4144G	96.04	Inf	-Inf	31.26	3	Horizontal	310	2.44	-	64.78
PK	2.484G	60.66	74.00	-13.34	31.39	3	Horizontal	310	2.44	-	29.27
AV	2.4848G	48.00	54.00	-6.00	31.40	3	Horizontal	310	2.44	-	16.60

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Y_1TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.2722G	50.70	74.00	-23.30	10.42	3	Vertical	123	1.28	-	40.28
AV	7.26068G	37.26	54.00	-16.74	10.38	3	Vertical	123	1.28	-	26.88

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Y_1TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.26572G	50.19	74.00	-23.81	10.40	3	Horizontal	303	2.29	-	39.79
AV	7.25628G	36.90	54.00	-17.10	10.37	3	Horizontal	303	2.29	-	26.53

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.88	74.00	-10.12	31.20	3	Vertical	21	2.93	-	32.68
AV	2.3898G	48.69	54.00	-5.31	31.20	3	Vertical	21	2.93	-	17.49
PK	2.4218G	104.32	Inf	-Inf	31.27	3	Vertical	21	2.93	-	73.05
AV	2.4214G	91.69	Inf	-Inf	31.27	3	Vertical	21	2.93	-	60.42
PK	2.4878G	60.24	74.00	-13.76	31.41	3	Vertical	21	2.93	-	28.83
AV	2.4842G	48.09	54.00	-5.91	31.39	3	Vertical	21	2.93	-	16.70

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	69.50	74.00	-4.50	31.20	3	Horizontal	321	2.66	-	38.30
AV	2.3898G	53.36	54.00	-0.64	31.20	3	Horizontal	321	2.66	-	22.16
PK	2.4218G	110.63	Inf	-Inf	31.27	3	Horizontal	321	2.66	-	79.36
AV	2.4226G	98.02	Inf	-Inf	31.28	3	Horizontal	321	2.66	-	66.74
PK	2.4835G	66.68	74.00	-7.32	31.39	3	Horizontal	321	2.66	-	35.29
AV	2.4835G	52.07	54.00	-1.93	31.39	3	Horizontal	321	2.66	-	20.68

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31364G	49.56	74.00	-24.44	10.56	3	Vertical	176	2.60	-	39.00
AV	7.3178G	36.44	54.00	-17.56	10.57	3	Vertical	176	2.60	-	25.87

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31508G	50.58	74.00	-23.42	10.56	3	Horizontal	116	2.53	-	40.02
AV	7.30368G	36.59	54.00	-17.41	10.53	3	Horizontal	116	2.53	-	26.06

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX




EUT Y_1TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3672G	58.53	74.00	-15.47	31.15	3	Vertical	6	1.69	-	27.38
AV	2.3764G	47.05	54.00	-6.95	31.17	3	Vertical	6	1.69	-	15.88
PK	2.4468G	102.93	Inf	-Inf	31.32	3	Vertical	6	1.69	-	71.61
AV	2.4528G	90.66	Inf	-Inf	31.33	3	Vertical	6	1.69	-	59.33
PK	2.4835G	65.45	74.00	-8.55	31.39	3	Vertical	6	1.69	-	34.06
AV	2.484G	49.36	54.00	-4.64	31.39	3	Vertical	6	1.69	-	17.97

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX




EUT Y_1TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3604G	59.39	74.00	-14.61	31.13	3	Horizontal	315	2.91	-	28.26
AV	2.39G	47.52	54.00	-6.48	31.20	3	Horizontal	315	2.91	-	16.32
PK	2.444G	108.67	Inf	-Inf	31.32	3	Horizontal	315	2.91	-	77.35
AV	2.4564G	96.29	Inf	-Inf	31.34	3	Horizontal	315	2.91	-	64.95
PK	2.484G	71.70	74.00	-2.30	31.39	3	Horizontal	315	2.91	-	40.31
AV	2.4835G	53.38	54.00	-0.62	31.39	3	Horizontal	315	2.91	-	21.99

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX




EUT Y_1TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.36008G	49.59	74.00	-24.41	10.68	3	Vertical	189	2.86	-	38.91
AV	7.35828G	37.02	54.00	-16.98	10.69	3	Vertical	189	2.86	-	26.33

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX



EUT Y_1TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.35072G	50.01	74.00	-23.99	10.66	3	Horizontal	246	2.64	-	39.35
AV	7.358G	36.62	54.00	-17.38	10.69	3	Horizontal	246	2.64	-	25.93




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.49	54.00	-0.51	31.39	3	Vertical	176	2.89	-

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_Y_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3832G	59.67	74.00	-14.33	31.19	3	Vertical	24	1.51	-	28.48
AV	2.39G	47.73	54.00	-6.27	31.20	3	Vertical	24	1.51	-	16.53
PK	2.411G	108.26	Inf	-Inf	31.25	3	Vertical	24	1.51	-	77.01
AV	2.4112G	104.44	Inf	-Inf	31.25	3	Vertical	24	1.51	-	73.19

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT Y_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3856G	63.48	74.00	-10.52	31.19	3	Horizontal	202	1.19	-	32.29
AV	2.39G	53.41	54.00	-0.59	31.20	3	Horizontal	202	1.19	-	22.21
PK	2.411G	111.95	Inf	-Inf	31.25	3	Horizontal	202	1.19	-	80.70
AV	2.4108G	107.82	Inf	-Inf	31.25	3	Horizontal	202	1.19	-	76.57

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82397G	48.29	74.00	-25.71	7.17	3	Vertical	344	1.52	-	41.12
AV	4.82397G	39.09	54.00	-14.91	7.17	3	Vertical	344	1.52	-	31.92

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82384G	45.18	74.00	-28.82	7.17	3	Horizontal	17	1.51	-	38.01
AV	4.82401G	36.85	54.00	-17.15	7.17	3	Horizontal	17	1.51	-	29.68

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	60.24	74.00	-13.76	31.20	3	Vertical	155	1.72	-	29.04
AV	2.389G	49.28	54.00	-4.72	31.20	3	Vertical	155	1.72	-	18.08
PK	2.4362G	109.98	Inf	-Inf	31.30	3	Vertical	155	1.72	-	78.68
AV	2.4362G	106.38	Inf	-Inf	31.30	3	Vertical	155	1.72	-	75.08
PK	2.4835G	59.88	74.00	-14.12	31.39	3	Vertical	155	1.72	-	28.49
AV	2.4835G	49.40	54.00	-4.60	31.39	3	Vertical	155	1.72	-	18.01

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	62.75	74.00	-11.25	31.20	3	Horizontal	198	1.53	-	31.55
AV	2.389G	53.35	54.00	-0.65	31.20	3	Horizontal	198	1.53	-	22.15
PK	2.4378G	112.71	Inf	-Inf	31.31	3	Horizontal	198	1.53	-	81.40
AV	2.4362G	109.10	Inf	-Inf	31.30	3	Horizontal	198	1.53	-	77.80
PK	2.4906G	61.12	74.00	-12.88	31.41	3	Horizontal	198	1.53	-	29.71
AV	2.48351G	51.69	54.00	-2.31	31.39	3	Horizontal	198	1.53	-	20.30

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31184G	58.02	74.00	-15.98	10.55	3	Vertical	245	2.31	-	47.47
AV	7.31168G	52.41	54.00	-1.59	10.55	3	Vertical	245	2.31	-	41.86

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31G	51.32	74.00	-22.68	10.54	3	Horizontal	283	2.03	-	40.78
AV	7.3117G	40.87	54.00	-13.13	10.55	3	Horizontal	283	2.03	-	30.32

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT Y_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	108.04	Inf	-Inf	31.36	3	Vertical	152	1.50	-	76.68
AV	2.4612G	104.09	Inf	-Inf	31.35	3	Vertical	152	1.50	-	72.74
PK	2.4838G	59.95	74.00	-14.05	31.39	3	Vertical	152	1.50	-	28.56
AV	2.4835G	49.21	54.00	-4.79	31.39	3	Vertical	152	1.50	-	17.82

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_Y_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	110.34	Inf	-Inf	31.35	3	Horizontal	197	1.06	-	78.99
AV	2.4612G	106.66	Inf	-Inf	31.35	3	Horizontal	197	1.06	-	75.31
PK	2.4835G	61.10	74.00	-12.90	31.39	3	Horizontal	197	1.06	-	29.71
AV	2.496G	49.72	54.00	-4.28	31.42	3	Horizontal	197	1.06	-	18.30

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38694G	56.09	74.00	-17.91	10.76	3	Vertical	244	2.22	-	45.33
AV	7.38666G	48.93	54.00	-5.07	10.76	3	Vertical	244	2.22	-	38.17

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38392G	52.35	74.00	-21.65	10.75	3	Horizontal	324	1.01	-	41.60
AV	7.38668G	39.22	54.00	-14.78	10.76	3	Horizontal	324	1.01	-	28.46

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Y_2TX
Setting 66
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3862G	62.00	74.00	-12.00	31.20	3	Vertical	209	1.50	-	30.80
AV	2.3862G	47.02	54.00	-6.98	31.20	3	Vertical	209	1.50	-	15.82
PK	2.417G	106.77	Inf	-Inf	31.27	3	Vertical	209	1.50	-	75.50
AV	2.416G	97.59	Inf	-Inf	31.27	3	Vertical	209	1.50	-	66.32

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Y_2TX
Setting 66
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.27	74.00	-0.73	31.20	3	Horizontal	306	2.73	-	42.07
AV	2.39G	51.71	54.00	-2.29	31.20	3	Horizontal	306	2.73	-	20.51
PK	2.41G	111.37	Inf	-Inf	31.25	3	Horizontal	306	2.73	-	80.12
AV	2.41G	102.04	Inf	-Inf	31.25	3	Horizontal	306	2.73	-	70.79

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
 Setting 66
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82392G	46.09	74.00	-27.91	7.17	3	Vertical	242	1.63	-	38.92
AV	4.82464G	32.21	54.00	-21.79	7.17	3	Vertical	242	1.63	-	25.04

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 66
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82718G	45.40	74.00	-28.60	7.18	3	Horizontal	57	1.51	-	38.22
AV	4.82592G	32.10	54.00	-21.90	7.18	3	Horizontal	57	1.51	-	24.92

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT Y_2TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	65.59	74.00	-8.41	31.20	3	Vertical	208	1.51	-	34.39
AV	2.3896G	47.83	54.00	-6.17	31.20	3	Vertical	208	1.51	-	16.63
PK	2.4184G	108.85	Inf	-Inf	31.27	3	Vertical	208	1.51	-	77.58
AV	2.4188G	99.45	Inf	-Inf	31.27	3	Vertical	208	1.51	-	68.18

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT_Y_2TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	73.13	74.00	-0.87	31.20	3	Horizontal	301	2.74	-	41.93
AV	2.3892G	50.95	54.00	-3.05	31.20	3	Horizontal	301	2.74	-	19.75
PK	2.4222G	112.81	Inf	-Inf	31.28	3	Horizontal	301	2.74	-	81.53
AV	2.4126G	103.53	Inf	-Inf	31.26	3	Horizontal	301	2.74	-	72.27

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	61.89	74.00	-12.11	31.20	3	Vertical	12	1.81	-	30.69
AV	2.3898G	48.18	54.00	-5.82	31.20	3	Vertical	12	1.81	-	16.98
PK	2.4446G	111.08	Inf	-Inf	31.32	3	Vertical	12	1.81	-	79.76
AV	2.4394G	101.71	Inf	-Inf	31.31	3	Vertical	12	1.81	-	70.40
PK	2.4835G	70.12	74.00	-3.88	31.39	3	Vertical	12	1.81	-	38.73
AV	2.4835G	50.80	54.00	-3.20	31.39	3	Vertical	12	1.81	-	19.41

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	66.36	74.00	-7.64	31.20	3	Horizontal	289	2.97	-	35.16
AV	2.387G	51.66	54.00	-2.34	31.20	3	Horizontal	289	2.97	-	20.46
PK	2.4346G	117.02	Inf	-Inf	31.30	3	Horizontal	289	2.97	-	85.72
AV	2.435G	107.87	Inf	-Inf	31.30	3	Horizontal	289	2.97	-	76.57
PK	2.4835G	71.33	74.00	-2.67	31.39	3	Horizontal	289	2.97	-	39.94
AV	2.4842G	51.72	54.00	-2.28	31.39	3	Horizontal	289	2.97	-	20.33

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87052G	45.70	74.00	-28.30	7.27	3	Vertical	124	2.34	-	38.43
AV	4.87756G	31.88	54.00	-22.12	7.30	3	Vertical	124	2.34	-	24.58

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87486G	45.90	74.00	-28.10	7.28	3	Horizontal	117	1.73	-	38.62
AV	4.87458G	32.10	54.00	-21.90	7.28	3	Horizontal	117	1.73	-	24.82

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT_Y_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4616G	108.50	Inf	-Inf	31.35	3	Vertical	349	1.32	-	77.15
AV	2.4612G	99.69	Inf	-Inf	31.35	3	Vertical	349	1.32	-	68.34
PK	2.4854G	67.69	74.00	-6.31	31.40	3	Vertical	349	1.32	-	36.29
AV	2.4846G	49.52	54.00	-4.48	31.40	3	Vertical	349	1.32	-	18.12

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT_Y_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4586G	117.78	Inf	-Inf	31.34	3	Horizontal	305	2.95	-	86.44
AV	2.455G	104.37	Inf	-Inf	31.34	3	Horizontal	305	2.95	-	73.03
PK	2.4838G	73.45	74.00	-0.55	31.39	3	Horizontal	305	2.95	-	42.06
AV	2.4835G	53.20	54.00	-0.80	31.39	3	Horizontal	305	2.95	-	21.81

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX



EUT_Y_2TX
Setting 65
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	105.99	Inf	-Inf	31.36	3	Vertical	0	1.61	-	74.63
AV	2.4636G	96.46	Inf	-Inf	31.36	3	Vertical	0	1.61	-	65.10
PK	2.4836G	67.09	74.00	-6.91	31.39	3	Vertical	0	1.61	-	35.70
AV	2.4835G	48.01	54.00	-5.99	31.39	3	Vertical	0	1.61	-	16.62