


802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Y_2TX
Setting 65
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4672G	111.67	Inf	-Inf	31.37	3	Horizontal	299	2.89	-	80.30
AV	2.4678G	102.23	Inf	-Inf	31.37	3	Horizontal	299	2.89	-	70.86
PK	2.4835G	73.42	74.00	-0.58	31.39	3	Horizontal	299	2.89	-	42.03
AV	2.4838G	50.54	54.00	-3.46	31.39	3	Horizontal	299	2.89	-	19.15

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92518G	45.45	74.00	-28.55	7.42	3	Vertical	258	2.74	-	38.03
AV	4.92654G	31.75	54.00	-22.25	7.42	3	Vertical	258	2.74	-	24.33

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92506G	45.13	74.00	-28.87	7.42	3	Horizontal	331	2.66	-	37.71
AV	4.92758G	31.77	54.00	-22.23	7.42	3	Horizontal	331	2.66	-	24.35

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT Y_2TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	61.92	74.00	-12.08	31.20	3	Vertical	218	2.99	-	30.72
AV	2.3898G	48.99	54.00	-5.01	31.20	3	Vertical	218	2.99	-	17.79
PK	2.406G	106.71	Inf	-Inf	31.24	3	Vertical	218	2.99	-	75.47
AV	2.4076G	94.93	Inf	-Inf	31.24	3	Vertical	218	2.99	-	63.69

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT Y_2TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	69.35	74.00	-4.65	31.20	3	Horizontal	305	2.74	-	38.15
AV	2.39G	53.38	54.00	-0.62	31.20	3	Horizontal	305	2.74	-	22.18
PK	2.415G	111.89	Inf	-Inf	31.26	3	Horizontal	305	2.74	-	80.63
AV	2.4136G	100.04	Inf	-Inf	31.26	3	Horizontal	305	2.74	-	68.78

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT Z_2TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82364G	45.95	74.00	-28.05	7.16	3	Vertical	325	2.26	-	38.79
AV	4.82598G	32.73	54.00	-21.27	7.18	3	Vertical	325	2.26	-	25.55

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT Z_2TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.825G	46.08	74.00	-27.92	7.18	3	Horizontal	252	2.25	-	38.90
AV	4.82382G	32.80	54.00	-21.20	7.17	3	Horizontal	252	2.25	-	25.63

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT Y_2TX
Setting 76
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	64.02	74.00	-9.98	31.20	3	Vertical	219	2.97	-	32.82
AV	2.39G	49.37	54.00	-4.63	31.20	3	Vertical	219	2.97	-	18.17
PK	2.4126G	109.81	Inf	-Inf	31.26	3	Vertical	219	2.97	-	78.55
AV	2.4136G	97.80	Inf	-Inf	31.26	3	Vertical	219	2.97	-	66.54

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT_Y_2TX
Setting 76
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	69.87	74.00	-4.13	31.20	3	Horizontal	304	2.99	-	38.67
AV	2.39G	53.43	54.00	-0.57	31.20	3	Horizontal	304	2.99	-	22.23
PK	2.4196G	114.86	Inf	-Inf	31.27	3	Horizontal	304	2.99	-	83.59
AV	2.4184G	102.83	Inf	-Inf	31.27	3	Horizontal	304	2.99	-	71.56

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 87
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	62.20	74.00	-11.80	31.20	3	Vertical	21	1.47	-	31.00
AV	2.3898G	49.33	54.00	-4.67	31.20	3	Vertical	21	1.47	-	18.13
PK	2.4342G	110.15	Inf	-Inf	31.29	3	Vertical	21	1.47	-	78.86
AV	2.4322G	99.35	Inf	-Inf	31.29	3	Vertical	21	1.47	-	68.06
PK	2.4858G	66.90	74.00	-7.10	31.40	3	Vertical	21	1.47	-	35.50
AV	2.4835G	51.54	54.00	-2.46	31.39	3	Vertical	21	1.47	-	20.15

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 87
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	65.66	74.00	-8.34	31.20	3	Horizontal	301	2.97	-	34.46
AV	2.3894G	53.30	54.00	-0.70	31.20	3	Horizontal	301	2.97	-	22.10
PK	2.4358G	116.86	Inf	-Inf	31.30	3	Horizontal	301	2.97	-	85.56
AV	2.4322G	105.76	Inf	-Inf	31.29	3	Horizontal	301	2.97	-	74.47
PK	2.4835G	67.10	74.00	-6.90	31.39	3	Horizontal	301	2.97	-	35.71
AV	2.4835G	52.46	54.00	-1.54	31.39	3	Horizontal	301	2.97	-	21.07

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
 Setting 87
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87674G	45.33	74.00	-28.67	7.30	3	Vertical	55	1.98	-	38.03
AV	4.87474G	32.78	54.00	-21.22	7.28	3	Vertical	55	1.98	-	25.50

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 87
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87814G	45.61	74.00	-28.39	7.30	3	Horizontal	230	2.72	-	38.31
AV	4.87536G	32.63	54.00	-21.37	7.29	3	Horizontal	230	2.72	-	25.34

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT Y_2TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4522G	107.50	Inf	-Inf	31.33	3	Vertical	351	1.82	-	76.17
AV	2.452G	96.65	Inf	-Inf	31.33	3	Vertical	351	1.82	-	65.32
PK	2.4835G	66.09	74.00	-7.91	31.39	3	Vertical	351	1.82	-	34.70
AV	2.4835G	50.98	54.00	-3.02	31.39	3	Vertical	351	1.82	-	19.59

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT_Y_2TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4556G	112.60	Inf	-Inf	31.34	3	Horizontal	297	2.95	-	81.26
AV	2.452G	101.47	Inf	-Inf	31.33	3	Horizontal	297	2.95	-	70.14
PK	2.4835G	70.84	74.00	-3.16	31.39	3	Horizontal	297	2.95	-	39.45
AV	2.4835G	53.39	54.00	-0.61	31.39	3	Horizontal	297	2.95	-	22.00

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Y_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4672G	107.16	Inf	-Inf	31.37	3	Vertical	167	2.91	-	75.79
AV	2.4636G	95.94	Inf	-Inf	31.36	3	Vertical	167	2.91	-	64.58
PK	2.484G	68.23	74.00	-5.77	31.39	3	Vertical	167	2.91	-	36.84
AV	2.484G	50.09	54.00	-3.91	31.39	3	Vertical	167	2.91	-	18.70

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Y_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.465G	113.16	Inf	-Inf	31.36	3	Horizontal	301	2.90	-	81.80
AV	2.4696G	101.14	Inf	-Inf	31.37	3	Horizontal	301	2.90	-	69.77
PK	2.4838G	72.74	74.00	-1.26	31.39	3	Horizontal	301	2.90	-	41.35
AV	2.4835G	53.37	54.00	-0.63	31.39	3	Horizontal	301	2.90	-	21.98

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92696G	45.24	74.00	-28.76	7.42	3	Vertical	314	1.04	-	37.82
AV	4.92512G	32.45	54.00	-21.55	7.42	3	Vertical	314	1.04	-	25.03

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91906G	44.96	74.00	-29.04	7.39	3	Horizontal	20	2.70	-	37.57
AV	4.9265G	32.32	54.00	-21.68	7.42	3	Horizontal	20	2.70	-	24.90

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT Y_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	68.80	74.00	-5.20	31.20	3	Vertical	25	2.92	-	37.60
AV	2.388G	50.88	54.00	-3.12	31.20	3	Vertical	25	2.92	-	19.68
PK	2.4064G	103.93	Inf	-Inf	31.24	3	Vertical	25	2.92	-	72.69
AV	2.4304G	92.13	Inf	-Inf	31.29	3	Vertical	25	2.92	-	60.84
PK	2.4852G	59.86	74.00	-14.14	31.40	3	Vertical	25	2.92	-	28.46
AV	2.4972G	47.83	54.00	-6.17	31.43	3	Vertical	25	2.92	-	16.40

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT Y_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	72.34	74.00	-1.66	31.20	3	Horizontal	144	3.00	-	41.14
AV	2.3892G	53.40	54.00	-0.60	31.20	3	Horizontal	144	3.00	-	22.20
PK	2.4184G	107.61	Inf	-Inf	31.27	3	Horizontal	144	3.00	-	76.34
AV	2.4184G	95.43	Inf	-Inf	31.27	3	Horizontal	144	3.00	-	64.16
PK	2.4835G	60.34	74.00	-13.66	31.39	3	Horizontal	144	3.00	-	28.95
AV	2.484G	48.08	54.00	-5.92	31.39	3	Horizontal	144	3.00	-	16.69

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT_Z_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84526G	46.07	74.00	-27.93	7.22	3	Vertical	277	1.76	-	38.85
AV	4.84626G	30.91	54.00	-23.09	7.22	3	Vertical	277	1.76	-	23.69

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT Z_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84504G	45.50	74.00	-28.50	7.22	3	Horizontal	206	2.22	-	38.28
AV	4.84454G	30.91	54.00	-23.09	7.21	3	Horizontal	206	2.22	-	23.70

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	65.40	74.00	-8.60	31.20	3	Vertical	180	2.96	-	34.20
AV	2.3894G	50.89	54.00	-3.11	31.20	3	Vertical	180	2.96	-	19.69
PK	2.4282G	107.23	Inf	-Inf	31.29	3	Vertical	180	2.96	-	75.94
AV	2.4334G	94.68	Inf	-Inf	31.29	3	Vertical	180	2.96	-	63.39
PK	2.4878G	68.60	74.00	-5.40	31.41	3	Vertical	180	2.96	-	37.19
AV	2.4835G	51.68	54.00	-2.32	31.39	3	Vertical	180	2.96	-	20.29

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.71	74.00	-3.29	31.20	3	Horizontal	142	2.98	-	39.51
AV	2.3898G	53.27	54.00	-0.73	31.20	3	Horizontal	142	2.98	-	22.07
PK	2.4334G	110.27	Inf	-Inf	31.29	3	Horizontal	142	2.98	-	78.98
AV	2.433G	97.66	Inf	-Inf	31.29	3	Horizontal	142	2.98	-	66.37
PK	2.4902G	69.62	74.00	-4.38	31.41	3	Horizontal	142	2.98	-	38.21
AV	2.4835G	51.37	54.00	-2.63	31.39	3	Horizontal	142	2.98	-	19.98

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87472G	45.83	74.00	-28.17	7.28	3	Vertical	311	1.02	-	38.55
AV	4.87644G	30.91	54.00	-23.09	7.30	3	Vertical	311	1.02	-	23.61

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87048G	45.30	74.00	-28.70	7.27	3	Horizontal	282	2.07	-	38.03
AV	4.87642G	30.90	54.00	-23.10	7.30	3	Horizontal	282	2.07	-	23.60

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT Y_2TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3788G	58.76	74.00	-15.24	31.18	3	Vertical	176	2.89	-	27.58
AV	2.36G	47.51	54.00	-6.49	31.13	3	Vertical	176	2.89	-	16.38
PK	2.4484G	105.60	Inf	-Inf	31.33	3	Vertical	176	2.89	-	74.27
AV	2.4512G	93.49	Inf	-Inf	31.33	3	Vertical	176	2.89	-	62.16
PK	2.4852G	71.98	74.00	-2.02	31.40	3	Vertical	176	2.89	-	40.58
AV	2.4835G	53.49	54.00	-0.51	31.39	3	Vertical	176	2.89	-	22.10

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT Y_2TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3724G	60.04	74.00	-13.96	31.16	3	Horizontal	115	2.94	-	28.88
AV	2.384G	47.45	54.00	-6.55	31.19	3	Horizontal	115	2.94	-	16.26
PK	2.4484G	107.34	Inf	-Inf	31.33	3	Horizontal	115	2.94	-	76.01
AV	2.4512G	95.44	Inf	-Inf	31.33	3	Horizontal	115	2.94	-	64.11
PK	2.4868G	67.77	74.00	-6.23	31.40	3	Horizontal	115	2.94	-	36.37
AV	2.4835G	53.23	54.00	-0.77	31.39	3	Horizontal	115	2.94	-	21.84

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT_Z_2TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9053G	45.56	74.00	-28.44	7.36	3	Vertical	138	2.27	-	38.20
AV	4.90666G	30.54	54.00	-23.46	7.36	3	Vertical	138	2.27	-	23.18

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX



EUT Z_2TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90752G	44.73	74.00	-29.27	7.36	3	Horizontal	267	2.92	-	37.37
AV	4.90488G	30.51	54.00	-23.49	7.36	3	Horizontal	267	2.92	-	23.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	2.3708G	53.47	54.00	-0.53	31.16	3	Vertical	180	1.40	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT Y_2TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	73.41	74.00	-0.59	31.20	3	Vertical	180	3.00	-	42.21
AV	2.39G	51.83	54.00	-2.17	31.20	3	Vertical	180	3.00	-	20.63
PK	2.4036G	114.89	Inf	-Inf	31.24	3	Vertical	180	3.00	-	83.65
AV	2.403G	102.17	Inf	-Inf	31.23	3	Vertical	180	3.00	-	70.94

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT Y_2TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.86	74.00	-2.14	31.20	3	Horizontal	217	2.38	-	40.66
AV	2.3894G	51.73	54.00	-2.27	31.20	3	Horizontal	217	2.38	-	20.53
PK	2.4044G	113.10	Inf	-Inf	31.24	3	Horizontal	217	2.38	-	81.86
AV	2.4032G	101.14	Inf	-Inf	31.24	3	Horizontal	217	2.38	-	69.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82178G	45.28	74.00	-28.72	7.16	3	Vertical	189	2.55	-	38.12
AV	4.82304G	31.34	54.00	-22.66	7.16	3	Vertical	189	2.55	-	24.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83498G	45.55	74.00	-28.45	7.20	3	Horizontal	125	2.05	-	38.35
AV	4.8345G	31.43	54.00	-22.57	7.20	3	Horizontal	125	2.05	-	24.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT Y_2TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	73.45	74.00	-0.55	31.20	3	Vertical	190	2.99	-	42.25
AV	2.39G	52.57	54.00	-1.43	31.20	3	Vertical	190	2.99	-	21.37
PK	2.4252G	114.48	Inf	-Inf	31.28	3	Vertical	190	2.99	-	83.20
AV	2.4242G	101.60	Inf	-Inf	31.28	3	Vertical	190	2.99	-	70.32

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_Y_2TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.89	74.00	-5.11	31.20	3	Horizontal	127	2.23	-	37.69
AV	2.3856G	50.99	54.00	-3.01	31.19	3	Horizontal	127	2.23	-	19.80
PK	2.4254G	116.41	Inf	-Inf	31.28	3	Horizontal	127	2.23	-	85.13
AV	2.4236G	103.71	Inf	-Inf	31.28	3	Horizontal	127	2.23	-	72.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Y_2TX
Setting 88
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	68.64	74.00	-5.36	31.20	3	Vertical	132	2.40	-	37.44
AV	2.3898G	53.34	54.00	-0.66	31.20	3	Vertical	132	2.40	-	22.14
PK	2.4454G	117.18	Inf	-Inf	31.32	3	Vertical	132	2.40	-	85.86
AV	2.4442G	105.29	Inf	-Inf	31.32	3	Vertical	132	2.40	-	73.97
PK	2.48351G	70.19	74.00	-3.81	31.39	3	Vertical	132	2.40	-	38.80
AV	2.48351G	52.68	54.00	-1.32	31.39	3	Vertical	132	2.40	-	21.29

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Y_2TX
Setting 88
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	68.64	74.00	-5.36	31.20	3	Horizontal	268	1.01	-	37.44
AV	2.3898G	51.56	54.00	-2.44	31.20	3	Horizontal	268	1.01	-	20.36
PK	2.4298G	118.20	Inf	-Inf	31.29	3	Horizontal	268	1.01	-	86.91
AV	2.431G	106.36	Inf	-Inf	31.29	3	Horizontal	268	1.01	-	75.07
PK	2.4842G	67.78	74.00	-6.22	31.39	3	Horizontal	268	1.01	-	36.39
AV	2.4835G	51.26	54.00	-2.74	31.39	3	Horizontal	268	1.01	-	19.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87584G	46.66	74.00	-27.34	7.29	3	Vertical	128	2.49	-	39.37
AV	4.8742G	31.59	54.00	-22.41	7.28	3	Vertical	128	2.49	-	24.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87436G	45.06	74.00	-28.94	7.28	3	Horizontal	95	1.80	-	37.78
AV	4.87478G	31.70	54.00	-22.30	7.28	3	Horizontal	95	1.80	-	24.42

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_Y_2TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4494G	112.31	Inf	-Inf	31.33	3	Vertical	193	2.60	-	80.98
AV	2.453G	100.41	Inf	-Inf	31.33	3	Vertical	193	2.60	-	69.08
PK	2.48351G	73.36	74.00	-0.64	31.39	3	Vertical	193	2.60	-	41.97
AV	2.4844G	51.01	54.00	-2.99	31.40	3	Vertical	193	2.60	-	19.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT Y_2TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4578G	116.21	Inf	-Inf	31.34	3	Horizontal	223	1.06	-	84.87
AV	2.4586G	103.30	Inf	-Inf	31.34	3	Horizontal	223	1.06	-	71.96
PK	2.4836G	70.08	74.00	-3.92	31.39	3	Horizontal	223	1.06	-	38.69
AV	2.4835G	50.94	54.00	-3.06	31.39	3	Horizontal	223	1.06	-	19.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT Y_2TX
Setting 66
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4628G	112.07	Inf	-Inf	31.36	3	Vertical	183	2.65	-	80.71
AV	2.4594G	99.19	Inf	-Inf	31.35	3	Vertical	183	2.65	-	67.84
PK	2.4846G	72.24	74.00	-1.76	31.40	3	Vertical	183	2.65	-	40.84
AV	2.4835G	50.53	54.00	-3.47	31.39	3	Vertical	183	2.65	-	19.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT Y_2TX
Setting 66
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4586G	115.98	Inf	-Inf	31.34	3	Horizontal	223	1.08	-	84.64
AV	2.4594G	102.68	Inf	-Inf	31.35	3	Horizontal	223	1.08	-	71.33
PK	2.4854G	72.96	74.00	-1.04	31.40	3	Horizontal	223	1.08	-	41.56
AV	2.4836G	53.41	54.00	-0.59	31.39	3	Horizontal	223	1.08	-	22.02

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92364G	44.67	74.00	-29.33	7.39	3	Vertical	141	2.52	-	37.28
AV	4.92688G	31.17	54.00	-22.83	7.42	3	Vertical	141	2.52	-	23.75

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Z_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.93372G	44.57	74.00	-29.43	7.43	3	Horizontal	307	2.87	-	37.14
AV	4.92652G	31.03	54.00	-22.97	7.42	3	Horizontal	307	2.87	-	23.61

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT Y_2TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3696G	71.65	74.00	-2.35	31.16	3	Vertical	180	1.40	-	40.49
AV	2.3708G	53.47	54.00	-0.53	31.16	3	Vertical	180	1.40	-	22.31
PK	2.4044G	110.25	Inf	-Inf	31.24	3	Vertical	180	1.40	-	79.01
AV	2.4044G	97.85	Inf	-Inf	31.24	3	Vertical	180	1.40	-	66.61
PK	2.4856G	61.02	74.00	-12.98	31.40	3	Vertical	180	1.40	-	29.62
AV	2.48351G	48.07	54.00	-5.93	31.39	3	Vertical	180	1.40	-	16.68

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT Y_2TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	72.08	74.00	-1.92	31.19	3	Horizontal	222	1.82	-	40.89
AV	2.3884G	52.63	54.00	-1.37	31.20	3	Horizontal	222	1.82	-	21.43
PK	2.4044G	109.65	Inf	-Inf	31.24	3	Horizontal	222	1.82	-	78.41
AV	2.4048G	97.36	Inf	-Inf	31.24	3	Horizontal	222	1.82	-	66.12
PK	2.4896G	62.17	74.00	-11.83	31.41	3	Horizontal	222	1.82	-	30.76
AV	2.4852G	47.66	54.00	-6.34	31.40	3	Horizontal	222	1.82	-	16.26

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.85356G	44.96	74.00	-29.04	7.24	3	Vertical	173	1.63	-	37.72
AV	4.84224G	31.21	54.00	-22.79	7.21	3	Vertical	173	1.63	-	24.00

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT Z_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83516G	45.34	74.00	-28.66	7.20	3	Horizontal	43	2.37	-	38.14
AV	4.83532G	31.41	54.00	-22.59	7.20	3	Horizontal	43	2.37	-	24.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Y_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	67.76	74.00	-6.24	31.20	3	Vertical	143	1.50	-	36.56
AV	2.3898G	50.25	54.00	-3.75	31.20	3	Vertical	143	1.50	-	19.05
PK	2.4474G	109.75	Inf	-Inf	31.33	3	Vertical	143	1.50	-	78.42
AV	2.4506G	96.87	Inf	-Inf	31.33	3	Vertical	143	1.50	-	65.54
PK	2.4846G	66.43	74.00	-7.57	31.40	3	Vertical	143	1.50	-	35.03
AV	2.4835G	50.94	54.00	-3.06	31.39	3	Vertical	143	1.50	-	19.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Y_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.08	74.00	-3.92	31.20	3	Horizontal	148	1.00	-	38.88
AV	2.3898G	53.37	54.00	-0.63	31.20	3	Horizontal	148	1.00	-	22.17
PK	2.4418G	110.75	Inf	-Inf	31.32	3	Horizontal	148	1.00	-	79.43
AV	2.4442G	98.47	Inf	-Inf	31.32	3	Horizontal	148	1.00	-	67.15
PK	2.4835G	68.91	74.00	-5.09	31.39	3	Horizontal	148	1.00	-	37.52
AV	2.485G	51.88	54.00	-2.12	31.40	3	Horizontal	148	1.00	-	20.48

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87628G	46.52	74.00	-27.48	7.29	3	Vertical	275	1.77	-	39.23
AV	4.87376G	31.74	54.00	-22.26	7.28	3	Vertical	275	1.77	-	24.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87552G	46.95	74.00	-27.05	7.29	3	Horizontal	281	2.49	-	39.66
AV	4.87496G	31.64	54.00	-22.36	7.28	3	Horizontal	281	2.49	-	24.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT Y_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	59.27	74.00	-14.73	31.20	3	Vertical	130	1.46	-	28.07
AV	2.39G	46.97	54.00	-7.03	31.20	3	Vertical	130	1.46	-	15.77
PK	2.4484G	109.12	Inf	-Inf	31.33	3	Vertical	130	1.46	-	77.79
AV	2.4508G	96.28	Inf	-Inf	31.33	3	Vertical	130	1.46	-	64.95
PK	2.484G	66.39	74.00	-7.61	31.39	3	Vertical	130	1.46	-	35.00
AV	2.4835G	50.90	54.00	-3.10	31.39	3	Vertical	130	1.46	-	19.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT Y_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	59.62	74.00	-14.38	31.20	3	Horizontal	119	1.00	-	28.42
AV	2.3536G	47.21	54.00	-6.79	31.12	3	Horizontal	119	1.00	-	16.09
PK	2.4412G	109.37	Inf	-Inf	31.32	3	Horizontal	119	1.00	-	78.05
AV	2.4432G	96.26	Inf	-Inf	31.32	3	Horizontal	119	1.00	-	64.94
PK	2.4956G	67.33	74.00	-6.67	31.42	3	Horizontal	119	1.00	-	35.91
AV	2.484G	53.29	54.00	-0.71	31.39	3	Horizontal	119	1.00	-	21.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT Z_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90192G	44.61	74.00	-29.39	7.35	3	Vertical	261	2.01	-	37.26
AV	4.90552G	30.78	54.00	-23.22	7.34	3	Vertical	261	2.01	-	23.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX



EUT_Z_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90868G	45.03	74.00	-28.97	7.37	3	Horizontal	113	2.75	-	37.66
AV	4.90384G	30.87	54.00	-23.13	7.36	3	Horizontal	113	2.75	-	23.51