




802.11ax HEW160_Nss1,(MCS0)_1TX

12/11/2019

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12692G	49.82	54.00	-4.18	19.28	3	Vertical	295	1.50	-	30.54	40.04	13.41	34.17
PK	11.1298G	61.12	74.00	-12.88	19.27	3	Vertical	295	1.50	-	41.85	40.03	13.41	34.17
PK	16.7199G	62.10	68.20	-6.10	19.96	3	Vertical	244	1.50	-	42.14	39.44	14.24	33.72



802.11ax HEW160_Nss1,(MCS0)_1TX

12/11/2019

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13262G	49.83	54.00	-4.17	19.27	3	Horizontal	80	1.50	-	30.56	40.03	13.41	34.17
PK	11.13706G	60.29	74.00	-13.71	19.26	3	Horizontal	80	1.50	-	41.03	40.02	13.41	34.17
PK	16.69566G	61.64	68.20	-6.56	19.86	3	Horizontal	261	1.50	-	41.78	39.38	14.23	33.75



**RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_2T2S**

Appendix D.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	15.90108G	53.74	54.00	-0.26	3	Vertical	7	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	15.7781G	53.82	54.00	-0.18	3	Vertical	12	1.50	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.81	54.00	-0.19	3	Horizontal	319	3.00	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.36G	53.83	54.00	-0.17	3	Horizontal	316	3.00	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.1156G	53.13	54.00	-0.87	3	Horizontal	57	1.00	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4694G	68.04	68.20	-0.16	3	Horizontal	0	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	16.73968G	68.04	68.20	-0.16	3	Horizontal	320	1.36	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	67.92	68.20	-0.28	3	Horizontal	305	2.92	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.73G	68.00	68.20	-0.20	3	Vertical	345	1.00	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.4584G	53.60	54.00	-0.40	3	Vertical	347	1.00	-

Remark :

Page No. : D1 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_2T2S

Appendix D.2

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.125G	48.55	54.00	-5.45	3	Vertical	337	1.50	-
5260MHz	Pass	AV	5.2636G	106.68	Inf	-Inf	3	Vertical	337	1.50	-
5260MHz	Pass	AV	5.3908G	47.32	54.00	-6.68	3	Vertical	337	1.50	-
5260MHz	Pass	PK	5.1358G	60.89	74.00	-13.11	3	Vertical	337	1.50	-
5260MHz	Pass	PK	5.2642G	115.45	Inf	-Inf	3	Vertical	337	1.50	-
5260MHz	Pass	PK	5.3914G	59.53	74.00	-14.47	3	Vertical	337	1.50	-
5260MHz	Pass	AV	5.1436G	49.56	54.00	-4.44	3	Horizontal	312	3.00	-
5260MHz	Pass	AV	5.2642G	110.85	Inf	-Inf	3	Horizontal	312	3.00	-
5260MHz	Pass	AV	5.3608G	49.11	54.00	-4.89	3	Horizontal	312	3.00	-
5260MHz	Pass	PK	5.15G	61.73	74.00	-12.27	3	Horizontal	312	3.00	-
5260MHz	Pass	PK	5.2636G	119.99	Inf	-Inf	3	Horizontal	312	3.00	-
5260MHz	Pass	PK	5.398G	61.41	74.00	-12.59	3	Horizontal	312	3.00	-
5260MHz	Pass	AV	15.78084G	53.56	54.00	-0.44	3	Vertical	5	1.49	-
5260MHz	Pass	PK	10.52906G	60.27	68.20	-7.93	3	Vertical	351	1.44	-
5260MHz	Pass	PK	15.79164G	66.62	74.00	-7.38	3	Vertical	5	1.49	-
5260MHz	Pass	AV	15.78114G	52.36	54.00	-1.64	3	Horizontal	307	1.55	-
5260MHz	Pass	PK	10.53188G	59.81	68.20	-8.39	3	Horizontal	0	1.27	-
5260MHz	Pass	PK	15.79224G	65.26	74.00	-8.74	3	Horizontal	307	1.55	-
5300MHz	Pass	AV	5.304G	106.75	Inf	-Inf	3	Vertical	340	1.21	-
5300MHz	Pass	AV	5.35G	50.36	54.00	-3.64	3	Vertical	340	1.21	-
5300MHz	Pass	PK	5.3044G	115.93	Inf	-Inf	3	Vertical	340	1.21	-
5300MHz	Pass	PK	5.35G	68.64	74.00	-5.36	3	Vertical	340	1.21	-
5300MHz	Pass	AV	5.304G	110.61	Inf	-Inf	3	Horizontal	310	3.00	-
5300MHz	Pass	AV	5.35G	52.81	54.00	-1.19	3	Horizontal	310	3.00	-
5300MHz	Pass	PK	5.3036G	119.45	Inf	-Inf	3	Horizontal	310	3.00	-
5300MHz	Pass	PK	5.3588G	71.93	74.00	-2.07	3	Horizontal	310	3.00	-
5300MHz	Pass	AV	15.90108G	53.74	54.00	-0.26	3	Vertical	7	1.50	-
5300MHz	Pass	PK	10.59652G	59.79	68.20	-8.41	3	Vertical	352	1.49	-
5300MHz	Pass	PK	15.91032G	66.47	74.00	-7.53	3	Vertical	7	1.50	-
5300MHz	Pass	AV	15.90102G	52.34	54.00	-1.66	3	Horizontal	308	1.50	-
5300MHz	Pass	PK	10.59766G	59.65	68.20	-8.55	3	Horizontal	305	1.50	-
5300MHz	Pass	PK	15.89562G	64.99	74.00	-9.01	3	Horizontal	308	1.50	-
5320MHz	Pass	AV	5.324G	102.49	Inf	-Inf	3	Vertical	341	1.00	-
5320MHz	Pass	AV	5.3524G	49.70	54.00	-4.30	3	Vertical	341	1.00	-
5320MHz	Pass	PK	5.3236G	111.11	Inf	-Inf	3	Vertical	341	1.00	-
5320MHz	Pass	PK	5.3534G	65.86	74.00	-8.14	3	Vertical	341	1.00	-
5320MHz	Pass	AV	5.3188G	106.03	Inf	-Inf	3	Horizontal	314	3.00	-
5320MHz	Pass	AV	5.353G	53.26	54.00	-0.74	3	Horizontal	314	3.00	-
5320MHz	Pass	PK	5.3234G	115.29	Inf	-Inf	3	Horizontal	314	3.00	-
5320MHz	Pass	PK	5.3518G	71.09	74.00	-2.91	3	Horizontal	314	3.00	-
5320MHz	Pass	AV	10.64378G	46.57	54.00	-7.43	3	Vertical	75	1.50	-
5320MHz	Pass	AV	15.96072G	47.31	54.00	-6.69	3	Vertical	6	1.36	-
5320MHz	Pass	PK	10.64024G	59.56	74.00	-14.44	3	Vertical	75	1.50	-
5320MHz	Pass	PK	15.96546G	61.11	74.00	-12.89	3	Vertical	6	1.36	-
5320MHz	Pass	AV	10.63298G	46.94	54.00	-7.06	3	Horizontal	325	1.25	-
5320MHz	Pass	AV	15.96048G	46.74	54.00	-7.26	3	Horizontal	307	1.50	-
5320MHz	Pass	PK	10.62812G	60.18	74.00	-13.82	3	Horizontal	325	1.25	-

Remark :

Page No. : D2 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_2T2S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	15.95928G	59.74	74.00	-14.26	3	Horizontal	307	1.50	-
5500MHz	Pass	AV	5.4578G	47.71	54.00	-6.29	3	Vertical	330	1.42	-
5500MHz	Pass	AV	5.4968G	100.16	Inf	-Inf	3	Vertical	330	1.42	-
5500MHz	Pass	PK	5.4678G	67.36	68.20	-0.84	3	Vertical	330	1.42	-
5500MHz	Pass	PK	5.5014G	109.36	Inf	-Inf	3	Vertical	330	1.42	-
5500MHz	Pass	AV	5.46G	48.04	54.00	-5.96	3	Horizontal	0	1.50	-
5500MHz	Pass	AV	5.504G	101.04	Inf	-Inf	3	Horizontal	0	1.50	-
5500MHz	Pass	PK	5.4694G	68.04	68.20	-0.16	3	Horizontal	0	1.50	-
5500MHz	Pass	PK	5.4992G	109.91	Inf	-Inf	3	Horizontal	0	1.50	-
5500MHz	Pass	AV	11.00144G	47.91	54.00	-6.09	3	Vertical	247	2.08	-
5500MHz	Pass	PK	11.0129G	60.64	74.00	-13.36	3	Vertical	247	2.08	-
5500MHz	Pass	PK	16.50078G	63.12	68.20	-5.08	3	Vertical	303	1.50	-
5500MHz	Pass	AV	11.00798G	47.87	54.00	-6.13	3	Horizontal	284	1.50	-
5500MHz	Pass	PK	11.0132G	60.68	74.00	-13.32	3	Horizontal	284	1.50	-
5500MHz	Pass	PK	16.50066G	66.07	68.20	-2.13	3	Horizontal	316	1.23	-
5580MHz	Pass	AV	5.442G	47.20	54.00	-6.80	3	Vertical	326	1.49	-
5580MHz	Pass	AV	5.577G	100.77	Inf	-Inf	3	Vertical	326	1.49	-
5580MHz	Pass	PK	5.4642G	58.83	68.20	-9.37	3	Vertical	326	1.49	-
5580MHz	Pass	PK	5.5764G	110.18	Inf	-Inf	3	Vertical	326	1.49	-
5580MHz	Pass	PK	5.7288G	59.65	68.20	-8.55	3	Vertical	326	1.49	-
5580MHz	Pass	AV	5.4492G	47.51	54.00	-6.49	3	Horizontal	359	1.50	-
5580MHz	Pass	AV	5.5746G	102.39	Inf	-Inf	3	Horizontal	359	1.50	-
5580MHz	Pass	PK	5.4648G	59.76	68.20	-8.44	3	Horizontal	359	1.50	-
5580MHz	Pass	PK	5.5848G	112.03	Inf	-Inf	3	Horizontal	359	1.50	-
5580MHz	Pass	PK	5.7276G	59.73	68.20	-8.47	3	Horizontal	359	1.50	-
5580MHz	Pass	AV	11.15496G	47.73	54.00	-6.27	3	Vertical	226	1.50	-
5580MHz	Pass	PK	11.15514G	60.41	74.00	-13.59	3	Vertical	226	1.50	-
5580MHz	Pass	PK	16.74138G	66.55	68.20	-1.65	3	Vertical	300	2.68	-
5580MHz	Pass	AV	11.14836G	48.00	54.00	-6.00	3	Horizontal	239	1.50	-
5580MHz	Pass	PK	11.15196G	60.52	74.00	-13.48	3	Horizontal	239	1.50	-
5580MHz	Pass	PK	16.74132G	67.79	68.20	-0.41	3	Horizontal	312	1.39	-
5700MHz	Pass	AV	5.698G	102.70	Inf	-Inf	3	Vertical	352	2.25	-
5700MHz	Pass	PK	5.6972G	112.57	Inf	-Inf	3	Vertical	352	2.25	-
5700MHz	Pass	PK	5.7252G	61.37	68.20	-6.83	3	Vertical	352	2.25	-
5700MHz	Pass	AV	5.704G	104.58	Inf	-Inf	3	Horizontal	328	1.50	-
5700MHz	Pass	PK	5.7048G	113.59	Inf	-Inf	3	Horizontal	328	1.50	-
5700MHz	Pass	PK	5.7252G	67.83	68.20	-0.37	3	Horizontal	328	1.50	-
5700MHz	Pass	AV	11.40732G	46.98	54.00	-7.02	3	Vertical	185	1.87	-
5700MHz	Pass	PK	11.4021G	59.95	74.00	-14.05	3	Vertical	185	1.87	-
5700MHz	Pass	PK	17.09022G	64.37	68.20	-3.83	3	Vertical	283	2.11	-
5700MHz	Pass	AV	11.40768G	47.08	54.00	-6.92	3	Horizontal	119	1.50	-
5700MHz	Pass	PK	11.40576G	60.33	74.00	-13.67	3	Horizontal	119	1.50	-
5700MHz	Pass	PK	17.0925G	64.32	68.20	-3.88	3	Horizontal	100	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.17	54.00	-6.83	3	Vertical	341	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	103.78	Inf	-Inf	3	Vertical	341	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	60.43	68.20	-7.77	3	Vertical	341	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	112.88	Inf	-Inf	3	Vertical	341	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.918G	62.07	68.20	-6.13	3	Vertical	341	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	48.03	54.00	-5.97	3	Horizontal	301	3.00	-

Remark :

Page No. : D3 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_2T2S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	111.38	Inf	-Inf	3	Horizontal	301	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.86	68.20	-8.34	3	Horizontal	301	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	120.00	Inf	-Inf	3	Horizontal	301	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9096G	61.40	68.20	-6.80	3	Horizontal	301	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45398G	60.46	74.00	-13.54	3	Vertical	330	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44066G	47.29	54.00	-6.71	3	Vertical	330	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1525G	65.10	68.20	-3.10	3	Vertical	308	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43688G	47.27	54.00	-6.73	3	Horizontal	274	1.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4469G	60.09	74.00	-13.91	3	Horizontal	274	1.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15358G	67.82	68.20	-0.38	3	Horizontal	315	1.16	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1154G	49.48	54.00	-4.52	3	Vertical	347	1.50	-
5260MHz	Pass	AV	5.2618G	103.89	Inf	-Inf	3	Vertical	347	1.50	-
5260MHz	Pass	AV	5.3512G	48.22	54.00	-5.78	3	Vertical	347	1.50	-
5260MHz	Pass	PK	5.1418G	60.61	74.00	-13.39	3	Vertical	347	1.50	-
5260MHz	Pass	PK	5.2678G	114.80	Inf	-Inf	3	Vertical	347	1.50	-
5260MHz	Pass	PK	5.383G	60.27	74.00	-13.73	3	Vertical	347	1.50	-
5260MHz	Pass	AV	5.1448G	50.75	54.00	-3.25	3	Horizontal	320	3.00	-
5260MHz	Pass	AV	5.257G	109.03	Inf	-Inf	3	Horizontal	320	3.00	-
5260MHz	Pass	AV	5.3614G	49.88	54.00	-4.12	3	Horizontal	320	3.00	-
5260MHz	Pass	PK	5.122G	62.07	74.00	-11.93	3	Horizontal	320	3.00	-
5260MHz	Pass	PK	5.2636G	120.18	Inf	-Inf	3	Horizontal	320	3.00	-
5260MHz	Pass	PK	5.3596G	61.67	74.00	-12.33	3	Horizontal	320	3.00	-
5260MHz	Pass	AV	15.7781G	53.82	54.00	-0.18	3	Vertical	12	1.50	-
5260MHz	Pass	PK	10.52736G	61.09	68.20	-7.11	3	Vertical	2	1.50	-
5260MHz	Pass	PK	15.7906G	64.92	74.00	-9.08	3	Vertical	12	1.50	-
5260MHz	Pass	AV	15.7833G	53.35	54.00	-0.65	3	Horizontal	315	1.60	-
5260MHz	Pass	PK	10.52672G	60.14	68.20	-8.06	3	Horizontal	289	1.00	-
5260MHz	Pass	PK	15.7708G	65.68	74.00	-8.32	3	Horizontal	315	1.60	-
5300MHz	Pass	AV	5.2956G	103.07	Inf	-Inf	3	Vertical	353	1.50	-
5300MHz	Pass	AV	5.35G	50.19	54.00	-3.81	3	Vertical	353	1.50	-
5300MHz	Pass	PK	5.3048G	114.38	Inf	-Inf	3	Vertical	353	1.50	-
5300MHz	Pass	PK	5.3508G	65.73	74.00	-8.27	3	Vertical	353	1.50	-
5300MHz	Pass	AV	5.3012G	106.33	Inf	-Inf	3	Horizontal	315	2.97	-
5300MHz	Pass	AV	5.35G	52.40	54.00	-1.60	3	Horizontal	315	2.97	-
5300MHz	Pass	PK	5.3036G	117.41	Inf	-Inf	3	Horizontal	315	2.97	-
5300MHz	Pass	PK	5.3504G	68.94	74.00	-5.06	3	Horizontal	315	2.97	-
5300MHz	Pass	AV	15.89744G	53.79	54.00	-0.21	3	Vertical	321	1.34	-
5300MHz	Pass	PK	10.6064G	60.00	74.00	-14.00	3	Vertical	189	1.31	-
5300MHz	Pass	PK	15.9072G	67.28	74.00	-6.72	3	Vertical	321	1.34	-
5300MHz	Pass	AV	15.90072G	51.64	54.00	-2.36	3	Horizontal	314	1.50	-
5300MHz	Pass	PK	10.60888G	60.25	74.00	-13.75	3	Horizontal	333	1.50	-
5300MHz	Pass	PK	15.89088G	66.16	74.00	-7.84	3	Horizontal	314	1.50	-
5320MHz	Pass	AV	5.315G	100.57	Inf	-Inf	3	Vertical	0	1.00	-
5320MHz	Pass	AV	5.3502G	52.89	54.00	-1.11	3	Vertical	0	1.00	-
5320MHz	Pass	PK	5.3152G	112.12	Inf	-Inf	3	Vertical	0	1.00	-
5320MHz	Pass	PK	5.35G	68.83	74.00	-5.17	3	Vertical	0	1.00	-
5320MHz	Pass	AV	5.3148G	102.72	Inf	-Inf	3	Horizontal	56	1.00	-
5320MHz	Pass	AV	5.3502G	53.70	54.00	-0.30	3	Horizontal	56	1.00	-

Remark :

Page No. : D4 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_2T2S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	5.3248G	114.48	Inf	-Inf	3	Horizontal	56	1.00	-
5320MHz	Pass	PK	5.35G	67.78	74.00	-6.22	3	Horizontal	56	1.00	-
5320MHz	Pass	AV	10.64144G	47.54	54.00	-6.46	3	Vertical	211	1.50	-
5320MHz	Pass	AV	15.95792G	48.15	54.00	-5.85	3	Vertical	1	1.50	-
5320MHz	Pass	PK	10.63592G	59.44	74.00	-14.56	3	Vertical	211	1.50	-
5320MHz	Pass	PK	15.97192G	60.33	74.00	-13.67	3	Vertical	1	1.50	-
5320MHz	Pass	AV	10.64116G	47.79	54.00	-6.21	3	Horizontal	136	1.50	-
5320MHz	Pass	AV	15.97456G	47.91	54.00	-6.09	3	Horizontal	70	1.50	-
5320MHz	Pass	PK	10.6397G	59.92	74.00	-14.08	3	Horizontal	136	1.50	-
5320MHz	Pass	PK	15.97376G	61.05	74.00	-12.95	3	Horizontal	70	1.50	-
5500MHz	Pass	AV	5.4564G	48.30	54.00	-5.70	3	Vertical	319	2.88	-
5500MHz	Pass	AV	5.4966G	97.96	Inf	-Inf	3	Vertical	319	2.88	-
5500MHz	Pass	PK	5.4688G	64.27	68.20	-3.93	3	Vertical	319	2.88	-
5500MHz	Pass	PK	5.4992G	109.33	Inf	-Inf	3	Vertical	319	2.88	-
5500MHz	Pass	AV	5.4584G	49.65	54.00	-4.35	3	Horizontal	313	3.00	-
5500MHz	Pass	AV	5.5074G	103.45	Inf	-Inf	3	Horizontal	313	3.00	-
5500MHz	Pass	PK	5.4696G	67.66	68.20	-0.54	3	Horizontal	313	3.00	-
5500MHz	Pass	PK	5.5034G	114.77	Inf	-Inf	3	Horizontal	313	3.00	-
5500MHz	Pass	AV	10.9994G	48.57	54.00	-5.43	3	Vertical	154	1.50	-
5500MHz	Pass	PK	10.99786G	60.38	74.00	-13.62	3	Vertical	154	1.50	-
5500MHz	Pass	PK	16.51624G	62.17	68.20	-6.03	3	Vertical	3	1.37	-
5500MHz	Pass	AV	10.99724G	48.68	54.00	-5.32	3	Horizontal	109	1.00	-
5500MHz	Pass	PK	10.9985G	61.15	74.00	-12.85	3	Horizontal	109	1.00	-
5500MHz	Pass	PK	16.51176G	62.19	68.20	-6.01	3	Horizontal	39	1.50	-
5580MHz	Pass	AV	5.445G	48.69	54.00	-5.31	3	Vertical	356	1.01	-
5580MHz	Pass	AV	5.5746G	103.17	Inf	-Inf	3	Vertical	356	1.01	-
5580MHz	Pass	PK	5.4666G	60.01	68.20	-8.19	3	Vertical	356	1.01	-
5580MHz	Pass	PK	5.5716G	114.28	Inf	-Inf	3	Vertical	356	1.01	-
5580MHz	Pass	PK	5.727G	59.52	68.20	-8.68	3	Vertical	356	1.01	-
5580MHz	Pass	AV	5.457G	48.28	54.00	-5.72	3	Horizontal	6	1.50	-
5580MHz	Pass	AV	5.5812G	102.00	Inf	-Inf	3	Horizontal	6	1.50	-
5580MHz	Pass	PK	5.469G	59.29	68.20	-8.91	3	Horizontal	6	1.50	-
5580MHz	Pass	PK	5.5752G	113.02	Inf	-Inf	3	Horizontal	6	1.50	-
5580MHz	Pass	PK	5.727G	59.77	68.20	-8.43	3	Horizontal	6	1.50	-
5580MHz	Pass	AV	11.15751G	48.79	54.00	-5.21	3	Vertical	47	2.74	-
5580MHz	Pass	PK	11.15767G	61.18	74.00	-12.82	3	Vertical	47	2.74	-
5580MHz	Pass	PK	16.73472G	67.00	68.20	-1.20	3	Vertical	320	1.34	-
5580MHz	Pass	AV	11.1575G	48.74	54.00	-5.26	3	Horizontal	359	1.50	-
5580MHz	Pass	PK	11.15769G	60.83	74.00	-13.17	3	Horizontal	359	1.50	-
5580MHz	Pass	PK	16.73968G	68.04	68.20	-0.16	3	Horizontal	320	1.36	-
5700MHz	Pass	AV	5.6956G	97.56	Inf	-Inf	3	Vertical	345	1.04	-
5700MHz	Pass	PK	5.7036G	108.50	Inf	-Inf	3	Vertical	345	1.04	-
5700MHz	Pass	PK	5.7252G	65.33	68.20	-2.87	3	Vertical	345	1.04	-
5700MHz	Pass	AV	5.7016G	102.39	Inf	-Inf	3	Horizontal	305	2.52	-
5700MHz	Pass	PK	5.694G	112.91	Inf	-Inf	3	Horizontal	305	2.52	-
5700MHz	Pass	PK	5.7252G	68.03	68.20	-0.17	3	Horizontal	305	2.52	-
5700MHz	Pass	AV	11.39843G	49.12	54.00	-4.88	3	Vertical	75	1.82	-
5700MHz	Pass	PK	11.40129G	61.04	74.00	-12.96	3	Vertical	75	1.82	-
5700MHz	Pass	PK	17.10284G	64.38	68.20	-3.82	3	Vertical	334	1.50	-

Remark :

Page No. : D5 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)



RSE TX above 1GHz
Non-Beamforming Sample 1_Radio 2_2T2S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	AV	11.39888G	48.75	54.00	-5.25	3	Horizontal	122	1.50	-
5700MHz	Pass	PK	11.4018G	61.21	74.00	-12.79	3	Horizontal	122	1.50	-
5700MHz	Pass	PK	17.1016G	64.77	68.20	-3.43	3	Horizontal	359	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	47.99	54.00	-6.01	3	Vertical	350	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	104.93	Inf	-Inf	3	Vertical	350	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	59.38	68.20	-8.82	3	Vertical	350	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	115.96	Inf	-Inf	3	Vertical	350	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	61.92	68.20	-6.28	3	Vertical	350	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	48.79	54.00	-5.21	3	Horizontal	307	2.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	108.86	Inf	-Inf	3	Horizontal	307	2.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.88	68.20	-8.32	3	Horizontal	307	2.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	119.65	Inf	-Inf	3	Horizontal	307	2.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	62.18	68.20	-6.02	3	Horizontal	307	2.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44086G	48.08	54.00	-5.92	3	Vertical	351	1.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43888G	61.18	74.00	-12.82	3	Vertical	351	1.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16876G	66.90	68.20	-1.30	3	Vertical	310	1.25	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4352G	48.32	54.00	-5.68	3	Horizontal	40	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44144G	60.49	74.00	-13.51	3	Horizontal	40	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15448G	67.81	68.20	-0.39	3	Horizontal	322	1.30	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.262G	99.77	Inf	-Inf	3	Vertical	347	1.50	-
5270MHz	Pass	AV	5.3504G	49.77	54.00	-4.23	3	Vertical	347	1.50	-
5270MHz	Pass	PK	5.268G	110.33	Inf	-Inf	3	Vertical	347	1.50	-
5270MHz	Pass	PK	5.3648G	63.51	74.00	-10.49	3	Vertical	347	1.50	-
5270MHz	Pass	AV	5.2616G	104.54	Inf	-Inf	3	Horizontal	319	3.00	-
5270MHz	Pass	AV	5.35G	53.81	54.00	-0.19	3	Horizontal	319	3.00	-
5270MHz	Pass	PK	5.2628G	116.17	Inf	-Inf	3	Horizontal	319	3.00	-
5270MHz	Pass	PK	5.3652G	70.02	74.00	-3.98	3	Horizontal	319	3.00	-
5270MHz	Pass	AV	15.8033G	49.68	54.00	-4.32	3	Vertical	14	1.50	-
5270MHz	Pass	PK	10.54264G	59.70	68.20	-8.50	3	Vertical	80	1.50	-
5270MHz	Pass	PK	15.8021G	61.80	74.00	-12.20	3	Vertical	14	1.50	-
5270MHz	Pass	AV	15.8051G	49.53	54.00	-4.47	3	Horizontal	313	1.50	-
5270MHz	Pass	PK	10.53168G	60.38	68.20	-7.82	3	Horizontal	184	1.50	-
5270MHz	Pass	PK	15.7869G	60.59	74.00	-13.41	3	Horizontal	313	1.50	-
5310MHz	Pass	AV	5.302G	94.46	Inf	-Inf	3	Vertical	347	1.50	-
5310MHz	Pass	AV	5.35G	50.11	54.00	-3.89	3	Vertical	347	1.50	-
5310MHz	Pass	PK	5.3036G	104.97	Inf	-Inf	3	Vertical	347	1.50	-
5310MHz	Pass	PK	5.35G	66.04	74.00	-7.96	3	Vertical	347	1.50	-
5310MHz	Pass	AV	5.302G	98.73	Inf	-Inf	3	Horizontal	323	2.94	-
5310MHz	Pass	AV	5.3508G	53.48	54.00	-0.52	3	Horizontal	323	2.94	-
5310MHz	Pass	PK	5.3208G	109.99	Inf	-Inf	3	Horizontal	323	2.94	-
5310MHz	Pass	PK	5.35G	73.46	74.00	-0.54	3	Horizontal	323	2.94	-
5310MHz	Pass	AV	10.62128G	47.78	54.00	-6.22	3	Vertical	356	1.85	-
5310MHz	Pass	AV	15.9189G	47.58	54.00	-6.42	3	Vertical	23	1.50	-
5310MHz	Pass	PK	10.61781G	59.99	74.00	-14.01	3	Vertical	356	1.85	-
5310MHz	Pass	PK	15.93816G	59.66	74.00	-14.34	3	Vertical	23	1.50	-
5310MHz	Pass	AV	10.61778G	47.54	54.00	-6.46	3	Horizontal	26	1.50	-
5310MHz	Pass	AV	15.94014G	47.97	54.00	-6.03	3	Horizontal	333	1.50	-
5310MHz	Pass	PK	10.62173G	60.20	74.00	-13.80	3	Horizontal	26	1.50	-

Remark :

Page No. : D6 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_2T2S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	PK	15.92388G	60.31	74.00	-13.69	3	Horizontal	333	1.50	-
5510MHz	Pass	AV	5.4564G	48.09	54.00	-5.91	3	Vertical	333	1.50	-
5510MHz	Pass	AV	5.5144G	91.04	Inf	-Inf	3	Vertical	333	1.50	-
5510MHz	Pass	PK	5.466G	61.19	68.20	-7.01	3	Vertical	333	1.50	-
5510MHz	Pass	PK	5.5052G	102.90	Inf	-Inf	3	Vertical	333	1.50	-
5510MHz	Pass	AV	5.4592G	49.11	54.00	-4.89	3	Horizontal	309	3.00	-
5510MHz	Pass	AV	5.5164G	97.69	Inf	-Inf	3	Horizontal	309	3.00	-
5510MHz	Pass	PK	5.468G	67.83	68.20	-0.37	3	Horizontal	309	3.00	-
5510MHz	Pass	PK	5.5064G	109.35	Inf	-Inf	3	Horizontal	309	3.00	-
5510MHz	Pass	AV	11.01911G	49.03	54.00	-4.97	3	Vertical	118	1.41	-
5510MHz	Pass	PK	11.01912G	61.08	74.00	-12.92	3	Vertical	118	1.41	-
5510MHz	Pass	PK	16.53366G	62.35	68.20	-5.85	3	Vertical	150	1.11	-
5510MHz	Pass	AV	11.0179G	48.97	54.00	-5.03	3	Horizontal	359	1.50	-
5510MHz	Pass	PK	11.01821G	61.00	74.00	-13.00	3	Horizontal	359	1.50	-
5510MHz	Pass	PK	16.53372G	61.65	68.20	-6.55	3	Horizontal	166	1.50	-
5550MHz	Pass	AV	5.4592G	49.90	54.00	-4.10	3	Vertical	337	1.50	-
5550MHz	Pass	AV	5.5548G	98.32	Inf	-Inf	3	Vertical	337	1.50	-
5550MHz	Pass	PK	5.4684G	66.00	68.20	-2.20	3	Vertical	337	1.50	-
5550MHz	Pass	PK	5.5544G	109.31	Inf	-Inf	3	Vertical	337	1.50	-
5550MHz	Pass	AV	5.46G	50.24	54.00	-3.76	3	Horizontal	4	1.50	-
5550MHz	Pass	AV	5.5584G	99.36	Inf	-Inf	3	Horizontal	4	1.50	-
5550MHz	Pass	PK	5.4684G	67.53	68.20	-0.67	3	Horizontal	4	1.50	-
5550MHz	Pass	PK	5.5568G	110.42	Inf	-Inf	3	Horizontal	4	1.50	-
5550MHz	Pass	AV	11.09772G	48.74	54.00	-5.26	3	Vertical	327	2.70	-
5550MHz	Pass	PK	11.10185G	60.85	74.00	-13.15	3	Vertical	327	2.70	-
5550MHz	Pass	PK	16.64508G	65.38	68.20	-2.82	3	Vertical	311	1.33	-
5550MHz	Pass	AV	11.0989G	49.00	54.00	-5.00	3	Horizontal	9	1.00	-
5550MHz	Pass	PK	11.09773G	60.69	74.00	-13.31	3	Horizontal	9	1.00	-
5550MHz	Pass	PK	16.65172G	66.02	68.20	-2.18	3	Horizontal	320	1.36	-
5670MHz	Pass	AV	5.6616G	96.13	Inf	-Inf	3	Vertical	345	1.00	-
5670MHz	Pass	PK	5.6672G	106.71	Inf	-Inf	3	Vertical	345	1.00	-
5670MHz	Pass	PK	5.7268G	64.10	68.20	-4.10	3	Vertical	345	1.00	-
5670MHz	Pass	AV	5.6688G	99.94	Inf	-Inf	3	Horizontal	305	2.92	-
5670MHz	Pass	PK	5.676G	111.09	Inf	-Inf	3	Horizontal	305	2.92	-
5670MHz	Pass	PK	5.7252G	67.92	68.20	-0.28	3	Horizontal	305	2.92	-
5670MHz	Pass	AV	11.34037G	47.94	54.00	-6.06	3	Vertical	294	1.50	-
5670MHz	Pass	PK	11.33795G	60.69	74.00	-13.31	3	Vertical	294	1.50	-
5670MHz	Pass	PK	17.00899G	64.50	68.20	-3.70	3	Vertical	19	1.50	-
5670MHz	Pass	AV	11.33938G	48.23	54.00	-5.77	3	Horizontal	218	1.50	-
5670MHz	Pass	PK	11.33903G	59.96	74.00	-14.04	3	Horizontal	218	1.50	-
5670MHz	Pass	PK	17.01069G	63.61	68.20	-4.59	3	Horizontal	225	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	48.19	54.00	-5.81	3	Vertical	347	1.11	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7076G	101.70	Inf	-Inf	3	Vertical	347	1.11	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	59.79	68.20	-8.41	3	Vertical	347	1.11	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	113.00	Inf	-Inf	3	Vertical	347	1.11	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	64.91	68.20	-3.29	3	Vertical	347	1.11	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	49.00	54.00	-5.00	3	Horizontal	302	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	107.10	Inf	-Inf	3	Horizontal	302	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	61.09	68.20	-7.11	3	Horizontal	302	2.95	-

Remark :

Page No. : D7 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_2T2S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	118.50	Inf	-Inf	3	Horizontal	302	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8648G	67.42	68.20	-0.78	3	Horizontal	302	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41903G	48.17	54.00	-5.83	3	Vertical	120	2.75	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41945G	60.20	74.00	-13.80	3	Vertical	120	2.75	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12706G	66.84	68.20	-1.36	3	Vertical	308	1.25	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41799G	48.42	54.00	-5.58	3	Horizontal	80	2.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41837G	59.95	74.00	-14.05	3	Horizontal	80	2.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13494G	67.26	68.20	-0.94	3	Horizontal	321	1.29	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.077G	50.63	54.00	-3.37	3	Vertical	343	1.50	-
5290MHz	Pass	AV	5.279G	93.15	Inf	-Inf	3	Vertical	343	1.50	-
5290MHz	Pass	AV	5.365G	49.77	54.00	-4.23	3	Vertical	343	1.50	-
5290MHz	Pass	PK	5.096G	60.79	74.00	-13.21	3	Vertical	343	1.50	-
5290MHz	Pass	PK	5.282G	102.45	Inf	-Inf	3	Vertical	343	1.50	-
5290MHz	Pass	PK	5.482G	59.89	68.20	-8.31	3	Vertical	343	1.50	-
5290MHz	Pass	AV	5.139G	51.12	54.00	-2.88	3	Horizontal	316	3.00	-
5290MHz	Pass	AV	5.277G	97.71	Inf	-Inf	3	Horizontal	316	3.00	-
5290MHz	Pass	AV	5.36G	53.83	54.00	-0.17	3	Horizontal	316	3.00	-
5290MHz	Pass	PK	5.105G	61.21	74.00	-12.79	3	Horizontal	316	3.00	-
5290MHz	Pass	PK	5.287G	107.14	Inf	-Inf	3	Horizontal	316	3.00	-
5290MHz	Pass	PK	5.501G	61.01	68.20	-7.19	3	Horizontal	316	3.00	-
5290MHz	Pass	AV	15.88356G	49.20	54.00	-4.80	3	Vertical	256	1.57	-
5290MHz	Pass	PK	10.58882G	59.86	68.20	-8.34	3	Vertical	135	1.47	-
5290MHz	Pass	PK	15.87414G	60.00	74.00	-14.00	3	Vertical	256	1.57	-
5290MHz	Pass	AV	15.8595G	49.46	54.00	-4.54	3	Horizontal	266	1.50	-
5290MHz	Pass	PK	10.58324G	60.10	68.20	-8.10	3	Horizontal	165	2.41	-
5290MHz	Pass	PK	15.86406G	61.00	74.00	-13.00	3	Horizontal	266	1.50	-
5530MHz	Pass	AV	5.46G	50.88	54.00	-3.12	3	Vertical	334	1.50	-
5530MHz	Pass	AV	5.543G	92.67	Inf	-Inf	3	Vertical	334	1.50	-
5530MHz	Pass	PK	5.466G	66.52	68.20	-1.68	3	Vertical	334	1.50	-
5530MHz	Pass	PK	5.529G	103.61	Inf	-Inf	3	Vertical	334	1.50	-
5530MHz	Pass	PK	5.777G	59.94	68.20	-8.26	3	Vertical	334	1.50	-
5530MHz	Pass	AV	5.457G	52.25	54.00	-1.75	3	Horizontal	3	1.50	-
5530MHz	Pass	AV	5.557G	94.42	Inf	-Inf	3	Horizontal	3	1.50	-
5530MHz	Pass	PK	5.465G	67.47	68.20	-0.73	3	Horizontal	3	1.50	-
5530MHz	Pass	PK	5.543G	104.30	Inf	-Inf	3	Horizontal	3	1.50	-
5530MHz	Pass	PK	5.759G	60.17	68.20	-8.03	3	Horizontal	3	1.50	-
5530MHz	Pass	AV	11.06288G	49.93	54.00	-4.07	3	Vertical	31	1.09	-
5530MHz	Pass	PK	11.05076G	61.11	74.00	-12.89	3	Vertical	31	1.09	-
5530MHz	Pass	PK	16.591G	62.55	68.20	-5.65	3	Vertical	110	1.45	-
5530MHz	Pass	AV	11.04752G	49.72	54.00	-4.28	3	Horizontal	35	1.78	-
5530MHz	Pass	PK	11.06996G	60.85	74.00	-13.15	3	Horizontal	35	1.78	-
5530MHz	Pass	PK	16.5941G	62.38	68.20	-5.82	3	Horizontal	360	2.99	-
5610MHz	Pass	AV	5.459G	52.71	54.00	-1.29	3	Vertical	345	1.00	-
5610MHz	Pass	AV	5.602G	99.69	Inf	-Inf	3	Vertical	345	1.00	-
5610MHz	Pass	PK	5.463G	67.29	68.20	-0.91	3	Vertical	345	1.00	-
5610MHz	Pass	PK	5.6G	109.37	Inf	-Inf	3	Vertical	345	1.00	-
5610MHz	Pass	PK	5.73G	68.00	68.20	-0.20	3	Vertical	345	1.00	-
5610MHz	Pass	AV	5.459G	52.44	54.00	-1.56	3	Horizontal	3	1.50	-

Remark :

Page No. : D8 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)



RSE TX above 1GHz
Non-Beamforming Sample 1_Radio 2_2T2S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	5.6G	97.36	Inf	-Inf	3	Horizontal	3	1.50	-
5610MHz	Pass	PK	5.463G	66.81	68.20	-1.39	3	Horizontal	3	1.50	-
5610MHz	Pass	PK	5.6G	107.64	Inf	-Inf	3	Horizontal	3	1.50	-
5610MHz	Pass	PK	5.726G	66.10	68.20	-2.10	3	Horizontal	3	1.50	-
5610MHz	Pass	AV	11.22666G	49.54	54.00	-4.46	3	Vertical	53	1.29	-
5610MHz	Pass	PK	11.20884G	60.52	74.00	-13.48	3	Vertical	53	1.29	-
5610MHz	Pass	PK	16.84398G	63.75	68.20	-4.45	3	Vertical	340	2.00	-
5610MHz	Pass	AV	11.21142G	49.53	54.00	-4.47	3	Horizontal	193	1.98	-
5610MHz	Pass	PK	11.2134G	60.88	74.00	-13.12	3	Horizontal	193	1.98	-
5610MHz	Pass	PK	16.82664G	62.98	68.20	-5.22	3	Horizontal	311	1.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	49.20	54.00	-4.80	3	Vertical	332	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6588G	95.54	Inf	-Inf	3	Vertical	332	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	59.23	68.20	-8.97	3	Vertical	332	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6888G	106.16	Inf	-Inf	3	Vertical	332	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8784G	60.85	68.20	-7.35	3	Vertical	332	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	50.38	54.00	-3.62	3	Horizontal	302	2.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	103.43	Inf	-Inf	3	Horizontal	302	2.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.68	68.20	-8.52	3	Horizontal	302	2.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6888G	113.94	Inf	-Inf	3	Horizontal	302	2.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	68.00	68.20	-0.20	3	Horizontal	302	2.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38174G	49.49	54.00	-4.51	3	Vertical	194	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37118G	60.62	74.00	-13.38	3	Vertical	194	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06148G	64.73	68.20	-3.47	3	Vertical	142	1.70	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39392G	49.74	54.00	-4.26	3	Horizontal	321	1.05	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3947G	59.85	74.00	-14.15	3	Horizontal	321	1.05	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07636G	64.21	68.20	-3.99	3	Horizontal	277	1.78	-
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	AV	5.1384G	51.85	54.00	-2.15	3	Vertical	346	1.50	-
5250MHz	Pass	AV	5.2344G	87.56	Inf	-Inf	3	Vertical	346	1.50	-
5250MHz	Pass	AV	5.3784G	50.33	54.00	-3.67	3	Vertical	346	1.50	-
5250MHz	Pass	PK	5.0772G	61.16	74.00	-12.84	3	Vertical	346	1.50	-
5250MHz	Pass	PK	5.2248G	97.19	Inf	-Inf	3	Vertical	346	1.50	-
5250MHz	Pass	PK	5.5176G	60.67	68.20	-7.53	3	Vertical	346	1.50	-
5250MHz	Pass	AV	5.1156G	53.13	54.00	-0.87	3	Horizontal	57	1.00	-
5250MHz	Pass	AV	5.2596G	89.30	Inf	-Inf	3	Horizontal	57	1.00	-
5250MHz	Pass	AV	5.3748G	52.88	54.00	-1.12	3	Horizontal	57	1.00	-
5250MHz	Pass	PK	5.1456G	63.70	74.00	-10.30	3	Horizontal	57	1.00	-
5250MHz	Pass	PK	5.1948G	99.07	Inf	-Inf	3	Horizontal	57	1.00	-
5250MHz	Pass	PK	5.5356G	59.73	68.20	-8.47	3	Horizontal	57	1.00	-
5250MHz	Pass	AV	15.7371G	48.70	54.00	-5.30	3	Vertical	242	1.31	-
5250MHz	Pass	PK	10.50834G	59.48	68.20	-8.72	3	Vertical	34	1.73	-
5250MHz	Pass	PK	15.7647G	60.44	74.00	-13.56	3	Vertical	242	1.31	-
5250MHz	Pass	AV	15.74604G	49.43	54.00	-4.57	3	Horizontal	181	2.43	-
5250MHz	Pass	PK	10.49544G	60.24	68.20	-7.96	3	Horizontal	152	1.67	-
5250MHz	Pass	PK	15.75372G	60.59	74.00	-13.41	3	Horizontal	181	2.43	-
5570MHz	Pass	AV	5.4584G	53.60	54.00	-0.40	3	Vertical	347	1.00	-
5570MHz	Pass	AV	5.5796G	91.14	Inf	-Inf	3	Vertical	347	1.00	-
5570MHz	Pass	PK	5.4656G	62.67	68.20	-5.53	3	Vertical	347	1.00	-
5570MHz	Pass	PK	5.6024G	101.11	Inf	-Inf	3	Vertical	347	1.00	-

Remark :

Page No. : D9 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_2T2S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5570MHz	Pass	PK	5.7848G	62.83	68.20	-5.37	3	Vertical	347	1.00	-
5570MHz	Pass	AV	5.4596G	53.56	54.00	-0.44	3	Horizontal	3	1.50	-
5570MHz	Pass	AV	5.5652G	90.49	Inf	-Inf	3	Horizontal	3	1.50	-
5570MHz	Pass	PK	5.4644G	62.01	68.20	-6.19	3	Horizontal	3	1.50	-
5570MHz	Pass	PK	5.588G	100.02	Inf	-Inf	3	Horizontal	3	1.50	-
5570MHz	Pass	PK	5.732G	61.79	68.20	-6.41	3	Horizontal	3	1.50	-
5570MHz	Pass	AV	11.12626G	49.57	54.00	-4.43	3	Vertical	345	2.33	-
5570MHz	Pass	PK	11.12554G	60.62	74.00	-13.38	3	Vertical	345	2.33	-
5570MHz	Pass	PK	16.71228G	62.73	68.20	-5.47	3	Vertical	283	1.39	-
5570MHz	Pass	AV	11.128G	50.11	54.00	-3.89	3	Horizontal	56	1.43	-
5570MHz	Pass	PK	11.1478G	60.38	74.00	-13.62	3	Horizontal	56	1.43	-
5570MHz	Pass	PK	16.72062G	62.75	68.20	-5.45	3	Horizontal	339	2.45	-

Remark :

Page No. : D10 of D114

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)


970235-01



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.125G	48.55	54.00	-5.45	7.93	3	Vertical	337	1.50	-	40.62	31.90	10.08	34.05
AV	5.2636G	106.68	Inf	-Inf	7.40	3	Vertical	337	1.50	-	99.28	31.35	10.11	34.06
AV	5.3908G	47.32	54.00	-6.68	7.59	3	Vertical	337	1.50	-	39.73	31.47	10.18	34.06
PK	5.1358G	60.89	74.00	-13.11	7.89	3	Vertical	337	1.50	-	53.00	31.86	10.08	34.05
PK	5.2642G	115.45	Inf	-Inf	7.39	3	Vertical	337	1.50	-	108.06	31.34	10.11	34.06
PK	5.3914G	59.53	74.00	-14.47	7.59	3	Vertical	337	1.50	-	51.94	31.47	10.18	34.06



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	49.56	54.00	-4.44	7.86	3	Horizontal	312	3.00	-	41.70	31.83	10.08	34.05
AV	5.2642G	110.85	Inf	-Inf	7.39	3	Horizontal	312	3.00	-	103.46	31.34	10.11	34.06
AV	5.3608G	49.11	54.00	-4.89	7.49	3	Horizontal	312	3.00	-	41.62	31.38	10.17	34.06
PK	5.15G	61.73	74.00	-12.27	7.83	3	Horizontal	312	3.00	-	53.90	31.80	10.08	34.05
PK	5.2636G	119.99	Inf	-Inf	7.40	3	Horizontal	312	3.00	-	112.59	31.35	10.11	34.06
PK	5.398G	61.41	74.00	-12.59	7.62	3	Horizontal	312	3.00	-	53.79	31.49	10.19	34.06



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78084G	53.56	54.00	-0.44	17.65	3	Vertical	5	1.49	-	35.91	38.18	13.73	34.26
PK	10.52906G	60.27	68.20	-7.93	18.21	3	Vertical	351	1.44	-	42.06	39.59	13.06	34.44
PK	15.79164G	66.62	74.00	-7.38	17.61	3	Vertical	5	1.49	-	49.01	38.15	13.73	34.27



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78114G	52.36	54.00	-1.64	17.65	3	Horizontal	307	1.55	-	34.71	38.18	13.73	34.26
PK	10.53188G	59.81	68.20	-8.39	18.21	3	Horizontal	0	1.27	-	41.60	39.59	13.06	34.44
PK	15.79224G	65.26	74.00	-8.74	17.60	3	Horizontal	307	1.55	-	47.66	38.14	13.73	34.27



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	106.75	Inf	-Inf	7.28	3	Vertical	340	1.21	-	99.47	31.21	10.13	34.06
AV	5.35G	50.36	54.00	-3.64	7.45	3	Vertical	340	1.21	-	42.91	31.35	10.16	34.06
PK	5.3044G	115.93	Inf	-Inf	7.28	3	Vertical	340	1.21	-	108.65	31.21	10.13	34.06
PK	5.35G	68.64	74.00	-5.36	7.45	3	Vertical	340	1.21	-	61.19	31.35	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	110.61	Inf	-Inf	7.28	3	Horizontal	310	3.00	-	103.33	31.21	10.13	34.06
AV	5.35G	52.81	54.00	-1.19	7.45	3	Horizontal	310	3.00	-	45.36	31.35	10.16	34.06
PK	5.3036G	119.45	Inf	-Inf	7.28	3	Horizontal	310	3.00	-	112.17	31.21	10.13	34.06
PK	5.3588G	71.93	74.00	-2.07	7.48	3	Horizontal	310	3.00	-	64.45	31.38	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90108G	53.74	54.00	-0.26	17.16	3	Vertical	7	1.50	-	36.58	37.81	13.73	34.38
PK	10.59652G	59.79	68.20	-8.41	18.38	3	Vertical	352	1.49	-	41.41	39.68	13.10	34.40
PK	15.91032G	66.47	74.00	-7.53	17.12	3	Vertical	7	1.50	-	49.35	37.78	13.73	34.39



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90102G	52.34	54.00	-1.66	17.16	3	Horizontal	308	1.50	-	35.18	37.81	13.73	34.38
PK	10.59766G	59.65	68.20	-8.55	18.38	3	Horizontal	305	1.50	-	41.27	39.68	13.10	34.40
PK	15.89562G	64.99	74.00	-9.01	17.18	3	Horizontal	308	1.50	-	47.81	37.82	13.73	34.37



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.324G	102.49	Inf	-Inf	7.36	3	Vertical	341	1.00	-	95.13	31.27	10.15	34.06
AV	5.3524G	49.70	54.00	-4.30	7.46	3	Vertical	341	1.00	-	42.24	31.36	10.16	34.06
PK	5.3236G	111.11	Inf	-Inf	7.36	3	Vertical	341	1.00	-	103.75	31.27	10.15	34.06
PK	5.3534G	65.86	74.00	-8.14	7.46	3	Vertical	341	1.00	-	58.40	31.36	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	106.03	Inf	-Inf	7.34	3	Horizontal	314	3.00	-	98.69	31.26	10.14	34.06
AV	5.353G	53.26	54.00	-0.74	7.46	3	Horizontal	314	3.00	-	45.80	31.36	10.16	34.06
PK	5.3234G	115.29	Inf	-Inf	7.36	3	Horizontal	314	3.00	-	107.93	31.27	10.15	34.06
PK	5.3518G	71.09	74.00	-2.91	7.46	3	Horizontal	314	3.00	-	63.63	31.36	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64378G	46.57	54.00	-7.43	18.50	3	Vertical	75	1.50	-	28.07	39.74	13.13	34.37
AV	15.96072G	47.31	54.00	-6.69	16.91	3	Vertical	6	1.36	-	30.40	37.62	13.73	34.44
PK	10.64024G	59.56	74.00	-14.44	18.48	3	Vertical	75	1.50	-	41.08	39.73	13.13	34.38
PK	15.96546G	61.11	74.00	-12.89	16.90	3	Vertical	6	1.36	-	44.21	37.61	13.73	34.44



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63298G	46.94	54.00	-7.06	18.46	3	Horizontal	325	1.25	-	28.48	39.72	13.12	34.38
AV	15.96048G	46.74	54.00	-7.26	16.91	3	Horizontal	307	1.50	-	29.83	37.62	13.73	34.44
PK	10.62812G	60.18	74.00	-13.82	18.46	3	Horizontal	325	1.25	-	41.72	39.72	13.12	34.38
PK	15.95928G	59.74	74.00	-14.26	16.92	3	Horizontal	307	1.50	-	42.82	37.63	13.73	34.44



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	47.71	54.00	-6.29	7.80	3	Vertical	330	1.42	-	39.91	31.67	10.20	34.07
AV	5.4968G	100.16	Inf	-Inf	7.93	3	Vertical	330	1.42	-	92.23	31.79	10.21	34.07
PK	5.4678G	67.36	68.20	-0.84	7.84	3	Vertical	330	1.42	-	59.52	31.70	10.21	34.07
PK	5.5014G	109.36	Inf	-Inf	7.95	3	Vertical	330	1.42	-	101.41	31.80	10.22	34.07



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.04	54.00	-5.96	7.81	3	Horizontal	0	1.50	-	40.23	31.68	10.20	34.07
AV	5.504G	101.04	Inf	-Inf	7.94	3	Horizontal	0	1.50	-	93.10	31.79	10.22	34.07
PK	5.4694G	68.04	68.20	-0.16	7.85	3	Horizontal	0	1.50	-	60.19	31.71	10.21	34.07
PK	5.4992G	109.91	Inf	-Inf	7.94	3	Horizontal	0	1.50	-	101.97	31.80	10.21	34.07



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00144G	47.91	54.00	-6.09	19.38	3	Vertical	247	2.08	-	28.53	40.20	13.34	34.16
PK	11.0129G	60.64	74.00	-13.36	19.36	3	Vertical	247	2.08	-	41.28	40.18	13.34	34.16
PK	16.50078G	63.12	68.20	-5.08	18.99	3	Vertical	303	1.50	-	44.13	38.85	14.09	33.95



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00798G	47.87	54.00	-6.13	19.37	3	Horizontal	284	1.50	-	28.50	40.19	13.34	34.16
PK	11.0132G	60.68	74.00	-13.32	19.36	3	Horizontal	284	1.50	-	41.32	40.18	13.34	34.16
PK	16.50066G	66.07	68.20	-2.13	18.99	3	Horizontal	316	1.23	-	47.08	38.85	14.09	33.95



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.442G	47.20	54.00	-6.80	7.77	3	Vertical	326	1.49	-	39.43	31.63	10.20	34.06
AV	5.577G	100.77	Inf	-Inf	7.82	3	Vertical	326	1.49	-	92.95	31.65	10.24	34.07
PK	5.4642G	58.83	68.20	-9.37	7.82	3	Vertical	326	1.49	-	51.01	31.69	10.20	34.07
PK	5.5764G	110.18	Inf	-Inf	7.82	3	Vertical	326	1.49	-	102.36	31.65	10.24	34.07
PK	5.7288G	59.65	68.20	-8.55	8.22	3	Vertical	326	1.49	-	51.43	31.89	10.40	34.07



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4492G	47.51	54.00	-6.49	7.79	3	Horizontal	359	1.50	-	39.72	31.65	10.20	34.06
AV	5.5746G	102.39	Inf	-Inf	7.82	3	Horizontal	359	1.50	-	94.57	31.65	10.24	34.07
PK	5.4648G	59.76	68.20	-8.44	7.83	3	Horizontal	359	1.50	-	51.93	31.69	10.21	34.07
PK	5.5848G	112.03	Inf	-Inf	7.80	3	Horizontal	359	1.50	-	104.23	31.63	10.24	34.07
PK	5.7276G	59.73	68.20	-8.47	8.21	3	Horizontal	359	1.50	-	51.52	31.88	10.40	34.07



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15496G	47.73	54.00	-6.27	19.25	3	Vertical	226	1.50	-	28.48	40.00	13.42	34.17
PK	11.15514G	60.41	74.00	-13.59	19.25	3	Vertical	226	1.50	-	41.16	40.00	13.42	34.17
PK	16.74138G	66.55	68.20	-1.65	20.06	3	Vertical	300	2.68	-	46.49	39.50	14.26	33.70



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14836G	48.00	54.00	-6.00	19.26	3	Horizontal	239	1.50	-	28.74	40.01	13.42	34.17
PK	11.15196G	60.52	74.00	-13.48	19.25	3	Horizontal	239	1.50	-	41.27	40.00	13.42	34.17
PK	16.74132G	67.79	68.20	-0.41	20.06	3	Horizontal	312	1.39	-	47.73	39.50	14.26	33.70



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	102.70	Inf	-Inf	8.09	3	Vertical	352	2.25	-	94.61	31.80	10.36	34.07
PK	5.6972G	112.57	Inf	-Inf	8.08	3	Vertical	352	2.25	-	104.49	31.79	10.36	34.07
PK	5.7252G	61.37	68.20	-6.83	8.21	3	Vertical	352	2.25	-	53.16	31.88	10.40	34.07



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.704G	104.58	Inf	-Inf	8.11	3	Horizontal	328	1.50	-	96.47	31.81	10.37	34.07
PK	5.7048G	113.59	Inf	-Inf	8.11	3	Horizontal	328	1.50	-	105.48	31.81	10.37	34.07
PK	5.7252G	67.83	68.20	-0.37	8.21	3	Horizontal	328	1.50	-	59.62	31.88	10.40	34.07



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40732G	46.98	54.00	-7.02	19.06	3	Vertical	185	1.87	-	27.92	39.67	13.57	34.18
PK	11.4021G	59.95	74.00	-14.05	19.07	3	Vertical	185	1.87	-	40.88	39.68	13.57	34.18
PK	17.09022G	64.37	68.20	-3.83	21.88	3	Vertical	283	2.11	-	42.49	40.82	14.51	33.45



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40768G	47.08	54.00	-6.92	19.06	3	Horizontal	119	1.50	-	28.02	39.67	13.57	34.18
PK	11.40576G	60.33	74.00	-13.67	19.06	3	Horizontal	119	1.50	-	41.27	39.67	13.57	34.18
PK	17.0925G	64.32	68.20	-3.88	21.90	3	Horizontal	100	1.50	-	42.42	40.84	14.51	33.45



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.17	54.00	-6.83	7.81	3	Vertical	341	1.50	-	39.36	31.68	10.20	34.07
AV	5.7188G	103.78	Inf	-Inf	8.18	3	Vertical	341	1.50	-	95.60	31.86	10.39	34.07
PK	5.462G	60.43	68.20	-7.77	7.82	3	Vertical	341	1.50	-	52.61	31.69	10.20	34.07
PK	5.714G	112.88	Inf	-Inf	8.15	3	Vertical	341	1.50	-	104.73	31.84	10.38	34.07
PK	5.918G	62.07	68.20	-6.13	8.86	3	Vertical	341	1.50	-	53.21	32.40	10.54	34.08



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.03	54.00	-5.97	7.81	3	Horizontal	301	3.00	-	40.22	31.68	10.20	34.07
AV	5.7224G	111.38	Inf	-Inf	8.19	3	Horizontal	301	3.00	-	103.19	31.87	10.39	34.07
PK	5.468G	59.86	68.20	-8.34	7.84	3	Horizontal	301	3.00	-	52.02	31.70	10.21	34.07
PK	5.7128G	120.00	Inf	-Inf	8.15	3	Horizontal	301	3.00	-	111.85	31.84	10.38	34.07
PK	5.9096G	61.40	68.20	-6.80	8.86	3	Horizontal	301	3.00	-	52.54	32.40	10.54	34.08



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.45398G	60.46	74.00	-13.54	19.02	3	Vertical	330	1.50	-	41.44	39.61	13.60	34.19
AV	11.44066G	47.29	54.00	-6.71	19.03	3	Vertical	330	1.50	-	28.26	39.63	13.59	34.19
PK	17.1525G	65.10	68.20	-3.10	22.34	3	Vertical	308	1.50	-	42.76	41.25	14.55	33.46



802.11a_Nss1,(6Mbps)_2TX

13/11/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43688G	47.27	54.00	-6.73	19.03	3	Horizontal	274	1.32	-	28.24	39.63	13.59	34.19
PK	11.4469G	60.09	74.00	-13.91	19.02	3	Horizontal	274	1.32	-	41.07	39.62	13.59	34.19
PK	17.15358G	67.82	68.20	-0.38	22.35	3	Horizontal	315	1.16	-	45.47	41.26	14.55	33.46



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1154G	49.48	54.00	-4.52	7.97	3	Vertical	347	1.50	-	41.51	31.94	10.08	34.05
AV	5.2618G	103.89	Inf	-Inf	7.40	3	Vertical	347	1.50	-	96.49	31.35	10.11	34.06
AV	5.3512G	48.22	54.00	-5.78	7.45	3	Vertical	347	1.50	-	40.77	31.35	10.16	34.06
PK	5.1418G	60.61	74.00	-13.39	7.86	3	Vertical	347	1.50	-	52.75	31.83	10.08	34.05
PK	5.2678G	114.80	Inf	-Inf	7.38	3	Vertical	347	1.50	-	107.42	31.33	10.11	34.06
PK	5.383G	60.27	74.00	-13.73	7.57	3	Vertical	347	1.50	-	52.70	31.45	10.18	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	50.75	54.00	-3.25	7.85	3	Horizontal	320	3.00	-	42.90	31.82	10.08	34.05
AV	5.257G	109.03	Inf	-Inf	7.42	3	Horizontal	320	3.00	-	101.61	31.37	10.11	34.06
AV	5.3614G	49.88	54.00	-4.12	7.49	3	Horizontal	320	3.00	-	42.39	31.38	10.17	34.06
PK	5.122G	62.07	74.00	-11.93	7.94	3	Horizontal	320	3.00	-	54.13	31.91	10.08	34.05
PK	5.2636G	120.18	Inf	-Inf	7.40	3	Horizontal	320	3.00	-	112.78	31.35	10.11	34.06
PK	5.3596G	61.67	74.00	-12.33	7.48	3	Horizontal	320	3.00	-	54.19	31.38	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7781G	53.82	54.00	-0.18	17.67	3	Vertical	12	1.50	-	36.15	38.19	13.73	34.25
PK	10.52736G	61.09	68.20	-7.11	18.21	3	Vertical	2	1.50	-	42.88	39.59	13.06	34.44
PK	15.7906G	64.92	74.00	-9.08	17.61	3	Vertical	12	1.50	-	47.31	38.15	13.73	34.27



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7833G	53.35	54.00	-0.65	17.64	3	Horizontal	315	1.60	-	35.71	38.17	13.73	34.26
PK	10.52672G	60.14	68.20	-8.06	18.20	3	Horizontal	289	1.00	-	41.94	39.58	13.06	34.44
PK	15.7708G	65.68	74.00	-8.32	17.69	3	Horizontal	315	1.60	-	47.99	38.21	13.73	34.25



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2956G	103.07	Inf	-Inf	7.29	3	Vertical	353	1.50	-	95.78	31.22	10.13	34.06
AV	5.35G	50.19	54.00	-3.81	7.45	3	Vertical	353	1.50	-	42.74	31.35	10.16	34.06
PK	5.3048G	114.38	Inf	-Inf	7.29	3	Vertical	353	1.50	-	107.09	31.21	10.14	34.06
PK	5.3508G	65.73	74.00	-8.27	7.45	3	Vertical	353	1.50	-	58.28	31.35	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	106.33	Inf	-Inf	7.27	3	Horizontal	315	2.97	-	99.06	31.20	10.13	34.06
AV	5.35G	52.40	54.00	-1.60	7.45	3	Horizontal	315	2.97	-	44.95	31.35	10.16	34.06
PK	5.3036G	117.41	Inf	-Inf	7.28	3	Horizontal	315	2.97	-	110.13	31.21	10.13	34.06
PK	5.3504G	68.94	74.00	-5.06	7.45	3	Horizontal	315	2.97	-	61.49	31.35	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89744G	53.79	54.00	-0.21	17.17	3	Vertical	321	1.34	-	36.62	37.82	13.73	34.38
PK	10.6064G	60.00	74.00	-14.00	18.40	3	Vertical	189	1.31	-	41.60	39.69	13.11	34.40
PK	15.9072G	67.28	74.00	-6.72	17.13	3	Vertical	321	1.34	-	50.15	37.79	13.73	34.39



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90072G	51.64	54.00	-2.36	17.16	3	Horizontal	314	1.50	-	34.48	37.81	13.73	34.38
PK	10.60888G	60.25	74.00	-13.75	18.41	3	Horizontal	333	1.50	-	41.84	39.69	13.11	34.39
PK	15.89088G	66.16	74.00	-7.84	17.20	3	Horizontal	314	1.50	-	48.96	37.84	13.73	34.37



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.315G	100.57	Inf	-Inf	7.32	3	Vertical	0	1.00	-	93.25	31.24	10.14	34.06
AV	5.3502G	52.89	54.00	-1.11	7.45	3	Vertical	0	1.00	-	45.44	31.35	10.16	34.06
PK	5.3152G	112.12	Inf	-Inf	7.33	3	Vertical	0	1.00	-	104.79	31.25	10.14	34.06
PK	5.35G	68.83	74.00	-5.17	7.45	3	Vertical	0	1.00	-	61.38	31.35	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3148G	102.72	Inf	-Inf	7.32	3	Horizontal	56	1.00	-	95.40	31.24	10.14	34.06
AV	5.3502G	53.70	54.00	-0.30	7.45	3	Horizontal	56	1.00	-	46.25	31.35	10.16	34.06
PK	5.3248G	114.48	Inf	-Inf	7.36	3	Horizontal	56	1.00	-	107.12	31.27	10.15	34.06
PK	5.35G	67.78	74.00	-6.22	7.45	3	Horizontal	56	1.00	-	60.33	31.35	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64144G	47.54	54.00	-6.46	18.48	3	Vertical	211	1.50	-	29.06	39.73	13.13	34.38
AV	15.95792G	48.15	54.00	-5.85	16.92	3	Vertical	1	1.50	-	31.23	37.63	13.73	34.44
PK	10.63592G	59.44	74.00	-14.56	18.47	3	Vertical	211	1.50	-	40.97	39.73	13.12	34.38
PK	15.97192G	60.33	74.00	-13.67	16.87	3	Vertical	1	1.50	-	43.46	37.59	13.73	34.45



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64116G	47.79	54.00	-6.21	18.48	3	Horizontal	136	1.50	-	29.31	39.73	13.13	34.38
AV	15.97456G	47.91	54.00	-6.09	16.86	3	Horizontal	70	1.50	-	31.05	37.58	13.73	34.45
PK	10.6397G	59.92	74.00	-14.08	18.48	3	Horizontal	136	1.50	-	41.44	39.73	13.13	34.38
PK	15.97376G	61.05	74.00	-12.95	16.86	3	Horizontal	70	1.50	-	44.19	37.58	13.73	34.45



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	48.30	54.00	-5.70	7.80	3	Vertical	319	2.88	-	40.50	31.67	10.20	34.07
AV	5.4966G	97.96	Inf	-Inf	7.93	3	Vertical	319	2.88	-	90.03	31.79	10.21	34.07
PK	5.4688G	64.27	68.20	-3.93	7.85	3	Vertical	319	2.88	-	56.42	31.71	10.21	34.07
PK	5.4992G	109.33	Inf	-Inf	7.94	3	Vertical	319	2.88	-	101.39	31.80	10.21	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.65	54.00	-4.35	7.81	3	Horizontal	313	3.00	-	41.84	31.68	10.20	34.07
AV	5.5074G	103.45	Inf	-Inf	7.94	3	Horizontal	313	3.00	-	95.51	31.79	10.22	34.07
PK	5.4696G	67.66	68.20	-0.54	7.85	3	Horizontal	313	3.00	-	59.81	31.71	10.21	34.07
PK	5.5034G	114.77	Inf	-Inf	7.94	3	Horizontal	313	3.00	-	106.83	31.79	10.22	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9994G	48.57	54.00	-5.43	19.37	3	Vertical	154	1.50	-	29.20	40.20	13.33	34.16
PK	10.99786G	60.38	74.00	-13.62	19.37	3	Vertical	154	1.50	-	41.01	40.20	13.33	34.16
PK	16.51624G	62.17	68.20	-6.03	19.05	3	Vertical	3	1.37	-	43.12	38.89	14.10	33.94



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99724G	48.68	54.00	-5.32	19.37	3	Horizontal	109	1.00	-	29.31	40.20	13.33	34.16
PK	10.9985G	61.15	74.00	-12.85	19.37	3	Horizontal	109	1.00	-	41.78	40.20	13.33	34.16
PK	16.51176G	62.19	68.20	-6.01	19.04	3	Horizontal	39	1.50	-	43.15	38.88	14.10	33.94



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	48.69	54.00	-5.31	7.78	3	Vertical	356	1.01	-	40.91	31.64	10.20	34.06
AV	5.5746G	103.17	Inf	-Inf	7.82	3	Vertical	356	1.01	-	95.35	31.65	10.24	34.07
PK	5.4666G	60.01	68.20	-8.19	7.84	3	Vertical	356	1.01	-	52.17	31.70	10.21	34.07
PK	5.5716G	114.28	Inf	-Inf	7.83	3	Vertical	356	1.01	-	106.45	31.66	10.24	34.07
PK	5.727G	59.52	68.20	-8.68	8.21	3	Vertical	356	1.01	-	51.31	31.88	10.40	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	48.28	54.00	-5.72	7.80	3	Horizontal	6	1.50	-	40.48	31.67	10.20	34.07
AV	5.5812G	102.00	Inf	-Inf	7.81	3	Horizontal	6	1.50	-	94.19	31.64	10.24	34.07
PK	5.469G	59.29	68.20	-8.91	7.85	3	Horizontal	6	1.50	-	51.44	31.71	10.21	34.07
PK	5.5752G	113.02	Inf	-Inf	7.82	3	Horizontal	6	1.50	-	105.20	31.65	10.24	34.07
PK	5.727G	59.77	68.20	-8.43	8.21	3	Horizontal	6	1.50	-	51.56	31.88	10.40	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15751G	48.79	54.00	-5.21	19.26	3	Vertical	47	2.74	-	29.53	40.00	13.43	34.17
PK	11.15767G	61.18	74.00	-12.82	19.26	3	Vertical	47	2.74	-	41.92	40.00	13.43	34.17
PK	16.73472G	67.00	68.20	-1.20	20.03	3	Vertical	320	1.34	-	46.97	39.48	14.26	33.71



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1575G	48.74	54.00	-5.26	19.26	3	Horizontal	359	1.50	-	29.48	40.00	13.43	34.17
PK	11.15769G	60.83	74.00	-13.17	19.26	3	Horizontal	359	1.50	-	41.57	40.00	13.43	34.17
PK	16.73968G	68.04	68.20	-0.16	20.06	3	Horizontal	320	1.36	-	47.98	39.50	14.26	33.70



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6956G	97.56	Inf	-Inf	8.08	3	Vertical	345	1.04	-	89.48	31.79	10.36	34.07
PK	5.7036G	108.50	Inf	-Inf	8.11	3	Vertical	345	1.04	-	100.39	31.81	10.37	34.07
PK	5.7252G	65.33	68.20	-2.87	8.21	3	Vertical	345	1.04	-	57.12	31.88	10.40	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7016G	102.39	Inf	-Inf	8.10	3	Horizontal	305	2.52	-	94.29	31.80	10.37	34.07
PK	5.694G	112.91	Inf	-Inf	8.08	3	Horizontal	305	2.52	-	104.83	31.79	10.36	34.07
PK	5.7252G	68.03	68.20	-0.17	8.21	3	Horizontal	305	2.52	-	59.82	31.88	10.40	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39843G	49.12	54.00	-4.88	19.07	3	Vertical	75	1.82	-	30.05	39.68	13.57	34.18
PK	11.40129G	61.04	74.00	-12.96	19.07	3	Vertical	75	1.82	-	41.97	39.68	13.57	34.18
PK	17.10284G	64.38	68.20	-3.82	21.98	3	Vertical	334	1.50	-	42.40	40.91	14.52	33.45



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39888G	48.75	54.00	-5.25	19.07	3	Horizontal	122	1.50	-	29.68	39.68	13.57	34.18
PK	11.4018G	61.21	74.00	-12.79	19.07	3	Horizontal	122	1.50	-	42.14	39.68	13.57	34.18
PK	17.1016G	64.77	68.20	-3.43	21.97	3	Horizontal	359	1.71	-	42.80	40.90	14.52	33.45



802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

13/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	47.99	54.00	-6.01	7.78	3	Vertical	350	1.00	-	40.21	31.64	10.20	34.06
AV	5.7152G	104.93	Inf	-Inf	8.16	3	Vertical	350	1.00	-	96.77	31.85	10.38	34.07
PK	5.4632G	59.38	68.20	-8.82	7.82	3	Vertical	350	1.00	-	51.56	31.69	10.20	34.07
PK	5.7176G	115.96	Inf	-Inf	8.17	3	Vertical	350	1.00	-	107.79	31.85	10.39	34.07
PK	5.8628G	61.92	68.20	-6.28	8.73	3	Vertical	350	1.00	-	53.19	32.29	10.52	34.08



802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

13/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	48.79	54.00	-5.21	7.76	3	Horizontal	307	2.49	-	41.03	31.62	10.20	34.06
AV	5.7212G	108.86	Inf	-Inf	8.18	3	Horizontal	307	2.49	-	100.68	31.86	10.39	34.07
PK	5.4656G	59.88	68.20	-8.32	7.84	3	Horizontal	307	2.49	-	52.04	31.70	10.21	34.07
PK	5.714G	119.65	Inf	-Inf	8.15	3	Horizontal	307	2.49	-	111.50	31.84	10.38	34.07
PK	5.864G	62.18	68.20	-6.02	8.73	3	Horizontal	307	2.49	-	53.45	32.29	10.52	34.08



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44086G	48.08	54.00	-5.92	19.03	3	Vertical	351	1.94	-	29.05	39.63	13.59	34.19
PK	11.43888G	61.18	74.00	-12.82	19.03	3	Vertical	351	1.94	-	42.15	39.63	13.59	34.19
PK	17.16876G	66.90	68.20	-1.30	22.47	3	Vertical	310	1.25	-	44.43	41.36	14.57	33.46



802.11ax HEW20_Nss2,(MCS0)_2TX

13/11/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4352G	48.32	54.00	-5.68	19.03	3	Horizontal	40	1.50	-	29.29	39.63	13.59	34.19
PK	11.44144G	60.49	74.00	-13.51	19.03	3	Horizontal	40	1.50	-	41.46	39.63	13.59	34.19
PK	17.15448G	67.81	68.20	-0.39	22.37	3	Horizontal	322	1.30	-	45.44	41.27	14.56	33.46



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.262G	99.77	Inf	-Inf	7.40	3	Vertical	347	1.50	-	92.37	31.35	10.11	34.06
AV	5.3504G	49.77	54.00	-4.23	7.45	3	Vertical	347	1.50	-	42.32	31.35	10.16	34.06
PK	5.266G	110.33	Inf	-Inf	7.39	3	Vertical	347	1.50	-	102.94	31.34	10.11	34.06
PK	5.3648G	63.51	74.00	-10.49	7.50	3	Vertical	347	1.50	-	56.01	31.39	10.17	34.06



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2616G	104.54	Inf	-Inf	7.40	3	Horizontal	319	3.00	-	97.14	31.35	10.11	34.06
AV	5.35G	53.81	54.00	-0.19	7.45	3	Horizontal	319	3.00	-	46.36	31.35	10.16	34.06
PK	5.2628G	116.17	Inf	-Inf	7.40	3	Horizontal	319	3.00	-	108.77	31.35	10.11	34.06
PK	5.3652G	70.02	74.00	-3.98	7.51	3	Horizontal	319	3.00	-	62.51	31.40	10.17	34.06



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8033G	49.68	54.00	-4.32	17.56	3	Vertical	14	1.50	-	32.12	38.11	13.73	34.28
PK	10.54264G	59.70	68.20	-8.50	18.25	3	Vertical	80	1.50	-	41.45	39.61	13.07	34.43
PK	15.8021G	61.80	74.00	-12.20	17.56	3	Vertical	14	1.50	-	44.24	38.11	13.73	34.28



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8051G	49.53	54.00	-4.47	17.55	3	Horizontal	313	1.50	-	31.98	38.10	13.73	34.28
PK	10.53168G	60.38	68.20	-7.82	18.21	3	Horizontal	184	1.50	-	42.17	39.59	13.06	34.44
PK	15.7869G	60.59	74.00	-13.41	17.63	3	Horizontal	313	1.50	-	42.96	38.16	13.73	34.26



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	94.46	Inf	-Inf	7.28	3	Vertical	347	1.50	-	87.18	31.21	10.13	34.06
AV	5.35G	50.11	54.00	-3.89	7.45	3	Vertical	347	1.50	-	42.66	31.35	10.16	34.06
PK	5.3036G	104.97	Inf	-Inf	7.28	3	Vertical	347	1.50	-	97.69	31.21	10.13	34.06
PK	5.35G	66.04	74.00	-7.96	7.45	3	Vertical	347	1.50	-	58.59	31.35	10.16	34.06



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	98.73	Inf	-Inf	7.28	3	Horizontal	323	2.94	-	91.45	31.21	10.13	34.06
AV	5.3508G	53.48	54.00	-0.52	7.45	3	Horizontal	323	2.94	-	46.03	31.35	10.16	34.06
PK	5.3208G	109.99	Inf	-Inf	7.34	3	Horizontal	323	2.94	-	102.65	31.26	10.14	34.06
PK	5.35G	73.46	74.00	-0.54	7.45	3	Horizontal	323	2.94	-	66.01	31.35	10.16	34.06



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62128G	47.78	54.00	-6.22	18.44	3	Vertical	356	1.85	-	29.34	39.71	13.12	34.39
AV	15.9189G	47.58	54.00	-6.42	17.08	3	Vertical	23	1.50	-	30.50	37.75	13.73	34.40
PK	10.61781G	59.99	74.00	-14.01	18.42	3	Vertical	356	1.85	-	41.57	39.70	13.11	34.39
PK	15.93816G	59.66	74.00	-14.34	17.00	3	Vertical	23	1.50	-	42.66	37.69	13.73	34.42



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61778G	47.54	54.00	-6.46	18.42	3	Horizontal	26	1.50	-	29.12	39.70	13.11	34.39
AV	15.94014G	47.97	54.00	-6.03	17.00	3	Horizontal	333	1.50	-	30.97	37.69	13.73	34.42
PK	10.62173G	60.20	74.00	-13.80	18.44	3	Horizontal	26	1.50	-	41.76	39.71	13.12	34.39
PK	15.92388G	60.31	74.00	-13.69	17.07	3	Horizontal	333	1.50	-	43.24	37.74	13.73	34.40



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	48.09	54.00	-5.91	7.80	3	Vertical	333	1.50	-	40.29	31.67	10.20	34.07
AV	5.5144G	91.04	Inf	-Inf	7.92	3	Vertical	333	1.50	-	83.12	31.77	10.22	34.07
PK	5.466G	61.19	68.20	-7.01	7.84	3	Vertical	333	1.50	-	53.35	31.70	10.21	34.07
PK	5.5052G	102.90	Inf	-Inf	7.94	3	Vertical	333	1.50	-	94.96	31.79	10.22	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	49.11	54.00	-4.89	7.81	3	Horizontal	309	3.00	-	41.30	31.68	10.20	34.07
AV	5.5164G	97.69	Inf	-Inf	7.92	3	Horizontal	309	3.00	-	89.77	31.77	10.22	34.07
PK	5.468G	67.83	68.20	-0.37	7.84	3	Horizontal	309	3.00	-	59.99	31.70	10.21	34.07
PK	5.5064G	109.35	Inf	-Inf	7.94	3	Horizontal	309	3.00	-	101.41	31.79	10.22	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01911G	49.03	54.00	-4.97	19.37	3	Vertical	118	1.41	-	29.66	40.18	13.35	34.16
PK	11.01912G	61.08	74.00	-12.92	19.37	3	Vertical	118	1.41	-	41.71	40.18	13.35	34.16
PK	16.53366G	62.35	68.20	-5.85	19.13	3	Vertical	150	1.11	-	43.22	38.94	14.11	33.92



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0179G	48.97	54.00	-5.03	19.37	3	Horizontal	359	1.50	-	29.60	40.18	13.35	34.16
PK	11.01821G	61.00	74.00	-13.00	19.37	3	Horizontal	359	1.50	-	41.63	40.18	13.35	34.16
PK	16.53372G	61.65	68.20	-6.55	19.13	3	Horizontal	166	1.50	-	42.52	38.94	14.11	33.92



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	49.90	54.00	-4.10	7.81	3	Vertical	337	1.50	-	42.09	31.68	10.20	34.07
AV	5.5548G	98.32	Inf	-Inf	7.85	3	Vertical	337	1.50	-	90.47	31.69	10.23	34.07
PK	5.4684G	66.00	68.20	-2.20	7.85	3	Vertical	337	1.50	-	58.15	31.71	10.21	34.07
PK	5.5544G	109.31	Inf	-Inf	7.85	3	Vertical	337	1.50	-	101.46	31.69	10.23	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.24	54.00	-3.76	7.81	3	Horizontal	4	1.50	-	42.43	31.68	10.20	34.07
AV	5.5584G	99.36	Inf	-Inf	7.84	3	Horizontal	4	1.50	-	91.52	31.68	10.23	34.07
PK	5.4684G	67.53	68.20	-0.67	7.85	3	Horizontal	4	1.50	-	59.68	31.71	10.21	34.07
PK	5.5568G	110.42	Inf	-Inf	7.85	3	Horizontal	4	1.50	-	102.57	31.69	10.23	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09772G	48.74	54.00	-5.26	19.29	3	Vertical	327	2.70	-	29.45	40.07	13.39	34.17
PK	11.10185G	60.85	74.00	-13.15	19.29	3	Vertical	327	2.70	-	41.56	40.07	13.39	34.17
PK	16.64508G	65.38	68.20	-2.82	19.63	3	Vertical	311	1.33	-	45.75	39.24	14.19	33.80



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0989G	49.00	54.00	-5.00	19.29	3	Horizontal	9	1.00	-	29.71	40.07	13.39	34.17
PK	11.09773G	60.69	74.00	-13.31	19.29	3	Horizontal	9	1.00	-	41.40	40.07	13.39	34.17
PK	16.65172G	66.02	68.20	-2.18	19.66	3	Horizontal	320	1.36	-	46.36	39.26	14.20	33.80



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6616G	96.13	Inf	-Inf	7.97	3	Vertical	345	1.00	-	88.16	31.72	10.32	34.07
PK	5.6672G	106.71	Inf	-Inf	7.98	3	Vertical	345	1.00	-	98.73	31.73	10.32	34.07
PK	5.7268G	64.10	68.20	-4.10	8.21	3	Vertical	345	1.00	-	55.89	31.88	10.40	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6688G	99.94	Inf	-Inf	8.00	3	Horizontal	305	2.92	-	91.94	31.74	10.33	34.07
PK	5.676G	111.09	Inf	-Inf	8.02	3	Horizontal	305	2.92	-	103.07	31.75	10.34	34.07
PK	5.7252G	67.92	68.20	-0.28	8.21	3	Horizontal	305	2.92	-	59.71	31.88	10.40	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34037G	47.94	54.00	-6.06	19.11	3	Vertical	294	1.50	-	28.83	39.76	13.53	34.18
PK	11.33795G	60.69	74.00	-13.31	19.11	3	Vertical	294	1.50	-	41.58	39.76	13.53	34.18
PK	17.00899G	64.50	68.20	-3.70	21.28	3	Vertical	19	1.50	-	43.22	40.26	14.45	33.43



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33938G	48.23	54.00	-5.77	19.11	3	Horizontal	218	1.50	-	29.12	39.76	13.53	34.18
PK	11.33903G	59.96	74.00	-14.04	19.11	3	Horizontal	218	1.50	-	40.85	39.76	13.53	34.18
PK	17.01069G	63.61	68.20	-4.59	21.29	3	Horizontal	225	1.50	-	42.32	40.27	14.45	33.43



802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX

13/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	48.19	54.00	-5.81	7.79	3	Vertical	347	1.11	-	40.40	31.66	10.20	34.07
AV	5.7076G	101.70	Inf	-Inf	8.12	3	Vertical	347	1.11	-	93.58	31.82	10.37	34.07
PK	5.46G	59.79	68.20	-8.41	7.81	3	Vertical	347	1.11	-	51.98	31.68	10.20	34.07
PK	5.7076G	113.00	Inf	-Inf	8.12	3	Vertical	347	1.11	-	104.88	31.82	10.37	34.07
PK	5.8516G	64.91	68.20	-3.29	8.68	3	Vertical	347	1.11	-	56.23	32.25	10.51	34.08



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.00	54.00	-5.00	7.81	3	Horizontal	302	2.95	-	41.19	31.68	10.20	34.07
AV	5.7148G	107.10	Inf	-Inf	8.15	3	Horizontal	302	2.95	-	98.95	31.84	10.38	34.07
PK	5.4652G	61.09	68.20	-7.11	7.84	3	Horizontal	302	2.95	-	53.25	31.70	10.21	34.07
PK	5.7052G	118.50	Inf	-Inf	8.12	3	Horizontal	302	2.95	-	110.38	31.82	10.37	34.07
PK	5.8648G	67.42	68.20	-0.78	8.73	3	Horizontal	302	2.95	-	58.69	32.29	10.52	34.08



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41903G	48.17	54.00	-5.83	19.05	3	Vertical	120	2.75	-	29.12	39.66	13.58	34.19
PK	11.41945G	60.20	74.00	-13.80	19.04	3	Vertical	120	2.75	-	41.16	39.65	13.58	34.19
PK	17.12706G	66.84	68.20	-1.36	22.16	3	Vertical	308	1.25	-	44.68	41.08	14.54	33.46



802.11ax HEW40_Nss2,(MCS0)_2TX

13/11/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41799G	48.42	54.00	-5.58	19.05	3	Horizontal	80	2.37	-	29.37	39.66	13.58	34.19
PK	11.41837G	59.95	74.00	-14.05	19.05	3	Horizontal	80	2.37	-	40.90	39.66	13.58	34.19
PK	17.13494G	67.26	68.20	-0.94	22.21	3	Horizontal	321	1.29	-	45.05	41.13	14.54	33.46



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.077G	50.63	54.00	-3.37	7.92	3	Vertical	343	1.50	-	42.71	31.89	10.08	34.05
AV	5.279G	93.15	Inf	-Inf	7.34	3	Vertical	343	1.50	-	85.81	31.28	10.12	34.06
AV	5.365G	49.77	54.00	-4.23	7.50	3	Vertical	343	1.50	-	42.27	31.39	10.17	34.06
PK	5.096G	60.79	74.00	-13.21	8.01	3	Vertical	343	1.50	-	52.78	31.98	10.08	34.05
PK	5.282G	102.45	Inf	-Inf	7.33	3	Vertical	343	1.50	-	95.12	31.27	10.12	34.06
PK	5.482G	59.89	68.20	-8.31	7.89	3	Vertical	343	1.50	-	52.00	31.75	10.21	34.07



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	51.12	54.00	-2.88	7.87	3	Horizontal	316	3.00	-	43.25	31.84	10.08	34.05
AV	5.277G	97.71	Inf	-Inf	7.35	3	Horizontal	316	3.00	-	90.36	31.29	10.12	34.06
AV	5.36G	53.83	54.00	-0.17	7.49	3	Horizontal	316	3.00	-	46.34	31.38	10.17	34.06
PK	5.105G	61.21	74.00	-12.79	8.01	3	Horizontal	316	3.00	-	53.20	31.98	10.08	34.05
PK	5.287G	107.14	Inf	-Inf	7.32	3	Horizontal	316	3.00	-	99.82	31.25	10.13	34.06
PK	5.501G	61.01	68.20	-7.19	7.95	3	Horizontal	316	3.00	-	53.06	31.80	10.22	34.07



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88356G	49.20	54.00	-4.80	17.23	3	Vertical	256	1.57	-	31.97	37.86	13.73	34.36
PK	10.58882G	59.86	68.20	-8.34	18.36	3	Vertical	135	1.47	-	41.50	39.67	13.10	34.41
PK	15.87414G	60.00	74.00	-14.00	17.27	3	Vertical	256	1.57	-	42.73	37.89	13.73	34.35



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8595G	49.46	54.00	-4.54	17.33	3	Horizontal	266	1.50	-	32.13	37.94	13.73	34.34
PK	10.58324G	60.10	68.20	-8.10	18.34	3	Horizontal	165	2.41	-	41.76	39.66	13.09	34.41
PK	15.86406G	61.00	74.00	-13.00	17.31	3	Horizontal	266	1.50	-	43.69	37.92	13.73	34.34



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.88	54.00	-3.12	7.81	3	Vertical	334	1.50	-	43.07	31.68	10.20	34.07
AV	5.543G	92.67	Inf	-Inf	7.87	3	Vertical	334	1.50	-	84.80	31.71	10.23	34.07
PK	5.466G	66.52	68.20	-1.68	7.84	3	Vertical	334	1.50	-	58.68	31.70	10.21	34.07
PK	5.529G	103.61	Inf	-Inf	7.89	3	Vertical	334	1.50	-	95.72	31.74	10.22	34.07
PK	5.777G	59.94	68.20	-8.26	8.41	3	Vertical	334	1.50	-	51.53	32.03	10.46	34.08



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	52.25	54.00	-1.75	7.80	3	Horizontal	3	1.50	-	44.45	31.67	10.20	34.07
AV	5.557G	94.42	Inf	-Inf	7.85	3	Horizontal	3	1.50	-	86.57	31.69	10.23	34.07
PK	5.465G	67.47	68.20	-0.73	7.84	3	Horizontal	3	1.50	-	59.63	31.70	10.21	34.07
PK	5.543G	104.30	Inf	-Inf	7.87	3	Horizontal	3	1.50	-	96.43	31.71	10.23	34.07
PK	5.759G	60.17	68.20	-8.03	8.34	3	Horizontal	3	1.50	-	51.83	31.98	10.44	34.08



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06288G	49.93	54.00	-4.07	19.33	3	Vertical	31	1.09	-	30.60	40.12	13.37	34.16
PK	11.05076G	61.11	74.00	-12.89	19.33	3	Vertical	31	1.09	-	41.78	40.13	13.36	34.16
PK	16.591G	62.55	68.20	-5.65	19.39	3	Vertical	110	1.45	-	43.16	39.10	14.15	33.86



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04752G	49.72	54.00	-4.28	19.34	3	Horizontal	35	1.78	-	30.38	40.14	13.36	34.16
PK	11.06996G	60.85	74.00	-13.15	19.33	3	Horizontal	35	1.78	-	41.52	40.11	13.38	34.16
PK	16.5941G	62.38	68.20	-5.82	19.39	3	Horizontal	360	2.99	-	42.99	39.10	14.15	33.86



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.71	54.00	-1.29	7.81	3	Vertical	345	1.00	-	44.90	31.68	10.20	34.07
AV	5.602G	99.69	Inf	-Inf	7.78	3	Vertical	345	1.00	-	91.91	31.60	10.25	34.07
PK	5.463G	67.29	68.20	-0.91	7.82	3	Vertical	345	1.00	-	59.47	31.69	10.20	34.07
PK	5.6G	109.37	Inf	-Inf	7.77	3	Vertical	345	1.00	-	101.60	31.60	10.24	34.07
PK	5.73G	68.00	68.20	-0.20	8.22	3	Vertical	345	1.00	-	59.78	31.89	10.40	34.07



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.44	54.00	-1.56	7.81	3	Horizontal	3	1.50	-	44.63	31.68	10.20	34.07
AV	5.6G	97.36	Inf	-Inf	7.77	3	Horizontal	3	1.50	-	89.59	31.60	10.24	34.07
PK	5.463G	66.81	68.20	-1.39	7.82	3	Horizontal	3	1.50	-	58.99	31.69	10.20	34.07
PK	5.6G	107.64	Inf	-Inf	7.77	3	Horizontal	3	1.50	-	99.87	31.60	10.24	34.07
PK	5.726G	66.10	68.20	-2.10	8.21	3	Horizontal	3	1.50	-	57.89	31.88	10.40	34.07



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22666G	49.54	54.00	-4.46	19.21	3	Vertical	53	1.29	-	30.33	39.91	13.47	34.17
PK	11.20884G	60.52	74.00	-13.48	19.22	3	Vertical	53	1.29	-	41.30	39.93	13.46	34.17
PK	16.84398G	63.75	68.20	-4.45	20.52	3	Vertical	340	2.00	-	43.23	39.78	14.33	33.59



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21142G	49.53	54.00	-4.47	19.22	3	Horizontal	193	1.98	-	30.31	39.93	13.46	34.17
PK	11.2134G	60.88	74.00	-13.12	19.21	3	Horizontal	193	1.98	-	41.67	39.92	13.46	34.17
PK	16.82664G	62.98	68.20	-5.22	20.44	3	Horizontal	311	1.28	-	42.54	39.73	14.32	33.61



802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX

13/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	49.20	54.00	-4.80	7.77	3	Vertical	332	1.50	-	41.43	31.63	10.20	34.06
AV	5.6588G	95.54	Inf	-Inf	7.96	3	Vertical	332	1.50	-	87.58	31.72	10.31	34.07
PK	5.4632G	59.23	68.20	-8.97	7.82	3	Vertical	332	1.50	-	51.41	31.69	10.20	34.07
PK	5.6888G	106.16	Inf	-Inf	8.06	3	Vertical	332	1.50	-	98.10	31.78	10.35	34.07
PK	5.8784G	60.85	68.20	-7.35	8.79	3	Vertical	332	1.50	-	52.06	32.34	10.53	34.08



802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX

13/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	50.38	54.00	-3.62	7.78	3	Horizontal	302	2.90	-	42.60	31.64	10.20	34.06
AV	5.7008G	103.43	Inf	-Inf	8.10	3	Horizontal	302	2.90	-	95.33	31.80	10.37	34.07
PK	5.468G	59.68	68.20	-8.52	7.84	3	Horizontal	302	2.90	-	51.84	31.70	10.21	34.07
PK	5.6888G	113.94	Inf	-Inf	8.06	3	Horizontal	302	2.90	-	105.88	31.78	10.35	34.07
PK	5.8652G	68.00	68.20	-0.20	8.74	3	Horizontal	302	2.90	-	59.26	32.30	10.52	34.08



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38174G	49.49	54.00	-4.51	19.08	3	Vertical	194	2.28	-	30.41	39.70	13.56	34.18
PK	11.37118G	60.62	74.00	-13.38	19.09	3	Vertical	194	2.28	-	41.53	39.72	13.55	34.18
PK	17.06148G	64.73	68.20	-3.47	21.67	3	Vertical	142	1.70	-	43.06	40.62	14.49	33.44



802.11ax HEW80_Nss2,(MCS0)_2TX

13/11/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39392G	49.74	54.00	-4.26	19.07	3	Horizontal	321	1.05	-	30.67	39.69	13.56	34.18
PK	11.3947G	59.85	74.00	-14.15	19.07	3	Horizontal	321	1.05	-	40.78	39.69	13.56	34.18
PK	17.07636G	64.21	68.20	-3.99	21.78	3	Horizontal	277	1.78	-	42.43	40.73	14.50	33.45



802.11ax HEW160_Nss2,(MCS0)_2TX

13/11/2019

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	51.85	54.00	-2.15	7.88	3	Vertical	346	1.50	-	43.97	31.85	10.08	34.05
AV	5.2344G	87.56	Inf	-Inf	7.51	3	Vertical	346	1.50	-	80.05	31.46	10.10	34.05
AV	5.3784G	50.33	54.00	-3.67	7.56	3	Vertical	346	1.50	-	42.77	31.44	10.18	34.06
PK	5.0772G	61.16	74.00	-12.84	7.92	3	Vertical	346	1.50	-	53.24	31.89	10.08	34.05
PK	5.2248G	97.19	Inf	-Inf	7.54	3	Vertical	346	1.50	-	89.65	31.50	10.09	34.05
PK	5.5176G	60.67	68.20	-7.53	7.91	3	Vertical	346	1.50	-	52.76	31.76	10.22	34.07



802.11ax HEW160_Nss2,(MCS0)_2TX

13/11/2019

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1156G	53.13	54.00	-0.87	7.97	3	Horizontal	57	1.00	-	45.16	31.94	10.08	34.05
AV	5.2596G	89.30	Inf	-Inf	7.41	3	Horizontal	57	1.00	-	81.89	31.36	10.11	34.06
AV	5.3748G	52.88	54.00	-1.12	7.53	3	Horizontal	57	1.00	-	45.35	31.42	10.17	34.06
PK	5.1456G	63.70	74.00	-10.30	7.85	3	Horizontal	57	1.00	-	55.85	31.82	10.08	34.05
PK	5.1948G	99.07	Inf	-Inf	7.65	3	Horizontal	57	1.00	-	91.42	31.62	10.08	34.05
PK	5.5356G	59.73	68.20	-8.47	7.88	3	Horizontal	57	1.00	-	51.85	31.73	10.22	34.07



802.11ax HEW160_Nss2,(MCS0)_2TX

13/11/2019

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7371G	48.70	54.00	-5.30	17.84	3	Vertical	242	1.31	-	30.86	38.31	13.74	34.21
PK	10.50834G	59.48	68.20	-8.72	18.16	3	Vertical	34	1.73	-	41.32	39.56	13.05	34.45
PK	15.7647G	60.44	74.00	-13.56	17.72	3	Vertical	242	1.31	-	42.72	38.23	13.73	34.24



802.11ax HEW160_Nss2,(MCS0)_2TX

13/11/2019

5250MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74604G	49.43	54.00	-4.57	17.80	3	Horizontal	181	2.43	-	31.63	38.29	13.73	34.22
PK	10.49544G	60.24	68.20	-7.96	18.12	3	Horizontal	152	1.67	-	42.12	39.54	13.04	34.46
PK	15.75372G	60.59	74.00	-13.41	17.76	3	Horizontal	181	2.43	-	42.83	38.26	13.73	34.23