




802.11ax HEW160_Nss1,(MCS0)_4TX

15/11/2019

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.60	54.00	-0.40	7.81	3	Vertical	5	3.00	-	45.79	31.68	10.20	34.07
AV	5.5604G	94.07	Inf	-Inf	7.84	3	Vertical	5	3.00	-	86.23	31.68	10.23	34.07
PK	5.4608G	61.38	68.20	-6.82	7.81	3	Vertical	5	3.00	-	53.57	31.68	10.20	34.07
PK	5.546G	104.29	Inf	-Inf	7.87	3	Vertical	5	3.00	-	96.42	31.71	10.23	34.07
PK	5.7344G	61.97	68.20	-6.23	8.24	3	Vertical	5	3.00	-	53.73	31.90	10.41	34.07



802.11ax HEW160_Nss1,(MCS0)_4TX

15/11/2019

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	53.45	54.00	-0.55	7.80	3	Horizontal	293	1.82	-	45.65	31.67	10.20	34.07
AV	5.594G	94.85	Inf	-Inf	7.78	3	Horizontal	293	1.82	-	87.07	31.61	10.24	34.07
PK	5.4644G	63.98	68.20	-4.22	7.83	3	Horizontal	293	1.82	-	56.15	31.69	10.21	34.07
PK	5.5736G	105.94	Inf	-Inf	7.82	3	Horizontal	293	1.82	-	98.12	31.65	10.24	34.07
PK	5.7392G	62.97	68.20	-5.23	8.26	3	Horizontal	293	1.82	-	54.71	31.92	10.41	34.07



802.11ax HEW160_Nss1,(MCS0)_4TX

15/11/2019

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14426G	49.87	54.00	-4.13	19.26	3	Vertical	3	1.08	-	30.61	40.01	13.42	34.17
PK	11.12782G	60.47	74.00	-13.53	19.27	3	Vertical	3	1.08	-	41.20	40.03	13.41	34.17
PK	16.70166G	62.86	68.20	-5.34	19.88	3	Vertical	109	1.50	-	42.98	39.39	14.23	33.74



802.11ax HEW160_Nss1,(MCS0)_4TX

15/11/2019

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13316G	49.50	54.00	-4.50	19.27	3	Horizontal	299	1.50	-	30.23	40.03	13.41	34.17
PK	11.14564G	60.38	74.00	-13.62	19.26	3	Horizontal	299	1.50	-	41.12	40.01	13.42	34.17
PK	16.7025G	62.10	68.20	-6.10	19.89	3	Horizontal	0	1.50	-	42.21	39.40	14.23	33.74



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	5.35G	53.90	54.00	-0.10	3	Horizontal	313	2.79	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.3524G	53.70	54.00	-0.30	3	Horizontal	293	3.00	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5.384G	53.56	54.00	-0.44	3	Horizontal	311	2.78	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	5.3808G	53.69	54.00	-0.31	3	Horizontal	41	1.04	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	17.15928G	67.95	68.20	-0.25	3	Vertical	304	1.34	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.4576G	53.87	54.00	-0.13	3	Horizontal	302	2.65	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5.443G	53.80	54.00	-0.20	3	Horizontal	305	3.00	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	5.4572G	53.55	54.00	-0.45	3	Horizontal	294	2.05	-



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_4T4S

Appendix D.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1448G	50.50	54.00	-3.50	3	Vertical	342	3.00	-
5260MHz	Pass	AV	5.257G	109.33	Inf	-Inf	3	Vertical	342	3.00	-
5260MHz	Pass	AV	5.35G	49.46	54.00	-4.54	3	Vertical	342	3.00	-
5260MHz	Pass	PK	5.1148G	62.90	74.00	-11.10	3	Vertical	342	3.00	-
5260MHz	Pass	PK	5.2516G	120.69	Inf	-Inf	3	Vertical	342	3.00	-
5260MHz	Pass	PK	5.3596G	61.68	74.00	-12.32	3	Vertical	342	3.00	-
5260MHz	Pass	AV	5.1472G	51.18	54.00	-2.82	3	Horizontal	312	1.80	-
5260MHz	Pass	AV	5.2558G	110.89	Inf	-Inf	3	Horizontal	312	1.80	-
5260MHz	Pass	AV	5.362G	50.66	54.00	-3.34	3	Horizontal	312	1.80	-
5260MHz	Pass	PK	5.1268G	62.92	74.00	-11.08	3	Horizontal	312	1.80	-
5260MHz	Pass	PK	5.2552G	123.44	Inf	-Inf	3	Horizontal	312	1.80	-
5260MHz	Pass	PK	5.356G	62.36	74.00	-11.64	3	Horizontal	312	1.80	-
5260MHz	Pass	AV	15.77634G	52.11	54.00	-1.89	3	Vertical	330	1.50	-
5260MHz	Pass	PK	10.5234G	59.12	68.20	-9.08	3	Vertical	215	2.34	-
5260MHz	Pass	PK	15.78486G	65.72	74.00	-8.28	3	Vertical	330	1.50	-
5260MHz	Pass	AV	15.77628G	53.73	54.00	-0.27	3	Horizontal	312	1.50	-
5260MHz	Pass	PK	10.51622G	60.64	68.20	-7.56	3	Horizontal	334	1.58	-
5260MHz	Pass	PK	15.77934G	66.70	74.00	-7.30	3	Horizontal	312	1.50	-
5300MHz	Pass	AV	5.2952G	105.13	Inf	-Inf	3	Vertical	355	1.50	-
5300MHz	Pass	AV	5.35G	51.23	54.00	-2.77	3	Vertical	355	1.50	-
5300MHz	Pass	PK	5.2988G	117.26	Inf	-Inf	3	Vertical	355	1.50	-
5300MHz	Pass	PK	5.3544G	65.12	74.00	-8.88	3	Vertical	355	1.50	-
5300MHz	Pass	AV	5.3016G	108.42	Inf	-Inf	3	Horizontal	313	2.79	-
5300MHz	Pass	AV	5.35G	53.90	54.00	-0.10	3	Horizontal	313	2.79	-
5300MHz	Pass	PK	5.2932G	120.70	Inf	-Inf	3	Horizontal	313	2.79	-
5300MHz	Pass	PK	5.3504G	68.49	74.00	-5.51	3	Horizontal	313	2.79	-
5300MHz	Pass	AV	10.60064G	48.57	54.00	-5.43	3	Vertical	0	1.29	-
5300MHz	Pass	AV	15.90236G	51.49	54.00	-2.51	3	Vertical	2	1.47	-
5300MHz	Pass	PK	10.59866G	61.53	68.20	-6.67	3	Vertical	0	1.29	-
5300MHz	Pass	PK	15.90236G	64.25	74.00	-9.75	3	Vertical	2	1.47	-
5300MHz	Pass	AV	10.60228G	47.63	54.00	-6.37	3	Horizontal	331	1.04	-
5300MHz	Pass	AV	15.8934G	49.67	54.00	-4.33	3	Horizontal	37	1.50	-
5300MHz	Pass	PK	10.60392G	60.42	74.00	-13.58	3	Horizontal	331	1.04	-
5300MHz	Pass	PK	15.90192G	62.14	74.00	-11.86	3	Horizontal	37	1.50	-
5320MHz	Pass	AV	5.3276G	101.78	Inf	-Inf	3	Vertical	353	1.00	-
5320MHz	Pass	AV	5.3506G	52.96	54.00	-1.04	3	Vertical	353	1.00	-
5320MHz	Pass	PK	5.3212G	113.98	Inf	-Inf	3	Vertical	353	1.00	-
5320MHz	Pass	PK	5.3502G	67.94	74.00	-6.06	3	Vertical	353	1.00	-
5320MHz	Pass	AV	5.3216G	103.35	Inf	-Inf	3	Horizontal	311	2.93	-
5320MHz	Pass	AV	5.3504G	53.88	54.00	-0.12	3	Horizontal	311	2.93	-
5320MHz	Pass	PK	5.312G	116.60	Inf	-Inf	3	Horizontal	311	2.93	-
5320MHz	Pass	PK	5.35G	69.57	74.00	-4.43	3	Horizontal	311	2.93	-
5320MHz	Pass	AV	10.64036G	47.81	54.00	-6.19	3	Vertical	359	1.50	-
5320MHz	Pass	AV	15.97494G	47.87	54.00	-6.13	3	Vertical	338	1.50	-
5320MHz	Pass	PK	10.6412G	60.42	74.00	-13.58	3	Vertical	359	1.50	-
5320MHz	Pass	PK	15.96312G	59.68	74.00	-14.32	3	Vertical	338	1.50	-
5320MHz	Pass	AV	10.65206G	48.16	54.00	-5.84	3	Horizontal	322	1.50	-

Remark :

Page No. : D2 of D84

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1_Radio 2_4T4S

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	15.95574G	47.79	54.00	-6.21	3	Horizontal	255	2.69	-
5320MHz	Pass	PK	10.6301G	60.37	74.00	-13.63	3	Horizontal	322	1.50	-
5320MHz	Pass	PK	15.95466G	60.18	74.00	-13.82	3	Horizontal	255	2.69	-
5500MHz	Pass	AV	5.456G	49.15	54.00	-4.85	3	Vertical	1	1.02	-
5500MHz	Pass	AV	5.5026G	101.63	Inf	-Inf	3	Vertical	1	1.02	-
5500MHz	Pass	PK	5.4552G	61.20	74.00	-12.80	3	Vertical	1	1.02	-
5500MHz	Pass	PK	5.4682G	65.68	68.20	-2.52	3	Vertical	1	1.02	-
5500MHz	Pass	PK	5.4994G	112.46	Inf	-Inf	3	Vertical	1	1.02	-
5500MHz	Pass	AV	5.458G	49.39	54.00	-4.61	3	Horizontal	304	2.97	-
5500MHz	Pass	AV	5.4962G	103.04	Inf	-Inf	3	Horizontal	304	2.97	-
5500MHz	Pass	PK	5.47G	67.91	68.20	-0.29	3	Horizontal	304	2.97	-
5500MHz	Pass	PK	5.498G	116.95	Inf	-Inf	3	Horizontal	304	2.97	-
5500MHz	Pass	AV	10.9967G	48.81	54.00	-5.19	3	Vertical	12	2.31	-
5500MHz	Pass	PK	10.9922G	60.66	74.00	-13.34	3	Vertical	12	2.31	-
5500MHz	Pass	PK	16.51236G	61.86	68.20	-6.34	3	Vertical	150	1.10	-
5500MHz	Pass	AV	10.99994G	48.87	54.00	-5.13	3	Horizontal	231	2.22	-
5500MHz	Pass	PK	11.0105G	61.39	74.00	-12.61	3	Horizontal	231	2.22	-
5500MHz	Pass	PK	16.50408G	62.02	68.20	-6.18	3	Horizontal	18	1.50	-
5580MHz	Pass	AV	5.4564G	48.39	54.00	-5.61	3	Vertical	339	1.49	-
5580MHz	Pass	AV	5.5782G	104.41	Inf	-Inf	3	Vertical	339	1.49	-
5580MHz	Pass	PK	5.4654G	60.13	68.20	-8.07	3	Vertical	339	1.49	-
5580MHz	Pass	PK	5.5824G	115.34	Inf	-Inf	3	Vertical	339	1.49	-
5580MHz	Pass	PK	5.7288G	60.27	68.20	-7.93	3	Vertical	339	1.49	-
5580MHz	Pass	AV	5.4516G	49.56	54.00	-4.44	3	Horizontal	319	1.00	-
5580MHz	Pass	AV	5.5782G	108.33	Inf	-Inf	3	Horizontal	319	1.00	-
5580MHz	Pass	PK	5.4642G	61.51	68.20	-6.69	3	Horizontal	319	1.00	-
5580MHz	Pass	PK	5.586G	120.19	Inf	-Inf	3	Horizontal	319	1.00	-
5580MHz	Pass	PK	5.73G	60.80	68.20	-7.40	3	Horizontal	319	1.00	-
5580MHz	Pass	AV	11.16476G	48.05	54.00	-5.95	3	Vertical	171	2.45	-
5580MHz	Pass	PK	11.1637G	60.24	74.00	-13.76	3	Vertical	171	2.45	-
5580MHz	Pass	PK	16.73556G	67.88	68.20	-0.32	3	Vertical	310	1.50	-
5580MHz	Pass	AV	11.15924G	48.25	54.00	-5.75	3	Horizontal	120	1.99	-
5580MHz	Pass	PK	11.16026G	60.56	74.00	-13.44	3	Horizontal	120	1.99	-
5580MHz	Pass	PK	16.73936G	64.79	68.20	-3.41	3	Horizontal	297	2.12	-
5700MHz	Pass	AV	5.704G	98.95	Inf	-Inf	3	Vertical	337	2.97	-
5700MHz	Pass	PK	5.702G	109.76	Inf	-Inf	3	Vertical	337	2.97	-
5700MHz	Pass	PK	5.728G	65.05	68.20	-3.15	3	Vertical	337	2.97	-
5700MHz	Pass	AV	5.6976G	99.53	Inf	-Inf	3	Horizontal	315	1.50	-
5700MHz	Pass	PK	5.6936G	112.22	Inf	-Inf	3	Horizontal	315	1.50	-
5700MHz	Pass	PK	5.7268G	67.77	68.20	-0.43	3	Horizontal	315	1.50	-
5700MHz	Pass	AV	11.394G	48.45	54.00	-5.55	3	Vertical	301	1.31	-
5700MHz	Pass	PK	11.397G	60.28	74.00	-13.72	3	Vertical	301	1.31	-
5700MHz	Pass	PK	17.10468G	64.71	68.20	-3.49	3	Vertical	55	1.32	-
5700MHz	Pass	AV	11.39664G	48.32	54.00	-5.68	3	Horizontal	40	1.16	-
5700MHz	Pass	PK	11.4096G	60.64	74.00	-13.36	3	Horizontal	40	1.16	-
5700MHz	Pass	PK	17.08836G	65.16	68.20	-3.04	3	Horizontal	291	1.92	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4344G	48.64	54.00	-5.36	3	Vertical	359	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	108.72	Inf	-Inf	3	Vertical	359	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.26	68.20	-8.94	3	Vertical	359	2.91	-

Remark :

Page No. : D3 of D84

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1_Radio 2_4T4S

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	119.58	Inf	-Inf	3	Vertical	359	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.936G	62.03	68.20	-6.17	3	Vertical	359	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	49.86	54.00	-4.14	3	Horizontal	33	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	111.24	Inf	-Inf	3	Horizontal	33	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.29	68.20	-7.91	3	Horizontal	33	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	123.00	Inf	-Inf	3	Horizontal	33	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9552G	62.59	68.20	-5.61	3	Horizontal	33	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43382G	48.38	54.00	-5.62	3	Vertical	117	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4499G	60.57	74.00	-13.43	3	Vertical	117	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15928G	67.95	68.20	-0.25	3	Vertical	304	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45368G	48.34	54.00	-5.66	3	Horizontal	54	1.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43058G	60.04	74.00	-13.96	3	Horizontal	54	1.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15064G	65.97	68.20	-2.23	3	Horizontal	304	1.50	-
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2692G	103.19	Inf	-Inf	3	Vertical	338	2.84	-
5270MHz	Pass	AV	5.3504G	50.28	54.00	-3.72	3	Vertical	338	2.84	-
5270MHz	Pass	PK	5.2768G	113.44	Inf	-Inf	3	Vertical	338	2.84	-
5270MHz	Pass	PK	5.356G	61.20	74.00	-12.80	3	Vertical	338	2.84	-
5270MHz	Pass	AV	5.264G	105.95	Inf	-Inf	3	Horizontal	319	3.00	-
5270MHz	Pass	AV	5.3532G	53.63	54.00	-0.37	3	Horizontal	319	3.00	-
5270MHz	Pass	PK	5.2656G	115.51	Inf	-Inf	3	Horizontal	319	3.00	-
5270MHz	Pass	PK	5.3508G	64.90	74.00	-9.10	3	Horizontal	319	3.00	-
5270MHz	Pass	AV	15.8109G	50.08	54.00	-3.92	3	Vertical	359	1.67	-
5270MHz	Pass	PK	10.54456G	59.93	68.20	-8.27	3	Vertical	1	1.66	-
5270MHz	Pass	PK	15.80598G	60.86	74.00	-13.14	3	Vertical	359	1.67	-
5270MHz	Pass	AV	15.80694G	49.86	54.00	-4.14	3	Horizontal	64	1.50	-
5270MHz	Pass	PK	10.52722G	59.67	68.20	-8.53	3	Horizontal	344	1.50	-
5270MHz	Pass	PK	15.81102G	60.13	74.00	-13.87	3	Horizontal	64	1.50	-
5310MHz	Pass	AV	5.3232G	98.53	Inf	-Inf	3	Vertical	302	2.07	-
5310MHz	Pass	AV	5.3548G	52.71	54.00	-1.29	3	Vertical	302	2.07	-
5310MHz	Pass	PK	5.3156G	109.77	Inf	-Inf	3	Vertical	302	2.07	-
5310MHz	Pass	PK	5.356G	64.05	74.00	-9.95	3	Vertical	302	2.07	-
5310MHz	Pass	AV	5.3108G	101.25	Inf	-Inf	3	Horizontal	293	3.00	-
5310MHz	Pass	AV	5.3524G	53.70	54.00	-0.30	3	Horizontal	293	3.00	-
5310MHz	Pass	PK	5.316G	110.92	Inf	-Inf	3	Horizontal	293	3.00	-
5310MHz	Pass	PK	5.3524G	64.62	74.00	-9.38	3	Horizontal	293	3.00	-
5310MHz	Pass	AV	10.61004G	48.74	54.00	-5.26	3	Vertical	34	1.50	-
5310MHz	Pass	AV	15.94326G	49.20	54.00	-4.80	3	Vertical	199	2.73	-
5310MHz	Pass	PK	10.62468G	60.05	74.00	-13.95	3	Vertical	34	1.50	-
5310MHz	Pass	PK	15.9432G	59.65	74.00	-14.35	3	Vertical	199	2.73	-
5310MHz	Pass	AV	10.61448G	49.44	54.00	-4.56	3	Horizontal	356	1.50	-
5310MHz	Pass	AV	15.92892G	49.54	54.00	-4.46	3	Horizontal	359	1.75	-
5310MHz	Pass	PK	10.62198G	60.51	74.00	-13.49	3	Horizontal	356	1.50	-
5310MHz	Pass	PK	15.936G	59.63	74.00	-14.37	3	Horizontal	359	1.75	-
5510MHz	Pass	AV	5.452G	51.33	54.00	-2.67	3	Vertical	11	3.00	-
5510MHz	Pass	AV	5.512G	100.41	Inf	-Inf	3	Vertical	11	3.00	-
5510MHz	Pass	PK	5.47G	65.10	68.20	-3.10	3	Vertical	11	3.00	-
5510MHz	Pass	PK	5.5144G	110.62	Inf	-Inf	3	Vertical	11	3.00	-
5510MHz	Pass	AV	5.4588G	51.85	54.00	-2.15	3	Horizontal	303	3.00	-

Remark :

Page No. : D4 of D84

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)



RSE TX above 1GHz
Non-Beamforming Sample 1_Radio 2_4T4S

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	5.5108G	102.13	Inf	-Inf	3	Horizontal	303	3.00	-
5510MHz	Pass	PK	5.4628G	67.74	68.20	-0.46	3	Horizontal	303	3.00	-
5510MHz	Pass	PK	5.5208G	112.38	Inf	-Inf	3	Horizontal	303	3.00	-
5510MHz	Pass	AV	11.0182G	50.32	54.00	-3.68	3	Vertical	130	1.50	-
5510MHz	Pass	PK	11.03416G	60.57	74.00	-13.43	3	Vertical	130	1.50	-
5510MHz	Pass	PK	16.54254G	62.14	68.20	-6.06	3	Vertical	261	2.36	-
5510MHz	Pass	AV	11.02252G	50.12	54.00	-3.88	3	Horizontal	216	1.50	-
5510MHz	Pass	PK	11.02876G	61.44	74.00	-12.56	3	Horizontal	216	1.50	-
5510MHz	Pass	PK	16.52046G	61.42	68.20	-6.78	3	Horizontal	132	1.63	-
5550MHz	Pass	AV	5.458G	51.91	54.00	-2.09	3	Vertical	9	3.00	-
5550MHz	Pass	AV	5.5532G	104.65	Inf	-Inf	3	Vertical	9	3.00	-
5550MHz	Pass	PK	5.47G	62.79	68.20	-5.41	3	Vertical	9	3.00	-
5550MHz	Pass	PK	5.5544G	113.62	Inf	-Inf	3	Vertical	9	3.00	-
5550MHz	Pass	AV	5.4576G	53.87	54.00	-0.13	3	Horizontal	302	2.65	-
5550MHz	Pass	AV	5.5508G	106.56	Inf	-Inf	3	Horizontal	302	2.65	-
5550MHz	Pass	PK	5.4688G	66.16	68.20	-2.04	3	Horizontal	302	2.65	-
5550MHz	Pass	PK	5.562G	116.67	Inf	-Inf	3	Horizontal	302	2.65	-
5550MHz	Pass	AV	11.08548G	50.25	54.00	-3.75	3	Vertical	103	1.50	-
5550MHz	Pass	PK	11.10144G	60.69	74.00	-13.31	3	Vertical	103	1.50	-
5550MHz	Pass	PK	16.65924G	63.61	68.20	-4.59	3	Vertical	17	2.75	-
5550MHz	Pass	AV	11.08536G	50.09	54.00	-3.91	3	Horizontal	92	1.50	-
5550MHz	Pass	PK	11.1033G	61.04	74.00	-12.96	3	Horizontal	92	1.50	-
5550MHz	Pass	PK	16.63818G	64.15	68.20	-4.05	3	Horizontal	316	1.14	-
5670MHz	Pass	AV	5.6556G	99.37	Inf	-Inf	3	Vertical	332	2.99	-
5670MHz	Pass	PK	5.6586G	109.59	Inf	-Inf	3	Vertical	332	2.99	-
5670MHz	Pass	PK	5.7258G	62.62	68.20	-5.58	3	Vertical	332	2.99	-
5670MHz	Pass	AV	5.6724G	101.91	Inf	-Inf	3	Horizontal	320	1.67	-
5670MHz	Pass	PK	5.6634G	111.22	Inf	-Inf	3	Horizontal	320	1.67	-
5670MHz	Pass	PK	5.7288G	67.76	68.20	-0.44	3	Horizontal	320	1.67	-
5670MHz	Pass	AV	11.3517G	49.40	54.00	-4.60	3	Vertical	0	2.32	-
5670MHz	Pass	PK	11.33136G	59.79	74.00	-14.21	3	Vertical	0	2.32	-
5670MHz	Pass	PK	17.00634G	63.26	68.20	-4.94	3	Vertical	281	2.66	-
5670MHz	Pass	AV	11.32794G	49.69	54.00	-4.31	3	Horizontal	342	1.60	-
5670MHz	Pass	PK	11.32872G	60.20	74.00	-13.80	3	Horizontal	342	1.60	-
5670MHz	Pass	PK	17.01894G	63.36	68.20	-4.84	3	Horizontal	0	1.99	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4256G	50.11	54.00	-3.89	3	Vertical	360	2.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7076G	107.56	Inf	-Inf	3	Vertical	360	2.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	59.84	68.20	-8.36	3	Vertical	360	2.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	117.10	Inf	-Inf	3	Vertical	360	2.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8696G	65.70	68.20	-2.50	3	Vertical	360	2.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4424G	51.21	54.00	-2.79	3	Horizontal	310	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	109.12	Inf	-Inf	3	Horizontal	310	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	60.91	68.20	-7.29	3	Horizontal	310	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	119.51	Inf	-Inf	3	Horizontal	310	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	67.95	68.20	-0.25	3	Horizontal	310	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4119G	49.42	54.00	-4.58	3	Vertical	86	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42714G	60.06	74.00	-13.94	3	Vertical	86	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12502G	66.87	68.20	-1.33	3	Vertical	301	1.29	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4236G	49.92	54.00	-4.08	3	Horizontal	299	1.04	-

Remark :

Page No. : D5 of D84

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1_Radio 2_4T4S

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41148G	60.52	74.00	-13.48	3	Horizontal	299	1.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13294G	65.02	68.20	-3.18	3	Horizontal	301	1.50	-
802.11ax HEW80_Nss4,(MCSO)_4TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.099G	50.94	54.00	-3.06	3	Vertical	302	2.20	-
5290MHz	Pass	AV	5.3G	94.20	Inf	-Inf	3	Vertical	302	2.20	-
5290MHz	Pass	AV	5.355G	53.19	54.00	-0.81	3	Vertical	302	2.20	-
5290MHz	Pass	PK	5.096G	62.11	74.00	-11.89	3	Vertical	302	2.20	-
5290MHz	Pass	PK	5.295G	106.35	Inf	-Inf	3	Vertical	302	2.20	-
5290MHz	Pass	PK	5.512G	60.38	68.20	-7.82	3	Vertical	302	2.20	-
5290MHz	Pass	AV	5.126G	51.86	54.00	-2.14	3	Horizontal	311	2.78	-
5290MHz	Pass	AV	5.303G	97.13	Inf	-Inf	3	Horizontal	311	2.78	-
5290MHz	Pass	AV	5.384G	53.56	54.00	-0.44	3	Horizontal	311	2.78	-
5290MHz	Pass	PK	5.12G	61.96	74.00	-12.04	3	Horizontal	311	2.78	-
5290MHz	Pass	PK	5.303G	108.48	Inf	-Inf	3	Horizontal	311	2.78	-
5290MHz	Pass	PK	5.533G	61.52	68.20	-6.68	3	Horizontal	311	2.78	-
5290MHz	Pass	AV	15.87048G	49.46	54.00	-4.54	3	Vertical	265	1.41	-
5290MHz	Pass	PK	10.57118G	60.62	68.20	-7.58	3	Vertical	18	1.78	-
5290MHz	Pass	PK	15.87738G	59.51	74.00	-14.49	3	Vertical	265	1.41	-
5290MHz	Pass	AV	15.86478G	49.40	54.00	-4.60	3	Horizontal	143	2.72	-
5290MHz	Pass	PK	10.59128G	59.59	68.20	-8.61	3	Horizontal	182	2.11	-
5290MHz	Pass	PK	15.87528G	60.23	74.00	-13.77	3	Horizontal	143	2.72	-
5530MHz	Pass	AV	5.433G	52.63	54.00	-1.37	3	Vertical	7	2.99	-
5530MHz	Pass	AV	5.54G	96.37	Inf	-Inf	3	Vertical	7	2.99	-
5530MHz	Pass	PK	5.47G	63.20	68.20	-5.00	3	Vertical	7	2.99	-
5530MHz	Pass	PK	5.532G	106.68	Inf	-Inf	3	Vertical	7	2.99	-
5530MHz	Pass	PK	5.75G	61.41	68.20	-6.79	3	Vertical	7	2.99	-
5530MHz	Pass	AV	5.443G	53.80	54.00	-0.20	3	Horizontal	305	3.00	-
5530MHz	Pass	AV	5.521G	98.82	Inf	-Inf	3	Horizontal	305	3.00	-
5530MHz	Pass	PK	5.465G	64.65	68.20	-3.55	3	Horizontal	305	3.00	-
5530MHz	Pass	PK	5.541G	110.00	Inf	-Inf	3	Horizontal	305	3.00	-
5530MHz	Pass	PK	5.775G	61.49	68.20	-6.71	3	Horizontal	305	3.00	-
5530MHz	Pass	AV	11.0522G	50.19	54.00	-3.81	3	Vertical	158	1.49	-
5530MHz	Pass	PK	11.0546G	61.07	74.00	-12.93	3	Vertical	158	1.49	-
5530MHz	Pass	PK	16.59492G	62.70	68.20	-5.50	3	Vertical	270	1.50	-
5530MHz	Pass	AV	11.048G	50.22	54.00	-3.78	3	Horizontal	270	1.00	-
5530MHz	Pass	PK	11.06924G	61.10	74.00	-12.90	3	Horizontal	270	1.00	-
5530MHz	Pass	PK	16.58052G	62.00	68.20	-6.20	3	Horizontal	1	1.50	-
5610MHz	Pass	AV	5.454G	50.58	54.00	-3.42	3	Vertical	0	3.00	-
5610MHz	Pass	AV	5.622G	98.99	Inf	-Inf	3	Vertical	0	3.00	-
5610MHz	Pass	PK	5.466G	61.91	68.20	-6.29	3	Vertical	0	3.00	-
5610MHz	Pass	PK	5.632G	108.98	Inf	-Inf	3	Vertical	0	3.00	-
5610MHz	Pass	PK	5.732G	66.14	68.20	-2.06	3	Vertical	0	3.00	-
5610MHz	Pass	AV	5.458G	52.03	54.00	-1.97	3	Horizontal	315	1.02	-
5610MHz	Pass	AV	5.598G	100.46	Inf	-Inf	3	Horizontal	315	1.02	-
5610MHz	Pass	PK	5.468G	63.88	68.20	-4.32	3	Horizontal	315	1.02	-
5610MHz	Pass	PK	5.595G	111.40	Inf	-Inf	3	Horizontal	315	1.02	-
5610MHz	Pass	PK	5.735G	67.95	68.20	-0.25	3	Horizontal	315	1.02	-
5610MHz	Pass	AV	11.2275G	49.52	54.00	-4.48	3	Vertical	5	1.84	-
5610MHz	Pass	PK	11.21448G	60.23	74.00	-13.77	3	Vertical	5	1.84	-

Remark :

Page No. : D6 of D84

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 2_4T4S

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	16.84248G	62.83	68.20	-5.37	3	Vertical	268	1.57	-
5610MHz	Pass	AV	11.21508G	49.89	54.00	-4.11	3	Horizontal	334	1.95	-
5610MHz	Pass	PK	11.22726G	60.55	74.00	-13.45	3	Horizontal	334	1.95	-
5610MHz	Pass	PK	16.83384G	62.79	68.20	-5.41	3	Horizontal	124	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	50.34	54.00	-3.66	3	Vertical	326	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	100.73	Inf	-Inf	3	Vertical	326	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	60.94	68.20	-7.26	3	Vertical	326	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6588G	111.71	Inf	-Inf	3	Vertical	326	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	65.93	68.20	-2.27	3	Vertical	326	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	51.45	54.00	-2.55	3	Horizontal	319	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	101.96	Inf	-Inf	3	Horizontal	319	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	61.07	68.20	-7.13	3	Horizontal	319	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6732G	112.20	Inf	-Inf	3	Horizontal	319	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	67.38	68.20	-0.82	3	Horizontal	319	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37724G	49.19	54.00	-4.81	3	Vertical	256	1.17	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38696G	60.40	74.00	-13.60	3	Vertical	256	1.17	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07996G	64.16	68.20	-4.04	3	Vertical	347	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38966G	49.49	54.00	-4.51	3	Horizontal	169	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3668G	59.79	74.00	-14.21	3	Horizontal	169	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07468G	64.32	68.20	-3.88	3	Horizontal	90	1.50	-
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	AV	5.1324G	52.44	54.00	-1.56	3	Vertical	349	1.04	-
5250MHz	Pass	AV	5.2272G	86.57	Inf	-Inf	3	Vertical	349	1.04	-
5250MHz	Pass	AV	5.3724G	52.18	54.00	-1.82	3	Vertical	349	1.04	-
5250MHz	Pass	PK	5.1468G	62.26	74.00	-11.74	3	Vertical	349	1.04	-
5250MHz	Pass	PK	5.2392G	97.38	Inf	-Inf	3	Vertical	349	1.04	-
5250MHz	Pass	PK	5.4936G	60.85	68.20	-7.35	3	Vertical	349	1.04	-
5250MHz	Pass	AV	5.142G	53.61	54.00	-0.39	3	Horizontal	41	1.04	-
5250MHz	Pass	AV	5.2416G	88.90	Inf	-Inf	3	Horizontal	41	1.04	-
5250MHz	Pass	AV	5.3808G	53.69	54.00	-0.31	3	Horizontal	41	1.04	-
5250MHz	Pass	PK	5.1432G	64.39	74.00	-9.61	3	Horizontal	41	1.04	-
5250MHz	Pass	PK	5.262G	99.75	Inf	-Inf	3	Horizontal	41	1.04	-
5250MHz	Pass	PK	5.5392G	60.34	68.20	-7.86	3	Horizontal	41	1.04	-
5250MHz	Pass	AV	15.7449G	49.62	54.00	-4.38	3	Vertical	3	1.14	-
5250MHz	Pass	PK	10.50606G	59.88	68.20	-8.32	3	Vertical	218	1.11	-
5250MHz	Pass	PK	15.74376G	60.32	74.00	-13.68	3	Vertical	3	1.14	-
5250MHz	Pass	AV	15.73938G	49.48	54.00	-4.52	3	Horizontal	239	2.19	-
5250MHz	Pass	PK	10.50216G	59.44	68.20	-8.76	3	Horizontal	3	2.17	-
5250MHz	Pass	PK	15.76356G	60.51	74.00	-13.49	3	Horizontal	239	2.19	-
5570MHz	Pass	AV	5.4584G	51.57	54.00	-2.43	3	Vertical	337	1.08	-
5570MHz	Pass	AV	5.5856G	89.37	Inf	-Inf	3	Vertical	337	1.08	-
5570MHz	Pass	PK	5.4632G	61.57	68.20	-6.63	3	Vertical	337	1.08	-
5570MHz	Pass	PK	5.582G	98.87	Inf	-Inf	3	Vertical	337	1.08	-
5570MHz	Pass	PK	5.858G	61.52	68.20	-6.68	3	Vertical	337	1.08	-
5570MHz	Pass	AV	5.4572G	53.55	54.00	-0.45	3	Horizontal	294	2.05	-
5570MHz	Pass	AV	5.5928G	92.06	Inf	-Inf	3	Horizontal	294	2.05	-
5570MHz	Pass	PK	5.4632G	63.40	68.20	-4.80	3	Horizontal	294	2.05	-
5570MHz	Pass	PK	5.5928G	101.74	Inf	-Inf	3	Horizontal	294	2.05	-
5570MHz	Pass	PK	5.7776G	63.15	68.20	-5.05	3	Horizontal	294	2.05	-

Remark :

Page No. : D7 of D84

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01



**RSE TX above 1GHz_
Non-Beamforming_Sample 1_Radio 2_4T4S**

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5570MHz	Pass	AV	11.1415G	50.38	54.00	-3.62	3	Vertical	63	1.76	-
5570MHz	Pass	PK	11.14228G	61.03	74.00	-12.97	3	Vertical	63	1.76	-
5570MHz	Pass	PK	16.71672G	63.27	68.20	-4.93	3	Vertical	190	2.27	-
5570MHz	Pass	AV	11.12782G	49.86	54.00	-4.14	3	Horizontal	294	2.18	-
5570MHz	Pass	PK	11.1253G	60.38	74.00	-13.62	3	Horizontal	294	2.18	-
5570MHz	Pass	PK	16.7187G	62.67	68.20	-5.53	3	Horizontal	251	1.09	-

Remark :

Page No. : D8 of D84

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)


970235-01



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	50.50	54.00	-3.50	7.85	3	Vertical	342	3.00	-	42.65	31.82	10.08	34.05
AV	5.257G	109.33	Inf	-Inf	7.42	3	Vertical	342	3.00	-	101.91	31.37	10.11	34.06
AV	5.35G	49.46	54.00	-4.54	7.45	3	Vertical	342	3.00	-	42.01	31.35	10.16	34.06
PK	5.1148G	62.90	74.00	-11.10	7.97	3	Vertical	342	3.00	-	54.93	31.94	10.08	34.05
PK	5.2516G	120.69	Inf	-Inf	7.44	3	Vertical	342	3.00	-	113.25	31.39	10.11	34.06
PK	5.3596G	61.68	74.00	-12.32	7.48	3	Vertical	342	3.00	-	54.20	31.38	10.16	34.06



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	51.18	54.00	-2.82	7.84	3	Horizontal	312	1.80	-	43.34	31.81	10.08	34.05
AV	5.2558G	110.89	Inf	-Inf	7.43	3	Horizontal	312	1.80	-	103.46	31.38	10.11	34.06
AV	5.362G	50.66	54.00	-3.34	7.50	3	Horizontal	312	1.80	-	43.16	31.39	10.17	34.06
PK	5.1268G	62.92	74.00	-11.08	7.92	3	Horizontal	312	1.80	-	55.00	31.89	10.08	34.05
PK	5.2552G	123.44	Inf	-Inf	7.43	3	Horizontal	312	1.80	-	116.01	31.38	10.11	34.06
PK	5.356G	62.36	74.00	-11.64	7.47	3	Horizontal	312	1.80	-	54.89	31.37	10.16	34.06



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77634G	52.11	54.00	-1.89	17.67	3	Vertical	330	1.50	-	34.44	38.19	13.73	34.25
PK	10.5234G	59.12	68.20	-9.08	18.19	3	Vertical	215	2.34	-	40.93	39.58	13.06	34.45
PK	15.78486G	65.72	74.00	-8.28	17.64	3	Vertical	330	1.50	-	48.08	38.17	13.73	34.26



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77628G	53.73	54.00	-0.27	17.67	3	Horizontal	312	1.50	-	36.06	38.19	13.73	34.25
PK	10.51622G	60.64	68.20	-7.56	18.17	3	Horizontal	334	1.58	-	42.47	39.57	13.05	34.45
PK	15.77934G	66.70	74.00	-7.30	17.66	3	Horizontal	312	1.50	-	49.04	38.18	13.73	34.25



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	105.13	Inf	-Inf	7.29	3	Vertical	355	1.50	-	97.84	31.22	10.13	34.06
AV	5.35G	51.23	54.00	-2.77	7.45	3	Vertical	355	1.50	-	43.78	31.35	10.16	34.06
PK	5.2988G	117.26	Inf	-Inf	7.27	3	Vertical	355	1.50	-	109.99	31.20	10.13	34.06
PK	5.3544G	65.12	74.00	-8.88	7.46	3	Vertical	355	1.50	-	57.66	31.36	10.16	34.06



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	108.42	Inf	-Inf	7.27	3	Horizontal	313	2.79	-	101.15	31.20	10.13	34.06
AV	5.35G	53.90	54.00	-0.10	7.45	3	Horizontal	313	2.79	-	46.45	31.35	10.16	34.06
PK	5.2932G	120.70	Inf	-Inf	7.30	3	Horizontal	313	2.79	-	113.40	31.23	10.13	34.06
PK	5.3504G	68.49	74.00	-5.51	7.45	3	Horizontal	313	2.79	-	61.04	31.35	10.16	34.06



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60064G	48.57	54.00	-5.43	18.38	3	Vertical	0	1.29	-	30.19	39.68	13.10	34.40
AV	15.90236G	51.49	54.00	-2.51	17.15	3	Vertical	2	1.47	-	34.34	37.80	13.73	34.38
PK	10.59866G	61.53	68.20	-6.67	18.38	3	Vertical	0	1.29	-	43.15	39.68	13.10	34.40
PK	15.90236G	64.25	74.00	-9.75	17.15	3	Vertical	2	1.47	-	47.10	37.80	13.73	34.38



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60228G	47.63	54.00	-6.37	18.38	3	Horizontal	331	1.04	-	29.25	39.68	13.10	34.40
AV	15.8934G	49.67	54.00	-4.33	17.19	3	Horizontal	37	1.50	-	32.48	37.83	13.73	34.37
PK	10.60392G	60.42	74.00	-13.58	18.40	3	Horizontal	331	1.04	-	42.02	39.69	13.11	34.40
PK	15.90192G	62.14	74.00	-11.86	17.15	3	Horizontal	37	1.50	-	44.99	37.80	13.73	34.38



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3276G	101.78	Inf	-Inf	7.37	3	Vertical	353	1.00	-	94.41	31.28	10.15	34.06
AV	5.3506G	52.96	54.00	-1.04	7.45	3	Vertical	353	1.00	-	45.51	31.35	10.16	34.06
PK	5.3212G	113.98	Inf	-Inf	7.34	3	Vertical	353	1.00	-	106.64	31.26	10.14	34.06
PK	5.3502G	67.94	74.00	-6.06	7.45	3	Vertical	353	1.00	-	60.49	31.35	10.16	34.06



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3216G	103.35	Inf	-Inf	7.34	3	Horizontal	311	2.93	-	96.01	31.26	10.14	34.06
AV	5.3504G	53.88	54.00	-0.12	7.45	3	Horizontal	311	2.93	-	46.43	31.35	10.16	34.06
PK	5.312G	116.60	Inf	-Inf	7.32	3	Horizontal	311	2.93	-	109.28	31.24	10.14	34.06
PK	5.35G	69.57	74.00	-4.43	7.45	3	Horizontal	311	2.93	-	62.12	31.35	10.16	34.06



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64036G	47.81	54.00	-6.19	18.48	3	Vertical	359	1.50	-	29.33	39.73	13.13	34.38
AV	15.97494G	47.87	54.00	-6.13	16.86	3	Vertical	338	1.50	-	31.01	37.58	13.73	34.45
PK	10.6412G	60.42	74.00	-13.58	18.48	3	Vertical	359	1.50	-	41.94	39.73	13.13	34.38
PK	15.96312G	59.68	74.00	-14.32	16.90	3	Vertical	338	1.50	-	42.78	37.61	13.73	34.44



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65206G	48.16	54.00	-5.84	18.51	3	Horizontal	322	1.50	-	29.65	39.75	13.13	34.37
AV	15.95574G	47.79	54.00	-6.21	16.94	3	Horizontal	255	2.69	-	30.85	37.64	13.73	34.43
PK	10.6301G	60.37	74.00	-13.63	18.46	3	Horizontal	322	1.50	-	41.91	39.72	13.12	34.38
PK	15.95466G	60.18	74.00	-13.82	16.94	3	Horizontal	255	2.69	-	43.24	37.64	13.73	34.43



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	49.15	54.00	-4.85	7.80	3	Vertical	1	1.02	-	41.35	31.67	10.20	34.07
AV	5.5026G	101.63	Inf	-Inf	7.94	3	Vertical	1	1.02	-	93.69	31.79	10.22	34.07
PK	5.4552G	61.20	74.00	-12.80	7.80	3	Vertical	1	1.02	-	53.40	31.67	10.20	34.07
PK	5.4682G	65.68	68.20	-2.52	7.84	3	Vertical	1	1.02	-	57.84	31.70	10.21	34.07
PK	5.4994G	112.46	Inf	-Inf	7.94	3	Vertical	1	1.02	-	104.52	31.80	10.21	34.07



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	49.39	54.00	-4.61	7.80	3	Horizontal	304	2.97	-	41.59	31.67	10.20	34.07
AV	5.4962G	103.04	Inf	-Inf	7.93	3	Horizontal	304	2.97	-	95.11	31.79	10.21	34.07
PK	5.47G	67.91	68.20	-0.29	7.85	3	Horizontal	304	2.97	-	60.06	31.71	10.21	34.07
PK	5.498G	116.95	Inf	-Inf	7.93	3	Horizontal	304	2.97	-	109.02	31.79	10.21	34.07



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9967G	48.81	54.00	-5.19	19.37	3	Vertical	12	2.31	-	29.44	40.20	13.33	34.16
PK	10.9922G	60.66	74.00	-13.34	19.36	3	Vertical	12	2.31	-	41.30	40.19	13.33	34.16
PK	16.51236G	61.86	68.20	-6.34	19.04	3	Vertical	150	1.10	-	42.82	38.88	14.10	33.94



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99994G	48.87	54.00	-5.13	19.37	3	Horizontal	231	2.22	-	29.50	40.20	13.33	34.16
PK	11.0105G	61.39	74.00	-12.61	19.37	3	Horizontal	231	2.22	-	42.02	40.19	13.34	34.16
PK	16.50408G	62.02	68.20	-6.18	19.00	3	Horizontal	18	1.50	-	43.02	38.86	14.09	33.95



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	48.39	54.00	-5.61	7.80	3	Vertical	339	1.49	-	40.59	31.67	10.20	34.07
AV	5.5782G	104.41	Inf	-Inf	7.81	3	Vertical	339	1.49	-	96.60	31.64	10.24	34.07
PK	5.4654G	60.13	68.20	-8.07	7.84	3	Vertical	339	1.49	-	52.29	31.70	10.21	34.07
PK	5.5824G	115.34	Inf	-Inf	7.81	3	Vertical	339	1.49	-	107.53	31.64	10.24	34.07
PK	5.7288G	60.27	68.20	-7.93	8.22	3	Vertical	339	1.49	-	52.05	31.89	10.40	34.07



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	49.56	54.00	-4.44	7.78	3	Horizontal	319	1.00	-	41.78	31.65	10.20	34.07
AV	5.5782G	108.33	Inf	-Inf	7.81	3	Horizontal	319	1.00	-	100.52	31.64	10.24	34.07
PK	5.4642G	61.51	68.20	-6.69	7.82	3	Horizontal	319	1.00	-	53.69	31.69	10.20	34.07
PK	5.586G	120.19	Inf	-Inf	7.80	3	Horizontal	319	1.00	-	112.39	31.63	10.24	34.07
PK	5.73G	60.80	68.20	-7.40	8.22	3	Horizontal	319	1.00	-	52.58	31.89	10.40	34.07



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16476G	48.05	54.00	-5.95	19.25	3	Vertical	171	2.45	-	28.80	39.99	13.43	34.17
PK	11.1637G	60.24	74.00	-13.76	19.25	3	Vertical	171	2.45	-	40.99	39.99	13.43	34.17
PK	16.73556G	67.88	68.20	-0.32	20.04	3	Vertical	310	1.50	-	47.84	39.49	14.26	33.71



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15924G	48.25	54.00	-5.75	19.25	3	Horizontal	120	1.99	-	29.00	39.99	13.43	34.17
PK	11.16026G	60.56	74.00	-13.44	19.25	3	Horizontal	120	1.99	-	41.31	39.99	13.43	34.17
PK	16.73936G	64.79	68.20	-3.41	20.06	3	Horizontal	297	2.12	-	44.73	39.50	14.26	33.70



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.704G	98.95	Inf	-Inf	8.11	3	Vertical	337	2.97	-	90.84	31.81	10.37	34.07
PK	5.702G	109.76	Inf	-Inf	8.11	3	Vertical	337	2.97	-	101.65	31.81	10.37	34.07
PK	5.728G	65.05	68.20	-3.15	8.21	3	Vertical	337	2.97	-	56.84	31.88	10.40	34.07



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	99.53	Inf	-Inf	8.09	3	Horizontal	315	1.50	-	91.44	31.80	10.36	34.07
PK	5.6936G	112.22	Inf	-Inf	8.08	3	Horizontal	315	1.50	-	104.14	31.79	10.36	34.07
PK	5.7268G	67.77	68.20	-0.43	8.21	3	Horizontal	315	1.50	-	59.56	31.88	10.40	34.07



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.394G	48.45	54.00	-5.55	19.07	3	Vertical	301	1.31	-	29.38	39.69	13.56	34.18
PK	11.397G	60.28	74.00	-13.72	19.06	3	Vertical	301	1.31	-	41.22	39.68	13.56	34.18
PK	17.10468G	64.71	68.20	-3.49	21.99	3	Vertical	55	1.32	-	42.72	40.92	14.52	33.45



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39664G	48.32	54.00	-5.68	19.06	3	Horizontal	40	1.16	-	29.26	39.68	13.56	34.18
PK	11.4096G	60.64	74.00	-13.36	19.06	3	Horizontal	40	1.16	-	41.58	39.67	13.57	34.18
PK	17.08836G	65.16	68.20	-3.04	21.87	3	Horizontal	291	1.92	-	43.29	40.81	14.51	33.45



802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

16/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4344G	48.64	54.00	-5.36	7.74	3	Vertical	359	2.91	-	40.90	31.60	10.20	34.06
AV	5.7212G	108.72	Inf	-Inf	8.18	3	Vertical	359	2.91	-	100.54	31.86	10.39	34.07
PK	5.4644G	59.26	68.20	-8.94	7.83	3	Vertical	359	2.91	-	51.43	31.69	10.21	34.07
PK	5.7188G	119.58	Inf	-Inf	8.18	3	Vertical	359	2.91	-	111.40	31.86	10.39	34.07
PK	5.936G	62.03	68.20	-6.17	8.87	3	Vertical	359	2.91	-	53.16	32.40	10.55	34.08



802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

16/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	49.86	54.00	-4.14	7.78	3	Horizontal	33	3.00	-	42.08	31.64	10.20	34.06
AV	5.7164G	111.24	Inf	-Inf	8.17	3	Horizontal	33	3.00	-	103.07	31.85	10.39	34.07
PK	5.468G	60.29	68.20	-7.91	7.84	3	Horizontal	33	3.00	-	52.45	31.70	10.21	34.07
PK	5.7188G	123.00	Inf	-Inf	8.18	3	Horizontal	33	3.00	-	114.82	31.86	10.39	34.07
PK	5.9552G	62.59	68.20	-5.61	8.88	3	Horizontal	33	3.00	-	53.71	32.40	10.56	34.08



802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

16/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43382G	48.38	54.00	-5.62	19.04	3	Vertical	117	1.50	-	29.34	39.64	13.59	34.19
PK	11.4499G	60.57	74.00	-13.43	19.03	3	Vertical	117	1.50	-	41.54	39.62	13.60	34.19
PK	17.15928G	67.95	68.20	-0.25	22.40	3	Vertical	304	1.34	-	45.55	41.30	14.56	33.46



802.11ax HEW20_Nss4,(MCS0)_4TX

16/11/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.45368G	48.34	54.00	-5.66	19.02	3	Horizontal	54	1.39	-	29.32	39.61	13.60	34.19
PK	11.43058G	60.04	74.00	-13.96	19.03	3	Horizontal	54	1.39	-	41.01	39.64	13.58	34.19
PK	17.15064G	65.97	68.20	-2.23	22.33	3	Horizontal	304	1.50	-	43.64	41.24	14.55	33.46



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2692G	103.19	Inf	-Inf	7.38	3	Vertical	338	2.84	-	95.81	31.32	10.12	34.06
AV	5.3504G	50.28	54.00	-3.72	7.45	3	Vertical	338	2.84	-	42.83	31.35	10.16	34.06
PK	5.2768G	113.44	Inf	-Inf	7.35	3	Vertical	338	2.84	-	106.09	31.29	10.12	34.06
PK	5.356G	61.20	74.00	-12.80	7.47	3	Vertical	338	2.84	-	53.73	31.37	10.16	34.06



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.264G	105.95	Inf	-Inf	7.39	3	Horizontal	319	3.00	-	98.56	31.34	10.11	34.06
AV	5.3532G	53.63	54.00	-0.37	7.46	3	Horizontal	319	3.00	-	46.17	31.36	10.16	34.06
PK	5.2656G	115.51	Inf	-Inf	7.39	3	Horizontal	319	3.00	-	108.12	31.34	10.11	34.06
PK	5.3508G	64.90	74.00	-9.10	7.45	3	Horizontal	319	3.00	-	57.45	31.35	10.16	34.06



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8109G	50.08	54.00	-3.92	17.53	3	Vertical	359	1.67	-	32.55	38.09	13.73	34.29
PK	10.54456G	59.93	68.20	-8.27	18.25	3	Vertical	1	1.66	-	41.68	39.61	13.07	34.43
PK	15.80598G	60.86	74.00	-13.14	17.55	3	Vertical	359	1.67	-	43.31	38.10	13.73	34.28



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80694G	49.86	54.00	-4.14	17.55	3	Horizontal	64	1.50	-	32.31	38.10	13.73	34.28
PK	10.52722G	59.67	68.20	-8.53	18.21	3	Horizontal	344	1.50	-	41.46	39.59	13.06	34.44
PK	15.81102G	60.13	74.00	-13.87	17.53	3	Horizontal	64	1.50	-	42.60	38.09	13.73	34.29



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	98.53	Inf	-Inf	7.36	3	Vertical	302	2.07	-	91.17	31.27	10.15	34.06
AV	5.3548G	52.71	54.00	-1.29	7.46	3	Vertical	302	2.07	-	45.25	31.36	10.16	34.06
PK	5.3156G	109.77	Inf	-Inf	7.33	3	Vertical	302	2.07	-	102.44	31.25	10.14	34.06
PK	5.356G	64.05	74.00	-9.95	7.47	3	Vertical	302	2.07	-	56.58	31.37	10.16	34.06



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3108G	101.25	Inf	-Inf	7.31	3	Horizontal	293	3.00	-	93.94	31.23	10.14	34.06
AV	5.3524G	53.70	54.00	-0.30	7.46	3	Horizontal	293	3.00	-	46.24	31.36	10.16	34.06
PK	5.316G	110.92	Inf	-Inf	7.33	3	Horizontal	293	3.00	-	103.59	31.25	10.14	34.06
PK	5.3524G	64.62	74.00	-9.38	7.46	3	Horizontal	293	3.00	-	57.16	31.36	10.16	34.06



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61004G	48.74	54.00	-5.26	18.41	3	Vertical	34	1.50	-	30.33	39.69	13.11	34.39
AV	15.94326G	49.20	54.00	-4.80	16.99	3	Vertical	199	2.73	-	32.21	37.68	13.73	34.42
PK	10.62468G	60.05	74.00	-13.95	18.44	3	Vertical	34	1.50	-	41.61	39.71	13.12	34.39
PK	15.9432G	59.65	74.00	-14.35	16.99	3	Vertical	199	2.73	-	42.66	37.68	13.73	34.42



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61448G	49.44	54.00	-4.56	18.42	3	Horizontal	356	1.50	-	31.02	39.70	13.11	34.39
AV	15.92892G	49.54	54.00	-4.46	17.04	3	Horizontal	359	1.75	-	32.50	37.72	13.73	34.41
PK	10.62198G	60.51	74.00	-13.49	18.44	3	Horizontal	356	1.50	-	42.07	39.71	13.12	34.39
PK	15.936G	59.63	74.00	-14.37	17.02	3	Horizontal	359	1.75	-	42.61	37.70	13.73	34.41



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	51.33	54.00	-2.67	7.79	3	Vertical	11	3.00	-	43.54	31.66	10.20	34.07
AV	5.512G	100.41	Inf	-Inf	7.93	3	Vertical	11	3.00	-	92.48	31.78	10.22	34.07
PK	5.47G	65.10	68.20	-3.10	7.85	3	Vertical	11	3.00	-	57.25	31.71	10.21	34.07
PK	5.5144G	110.62	Inf	-Inf	7.92	3	Vertical	11	3.00	-	102.70	31.77	10.22	34.07



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	51.85	54.00	-2.15	7.81	3	Horizontal	303	3.00	-	44.04	31.68	10.20	34.07
AV	5.5108G	102.13	Inf	-Inf	7.93	3	Horizontal	303	3.00	-	94.20	31.78	10.22	34.07
PK	5.4628G	67.74	68.20	-0.46	7.82	3	Horizontal	303	3.00	-	59.92	31.69	10.20	34.07
PK	5.5208G	112.38	Inf	-Inf	7.91	3	Horizontal	303	3.00	-	104.47	31.76	10.22	34.07



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0182G	50.32	54.00	-3.68	19.37	3	Vertical	130	1.50	-	30.95	40.18	13.35	34.16
PK	11.03416G	60.57	74.00	-13.43	19.35	3	Vertical	130	1.50	-	41.22	40.16	13.35	34.16
PK	16.54254G	62.14	68.20	-6.06	19.17	3	Vertical	261	2.36	-	42.97	38.96	14.12	33.91



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02252G	50.12	54.00	-3.88	19.36	3	Horizontal	216	1.50	-	30.76	40.17	13.35	34.16
PK	11.02876G	61.44	74.00	-12.56	19.35	3	Horizontal	216	1.50	-	42.09	40.16	13.35	34.16
PK	16.52046G	61.42	68.20	-6.78	19.08	3	Horizontal	132	1.63	-	42.34	38.91	14.10	33.93



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	51.91	54.00	-2.09	7.80	3	Vertical	9	3.00	-	44.11	31.67	10.20	34.07
AV	5.5532G	104.65	Inf	-Inf	7.85	3	Vertical	9	3.00	-	96.80	31.69	10.23	34.07
PK	5.47G	62.79	68.20	-5.41	7.85	3	Vertical	9	3.00	-	54.94	31.71	10.21	34.07
PK	5.554G	113.62	Inf	-Inf	7.85	3	Vertical	9	3.00	-	105.77	31.69	10.23	34.07



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	53.87	54.00	-0.13	7.80	3	Horizontal	302	2.65	-	46.07	31.67	10.20	34.07
AV	5.5508G	106.56	Inf	-Inf	7.86	3	Horizontal	302	2.65	-	98.70	31.70	10.23	34.07
PK	5.4688G	66.16	68.20	-2.04	7.85	3	Horizontal	302	2.65	-	58.31	31.71	10.21	34.07
PK	5.562G	116.67	Inf	-Inf	7.84	3	Horizontal	302	2.65	-	108.83	31.68	10.23	34.07



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08548G	50.25	54.00	-3.75	19.30	3	Vertical	103	1.50	-	30.95	40.09	13.38	34.17
PK	11.10144G	60.69	74.00	-13.31	19.29	3	Vertical	103	1.50	-	41.40	40.07	13.39	34.17
PK	16.65924G	63.61	68.20	-4.59	19.69	3	Vertical	17	2.75	-	43.92	39.28	14.20	33.79



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08536G	50.09	54.00	-3.91	19.30	3	Horizontal	92	1.50	-	30.79	40.09	13.38	34.17
PK	11.1033G	61.04	74.00	-12.96	19.29	3	Horizontal	92	1.50	-	41.75	40.07	13.39	34.17
PK	16.63818G	64.15	68.20	-4.05	19.60	3	Horizontal	316	1.14	-	44.55	39.22	14.19	33.81



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6556G	99.37	Inf	-Inf	7.95	3	Vertical	332	2.99	-	91.42	31.71	10.31	34.07
PK	5.6586G	109.59	Inf	-Inf	7.96	3	Vertical	332	2.99	-	101.63	31.72	10.31	34.07
PK	5.7258G	62.62	68.20	-5.58	8.21	3	Vertical	332	2.99	-	54.41	31.88	10.40	34.07



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6724G	101.91	Inf	-Inf	8.00	3	Horizontal	320	1.67	-	93.91	31.74	10.33	34.07
PK	5.6634G	111.22	Inf	-Inf	7.98	3	Horizontal	320	1.67	-	103.24	31.73	10.32	34.07
PK	5.7288G	67.76	68.20	-0.44	8.22	3	Horizontal	320	1.67	-	59.54	31.89	10.40	34.07



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3517G	49.40	54.00	-4.60	19.10	3	Vertical	0	2.32	-	30.30	39.74	13.54	34.18
PK	11.33136G	59.79	74.00	-14.21	19.12	3	Vertical	0	2.32	-	40.67	39.77	13.53	34.18
PK	17.00634G	63.26	68.20	-4.94	21.26	3	Vertical	281	2.66	-	42.00	40.24	14.45	33.43



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32794G	49.69	54.00	-4.31	19.11	3	Horizontal	342	1.60	-	30.58	39.77	13.52	34.18
PK	11.32872G	60.20	74.00	-13.80	19.12	3	Horizontal	342	1.60	-	41.08	39.77	13.53	34.18
PK	17.01894G	63.36	68.20	-4.84	21.36	3	Horizontal	0	1.99	-	42.00	40.33	14.46	33.43



802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

16/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4256G	50.11	54.00	-3.89	7.71	3	Vertical	360	2.92	-	42.40	31.58	10.19	34.06
AV	5.7076G	107.56	Inf	-Inf	8.12	3	Vertical	360	2.92	-	99.44	31.82	10.37	34.07
PK	5.464G	59.84	68.20	-8.36	7.82	3	Vertical	360	2.92	-	52.02	31.69	10.20	34.07
PK	5.7148G	117.10	Inf	-Inf	8.15	3	Vertical	360	2.92	-	108.95	31.84	10.38	34.07
PK	5.8696G	65.70	68.20	-2.50	8.75	3	Vertical	360	2.92	-	56.95	32.31	10.52	34.08



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4424G	51.21	54.00	-2.79	7.77	3	Horizontal	310	3.00	-	43.44	31.63	10.20	34.06
AV	5.7148G	109.12	Inf	-Inf	8.15	3	Horizontal	310	3.00	-	100.97	31.84	10.38	34.07
PK	5.464G	60.91	68.20	-7.29	7.82	3	Horizontal	310	3.00	-	53.09	31.69	10.20	34.07
PK	5.7016G	119.51	Inf	-Inf	8.10	3	Horizontal	310	3.00	-	111.41	31.80	10.37	34.07
PK	5.854G	67.95	68.20	-0.25	8.69	3	Horizontal	310	3.00	-	59.26	32.26	10.51	34.08



802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

16/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4119G	49.42	54.00	-4.58	19.05	3	Vertical	86	1.01	-	30.37	39.66	13.57	34.18
PK	11.42714G	60.06	74.00	-13.94	19.03	3	Vertical	86	1.01	-	41.03	39.64	13.58	34.19
PK	17.12502G	66.87	68.20	-1.33	22.13	3	Vertical	301	1.29	-	44.74	41.06	14.53	33.46



802.11ax HEW40_Nss4,(MCS0)_4TX

16/11/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4236G	49.92	54.00	-4.08	19.04	3	Horizontal	299	1.04	-	30.88	39.65	13.58	34.19
PK	11.41148G	60.52	74.00	-13.48	19.06	3	Horizontal	299	1.04	-	41.46	39.67	13.57	34.18
PK	17.13294G	65.02	68.20	-3.18	22.20	3	Horizontal	301	1.50	-	42.82	41.12	14.54	33.46



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.099G	50.94	54.00	-3.06	8.03	3	Vertical	302	2.20	-	42.91	32.00	10.08	34.05
AV	5.3G	94.20	Inf	-Inf	7.27	3	Vertical	302	2.20	-	86.93	31.20	10.13	34.06
AV	5.355G	53.19	54.00	-0.81	7.46	3	Vertical	302	2.20	-	45.73	31.36	10.16	34.06
PK	5.096G	62.11	74.00	-11.89	8.01	3	Vertical	302	2.20	-	54.10	31.98	10.08	34.05
PK	5.295G	106.35	Inf	-Inf	7.29	3	Vertical	302	2.20	-	99.06	31.22	10.13	34.06
PK	5.512G	60.38	68.20	-7.82	7.93	3	Vertical	302	2.20	-	52.45	31.78	10.22	34.07



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.126G	51.86	54.00	-2.14	7.93	3	Horizontal	311	2.78	-	43.93	31.90	10.08	34.05
AV	5.303G	97.13	Inf	-Inf	7.28	3	Horizontal	311	2.78	-	89.85	31.21	10.13	34.06
AV	5.384G	53.56	54.00	-0.44	7.57	3	Horizontal	311	2.78	-	45.99	31.45	10.18	34.06
PK	5.12G	61.96	74.00	-12.04	7.95	3	Horizontal	311	2.78	-	54.01	31.92	10.08	34.05
PK	5.303G	108.48	Inf	-Inf	7.28	3	Horizontal	311	2.78	-	101.20	31.21	10.13	34.06
PK	5.533G	61.52	68.20	-6.68	7.88	3	Horizontal	311	2.78	-	53.64	31.73	10.22	34.07



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87048G	49.46	54.00	-4.54	17.28	3	Vertical	265	1.41	-	32.18	37.90	13.73	34.35
PK	10.57118G	60.62	68.20	-7.58	18.31	3	Vertical	18	1.78	-	42.31	39.64	13.09	34.42
PK	15.87738G	59.51	74.00	-14.49	17.26	3	Vertical	265	1.41	-	42.25	37.88	13.73	34.35



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86478G	49.40	54.00	-4.60	17.31	3	Horizontal	143	2.72	-	32.09	37.92	13.73	34.34
PK	10.59128G	59.59	68.20	-8.61	18.36	3	Horizontal	182	2.11	-	41.23	39.67	13.10	34.41
PK	15.87528G	60.23	74.00	-13.77	17.27	3	Horizontal	143	2.72	-	42.96	37.89	13.73	34.35



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.433G	52.63	54.00	-1.37	7.74	3	Vertical	7	2.99	-	44.89	31.60	10.20	34.06
AV	5.54G	96.37	Inf	-Inf	7.88	3	Vertical	7	2.99	-	88.49	31.72	10.23	34.07
PK	5.47G	63.20	68.20	-5.00	7.85	3	Vertical	7	2.99	-	55.35	31.71	10.21	34.07
PK	5.532G	106.68	Inf	-Inf	7.89	3	Vertical	7	2.99	-	98.79	31.74	10.22	34.07
PK	5.75G	61.41	68.20	-6.79	8.30	3	Vertical	7	2.99	-	53.11	31.95	10.43	34.08



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.443G	53.80	54.00	-0.20	7.77	3	Horizontal	305	3.00	-	46.03	31.63	10.20	34.06
AV	5.521G	98.82	Inf	-Inf	7.91	3	Horizontal	305	3.00	-	90.91	31.76	10.22	34.07
PK	5.465G	64.65	68.20	-3.55	7.84	3	Horizontal	305	3.00	-	56.81	31.70	10.21	34.07
PK	5.541G	110.00	Inf	-Inf	7.88	3	Horizontal	305	3.00	-	102.12	31.72	10.23	34.07
PK	5.775G	61.49	68.20	-6.71	8.40	3	Horizontal	305	3.00	-	53.09	32.02	10.46	34.08



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0522G	50.19	54.00	-3.81	19.34	3	Vertical	158	1.49	-	30.85	40.13	13.37	34.16
PK	11.0546G	61.07	74.00	-12.93	19.34	3	Vertical	158	1.49	-	41.73	40.13	13.37	34.16
PK	16.59492G	62.70	68.20	-5.50	19.40	3	Vertical	270	1.50	-	43.30	39.11	14.15	33.86



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.048G	50.22	54.00	-3.78	19.34	3	Horizontal	270	1.00	-	30.88	40.14	13.36	34.16
PK	11.06924G	61.10	74.00	-12.90	19.33	3	Horizontal	270	1.00	-	41.77	40.11	13.38	34.16
PK	16.58052G	62.00	68.20	-6.20	19.34	3	Horizontal	1	1.50	-	42.66	39.07	14.14	33.87



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	50.58	54.00	-3.42	7.79	3	Vertical	0	3.00	-	42.79	31.66	10.20	34.07
AV	5.622G	98.99	Inf	-Inf	7.84	3	Vertical	0	3.00	-	91.15	31.64	10.27	34.07
PK	5.466G	61.91	68.20	-6.29	7.84	3	Vertical	0	3.00	-	54.07	31.70	10.21	34.07
PK	5.632G	108.98	Inf	-Inf	7.87	3	Vertical	0	3.00	-	101.11	31.66	10.28	34.07
PK	5.732G	66.14	68.20	-2.06	8.23	3	Vertical	0	3.00	-	57.91	31.90	10.40	34.07



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	52.03	54.00	-1.97	7.80	3	Horizontal	315	1.02	-	44.23	31.67	10.20	34.07
AV	5.598G	100.46	Inf	-Inf	7.77	3	Horizontal	315	1.02	-	92.69	31.60	10.24	34.07
PK	5.468G	63.88	68.20	-4.32	7.84	3	Horizontal	315	1.02	-	56.04	31.70	10.21	34.07
PK	5.595G	111.40	Inf	-Inf	7.78	3	Horizontal	315	1.02	-	103.62	31.61	10.24	34.07
PK	5.735G	67.95	68.20	-0.25	8.25	3	Horizontal	315	1.02	-	59.70	31.91	10.41	34.07



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2275G	49.52	54.00	-4.48	19.20	3	Vertical	5	1.84	-	30.32	39.90	13.47	34.17
PK	11.21448G	60.23	74.00	-13.77	19.21	3	Vertical	5	1.84	-	41.02	39.92	13.46	34.17
PK	16.84248G	62.83	68.20	-5.37	20.50	3	Vertical	268	1.57	-	42.33	39.77	14.33	33.60



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21508G	49.89	54.00	-4.11	19.21	3	Horizontal	334	1.95	-	30.68	39.92	13.46	34.17
PK	11.22726G	60.55	74.00	-13.45	19.20	3	Horizontal	334	1.95	-	41.35	39.90	13.47	34.17
PK	16.83384G	62.79	68.20	-5.41	20.48	3	Horizontal	124	2.28	-	42.31	39.75	14.33	33.60



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.34	54.00	-3.66	7.81	3	Vertical	326	3.00	-	42.53	31.68	10.20	34.07
AV	5.678G	100.73	Inf	-Inf	8.03	3	Vertical	326	3.00	-	92.70	31.76	10.34	34.07
PK	5.46G	60.94	68.20	-7.26	7.81	3	Vertical	326	3.00	-	53.13	31.68	10.20	34.07
PK	5.6588G	111.71	Inf	-Inf	7.96	3	Vertical	326	3.00	-	103.75	31.72	10.31	34.07
PK	5.8592G	65.93	68.20	-2.27	8.72	3	Vertical	326	3.00	-	57.21	32.28	10.52	34.08



802.11ax HEW80_Nss4,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

16/11/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	51.45	54.00	-2.55	7.80	3	Horizontal	319	1.49	-	43.65	31.67	10.20	34.07
AV	5.6792G	101.96	Inf	-Inf	8.03	3	Horizontal	319	1.49	-	93.93	31.76	10.34	34.07
PK	5.4644G	61.07	68.20	-7.13	7.83	3	Horizontal	319	1.49	-	53.24	31.69	10.21	34.07
PK	5.6732G	112.20	Inf	-Inf	8.01	3	Horizontal	319	1.49	-	104.19	31.75	10.33	34.07
PK	5.876G	67.38	68.20	-0.82	8.77	3	Horizontal	319	1.49	-	58.61	32.33	10.52	34.08



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37724G	49.19	54.00	-4.81	19.08	3	Vertical	256	1.17	-	30.11	39.71	13.55	34.18
PK	11.38696G	60.40	74.00	-13.60	19.08	3	Vertical	256	1.17	-	41.32	39.70	13.56	34.18
PK	17.07996G	64.16	68.20	-4.04	21.80	3	Vertical	347	1.50	-	42.36	40.75	14.50	33.45



802.11ax HEW80_Nss4,(MCS0)_4TX

16/11/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38966G	49.49	54.00	-4.51	19.07	3	Horizontal	169	1.91	-	30.42	39.69	13.56	34.18
PK	11.3668G	59.79	74.00	-14.21	19.09	3	Horizontal	169	1.91	-	40.70	39.72	13.55	34.18
PK	17.07468G	64.32	68.20	-3.88	21.78	3	Horizontal	90	1.50	-	42.54	40.72	14.50	33.44



802.11ax HEW160_Nss4,(MCS0)_4TX

16/11/2019

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1324G	52.44	54.00	-1.56	7.90	3	Vertical	349	1.04	-	44.54	31.87	10.08	34.05
AV	5.2272G	86.57	Inf	-Inf	7.53	3	Vertical	349	1.04	-	79.04	31.49	10.09	34.05
AV	5.3724G	52.18	54.00	-1.82	7.53	3	Vertical	349	1.04	-	44.65	31.42	10.17	34.06
PK	5.1468G	62.26	74.00	-11.74	7.84	3	Vertical	349	1.04	-	54.42	31.81	10.08	34.05
PK	5.2392G	97.38	Inf	-Inf	7.49	3	Vertical	349	1.04	-	89.89	31.44	10.10	34.05
PK	5.4936G	60.85	68.20	-7.35	7.92	3	Vertical	349	1.04	-	52.93	31.78	10.21	34.07



802.11ax HEW160_Nss4,(MCS0)_4TX

16/11/2019

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	53.61	54.00	-0.39	7.86	3	Horizontal	41	1.04	-	45.75	31.83	10.08	34.05
AV	5.2416G	88.90	Inf	-Inf	7.48	3	Horizontal	41	1.04	-	81.42	31.43	10.10	34.05
AV	5.3808G	53.69	54.00	-0.31	7.56	3	Horizontal	41	1.04	-	46.13	31.44	10.18	34.06
PK	5.1432G	64.39	74.00	-9.61	7.86	3	Horizontal	41	1.04	-	56.53	31.83	10.08	34.05
PK	5.262G	99.75	Inf	-Inf	7.40	3	Horizontal	41	1.04	-	92.35	31.35	10.11	34.06
PK	5.5392G	60.34	68.20	-7.86	7.88	3	Horizontal	41	1.04	-	52.46	31.72	10.23	34.07



802.11ax HEW160_Nss4,(MCS0)_4TX

16/11/2019

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7449G	49.62	54.00	-4.38	17.80	3	Vertical	3	1.14	-	31.82	38.29	13.73	34.22
PK	10.50606G	59.88	68.20	-8.32	18.15	3	Vertical	218	1.11	-	41.73	39.56	13.05	34.46
PK	15.74376G	60.32	74.00	-13.68	17.80	3	Vertical	3	1.14	-	42.52	38.29	13.73	34.22



802.11ax HEW160_Nss4,(MCS0)_4TX

16/11/2019

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73938G	49.48	54.00	-4.52	17.83	3	Horizontal	239	2.19	-	31.65	38.31	13.73	34.21
PK	10.50216G	59.44	68.20	-8.76	18.14	3	Horizontal	3	2.17	-	41.30	39.55	13.05	34.46
PK	15.76356G	60.51	74.00	-13.49	17.72	3	Horizontal	239	2.19	-	42.79	38.23	13.73	34.24



802.11ax HEW160_Nss4,(MCS0)_4TX

16/11/2019

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	51.57	54.00	-2.43	7.81	3	Vertical	337	1.08	-	43.76	31.68	10.20	34.07
AV	5.5856G	89.37	Inf	-Inf	7.80	3	Vertical	337	1.08	-	81.57	31.63	10.24	34.07
PK	5.4632G	61.57	68.20	-6.63	7.82	3	Vertical	337	1.08	-	53.75	31.69	10.20	34.07
PK	5.582G	98.87	Inf	-Inf	7.81	3	Vertical	337	1.08	-	91.06	31.64	10.24	34.07
PK	5.858G	61.52	68.20	-6.68	8.71	3	Vertical	337	1.08	-	52.81	32.27	10.52	34.08



802.11ax HEW160_Nss4,(MCS0)_4TX

16/11/2019

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	53.55	54.00	-0.45	7.80	3	Horizontal	294	2.05	-	45.75	31.67	10.20	34.07
AV	5.5928G	92.06	Inf	-Inf	7.78	3	Horizontal	294	2.05	-	84.28	31.61	10.24	34.07
PK	5.4632G	63.40	68.20	-4.80	7.82	3	Horizontal	294	2.05	-	55.58	31.69	10.20	34.07
PK	5.5928G	101.74	Inf	-Inf	7.78	3	Horizontal	294	2.05	-	93.96	31.61	10.24	34.07
PK	5.7776G	63.15	68.20	-5.05	8.41	3	Horizontal	294	2.05	-	54.74	32.03	10.46	34.08



802.11ax HEW160_Nss4,(MCS0)_4TX

16/11/2019

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1415G	50.38	54.00	-3.62	19.27	3	Vertical	63	1.76	-	31.11	40.02	13.42	34.17
PK	11.14228G	61.03	74.00	-12.97	19.27	3	Vertical	63	1.76	-	41.76	40.02	13.42	34.17
PK	16.71672G	63.27	68.20	-4.93	19.95	3	Vertical	190	2.27	-	43.32	39.44	14.24	33.73



802.11ax HEW160_Nss4,(MCS0)_4TX

16/11/2019

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12782G	49.86	54.00	-4.14	19.27	3	Horizontal	294	2.18	-	30.59	40.03	13.41	34.17
PK	11.1253G	60.38	74.00	-13.62	19.28	3	Horizontal	294	2.18	-	41.10	40.04	13.41	34.17
PK	16.7187G	62.67	68.20	-5.53	19.95	3	Horizontal	251	1.09	-	42.72	39.44	14.24	33.73



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.82	54.00	-0.18	3	Vertical	20	2.73	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.3518G	73.88	74.00	-0.12	3	Vertical	21	2.59	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.3512G	53.82	54.00	-0.18	3	Horizontal	43	2.11	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.355G	53.74	54.00	-0.26	3	Horizontal	41	2.10	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	4.185G	53.56	54.00	-0.44	3	Horizontal	322	1.00	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	4.18498G	53.72	54.00	-0.28	3	Horizontal	319	1.00	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.4668G	68.08	68.20	-0.12	3	Horizontal	335	1.94	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.463G	68.11	68.20	-0.09	3	Vertical	23	2.88	-



RSE TX above 1GHz
Non-Beamforming Sample 1 Radio 3_1T1S

Appendix D.5

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1436G	48.72	54.00	-5.28	3	Vertical	31	2.51	-
5260MHz	Pass	AV	5.2624G	106.31	Inf	-Inf	3	Vertical	31	2.51	-
5260MHz	Pass	AV	5.3536G	50.67	54.00	-3.33	3	Vertical	31	2.51	-
5260MHz	Pass	PK	5.15G	61.17	74.00	-12.83	3	Vertical	31	2.51	-
5260MHz	Pass	PK	5.2648G	115.91	Inf	-Inf	3	Vertical	31	2.51	-
5260MHz	Pass	PK	5.35G	65.00	74.00	-9.00	3	Vertical	31	2.51	-
5260MHz	Pass	AV	5.15G	50.32	54.00	-3.68	3	Horizontal	41	2.21	-
5260MHz	Pass	AV	5.2624G	110.56	Inf	-Inf	3	Horizontal	41	2.21	-
5260MHz	Pass	AV	5.3524G	53.64	54.00	-0.36	3	Horizontal	41	2.21	-
5260MHz	Pass	PK	5.1496G	62.74	74.00	-11.26	3	Horizontal	41	2.21	-
5260MHz	Pass	PK	5.2588G	120.20	Inf	-Inf	3	Horizontal	41	2.21	-
5260MHz	Pass	PK	5.35G	69.78	74.00	-4.22	3	Horizontal	41	2.21	-
5260MHz	Pass	AV	3.5067G	42.93	54.00	-11.07	3	Vertical	20	1.50	-
5260MHz	Pass	AV	15.77442G	47.35	54.00	-6.65	3	Vertical	294	1.82	-
5260MHz	Pass	PK	3.50654G	50.25	74.00	-23.75	3	Vertical	20	1.50	-
5260MHz	Pass	PK	10.51966G	59.99	68.20	-8.21	3	Vertical	111	1.52	-
5260MHz	Pass	PK	15.79158G	60.04	74.00	-13.96	3	Vertical	294	1.82	-
5260MHz	Pass	AV	3.50668G	50.81	54.00	-3.19	3	Horizontal	359	2.56	-
5260MHz	Pass	AV	15.78972G	46.92	54.00	-7.08	3	Horizontal	201	2.20	-
5260MHz	Pass	PK	3.50677G	54.23	74.00	-19.77	3	Horizontal	359	2.56	-
5260MHz	Pass	PK	10.51544G	59.98	68.20	-8.22	3	Horizontal	188	1.50	-
5260MHz	Pass	PK	15.79152G	60.32	74.00	-13.68	3	Horizontal	201	2.20	-
5300MHz	Pass	AV	5.3042G	106.51	Inf	-Inf	3	Vertical	20	2.73	-
5300MHz	Pass	AV	5.35G	53.82	54.00	-0.18	3	Vertical	20	2.73	-
5300MHz	Pass	PK	5.3024G	116.08	Inf	-Inf	3	Vertical	20	2.73	-
5300MHz	Pass	PK	5.3504G	71.83	74.00	-2.17	3	Vertical	20	2.73	-
5300MHz	Pass	AV	5.3024G	106.80	Inf	-Inf	3	Horizontal	43	2.22	-
5300MHz	Pass	AV	5.3504G	53.70	54.00	-0.30	3	Horizontal	43	2.22	-
5300MHz	Pass	PK	5.3024G	116.44	Inf	-Inf	3	Horizontal	43	2.22	-
5300MHz	Pass	PK	5.351G	71.92	74.00	-2.08	3	Horizontal	43	2.22	-
5300MHz	Pass	AV	3.77258G	33.71	54.00	-20.29	3	Vertical	97	1.50	-
5300MHz	Pass	AV	10.60073G	47.09	54.00	-6.91	3	Vertical	10	1.50	-
5300MHz	Pass	AV	15.90116G	47.21	54.00	-6.79	3	Vertical	310	2.88	-
5300MHz	Pass	PK	3.77177G	46.82	74.00	-27.18	3	Vertical	97	1.50	-
5300MHz	Pass	PK	10.59967G	59.70	68.20	-8.50	3	Vertical	10	1.50	-
5300MHz	Pass	PK	15.90008G	60.11	74.00	-13.89	3	Vertical	310	2.88	-
5300MHz	Pass	AV	3.77335G	37.94	54.00	-16.06	3	Horizontal	53	1.98	-
5300MHz	Pass	AV	10.60032G	46.96	54.00	-7.04	3	Horizontal	333	2.29	-
5300MHz	Pass	AV	15.89809G	46.33	54.00	-7.67	3	Horizontal	128	1.50	-
5300MHz	Pass	PK	3.77379G	47.72	74.00	-26.28	3	Horizontal	53	1.98	-
5300MHz	Pass	PK	10.59976G	59.89	68.20	-8.31	3	Horizontal	333	2.29	-
5300MHz	Pass	PK	15.89979G	59.61	74.00	-14.39	3	Horizontal	128	1.50	-
5320MHz	Pass	AV	5.3218G	103.78	Inf	-Inf	3	Vertical	21	2.58	-
5320MHz	Pass	AV	5.35G	53.64	54.00	-0.36	3	Vertical	21	2.58	-
5320MHz	Pass	PK	5.3224G	113.49	Inf	-Inf	3	Vertical	21	2.58	-
5320MHz	Pass	PK	5.3512G	71.46	74.00	-2.54	3	Vertical	21	2.58	-
5320MHz	Pass	AV	5.3242G	99.87	Inf	-Inf	3	Horizontal	354	1.50	-

Remark :

Page No. : D2 of D107

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

970235-01