


802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59415G	55.66	68.20	-12.54	17.59	3	Horizontal	3	1.69	-	38.07	39.79	12.30	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3186G	104.72	Inf	-Inf	5.40	3	Horizontal	10	1.50	-	99.32	31.06	8.59	34.25
AV	5.3506G	49.75	54.00	-4.25	5.35	3	Horizontal	10	1.50	-	44.40	31.00	8.60	34.25
PK	5.317G	116.64	Inf	-Inf	5.41	3	Horizontal	10	1.50	-	111.23	31.07	8.59	34.25
PK	5.351G	60.58	74.00	-13.42	5.36	3	Horizontal	10	1.50	-	55.22	31.01	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64256G	43.00	54.00	-11.00	17.70	3	Vertical	182	1.74	-	25.30	39.84	12.32	34.46
PK	10.63176G	55.37	74.00	-18.63	17.68	3	Vertical	182	1.74	-	37.69	39.83	12.32	34.47

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63316G	43.08	54.00	-10.92	17.68	3	Horizontal	167	1.55	-	25.40	39.83	12.32	34.47
PK	10.64608G	54.95	74.00	-19.05	17.72	3	Horizontal	167	1.55	-	37.23	39.85	12.33	34.46

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.54	54.00	-5.46	6.06	3	Horizontal	12	1.50	-	42.48	31.62	8.70	34.26
AV	5.4986G	103.92	Inf	-Inf	6.19	3	Horizontal	12	1.50	-	97.73	31.70	8.75	34.26
PK	5.4694G	61.27	68.20	-6.93	6.09	3	Horizontal	12	1.50	-	55.18	31.64	8.71	34.26
PK	5.4968G	115.78	Inf	-Inf	6.18	3	Horizontal	12	1.50	-	109.60	31.69	8.75	34.26

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99892G	43.88	54.00	-10.12	18.51	3	Vertical	173	1.66	-	25.37	40.20	12.50	34.19
PK	10.9956G	55.83	74.00	-18.17	18.51	3	Vertical	173	1.66	-	37.32	40.20	12.50	34.19

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00528G	43.91	54.00	-10.09	18.50	3	Horizontal	125	2.42	-	25.41	40.18	12.51	34.19
PK	11.00628G	55.96	74.00	-18.04	18.50	3	Horizontal	125	2.42	-	37.46	40.18	12.51	34.19

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	48.16	54.00	-5.84	6.05	3	Horizontal	11	1.67	-	42.11	31.62	8.69	34.26
AV	5.5788G	105.15	Inf	-Inf	6.20	3	Horizontal	11	1.67	-	98.95	31.60	8.87	34.27
PK	5.4654G	58.94	68.20	-9.26	6.07	3	Horizontal	11	1.67	-	52.87	31.63	8.70	34.26
PK	5.577G	116.97	Inf	-Inf	6.20	3	Horizontal	11	1.67	-	110.77	31.60	8.87	34.27
PK	5.727G	58.88	68.20	-9.32	6.64	3	Horizontal	11	1.67	-	52.24	31.91	9.01	34.28

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16748G	43.78	54.00	-10.22	18.18	3	Vertical	206	1.54	-	25.60	39.77	12.59	34.18
PK	11.15788G	55.76	74.00	-18.24	18.18	3	Vertical	206	1.54	-	37.58	39.78	12.58	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16896G	43.78	54.00	-10.22	18.17	3	Horizontal	107	2.35	-	25.61	39.76	12.59	34.18
PK	11.1588G	56.22	74.00	-17.78	18.19	3	Horizontal	107	2.35	-	38.03	39.78	12.59	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	105.26	Inf	-Inf	6.51	3	Horizontal	9	1.73	-	98.75	31.80	8.99	34.28
PK	5.698G	116.77	Inf	-Inf	6.51	3	Horizontal	9	1.73	-	110.26	31.80	8.99	34.28
PK	5.7252G	63.88	68.20	-4.32	6.63	3	Horizontal	9	1.73	-	57.25	31.90	9.01	34.28

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40712G	43.97	54.00	-10.03	18.35	3	Vertical	119	2.47	-	25.62	39.81	12.71	34.17
PK	11.4018G	56.17	74.00	-17.83	18.34	3	Vertical	119	2.47	-	37.83	39.80	12.71	34.17


802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39736G	43.58	54.00	-10.42	18.34	3	Horizontal	152	1.26	-	25.24	39.80	12.71	34.17
PK	11.39232G	55.96	74.00	-18.04	18.32	3	Horizontal	152	1.26	-	37.64	39.79	12.70	34.17

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	48.24	54.00	-5.76	5.92	3	Horizontal	8	1.50	-	42.32	31.51	8.66	34.25
AV	5.7224G	104.80	Inf	-Inf	6.62	3	Horizontal	8	1.50	-	98.18	31.89	9.01	34.28
PK	5.4608G	59.02	68.20	-9.18	6.06	3	Horizontal	8	1.50	-	52.96	31.62	8.70	34.26
PK	5.7224G	116.67	Inf	-Inf	6.62	3	Horizontal	8	1.50	-	110.05	31.89	9.01	34.28
PK	5.9552G	61.74	68.20	-6.46	7.15	3	Horizontal	8	1.50	-	54.59	32.31	9.15	34.31

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4302G	43.59	54.00	-10.41	18.42	3	Vertical	108	1.48	-	25.17	39.86	12.72	34.16
PK	11.44036G	55.66	74.00	-18.34	18.45	3	Vertical	108	1.48	-	37.21	39.88	12.73	34.16


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43252G	43.59	54.00	-10.41	18.43	3	Horizontal	172	1.25	-	25.16	39.87	12.72	34.16
PK	11.44672G	56.57	74.00	-17.43	18.46	3	Horizontal	172	1.25	-	38.11	39.89	12.73	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	105.84	Inf	-Inf	6.73	3	Horizontal	10	1.50	-	99.11	31.98	9.03	34.28
PK	5.5014G	61.21	68.20	-6.99	6.20	3	Horizontal	10	1.50	-	55.01	31.70	8.76	34.26
PK	5.7414G	117.59	Inf	-Inf	6.72	3	Horizontal	10	1.50	-	110.87	31.97	9.03	34.28
PK	6.0102G	60.74	68.20	-7.46	7.25	3	Horizontal	10	1.50	-	53.49	32.38	9.18	34.31

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48208G	43.72	54.00	-10.28	18.55	3	Vertical	132	2.12	-	25.17	39.96	12.75	34.16
PK	11.48996G	55.81	74.00	-18.19	18.57	3	Vertical	132	2.12	-	37.24	39.98	12.75	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49412G	43.71	54.00	-10.29	18.58	3	Horizontal	45	1.91	-	25.13	39.99	12.75	34.16
PK	11.49136G	56.21	74.00	-17.79	18.57	3	Horizontal	45	1.91	-	37.64	39.98	12.75	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	105.75	Inf	-Inf	6.78	3	Horizontal	10	1.74	-	98.97	32.00	9.07	34.29
PK	5.5234G	60.48	68.20	-7.72	6.18	3	Horizontal	10	1.74	-	54.30	31.65	8.79	34.26
PK	5.7826G	110.00	Inf	-Inf	6.77	3	Horizontal	10	1.74	-	110.23	32.00	9.06	34.29
PK	6.0202G	60.88	68.20	-7.32	7.24	3	Horizontal	10	1.74	-	53.64	32.36	9.19	34.31

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57628G	43.74	54.00	-10.26	18.52	3	Vertical	99	2.12	-	25.22	39.92	12.80	34.20
PK	11.57228G	56.13	74.00	-17.87	18.53	3	Vertical	99	2.12	-	37.60	39.93	12.79	34.19

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57724G	43.74	54.00	-10.26	18.52	3	Horizontal	121	1.57	-	25.22	39.92	12.80	34.20
PK	11.57492G	55.76	74.00	-18.24	18.53	3	Horizontal	121	1.57	-	37.23	39.93	12.80	34.20

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	105.65	Inf	-Inf	6.91	3	Horizontal	8	1.70	-	98.74	32.11	9.09	34.29
PK	5.597G	60.91	68.20	-7.29	6.23	3	Horizontal	8	1.70	-	54.68	31.60	8.90	34.27
PK	5.8214G	117.47	Inf	-Inf	6.89	3	Horizontal	8	1.70	-	110.58	32.09	9.09	34.29
PK	6.1178G	61.79	68.20	-6.41	7.38	3	Horizontal	8	1.70	-	54.41	32.44	9.26	34.32

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64052G	43.70	54.00	-10.30	18.22	3	Vertical	32	1.28	-	25.48	39.62	12.83	34.23
PK	11.65092G	55.80	74.00	-18.20	18.14	3	Vertical	32	1.28	-	37.66	39.54	12.83	34.23

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64996G	43.75	54.00	-10.25	18.15	3	Horizontal	219	1.23	-	25.60	39.55	12.83	34.23
PK	11.6558G	56.04	74.00	-17.96	18.12	3	Horizontal	219	1.23	-	37.92	39.51	12.84	34.23

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.60	54.00	-0.40	5.99	3	Horizontal	10	1.95	-	47.61	31.70	8.52	34.23
AV	5.2052G	102.02	Inf	-Inf	5.80	3	Horizontal	10	1.95	-	96.22	31.47	8.57	34.24
PK	5.148G	64.58	74.00	-9.42	5.99	3	Horizontal	10	1.95	-	58.59	31.70	8.52	34.23
PK	5.182G	112.95	Inf	-Inf	5.89	3	Horizontal	10	1.95	-	107.06	31.57	8.55	34.23

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37424G	54.80	68.20	-13.40	16.94	3	Vertical	129	1.76	-	37.86	39.42	12.19	34.67

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39616G	54.98	68.20	-13.22	17.04	3	Horizontal	275	2.25	-	37.94	39.49	12.20	34.65

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13G	49.32	54.00	-4.68	5.97	3	Horizontal	12	1.50	-	43.35	31.70	8.50	34.23
AV	5.236G	101.65	Inf	-Inf	5.62	3	Horizontal	12	1.50	-	96.03	31.28	8.58	34.24
PK	5.1436G	60.26	74.00	-13.74	5.99	3	Horizontal	12	1.50	-	54.27	31.70	8.52	34.23
PK	5.222G	113.33	Inf	-Inf	5.70	3	Horizontal	12	1.50	-	107.63	31.37	8.57	34.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.470566	55.94	68.20	-12.26	17.29	3	Vertical	172	1.90	-	38.65	39.64	12.24	34.59



802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46872G	55.74	68.20	-12.46	17.29	3	Horizontal	61	1.01	-	38.45	39.64	12.24	34.59

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.276G	103.20	Inf	-Inf	5.50	3	Horizontal	11	1.65	-	97.70	31.15	8.59	34.24
AV	5.3564G	49.80	54.00	-4.20	5.39	3	Horizontal	11	1.65	-	44.41	31.04	8.60	34.25
PK	5.262G	114.68	Inf	-Inf	5.52	3	Horizontal	11	1.65	-	109.16	31.18	8.58	34.24
PK	5.3588G	60.15	74.00	-13.85	5.40	3	Horizontal	11	1.65	-	54.75	31.05	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54256G	55.95	68.20	-12.25	17.47	3	Vertical	264	1.25	-	38.48	39.74	12.27	34.54



802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.539366G	55.68	68.20	-12.52	17.47	3	Horizontal	309	1.12	-	38.21	39.74	12.27	34.54

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3032G	103.05	Inf	-Inf	5.44	3	Horizontal	10	1.50	-	97.61	31.09	8.59	34.24
AV	5.35G	53.71	54.00	-0.29	5.35	3	Horizontal	10	1.50	-	48.36	31.00	8.60	34.25
PK	5.302G	114.66	Inf	-Inf	5.45	3	Horizontal	10	1.50	-	109.21	31.10	8.59	34.24
PK	5.3528G	64.67	74.00	-9.33	5.37	3	Horizontal	10	1.50	-	59.30	31.02	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60936G	44.06	54.00	-9.94	17.63	3	Vertical	117	2.12	-	26.43	39.81	12.31	34.49
PK	10.6212G	55.42	74.00	-18.58	17.65	3	Vertical	117	2.12	-	37.77	39.82	12.31	34.48

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60272G	44.11	54.00	-9.89	17.61	3	Horizontal	275	2.21	-	26.50	39.80	12.30	34.49
PK	10.61056G	55.61	74.00	-18.39	17.63	3	Horizontal	275	2.21	-	37.98	39.81	12.31	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	51.31	54.00	-2.69	6.06	3	Horizontal	12	1.50	-	45.25	31.62	8.70	34.26
AV	5.516G	101.92	Inf	-Inf	6.19	3	Horizontal	12	1.50	-	95.73	31.67	8.78	34.26
PK	5.4688G	63.64	68.20	-4.56	6.09	3	Horizontal	12	1.50	-	57.55	31.64	8.71	34.26
PK	5.502G	113.10	Inf	-Inf	6.20	3	Horizontal	12	1.50	-	106.90	31.70	8.76	34.26

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00992G	44.94	54.00	-9.06	18.49	3	Vertical	284	1.91	-	26.45	40.17	12.51	34.19
PK	11.02376G	55.94	74.00	-18.06	18.46	3	Vertical	284	1.91	-	37.48	40.13	12.52	34.19

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01168G	44.94	54.00	-9.06	18.48	3	Horizontal	136	1.41	-	26.46	40.16	12.51	34.19
PK	11.03808G	55.89	74.00	-18.11	18.42	3	Horizontal	136	1.41	-	37.47	40.09	12.52	34.19

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	49.38	54.00	-4.62	6.04	3	Horizontal	12	1.50	-	43.34	31.61	8.69	34.26
AV	5.5448G	101.51	Inf	-Inf	6.17	3	Horizontal	12	1.50	-	95.34	31.61	8.82	34.26
PK	5.4688G	60.52	68.20	-7.68	6.09	3	Horizontal	12	1.50	-	54.43	31.64	8.71	34.26
PK	5.542G	113.17	Inf	-Inf	6.18	3	Horizontal	12	1.50	-	106.99	31.62	8.82	34.26

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08256G	44.94	54.00	-9.06	18.31	3	Vertical	269	1.80	-	26.63	39.95	12.55	34.19
PK	11.084G	56.32	74.00	-17.68	18.32	3	Vertical	269	1.80	-	38.00	39.95	12.55	34.18

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08168G	44.80	54.00	-9.20	18.31	3	Horizontal	187	1.51	-	26.49	39.95	12.55	34.19
PK	11.08016G	56.61	74.00	-17.39	18.32	3	Horizontal	187	1.51	-	38.29	39.96	12.55	34.19

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.676G	102.39	Inf	-Inf	6.44	3	Horizontal	9	1.50	-	95.95	31.75	8.97	34.28
PK	5.6622G	114.05	Inf	-Inf	6.40	3	Horizontal	9	1.50	-	107.65	31.72	8.96	34.28
PK	5.7498G	62.24	68.20	-5.96	6.75	3	Horizontal	9	1.50	-	55.49	32.00	9.03	34.28

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3396G	44.40	54.00	-9.60	18.25	3	Vertical	98	2.15	-	26.15	39.74	12.68	34.17
PK	11.32072G	55.78	74.00	-18.22	18.22	3	Vertical	98	2.15	-	37.56	39.72	12.67	34.17


802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3204G	44.43	54.00	-9.57	18.22	3	Horizontal	74	1.71	-	26.21	39.72	12.67	34.17
PK	11.32648G	55.21	74.00	-18.79	18.23	3	Horizontal	74	1.71	-	36.98	39.73	12.67	34.17

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	49.37	54.00	-4.63	6.02	3	Horizontal	8	1.76	-	43.35	31.60	8.68	34.26
AV	5.7064G	102.59	Inf	-Inf	6.55	3	Horizontal	8	1.76	-	96.04	31.83	9.00	34.28
PK	5.4676G	59.50	68.20	-8.70	6.09	3	Horizontal	8	1.76	-	53.41	31.64	8.71	34.26
PK	5.7016G	114.10	Inf	-Inf	6.52	3	Horizontal	8	1.76	-	107.58	31.81	8.99	34.28
PK	5.86G	62.07	68.20	-6.13	7.03	3	Horizontal	8	1.76	-	55.04	32.22	9.11	34.30


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41856G	44.83	54.00	-9.17	18.40	3	Vertical	95	2.19	-	26.43	39.84	12.72	34.16
PK	11.41624G	55.83	74.00	-18.17	18.38	3	Vertical	95	2.19	-	37.45	39.83	12.72	34.17




802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40088G	44.53	54.00	-9.47	18.34	3	Horizontal	131	1.73	-	26.19	39.80	12.71	34.17
PK	11.40256G	55.83	74.00	-18.17	18.35	3	Horizontal	131	1.73	-	37.48	39.81	12.71	34.17

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	102.95	Inf	-Inf	6.75	3	Horizontal	9	1.72	-	96.20	32.00	9.04	34.29
PK	5.6242G	61.41	68.20	-6.79	6.30	3	Horizontal	9	1.72	-	55.11	31.65	8.92	34.27
PK	5.7466G	114.55	Inf	-Inf	6.74	3	Horizontal	9	1.72	-	107.81	31.99	9.03	34.28
PK	6.049G	60.65	68.20	-7.55	7.20	3	Horizontal	9	1.72	-	53.45	32.30	9.21	34.31



802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49208G	44.38	54.00	-9.62	18.57	3	Vertical	219	1.60	-	25.81	39.98	12.75	34.16
PK	11.50752G	55.61	74.00	-18.39	18.59	3	Vertical	219	1.60	-	37.02	39.99	12.76	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49088G	44.50	54.00	-9.50	18.57	3	Horizontal	220	2.00	-	25.93	39.98	12.75	34.16
PK	11.52544G	55.52	74.00	-18.48	18.57	3	Horizontal	220	2.00	-	36.95	39.97	12.77	34.17

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	103.03	Inf	-Inf	6.79	3	Horizontal	9	1.50	-	96.24	32.00	9.08	34.29
PK	5.6378G	61.05	68.20	-7.15	6.34	3	Horizontal	9	1.50	-	54.71	31.68	8.93	34.27
PK	5.7866G	114.63	Inf	-Inf	6.78	3	Horizontal	9	1.50	-	107.85	32.00	9.07	34.29
PK	5.9558G	60.83	68.20	-7.37	7.15	3	Horizontal	9	1.50	-	53.68	32.31	9.15	34.31

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6016G	44.73	54.00	-9.27	18.49	3	Vertical	172	2.47	-	26.24	39.89	12.81	34.21
PK	11.60024G	55.96	74.00	-18.04	18.50	3	Vertical	172	2.47	-	37.46	39.90	12.81	34.21

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60616G	44.81	54.00	-9.19	18.46	3	Horizontal	278	1.92	-	26.35	39.86	12.81	34.21
PK	11.6076G	55.97	74.00	-18.03	18.45	3	Horizontal	278	1.92	-	37.52	39.85	12.81	34.21

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.32	54.00	-1.68	5.99	3	Horizontal	12	1.74	-	46.33	31.70	8.52	34.23
AV	5.216G	99.17	Inf	-Inf	5.73	3	Horizontal	12	1.74	-	93.44	31.40	8.57	34.24
AV	5.363G	49.37	54.00	-4.63	5.43	3	Horizontal	12	1.74	-	43.94	31.08	8.60	34.25
PK	5.149G	62.46	74.00	-11.54	5.99	3	Horizontal	12	1.74	-	56.47	31.70	8.52	34.23
PK	5.209G	109.94	Inf	-Inf	5.78	3	Horizontal	12	1.74	-	104.16	31.45	8.57	34.24
PK	5.363G	59.94	74.00	-14.06	5.43	3	Horizontal	12	1.74	-	54.51	31.08	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45392G	56.15	68.20	-12.05	17.23	3	Vertical	327	1.28	-	38.92	39.61	12.23	34.61

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41568G	56.27	68.20	-11.93	17.11	3	Horizontal	217	1.03	-	39.16	39.53	12.21	34.63

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	49.94	54.00	-4.06	5.98	3	Horizontal	10	1.50	-	43.96	31.70	8.51	34.23
AV	5.304G	99.14	Inf	-Inf	5.44	3	Horizontal	10	1.50	-	93.70	31.09	8.59	34.24
AV	5.352G	52.26	54.00	-1.74	5.36	3	Horizontal	10	1.50	-	46.90	31.01	8.60	34.25
PK	5.133G	60.22	74.00	-13.78	5.98	3	Horizontal	10	1.50	-	54.24	31.70	8.51	34.23
PK	5.303G	110.27	Inf	-Inf	5.44	3	Horizontal	10	1.50	-	104.83	31.09	8.59	34.24
PK	5.353G	62.79	74.00	-11.21	5.37	3	Horizontal	10	1.50	-	57.42	31.02	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.55568G	55.50	68.20	-12.70	17.51	3	Vertical	139	1.77	-	37.99	39.76	12.28	34.53

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.552966	55.29	68.20	-12.91	17.50	3	Horizontal	10	1.74	-	37.79	39.75	12.28	34.53

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.07	54.00	-1.93	6.06	3	Horizontal	9	1.71	-	46.01	31.62	8.70	34.26
AV	5.539G	99.75	Inf	-Inf	6.17	3	Horizontal	9	1.71	-	93.58	31.62	8.81	34.26
PK	5.47G	64.64	68.20	-3.56	6.09	3	Horizontal	9	1.71	-	58.55	31.64	8.71	34.26
PK	5.537G	110.40	Inf	-Inf	6.18	3	Horizontal	9	1.71	-	104.22	31.63	8.81	34.26
PK	5.76G	60.78	68.20	-7.42	6.75	3	Horizontal	9	1.71	-	54.03	32.00	9.04	34.29

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04784G	44.94	54.00	-9.06	18.40	3	Vertical	263	1.74	-	26.54	40.06	12.53	34.19
PK	11.03904G	56.02	74.00	-17.98	18.41	3	Vertical	263	1.74	-	37.61	40.08	12.52	34.19

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02304G	45.25	54.00	-8.75	18.46	3	Horizontal	190	1.46	-	26.79	40.13	12.52	34.19
PK	11.03632G	56.17	74.00	-17.83	18.42	3	Horizontal	190	1.46	-	37.75	40.09	12.52	34.19

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	50.02	54.00	-3.98	6.04	3	Horizontal	10	1.68	-	43.98	31.61	8.69	34.26
AV	5.597G	99.85	Inf	-Inf	6.23	3	Horizontal	10	1.68	-	93.62	31.60	8.90	34.27
PK	5.47G	60.57	68.20	-7.63	6.09	3	Horizontal	10	1.68	-	54.48	31.64	8.71	34.26
PK	5.6G	110.68	Inf	-Inf	6.23	3	Horizontal	10	1.68	-	104.45	31.60	8.90	34.27
PK	5.755G	62.02	68.20	-6.18	6.75	3	Horizontal	10	1.68	-	55.27	32.00	9.04	34.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21728G	44.91	54.00	-9.09	18.13	3	Vertical	288	1.36	-	26.78	39.70	12.61	34.18
PK	11.20384G	56.37	74.00	-17.63	18.13	3	Vertical	288	1.36	-	38.24	39.70	12.61	34.18




802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.24416G	45.25	54.00	-8.75	18.15	3	Horizontal	197	1.81	-	27.10	39.70	12.63	34.18
PK	11.19056G	56.22	74.00	-17.78	18.14	3	Horizontal	197	1.81	-	38.08	39.72	12.60	34.18

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	49.16	54.00	-4.84	5.97	3	Horizontal	10	1.50	-	43.19	31.56	8.67	34.26
AV	5.696G	99.78	Inf	-Inf	6.50	3	Horizontal	10	1.50	-	93.28	31.79	8.99	34.28
PK	5.468G	60.15	68.20	-8.05	6.09	3	Horizontal	10	1.50	-	54.06	31.64	8.71	34.26
PK	5.6804G	110.69	Inf	-Inf	6.45	3	Horizontal	10	1.50	-	104.24	31.76	8.97	34.28
PK	5.87G	61.06	68.20	-7.14	7.05	3	Horizontal	10	1.50	-	54.01	32.24	9.11	34.30

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41344G	44.59	54.00	-9.41	18.37	3	Vertical	215	1.33	-	26.22	39.83	12.71	34.17
PK	11.36816G	56.00	74.00	-18.00	18.29	3	Vertical	215	1.33	-	37.71	39.77	12.69	34.17


802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40256G	44.53	54.00	-9.47	18.35	3	Horizontal	122	1.85	-	26.18	39.81	12.71	34.17
PK	11.41392G	55.42	74.00	-18.58	18.37	3	Horizontal	122	1.85	-	37.05	39.83	12.71	34.17

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	99.98	Inf	-Inf	6.76	3	Horizontal	9	1.50	-	93.22	32.00	9.05	34.29
PK	5.6382G	61.72	68.20	-6.48	6.34	3	Horizontal	9	1.50	-	55.38	31.68	8.93	34.27
PK	5.7882G	111.12	Inf	-Inf	6.78	3	Horizontal	9	1.50	-	104.34	32.00	9.07	34.29
PK	5.9922G	61.65	68.20	-6.55	7.24	3	Horizontal	9	1.50	-	54.41	32.38	9.17	34.31

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57368G	44.74	54.00	-9.26	18.52	3	Vertical	288	1.08	-	26.22	39.93	12.79	34.20
PK	11.56712G	56.08	74.00	-17.92	18.53	3	Vertical	288	1.08	-	37.55	39.93	12.79	34.19

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54808G	44.61	54.00	-9.39	18.55	3	Horizontal	114	1.42	-	26.06	39.95	12.78	34.18
PK	11.5748G	56.05	74.00	-17.95	18.53	3	Horizontal	114	1.42	-	37.52	39.93	12.80	34.20

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.72	54.00	-0.28	5.99	3	Horizontal	10	1.50	-	47.73	31.70	8.52	34.23
AV	5.256G	97.66	Inf	-Inf	5.53	3	Horizontal	10	1.50	-	92.13	31.19	8.58	34.24
AV	5.388G	53.76	54.00	-0.24	5.59	3	Horizontal	10	1.50	-	48.17	31.23	8.61	34.25
PK	5.115G	62.15	74.00	-11.85	5.96	3	Horizontal	10	1.50	-	56.19	31.70	8.49	34.23
PK	5.232G	108.05	Inf	-Inf	5.65	3	Horizontal	10	1.50	-	102.40	31.31	8.58	34.24
PK	5.469G	59.86	68.20	-8.34	6.09	3	Horizontal	10	1.50	-	53.77	31.64	8.71	34.26

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48968G	56.05	68.20	-12.15	17.35	3	Vertical	37	1.65	-	38.70	39.68	12.25	34.58

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4892G	55.70	68.20	-12.50	17.35	3	Horizontal	183	2.39	-	38.35	39.68	12.25	34.58

802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.76	54.00	-1.24	6.06	3	Horizontal	10	170	-	46.70	31.62	8.70	34.26
AV	5.591G	97.39	Inf	-Inf	6.22	3	Horizontal	10	170	-	91.17	31.60	8.89	34.27
PK	5.465G	61.11	68.20	-7.09	6.07	3	Horizontal	10	170	-	55.04	31.63	8.70	34.26
PK	5.552G	108.42	Inf	-Inf	6.16	3	Horizontal	10	170	-	102.26	31.60	8.83	34.27
PK	5.81G	62.01	68.20	-6.19	6.83	3	Horizontal	10	170	-	55.18	32.04	9.08	34.29

802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.092G	46.70	54.00	-7.30	18.29	3	Vertical	193	1.54	-	28.41	39.92	12.55	34.18
PK	11.068G	56.62	74.00	-17.38	18.35	3	Vertical	193	1.54	-	38.27	40.00	12.54	34.19

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20304G	46.46	54.00	-7.54	18.13	3	Horizontal	46	2.16	-	28.33	39.70	12.61	34.18
PK	11.148G	56.22	74.00	-17.78	18.20	3	Horizontal	46	2.16	-	38.02	39.80	12.58	34.18



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss2,(6Mbps)_2TX	Pass	AV	5.1458G	46.42	54.00	-7.58	3	Horizontal	8	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.1494G	48.44	54.00	-5.56	3	Horizontal	11	1.76	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	52.11	54.00	-1.89	3	Horizontal	13	1.50	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.149G	49.97	54.00	-4.03	3	Horizontal	14	1.63	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss2,(6Mbps)_2TX	Pass	AV	5.3516G	46.53	54.00	-7.47	3	Vertical	7	1.49	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.3508G	48.11	54.00	-5.89	3	Vertical	13	1.56	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	51.04	54.00	-2.96	3	Horizontal	14	1.50	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.353G	49.61	54.00	-4.39	3	Horizontal	15	1.50	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss2,(6Mbps)_2TX	Pass	AV	5.4598G	46.13	54.00	-7.87	3	Horizontal	7	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.726G	65.55	68.20	-2.65	3	Vertical	11	1.50	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.4588G	48.42	54.00	-5.58	3	Horizontal	15	1.47	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.458G	49.44	54.00	-4.56	3	Horizontal	14	1.50	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.438G	50.81	54.00	-3.19	3	Vertical	15	1.52	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss2,(6Mbps)_2TX	Pass	PK	5.6458G	60.77	68.20	-7.43	3	Vertical	11	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.5262G	60.38	68.20	-7.82	3	Vertical	15	1.49	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.6362G	59.42	68.20	-8.78	3	Vertical	15	1.49	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.6298G	61.17	68.20	-7.03	3	Vertical	15	1.49	-
5.15-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.385G	53.69	54.00	-0.31	3	Vertical	16	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss2(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1408G	46.18	54.00	-7.82	3	Vertical	6	1.50	-
5180MHz	Pass	AV	5.1824G	102.00	Inf	-Inf	3	Vertical	6	1.50	-
5180MHz	Pass	PK	5.145G	58.97	74.00	-15.03	3	Vertical	6	1.50	-
5180MHz	Pass	PK	5.1836G	112.32	Inf	-Inf	3	Vertical	6	1.50	-
5180MHz	Pass	AV	5.1458G	46.42	54.00	-7.58	3	Horizontal	8	1.50	-
5180MHz	Pass	AV	5.1756G	102.10	Inf	-Inf	3	Horizontal	8	1.50	-
5180MHz	Pass	PK	5.1308G	58.57	74.00	-15.43	3	Horizontal	8	1.50	-
5180MHz	Pass	PK	5.1824G	111.98	Inf	-Inf	3	Horizontal	8	1.50	-
5180MHz	Pass	PK	10.36764G	53.24	68.20	-14.96	3	Vertical	142	2.42	-
5180MHz	Pass	PK	10.35208G	53.21	68.20	-14.99	3	Horizontal	329	1.47	-
5200MHz	Pass	AV	5.1332G	45.67	54.00	-8.33	3	Vertical	9	1.49	-
5200MHz	Pass	AV	5.2024G	101.77	Inf	-Inf	3	Vertical	9	1.49	-
5200MHz	Pass	PK	5.1444G	57.77	74.00	-16.23	3	Vertical	9	1.49	-
5200MHz	Pass	PK	5.1976G	111.61	Inf	-Inf	3	Vertical	9	1.49	-
5200MHz	Pass	AV	5.1472G	45.78	54.00	-8.22	3	Horizontal	8	1.49	-
5200MHz	Pass	AV	5.206G	102.27	Inf	-Inf	3	Horizontal	8	1.49	-
5200MHz	Pass	PK	5.1448G	59.25	74.00	-14.75	3	Horizontal	8	1.49	-
5200MHz	Pass	PK	5.2016G	112.66	Inf	-Inf	3	Horizontal	8	1.49	-
5200MHz	Pass	PK	10.39384G	53.11	68.20	-15.09	3	Vertical	234	1.29	-
5200MHz	Pass	PK	10.39876G	53.68	68.20	-14.52	3	Horizontal	287	2.12	-
5240MHz	Pass	AV	5.147G	45.27	54.00	-8.73	3	Vertical	5	1.43	-
5240MHz	Pass	AV	5.2376G	101.67	Inf	-Inf	3	Vertical	5	1.43	-
5240MHz	Pass	AV	5.3522G	45.58	54.00	-8.42	3	Vertical	5	1.43	-
5240MHz	Pass	PK	5.1404G	57.40	74.00	-16.60	3	Vertical	5	1.43	-
5240MHz	Pass	PK	5.2358G	111.97	Inf	-Inf	3	Vertical	5	1.43	-
5240MHz	Pass	PK	5.381G	57.92	74.00	-16.08	3	Vertical	5	1.43	-
5240MHz	Pass	AV	5.138G	45.42	54.00	-8.58	3	Horizontal	5	1.50	-
5240MHz	Pass	AV	5.2352G	101.85	Inf	-Inf	3	Horizontal	5	1.50	-
5240MHz	Pass	AV	5.35G	45.26	54.00	-8.74	3	Horizontal	5	1.50	-
5240MHz	Pass	PK	5.1314G	57.66	74.00	-16.34	3	Horizontal	5	1.50	-
5240MHz	Pass	PK	5.2418G	111.44	Inf	-Inf	3	Horizontal	5	1.50	-
5240MHz	Pass	PK	5.3558G	56.70	74.00	-17.30	3	Horizontal	5	1.50	-
5240MHz	Pass	PK	10.47976G	53.05	68.20	-15.15	3	Vertical	322	1.83	-
5240MHz	Pass	PK	10.48172G	53.50	68.20	-14.70	3	Horizontal	152	1.26	-
5260MHz	Pass	AV	5.1466G	45.42	54.00	-8.58	3	Vertical	6	1.49	-
5260MHz	Pass	AV	5.2624G	101.99	Inf	-Inf	3	Vertical	6	1.49	-
5260MHz	Pass	AV	5.3626G	45.84	54.00	-8.16	3	Vertical	6	1.49	-
5260MHz	Pass	PK	5.1196G	57.40	74.00	-16.60	3	Vertical	6	1.49	-
5260MHz	Pass	PK	5.2636G	111.97	Inf	-Inf	3	Vertical	6	1.49	-
5260MHz	Pass	PK	5.3638G	58.04	74.00	-15.96	3	Vertical	6	1.49	-
5260MHz	Pass	AV	5.1202G	45.28	54.00	-8.72	3	Horizontal	6	1.50	-
5260MHz	Pass	AV	5.2642G	102.42	Inf	-Inf	3	Horizontal	6	1.50	-
5260MHz	Pass	AV	5.3632G	45.41	54.00	-8.59	3	Horizontal	6	1.50	-
5260MHz	Pass	PK	5.1202G	57.38	74.00	-16.62	3	Horizontal	6	1.50	-
5260MHz	Pass	PK	5.2618G	112.61	Inf	-Inf	3	Horizontal	6	1.50	-
5260MHz	Pass	PK	5.3632G	57.21	74.00	-16.79	3	Horizontal	6	1.50	-
5260MHz	Pass	PK	10.51216G	55.19	68.20	-13.01	3	Vertical	112	2.11	-
5260MHz	Pass	PK	10.51944G	55.41	68.20	-12.79	3	Horizontal	8	2.07	-
5300MHz	Pass	AV	5.2976G	102.18	Inf	-Inf	3	Vertical	8	1.49	-
5300MHz	Pass	AV	5.3508G	46.09	54.00	-7.91	3	Vertical	8	1.49	-
5300MHz	Pass	PK	5.296G	112.42	Inf	-Inf	3	Vertical	8	1.49	-
5300MHz	Pass	PK	5.3572G	58.06	74.00	-15.94	3	Vertical	8	1.49	-
5300MHz	Pass	AV	5.2952G	102.56	Inf	-Inf	3	Horizontal	8	1.50	-
5300MHz	Pass	AV	5.3516G	45.79	54.00	-8.21	3	Horizontal	8	1.50	-
5300MHz	Pass	PK	5.3052G	112.00	Inf	-Inf	3	Horizontal	8	1.50	-
5300MHz	Pass	PK	5.3588G	58.16	74.00	-15.84	3	Horizontal	8	1.50	-
5300MHz	Pass	AV	10.60596G	41.58	54.00	-12.42	3	Vertical	25	1.77	-
5300MHz	Pass	PK	10.59036G	54.92	68.20	-13.28	3	Vertical	25	1.77	-
5300MHz	Pass	AV	10.60672G	41.72	54.00	-12.28	3	Horizontal	98	1.40	-
5300MHz	Pass	PK	10.59528G	55.01	68.20	-13.19	3	Horizontal	98	1.40	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	5.3222G	101.90	Inf	-Inf	3	Vertical	7	1.49	-
5320MHz	Pass	AV	5.3516G	46.53	54.00	-7.47	3	Vertical	7	1.49	-
5320MHz	Pass	PK	5.3166G	112.04	Inf	-Inf	3	Vertical	7	1.49	-
5320MHz	Pass	PK	5.3592G	59.50	74.00	-14.50	3	Vertical	7	1.49	-
5320MHz	Pass	AV	5.3152G	103.05	Inf	-Inf	3	Horizontal	6	1.50	-
5320MHz	Pass	AV	5.3504G	46.35	54.00	-7.65	3	Horizontal	6	1.50	-
5320MHz	Pass	PK	5.3214G	112.72	Inf	-Inf	3	Horizontal	6	1.50	-
5320MHz	Pass	PK	5.3502G	59.62	74.00	-14.38	3	Horizontal	6	1.50	-
5320MHz	Pass	AV	10.64776G	41.84	54.00	-12.16	3	Vertical	104	2.03	-
5320MHz	Pass	PK	10.63876G	55.17	74.00	-18.83	3	Vertical	104	2.03	-
5320MHz	Pass	AV	10.64732G	42.10	54.00	-11.90	3	Horizontal	84	1.55	-
5320MHz	Pass	PK	10.64848G	56.25	74.00	-17.75	3	Horizontal	84	1.55	-
5500MHz	Pass	AV	5.459G	45.87	54.00	-8.13	3	Vertical	9	1.49	-
5500MHz	Pass	AV	5.4972G	101.82	Inf	-Inf	3	Vertical	9	1.49	-
5500MHz	Pass	PK	5.4616G	57.57	68.20	-10.63	3	Vertical	9	1.49	-
5500MHz	Pass	PK	5.496G	112.14	Inf	-Inf	3	Vertical	9	1.49	-
5500MHz	Pass	AV	5.4598G	46.13	54.00	-7.87	3	Horizontal	7	1.50	-
5500MHz	Pass	AV	5.504G	103.24	Inf	-Inf	3	Horizontal	7	1.50	-
5500MHz	Pass	PK	5.4676G	58.51	68.20	-9.69	3	Horizontal	7	1.50	-
5500MHz	Pass	PK	5.5014G	112.52	Inf	-Inf	3	Horizontal	7	1.50	-
5500MHz	Pass	AV	10.99344G	42.56	54.00	-11.44	3	Vertical	57	1.12	-
5500MHz	Pass	PK	10.99892G	55.67	74.00	-18.33	3	Vertical	57	1.12	-
5500MHz	Pass	AV	10.99132G	42.45	54.00	-11.55	3	Horizontal	171	2.00	-
5500MHz	Pass	PK	11.0062G	55.46	74.00	-18.54	3	Horizontal	171	2.00	-
5580MHz	Pass	AV	5.4498G	44.80	54.00	-9.20	3	Vertical	8	1.49	-
5580MHz	Pass	AV	5.5824G	101.60	Inf	-Inf	3	Vertical	8	1.49	-
5580MHz	Pass	PK	5.4666G	56.52	68.20	-11.68	3	Vertical	8	1.49	-
5580MHz	Pass	PK	5.5764G	111.72	Inf	-Inf	3	Vertical	8	1.49	-
5580MHz	Pass	PK	5.727G	56.84	68.20	-11.36	3	Vertical	8	1.49	-
5580MHz	Pass	AV	5.448G	45.39	54.00	-8.61	3	Horizontal	7	1.50	-
5580MHz	Pass	AV	5.5752G	102.99	Inf	-Inf	3	Horizontal	7	1.50	-
5580MHz	Pass	PK	5.4648G	56.76	68.20	-11.44	3	Horizontal	7	1.50	-
5580MHz	Pass	PK	5.5818G	112.36	Inf	-Inf	3	Horizontal	7	1.50	-
5580MHz	Pass	PK	5.7264G	56.44	68.20	-11.76	3	Horizontal	7	1.50	-
5580MHz	Pass	AV	11.1696G	42.15	54.00	-11.85	3	Vertical	14	1.87	-
5580MHz	Pass	PK	11.16644G	55.15	74.00	-18.85	3	Vertical	14	1.87	-
5580MHz	Pass	AV	11.152G	42.12	54.00	-11.88	3	Horizontal	85	2.08	-
5580MHz	Pass	PK	11.16748G	55.36	74.00	-18.64	3	Horizontal	85	2.08	-
5700MHz	Pass	AV	5.6952G	101.30	Inf	-Inf	3	Vertical	7	1.49	-
5700MHz	Pass	PK	5.6976G	111.46	Inf	-Inf	3	Vertical	7	1.49	-
5700MHz	Pass	PK	5.728G	58.82	68.20	-9.38	3	Vertical	7	1.49	-
5700MHz	Pass	AV	5.6972G	102.91	Inf	-Inf	3	Horizontal	6	1.50	-
5700MHz	Pass	PK	5.7024G	112.80	Inf	-Inf	3	Horizontal	6	1.50	-
5700MHz	Pass	PK	5.7264G	59.04	68.20	-9.16	3	Horizontal	6	1.50	-
5700MHz	Pass	AV	11.3906G	42.19	54.00	-11.81	3	Vertical	252	2.47	-
5700MHz	Pass	PK	11.39788G	54.98	74.00	-19.02	3	Vertical	252	2.47	-
5700MHz	Pass	AV	11.3982G	42.24	54.00	-11.76	3	Horizontal	259	1.57	-
5700MHz	Pass	PK	11.40196G	55.66	74.00	-18.34	3	Horizontal	259	1.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.11	54.00	-8.89	3	Vertical	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	101.22	Inf	-Inf	3	Vertical	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.35	68.20	-11.85	3	Vertical	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	111.55	Inf	-Inf	3	Vertical	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9108G	57.35	68.20	-10.85	3	Vertical	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	45.57	54.00	-8.43	3	Horizontal	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	102.65	Inf	-Inf	3	Horizontal	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	57.22	68.20	-10.98	3	Horizontal	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	112.54	Inf	-Inf	3	Horizontal	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9024G	58.56	68.20	-9.64	3	Horizontal	6	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4382G	42.25	54.00	-11.75	3	Vertical	351	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44176G	55.48	74.00	-18.52	3	Vertical	351	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4414G	42.19	54.00	-11.81	3	Horizontal	16	1.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43708G	55.21	74.00	-18.79	3	Horizontal	16	1.24	-



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	AV	5.7426G	102.58	Inf	-Inf	3	Vertical	13	1.56	-
5745MHz	Pass	PK	5.6334G	59.50	68.20	-8.70	3	Vertical	13	1.56	-
5745MHz	Pass	PK	5.7414G	112.87	Inf	-Inf	3	Vertical	13	1.56	-
5745MHz	Pass	PK	5.9862G	57.77	68.20	-10.43	3	Vertical	13	1.56	-
5745MHz	Pass	AV	5.7462G	104.29	Inf	-Inf	3	Horizontal	10	1.50	-
5745MHz	Pass	PK	5.5518G	59.27	68.20	-8.93	3	Horizontal	10	1.50	-
5745MHz	Pass	PK	5.7498G	113.10	Inf	-Inf	3	Horizontal	10	1.50	-
5745MHz	Pass	PK	6.0234G	58.93	68.20	-9.27	3	Horizontal	10	1.50	-
5745MHz	Pass	AV	11.49716G	42.45	54.00	-11.55	3	Vertical	11	2.16	-
5745MHz	Pass	PK	11.4944G	55.32	74.00	-18.68	3	Vertical	11	2.16	-
5745MHz	Pass	AV	11.4908G	42.46	54.00	-11.54	3	Horizontal	19	2.00	-
5745MHz	Pass	PK	11.4984G	55.58	74.00	-18.42	3	Horizontal	19	2.00	-
5785MHz	Pass	AV	5.7778G	102.58	Inf	-Inf	3	Vertical	11	1.50	-
5785MHz	Pass	PK	5.6458G	60.77	68.20	-7.43	3	Vertical	11	1.50	-
5785MHz	Pass	PK	5.7778G	112.70	Inf	-Inf	3	Vertical	11	1.50	-
5785MHz	Pass	PK	5.9602G	58.05	68.20	-10.15	3	Vertical	11	1.50	-
5785MHz	Pass	AV	5.7874G	104.14	Inf	-Inf	3	Horizontal	8	1.65	-
5785MHz	Pass	PK	5.5822G	59.08	68.20	-9.12	3	Horizontal	8	1.65	-
5785MHz	Pass	PK	5.7874G	113.32	Inf	-Inf	3	Horizontal	8	1.65	-
5785MHz	Pass	PK	6.0262G	58.89	68.20	-9.31	3	Horizontal	8	1.65	-
5785MHz	Pass	AV	11.563G	42.49	54.00	-11.51	3	Vertical	166	1.75	-
5785MHz	Pass	PK	11.57492G	55.98	74.00	-18.02	3	Vertical	166	1.75	-
5785MHz	Pass	AV	11.56848G	42.22	54.00	-11.78	3	Horizontal	304	1.97	-
5785MHz	Pass	PK	11.56236G	55.42	74.00	-18.58	3	Horizontal	304	1.97	-
5825MHz	Pass	AV	5.8274G	102.96	Inf	-Inf	3	Vertical	11	1.60	-
5825MHz	Pass	PK	5.6018G	60.01	68.20	-8.19	3	Vertical	11	1.60	-
5825MHz	Pass	PK	5.8214G	112.35	Inf	-Inf	3	Vertical	11	1.60	-
5825MHz	Pass	PK	5.969G	58.84	68.20	-9.36	3	Vertical	11	1.60	-
5825MHz	Pass	AV	5.8262G	104.13	Inf	-Inf	3	Horizontal	11	1.42	-
5825MHz	Pass	PK	5.6126G	59.15	68.20	-9.05	3	Horizontal	11	1.42	-
5825MHz	Pass	PK	5.8262G	113.91	Inf	-Inf	3	Horizontal	11	1.42	-
5825MHz	Pass	PK	5.9558G	58.96	68.20	-9.24	3	Horizontal	11	1.42	-
5825MHz	Pass	AV	11.6476G	41.86	54.00	-12.14	3	Vertical	15	2.35	-
5825MHz	Pass	PK	11.6468G	54.84	74.00	-19.16	3	Vertical	15	2.35	-
5825MHz	Pass	AV	11.64492G	41.91	54.00	-12.09	3	Horizontal	74	1.24	-
5825MHz	Pass	PK	11.64196G	55.04	74.00	-18.96	3	Horizontal	74	1.24	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	47.76	54.00	-6.24	3	Vertical	12	1.66	-
5180MHz	Pass	AV	5.184G	102.27	Inf	-Inf	3	Vertical	12	1.66	-
5180MHz	Pass	PK	5.1482G	59.30	74.00	-14.70	3	Vertical	12	1.66	-
5180MHz	Pass	PK	5.1842G	115.65	Inf	-Inf	3	Vertical	12	1.66	-
5180MHz	Pass	AV	5.1494G	48.44	54.00	-5.56	3	Horizontal	11	1.76	-
5180MHz	Pass	AV	5.1758G	103.19	Inf	-Inf	3	Horizontal	11	1.76	-
5180MHz	Pass	PK	5.1468G	60.85	74.00	-13.15	3	Horizontal	11	1.76	-
5180MHz	Pass	PK	5.1732G	116.11	Inf	-Inf	3	Horizontal	11	1.76	-
5180MHz	Pass	PK	10.36856G	54.88	68.20	-13.32	3	Vertical	67	2.46	-
5180MHz	Pass	PK	10.3554G	54.67	68.20	-13.53	3	Horizontal	217	2.41	-
5200MHz	Pass	AV	5.144G	46.98	54.00	-7.02	3	Vertical	10	1.48	-
5200MHz	Pass	AV	5.1984G	102.35	Inf	-Inf	3	Vertical	10	1.48	-
5200MHz	Pass	PK	5.1292G	59.31	74.00	-14.69	3	Vertical	10	1.48	-
5200MHz	Pass	PK	5.1968G	115.40	Inf	-Inf	3	Vertical	10	1.48	-
5200MHz	Pass	AV	5.1488G	46.89	54.00	-7.11	3	Horizontal	8	1.68	-
5200MHz	Pass	AV	5.2052G	103.08	Inf	-Inf	3	Horizontal	8	1.68	-
5200MHz	Pass	PK	5.1488G	59.08	74.00	-14.92	3	Horizontal	8	1.68	-
5200MHz	Pass	PK	5.2028G	116.23	Inf	-Inf	3	Horizontal	8	1.68	-
5200MHz	Pass	PK	10.39128G	54.32	68.20	-13.88	3	Vertical	278	1.83	-
5200MHz	Pass	PK	10.40708G	55.12	68.20	-13.08	3	Horizontal	90	2.40	-
5240MHz	Pass	AV	5.1374G	46.39	54.00	-7.61	3	Vertical	12	1.61	-
5240MHz	Pass	AV	5.2382G	102.13	Inf	-Inf	3	Vertical	12	1.61	-
5240MHz	Pass	AV	5.354G	46.34	54.00	-7.66	3	Vertical	12	1.61	-
5240MHz	Pass	PK	5.1338G	58.89	74.00	-15.11	3	Vertical	12	1.61	-
5240MHz	Pass	PK	5.2442G	115.36	Inf	-Inf	3	Vertical	12	1.61	-



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3786G	59.41	74.00	-14.59	3	Vertical	12	1.61	-
5240MHz	Pass	AV	5.1428G	46.42	54.00	-7.58	3	Horizontal	10	1.56	-
5240MHz	Pass	AV	5.2448G	103.02	Inf	-Inf	3	Horizontal	10	1.56	-
5240MHz	Pass	AV	5.3522G	46.14	54.00	-7.86	3	Horizontal	10	1.56	-
5240MHz	Pass	PK	5.111G	59.02	74.00	-14.98	3	Horizontal	10	1.56	-
5240MHz	Pass	PK	5.243G	115.91	Inf	-Inf	3	Horizontal	10	1.56	-
5240MHz	Pass	PK	5.36G	58.03	74.00	-15.97	3	Horizontal	10	1.56	-
5240MHz	Pass	PK	10.48812G	54.76	68.20	-13.44	3	Vertical	204	1.72	-
5240MHz	Pass	PK	10.48904G	55.08	68.20	-13.12	3	Horizontal	148	1.79	-
5260MHz	Pass	AV	5.1454G	46.12	54.00	-7.88	3	Vertical	12	1.52	-
5260MHz	Pass	AV	5.2612G	102.39	Inf	-Inf	3	Vertical	12	1.52	-
5260MHz	Pass	AV	5.3932G	46.48	54.00	-7.52	3	Vertical	12	1.52	-
5260MHz	Pass	PK	5.1166G	59.09	74.00	-14.91	3	Vertical	12	1.52	-
5260MHz	Pass	PK	5.2642G	115.45	Inf	-Inf	3	Vertical	12	1.52	-
5260MHz	Pass	PK	5.4004G	58.93	74.00	-15.07	3	Vertical	12	1.52	-
5260MHz	Pass	AV	5.149G	46.41	54.00	-7.59	3	Horizontal	12	1.59	-
5260MHz	Pass	AV	5.263G	103.15	Inf	-Inf	3	Horizontal	12	1.59	-
5260MHz	Pass	AV	5.3674G	46.29	54.00	-7.71	3	Horizontal	12	1.59	-
5260MHz	Pass	PK	5.1274G	59.02	74.00	-14.98	3	Horizontal	12	1.59	-
5260MHz	Pass	PK	5.257G	115.85	Inf	-Inf	3	Horizontal	12	1.59	-
5260MHz	Pass	PK	5.3518G	58.77	74.00	-15.23	3	Horizontal	12	1.59	-
5260MHz	Pass	PK	10.52336G	54.75	68.20	-13.45	3	Vertical	359	1.04	-
5260MHz	Pass	PK	10.5202G	55.00	68.20	-13.20	3	Horizontal	265	2.03	-
5300MHz	Pass	AV	5.3012G	102.47	Inf	-Inf	3	Vertical	12	1.54	-
5300MHz	Pass	AV	5.3516G	46.84	54.00	-7.16	3	Vertical	12	1.54	-
5300MHz	Pass	PK	5.2972G	115.27	Inf	-Inf	3	Vertical	12	1.54	-
5300MHz	Pass	PK	5.3508G	59.40	74.00	-14.60	3	Vertical	12	1.54	-
5300MHz	Pass	AV	5.3028G	103.30	Inf	-Inf	3	Horizontal	10	1.56	-
5300MHz	Pass	AV	5.3504G	46.79	54.00	-7.21	3	Horizontal	10	1.56	-
5300MHz	Pass	PK	5.2968G	116.23	Inf	-Inf	3	Horizontal	10	1.56	-
5300MHz	Pass	PK	5.3824G	59.06	74.00	-14.94	3	Horizontal	10	1.56	-
5300MHz	Pass	AV	10.60872G	41.63	54.00	-12.37	3	Vertical	179	1.92	-
5300MHz	Pass	PK	10.60504G	54.85	74.00	-19.15	3	Vertical	179	1.92	-
5300MHz	Pass	AV	10.60584G	41.44	54.00	-12.56	3	Horizontal	33	2.41	-
5300MHz	Pass	PK	10.59508G	54.86	68.20	-13.34	3	Horizontal	33	2.41	-
5320MHz	Pass	AV	5.3184G	102.01	Inf	-Inf	3	Vertical	13	1.56	-
5320MHz	Pass	AV	5.3508G	48.11	54.00	-5.89	3	Vertical	13	1.56	-
5320MHz	Pass	PK	5.3244G	116.13	Inf	-Inf	3	Vertical	13	1.56	-
5320MHz	Pass	PK	5.354G	60.19	74.00	-13.81	3	Vertical	13	1.56	-
5320MHz	Pass	AV	5.318G	103.08	Inf	-Inf	3	Horizontal	12	1.49	-
5320MHz	Pass	AV	5.3506G	48.00	54.00	-6.00	3	Horizontal	12	1.49	-
5320MHz	Pass	PK	5.317G	116.03	Inf	-Inf	3	Horizontal	12	1.49	-
5320MHz	Pass	PK	5.355G	60.78	74.00	-13.22	3	Horizontal	12	1.49	-
5320MHz	Pass	AV	10.63836G	41.81	54.00	-12.19	3	Vertical	219	2.46	-
5320MHz	Pass	PK	10.64804G	55.30	74.00	-18.70	3	Vertical	219	2.46	-
5320MHz	Pass	AV	10.64856G	41.91	54.00	-12.09	3	Horizontal	270	1.86	-
5320MHz	Pass	PK	10.64892G	55.19	74.00	-18.81	3	Horizontal	270	1.86	-
5500MHz	Pass	AV	5.4566G	46.90	54.00	-7.10	3	Vertical	12	1.60	-
5500MHz	Pass	AV	5.5014G	102.50	Inf	-Inf	3	Vertical	12	1.60	-
5500MHz	Pass	PK	5.4684G	59.60	68.20	-8.60	3	Vertical	12	1.60	-
5500MHz	Pass	PK	5.5044G	116.22	Inf	-Inf	3	Vertical	12	1.60	-
5500MHz	Pass	AV	5.4594G	47.11	54.00	-6.89	3	Horizontal	10	1.55	-
5500MHz	Pass	AV	5.4984G	103.13	Inf	-Inf	3	Horizontal	10	1.55	-
5500MHz	Pass	PK	5.4696G	60.83	68.20	-7.37	3	Horizontal	10	1.55	-
5500MHz	Pass	PK	5.503G	116.28	Inf	-Inf	3	Horizontal	10	1.55	-
5500MHz	Pass	AV	10.99408G	42.41	54.00	-11.59	3	Vertical	101	2.16	-
5500MHz	Pass	PK	11.00556G	56.25	74.00	-17.75	3	Vertical	101	2.16	-
5500MHz	Pass	AV	10.995G	42.44	54.00	-11.56	3	Horizontal	214	1.56	-
5500MHz	Pass	PK	11.00416G	55.87	74.00	-18.13	3	Horizontal	214	1.56	-
5580MHz	Pass	AV	5.448G	45.79	54.00	-8.21	3	Vertical	11	1.56	-
5580MHz	Pass	AV	5.5812G	102.53	Inf	-Inf	3	Vertical	11	1.56	-
5580MHz	Pass	PK	5.4666G	58.73	68.20	-9.47	3	Vertical	11	1.56	-



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.577G	115.32	Inf	-Inf	3	Vertical	11	1.56	-
5580MHz	Pass	PK	5.7258G	57.49	68.20	-10.71	3	Vertical	11	1.56	-
5580MHz	Pass	AV	5.46G	46.33	54.00	-7.67	3	Horizontal	11	1.57	-
5580MHz	Pass	AV	5.5836G	104.10	Inf	-Inf	3	Horizontal	11	1.57	-
5580MHz	Pass	PK	5.4678G	59.52	68.20	-8.68	3	Horizontal	11	1.57	-
5580MHz	Pass	PK	5.577G	116.86	Inf	-Inf	3	Horizontal	11	1.57	-
5580MHz	Pass	PK	5.7264G	58.51	68.20	-9.69	3	Horizontal	11	1.57	-
5580MHz	Pass	AV	11.16212G	41.99	54.00	-12.01	3	Vertical	340	1.50	-
5580MHz	Pass	PK	11.16444G	55.31	74.00	-18.69	3	Vertical	340	1.50	-
5580MHz	Pass	AV	11.1594G	42.14	54.00	-11.86	3	Horizontal	192	1.50	-
5580MHz	Pass	PK	11.16404G	55.45	74.00	-18.55	3	Horizontal	192	1.50	-
5700MHz	Pass	AV	5.6916G	102.37	Inf	-Inf	3	Vertical	11	1.50	-
5700MHz	Pass	PK	5.704G	116.21	Inf	-Inf	3	Vertical	11	1.50	-
5700MHz	Pass	PK	5.726G	65.55	68.20	-2.65	3	Vertical	11	1.50	-
5700MHz	Pass	AV	5.7036G	103.71	Inf	-Inf	3	Horizontal	11	1.49	-
5700MHz	Pass	PK	5.7032G	116.94	Inf	-Inf	3	Horizontal	11	1.49	-
5700MHz	Pass	PK	5.7256G	64.32	68.20	-3.88	3	Horizontal	11	1.49	-
5700MHz	Pass	AV	11.40548G	42.34	54.00	-11.66	3	Vertical	307	1.50	-
5700MHz	Pass	PK	11.39616G	55.21	74.00	-18.79	3	Vertical	307	1.50	-
5700MHz	Pass	AV	11.40516G	42.12	54.00	-11.88	3	Horizontal	287	1.50	-
5700MHz	Pass	PK	11.40496G	56.03	74.00	-17.97	3	Horizontal	287	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	45.94	54.00	-8.06	3	Vertical	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	102.40	Inf	-Inf	3	Vertical	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.59	68.20	-10.61	3	Vertical	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	115.84	Inf	-Inf	3	Vertical	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8964G	57.71	68.20	-10.49	3	Vertical	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	46.44	54.00	-7.56	3	Horizontal	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	103.49	Inf	-Inf	3	Horizontal	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.83	68.20	-9.37	3	Horizontal	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	116.14	Inf	-Inf	3	Horizontal	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9024G	59.04	68.20	-9.16	3	Horizontal	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4406G	42.18	54.00	-11.82	3	Vertical	131	1.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43852G	56.00	74.00	-18.00	3	Vertical	131	1.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43764G	42.10	54.00	-11.90	3	Horizontal	121	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43348G	55.16	74.00	-18.84	3	Horizontal	121	1.50	-
5745MHz	Pass	AV	5.7366G	102.62	Inf	-Inf	3	Vertical	14	1.49	-
5745MHz	Pass	PK	5.631G	59.73	68.20	-8.47	3	Vertical	14	1.49	-
5745MHz	Pass	PK	5.7414G	115.82	Inf	-Inf	3	Vertical	14	1.49	-
5745MHz	Pass	PK	6.0246G	58.54	68.20	-9.66	3	Vertical	14	1.49	-
5745MHz	Pass	AV	5.7438G	103.73	Inf	-Inf	3	Horizontal	10	1.50	-
5745MHz	Pass	PK	5.601G	59.13	68.20	-9.07	3	Horizontal	10	1.50	-
5745MHz	Pass	PK	5.7378G	116.39	Inf	-Inf	3	Horizontal	10	1.50	-
5745MHz	Pass	PK	5.9574G	59.01	68.20	-9.19	3	Horizontal	10	1.50	-
5745MHz	Pass	AV	11.49212G	42.39	54.00	-11.61	3	Vertical	11	1.50	-
5745MHz	Pass	PK	11.49964G	55.83	74.00	-18.17	3	Vertical	11	1.50	-
5745MHz	Pass	AV	11.497G	42.51	54.00	-11.49	3	Horizontal	132	1.49	-
5745MHz	Pass	PK	11.48344G	56.62	74.00	-17.38	3	Horizontal	132	1.49	-
5785MHz	Pass	AV	5.7814G	102.83	Inf	-Inf	3	Vertical	14	1.54	-
5785MHz	Pass	PK	5.6458G	59.65	68.20	-8.55	3	Vertical	14	1.54	-
5785MHz	Pass	PK	5.7898G	114.17	Inf	-Inf	3	Vertical	14	1.54	-
5785MHz	Pass	PK	5.9974G	58.16	68.20	-10.04	3	Vertical	14	1.54	-
5785MHz	Pass	AV	5.7886G	103.99	Inf	-Inf	3	Horizontal	12	1.62	-
5785MHz	Pass	PK	5.635G	60.35	68.20	-7.85	3	Horizontal	12	1.62	-
5785MHz	Pass	PK	5.7814G	116.61	Inf	-Inf	3	Horizontal	12	1.62	-
5785MHz	Pass	PK	6.0118G	59.18	68.20	-9.02	3	Horizontal	12	1.62	-
5785MHz	Pass	AV	11.56984G	42.18	54.00	-11.82	3	Vertical	278	1.50	-
5785MHz	Pass	PK	11.56448G	56.21	74.00	-17.79	3	Vertical	278	1.50	-
5785MHz	Pass	AV	11.56984G	42.16	54.00	-11.84	3	Horizontal	173	1.50	-
5785MHz	Pass	PK	11.56216G	56.00	74.00	-18.00	3	Horizontal	173	1.50	-
5825MHz	Pass	AV	5.8262G	102.48	Inf	-Inf	3	Vertical	15	1.49	-
5825MHz	Pass	PK	5.5262G	60.38	68.20	-7.82	3	Vertical	15	1.49	-
5825MHz	Pass	PK	5.8226G	114.66	Inf	-Inf	3	Vertical	15	1.49	-



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.9474G	58.97	68.20	-9.23	3	Vertical	15	1.49	-
5825MHz	Pass	AV	5.8274G	103.81	Inf	-Inf	3	Horizontal	12	1.50	-
5825MHz	Pass	PK	5.6078G	59.65	68.20	-8.55	3	Horizontal	12	1.50	-
5825MHz	Pass	PK	5.8214G	116.63	Inf	-Inf	3	Horizontal	12	1.50	-
5825MHz	Pass	PK	5.9666G	59.13	68.20	-9.07	3	Horizontal	12	1.50	-
5825MHz	Pass	AV	11.6504G	41.74	54.00	-12.26	3	Vertical	0	1.48	-
5825MHz	Pass	PK	11.65144G	54.84	74.00	-19.16	3	Vertical	0	1.48	-
5825MHz	Pass	AV	11.65744G	41.67	54.00	-12.33	3	Horizontal	217	1.22	-
5825MHz	Pass	PK	11.64728G	55.18	74.00	-18.82	3	Horizontal	217	1.22	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	50.33	54.00	-3.67	3	Vertical	16	1.52	-
5190MHz	Pass	AV	5.1836G	99.68	Inf	-Inf	3	Vertical	16	1.52	-
5190MHz	Pass	PK	5.15G	62.09	74.00	-11.91	3	Vertical	16	1.52	-
5190MHz	Pass	PK	5.1752G	112.03	Inf	-Inf	3	Vertical	16	1.52	-
5190MHz	Pass	AV	5.15G	52.11	54.00	-1.89	3	Horizontal	13	1.50	-
5190MHz	Pass	AV	5.196G	100.50	Inf	-Inf	3	Horizontal	13	1.50	-
5190MHz	Pass	PK	5.1484G	63.52	74.00	-10.48	3	Horizontal	13	1.50	-
5190MHz	Pass	PK	5.2056G	112.55	Inf	-Inf	3	Horizontal	13	1.50	-
5190MHz	Pass	PK	10.38048G	53.72	68.20	-14.48	3	Vertical	218	1.50	-
5190MHz	Pass	PK	10.38968G	53.53	68.20	-14.67	3	Horizontal	221	1.52	-
5230MHz	Pass	AV	5.14G	47.28	54.00	-6.72	3	Vertical	15	1.52	-
5230MHz	Pass	AV	5.2336G	99.77	Inf	-Inf	3	Vertical	15	1.52	-
5230MHz	Pass	PK	5.1408G	59.18	74.00	-14.82	3	Vertical	15	1.52	-
5230MHz	Pass	PK	5.222G	111.66	Inf	-Inf	3	Vertical	15	1.52	-
5230MHz	Pass	AV	5.14G	47.16	54.00	-6.84	3	Horizontal	16	1.50	-
5230MHz	Pass	AV	5.2256G	99.92	Inf	-Inf	3	Horizontal	16	1.50	-
5230MHz	Pass	PK	5.1456G	59.29	74.00	-14.71	3	Horizontal	16	1.50	-
5230MHz	Pass	PK	5.222G	112.50	Inf	-Inf	3	Horizontal	16	1.50	-
5230MHz	Pass	PK	10.46344G	54.12	68.20	-14.08	3	Vertical	18	1.80	-
5230MHz	Pass	PK	10.46376G	54.42	68.20	-13.78	3	Horizontal	114	2.39	-
5270MHz	Pass	AV	5.2736G	98.90	Inf	-Inf	3	Vertical	15	1.50	-
5270MHz	Pass	AV	5.3624G	46.81	54.00	-7.19	3	Vertical	15	1.50	-
5270MHz	Pass	PK	5.2804G	110.92	Inf	-Inf	3	Vertical	15	1.50	-
5270MHz	Pass	PK	5.35G	58.53	74.00	-15.47	3	Vertical	15	1.50	-
5270MHz	Pass	AV	5.2652G	100.37	Inf	-Inf	3	Horizontal	14	1.57	-
5270MHz	Pass	AV	5.3532G	46.88	54.00	-7.12	3	Horizontal	14	1.57	-
5270MHz	Pass	PK	5.262G	112.92	Inf	-Inf	3	Horizontal	14	1.57	-
5270MHz	Pass	PK	5.3556G	59.26	74.00	-14.74	3	Horizontal	14	1.57	-
5270MHz	Pass	PK	10.54712G	53.72	68.20	-14.48	3	Vertical	38	1.50	-
5270MHz	Pass	PK	10.53056G	54.40	68.20	-13.80	3	Horizontal	316	1.84	-
5310MHz	Pass	AV	5.304G	98.60	Inf	-Inf	3	Vertical	17	1.51	-
5310MHz	Pass	AV	5.3536G	50.05	54.00	-3.95	3	Vertical	17	1.51	-
5310MHz	Pass	PK	5.3208G	111.20	Inf	-Inf	3	Vertical	17	1.51	-
5310MHz	Pass	PK	5.3532G	61.98	74.00	-12.02	3	Vertical	17	1.51	-
5310MHz	Pass	AV	5.3024G	100.40	Inf	-Inf	3	Horizontal	14	1.50	-
5310MHz	Pass	AV	5.35G	51.04	54.00	-2.96	3	Horizontal	14	1.50	-
5310MHz	Pass	PK	5.302G	113.11	Inf	-Inf	3	Horizontal	14	1.50	-
5310MHz	Pass	PK	5.3548G	62.83	74.00	-11.17	3	Horizontal	14	1.50	-
5310MHz	Pass	AV	10.63536G	42.30	54.00	-11.70	3	Vertical	113	1.50	-
5310MHz	Pass	PK	10.62288G	54.77	74.00	-19.23	3	Vertical	113	1.50	-
5310MHz	Pass	AV	10.63G	42.33	54.00	-11.67	3	Horizontal	340	2.15	-
5310MHz	Pass	PK	10.63928G	54.26	74.00	-19.74	3	Horizontal	340	2.15	-
5510MHz	Pass	AV	5.4588G	47.76	54.00	-6.24	3	Vertical	13	1.50	-
5510MHz	Pass	AV	5.5036G	98.82	Inf	-Inf	3	Vertical	13	1.50	-
5510MHz	Pass	PK	5.4684G	61.51	68.20	-6.69	3	Vertical	13	1.50	-
5510MHz	Pass	PK	5.5208G	111.43	Inf	-Inf	3	Vertical	13	1.50	-
5510MHz	Pass	AV	5.4588G	48.42	54.00	-5.58	3	Horizontal	15	1.47	-
5510MHz	Pass	AV	5.5156G	99.78	Inf	-Inf	3	Horizontal	15	1.47	-
5510MHz	Pass	PK	5.4684G	62.02	68.20	-6.18	3	Horizontal	15	1.47	-
5510MHz	Pass	PK	5.502G	112.40	Inf	-Inf	3	Horizontal	15	1.47	-
5510MHz	Pass	AV	11.00584G	42.31	54.00	-11.69	3	Vertical	320	1.50	-
5510MHz	Pass	PK	11.0332G	54.93	74.00	-19.07	3	Vertical	320	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	11.00008G	42.66	54.00	-11.34	3	Horizontal	26	2.54	-
5510MHz	Pass	PK	11.01752G	54.59	74.00	-19.41	3	Horizontal	26	2.54	-
5550MHz	Pass	AV	5.46G	46.34	54.00	-7.66	3	Vertical	15	1.50	-
5550MHz	Pass	AV	5.5536G	99.17	Inf	-Inf	3	Vertical	15	1.50	-
5550MHz	Pass	PK	5.4684G	57.89	68.20	-10.31	3	Vertical	15	1.50	-
5550MHz	Pass	PK	5.5604G	111.73	Inf	-Inf	3	Vertical	15	1.50	-
5550MHz	Pass	AV	5.4516G	46.77	54.00	-7.23	3	Horizontal	13	1.70	-
5550MHz	Pass	AV	5.5544G	100.28	Inf	-Inf	3	Horizontal	13	1.70	-
5550MHz	Pass	PK	5.4628G	58.15	68.20	-10.05	3	Horizontal	13	1.70	-
5550MHz	Pass	PK	5.542G	112.39	Inf	-Inf	3	Horizontal	13	1.70	-
5550MHz	Pass	AV	11.10216G	41.91	54.00	-12.09	3	Vertical	28	1.54	-
5550MHz	Pass	PK	11.1176G	54.09	74.00	-19.91	3	Vertical	28	1.54	-
5550MHz	Pass	AV	11.08064G	41.98	54.00	-12.02	3	Horizontal	304	1.50	-
5550MHz	Pass	PK	11.09648G	54.33	74.00	-19.67	3	Horizontal	304	1.50	-
5670MHz	Pass	AV	5.6742G	98.98	Inf	-Inf	3	Vertical	14	1.49	-
5670MHz	Pass	PK	5.6622G	111.14	Inf	-Inf	3	Vertical	14	1.49	-
5670MHz	Pass	PK	5.7276G	59.83	68.20	-8.37	3	Vertical	14	1.49	-
5670MHz	Pass	AV	5.676G	101.18	Inf	-Inf	3	Horizontal	12	1.50	-
5670MHz	Pass	PK	5.6622G	112.97	Inf	-Inf	3	Horizontal	12	1.50	-
5670MHz	Pass	PK	5.7252G	59.66	68.20	-8.54	3	Horizontal	12	1.50	-
5670MHz	Pass	AV	11.35296G	42.20	54.00	-11.80	3	Vertical	292	1.50	-
5670MHz	Pass	PK	11.3264G	54.41	74.00	-19.59	3	Vertical	292	1.50	-
5670MHz	Pass	AV	11.35592G	42.15	54.00	-11.85	3	Horizontal	309	1.44	-
5670MHz	Pass	PK	11.35384G	54.24	74.00	-19.76	3	Horizontal	309	1.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	45.93	54.00	-8.07	3	Vertical	14	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	98.73	Inf	-Inf	3	Vertical	14	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	56.74	68.20	-11.46	3	Vertical	14	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	110.79	Inf	-Inf	3	Vertical	14	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8912G	57.86	68.20	-10.34	3	Vertical	14	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	46.68	54.00	-7.32	3	Horizontal	13	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	100.13	Inf	-Inf	3	Horizontal	13	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	58.14	68.20	-10.06	3	Horizontal	13	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	112.46	Inf	-Inf	3	Horizontal	13	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8804G	58.97	68.20	-9.23	3	Horizontal	13	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40608G	42.11	54.00	-11.89	3	Vertical	271	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42128G	54.54	74.00	-19.46	3	Vertical	271	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41808G	42.45	54.00	-11.55	3	Horizontal	9	1.14	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4052G	54.44	74.00	-19.56	3	Horizontal	9	1.14	-
5755MHz	Pass	AV	5.7418G	98.73	Inf	-Inf	3	Vertical	15	1.49	-
5755MHz	Pass	PK	5.6362G	59.42	68.20	-8.78	3	Vertical	15	1.49	-
5755MHz	Pass	PK	5.7394G	111.33	Inf	-Inf	3	Vertical	15	1.49	-
5755MHz	Pass	PK	6.0442G	57.41	68.20	-10.79	3	Vertical	15	1.49	-
5755MHz	Pass	AV	5.749G	100.15	Inf	-Inf	3	Horizontal	11	1.50	-
5755MHz	Pass	PK	5.4706G	58.74	68.20	-9.46	3	Horizontal	11	1.50	-
5755MHz	Pass	PK	5.7718G	111.69	Inf	-Inf	3	Horizontal	11	1.50	-
5755MHz	Pass	PK	6.0322G	58.99	68.20	-9.21	3	Horizontal	11	1.50	-
5755MHz	Pass	AV	11.50432G	42.35	54.00	-11.65	3	Vertical	192	2.99	-
5755MHz	Pass	PK	11.50448G	55.50	74.00	-18.50	3	Vertical	192	2.99	-
5755MHz	Pass	AV	11.52984G	42.54	54.00	-11.46	3	Horizontal	147	1.30	-
5755MHz	Pass	PK	11.5208G	54.93	74.00	-19.07	3	Horizontal	147	1.30	-
5795MHz	Pass	AV	5.7818G	98.72	Inf	-Inf	3	Vertical	15	1.52	-
5795MHz	Pass	PK	5.6414G	58.74	68.20	-9.46	3	Vertical	15	1.52	-
5795MHz	Pass	PK	5.7794G	110.85	Inf	-Inf	3	Vertical	15	1.52	-
5795MHz	Pass	PK	5.9294G	57.95	68.20	-10.25	3	Vertical	15	1.52	-
5795MHz	Pass	AV	5.7998G	99.45	Inf	-Inf	3	Horizontal	14	1.50	-
5795MHz	Pass	PK	5.4974G	58.59	68.20	-9.61	3	Horizontal	14	1.50	-
5795MHz	Pass	PK	5.7866G	111.49	Inf	-Inf	3	Horizontal	14	1.50	-
5795MHz	Pass	PK	5.9462G	58.35	68.20	-9.85	3	Horizontal	14	1.50	-
5795MHz	Pass	AV	11.57224G	41.88	54.00	-12.12	3	Vertical	359	2.25	-
5795MHz	Pass	PK	11.57376G	54.49	74.00	-19.51	3	Vertical	359	2.25	-
5795MHz	Pass	AV	11.59616G	42.38	54.00	-11.62	3	Horizontal	260	1.50	-
5795MHz	Pass	PK	11.59584G	54.24	74.00	-19.76	3	Horizontal	260	1.50	-



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	49.42	54.00	-4.58	3	Vertical	17	1.50	-
5210MHz	Pass	AV	5.181G	95.97	Inf	-Inf	3	Vertical	17	1.50	-
5210MHz	Pass	AV	5.354G	47.43	54.00	-6.57	3	Vertical	17	1.50	-
5210MHz	Pass	PK	5.145G	60.79	74.00	-13.21	3	Vertical	17	1.50	-
5210MHz	Pass	PK	5.209G	108.23	Inf	-Inf	3	Vertical	17	1.50	-
5210MHz	Pass	PK	5.358G	58.55	74.00	-15.45	3	Vertical	17	1.50	-
5210MHz	Pass	AV	5.149G	49.97	54.00	-4.03	3	Horizontal	14	1.63	-
5210MHz	Pass	AV	5.204G	97.25	Inf	-Inf	3	Horizontal	14	1.63	-
5210MHz	Pass	AV	5.363G	46.79	54.00	-7.21	3	Horizontal	14	1.63	-
5210MHz	Pass	PK	5.146G	61.29	74.00	-12.71	3	Horizontal	14	1.63	-
5210MHz	Pass	PK	5.209G	109.57	Inf	-Inf	3	Horizontal	14	1.63	-
5210MHz	Pass	PK	5.358G	57.85	74.00	-16.15	3	Horizontal	14	1.63	-
5210MHz	Pass	PK	10.43728G	53.67	68.20	-14.53	3	Vertical	301	1.50	-
5210MHz	Pass	PK	10.41176G	54.02	68.20	-14.18	3	Horizontal	257	2.42	-
5290MHz	Pass	AV	5.148G	47.18	54.00	-6.82	3	Vertical	14	1.49	-
5290MHz	Pass	AV	5.302G	95.91	Inf	-Inf	3	Vertical	14	1.49	-
5290MHz	Pass	AV	5.35G	49.45	54.00	-4.55	3	Vertical	14	1.49	-
5290MHz	Pass	PK	5.147G	58.96	74.00	-15.04	3	Vertical	14	1.49	-
5290MHz	Pass	PK	5.289G	108.13	Inf	-Inf	3	Vertical	14	1.49	-
5290MHz	Pass	PK	5.483G	59.01	68.20	-9.19	3	Vertical	14	1.49	-
5290MHz	Pass	AV	5.143G	47.39	54.00	-6.61	3	Horizontal	15	1.50	-
5290MHz	Pass	AV	5.302G	96.54	Inf	-Inf	3	Horizontal	15	1.50	-
5290MHz	Pass	AV	5.353G	49.61	54.00	-4.39	3	Horizontal	15	1.50	-
5290MHz	Pass	PK	5.148G	58.35	74.00	-15.65	3	Horizontal	15	1.50	-
5290MHz	Pass	PK	5.303G	108.30	Inf	-Inf	3	Horizontal	15	1.50	-
5290MHz	Pass	PK	5.483G	58.14	68.20	-10.06	3	Horizontal	15	1.50	-
5290MHz	Pass	PK	10.56456G	54.11	68.20	-14.09	3	Vertical	59	2.77	-
5290MHz	Pass	PK	10.57504G	54.22	68.20	-13.98	3	Horizontal	64	2.20	-
5530MHz	Pass	AV	5.46G	48.29	54.00	-5.71	3	Vertical	12	1.49	-
5530MHz	Pass	AV	5.543G	95.96	Inf	-Inf	3	Vertical	12	1.49	-
5530MHz	Pass	PK	5.465G	60.48	68.20	-7.72	3	Vertical	12	1.49	-
5530MHz	Pass	PK	5.529G	107.95	Inf	-Inf	3	Vertical	12	1.49	-
5530MHz	Pass	PK	5.725G	57.93	68.20	-10.27	3	Vertical	12	1.49	-
5530MHz	Pass	AV	5.458G	49.44	54.00	-4.56	3	Horizontal	14	1.50	-
5530MHz	Pass	AV	5.52G	97.16	Inf	-Inf	3	Horizontal	14	1.50	-
5530MHz	Pass	PK	5.47G	61.75	68.20	-6.45	3	Horizontal	14	1.50	-
5530MHz	Pass	PK	5.529G	109.27	Inf	-Inf	3	Horizontal	14	1.50	-
5530MHz	Pass	PK	5.757G	58.24	68.20	-9.96	3	Horizontal	14	1.50	-
5530MHz	Pass	AV	11.05616G	42.01	54.00	-11.99	3	Vertical	109	1.90	-
5530MHz	Pass	PK	11.05752G	54.42	74.00	-19.58	3	Vertical	109	1.90	-
5530MHz	Pass	AV	11.05128G	41.94	54.00	-12.06	3	Horizontal	186	1.63	-
5530MHz	Pass	PK	11.07768G	54.16	74.00	-19.84	3	Horizontal	186	1.63	-
5610MHz	Pass	AV	5.454G	46.57	54.00	-7.43	3	Vertical	16.7	1.52	-
5610MHz	Pass	AV	5.624G	96.32	Inf	-Inf	3	Vertical	16.7	1.52	-
5610MHz	Pass	PK	5.47G	57.84	68.20	-10.36	3	Vertical	16.7	1.52	-
5610MHz	Pass	PK	5.609G	108.77	Inf	-Inf	3	Vertical	16.7	1.52	-
5610MHz	Pass	PK	5.752G	58.64	68.20	-9.56	3	Vertical	16.7	1.52	-
5610MHz	Pass	AV	5.453G	47.30	54.00	-6.70	3	Horizontal	15	1.50	-
5610MHz	Pass	AV	5.623G	97.43	Inf	-Inf	3	Horizontal	15	1.50	-
5610MHz	Pass	PK	5.465G	59.36	68.20	-8.84	3	Horizontal	15	1.50	-
5610MHz	Pass	PK	5.609G	109.51	Inf	-Inf	3	Horizontal	15	1.50	-
5610MHz	Pass	PK	5.726G	59.56	68.20	-8.64	3	Horizontal	15	1.50	-
5610MHz	Pass	AV	11.23232G	42.11	54.00	-11.89	3	Vertical	317	1.84	-
5610MHz	Pass	PK	11.22696G	54.26	74.00	-19.74	3	Vertical	317	1.84	-
5610MHz	Pass	AV	11.23952G	42.32	54.00	-11.68	3	Horizontal	256	2.67	-
5610MHz	Pass	PK	11.224G	55.37	74.00	-18.63	3	Horizontal	256	2.67	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	46.30	54.00	-7.70	3	Vertical	13	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	96.55	Inf	-Inf	3	Vertical	13	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	57.27	68.20	-10.93	3	Vertical	13	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6888G	108.69	Inf	-Inf	3	Vertical	13	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	57.96	68.20	-10.24	3	Vertical	13	1.49	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	46.89	54.00	-7.11	3	Horizontal	14	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	97.61	Inf	-Inf	3	Horizontal	14	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.39	68.20	-10.81	3	Horizontal	14	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6888G	109.86	Inf	-Inf	3	Horizontal	14	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	59.27	68.20	-8.93	3	Horizontal	14	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38728G	42.06	54.00	-11.94	3	Vertical	132	2.34	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36304G	54.12	74.00	-19.88	3	Vertical	132	2.34	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36608G	42.00	54.00	-12.00	3	Horizontal	197	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36496G	54.22	74.00	-19.78	3	Horizontal	197	1.50	-
5775MHz	Pass	AV	5.7642G	96.25	Inf	-Inf	3	Vertical	15	1.49	-
5775MHz	Pass	PK	5.6298G	61.17	68.20	-7.03	3	Vertical	15	1.49	-
5775MHz	Pass	PK	5.7738G	108.33	Inf	-Inf	3	Vertical	15	1.49	-
5775MHz	Pass	PK	6.0018G	58.34	68.20	-9.86	3	Vertical	15	1.49	-
5775MHz	Pass	AV	5.7642G	97.23	Inf	-Inf	3	Horizontal	14	1.50	-
5775MHz	Pass	PK	5.601G	60.15	68.20	-8.05	3	Horizontal	14	1.50	-
5775MHz	Pass	PK	5.7738G	108.93	Inf	-Inf	3	Horizontal	14	1.50	-
5775MHz	Pass	PK	5.9298G	58.51	68.20	-9.69	3	Horizontal	14	1.50	-
5775MHz	Pass	AV	11.56032G	42.03	54.00	-11.97	3	Vertical	0	1.40	-
5775MHz	Pass	PK	11.56592G	54.38	74.00	-19.62	3	Vertical	0	1.40	-
5775MHz	Pass	AV	11.53216G	42.19	54.00	-11.81	3	Horizontal	12	1.11	-
5775MHz	Pass	PK	11.55656G	54.38	74.00	-19.62	3	Horizontal	12	1.11	-
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.139G	51.80	54.00	-2.20	3	Vertical	16	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.277G	93.70	Inf	-Inf	3	Vertical	16	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.385G	53.69	54.00	-0.31	3	Vertical	16	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.139G	61.41	74.00	-12.59	3	Vertical	16	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.295G	103.94	Inf	-Inf	3	Vertical	16	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.487G	60.81	68.20	-7.39	3	Vertical	16	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.094G	51.40	54.00	-2.60	3	Horizontal	15	1.49	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.259G	95.16	Inf	-Inf	3	Horizontal	15	1.49	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.379G	51.81	54.00	-2.19	3	Horizontal	15	1.49	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.139G	61.33	74.00	-12.67	3	Horizontal	15	1.49	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.298G	105.67	Inf	-Inf	3	Horizontal	15	1.49	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.487G	59.28	68.20	-8.92	3	Horizontal	15	1.49	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	10.51432G	54.33	68.20	-13.87	3	Vertical	99	1.61	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	10.4868G	54.07	68.20	-14.13	3	Horizontal	314	1.33	-
5570MHz	Pass	AV	5.438G	50.81	54.00	-3.19	3	Vertical	15	1.52	-
5570MHz	Pass	AV	5.582G	94.36	Inf	-Inf	3	Vertical	15	1.52	-
5570MHz	Pass	PK	5.465G	59.29	68.20	-8.91	3	Vertical	15	1.52	-
5570MHz	Pass	PK	5.555G	106.25	Inf	-Inf	3	Vertical	15	1.52	-
5570MHz	Pass	PK	5.729G	60.00	68.20	-8.20	3	Vertical	15	1.52	-
5570MHz	Pass	AV	5.435G	50.41	54.00	-3.59	3	Horizontal	14	1.50	-
5570MHz	Pass	AV	5.546G	95.31	Inf	-Inf	3	Horizontal	14	1.50	-
5570MHz	Pass	PK	5.465G	60.19	68.20	-8.01	3	Horizontal	14	1.50	-
5570MHz	Pass	PK	5.573G	106.47	Inf	-Inf	3	Horizontal	14	1.50	-
5570MHz	Pass	PK	5.729G	59.74	68.20	-8.46	3	Horizontal	14	1.50	-
5570MHz	Pass	AV	11.1464G	43.76	54.00	-10.24	3	Vertical	61	1.50	-
5570MHz	Pass	PK	11.1524G	54.22	74.00	-19.78	3	Vertical	61	1.50	-
5570MHz	Pass	AV	11.15248G	43.65	54.00	-10.35	3	Horizontal	214	1.17	-
5570MHz	Pass	PK	11.13416G	54.84	74.00	-19.16	3	Horizontal	214	1.17	-

802.11a_Nss2,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1408G	46.18	54.00	-7.82	5.98	3	Vertical	6	1.50	-	40.20	31.70	8.51	34.23
AV	5.1824G	102.00	Inf	-Inf	5.89	3	Vertical	6	1.50	-	96.11	31.57	8.55	34.23
PK	5.145G	58.97	74.00	-15.03	5.99	3	Vertical	6	1.50	-	52.98	31.70	8.52	34.23
PK	5.1836G	112.32	Inf	-Inf	5.89	3	Vertical	6	1.50	-	106.43	31.57	8.55	34.23

802.11a_Nss2,(6Mbps)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	46.42	54.00	-7.58	5.99	3	Horizontal	8	1.50	-	40.43	31.70	8.52	34.23
AV	5.1756G	102.10	Inf	-Inf	5.92	3	Horizontal	8	1.50	-	96.18	31.60	8.55	34.23
PK	5.1308G	58.57	74.00	-15.43	5.97	3	Horizontal	8	1.50	-	52.60	31.70	8.50	34.23
PK	5.1824G	111.98	Inf	-Inf	5.89	3	Horizontal	8	1.50	-	106.09	31.57	8.55	34.23



802.11a_Nss2,(6Mbps)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36764G	53.24	68.20	-14.96	16.92	3	Vertical	142	2.42	-	36.32	39.40	12.19	34.67



802.11a_Nss2,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35208G	53.21	68.20	-14.99	16.86	3	Horizontal	329	1.47	-	36.35	39.36	12.18	34.68

802.11a_Nss2,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1332G	45.67	54.00	-8.33	5.98	3	Vertical	9	1.49	-	39.69	31.70	8.51	34.23
AV	5.2024G	101.77	Inf	-Inf	5.82	3	Vertical	9	1.49	-	95.95	31.49	8.57	34.24
PK	5.1444G	57.77	74.00	-16.23	5.99	3	Vertical	9	1.49	-	51.78	31.70	8.52	34.23
PK	5.1976G	111.61	Inf	-Inf	5.84	3	Vertical	9	1.49	-	105.77	31.51	8.57	34.24

802.11a_Nss2,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	45.78	54.00	-8.22	5.99	3	Horizontal	8	1.49	-	39.79	31.70	8.52	34.23
AV	5.206G	102.27	Inf	-Inf	5.79	3	Horizontal	8	1.49	-	96.48	31.46	8.57	34.24
PK	5.1448G	59.25	74.00	-14.75	5.99	3	Horizontal	8	1.49	-	53.26	31.70	8.52	34.23
PK	5.2016G	112.66	Inf	-Inf	5.82	3	Horizontal	8	1.49	-	106.84	31.49	8.57	34.24

802.11a_Nss2,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39384G	53.11	68.20	-15.09	17.03	3	Vertical	234	1.29	-	36.08	39.48	12.20	34.65



802.11a_Nss2,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39876G	53.68	68.20	-14.52	17.05	3	Horizontal	287	2.12	-	36.63	39.50	12.20	34.65



802.11a_Nss2,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	45.27	54.00	-8.73	5.99	3	Vertical	5	1.43	-	39.28	31.70	8.52	34.23
AV	5.2376G	101.67	Inf	-Inf	5.61	3	Vertical	5	1.43	-	96.06	31.27	8.58	34.24
AV	5.3522G	45.58	54.00	-8.42	5.36	3	Vertical	5	1.43	-	40.22	31.01	8.60	34.25
PK	5.1404G	57.40	74.00	-16.60	5.98	3	Vertical	5	1.43	-	51.42	31.70	8.51	34.23
PK	5.2358G	111.97	Inf	-Inf	5.63	3	Vertical	5	1.43	-	106.34	31.29	8.58	34.24
PK	5.381G	57.92	74.00	-16.08	5.55	3	Vertical	5	1.43	-	52.37	31.19	8.61	34.25

802.11a_Nss2,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	45.42	54.00	-8.58	5.98	3	Horizontal	5	1.50	-	39.44	31.70	8.51	34.23
AV	5.2352G	101.85	Inf	-Inf	5.63	3	Horizontal	5	1.50	-	96.22	31.29	8.58	34.24
AV	5.35G	45.26	54.00	-8.74	5.35	3	Horizontal	5	1.50	-	39.91	31.00	8.60	34.25
PK	5.1314G	57.66	74.00	-16.34	5.97	3	Horizontal	5	1.50	-	51.69	31.70	8.50	34.23
PK	5.2418G	111.44	Inf	-Inf	5.59	3	Horizontal	5	1.50	-	105.85	31.25	8.58	34.24
PK	5.3558G	56.70	74.00	-17.30	5.38	3	Horizontal	5	1.50	-	51.32	31.03	8.60	34.25

802.11a_Nss2,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.479766	53.05	68.20	-15.15	17.31	3	Vertical	322	1.83	-	35.74	39.66	12.24	34.59

802.11a_Nss2,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48172G	53.50	68.20	-14.70	17.32	3	Horizontal	152	1.26	-	36.18	39.66	12.24	34.58

802.11a_Nss2,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	45.42	54.00	-8.58	5.99	3	Vertical	6	1.49	-	39.43	31.70	8.52	34.23
AV	5.2624G	101.99	Inf	-Inf	5.52	3	Vertical	6	1.49	-	96.47	31.18	8.58	34.24
AV	5.3626G	45.84	54.00	-8.16	5.43	3	Vertical	6	1.49	-	40.41	31.08	8.60	34.25
PK	5.1196G	57.40	74.00	-16.60	5.96	3	Vertical	6	1.49	-	51.44	31.70	8.49	34.23
PK	5.2636G	111.97	Inf	-Inf	5.51	3	Vertical	6	1.49	-	106.46	31.17	8.58	34.24
PK	5.3638G	58.04	74.00	-15.96	5.43	3	Vertical	6	1.49	-	52.61	31.08	8.60	34.25

802.11a_Nss2,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1202G	45.28	54.00	-8.72	5.96	3	Horizontal	6	1.50	-	39.32	31.70	8.49	34.23
AV	5.2642G	102.42	Inf	-Inf	5.51	3	Horizontal	6	1.50	-	96.91	31.17	8.58	34.24
AV	5.3632G	45.41	54.00	-8.59	5.43	3	Horizontal	6	1.50	-	39.98	31.08	8.60	34.25
PK	5.1202G	57.38	74.00	-16.62	5.96	3	Horizontal	6	1.50	-	51.42	31.70	8.49	34.23
PK	5.2618G	112.61	Inf	-Inf	5.52	3	Horizontal	6	1.50	-	107.09	31.18	8.58	34.24
PK	5.3632G	57.21	74.00	-16.79	5.43	3	Horizontal	6	1.50	-	51.78	31.08	8.60	34.25

802.11a_Nss2,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51216G	55.19	68.20	-13.01	17.41	3	Vertical	112	2.11	-	37.78	39.71	12.26	34.56



802.11a_Nss2,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51944G	55.41	68.20	-12.79	17.42	3	Horizontal	8	2.07	-	37.99	39.72	12.26	34.56

802.11a_Nss2,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	102.18	Inf	-Inf	5.45	3	Vertical	8	1.49	-	96.73	31.10	8.59	34.24
AV	5.3508G	46.09	54.00	-7.91	5.35	3	Vertical	8	1.49	-	40.74	31.00	8.60	34.25
PK	5.296G	112.42	Inf	-Inf	5.46	3	Vertical	8	1.49	-	106.96	31.11	8.59	34.24
PK	5.3572G	58.06	74.00	-15.94	5.39	3	Vertical	8	1.49	-	52.67	31.04	8.60	34.25

802.11a_Nss2,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	102.56	Inf	-Inf	5.46	3	Horizontal	8	1.50	-	97.10	31.11	8.59	34.24
AV	5.3516G	45.79	54.00	-8.21	5.36	3	Horizontal	8	1.50	-	40.43	31.01	8.60	34.25
PK	5.3052G	112.00	Inf	-Inf	5.44	3	Horizontal	8	1.50	-	106.56	31.09	8.59	34.24
PK	5.3588G	58.16	74.00	-15.84	5.40	3	Horizontal	8	1.50	-	52.76	31.05	8.60	34.25



802.11a_Nss2,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60596G	41.58	54.00	-12.42	17.63	3	Vertical	25	1.77	-	23.95	39.81	12.31	34.49
PK	10.59036G	54.92	68.20	-13.28	17.59	3	Vertical	25	1.77	-	37.33	39.79	12.30	34.50



802.11a_Nss2,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60672G	41.72	54.00	-12.28	17.63	3	Horizontal	98	1.40	-	24.09	39.81	12.31	34.49
PK	10.59528G	55.01	68.20	-13.19	17.60	3	Horizontal	98	1.40	-	37.41	39.80	12.30	34.50

802.11a_Nss2,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3222G	101.90	Inf	-Inf	5.40	3	Vertical	7	1.49	-	96.50	31.06	8.59	34.25
AV	5.3516G	46.53	54.00	-7.47	5.36	3	Vertical	7	1.49	-	41.17	31.01	8.60	34.25
PK	5.3166G	112.04	Inf	-Inf	5.41	3	Vertical	7	1.49	-	106.63	31.07	8.59	34.25
PK	5.3592G	59.50	74.00	-14.50	5.41	3	Vertical	7	1.49	-	54.09	31.06	8.60	34.25

802.11a_Nss2,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3152G	103.05	Inf	-Inf	5.41	3	Horizontal	6	1.50	-	97.64	31.07	8.59	34.25
AV	5.3504G	46.35	54.00	-7.65	5.35	3	Horizontal	6	1.50	-	41.00	31.00	8.60	34.25
PK	5.3214G	112.72	Inf	-Inf	5.40	3	Horizontal	6	1.50	-	107.32	31.06	8.59	34.25
PK	5.3502G	59.62	74.00	-14.38	5.35	3	Horizontal	6	1.50	-	54.27	31.00	8.60	34.25



802.11a_Nss2,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64776G	41.84	54.00	-12.16	17.72	3	Vertical	104	2.03	-	24.12	39.85	12.33	34.46
PK	10.63876G	55.17	74.00	-18.83	17.70	3	Vertical	104	2.03	-	37.47	39.84	12.32	34.46

802.11a_Nss2,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64732G	42.10	54.00	-11.90	17.72	3	Horizontal	84	1.55	-	24.38	39.85	12.33	34.46
PK	10.64848G	56.25	74.00	-17.75	17.72	3	Horizontal	84	1.55	-	38.53	39.85	12.33	34.46

802.11a_Nss2,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	45.87	54.00	-8.13	6.06	3	Vertical	9	1.49	-	39.81	31.62	8.70	34.26
AV	5.4972G	101.82	Inf	-Inf	6.18	3	Vertical	9	1.49	-	95.64	31.69	8.75	34.26
PK	5.4616G	57.57	68.20	-10.63	6.06	3	Vertical	9	1.49	-	51.51	31.62	8.70	34.26
PK	5.496G	112.14	Inf	-Inf	6.18	3	Vertical	9	1.49	-	105.96	31.69	8.75	34.26

802.11a_Nss2,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	46.13	54.00	-7.87	6.06	3	Horizontal	7	1.50	-	40.07	31.62	8.70	34.26
AV	5.504G	103.24	Inf	-Inf	6.19	3	Horizontal	7	1.50	-	97.05	31.69	8.76	34.26
PK	5.4676G	58.51	68.20	-9.69	6.09	3	Horizontal	7	1.50	-	52.42	31.64	8.71	34.26
PK	5.5014G	112.52	Inf	-Inf	6.20	3	Horizontal	7	1.50	-	106.32	31.70	8.76	34.26

802.11a_Nss2,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99344G	42.56	54.00	-11.44	18.50	3	Vertical	57	1.12	-	24.06	40.19	12.50	34.19
PK	10.99892G	55.67	74.00	-18.33	18.51	3	Vertical	57	1.12	-	37.16	40.20	12.50	34.19

802.11a_Nss2,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99132G	42.45	54.00	-11.55	18.49	3	Horizontal	171	2.00	-	23.96	40.19	12.50	34.20
PK	11.0062G	55.46	74.00	-18.54	18.50	3	Horizontal	171	2.00	-	36.96	40.18	12.51	34.19

802.11a_Nss2,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	44.80	54.00	-9.20	6.02	3	Vertical	8	1.49	-	38.78	31.60	8.68	34.26
AV	5.5824G	101.60	Inf	-Inf	6.20	3	Vertical	8	1.49	-	95.40	31.60	8.87	34.27
PK	5.4666G	56.52	68.20	-11.68	6.08	3	Vertical	8	1.49	-	50.44	31.63	8.71	34.26
PK	5.5764G	111.72	Inf	-Inf	6.20	3	Vertical	8	1.49	-	105.52	31.60	8.87	34.27
PK	5.727G	56.84	68.20	-11.36	6.64	3	Vertical	8	1.49	-	50.20	31.91	9.01	34.28

802.11a_Nss2,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	45.39	54.00	-8.61	6.01	3	Horizontal	7	1.50	-	39.38	31.59	8.68	34.26
AV	5.5752G	102.99	Inf	-Inf	6.19	3	Horizontal	7	1.50	-	96.80	31.60	8.86	34.27
PK	5.4648G	56.76	68.20	-11.44	6.07	3	Horizontal	7	1.50	-	50.69	31.63	8.70	34.26
PK	5.5818G	112.36	Inf	-Inf	6.20	3	Horizontal	7	1.50	-	106.16	31.60	8.87	34.27
PK	5.7264G	56.44	68.20	-11.76	6.64	3	Horizontal	7	1.50	-	49.80	31.91	9.01	34.28



802.11a_Nss2,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1696G	42.15	54.00	-11.85	18.17	3	Vertical	14	1.87	-	23.98	39.76	12.59	34.18
PK	11.16644G	55.15	74.00	-18.85	18.18	3	Vertical	14	1.87	-	36.97	39.77	12.59	34.18



802.11a_Nss2,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.152G	42.12	54.00	-11.88	18.20	3	Horizontal	85	2.08	-	23.92	39.80	12.58	34.18
PK	11.16748G	55.36	74.00	-18.64	18.18	3	Horizontal	85	2.08	-	37.18	39.77	12.59	34.18

802.11a_Nss2,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	101.30	Inf	-Inf	6.50	3	Vertical	7	1.49	-	94.80	31.79	8.99	34.28
PK	5.6976G	111.46	Inf	-Inf	6.51	3	Vertical	7	1.49	-	104.95	31.80	8.99	34.28
PK	5.728G	58.82	68.20	-9.38	6.65	3	Vertical	7	1.49	-	52.17	31.91	9.02	34.28

802.11a_Nss2,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6972G	102.91	Inf	-Inf	6.50	3	Horizontal	6	1.50	-	96.41	31.79	8.99	34.28
PK	5.7024G	112.80	Inf	-Inf	6.52	3	Horizontal	6	1.50	-	106.28	31.81	8.99	34.28
PK	5.7264G	59.04	68.20	-9.16	6.64	3	Horizontal	6	1.50	-	52.40	31.91	9.01	34.28

802.11a_Nss2,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3906G	42.19	54.00	-11.81	18.32	3	Vertical	252	2.47	-	23.87	39.79	12.70	34.17
PK	11.39788G	54.98	74.00	-19.02	18.34	3	Vertical	252	2.47	-	36.64	39.80	12.71	34.17

802.11a_Nss2,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3982G	42.24	54.00	-11.76	18.34	3	Horizontal	259	1.57	-	23.90	39.80	12.71	34.17
PK	11.40196G	55.66	74.00	-18.34	18.34	3	Horizontal	259	1.57	-	37.32	39.80	12.71	34.17




802.11a_Nss2,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.11	54.00	-8.89	6.06	3	Vertical	6	1.50	-	39.05	31.62	8.70	34.26
AV	5.7188G	101.22	Inf	-Inf	6.61	3	Vertical	6	1.50	-	94.61	31.88	9.01	34.28
PK	5.4692G	56.35	68.20	-11.85	6.09	3	Vertical	6	1.50	-	50.26	31.64	8.71	34.26
PK	5.7236G	111.55	Inf	-Inf	6.62	3	Vertical	6	1.50	-	104.93	31.89	9.01	34.28
PK	5.9108G	57.35	68.20	-10.85	7.13	3	Vertical	6	1.50	-	50.22	32.30	9.13	34.30




802.11a_Nss2,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.57	54.00	-8.43	6.05	3	Horizontal	6	1.50	-	39.52	31.62	8.69	34.26
AV	5.7236G	102.65	Inf	-Inf	6.62	3	Horizontal	6	1.50	-	96.03	31.89	9.01	34.28
PK	5.462G	57.22	68.20	-10.98	6.06	3	Horizontal	6	1.50	-	51.16	31.62	8.70	34.26
PK	5.7212G	112.54	Inf	-Inf	6.61	3	Horizontal	6	1.50	-	105.93	31.88	9.01	34.28
PK	5.9024G	58.56	68.20	-9.64	7.13	3	Horizontal	6	1.50	-	51.43	32.30	9.13	34.30


802.11a_Nss2,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4382G	42.25	54.00	-11.75	18.45	3	Vertical	351	2.26	-	23.80	39.88	12.73	34.16
PK	11.44176G	55.48	74.00	-18.52	18.45	3	Vertical	351	2.26	-	37.03	39.88	12.73	34.16

802.11a_Nss2,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4414G	42.19	54.00	-11.81	18.45	3	Horizontal	16	1.24	-	23.74	39.88	12.73	34.16
PK	11.43708G	55.21	74.00	-18.79	18.44	3	Horizontal	16	1.24	-	36.77	39.87	12.73	34.16

802.11a_Nss2,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	102.58	Inf	-Inf	6.72	3	Vertical	13	1.56	-	95.86	31.97	9.03	34.28
PK	5.6334G	59.50	68.20	-8.70	6.33	3	Vertical	13	1.56	-	53.17	31.67	8.93	34.27
PK	5.7414G	112.87	Inf	-Inf	6.72	3	Vertical	13	1.56	-	106.15	31.97	9.03	34.28
PK	5.9862G	57.77	68.20	-10.43	7.22	3	Vertical	13	1.56	-	50.55	32.37	9.16	34.31

802.11a_Nss2,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	104.29	Inf	-Inf	6.73	3	Horizontal	10	1.50	-	97.56	31.98	9.03	34.28
PK	5.5518G	59.27	68.20	-8.93	6.16	3	Horizontal	10	1.50	-	53.11	31.60	8.83	34.27
PK	5.7498G	113.10	Inf	-Inf	6.75	3	Horizontal	10	1.50	-	106.35	32.00	9.03	34.28
PK	6.0234G	58.93	68.20	-9.27	7.23	3	Horizontal	10	1.50	-	51.70	32.35	9.19	34.31

802.11a_Nss2,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49716G	42.45	54.00	-11.55	18.59	3	Vertical	11	2.16	-	23.86	39.99	12.76	34.16
PK	11.4944G	55.32	74.00	-18.68	18.58	3	Vertical	11	2.16	-	36.74	39.99	12.75	34.16



802.11a_Nss2,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4908G	42.46	54.00	-11.54	18.57	3	Horizontal	19	2.00	-	23.89	39.98	12.75	34.16
PK	11.4984G	55.58	74.00	-18.42	18.60	3	Horizontal	19	2.00	-	36.98	40.00	12.76	34.16

802.11a_Nss2,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	102.58	Inf	-Inf	6.77	3	Vertical	11	1.50	-	95.81	32.00	9.06	34.29
PK	5.6458G	60.77	68.20	-7.43	6.36	3	Vertical	11	1.50	-	54.41	31.69	8.94	34.27
PK	5.7778G	112.70	Inf	-Inf	6.77	3	Vertical	11	1.50	-	105.93	32.00	9.06	34.29
PK	5.9602G	58.05	68.20	-10.15	7.16	3	Vertical	11	1.50	-	50.89	32.32	9.15	34.31

802.11a_Nss2,(6Mbps)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	104.14	Inf	-Inf	6.78	3	Horizontal	8	1.65	-	97.36	32.00	9.07	34.29
PK	5.5822G	59.08	68.20	-9.12	6.20	3	Horizontal	8	1.65	-	52.88	31.60	8.87	34.27
PK	5.7874G	113.32	Inf	-Inf	6.78	3	Horizontal	8	1.65	-	106.54	32.00	9.07	34.29
PK	6.0262G	58.89	68.20	-9.31	7.23	3	Horizontal	8	1.65	-	51.66	32.35	9.19	34.31



802.11a_Nss2,(6Mbps)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.563G	42.49	54.00	-11.51	18.54	3	Vertical	166	1.75	-	23.95	39.94	12.79	34.19
PK	11.57492G	55.98	74.00	-18.02	18.53	3	Vertical	166	1.75	-	37.45	39.93	12.80	34.20



802.11a_Nss2,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56848G	42.22	54.00	-11.78	18.53	3	Horizontal	304	1.97	-	23.69	39.93	12.79	34.19
PK	11.56236G	55.42	74.00	-18.58	18.54	3	Horizontal	304	1.97	-	36.88	39.94	12.79	34.19

802.11a_Nss2,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	102.96	Inf	-Inf	6.91	3	Vertical	11	1.60	-	96.05	32.11	9.09	34.29
PK	5.6018G	60.01	68.20	-8.19	6.23	3	Vertical	11	1.60	-	53.78	31.60	8.90	34.27
PK	5.8214G	112.35	Inf	-Inf	6.89	3	Vertical	11	1.60	-	105.46	32.09	9.09	34.29
PK	5.969G	58.84	68.20	-9.36	7.19	3	Vertical	11	1.60	-	51.65	32.34	9.16	34.31

802.11a_Nss2,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	104.13	Inf	-Inf	6.90	3	Horizontal	11	1.42	-	97.23	32.10	9.09	34.29
PK	5.6126G	59.15	68.20	-9.05	6.27	3	Horizontal	11	1.42	-	52.88	31.63	8.91	34.27
PK	5.8262G	113.91	Inf	-Inf	6.90	3	Horizontal	11	1.42	-	107.01	32.10	9.09	34.29
PK	5.9558G	58.96	68.20	-9.24	7.15	3	Horizontal	11	1.42	-	51.81	32.31	9.15	34.31

802.11a_Nss2,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6476G	41.86	54.00	-12.14	18.17	3	Vertical	15	2.35	-	23.69	39.57	12.83	34.23
PK	11.6468G	54.84	74.00	-19.16	18.17	3	Vertical	15	2.35	-	36.67	39.57	12.83	34.23



802.11a_Nss2,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64492G	41.91	54.00	-12.09	18.19	3	Horizontal	74	1.24	-	23.72	39.59	12.83	34.23
PK	11.64196G	55.04	74.00	-18.96	18.21	3	Horizontal	74	1.24	-	36.83	39.61	12.83	34.23

802.11ax HEW20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.76	54.00	-6.24	5.99	3	Vertical	12	1.66	-	41.77	31.70	8.52	34.23
AV	5.184G	102.27	Inf	-Inf	5.88	3	Vertical	12	1.66	-	96.39	31.56	8.55	34.23
PK	5.1482G	59.30	74.00	-14.70	5.99	3	Vertical	12	1.66	-	53.31	31.70	8.52	34.23
PK	5.1842G	115.65	Inf	-Inf	5.88	3	Vertical	12	1.66	-	109.77	31.56	8.55	34.23

802.11ax HEW20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	48.44	54.00	-5.56	5.99	3	Horizontal	11	1.76	-	42.45	31.70	8.52	34.23
AV	5.1758G	103.19	Inf	-Inf	5.92	3	Horizontal	11	1.76	-	97.27	31.60	8.55	34.23
PK	5.1468G	60.85	74.00	-13.15	5.99	3	Horizontal	11	1.76	-	54.86	31.70	8.52	34.23
PK	5.1732G	116.11	Inf	-Inf	5.92	3	Horizontal	11	1.76	-	110.19	31.61	8.54	34.23

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36856G	54.88	68.20	-13.32	16.93	3	Vertical	67	2.46	-	37.95	39.41	12.19	34.67



802.11ax HEW20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3554G	54.67	68.20	-13.53	16.87	3	Horizontal	217	2.41	-	37.80	39.37	12.18	34.68

802.11ax HEW20_Nss2,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	46.98	54.00	-7.02	5.99	3	Vertical	10	1.48	-	40.99	31.70	8.52	34.23
AV	5.1984G	102.35	Inf	-Inf	5.84	3	Vertical	10	1.48	-	96.51	31.51	8.57	34.24
PK	5.1292G	59.31	74.00	-14.69	5.97	3	Vertical	10	1.48	-	53.34	31.70	8.50	34.23
PK	5.1968G	115.40	Inf	-Inf	5.84	3	Vertical	10	1.48	-	109.56	31.51	8.57	34.24

802.11ax HEW20_Nss2,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	46.89	54.00	-7.11	5.99	3	Horizontal	8	1.68	-	40.90	31.70	8.52	34.23
AV	5.2052G	103.08	Inf	-Inf	5.80	3	Horizontal	8	1.68	-	97.28	31.47	8.57	34.24
PK	5.1488G	59.08	74.00	-14.92	5.99	3	Horizontal	8	1.68	-	53.09	31.70	8.52	34.23
PK	5.2028G	116.23	Inf	-Inf	5.81	3	Horizontal	8	1.68	-	110.42	31.48	8.57	34.24

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39128G	54.32	68.20	-13.88	17.02	3	Vertical	278	1.83	-	37.30	39.47	12.20	34.65



802.11ax HEW20_Nss2,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40708G	55.12	68.20	-13.08	17.08	3	Horizontal	90	2.40	-	38.04	39.51	12.21	34.64

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1374G	46.39	54.00	-7.61	5.98	3	Vertical	12	1.61	-	40.41	31.70	8.51	34.23
AV	5.2382G	102.13	Inf	-Inf	5.61	3	Vertical	12	1.61	-	96.52	31.27	8.58	34.24
AV	5.354G	46.34	54.00	-7.66	5.37	3	Vertical	12	1.61	-	40.97	31.02	8.60	34.25
PK	5.1338G	58.89	74.00	-15.11	5.98	3	Vertical	12	1.61	-	52.91	31.70	8.51	34.23
PK	5.2442G	115.36	Inf	-Inf	5.57	3	Vertical	12	1.61	-	109.79	31.23	8.58	34.24
PK	5.3786G	59.41	74.00	-14.59	5.53	3	Vertical	12	1.61	-	53.88	31.17	8.61	34.25



802.11ax HEW20_Nss2,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	46.42	54.00	-7.58	5.99	3	Horizontal	10	1.56	-	40.43	31.70	8.52	34.23
AV	5.2448G	103.02	Inf	-Inf	5.57	3	Horizontal	10	1.56	-	97.45	31.23	8.58	34.24
AV	5.3522G	46.14	54.00	-7.86	5.36	3	Horizontal	10	1.56	-	40.78	31.01	8.60	34.25
PK	5.111G	59.02	74.00	-14.98	5.96	3	Horizontal	10	1.56	-	53.06	31.70	8.49	34.23
PK	5.243G	115.91	Inf	-Inf	5.58	3	Horizontal	10	1.56	-	110.33	31.24	8.58	34.24
PK	5.36G	58.03	74.00	-15.97	5.41	3	Horizontal	10	1.56	-	52.62	31.06	8.60	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48812G	54.76	68.20	-13.44	17.35	3	Vertical	204	1.72	-	37.41	39.68	12.25	34.58



802.11ax HEW20_Nss2,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48904G	55.08	68.20	-13.12	17.35	3	Horizontal	148	1.79	-	37.73	39.68	12.25	34.58

802.11ax HEW20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	46.12	54.00	-7.88	5.99	3	Vertical	12	1.52	-	40.13	31.70	8.52	34.23
AV	5.2612G	102.39	Inf	-Inf	5.52	3	Vertical	12	1.52	-	96.87	31.18	8.58	34.24
AV	5.3932G	46.48	54.00	-7.52	5.62	3	Vertical	12	1.52	-	40.86	31.26	8.61	34.25
PK	5.1166G	59.09	74.00	-14.91	5.96	3	Vertical	12	1.52	-	53.13	31.70	8.49	34.23
PK	5.2642G	115.45	Inf	-Inf	5.51	3	Vertical	12	1.52	-	109.94	31.17	8.58	34.24
PK	5.4004G	58.93	74.00	-15.07	5.66	3	Vertical	12	1.52	-	53.27	31.30	8.61	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.41	54.00	-7.59	5.99	3	Horizontal	12	1.59	-	40.42	31.70	8.52	34.23
AV	5.263G	103.15	Inf	-Inf	5.51	3	Horizontal	12	1.59	-	97.64	31.17	8.58	34.24
AV	5.3674G	46.29	54.00	-7.71	5.45	3	Horizontal	12	1.59	-	40.84	31.10	8.60	34.25
PK	5.1274G	59.02	74.00	-14.98	5.97	3	Horizontal	12	1.59	-	53.05	31.70	8.50	34.23
PK	5.257G	115.85	Inf	-Inf	5.53	3	Horizontal	12	1.59	-	110.32	31.19	8.58	34.24
PK	5.3518G	58.77	74.00	-15.23	5.36	3	Horizontal	12	1.59	-	53.41	31.01	8.60	34.25



802.11ax HEW20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.523366G	54.75	68.20	-13.45	17.43	3	Vertical	359	1.04	-	37.32	39.72	12.26	34.55

802.11ax HEW20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5202G	55.00	68.20	-13.20	17.43	3	Horizontal	265	2.03	-	37.57	39.72	12.26	34.55

802.11ax HEW20_Nss2,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	102.47	Inf	-Inf	5.45	3	Vertical	12	1.54	-	97.02	31.10	8.59	34.24
AV	5.3516G	46.84	54.00	-7.16	5.36	3	Vertical	12	1.54	-	41.48	31.01	8.60	34.25
PK	5.2972G	115.27	Inf	-Inf	5.46	3	Vertical	12	1.54	-	109.81	31.11	8.59	34.24
PK	5.3508G	59.40	74.00	-14.60	5.35	3	Vertical	12	1.54	-	54.05	31.00	8.60	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	103.30	Inf	-Inf	5.44	3	Horizontal	10	1.56	-	97.86	31.09	8.59	34.24
AV	5.3504G	46.79	54.00	-7.21	5.35	3	Horizontal	10	1.56	-	41.44	31.00	8.60	34.25
PK	5.2968G	116.23	Inf	-Inf	5.46	3	Horizontal	10	1.56	-	110.77	31.11	8.59	34.24
PK	5.3824G	59.06	74.00	-14.94	5.55	3	Horizontal	10	1.56	-	53.51	31.19	8.61	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60872G	41.63	54.00	-12.37	17.63	3	Vertical	179	1.92	-	24.00	39.81	12.31	34.49
PK	10.60504G	54.85	74.00	-19.15	17.63	3	Vertical	179	1.92	-	37.22	39.81	12.31	34.49



802.11ax HEW20_Nss2,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60584G	41.44	54.00	-12.56	17.63	3	Horizontal	33	2.41	-	23.81	39.81	12.31	34.49
PK	10.59508G	54.86	68.20	-13.34	17.60	3	Horizontal	33	2.41	-	37.26	39.80	12.30	34.50

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	102.01	Inf	-Inf	5.40	3	Vertical	13	1.56	-	96.61	31.06	8.59	34.25
AV	5.3508G	48.11	54.00	-5.89	5.35	3	Vertical	13	1.56	-	42.76	31.00	8.60	34.25
PK	5.3244G	116.13	Inf	-Inf	5.39	3	Vertical	13	1.56	-	110.74	31.05	8.59	34.25
PK	5.354G	60.19	74.00	-13.81	5.37	3	Vertical	13	1.56	-	54.82	31.02	8.60	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	103.08	Inf	-Inf	5.40	3	Horizontal	12	1.49	-	97.68	31.06	8.59	34.25
AV	5.3506G	48.00	54.00	-6.00	5.35	3	Horizontal	12	1.49	-	42.65	31.00	8.60	34.25
PK	5.317G	116.03	Inf	-Inf	5.41	3	Horizontal	12	1.49	-	110.62	31.07	8.59	34.25
PK	5.355G	60.78	74.00	-13.22	5.38	3	Horizontal	12	1.49	-	55.40	31.03	8.60	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63836G	41.81	54.00	-12.19	17.70	3	Vertical	219	2.46	-	24.11	39.84	12.32	34.46
PK	10.64804G	55.30	74.00	-18.70	17.72	3	Vertical	219	2.46	-	37.58	39.85	12.33	34.46

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64856G	41.91	54.00	-12.09	17.72	3	Horizontal	270	1.86	-	24.19	39.85	12.33	34.46
PK	10.64892G	55.19	74.00	-18.81	17.72	3	Horizontal	270	1.86	-	37.47	39.85	12.33	34.46

802.11ax HEW20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4566G	46.90	54.00	-7.10	6.04	3	Vertical	12	1.60	-	40.86	31.61	8.69	34.26
AV	5.5014G	102.50	Inf	-Inf	6.20	3	Vertical	12	1.60	-	96.30	31.70	8.76	34.26
PK	5.4684G	59.60	68.20	-8.60	6.09	3	Vertical	12	1.60	-	53.51	31.64	8.71	34.26
PK	5.5044G	116.22	Inf	-Inf	6.19	3	Vertical	12	1.60	-	110.03	31.69	8.76	34.26

802.11ax HEW20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	47.11	54.00	-6.89	6.06	3	Horizontal	10	1.55	-	41.05	31.62	8.70	34.26
AV	5.4984G	103.13	Inf	-Inf	6.19	3	Horizontal	10	1.55	-	96.94	31.70	8.75	34.26
PK	5.4696G	60.83	68.20	-7.37	6.09	3	Horizontal	10	1.55	-	54.74	31.64	8.71	34.26
PK	5.503G	116.28	Inf	-Inf	6.19	3	Horizontal	10	1.55	-	110.09	31.69	8.76	34.26

802.11ax HEW20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99408G	42.41	54.00	-11.59	18.50	3	Vertical	101	2.16	-	23.91	40.19	12.50	34.19
PK	11.00556G	56.25	74.00	-17.75	18.50	3	Vertical	101	2.16	-	37.75	40.18	12.51	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.995G	42.44	54.00	-11.56	18.51	3	Horizontal	214	1.56	-	23.93	40.20	12.50	34.19
PK	11.00416G	55.87	74.00	-18.13	18.51	3	Horizontal	214	1.56	-	37.36	40.19	12.51	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	45.79	54.00	-8.21	6.01	3	Vertical	11	1.56	-	39.78	31.59	8.68	34.26
AV	5.5812G	102.53	Inf	-Inf	6.20	3	Vertical	11	1.56	-	96.33	31.60	8.87	34.27
PK	5.4666G	58.73	68.20	-9.47	6.08	3	Vertical	11	1.56	-	52.65	31.63	8.71	34.26
PK	5.577G	115.32	Inf	-Inf	6.20	3	Vertical	11	1.56	-	109.12	31.60	8.87	34.27
PK	5.7258G	57.49	68.20	-10.71	6.63	3	Vertical	11	1.56	-	50.86	31.90	9.01	34.28

802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.33	54.00	-7.67	6.06	3	Horizontal	11	1.57	-	40.27	31.62	8.70	34.26
AV	5.5836G	104.10	Inf	-Inf	6.21	3	Horizontal	11	1.57	-	97.89	31.60	8.88	34.27
PK	5.4678G	59.52	68.20	-8.68	6.09	3	Horizontal	11	1.57	-	53.43	31.64	8.71	34.26
PK	5.577G	116.86	Inf	-Inf	6.20	3	Horizontal	11	1.57	-	110.66	31.60	8.87	34.27
PK	5.7264G	58.51	68.20	-9.69	6.64	3	Horizontal	11	1.57	-	51.87	31.91	9.01	34.28

802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16212G	41.99	54.00	-12.01	18.19	3	Vertical	340	1.50	-	23.80	39.78	12.59	34.18
PK	11.16444G	55.31	74.00	-18.69	18.18	3	Vertical	340	1.50	-	37.13	39.77	12.59	34.18

802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1594G	42.14	54.00	-11.86	18.19	3	Horizontal	192	1.50	-	23.95	39.78	12.59	34.18
PK	11.16404G	55.45	74.00	-18.55	18.18	3	Horizontal	192	1.50	-	37.27	39.77	12.59	34.18

802.11ax HEW20_Nss2,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6916G	102.37	Inf	-Inf	6.48	3	Vertical	11	1.50	-	95.89	31.78	8.98	34.28
PK	5.704G	116.21	Inf	-Inf	6.53	3	Vertical	11	1.50	-	109.68	31.82	8.99	34.28
PK	5.726G	65.55	68.20	-2.65	6.63	3	Vertical	11	1.50	-	58.92	31.90	9.01	34.28

802.11ax HEW20_Nss2,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7036G	103.71	Inf	-Inf	6.52	3	Horizontal	11	1.49	-	97.19	31.81	8.99	34.28
PK	5.7032G	116.94	Inf	-Inf	6.52	3	Horizontal	11	1.49	-	110.42	31.81	8.99	34.28
PK	5.7256G	64.32	68.20	-3.88	6.63	3	Horizontal	11	1.49	-	57.69	31.90	9.01	34.28

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40548G	42.34	54.00	-11.66	18.35	3	Vertical	307	1.50	-	23.99	39.81	12.71	34.17
PK	11.39616G	55.21	74.00	-18.79	18.34	3	Vertical	307	1.50	-	36.87	39.80	12.71	34.17



802.11ax HEW20_Nss2,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40516G	42.12	54.00	-11.88	18.35	3	Horizontal	287	1.50	-	23.77	39.81	12.71	34.17
PK	11.40496G	56.03	74.00	-17.97	18.35	3	Horizontal	287	1.50	-	37.68	39.81	12.71	34.17




802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	45.94	54.00	-8.06	5.94	3	Vertical	10	1.50	-	40.00	31.53	8.67	34.26
AV	5.7236G	102.40	Inf	-Inf	6.62	3	Vertical	10	1.50	-	95.78	31.89	9.01	34.28
PK	5.4668G	57.59	68.20	-10.61	6.08	3	Vertical	10	1.50	-	51.51	31.63	8.71	34.26
PK	5.7164G	115.84	Inf	-Inf	6.59	3	Vertical	10	1.50	-	109.25	31.87	9.00	34.28
PK	5.8964G	57.71	68.20	-10.49	7.11	3	Vertical	10	1.50	-	50.60	32.29	9.12	34.30




802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	46.44	54.00	-7.56	6.01	3	Horizontal	10	1.50	-	40.43	31.59	8.68	34.26
AV	5.7128G	103.49	Inf	-Inf	6.57	3	Horizontal	10	1.50	-	96.92	31.85	9.00	34.28
PK	5.4632G	58.83	68.20	-9.37	6.07	3	Horizontal	10	1.50	-	52.76	31.63	8.70	34.26
PK	5.714G	116.14	Inf	-Inf	6.58	3	Horizontal	10	1.50	-	109.56	31.86	9.00	34.28
PK	5.9024G	59.04	68.20	-9.16	7.13	3	Horizontal	10	1.50	-	51.91	32.30	9.13	34.30




802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4406G	42.18	54.00	-11.82	18.45	3	Vertical	131	1.10	-	23.73	39.88	12.73	34.16
PK	11.43852G	56.00	74.00	-18.00	18.45	3	Vertical	131	1.10	-	37.55	39.88	12.73	34.16




802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43764G	42.10	54.00	-11.90	18.45	3	Horizontal	121	1.50	-	23.65	39.88	12.73	34.16
PK	11.43348G	55.16	74.00	-18.84	18.43	3	Horizontal	121	1.50	-	36.73	39.87	12.72	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	102.62	Inf	-Inf	6.69	3	Vertical	14	1.49	-	95.93	31.95	9.02	34.28
PK	5.631G	59.73	68.20	-8.47	6.32	3	Vertical	14	1.49	-	53.41	31.66	8.93	34.27
PK	5.7414G	115.82	Inf	-Inf	6.72	3	Vertical	14	1.49	-	109.10	31.97	9.03	34.28
PK	6.0246G	58.54	68.20	-9.66	7.23	3	Vertical	14	1.49	-	51.31	32.35	9.19	34.31

802.11ax HEW20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	103.73	Inf	-Inf	6.73	3	Horizontal	10	1.50	-	97.00	31.98	9.03	34.28
PK	5.601G	59.13	68.20	-9.07	6.23	3	Horizontal	10	1.50	-	52.90	31.60	8.90	34.27
PK	5.7378G	116.39	Inf	-Inf	6.69	3	Horizontal	10	1.50	-	109.70	31.95	9.02	34.28
PK	5.9574G	59.01	68.20	-9.19	7.15	3	Horizontal	10	1.50	-	51.86	32.31	9.15	34.31

802.11ax HEW20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49212G	42.39	54.00	-11.61	18.57	3	Vertical	11	1.50	-	23.82	39.98	12.75	34.16
PK	11.49964G	55.83	74.00	-18.17	18.60	3	Vertical	11	1.50	-	37.23	40.00	12.76	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.497G	42.51	54.00	-11.49	18.59	3	Horizontal	132	1.49	-	23.92	39.99	12.76	34.16
PK	11.48344G	56.62	74.00	-17.38	18.56	3	Horizontal	132	1.49	-	38.06	39.97	12.75	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	102.83	Inf	-Inf	6.77	3	Vertical	14	1.54	-	96.06	32.00	9.06	34.29
PK	5.6458G	59.65	68.20	-8.55	6.36	3	Vertical	14	1.54	-	53.29	31.69	8.94	34.27
PK	5.7898G	114.17	Inf	-Inf	6.78	3	Vertical	14	1.54	-	107.39	32.00	9.07	34.29
PK	5.9974G	58.16	68.20	-10.04	7.25	3	Vertical	14	1.54	-	50.91	32.39	9.17	34.31

802.11ax HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	103.99	Inf	-Inf	6.78	3	Horizontal	12	1.62	-	97.21	32.00	9.07	34.29
PK	5.635G	60.35	68.20	-7.85	6.33	3	Horizontal	12	1.62	-	54.02	31.67	8.93	34.27
PK	5.7814G	116.61	Inf	-Inf	6.77	3	Horizontal	12	1.62	-	109.84	32.00	9.06	34.29
PK	6.0118G	59.18	68.20	-9.02	7.25	3	Horizontal	12	1.62	-	51.93	32.38	9.18	34.31

802.11ax HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	42.18	54.00	-11.82	18.53	3	Vertical	278	1.50	-	23.65	39.93	12.79	34.19
PK	11.56448G	56.21	74.00	-17.79	18.54	3	Vertical	278	1.50	-	37.67	39.94	12.79	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	42.16	54.00	-11.84	18.53	3	Horizontal	173	1.50	-	23.63	39.93	12.79	34.19
PK	11.56216G	56.00	74.00	-18.00	18.54	3	Horizontal	173	1.50	-	37.46	39.94	12.79	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	102.48	Inf	-Inf	6.90	3	Vertical	15	1.49	-	95.58	32.10	9.09	34.29
PK	5.5262G	60.38	68.20	-7.82	6.18	3	Vertical	15	1.49	-	54.20	31.65	8.79	34.26
PK	5.8226G	114.66	Inf	-Inf	6.89	3	Vertical	15	1.49	-	107.77	32.09	9.09	34.29
PK	5.9474G	58.97	68.20	-9.23	7.15	3	Vertical	15	1.49	-	51.82	32.30	9.15	34.30

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	103.81	Inf	-Inf	6.91	3	Horizontal	12	1.50	-	96.90	32.11	9.09	34.29
PK	5.6078G	59.65	68.20	-8.55	6.26	3	Horizontal	12	1.50	-	53.39	31.62	8.91	34.27
PK	5.8214G	116.63	Inf	-Inf	6.89	3	Horizontal	12	1.50	-	109.74	32.09	9.09	34.29
PK	5.9666G	59.13	68.20	-9.07	7.17	3	Horizontal	12	1.50	-	51.96	32.33	9.15	34.31



802.11ax HEW20_Nss2,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6504G	41.74	54.00	-12.26	18.15	3	Vertical	0	1.48	-	23.59	39.55	12.83	34.23
PK	11.65144G	54.84	74.00	-19.16	18.14	3	Vertical	0	1.48	-	36.70	39.54	12.83	34.23

802.11ax HEW20_Nss2,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65744G	41.67	54.00	-12.33	18.10	3	Horizontal	217	1.22	-	23.57	39.50	12.84	34.24
PK	11.64728G	55.18	74.00	-18.82	18.17	3	Horizontal	217	1.22	-	37.01	39.57	12.83	34.23

802.11ax HEW40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.33	54.00	-3.67	5.99	3	Vertical	16	1.52	-	44.34	31.70	8.52	34.23
AV	5.1836G	99.68	Inf	-Inf	5.89	3	Vertical	16	1.52	-	93.79	31.57	8.55	34.23
PK	5.15G	62.09	74.00	-11.91	5.99	3	Vertical	16	1.52	-	56.10	31.70	8.52	34.23
PK	5.1752G	112.03	Inf	-Inf	5.92	3	Vertical	16	1.52	-	106.11	31.60	8.55	34.23

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.11	54.00	-1.89	5.99	3	Horizontal	13	1.50	-	46.12	31.70	8.52	34.23
AV	5.196G	100.50	Inf	-Inf	5.85	3	Horizontal	13	1.50	-	94.65	31.52	8.57	34.24
PK	5.1484G	63.52	74.00	-10.48	5.99	3	Horizontal	13	1.50	-	57.53	31.70	8.52	34.23
PK	5.2056G	112.55	Inf	-Inf	5.80	3	Horizontal	13	1.50	-	106.75	31.47	8.57	34.24



802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38048G	53.72	68.20	-14.48	16.97	3	Vertical	218	1.50	-	36.75	39.44	12.19	34.66



802.11ax HEW40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38968G	53.53	68.20	-14.67	17.02	3	Horizontal	221	1.52	-	36.51	39.47	12.20	34.65

802.11ax HEW40_Nss2,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	47.28	54.00	-6.72	5.98	3	Vertical	15	1.52	-	41.30	31.70	8.51	34.23
AV	5.2336G	99.77	Inf	-Inf	5.64	3	Vertical	15	1.52	-	94.13	31.30	8.58	34.24
PK	5.1408G	59.18	74.00	-14.82	5.98	3	Vertical	15	1.52	-	53.20	31.70	8.51	34.23
PK	5.222G	111.66	Inf	-Inf	5.70	3	Vertical	15	1.52	-	105.96	31.37	8.57	34.24

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	47.16	54.00	-6.84	5.98	3	Horizontal	16	1.50	-	41.18	31.70	8.51	34.23
AV	5.2256G	99.92	Inf	-Inf	5.69	3	Horizontal	16	1.50	-	94.23	31.35	8.58	34.24
PK	5.1456G	59.29	74.00	-14.71	5.99	3	Horizontal	16	1.50	-	53.30	31.70	8.52	34.23
PK	5.222G	112.50	Inf	-Inf	5.70	3	Horizontal	16	1.50	-	106.80	31.37	8.57	34.24



802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46344G	54.12	68.20	-14.08	17.26	3	Vertical	18	1.80	-	36.86	39.63	12.23	34.60



802.11ax HEW40_Nss2,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.463766	54.42	68.20	-13.78	17.26	3	Horizontal	114	2.39	-	37.16	39.63	12.23	34.60

802.11ax HEW40_Nss2,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2736G	98.90	Inf	-Inf	5.49	3	Vertical	15	1.50	-	93.41	31.15	8.58	34.24
AV	5.3624G	46.81	54.00	-7.19	5.42	3	Vertical	15	1.50	-	41.39	31.07	8.60	34.25
PK	5.2804G	110.92	Inf	-Inf	5.49	3	Vertical	15	1.50	-	105.43	31.14	8.59	34.24
PK	5.35G	58.53	74.00	-15.47	5.35	3	Vertical	15	1.50	-	53.18	31.00	8.60	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2652G	100.37	Inf	-Inf	5.51	3	Horizontal	14	1.57	-	94.86	31.17	8.58	34.24
AV	5.3532G	46.88	54.00	-7.12	5.37	3	Horizontal	14	1.57	-	41.51	31.02	8.60	34.25
PK	5.262G	112.92	Inf	-Inf	5.52	3	Horizontal	14	1.57	-	107.40	31.18	8.58	34.24
PK	5.3556G	59.26	74.00	-14.74	5.38	3	Horizontal	14	1.57	-	53.88	31.03	8.60	34.25



802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54712G	53.72	68.20	-14.48	17.50	3	Vertical	38	1.50	-	36.22	39.75	12.28	34.53



802.11ax HEW40_Nss2,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53056G	54.40	68.20	-13.80	17.45	3	Horizontal	316	1.84	-	36.95	39.73	12.27	34.55

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	98.60	Inf	-Inf	5.44	3	Vertical	17	1.51	-	93.16	31.09	8.59	34.24
AV	5.3536G	50.05	54.00	-3.95	5.37	3	Vertical	17	1.51	-	44.68	31.02	8.60	34.25
PK	5.3208G	111.20	Inf	-Inf	5.40	3	Vertical	17	1.51	-	105.80	31.06	8.59	34.25
PK	5.3532G	61.98	74.00	-12.02	5.37	3	Vertical	17	1.51	-	56.61	31.02	8.60	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	100.40	Inf	-Inf	5.45	3	Horizontal	14	1.50	-	94.95	31.10	8.59	34.24
AV	5.35G	51.04	54.00	-2.96	5.35	3	Horizontal	14	1.50	-	45.69	31.00	8.60	34.25
PK	5.302G	113.11	Inf	-Inf	5.45	3	Horizontal	14	1.50	-	107.66	31.10	8.59	34.24
PK	5.3548G	62.83	74.00	-11.17	5.38	3	Horizontal	14	1.50	-	57.45	31.03	8.60	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63536G	42.30	54.00	-11.70	17.69	3	Vertical	113	1.50	-	24.61	39.84	12.32	34.47
PK	10.62288G	54.77	74.00	-19.23	17.65	3	Vertical	113	1.50	-	37.12	39.82	12.31	34.48



802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63G	42.33	54.00	-11.67	17.68	3	Horizontal	340	2.15	-	24.65	39.83	12.32	34.47
PK	10.63928G	54.26	74.00	-19.74	17.70	3	Horizontal	340	2.15	-	36.56	39.84	12.32	34.46

802.11ax HEW40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.76	54.00	-6.24	6.06	3	Vertical	13	1.50	-	41.70	31.62	8.70	34.26
AV	5.5036G	98.82	Inf	-Inf	6.19	3	Vertical	13	1.50	-	92.63	31.69	8.76	34.26
PK	5.4684G	61.51	68.20	-6.69	6.09	3	Vertical	13	1.50	-	55.42	31.64	8.71	34.26
PK	5.5208G	111.43	Inf	-Inf	6.19	3	Vertical	13	1.50	-	105.24	31.66	8.79	34.26

802.11ax HEW40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.42	54.00	-5.58	6.06	3	Horizontal	15	1.47	-	42.36	31.62	8.70	34.26
AV	5.5156G	99.78	Inf	-Inf	6.19	3	Horizontal	15	1.47	-	93.59	31.67	8.78	34.26
PK	5.4684G	62.02	68.20	-6.18	6.09	3	Horizontal	15	1.47	-	55.93	31.64	8.71	34.26
PK	5.502G	112.40	Inf	-Inf	6.20	3	Horizontal	15	1.47	-	106.20	31.70	8.76	34.26

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00584G	42.31	54.00	-11.69	18.50	3	Vertical	320	1.50	-	23.81	40.18	12.51	34.19
PK	11.0332G	54.93	74.00	-19.07	18.43	3	Vertical	320	1.50	-	36.50	40.10	12.52	34.19



802.11ax HEW40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00008G	42.66	54.00	-11.34	18.52	3	Horizontal	26	2.54	-	24.14	40.20	12.51	34.19
PK	11.01752G	54.59	74.00	-19.41	18.47	3	Horizontal	26	2.54	-	36.12	40.15	12.51	34.19

802.11ax HEW40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.34	54.00	-7.66	6.06	3	Vertical	15	1.50	-	40.28	31.62	8.70	34.26
AV	5.5536G	99.17	Inf	-Inf	6.16	3	Vertical	15	1.50	-	93.01	31.60	8.83	34.27
PK	5.4684G	57.89	68.20	-10.31	6.09	3	Vertical	15	1.50	-	51.80	31.64	8.71	34.26
PK	5.5604G	111.73	Inf	-Inf	6.17	3	Vertical	15	1.50	-	105.56	31.60	8.84	34.27

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	46.77	54.00	-7.23	6.02	3	Horizontal	13	1.70	-	40.75	31.60	8.68	34.26
AV	5.5544G	100.28	Inf	-Inf	6.16	3	Horizontal	13	1.70	-	94.12	31.60	8.83	34.27
PK	5.4628G	58.15	68.20	-10.05	6.07	3	Horizontal	13	1.70	-	52.08	31.63	8.70	34.26
PK	5.542G	112.39	Inf	-Inf	6.18	3	Horizontal	13	1.70	-	106.21	31.62	8.82	34.26



802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10216G	41.91	54.00	-12.09	18.28	3	Vertical	28	1.54	-	23.63	39.90	12.56	34.18
PK	11.1176G	54.09	74.00	-19.91	18.24	3	Vertical	28	1.54	-	35.85	39.86	12.56	34.18



802.11ax HEW40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08064G	41.98	54.00	-12.02	18.32	3	Horizontal	304	1.50	-	23.66	39.96	12.55	34.19
PK	11.09648G	54.33	74.00	-19.67	18.28	3	Horizontal	304	1.50	-	36.05	39.91	12.55	34.18

802.11ax HEW40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6742G	98.98	Inf	-Inf	6.44	3	Vertical	14	1.49	-	92.54	31.75	8.97	34.28
PK	5.6622G	111.14	Inf	-Inf	6.40	3	Vertical	14	1.49	-	104.74	31.72	8.96	34.28
PK	5.7276G	59.83	68.20	-8.37	6.64	3	Vertical	14	1.49	-	53.19	31.91	9.01	34.28

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.676G	101.18	Inf	-Inf	6.44	3	Horizontal	12	1.50	-	94.74	31.75	8.97	34.28
PK	5.6622G	112.97	Inf	-Inf	6.40	3	Horizontal	12	1.50	-	106.57	31.72	8.96	34.28
PK	5.7252G	59.66	68.20	-8.54	6.63	3	Horizontal	12	1.50	-	53.03	31.90	9.01	34.28



802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35296G	42.20	54.00	-11.80	18.26	3	Vertical	292	1.50	-	23.94	39.75	12.68	34.17
PK	11.3264G	54.41	74.00	-19.59	18.23	3	Vertical	292	1.50	-	36.18	39.73	12.67	34.17



802.11ax HEW40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35592G	42.15	54.00	-11.85	18.27	3	Horizontal	309	1.44	-	23.88	39.76	12.68	34.17
PK	11.35384G	54.24	74.00	-19.76	18.26	3	Horizontal	309	1.44	-	35.98	39.75	12.68	34.17




802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	45.93	54.00	-8.07	6.04	3	Vertical	14	1.49	-	39.89	31.61	8.69	34.26
AV	5.7136G	98.73	Inf	-Inf	6.57	3	Vertical	14	1.49	-	92.16	31.85	9.00	34.28
PK	5.4664G	56.74	68.20	-11.46	6.08	3	Vertical	14	1.49	-	50.66	31.63	8.71	34.26
PK	5.7016G	110.79	Inf	-Inf	6.52	3	Vertical	14	1.49	-	104.27	31.81	8.99	34.28
PK	5.8912G	57.86	68.20	-10.34	7.10	3	Vertical	14	1.49	-	50.76	32.28	9.12	34.30




802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	46.68	54.00	-7.32	6.04	3	Horizontal	13	1.50	-	40.64	31.61	8.69	34.26
AV	5.7064G	100.13	Inf	-Inf	6.55	3	Horizontal	13	1.50	-	93.58	31.83	9.00	34.28
PK	5.46G	58.14	68.20	-10.06	6.06	3	Horizontal	13	1.50	-	52.08	31.62	8.70	34.26
PK	5.7016G	112.46	Inf	-Inf	6.52	3	Horizontal	13	1.50	-	105.94	31.81	8.99	34.28
PK	5.8804G	58.97	68.20	-9.23	7.08	3	Horizontal	13	1.50	-	51.89	32.26	9.12	34.30




802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40608G	42.11	54.00	-11.89	18.35	3	Vertical	271	1.50	-	23.76	39.81	12.71	34.17
PK	11.42128G	54.54	74.00	-19.46	18.40	3	Vertical	271	1.50	-	36.14	39.84	12.72	34.16


802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41808G	42.45	54.00	-11.55	18.40	3	Horizontal	9	1.14	-	24.05	39.84	12.72	34.16
PK	11.4052G	54.44	74.00	-19.56	18.35	3	Horizontal	9	1.14	-	36.09	39.81	12.71	34.17

802.11ax HEW40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7418G	98.73	Inf	-Inf	6.72	3	Vertical	15	1.49	-	92.01	31.97	9.03	34.28
PK	5.6362G	59.42	68.20	-8.78	6.33	3	Vertical	15	1.49	-	53.09	31.67	8.93	34.27
PK	5.7394G	111.33	Inf	-Inf	6.71	3	Vertical	15	1.49	-	104.62	31.96	9.03	34.28
PK	6.0442G	57.41	68.20	-10.79	7.21	3	Vertical	15	1.49	-	50.20	32.31	9.21	34.31

802.11ax HEW40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	100.15	Inf	-Inf	6.75	3	Horizontal	11	1.50	-	93.40	32.00	9.03	34.28
PK	5.4706G	58.74	68.20	-9.46	6.09	3	Horizontal	11	1.50	-	52.65	31.64	8.71	34.26
PK	5.7718G	111.69	Inf	-Inf	6.76	3	Horizontal	11	1.50	-	104.93	32.00	9.05	34.29
PK	6.0322G	58.99	68.20	-9.21	7.23	3	Horizontal	11	1.50	-	51.76	32.34	9.20	34.31

802.11ax HEW40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50432G	42.35	54.00	-11.65	18.60	3	Vertical	192	2.99	-	23.75	40.00	12.76	34.16
PK	11.50448G	55.50	74.00	-18.50	18.60	3	Vertical	192	2.99	-	36.90	40.00	12.76	34.16

802.11ax HEW40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52984G	42.54	54.00	-11.46	18.57	3	Horizontal	147	1.30	-	23.97	39.97	12.77	34.17
PK	11.5208G	54.93	74.00	-19.07	18.58	3	Horizontal	147	1.30	-	36.35	39.98	12.77	34.17

802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	98.72	Inf	-Inf	6.77	3	Vertical	15	1.52	-	91.95	32.00	9.06	34.29
PK	5.6414G	58.74	68.20	-9.46	6.35	3	Vertical	15	1.52	-	52.39	31.68	8.94	34.27
PK	5.7794G	110.85	Inf	-Inf	6.77	3	Vertical	15	1.52	-	104.08	32.00	9.06	34.29
PK	5.9294G	57.95	68.20	-10.25	7.14	3	Vertical	15	1.52	-	50.81	32.30	9.14	34.30

802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	99.45	Inf	-Inf	6.79	3	Horizontal	14	1.50	-	92.66	32.00	9.08	34.29
PK	5.4974G	58.59	68.20	-9.61	6.18	3	Horizontal	14	1.50	-	52.41	31.69	8.75	34.26
PK	5.7866G	111.49	Inf	-Inf	6.78	3	Horizontal	14	1.50	-	104.71	32.00	9.07	34.29
PK	5.9462G	58.35	68.20	-9.85	7.15	3	Horizontal	14	1.50	-	51.20	32.30	9.15	34.30

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57224G	41.88	54.00	-12.12	18.53	3	Vertical	359	2.25	-	23.35	39.93	12.79	34.19
PK	11.57376G	54.49	74.00	-19.51	18.52	3	Vertical	359	2.25	-	35.97	39.93	12.79	34.20



802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59616G	42.38	54.00	-11.62	18.50	3	Horizontal	260	1.50	-	23.88	39.90	12.81	34.21
PK	11.59584G	54.24	74.00	-19.76	18.50	3	Horizontal	260	1.50	-	35.74	39.90	12.81	34.21



802.11ax HEW80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.42	54.00	-4.58	5.99	3	Vertical	17	1.50	-	43.43	31.70	8.52	34.23
AV	5.181G	95.97	Inf	-Inf	5.90	3	Vertical	17	1.50	-	90.07	31.58	8.55	34.23
AV	5.354G	47.43	54.00	-6.57	5.37	3	Vertical	17	1.50	-	42.06	31.02	8.60	34.25
PK	5.145G	60.79	74.00	-13.21	5.99	3	Vertical	17	1.50	-	54.80	31.70	8.52	34.23
PK	5.209G	108.23	Inf	-Inf	5.78	3	Vertical	17	1.50	-	102.45	31.45	8.57	34.24
PK	5.358G	58.55	74.00	-15.45	5.40	3	Vertical	17	1.50	-	53.15	31.05	8.60	34.25

802.11ax HEW80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.97	54.00	-4.03	5.99	3	Horizontal	14	1.63	-	43.98	31.70	8.52	34.23
AV	5.204G	97.25	Inf	-Inf	5.81	3	Horizontal	14	1.63	-	91.44	31.48	8.57	34.24
AV	5.363G	46.79	54.00	-7.21	5.43	3	Horizontal	14	1.63	-	41.36	31.08	8.60	34.25
PK	5.146G	61.29	74.00	-12.71	5.99	3	Horizontal	14	1.63	-	55.30	31.70	8.52	34.23
PK	5.209G	109.57	Inf	-Inf	5.78	3	Horizontal	14	1.63	-	103.79	31.45	8.57	34.24
PK	5.358G	57.85	74.00	-16.15	5.40	3	Horizontal	14	1.63	-	52.45	31.05	8.60	34.25

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.43728G	53.67	68.20	-14.53	17.17	3	Vertical	301	1.50	-	36.50	39.57	12.22	34.62



802.11ax HEW80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.411766	54.02	68.20	-14.18	17.09	3	Horizontal	257	2.42	-	36.93	39.52	12.21	34.64

802.11ax HEW80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	47.18	54.00	-6.82	5.99	3	Vertical	14	1.49	-	41.19	31.70	8.52	34.23
AV	5.302G	95.91	Inf	-Inf	5.45	3	Vertical	14	1.49	-	90.46	31.10	8.59	34.24
AV	5.35G	49.45	54.00	-4.55	5.35	3	Vertical	14	1.49	-	44.10	31.00	8.60	34.25
PK	5.147G	58.96	74.00	-15.04	5.99	3	Vertical	14	1.49	-	52.97	31.70	8.52	34.23
PK	5.289G	108.13	Inf	-Inf	5.47	3	Vertical	14	1.49	-	102.66	31.12	8.59	34.24
PK	5.483G	59.01	68.20	-9.19	6.14	3	Vertical	14	1.49	-	52.87	31.67	8.73	34.26

802.11ax HEW80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	47.39	54.00	-6.61	5.99	3	Horizontal	15	1.50	-	41.40	31.70	8.52	34.23
AV	5.302G	96.54	Inf	-Inf	5.45	3	Horizontal	15	1.50	-	91.09	31.10	8.59	34.24
AV	5.353G	49.61	54.00	-4.39	5.37	3	Horizontal	15	1.50	-	44.24	31.02	8.60	34.25
PK	5.148G	58.35	74.00	-15.65	5.99	3	Horizontal	15	1.50	-	52.36	31.70	8.52	34.23
PK	5.303G	108.30	Inf	-Inf	5.44	3	Horizontal	15	1.50	-	102.86	31.09	8.59	34.24
PK	5.483G	58.14	68.20	-10.06	6.14	3	Horizontal	15	1.50	-	52.00	31.67	8.73	34.26

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.564566G	54.11	68.20	-14.09	17.53	3	Vertical	59	2.77	-	36.58	39.76	12.29	34.52



802.11ax HEW80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57504G	54.22	68.20	-13.98	17.56	3	Horizontal	64	2.20	-	36.66	39.78	12.29	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.29	54.00	-5.71	6.06	3	Vertical	12	1.49	-	42.23	31.62	8.70	34.26
AV	5.543G	95.96	Inf	-Inf	6.17	3	Vertical	12	1.49	-	89.79	31.61	8.82	34.26
PK	5.465G	60.48	68.20	-7.72	6.07	3	Vertical	12	1.49	-	54.41	31.63	8.70	34.26
PK	5.529G	107.95	Inf	-Inf	6.18	3	Vertical	12	1.49	-	101.77	31.64	8.80	34.26
PK	5.725G	57.93	68.20	-10.27	6.63	3	Vertical	12	1.49	-	51.30	31.90	9.01	34.28

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	49.44	54.00	-4.56	6.05	3	Horizontal	14	1.50	-	43.39	31.62	8.69	34.26
AV	5.52G	97.16	Inf	-Inf	6.18	3	Horizontal	14	1.50	-	90.98	31.66	8.78	34.26
PK	5.47G	61.75	68.20	-6.45	6.09	3	Horizontal	14	1.50	-	55.66	31.64	8.71	34.26
PK	5.529G	109.27	Inf	-Inf	6.18	3	Horizontal	14	1.50	-	103.09	31.64	8.80	34.26
PK	5.757G	58.24	68.20	-9.96	6.75	3	Horizontal	14	1.50	-	51.49	32.00	9.04	34.29



802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05616G	42.01	54.00	-11.99	18.37	3	Vertical	109	1.90	-	23.64	40.03	12.53	34.19
PK	11.05752G	54.42	74.00	-19.58	18.37	3	Vertical	109	1.90	-	36.05	40.03	12.53	34.19



802.11ax HEW80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05128G	41.94	54.00	-12.06	18.39	3	Horizontal	186	1.63	-	23.55	40.05	12.53	34.19
PK	11.07768G	54.16	74.00	-19.84	18.32	3	Horizontal	186	1.63	-	35.84	39.97	12.54	34.19

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	46.57	54.00	-7.43	6.04	3	Vertical	16.7	1.52	-	40.53	31.61	8.69	34.26
AV	5.624G	96.32	Inf	-Inf	6.30	3	Vertical	16.7	1.52	-	90.02	31.65	8.92	34.27
PK	5.47G	57.84	68.20	-10.36	6.09	3	Vertical	16.7	1.52	-	51.75	31.64	8.71	34.26
PK	5.609G	108.77	Inf	-Inf	6.26	3	Vertical	16.7	1.52	-	102.51	31.62	8.91	34.27
PK	5.752G	58.64	68.20	-9.56	6.75	3	Vertical	16.7	1.52	-	51.89	32.00	9.04	34.29



802.11ax HEW80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	47.30	54.00	-6.70	6.04	3	Horizontal	15	1.50	-	41.26	31.61	8.69	34.26
AV	5.623G	97.43	Inf	-Inf	6.30	3	Horizontal	15	1.50	-	91.13	31.65	8.92	34.27
PK	5.465G	59.36	68.20	-8.84	6.07	3	Horizontal	15	1.50	-	53.29	31.63	8.70	34.26
PK	5.609G	109.51	Inf	-Inf	6.26	3	Horizontal	15	1.50	-	103.25	31.62	8.91	34.27
PK	5.726G	59.56	68.20	-8.64	6.63	3	Horizontal	15	1.50	-	52.93	31.90	9.01	34.28

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23232G	42.11	54.00	-11.89	18.14	3	Vertical	317	1.84	-	23.97	39.70	12.62	34.18
PK	11.22696G	54.26	74.00	-19.74	18.14	3	Vertical	317	1.84	-	36.12	39.70	12.62	34.18



802.11ax HEW80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23952G	42.32	54.00	-11.68	18.15	3	Horizontal	256	2.67	-	24.17	39.70	12.63	34.18
PK	11.224G	55.37	74.00	-18.63	18.14	3	Horizontal	256	2.67	-	37.23	39.70	12.62	34.18




802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	46.30	54.00	-7.70	6.04	3	Vertical	13	1.49	-	40.26	31.61	8.69	34.26
AV	5.6792G	96.55	Inf	-Inf	6.45	3	Vertical	13	1.49	-	90.10	31.76	8.97	34.28
PK	5.462G	57.27	68.20	-10.93	6.06	3	Vertical	13	1.49	-	51.21	31.62	8.70	34.26
PK	5.6888G	108.69	Inf	-Inf	6.48	3	Vertical	13	1.49	-	102.21	31.78	8.98	34.28
PK	5.8568G	57.96	68.20	-10.24	7.02	3	Vertical	13	1.49	-	50.94	32.21	9.11	34.30


802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	46.89	54.00	-7.11	6.00	3	Horizontal	14	1.50	-	40.89	31.58	8.68	34.26
AV	5.6768G	97.61	Inf	-Inf	6.44	3	Horizontal	14	1.50	-	91.17	31.75	8.97	34.28
PK	5.4668G	57.39	68.20	-10.81	6.08	3	Horizontal	14	1.50	-	51.31	31.63	8.71	34.26
PK	5.6888G	109.86	Inf	-Inf	6.48	3	Horizontal	14	1.50	-	103.38	31.78	8.98	34.28
PK	5.8736G	59.27	68.20	-8.93	7.06	3	Horizontal	14	1.50	-	52.21	32.25	9.11	34.30


802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38728G	42.06	54.00	-11.94	18.32	3	Vertical	132	2.34	-	23.74	39.79	12.70	34.17
PK	11.36304G	54.12	74.00	-19.88	18.28	3	Vertical	132	2.34	-	35.84	39.76	12.69	34.17




802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36608G	42.00	54.00	-12.00	18.29	3	Horizontal	197	1.50	-	23.71	39.77	12.69	34.17
PK	11.36496G	54.22	74.00	-19.78	18.28	3	Horizontal	197	1.50	-	35.94	39.76	12.69	34.17

802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	96.25	Inf	-Inf	6.76	3	Vertical	15	1.49	-	89.49	32.00	9.05	34.29
PK	5.6298G	61.17	68.20	-7.03	6.32	3	Vertical	15	1.49	-	54.85	31.66	8.93	34.27
PK	5.7738G	108.33	Inf	-Inf	6.77	3	Vertical	15	1.49	-	101.56	32.00	9.06	34.29
PK	6.0018G	58.34	68.20	-9.86	7.26	3	Vertical	15	1.49	-	51.08	32.40	9.17	34.31

802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	97.23	Inf	-Inf	6.76	3	Horizontal	14	1.50	-	90.47	32.00	9.05	34.29
PK	5.601G	60.15	68.20	-8.05	6.23	3	Horizontal	14	1.50	-	53.92	31.60	8.90	34.27
PK	5.7738G	108.93	Inf	-Inf	6.77	3	Horizontal	14	1.50	-	102.16	32.00	9.06	34.29
PK	5.9298G	58.51	68.20	-9.69	7.14	3	Horizontal	14	1.50	-	51.37	32.30	9.14	34.30

802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56032G	42.03	54.00	-11.97	18.54	3	Vertical	0	1.40	-	23.49	39.94	12.79	34.19
PK	11.56592G	54.38	74.00	-19.62	18.53	3	Vertical	0	1.40	-	35.85	39.93	12.79	34.19

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53216G	42.19	54.00	-11.81	18.56	3	Horizontal	12	1.11	-	23.63	39.97	12.77	34.18
PK	11.55656G	54.38	74.00	-19.62	18.54	3	Horizontal	12	1.11	-	35.84	39.94	12.79	34.19



802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	51.80	54.00	-2.20	5.98	3	Vertical	16	1.50	-	45.82	31.70	8.51	34.23
AV	5.277G	93.70	Inf	-Inf	5.50	3	Vertical	16	1.50	-	88.20	31.15	8.59	34.24
AV	5.385G	53.69	54.00	-0.31	5.57	3	Vertical	16	1.50	-	48.12	31.21	8.61	34.25
PK	5.139G	61.41	74.00	-12.59	5.98	3	Vertical	16	1.50	-	55.43	31.70	8.51	34.23
PK	5.295G	103.94	Inf	-Inf	5.46	3	Vertical	16	1.50	-	98.48	31.11	8.59	34.24
PK	5.487G	60.81	68.20	-7.39	6.15	3	Vertical	16	1.50	-	54.66	31.67	8.74	34.26

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.094G	51.40	54.00	-2.60	5.92	3	Horizontal	15	1.49	-	45.48	31.68	8.47	34.23
AV	5.259G	95.16	Inf	-Inf	5.52	3	Horizontal	15	1.49	-	89.64	31.18	8.58	34.24
AV	5.379G	51.81	54.00	-2.19	5.53	3	Horizontal	15	1.49	-	46.28	31.17	8.61	34.25
PK	5.139G	61.33	74.00	-12.67	5.98	3	Horizontal	15	1.49	-	55.35	31.70	8.51	34.23
PK	5.298G	105.67	Inf	-Inf	5.45	3	Horizontal	15	1.49	-	100.22	31.10	8.59	34.24
PK	5.487G	59.28	68.20	-8.92	6.15	3	Horizontal	15	1.49	-	53.13	31.67	8.74	34.26



802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51432G	54.33	68.20	-13.87	17.41	3	Vertical	99	1.61	-	36.92	39.71	12.26	34.56



802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4868G	54.07	68.20	-14.13	17.34	3	Horizontal	314	1.33	-	36.73	39.67	12.25	34.58

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	50.81	54.00	-3.19	5.94	3	Vertical	15	1.52	-	44.87	31.53	8.67	34.26
AV	5.582G	94.36	Inf	-Inf	6.20	3	Vertical	15	1.52	-	88.16	31.60	8.87	34.27
PK	5.465G	59.29	68.20	-8.91	6.07	3	Vertical	15	1.52	-	53.22	31.63	8.70	34.26
PK	5.555G	106.25	Inf	-Inf	6.16	3	Vertical	15	1.52	-	100.09	31.60	8.83	34.27
PK	5.729G	60.00	68.20	-8.20	6.66	3	Vertical	15	1.52	-	53.34	31.92	9.02	34.28



802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.435G	50.41	54.00	-3.59	5.92	3	Horizontal	14	1.50	-	44.49	31.51	8.66	34.25
AV	5.546G	95.31	Inf	-Inf	6.17	3	Horizontal	14	1.50	-	89.14	31.61	8.82	34.26
PK	5.465G	60.19	68.20	-8.01	6.07	3	Horizontal	14	1.50	-	54.12	31.63	8.70	34.26
PK	5.573G	106.47	Inf	-Inf	6.19	3	Horizontal	14	1.50	-	100.28	31.60	8.86	34.27
PK	5.729G	59.74	68.20	-8.46	6.66	3	Horizontal	14	1.50	-	53.08	31.92	9.02	34.28



802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1464G	43.76	54.00	-10.24	18.21	3	Vertical	61	1.50	-	25.55	39.81	12.58	34.18
PK	11.1524G	54.22	74.00	-19.78	18.20	3	Vertical	61	1.50	-	36.02	39.80	12.58	34.18



802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15248G	43.65	54.00	-10.35	18.20	3	Horizontal	214	1.17	-	25.45	39.80	12.58	34.18
PK	11.13416G	54.84	74.00	-19.16	18.22	3	Horizontal	214	1.17	-	36.62	39.83	12.57	34.18