



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss2,(6Mbps)_4TX	Pass	AV	5G	53.71	54.00	-0.29	3	Vertical	7	1.69	-
802.11ax HEW20_Nss2,(MCS0)_4TX	Pass	AV	4.9996G	53.89	54.00	-0.11	3	Vertical	9	1.70	-
802.11ax HEW40_Nss2,(MCS0)_4TX	Pass	AV	5.148G	53.86	54.00	-0.14	3	Horizontal	6	1.65	-
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	AV	5.15G	53.60	54.00	-0.40	3	Horizontal	8	1.72	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss2,(6Mbps)_4TX	Pass	AV	4.9996G	53.39	54.00	-0.61	3	Vertical	6	1.50	-
802.11ax HEW20_Nss2,(MCS0)_4TX	Pass	AV	4.9996G	53.25	54.00	-0.75	3	Vertical	8	1.53	-
802.11ax HEW40_Nss2,(MCS0)_4TX	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	8	1.70	-
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	AV	5.3548G	53.66	54.00	-0.34	3	Horizontal	6	1.61	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss2,(6Mbps)_4TX	Pass	PK	5.726G	63.18	68.20	-5.02	3	Vertical	5	1.52	-
802.11ax HEW20_Nss2,(MCS0)_4TX	Pass	PK	5.7288G	67.49	68.20	-0.71	3	Vertical	6	1.56	-
802.11ax HEW40_Nss2,(MCS0)_4TX	Pass	PK	5.4696G	66.24	68.20	-1.96	3	Horizontal	8	1.50	-
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	PK	5.466G	66.57	68.20	-1.63	3	Vertical	4	1.67	-
802.11ax HEW160_Nss2,(MCS0)_4TX	Pass	AV	5.456G	53.03	54.00	-0.97	3	Vertical	4	1.50	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss2,(6Mbps)_4TX	Pass	PK	5.5622G	61.89	68.20	-6.31	3	Vertical	5	1.69	-
802.11ax HEW20_Nss2,(MCS0)_4TX	Pass	PK	5.5594G	61.97	68.20	-6.23	3	Vertical	8	1.64	-
802.11ax HEW40_Nss2,(MCS0)_4TX	Pass	PK	5.6374G	61.86	68.20	-6.34	3	Vertical	3	1.50	-
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	PK	5.6238G	62.88	68.20	-5.32	3	Vertical	6	1.74	-
5.15-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2,(MCS0)_4TX	Pass	AV	5.001G	53.63	54.00	-0.37	3	Vertical	9	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss2(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5G	53.54	54.00	-0.46	3	Vertical	6	1.74	-
5180MHz	Pass	AV	5.1752G	107.43	Inf	-Inf	3	Vertical	6	1.74	-
5180MHz	Pass	AV	5.45G	47.69	54.00	-6.31	3	Vertical	6	1.74	-
5180MHz	Pass	PK	5.1452G	60.25	74.00	-13.75	3	Vertical	6	1.74	-
5180MHz	Pass	PK	5.1764G	116.90	Inf	-Inf	3	Vertical	6	1.74	-
5180MHz	Pass	PK	5.4716G	59.77	68.20	-8.43	3	Vertical	6	1.74	-
5180MHz	Pass	AV	5.1488G	48.53	54.00	-5.47	3	Horizontal	4	1.75	-
5180MHz	Pass	AV	5.1836G	108.25	Inf	-Inf	3	Horizontal	4	1.75	-
5180MHz	Pass	AV	5.4536G	47.15	54.00	-6.85	3	Horizontal	4	1.75	-
5180MHz	Pass	PK	5.0792G	61.09	74.00	-12.91	3	Horizontal	4	1.75	-
5180MHz	Pass	PK	5.1848G	117.45	Inf	-Inf	3	Horizontal	4	1.75	-
5180MHz	Pass	PK	5.4644G	59.17	68.20	-9.03	3	Horizontal	4	1.75	-
5180MHz	Pass	PK	10.36956G	55.39	68.20	-12.81	3	Vertical	148	2.23	-
5180MHz	Pass	PK	10.3658G	54.47	68.20	-13.73	3	Horizontal	13	1.08	-
5200MHz	Pass	AV	4.9996G	53.18	54.00	-0.82	3	Vertical	5	1.72	-
5200MHz	Pass	AV	5.1952G	107.71	Inf	-Inf	3	Vertical	5	1.72	-
5200MHz	Pass	AV	5.4316G	47.84	54.00	-6.16	3	Vertical	5	1.72	-
5200MHz	Pass	PK	4.9996G	61.21	74.00	-12.79	3	Vertical	5	1.72	-
5200MHz	Pass	PK	5.1964G	117.10	Inf	-Inf	3	Vertical	5	1.72	-
5200MHz	Pass	PK	5.488G	60.75	68.20	-7.45	3	Vertical	5	1.72	-
5200MHz	Pass	AV	4.9996G	48.19	54.00	-5.81	3	Horizontal	8	1.69	-
5200MHz	Pass	AV	5.1988G	108.51	Inf	-Inf	3	Horizontal	8	1.69	-
5200MHz	Pass	AV	5.428G	47.27	54.00	-6.73	3	Horizontal	8	1.69	-
5200MHz	Pass	PK	5.1076G	61.24	74.00	-12.76	3	Horizontal	8	1.69	-
5200MHz	Pass	PK	5.1976G	118.01	Inf	-Inf	3	Horizontal	8	1.69	-
5200MHz	Pass	PK	5.4808G	59.80	68.20	-8.40	3	Horizontal	8	1.69	-
5200MHz	Pass	PK	10.39852G	54.86	68.20	-13.34	3	Vertical	160	1.90	-
5200MHz	Pass	PK	10.40736G	54.73	68.20	-13.47	3	Horizontal	205	1.41	-
5240MHz	Pass	AV	5G	53.71	54.00	-0.29	3	Vertical	7	1.69	-
5240MHz	Pass	AV	5.2472G	107.40	Inf	-Inf	3	Vertical	7	1.69	-
5240MHz	Pass	AV	5.4512G	48.01	54.00	-5.99	3	Vertical	7	1.69	-
5240MHz	Pass	PK	4.9988G	61.22	74.00	-12.78	3	Vertical	7	1.69	-
5240MHz	Pass	PK	5.246G	116.93	Inf	-Inf	3	Vertical	7	1.69	-
5240MHz	Pass	PK	5.4656G	60.89	68.20	-7.31	3	Vertical	7	1.69	-
5240MHz	Pass	AV	5.1296G	47.62	54.00	-6.38	3	Horizontal	8	1.74	-
5240MHz	Pass	AV	5.2376G	108.47	Inf	-Inf	3	Horizontal	8	1.74	-
5240MHz	Pass	AV	5.354G	47.54	54.00	-6.46	3	Horizontal	8	1.74	-
5240MHz	Pass	PK	5.096G	59.70	74.00	-14.30	3	Horizontal	8	1.74	-
5240MHz	Pass	PK	5.2376G	117.63	Inf	-Inf	3	Horizontal	8	1.74	-
5240MHz	Pass	PK	5.5196G	59.38	68.20	-8.82	3	Horizontal	8	1.74	-
5240MHz	Pass	PK	10.48276G	54.56	68.20	-13.64	3	Vertical	143	2.21	-
5240MHz	Pass	PK	10.48948G	54.47	68.20	-13.73	3	Horizontal	177	2.32	-
5260MHz	Pass	AV	4.9996G	53.39	54.00	-0.61	3	Vertical	6	1.50	-
5260MHz	Pass	AV	5.266G	107.76	Inf	-Inf	3	Vertical	6	1.50	-
5260MHz	Pass	AV	5.374G	48.59	54.00	-5.41	3	Vertical	6	1.50	-
5260MHz	Pass	PK	4.9996G	60.97	74.00	-13.03	3	Vertical	6	1.50	-
5260MHz	Pass	PK	5.266G	117.59	Inf	-Inf	3	Vertical	6	1.50	-
5260MHz	Pass	PK	5.4556G	60.78	74.00	-13.22	3	Vertical	6	1.50	-
5260MHz	Pass	AV	4.9996G	48.14	54.00	-5.86	3	Horizontal	8	1.69	-
5260MHz	Pass	AV	5.2588G	108.47	Inf	-Inf	3	Horizontal	8	1.69	-
5260MHz	Pass	AV	5.3656G	47.60	54.00	-6.40	3	Horizontal	8	1.69	-
5260MHz	Pass	PK	5.056G	60.06	74.00	-13.94	3	Horizontal	8	1.69	-
5260MHz	Pass	PK	5.2576G	117.59	Inf	-Inf	3	Horizontal	8	1.69	-
5260MHz	Pass	PK	5.3632G	60.05	74.00	-13.95	3	Horizontal	8	1.69	-
5260MHz	Pass	PK	10.52248G	54.29	68.20	-13.91	3	Vertical	132	2.44	-
5260MHz	Pass	PK	10.52628G	54.90	68.20	-13.30	3	Horizontal	248	1.47	-
5300MHz	Pass	AV	5G	52.09	54.00	-1.91	3	Vertical	5	1.50	-
5300MHz	Pass	AV	5.306G	107.84	Inf	-Inf	3	Vertical	5	1.50	-
5300MHz	Pass	AV	5.3888G	48.47	54.00	-5.53	3	Vertical	5	1.50	-
5300MHz	Pass	PK	5.0792G	59.42	74.00	-14.58	3	Vertical	5	1.50	-



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_4T2S

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	PK	5.306G	117.16	Inf	-Inf	3	Vertical	5	1.50	-
5300MHz	Pass	PK	5.3672G	61.29	74.00	-12.71	3	Vertical	5	1.50	-
5300MHz	Pass	AV	5.1464G	47.31	54.00	-6.69	3	Horizontal	7	1.66	-
5300MHz	Pass	AV	5.2976G	108.91	Inf	-Inf	3	Horizontal	7	1.66	-
5300MHz	Pass	AV	5.378G	48.28	54.00	-5.72	3	Horizontal	7	1.66	-
5300MHz	Pass	PK	5.1452G	60.07	74.00	-13.93	3	Horizontal	7	1.66	-
5300MHz	Pass	PK	5.2976G	117.97	Inf	-Inf	3	Horizontal	7	1.66	-
5300MHz	Pass	PK	5.3804G	60.20	74.00	-13.80	3	Horizontal	7	1.66	-
5300MHz	Pass	AV	10.60544G	41.71	54.00	-12.29	3	Vertical	37	1.02	-
5300MHz	Pass	PK	10.60324G	55.99	74.00	-18.01	3	Vertical	37	1.02	-
5300MHz	Pass	AV	10.60596G	41.82	54.00	-12.18	3	Horizontal	230	2.41	-
5300MHz	Pass	PK	10.60828G	55.17	74.00	-18.83	3	Horizontal	230	2.41	-
5320MHz	Pass	AV	4.9994G	53.16	54.00	-0.84	3	Vertical	7	1.50	-
5320MHz	Pass	AV	5.327G	107.79	Inf	-Inf	3	Vertical	7	1.50	-
5320MHz	Pass	AV	5.35G	48.60	54.00	-5.40	3	Vertical	7	1.50	-
5320MHz	Pass	PK	4.9994G	60.68	74.00	-13.32	3	Vertical	7	1.50	-
5320MHz	Pass	PK	5.327G	117.07	Inf	-Inf	3	Vertical	7	1.50	-
5320MHz	Pass	PK	5.453G	60.97	74.00	-13.03	3	Vertical	7	1.50	-
5320MHz	Pass	AV	4.9994G	47.61	54.00	-6.39	3	Horizontal	8	1.62	-
5320MHz	Pass	AV	5.3172G	108.76	Inf	-Inf	3	Horizontal	8	1.62	-
5320MHz	Pass	AV	5.35G	49.15	54.00	-4.85	3	Horizontal	8	1.62	-
5320MHz	Pass	PK	5.1002G	59.15	74.00	-14.85	3	Horizontal	8	1.62	-
5320MHz	Pass	PK	5.3186G	118.24	Inf	-Inf	3	Horizontal	8	1.62	-
5320MHz	Pass	PK	5.35G	61.76	74.00	-12.24	3	Horizontal	8	1.62	-
5320MHz	Pass	AV	10.63912G	42.04	54.00	-11.96	3	Vertical	18	1.75	-
5320MHz	Pass	PK	10.63984G	54.85	74.00	-19.15	3	Vertical	18	1.75	-
5320MHz	Pass	AV	10.63836G	42.12	54.00	-11.88	3	Horizontal	284	1.31	-
5320MHz	Pass	PK	10.6416G	55.55	74.00	-18.45	3	Horizontal	284	1.31	-
5500MHz	Pass	AV	5.453G	48.11	54.00	-5.89	3	Vertical	3	1.63	-
5500MHz	Pass	AV	5.5042G	108.12	Inf	-Inf	3	Vertical	3	1.63	-
5500MHz	Pass	PK	5.4694G	60.41	68.20	-7.79	3	Vertical	3	1.63	-
5500MHz	Pass	PK	5.5038G	117.32	Inf	-Inf	3	Vertical	3	1.63	-
5500MHz	Pass	AV	5.4562G	48.31	54.00	-5.69	3	Horizontal	8	1.50	-
5500MHz	Pass	AV	5.4978G	108.71	Inf	-Inf	3	Horizontal	8	1.50	-
5500MHz	Pass	PK	5.4666G	61.92	68.20	-6.28	3	Horizontal	8	1.50	-
5500MHz	Pass	PK	5.4974G	118.05	Inf	-Inf	3	Horizontal	8	1.50	-
5500MHz	Pass	AV	11.0064G	41.99	54.00	-12.01	3	Vertical	148	1.22	-
5500MHz	Pass	PK	10.9982G	55.36	74.00	-18.64	3	Vertical	148	1.22	-
5500MHz	Pass	AV	10.99548G	42.07	54.00	-11.93	3	Horizontal	147	1.37	-
5500MHz	Pass	PK	10.9952G	55.23	74.00	-18.77	3	Horizontal	147	1.37	-
5580MHz	Pass	AV	5.4582G	46.98	54.00	-7.02	3	Vertical	3	1.68	-
5580MHz	Pass	AV	5.5842G	108.08	Inf	-Inf	3	Vertical	3	1.68	-
5580MHz	Pass	PK	5.4642G	59.44	68.20	-8.76	3	Vertical	3	1.68	-
5580MHz	Pass	PK	5.5848G	117.68	Inf	-Inf	3	Vertical	3	1.68	-
5580MHz	Pass	PK	5.7276G	58.69	68.20	-9.51	3	Vertical	3	1.68	-
5580MHz	Pass	AV	5.454G	47.21	54.00	-6.79	3	Horizontal	7	1.50	-
5580MHz	Pass	AV	5.577G	109.13	Inf	-Inf	3	Horizontal	7	1.50	-
5580MHz	Pass	PK	5.469G	59.28	68.20	-8.92	3	Horizontal	7	1.50	-
5580MHz	Pass	PK	5.577G	118.40	Inf	-Inf	3	Horizontal	7	1.50	-
5580MHz	Pass	PK	5.7276G	59.37	68.20	-8.83	3	Horizontal	7	1.50	-
5580MHz	Pass	AV	11.16936G	41.89	54.00	-12.11	3	Vertical	147	2.00	-
5580MHz	Pass	PK	11.16496G	55.20	74.00	-18.80	3	Vertical	147	2.00	-
5580MHz	Pass	AV	11.16504G	42.06	54.00	-11.94	3	Horizontal	52	1.30	-
5580MHz	Pass	PK	11.16648G	55.57	74.00	-18.43	3	Horizontal	52	1.30	-
5700MHz	Pass	AV	5.6952G	107.99	Inf	-Inf	3	Vertical	5	1.52	-
5700MHz	Pass	PK	5.6956G	117.71	Inf	-Inf	3	Vertical	5	1.52	-
5700MHz	Pass	PK	5.726G	63.18	68.20	-5.02	3	Vertical	5	1.52	-
5700MHz	Pass	AV	5.6952G	108.68	Inf	-Inf	3	Horizontal	4	1.50	-
5700MHz	Pass	PK	5.7048G	117.94	Inf	-Inf	3	Horizontal	4	1.50	-
5700MHz	Pass	PK	5.7256G	63.02	68.20	-5.18	3	Horizontal	4	1.50	-
5700MHz	Pass	AV	11.403G	42.16	54.00	-11.84	3	Vertical	82	1.54	-
5700MHz	Pass	PK	11.4074G	55.09	74.00	-18.91	3	Vertical	82	1.54	-



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_4T2S

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	AV	11.39216G	41.95	54.00	-12.05	3	Horizontal	92	2.36	-
5700MHz	Pass	PK	11.40616G	55.61	74.00	-18.39	3	Horizontal	92	2.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	47.58	54.00	-6.42	3	Vertical	6	1.61	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	107.43	Inf	-Inf	3	Vertical	6	1.61	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.19	68.20	-9.01	3	Vertical	6	1.61	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	117.23	Inf	-Inf	3	Vertical	6	1.61	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9348G	59.53	68.20	-8.67	3	Vertical	6	1.61	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	47.18	54.00	-6.82	3	Horizontal	4	1.59	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	108.79	Inf	-Inf	3	Horizontal	4	1.59	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	58.66	68.20	-9.54	3	Horizontal	4	1.59	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	117.97	Inf	-Inf	3	Horizontal	4	1.59	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9048G	59.90	68.20	-8.30	3	Horizontal	4	1.59	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43844G	41.74	54.00	-12.26	3	Vertical	121	1.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.449G	55.69	74.00	-18.31	3	Vertical	121	1.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43008G	41.82	54.00	-12.18	3	Horizontal	137	1.42	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.446G	55.58	74.00	-18.42	3	Horizontal	137	1.42	-
5745MHz	Pass	AV	5.739G	108.40	Inf	-Inf	3	Vertical	3	1.72	-
5745MHz	Pass	PK	5.5878G	61.67	68.20	-6.53	3	Vertical	3	1.72	-
5745MHz	Pass	PK	5.739G	118.29	Inf	-Inf	3	Vertical	3	1.72	-
5745MHz	Pass	PK	5.9298G	58.75	68.20	-9.45	3	Vertical	3	1.72	-
5745MHz	Pass	AV	5.7426G	109.02	Inf	-Inf	3	Horizontal	5	1.76	-
5745MHz	Pass	PK	5.601G	60.63	68.20	-7.57	3	Horizontal	5	1.76	-
5745MHz	Pass	PK	5.7414G	118.40	Inf	-Inf	3	Horizontal	5	1.76	-
5745MHz	Pass	PK	5.9982G	60.36	68.20	-7.84	3	Horizontal	5	1.76	-
5745MHz	Pass	AV	11.4832G	41.93	54.00	-12.07	3	Vertical	187	1.06	-
5745MHz	Pass	PK	11.48004G	55.12	74.00	-18.88	3	Vertical	187	1.06	-
5745MHz	Pass	AV	11.49396G	42.06	54.00	-11.94	3	Horizontal	229	2.08	-
5745MHz	Pass	PK	11.49792G	55.15	74.00	-18.85	3	Horizontal	229	2.08	-
5785MHz	Pass	AV	5.779G	107.85	Inf	-Inf	3	Vertical	3	1.50	-
5785MHz	Pass	PK	5.6086G	61.05	68.20	-7.15	3	Vertical	3	1.50	-
5785MHz	Pass	PK	5.779G	117.65	Inf	-Inf	3	Vertical	3	1.50	-
5785MHz	Pass	PK	5.9242G	59.67	68.79	-9.12	3	Vertical	3	1.50	-
5785MHz	Pass	AV	5.7886G	108.98	Inf	-Inf	3	Horizontal	2	1.78	-
5785MHz	Pass	PK	5.539G	60.53	68.20	-7.67	3	Horizontal	2	1.78	-
5785MHz	Pass	PK	5.7886G	117.85	Inf	-Inf	3	Horizontal	2	1.78	-
5785MHz	Pass	PK	5.929G	59.50	68.20	-8.70	3	Horizontal	2	1.78	-
5785MHz	Pass	AV	11.56408G	41.70	54.00	-12.30	3	Vertical	102	1.67	-
5785MHz	Pass	PK	11.5706G	54.74	74.00	-19.26	3	Vertical	102	1.67	-
5785MHz	Pass	AV	11.56244G	41.67	54.00	-12.33	3	Horizontal	268	1.48	-
5785MHz	Pass	PK	11.5624G	54.72	74.00	-19.28	3	Horizontal	268	1.48	-
5825MHz	Pass	AV	5.8214G	107.50	Inf	-Inf	3	Vertical	5	1.69	-
5825MHz	Pass	PK	5.5622G	61.89	68.20	-6.31	3	Vertical	5	1.69	-
5825MHz	Pass	PK	5.831G	117.34	Inf	-Inf	3	Vertical	5	1.69	-
5825MHz	Pass	PK	5.9606G	60.77	68.20	-7.43	3	Vertical	5	1.69	-
5825MHz	Pass	AV	5.8286G	108.70	Inf	-Inf	3	Horizontal	2	1.50	-
5825MHz	Pass	PK	5.5742G	60.63	68.20	-7.57	3	Horizontal	2	1.50	-
5825MHz	Pass	PK	5.8298G	117.71	Inf	-Inf	3	Horizontal	2	1.50	-
5825MHz	Pass	PK	5.9282G	59.74	68.20	-8.46	3	Horizontal	2	1.50	-
5825MHz	Pass	AV	11.65388G	41.66	54.00	-12.34	3	Vertical	144	1.68	-
5825MHz	Pass	PK	11.6546G	54.66	74.00	-19.34	3	Vertical	144	1.68	-
5825MHz	Pass	AV	11.65436G	41.62	54.00	-12.38	3	Horizontal	204	1.43	-
5825MHz	Pass	PK	11.65532G	55.01	74.00	-18.99	3	Horizontal	204	1.43	-
802.11ax HEW20_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5G	53.78	54.00	-0.22	3	Vertical	8	1.74	-
5180MHz	Pass	AV	5.1788G	107.37	Inf	-Inf	3	Vertical	8	1.74	-
5180MHz	Pass	AV	5.456G	47.66	54.00	-6.34	3	Vertical	8	1.74	-
5180MHz	Pass	PK	5.1488G	67.82	74.00	-6.18	3	Vertical	8	1.74	-
5180MHz	Pass	PK	5.1848G	120.05	Inf	-Inf	3	Vertical	8	1.74	-
5180MHz	Pass	PK	5.48G	59.81	68.20	-8.39	3	Vertical	8	1.74	-
5180MHz	Pass	AV	5.1488G	48.94	54.00	-5.06	3	Horizontal	6	1.50	-
5180MHz	Pass	AV	5.1836G	107.86	Inf	-Inf	3	Horizontal	6	1.50	-
5180MHz	Pass	AV	5.3516G	47.02	54.00	-6.98	3	Horizontal	6	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1476G	60.58	74.00	-13.42	3	Horizontal	6	1.50	-
5180MHz	Pass	PK	5.1728G	120.21	Inf	-Inf	3	Horizontal	6	1.50	-
5180MHz	Pass	PK	5.4668G	58.72	68.20	-9.48	3	Horizontal	6	1.50	-
5180MHz	Pass	PK	10.3692G	55.70	68.20	-12.50	3	Vertical	246	2.43	-
5180MHz	Pass	PK	10.35968G	54.91	68.20	-13.29	3	Horizontal	211	1.35	-
5200MHz	Pass	AV	4.9996G	53.89	54.00	-0.11	3	Vertical	9	1.70	-
5200MHz	Pass	AV	5.1988G	107.41	Inf	-Inf	3	Vertical	9	1.70	-
5200MHz	Pass	AV	5.4256G	48.14	54.00	-5.86	3	Vertical	9	1.70	-
5200MHz	Pass	PK	4.9996G	61.87	74.00	-12.13	3	Vertical	9	1.70	-
5200MHz	Pass	PK	5.1928G	119.36	Inf	-Inf	3	Vertical	9	1.70	-
5200MHz	Pass	PK	5.4652G	59.79	68.20	-8.41	3	Vertical	9	1.70	-
5200MHz	Pass	AV	5.1448G	48.13	54.00	-5.87	3	Horizontal	6	1.72	-
5200MHz	Pass	AV	5.1976G	108.29	Inf	-Inf	3	Horizontal	6	1.72	-
5200MHz	Pass	AV	5.4076G	47.62	54.00	-6.38	3	Horizontal	6	1.72	-
5200MHz	Pass	PK	5.1436G	60.85	74.00	-13.15	3	Horizontal	6	1.72	-
5200MHz	Pass	PK	5.2024G	120.38	Inf	-Inf	3	Horizontal	6	1.72	-
5200MHz	Pass	PK	5.494G	59.33	68.20	-8.87	3	Horizontal	6	1.72	-
5200MHz	Pass	PK	10.40436G	55.02	68.20	-13.18	3	Vertical	173	1.79	-
5200MHz	Pass	PK	10.39692G	55.75	68.20	-12.45	3	Horizontal	10	2.45	-
5240MHz	Pass	AV	5G	51.93	54.00	-2.07	3	Vertical	10	1.50	-
5240MHz	Pass	AV	5.2448G	106.34	Inf	-Inf	3	Vertical	10	1.50	-
5240MHz	Pass	AV	5.45G	48.07	54.00	-5.93	3	Vertical	10	1.50	-
5240MHz	Pass	PK	4.9988G	59.59	74.00	-14.41	3	Vertical	10	1.50	-
5240MHz	Pass	PK	5.246G	117.47	Inf	-Inf	3	Vertical	10	1.50	-
5240MHz	Pass	PK	5.5364G	60.17	68.20	-8.03	3	Vertical	10	1.50	-
5240MHz	Pass	AV	5.1356G	47.46	54.00	-6.54	3	Horizontal	6	1.73	-
5240MHz	Pass	AV	5.2376G	107.90	Inf	-Inf	3	Horizontal	6	1.73	-
5240MHz	Pass	AV	5.3516G	47.50	54.00	-6.50	3	Horizontal	6	1.73	-
5240MHz	Pass	PK	5.1308G	59.38	74.00	-14.62	3	Horizontal	6	1.73	-
5240MHz	Pass	PK	5.2436G	120.90	Inf	-Inf	3	Horizontal	6	1.73	-
5240MHz	Pass	PK	5.5148G	59.72	68.20	-8.48	3	Horizontal	6	1.73	-
5240MHz	Pass	PK	10.47968G	55.42	68.20	-12.78	3	Vertical	56	1.01	-
5240MHz	Pass	PK	10.47544G	55.05	68.20	-13.15	3	Horizontal	311	2.16	-
5260MHz	Pass	AV	4.9996G	53.25	54.00	-0.75	3	Vertical	8	1.53	-
5260MHz	Pass	AV	5.2588G	107.73	Inf	-Inf	3	Vertical	8	1.53	-
5260MHz	Pass	AV	5.3716G	48.31	54.00	-5.69	3	Vertical	8	1.53	-
5260MHz	Pass	PK	4.9996G	61.59	74.00	-12.41	3	Vertical	8	1.53	-
5260MHz	Pass	PK	5.2684G	119.40	Inf	-Inf	3	Vertical	8	1.53	-
5260MHz	Pass	PK	5.4796G	61.69	68.20	-6.51	3	Vertical	8	1.53	-
5260MHz	Pass	AV	4.9996G	50.26	54.00	-3.74	3	Horizontal	11	1.73	-
5260MHz	Pass	AV	5.2648G	107.78	Inf	-Inf	3	Horizontal	11	1.73	-
5260MHz	Pass	AV	5.3512G	47.49	54.00	-6.51	3	Horizontal	11	1.73	-
5260MHz	Pass	PK	5.0008G	59.71	74.00	-14.29	3	Horizontal	11	1.73	-
5260MHz	Pass	PK	5.266G	120.17	Inf	-Inf	3	Horizontal	11	1.73	-
5260MHz	Pass	PK	5.482G	60.45	68.20	-7.75	3	Horizontal	11	1.73	-
5260MHz	Pass	PK	10.52244G	55.86	68.20	-12.34	3	Vertical	314	1.80	-
5260MHz	Pass	PK	10.5202G	55.68	68.20	-12.52	3	Horizontal	59	2.32	-
5300MHz	Pass	AV	5G	53.02	54.00	-0.98	3	Vertical	9	1.50	-
5300MHz	Pass	AV	5.3048G	107.63	Inf	-Inf	3	Vertical	9	1.50	-
5300MHz	Pass	AV	5.354G	48.45	54.00	-5.55	3	Vertical	9	1.50	-
5300MHz	Pass	PK	5G	60.18	74.00	-13.82	3	Vertical	9	1.50	-
5300MHz	Pass	PK	5.294G	119.15	Inf	-Inf	3	Vertical	9	1.50	-
5300MHz	Pass	PK	5.516G	60.94	68.20	-7.26	3	Vertical	9	1.50	-
5300MHz	Pass	AV	5.0696G	47.34	54.00	-6.66	3	Horizontal	6	1.50	-
5300MHz	Pass	AV	5.3036G	108.13	Inf	-Inf	3	Horizontal	6	1.50	-
5300MHz	Pass	AV	5.3792G	48.26	54.00	-5.74	3	Horizontal	6	1.50	-
5300MHz	Pass	PK	5.0636G	59.76	74.00	-14.24	3	Horizontal	6	1.50	-
5300MHz	Pass	PK	5.3024G	121.32	Inf	-Inf	3	Horizontal	6	1.50	-
5300MHz	Pass	PK	5.5112G	60.59	68.20	-7.61	3	Horizontal	6	1.50	-
5300MHz	Pass	AV	10.60812G	41.92	54.00	-12.08	3	Vertical	109	2.13	-
5300MHz	Pass	PK	10.60528G	55.37	74.00	-18.63	3	Vertical	109	2.13	-
5300MHz	Pass	AV	10.6098G	42.07	54.00	-11.93	3	Horizontal	320	1.71	-



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_4T2S

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	PK	10.60404G	55.26	74.00	-18.74	3	Horizontal	320	1.71	-
5320MHz	Pass	AV	5.0908G	46.85	54.00	-7.15	3	Vertical	6	1.49	-
5320MHz	Pass	AV	5.3188G	107.99	Inf	-Inf	3	Vertical	6	1.49	-
5320MHz	Pass	AV	5.3512G	49.18	54.00	-4.82	3	Vertical	6	1.49	-
5320MHz	Pass	PK	5.0296G	59.50	74.00	-14.50	3	Vertical	6	1.49	-
5320MHz	Pass	PK	5.3284G	119.54	Inf	-Inf	3	Vertical	6	1.49	-
5320MHz	Pass	PK	5.3524G	68.56	74.00	-5.44	3	Vertical	6	1.49	-
5320MHz	Pass	AV	5.1064G	47.26	54.00	-6.74	3	Horizontal	5	1.50	-
5320MHz	Pass	AV	5.3224G	108.39	Inf	-Inf	3	Horizontal	5	1.50	-
5320MHz	Pass	AV	5.3524G	49.17	54.00	-4.83	3	Horizontal	5	1.50	-
5320MHz	Pass	PK	5.0992G	60.33	74.00	-13.67	3	Horizontal	5	1.50	-
5320MHz	Pass	PK	5.3236G	120.89	Inf	-Inf	3	Horizontal	5	1.50	-
5320MHz	Pass	PK	5.4772G	61.14	68.20	-7.06	3	Horizontal	5	1.50	-
5320MHz	Pass	AV	10.64744G	42.23	54.00	-11.77	3	Vertical	68	2.07	-
5320MHz	Pass	PK	10.63872G	55.56	74.00	-18.44	3	Vertical	68	2.07	-
5320MHz	Pass	AV	10.64864G	42.32	54.00	-11.68	3	Horizontal	161	1.20	-
5320MHz	Pass	PK	10.6364G	55.50	74.00	-18.50	3	Horizontal	161	1.20	-
5500MHz	Pass	AV	5.452G	47.94	54.00	-6.06	3	Vertical	7	1.64	-
5500MHz	Pass	AV	5.4988G	107.13	Inf	-Inf	3	Vertical	7	1.64	-
5500MHz	Pass	PK	5.4688G	67.48	68.20	-0.72	3	Vertical	7	1.64	-
5500MHz	Pass	PK	5.4928G	119.16	Inf	-Inf	3	Vertical	7	1.64	-
5500MHz	Pass	PK	5.728G	59.66	68.20	-8.54	3	Vertical	7	1.64	-
5500MHz	Pass	AV	5.4532G	48.27	54.00	-5.73	3	Horizontal	7	1.75	-
5500MHz	Pass	AV	5.4988G	107.44	Inf	-Inf	3	Horizontal	7	1.75	-
5500MHz	Pass	PK	5.47G	60.49	68.20	-7.71	3	Horizontal	7	1.75	-
5500MHz	Pass	PK	5.4928G	119.84	Inf	-Inf	3	Horizontal	7	1.75	-
5500MHz	Pass	PK	5.7748G	59.54	68.20	-8.66	3	Horizontal	7	1.75	-
5500MHz	Pass	AV	11.00968G	42.54	54.00	-11.46	3	Vertical	94	2.20	-
5500MHz	Pass	PK	10.99008G	56.19	74.00	-17.81	3	Vertical	94	2.20	-
5500MHz	Pass	AV	10.99604G	42.66	54.00	-11.34	3	Horizontal	250	2.07	-
5500MHz	Pass	PK	10.99328G	55.91	74.00	-18.09	3	Horizontal	250	2.07	-
5580MHz	Pass	AV	5.4516G	47.14	54.00	-6.86	3	Vertical	7	1.50	-
5580MHz	Pass	AV	5.5788G	108.02	Inf	-Inf	3	Vertical	7	1.50	-
5580MHz	Pass	PK	5.4648G	59.77	68.20	-8.43	3	Vertical	7	1.50	-
5580MHz	Pass	PK	5.5728G	119.90	Inf	-Inf	3	Vertical	7	1.50	-
5580MHz	Pass	PK	5.8452G	59.57	68.20	-8.63	3	Vertical	7	1.50	-
5580MHz	Pass	AV	5.4528G	47.46	54.00	-6.54	3	Horizontal	6	1.72	-
5580MHz	Pass	AV	5.5776G	108.96	Inf	-Inf	3	Horizontal	6	1.72	-
5580MHz	Pass	PK	5.4696G	59.54	68.20	-8.66	3	Horizontal	6	1.72	-
5580MHz	Pass	PK	5.5728G	121.68	Inf	-Inf	3	Horizontal	6	1.72	-
5580MHz	Pass	PK	5.73G	60.76	68.20	-7.44	3	Horizontal	6	1.72	-
5580MHz	Pass	AV	11.16788G	42.20	54.00	-11.80	3	Vertical	216	1.67	-
5580MHz	Pass	PK	11.16628G	54.96	74.00	-19.04	3	Vertical	216	1.67	-
5580MHz	Pass	AV	11.16624G	42.41	54.00	-11.59	3	Horizontal	283	2.27	-
5580MHz	Pass	PK	11.16496G	55.60	74.00	-18.40	3	Horizontal	283	2.27	-
5700MHz	Pass	AV	5.4528G	47.13	54.00	-6.87	3	Vertical	6	1.56	-
5700MHz	Pass	AV	5.6988G	106.34	Inf	-Inf	3	Vertical	6	1.56	-
5700MHz	Pass	PK	5.466G	58.44	68.20	-9.76	3	Vertical	6	1.56	-
5700MHz	Pass	PK	5.7036G	118.17	Inf	-Inf	3	Vertical	6	1.56	-
5700MHz	Pass	PK	5.7288G	67.49	68.20	-0.71	3	Vertical	6	1.56	-
5700MHz	Pass	AV	5.4288G	47.21	54.00	-6.79	3	Horizontal	6	1.50	-
5700MHz	Pass	AV	5.6988G	106.79	Inf	-Inf	3	Horizontal	6	1.50	-
5700MHz	Pass	PK	5.4672G	59.02	68.20	-9.18	3	Horizontal	6	1.50	-
5700MHz	Pass	PK	5.6928G	119.29	Inf	-Inf	3	Horizontal	6	1.50	-
5700MHz	Pass	PK	5.7252G	64.25	68.20	-3.95	3	Horizontal	6	1.50	-
5700MHz	Pass	AV	11.40124G	42.33	54.00	-11.67	3	Vertical	137	1.25	-
5700MHz	Pass	PK	11.39132G	55.81	74.00	-18.19	3	Vertical	137	1.25	-
5700MHz	Pass	AV	11.40916G	42.38	54.00	-11.62	3	Horizontal	200	1.07	-
5700MHz	Pass	PK	11.40312G	55.49	74.00	-18.51	3	Horizontal	200	1.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	47.61	54.00	-6.39	3	Vertical	7	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	107.70	Inf	-Inf	3	Vertical	7	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	60.23	68.20	-7.97	3	Vertical	7	1.50	-



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_4T2S

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	119.47	Inf	-Inf	3	Vertical	7	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	59.63	68.20	-8.57	3	Vertical	7	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	47.52	54.00	-6.48	3	Horizontal	5	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	108.65	Inf	-Inf	3	Horizontal	5	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	60.21	68.20	-7.99	3	Horizontal	5	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	120.37	Inf	-Inf	3	Horizontal	5	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	60.66	68.20	-7.54	3	Horizontal	5	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43604G	42.29	54.00	-11.71	3	Vertical	234	2.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44308G	55.68	74.00	-18.32	3	Vertical	234	2.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4452G	42.36	54.00	-11.64	3	Horizontal	105	1.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43184G	55.67	74.00	-18.33	3	Horizontal	105	1.20	-
5745MHz	Pass	AV	5.7438G	108.19	Inf	-Inf	3	Vertical	7	1.63	-
5745MHz	Pass	PK	5.631G	61.63	68.20	-6.57	3	Vertical	7	1.63	-
5745MHz	Pass	PK	5.7378G	119.65	Inf	-Inf	3	Vertical	7	1.63	-
5745MHz	Pass	PK	5.9742G	59.69	68.20	-8.51	3	Vertical	7	1.63	-
5745MHz	Pass	AV	5.4474G	47.46	54.00	-6.54	3	Horizontal	6	1.76	-
5745MHz	Pass	AV	5.7438G	108.99	Inf	-Inf	3	Horizontal	6	1.76	-
5745MHz	Pass	PK	5.5122G	60.80	68.20	-7.40	3	Horizontal	6	1.76	-
5745MHz	Pass	PK	5.7378G	121.44	Inf	-Inf	3	Horizontal	6	1.76	-
5745MHz	Pass	PK	6.0126G	59.98	68.20	-8.22	3	Horizontal	6	1.76	-
5745MHz	Pass	AV	11.4926G	42.71	54.00	-11.29	3	Vertical	69	2.33	-
5745MHz	Pass	PK	11.49624G	56.36	74.00	-17.64	3	Vertical	69	2.33	-
5745MHz	Pass	AV	11.49072G	42.79	54.00	-11.21	3	Horizontal	225	2.20	-
5745MHz	Pass	PK	11.4868G	56.04	74.00	-17.96	3	Horizontal	225	2.20	-
5785MHz	Pass	AV	5.779G	107.74	Inf	-Inf	3	Vertical	8	1.64	-
5785MHz	Pass	PK	5.5594G	61.97	68.20	-6.23	3	Vertical	8	1.64	-
5785MHz	Pass	PK	5.7898G	118.90	Inf	-Inf	3	Vertical	8	1.64	-
5785MHz	Pass	PK	5.9878G	59.42	68.20	-8.78	3	Vertical	8	1.64	-
5785MHz	Pass	AV	5.7874G	108.85	Inf	-Inf	3	Horizontal	4	1.75	-
5785MHz	Pass	PK	5.5498G	60.67	68.20	-7.53	3	Horizontal	4	1.75	-
5785MHz	Pass	PK	5.7826G	121.26	Inf	-Inf	3	Horizontal	4	1.75	-
5785MHz	Pass	PK	6.0298G	59.99	68.20	-8.21	3	Horizontal	4	1.75	-
5785MHz	Pass	AV	11.56036G	42.56	54.00	-11.44	3	Vertical	229	1.83	-
5785MHz	Pass	PK	11.5614G	55.72	74.00	-18.28	3	Vertical	229	1.83	-
5785MHz	Pass	AV	11.56272G	42.42	54.00	-11.58	3	Horizontal	90	1.99	-
5785MHz	Pass	PK	11.57552G	56.06	74.00	-17.94	3	Horizontal	90	1.99	-
5825MHz	Pass	AV	5.8286G	107.46	Inf	-Inf	3	Vertical	8	1.50	-
5825MHz	Pass	PK	5.6078G	61.90	68.20	-6.30	3	Vertical	8	1.50	-
5825MHz	Pass	PK	5.8298G	121.10	Inf	-Inf	3	Vertical	8	1.50	-
5825MHz	Pass	PK	5.945G	59.01	68.20	-9.19	3	Vertical	8	1.50	-
5825MHz	Pass	AV	5.8286G	108.85	Inf	-Inf	3	Horizontal	5	1.50	-
5825MHz	Pass	PK	5.5514G	61.39	68.20	-6.81	3	Horizontal	5	1.50	-
5825MHz	Pass	PK	5.8178G	121.30	Inf	-Inf	3	Horizontal	5	1.50	-
5825MHz	Pass	PK	5.9618G	60.58	68.20	-7.62	3	Horizontal	5	1.50	-
5825MHz	Pass	AV	11.64124G	41.82	54.00	-12.18	3	Vertical	101	1.56	-
5825MHz	Pass	PK	11.64684G	55.22	74.00	-18.78	3	Vertical	101	1.56	-
5825MHz	Pass	AV	11.64G	41.99	54.00	-12.01	3	Horizontal	136	1.68	-
5825MHz	Pass	PK	11.65848G	55.54	74.00	-18.46	3	Horizontal	136	1.68	-
802.11ax HEW40_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	4.9992G	53.74	54.00	-0.26	3	Vertical	8	1.61	-
5190MHz	Pass	AV	5.1936G	105.10	Inf	-Inf	3	Vertical	8	1.61	-
5190MHz	Pass	AV	5.4396G	48.99	54.00	-5.01	3	Vertical	8	1.61	-
5190MHz	Pass	PK	5.148G	64.38	74.00	-9.62	3	Vertical	8	1.61	-
5190MHz	Pass	PK	5.2044G	115.76	Inf	-Inf	3	Vertical	8	1.61	-
5190MHz	Pass	PK	5.4888G	59.61	68.20	-8.59	3	Vertical	8	1.61	-
5190MHz	Pass	AV	5.148G	53.86	54.00	-0.14	3	Horizontal	6	1.65	-
5190MHz	Pass	AV	5.184G	105.76	Inf	-Inf	3	Horizontal	6	1.65	-
5190MHz	Pass	AV	5.4336G	48.19	54.00	-5.81	3	Horizontal	6	1.65	-
5190MHz	Pass	PK	5.15G	66.95	74.00	-7.05	3	Horizontal	6	1.65	-
5190MHz	Pass	PK	5.178G	116.45	Inf	-Inf	3	Horizontal	6	1.65	-
5190MHz	Pass	PK	5.466G	58.92	68.20	-9.28	3	Horizontal	6	1.65	-
5190MHz	Pass	PK	10.38544G	54.07	68.20	-14.13	3	Vertical	127	2.49	-



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_4T2S

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	10.37736G	54.25	68.20	-13.95	3	Horizontal	285	1.11	-
5230MHz	Pass	AV	4.9996G	52.89	54.00	-1.11	3	Vertical	8	1.67	-
5230MHz	Pass	AV	5.2348G	104.46	Inf	-Inf	3	Vertical	8	1.67	-
5230MHz	Pass	AV	5.4508G	48.69	54.00	-5.31	3	Vertical	8	1.67	-
5230MHz	Pass	PK	4.9996G	61.13	74.00	-12.87	3	Vertical	8	1.67	-
5230MHz	Pass	PK	5.23G	115.67	Inf	-Inf	3	Vertical	8	1.67	-
5230MHz	Pass	PK	5.506G	60.61	68.20	-7.59	3	Vertical	8	1.67	-
5230MHz	Pass	AV	4.9996G	49.09	54.00	-4.91	3	Horizontal	7	1.72	-
5230MHz	Pass	AV	5.2348G	105.44	Inf	-Inf	3	Horizontal	7	1.72	-
5230MHz	Pass	AV	5.362G	48.44	54.00	-5.56	3	Horizontal	7	1.72	-
5230MHz	Pass	PK	5.1256G	60.31	74.00	-13.69	3	Horizontal	7	1.72	-
5230MHz	Pass	PK	5.2144G	116.98	Inf	-Inf	3	Horizontal	7	1.72	-
5230MHz	Pass	PK	5.5216G	60.17	68.20	-8.03	3	Horizontal	7	1.72	-
5230MHz	Pass	PK	10.4492G	54.07	68.20	-14.13	3	Vertical	63	1.94	-
5230MHz	Pass	PK	10.46144G	54.85	68.20	-13.35	3	Horizontal	206	1.03	-
5270MHz	Pass	AV	5G	53.53	54.00	-0.47	3	Vertical	7	1.61	-
5270MHz	Pass	AV	5.2844G	104.34	Inf	-Inf	3	Vertical	7	1.61	-
5270MHz	Pass	AV	5.4488G	48.66	54.00	-5.34	3	Vertical	7	1.61	-
5270MHz	Pass	PK	5G	60.04	74.00	-13.96	3	Vertical	7	1.61	-
5270MHz	Pass	PK	5.2832G	115.37	Inf	-Inf	3	Vertical	7	1.61	-
5270MHz	Pass	PK	5.4056G	59.82	74.00	-14.18	3	Vertical	7	1.61	-
5270MHz	Pass	AV	5.1416G	48.49	54.00	-5.51	3	Horizontal	6	1.73	-
5270MHz	Pass	AV	5.264G	105.27	Inf	-Inf	3	Horizontal	6	1.73	-
5270MHz	Pass	AV	5.3792G	48.46	54.00	-5.54	3	Horizontal	6	1.73	-
5270MHz	Pass	PK	5.0924G	60.82	74.00	-13.18	3	Horizontal	6	1.73	-
5270MHz	Pass	PK	5.2544G	116.25	Inf	-Inf	3	Horizontal	6	1.73	-
5270MHz	Pass	PK	5.396G	60.40	74.00	-13.60	3	Horizontal	6	1.73	-
5270MHz	Pass	PK	10.55592G	54.52	68.20	-13.68	3	Vertical	182	1.96	-
5270MHz	Pass	PK	10.5332G	54.82	68.20	-13.38	3	Horizontal	150	1.16	-
5310MHz	Pass	AV	5.0508G	47.54	54.00	-6.46	3	Vertical	7	1.67	-
5310MHz	Pass	AV	5.3196G	103.68	Inf	-Inf	3	Vertical	7	1.67	-
5310MHz	Pass	AV	5.35G	53.47	54.00	-0.53	3	Vertical	7	1.67	-
5310MHz	Pass	PK	5.1336G	59.13	74.00	-14.87	3	Vertical	7	1.67	-
5310MHz	Pass	PK	5.2944G	114.82	Inf	-Inf	3	Vertical	7	1.67	-
5310MHz	Pass	PK	5.35G	64.11	74.00	-9.89	3	Vertical	7	1.67	-
5310MHz	Pass	AV	5.142G	47.94	54.00	-6.06	3	Horizontal	8	1.70	-
5310MHz	Pass	AV	5.2992G	104.13	Inf	-Inf	3	Horizontal	8	1.70	-
5310MHz	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	8	1.70	-
5310MHz	Pass	PK	5.1192G	59.91	74.00	-14.09	3	Horizontal	8	1.70	-
5310MHz	Pass	PK	5.3004G	116.13	Inf	-Inf	3	Horizontal	8	1.70	-
5310MHz	Pass	PK	5.35G	65.98	74.00	-8.02	3	Horizontal	8	1.70	-
5310MHz	Pass	AV	10.63032G	42.66	54.00	-11.34	3	Vertical	141	1.62	-
5310MHz	Pass	PK	10.6248G	54.96	74.00	-19.04	3	Vertical	141	1.62	-
5310MHz	Pass	AV	10.63224G	42.64	54.00	-11.36	3	Horizontal	190	2.43	-
5310MHz	Pass	PK	10.61304G	55.11	74.00	-18.89	3	Horizontal	190	2.43	-
5510MHz	Pass	AV	5.4576G	50.27	54.00	-3.73	3	Vertical	2	1.74	-
5510MHz	Pass	AV	5.502G	104.53	Inf	-Inf	3	Vertical	2	1.74	-
5510MHz	Pass	PK	5.4672G	65.37	68.20	-2.83	3	Vertical	2	1.74	-
5510MHz	Pass	PK	5.502G	117.06	Inf	-Inf	3	Vertical	2	1.74	-
5510MHz	Pass	AV	5.4588G	51.24	54.00	-2.76	3	Horizontal	8	1.50	-
5510MHz	Pass	AV	5.5144G	104.79	Inf	-Inf	3	Horizontal	8	1.50	-
5510MHz	Pass	PK	5.4696G	66.24	68.20	-1.96	3	Horizontal	8	1.50	-
5510MHz	Pass	PK	5.4948G	116.35	Inf	-Inf	3	Horizontal	8	1.50	-
5510MHz	Pass	AV	11.0184G	42.47	54.00	-11.53	3	Vertical	70	1.24	-
5510MHz	Pass	PK	11.03888G	55.52	74.00	-18.48	3	Vertical	70	1.24	-
5510MHz	Pass	AV	11.00336G	42.51	54.00	-11.49	3	Horizontal	38	1.15	-
5510MHz	Pass	PK	11.01624G	55.11	74.00	-18.89	3	Horizontal	38	1.15	-
5550MHz	Pass	AV	5.4516G	48.10	54.00	-5.90	3	Vertical	7	1.65	-
5550MHz	Pass	AV	5.544G	105.17	Inf	-Inf	3	Vertical	7	1.65	-
5550MHz	Pass	PK	5.4692G	60.59	68.20	-7.61	3	Vertical	7	1.65	-
5550MHz	Pass	PK	5.5492G	116.41	Inf	-Inf	3	Vertical	7	1.65	-
5550MHz	Pass	AV	5.458G	48.47	54.00	-5.53	3	Horizontal	6	1.68	-





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	AV	5.5536G	105.36	Inf	-Inf	3	Horizontal	6	1.68	-
5550MHz	Pass	PK	5.4696G	60.22	68.20	-7.98	3	Horizontal	6	1.68	-
5550MHz	Pass	PK	5.5584G	116.61	Inf	-Inf	3	Horizontal	6	1.68	-
5550MHz	Pass	AV	11.0908G	42.17	54.00	-11.83	3	Vertical	255	1.11	-
5550MHz	Pass	PK	11.11736G	56.14	74.00	-17.86	3	Vertical	255	1.11	-
5550MHz	Pass	AV	11.11192G	42.29	54.00	-11.71	3	Horizontal	107	1.54	-
5550MHz	Pass	PK	11.11984G	54.76	74.00	-19.24	3	Horizontal	107	1.54	-
5670MHz	Pass	AV	5.6748G	104.74	Inf	-Inf	3	Vertical	8	1.56	-
5670MHz	Pass	PK	5.655G	116.77	Inf	-Inf	3	Vertical	8	1.56	-
5670MHz	Pass	PK	5.7372G	61.27	68.20	-6.93	3	Vertical	8	1.56	-
5670MHz	Pass	AV	5.6742G	105.29	Inf	-Inf	3	Horizontal	8	1.50	-
5670MHz	Pass	PK	5.655G	116.93	Inf	-Inf	3	Horizontal	8	1.50	-
5670MHz	Pass	PK	5.7294G	61.61	68.20	-6.59	3	Horizontal	8	1.50	-
5670MHz	Pass	AV	11.35424G	42.54	54.00	-11.46	3	Vertical	184	1.26	-
5670MHz	Pass	PK	11.32336G	54.92	74.00	-19.08	3	Vertical	184	1.26	-
5670MHz	Pass	AV	11.3504G	42.52	54.00	-11.48	3	Horizontal	121	2.42	-
5670MHz	Pass	PK	11.35088G	54.70	74.00	-19.30	3	Horizontal	121	2.42	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	47.94	54.00	-6.06	3	Vertical	3	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6932G	104.25	Inf	-Inf	3	Vertical	3	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	58.54	68.20	-9.66	3	Vertical	3	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	116.88	Inf	-Inf	3	Vertical	3	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8672G	59.41	68.20	-8.79	3	Vertical	3	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	47.72	54.00	-6.28	3	Horizontal	6	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	105.04	Inf	-Inf	3	Horizontal	6	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	58.95	68.20	-9.25	3	Horizontal	6	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7232G	115.87	Inf	-Inf	3	Horizontal	6	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8816G	59.83	68.20	-8.37	3	Horizontal	6	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43368G	42.54	54.00	-11.46	3	Vertical	214	1.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43648G	54.76	74.00	-19.24	3	Vertical	214	1.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42808G	42.57	54.00	-11.43	3	Horizontal	148	1.14	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.406G	55.21	74.00	-18.79	3	Horizontal	148	1.14	-
5755MHz	Pass	AV	5.7382G	104.55	Inf	-Inf	3	Vertical	3	1.50	-
5755MHz	Pass	PK	5.6374G	61.86	68.20	-6.34	3	Vertical	3	1.50	-
5755MHz	Pass	PK	5.7478G	116.27	Inf	-Inf	3	Vertical	3	1.50	-
5755MHz	Pass	PK	6.0046G	58.50	68.20	-9.70	3	Vertical	3	1.50	-
5755MHz	Pass	AV	5.7598G	105.36	Inf	-Inf	3	Horizontal	6	1.67	-
5755MHz	Pass	PK	5.6398G	60.86	68.20	-7.34	3	Horizontal	6	1.67	-
5755MHz	Pass	PK	5.7394G	117.20	Inf	-Inf	3	Horizontal	6	1.67	-
5755MHz	Pass	PK	5.9278G	58.92	68.20	-9.28	3	Horizontal	6	1.67	-
5755MHz	Pass	AV	11.4988G	43.18	54.00	-10.82	3	Vertical	196	2.44	-
5755MHz	Pass	PK	11.52544G	55.21	74.00	-18.79	3	Vertical	196	2.44	-
5755MHz	Pass	AV	11.5168G	42.88	54.00	-11.12	3	Horizontal	192	1.18	-
5755MHz	Pass	PK	11.51192G	54.82	74.00	-19.18	3	Horizontal	192	1.18	-
5795MHz	Pass	AV	5.789G	104.26	Inf	-Inf	3	Vertical	6	1.50	-
5795MHz	Pass	PK	5.5514G	61.10	68.20	-7.10	3	Vertical	6	1.50	-
5795MHz	Pass	PK	5.7842G	115.25	Inf	-Inf	3	Vertical	6	1.50	-
5795MHz	Pass	PK	6.0158G	58.50	68.20	-9.70	3	Vertical	6	1.50	-
5795MHz	Pass	AV	5.789G	105.13	Inf	-Inf	3	Horizontal	4	1.82	-
5795MHz	Pass	PK	5.615G	60.34	68.20	-7.86	3	Horizontal	4	1.82	-
5795MHz	Pass	PK	5.789G	115.72	Inf	-Inf	3	Horizontal	4	1.82	-
5795MHz	Pass	PK	5.951G	59.56	68.20	-8.64	3	Horizontal	4	1.82	-
5795MHz	Pass	AV	11.57768G	42.57	54.00	-11.43	3	Vertical	213	1.35	-
5795MHz	Pass	PK	11.60896G	54.98	74.00	-19.02	3	Vertical	213	1.35	-
5795MHz	Pass	AV	11.57744G	42.88	54.00	-11.12	3	Horizontal	198	1.78	-
5795MHz	Pass	PK	11.57984G	55.27	74.00	-18.73	3	Horizontal	198	1.78	-
802.11ax HEW80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5G	52.68	54.00	-1.32	3	Vertical	7	1.61	-
5210MHz	Pass	AV	5.1992G	101.47	Inf	-Inf	3	Vertical	7	1.61	-
5210MHz	Pass	AV	5.35G	49.65	54.00	-4.35	3	Vertical	7	1.61	-
5210MHz	Pass	PK	5.1452G	63.73	74.00	-10.27	3	Vertical	7	1.61	-
5210MHz	Pass	PK	5.2352G	112.86	Inf	-Inf	3	Vertical	7	1.61	-
5210MHz	Pass	PK	5.5052G	60.15	68.20	-8.05	3	Vertical	7	1.61	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.15G	53.60	54.00	-0.40	3	Horizontal	8	1.72	-
5210MHz	Pass	AV	5.1992G	101.81	Inf	-Inf	3	Horizontal	8	1.72	-
5210MHz	Pass	AV	5.36G	48.85	54.00	-5.15	3	Horizontal	8	1.72	-
5210MHz	Pass	PK	5.1452G	65.18	74.00	-8.82	3	Horizontal	8	1.72	-
5210MHz	Pass	PK	5.2004G	114.05	Inf	-Inf	3	Horizontal	8	1.72	-
5210MHz	Pass	PK	5.3528G	61.03	74.00	-12.97	3	Horizontal	8	1.72	-
5210MHz	Pass	PK	10.45664G	54.29	68.20	-13.91	3	Vertical	177	2.40	-
5210MHz	Pass	PK	10.43952G	53.97	68.20	-14.23	3	Horizontal	215	1.92	-
5290MHz	Pass	AV	4.9996G	52.52	54.00	-1.48	3	Vertical	8	1.50	-
5290MHz	Pass	AV	5.2996G	101.29	Inf	-Inf	3	Vertical	8	1.50	-
5290MHz	Pass	AV	5.35G	52.35	54.00	-1.65	3	Vertical	8	1.50	-
5290MHz	Pass	PK	4.9996G	59.81	74.00	-14.19	3	Vertical	8	1.50	-
5290MHz	Pass	PK	5.2804G	112.56	Inf	-Inf	3	Vertical	8	1.50	-
5290MHz	Pass	PK	5.3536G	63.84	74.00	-10.16	3	Vertical	8	1.50	-
5290MHz	Pass	AV	5.1448G	48.84	54.00	-5.16	3	Horizontal	6	1.61	-
5290MHz	Pass	AV	5.2984G	101.66	Inf	-Inf	3	Horizontal	6	1.61	-
5290MHz	Pass	AV	5.3548G	53.66	54.00	-0.34	3	Horizontal	6	1.61	-
5290MHz	Pass	PK	5.1484G	60.19	74.00	-13.81	3	Horizontal	6	1.61	-
5290MHz	Pass	PK	5.2888G	113.66	Inf	-Inf	3	Horizontal	6	1.61	-
5290MHz	Pass	PK	5.3536G	65.09	74.00	-8.91	3	Horizontal	6	1.61	-
5290MHz	Pass	AV	10.61904G	42.43	54.00	-11.57	3	Vertical	140	1.98	-
5290MHz	Pass	PK	10.6008G	54.58	74.00	-19.42	3	Vertical	140	1.98	-
5290MHz	Pass	AV	10.60448G	42.63	54.00	-11.37	3	Horizontal	180	1.69	-
5290MHz	Pass	PK	10.61664G	54.44	74.00	-19.56	3	Horizontal	180	1.69	-
5530MHz	Pass	AV	5.458G	52.15	54.00	-1.85	3	Vertical	4	1.67	-
5530MHz	Pass	AV	5.543G	102.03	Inf	-Inf	3	Vertical	4	1.67	-
5530MHz	Pass	PK	5.466G	66.57	68.20	-1.63	3	Vertical	4	1.67	-
5530MHz	Pass	PK	5.543G	113.85	Inf	-Inf	3	Vertical	4	1.67	-
5530MHz	Pass	PK	5.774G	58.92	68.20	-9.28	3	Vertical	4	1.67	-
5530MHz	Pass	AV	5.458G	52.12	54.00	-1.88	3	Horizontal	5	1.50	-
5530MHz	Pass	AV	5.543G	102.38	Inf	-Inf	3	Horizontal	5	1.50	-
5530MHz	Pass	PK	5.468G	64.53	68.20	-3.67	3	Horizontal	5	1.50	-
5530MHz	Pass	PK	5.543G	114.04	Inf	-Inf	3	Horizontal	5	1.50	-
5530MHz	Pass	PK	5.734G	59.96	68.20	-8.24	3	Horizontal	5	1.50	-
5530MHz	Pass	AV	11.03648G	42.44	54.00	-11.56	3	Vertical	131	1.11	-
5530MHz	Pass	PK	11.06672G	54.34	74.00	-19.66	3	Vertical	131	1.11	-
5530MHz	Pass	AV	11.02448G	42.42	54.00	-11.58	3	Horizontal	161	2.34	-
5530MHz	Pass	PK	11.02656G	54.87	74.00	-19.13	3	Horizontal	161	2.34	-
5610MHz	Pass	AV	5.456G	48.77	54.00	-5.23	3	Vertical	4	1.72	-
5610MHz	Pass	AV	5.623G	102.15	Inf	-Inf	3	Vertical	4	1.72	-
5610MHz	Pass	PK	5.468G	60.11	68.20	-8.09	3	Vertical	4	1.72	-
5610MHz	Pass	PK	5.624G	113.58	Inf	-Inf	3	Vertical	4	1.72	-
5610MHz	Pass	PK	5.75G	59.40	68.20	-8.80	3	Vertical	4	1.72	-
5610MHz	Pass	AV	5.456G	48.84	54.00	-5.16	3	Horizontal	5	1.74	-
5610MHz	Pass	AV	5.623G	102.73	Inf	-Inf	3	Horizontal	5	1.74	-
5610MHz	Pass	PK	5.463G	61.98	68.20	-6.22	3	Horizontal	5	1.74	-
5610MHz	Pass	PK	5.623G	114.59	Inf	-Inf	3	Horizontal	5	1.74	-
5610MHz	Pass	PK	5.732G	61.08	68.20	-7.12	3	Horizontal	5	1.74	-
5610MHz	Pass	AV	11.22032G	42.70	54.00	-11.30	3	Vertical	128	1.43	-
5610MHz	Pass	PK	11.1904G	55.08	74.00	-18.92	3	Vertical	128	1.43	-
5610MHz	Pass	AV	11.1992G	42.71	54.00	-11.29	3	Horizontal	83	1.22	-
5610MHz	Pass	PK	11.1896G	54.78	74.00	-19.22	3	Horizontal	83	1.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	47.49	54.00	-6.51	3	Vertical	4	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6828G	101.91	Inf	-Inf	3	Vertical	4	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.80	68.20	-8.40	3	Vertical	4	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6828G	113.04	Inf	-Inf	3	Vertical	4	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9G	59.16	68.20	-9.04	3	Vertical	4	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	47.84	54.00	-6.16	3	Horizontal	5	1.67	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.684G	102.84	Inf	-Inf	3	Horizontal	5	1.67	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.49	68.20	-8.71	3	Horizontal	5	1.67	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6684G	114.30	Inf	-Inf	3	Horizontal	5	1.67	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9336G	60.48	68.20	-7.72	3	Horizontal	5	1.67	-




RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_4T2S

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39936G	42.34	54.00	-11.66	3	Vertical	106	1.61	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35984G	54.34	74.00	-19.66	3	Vertical	106	1.61	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.392G	42.49	54.00	-11.51	3	Horizontal	223	2.17	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3504G	54.92	74.00	-19.08	3	Horizontal	223	2.17	-
5775MHz	Pass	AV	5.7642G	101.43	Inf	-Inf	3	Vertical	6	1.74	-
5775MHz	Pass	PK	5.6238G	62.88	68.20	-5.32	3	Vertical	6	1.74	-
5775MHz	Pass	PK	5.7738G	113.23	Inf	-Inf	3	Vertical	6	1.74	-
5775MHz	Pass	PK	5.9262G	58.97	68.20	-9.23	3	Vertical	6	1.74	-
5775MHz	Pass	AV	5.7882G	102.56	Inf	-Inf	3	Horizontal	4	1.70	-
5775MHz	Pass	PK	5.631G	61.69	68.20	-6.51	3	Horizontal	4	1.70	-
5775MHz	Pass	PK	5.7738G	114.30	Inf	-Inf	3	Horizontal	4	1.70	-
5775MHz	Pass	PK	5.9274G	61.06	68.20	-7.14	3	Horizontal	4	1.70	-
5775MHz	Pass	AV	11.51672G	42.78	54.00	-11.22	3	Vertical	280	2.32	-
5775MHz	Pass	PK	11.54568G	54.87	74.00	-19.13	3	Vertical	280	2.32	-
5775MHz	Pass	AV	11.5188G	43.04	54.00	-10.96	3	Horizontal	73	1.17	-
5775MHz	Pass	PK	11.5172G	55.12	74.00	-18.88	3	Horizontal	73	1.17	-
802.11ax HEW160_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.001G	53.63	54.00	-0.37	3	Vertical	9	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.274G	96.63	Inf	-Inf	3	Vertical	9	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.382G	53.52	54.00	-0.48	3	Vertical	9	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.079G	59.77	74.00	-14.23	3	Vertical	9	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.238G	108.03	Inf	-Inf	3	Vertical	9	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.382G	63.45	74.00	-10.55	3	Vertical	9	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.139G	52.65	54.00	-1.35	3	Horizontal	7	1.74	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.256G	97.51	Inf	-Inf	3	Horizontal	7	1.74	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.379G	52.05	54.00	-1.95	3	Horizontal	7	1.74	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.136G	60.70	74.00	-13.30	3	Horizontal	7	1.74	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.253G	109.26	Inf	-Inf	3	Horizontal	7	1.74	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.358G	61.55	74.00	-12.45	3	Horizontal	7	1.74	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	10.55504G	54.77	68.20	-13.43	3	Vertical	174	2.39	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	10.50736G	54.56	68.20	-13.64	3	Horizontal	8	1.89	-
5570MHz	Pass	AV	5.456G	53.03	54.00	-0.97	3	Vertical	4	1.50	-
5570MHz	Pass	AV	5.582G	99.87	Inf	-Inf	3	Vertical	4	1.50	-
5570MHz	Pass	PK	5.462G	62.46	68.20	-5.74	3	Vertical	4	1.50	-
5570MHz	Pass	PK	5.552G	111.67	Inf	-Inf	3	Vertical	4	1.50	-
5570MHz	Pass	PK	5.738G	62.64	68.20	-5.56	3	Vertical	4	1.50	-
5570MHz	Pass	AV	5.459G	52.82	54.00	-1.18	3	Horizontal	6	1.78	-
5570MHz	Pass	AV	5.558G	100.06	Inf	-Inf	3	Horizontal	6	1.78	-
5570MHz	Pass	PK	5.462G	62.81	68.20	-5.39	3	Horizontal	6	1.78	-
5570MHz	Pass	PK	5.573G	111.46	Inf	-Inf	3	Horizontal	6	1.78	-
5570MHz	Pass	PK	5.75G	62.94	68.20	-5.26	3	Horizontal	6	1.78	-
5570MHz	Pass	AV	11.1576G	44.54	54.00	-9.46	3	Vertical	185	1.40	-
5570MHz	Pass	PK	11.16496G	55.62	74.00	-18.38	3	Vertical	185	1.40	-
5570MHz	Pass	AV	11.08176G	44.42	54.00	-9.58	3	Horizontal	235	2.17	-
5570MHz	Pass	PK	11.17936G	55.39	74.00	-18.61	3	Horizontal	235	2.17	-

802.11a\_Nss2,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.54	54.00	-0.46	5.46	3	Vertical	6	1.74	-	48.08	31.30	8.38	34.22
AV	5.1752G	107.43	Inf	-Inf	5.92	3	Vertical	6	1.74	-	101.51	31.60	8.55	34.23
AV	5.45G	47.69	54.00	-6.31	6.02	3	Vertical	6	1.74	-	41.67	31.60	8.68	34.26
PK	5.1452G	60.25	74.00	-13.75	5.99	3	Vertical	6	1.74	-	54.26	31.70	8.52	34.23
PK	5.1764G	116.90	Inf	-Inf	5.91	3	Vertical	6	1.74	-	110.99	31.59	8.55	34.23
PK	5.4716G	59.77	68.20	-8.43	6.09	3	Vertical	6	1.74	-	53.68	31.64	8.71	34.26

802.11a\_Nss2,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.53	54.00	-5.47	5.99	3	Horizontal	4	1.75	-	42.54	31.70	8.52	34.23
AV	5.1836G	108.25	Inf	-Inf	5.89	3	Horizontal	4	1.75	-	102.36	31.57	8.55	34.23
AV	5.4536G	47.15	54.00	-6.85	6.04	3	Horizontal	4	1.75	-	41.11	31.61	8.69	34.26
PK	5.0792G	61.09	74.00	-12.91	5.85	3	Horizontal	4	1.75	-	55.24	31.62	8.46	34.23
PK	5.1848G	117.45	Inf	-Inf	5.89	3	Horizontal	4	1.75	-	111.56	31.56	8.56	34.23
PK	5.4644G	59.17	68.20	-9.03	6.07	3	Horizontal	4	1.75	-	53.10	31.63	8.70	34.26

802.11a\_Nss2,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.369566G	55.39	68.20	-12.81	16.93	3	Vertical	148	2.23	-	38.46	39.41	12.19	34.67

802.11a\_Nss2,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3658G	54.47	68.20	-13.73	16.91	3	Horizontal	13	1.08	-	37.56	39.40	12.18	34.67

### 802.11a\_Nss2,(6Mbps)\_4TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	53.18	54.00	-0.82	5.46	3	Vertical	5	1.72	-	47.72	31.30	8.38	34.22
AV	5.1952G	107.71	Inf	-Inf	5.85	3	Vertical	5	1.72	-	101.86	31.52	8.57	34.24
AV	5.4316G	47.84	54.00	-6.16	5.90	3	Vertical	5	1.72	-	41.94	31.49	8.66	34.25
PK	4.9996G	61.21	74.00	-12.79	5.46	3	Vertical	5	1.72	-	55.75	31.30	8.38	34.22
PK	5.1964G	117.10	Inf	-Inf	5.84	3	Vertical	5	1.72	-	111.26	31.51	8.57	34.24
PK	5.488G	60.75	68.20	-7.45	6.16	3	Vertical	5	1.72	-	54.59	31.68	8.74	34.26



### 802.11a\_Nss2,(6Mbps)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	48.19	54.00	-5.81	5.46	3	Horizontal	8	1.69	-	42.73	31.30	8.38	34.22
AV	5.1988G	108.51	Inf	-Inf	5.83	3	Horizontal	8	1.69	-	102.68	31.50	8.57	34.24
AV	5.428G	47.27	54.00	-6.73	5.87	3	Horizontal	8	1.69	-	41.40	31.47	8.65	34.25
PK	5.1076G	61.24	74.00	-12.76	5.95	3	Horizontal	8	1.69	-	55.29	31.70	8.48	34.23
PK	5.1976G	118.01	Inf	-Inf	5.84	3	Horizontal	8	1.69	-	112.17	31.51	8.57	34.24
PK	5.4808G	59.80	68.20	-8.40	6.13	3	Horizontal	8	1.69	-	53.67	31.66	8.73	34.26

802.11a\_Nss2,(6Mbps)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39852G	54.86	68.20	-13.34	17.05	3	Vertical	160	1.90	-	37.81	39.50	12.20	34.65

802.11a\_Nss2,(6Mbps)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40736G	54.73	68.20	-13.47	17.08	3	Horizontal	205	1.41	-	37.65	39.51	12.21	34.64

802.11a\_Nss2,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.71	54.00	-0.29	5.46	3	Vertical	7	1.69	-	48.25	31.30	8.38	34.22
AV	5.2472G	107.40	Inf	-Inf	5.56	3	Vertical	7	1.69	-	101.84	31.22	8.58	34.24
AV	5.4512G	48.01	54.00	-5.99	6.02	3	Vertical	7	1.69	-	41.99	31.60	8.68	34.26
PK	4.9988G	61.22	74.00	-12.78	5.46	3	Vertical	7	1.69	-	55.76	31.30	8.38	34.22
PK	5.246G	116.93	Inf	-Inf	5.56	3	Vertical	7	1.69	-	111.37	31.22	8.58	34.24
PK	5.4656G	60.89	68.20	-7.31	6.08	3	Vertical	7	1.69	-	54.81	31.63	8.71	34.26

### 802.11a\_Nss2,(6Mbps)\_4TX


### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1296G	47.62	54.00	-6.38	5.97	3	Horizontal	8	1.74	-	41.65	31.70	8.50	34.23
AV	5.2376G	108.47	Inf	-Inf	5.61	3	Horizontal	8	1.74	-	102.86	31.27	8.58	34.24
AV	5.354G	47.54	54.00	-6.46	5.37	3	Horizontal	8	1.74	-	42.17	31.02	8.60	34.25
PK	5.096G	59.70	74.00	-14.30	5.92	3	Horizontal	8	1.74	-	53.78	31.68	8.47	34.23
PK	5.2376G	117.63	Inf	-Inf	5.61	3	Horizontal	8	1.74	-	112.02	31.27	8.58	34.24
PK	5.5196G	59.38	68.20	-8.82	6.18	3	Horizontal	8	1.74	-	53.20	31.66	8.78	34.26

802.11a\_Nss2,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.482766	54.56	68.20	-13.64	17.33	3	Vertical	143	2.21	-	37.23	39.67	12.24	34.58

802.11a\_Nss2,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48948G	54.47	68.20	-13.73	17.35	3	Horizontal	177	2.32	-	37.12	39.68	12.25	34.58

### 802.11a\_Nss2,(6Mbps)\_4TX

### 5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	53.39	54.00	-0.61	5.46	3	Vertical	6	1.50	-	47.93	31.30	8.38	34.22
AV	5.266G	107.76	Inf	-Inf	5.51	3	Vertical	6	1.50	-	102.25	31.17	8.58	34.24
AV	5.374G	48.59	54.00	-5.41	5.49	3	Vertical	6	1.50	-	43.10	31.14	8.60	34.25
PK	4.9996G	60.97	74.00	-13.03	5.46	3	Vertical	6	1.50	-	55.51	31.30	8.38	34.22
PK	5.266G	117.59	Inf	-Inf	5.51	3	Vertical	6	1.50	-	112.08	31.17	8.58	34.24
PK	5.4556G	60.78	74.00	-13.22	6.04	3	Vertical	6	1.50	-	54.74	31.61	8.69	34.26



### 802.11a\_Nss2,(6Mbps)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	48.14	54.00	-5.86	5.46	3	Horizontal	8	1.69	-	42.68	31.30	8.38	34.22
AV	5.2588G	108.47	Inf	-Inf	5.52	3	Horizontal	8	1.69	-	102.95	31.18	8.58	34.24
AV	5.3656G	47.60	54.00	-6.40	5.44	3	Horizontal	8	1.69	-	42.16	31.09	8.60	34.25
PK	5.056G	60.06	74.00	-13.94	5.73	3	Horizontal	8	1.69	-	54.33	31.52	8.43	34.22
PK	5.2576G	117.59	Inf	-Inf	5.52	3	Horizontal	8	1.69	-	112.07	31.18	8.58	34.24
PK	5.3632G	60.05	74.00	-13.95	5.43	3	Horizontal	8	1.69	-	54.62	31.08	8.60	34.25

802.11a\_Nss2,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52248G	54.29	68.20	-13.91	17.43	3	Vertical	132	2.44	-	36.86	39.72	12.26	34.55

802.11a\_Nss2,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52628G	54.90	68.20	-13.30	17.45	3	Horizontal	248	1.47	-	37.45	39.73	12.27	34.55

### 802.11a\_Nss2,(6Mbps)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	52.09	54.00	-1.91	5.46	3	Vertical	5	1.50	-	46.63	31.30	8.38	34.22
AV	5.306G	107.84	Inf	-Inf	5.44	3	Vertical	5	1.50	-	102.40	31.09	8.59	34.24
AV	5.3888G	48.47	54.00	-5.53	5.59	3	Vertical	5	1.50	-	42.88	31.23	8.61	34.25
PK	5.0792G	59.42	74.00	-14.58	5.85	3	Vertical	5	1.50	-	53.57	31.62	8.46	34.23
PK	5.306G	117.16	Inf	-Inf	5.44	3	Vertical	5	1.50	-	111.72	31.09	8.59	34.24
PK	5.3672G	61.29	74.00	-12.71	5.45	3	Vertical	5	1.50	-	55.84	31.10	8.60	34.25

### 802.11a\_Nss2,(6Mbps)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	47.31	54.00	-6.69	5.99	3	Horizontal	7	1.66	-	41.32	31.70	8.52	34.23
AV	5.2976G	108.91	Inf	-Inf	5.45	3	Horizontal	7	1.66	-	103.46	31.10	8.59	34.24
AV	5.378G	48.28	54.00	-5.72	5.53	3	Horizontal	7	1.66	-	42.75	31.17	8.61	34.25
PK	5.1452G	60.07	74.00	-13.93	5.99	3	Horizontal	7	1.66	-	54.08	31.70	8.52	34.23
PK	5.2976G	117.97	Inf	-Inf	5.45	3	Horizontal	7	1.66	-	112.52	31.10	8.59	34.24
PK	5.3804G	60.20	74.00	-13.80	5.54	3	Horizontal	7	1.66	-	54.66	31.18	8.61	34.25

802.11a\_Nss2,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60544G	41.71	54.00	-12.29	17.63	3	Vertical	37	1.02	-	24.08	39.81	12.31	34.49
PK	10.60324G	55.99	74.00	-18.01	17.61	3	Vertical	37	1.02	-	38.38	39.80	12.30	34.49

802.11a\_Nss2,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60596G	41.82	54.00	-12.18	17.63	3	Horizontal	230	2.41	-	24.19	39.81	12.31	34.49
PK	10.60828G	55.17	74.00	-18.83	17.63	3	Horizontal	230	2.41	-	37.54	39.81	12.31	34.49

802.11a\_Nss2,(6Mbps)\_4TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9994G	53.16	54.00	-0.84	5.46	3	Vertical	7	1.50	-	47.70	31.30	8.38	34.22
AV	5.327G	107.79	Inf	-Inf	5.40	3	Vertical	7	1.50	-	102.39	31.05	8.60	34.25
AV	5.35G	48.60	54.00	-5.40	5.35	3	Vertical	7	1.50	-	43.25	31.00	8.60	34.25
PK	4.9994G	60.68	74.00	-13.32	5.46	3	Vertical	7	1.50	-	55.22	31.30	8.38	34.22
PK	5.327G	117.07	Inf	-Inf	5.40	3	Vertical	7	1.50	-	111.67	31.05	8.60	34.25
PK	5.453G	60.97	74.00	-13.03	6.04	3	Vertical	7	1.50	-	54.93	31.61	8.69	34.26





802.11a\_Nss2,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9994G	47.61	54.00	-6.39	5.46	3	Horizontal	8	1.62	-	42.15	31.30	8.38	34.22
AV	5.3172G	108.76	Inf	-Inf	5.41	3	Horizontal	8	1.62	-	103.35	31.07	8.59	34.25
AV	5.35G	49.15	54.00	-4.85	5.35	3	Horizontal	8	1.62	-	43.80	31.00	8.60	34.25
PK	5.1002G	59.15	74.00	-14.85	5.95	3	Horizontal	8	1.62	-	53.20	31.70	8.48	34.23
PK	5.3186G	118.24	Inf	-Inf	5.40	3	Horizontal	8	1.62	-	112.84	31.06	8.59	34.25
PK	5.35G	61.76	74.00	-12.24	5.35	3	Horizontal	8	1.62	-	56.41	31.00	8.60	34.25

802.11a\_Nss2,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63912G	42.04	54.00	-11.96	17.70	3	Vertical	18	1.75	-	24.34	39.84	12.32	34.46
PK	10.63984G	54.85	74.00	-19.15	17.70	3	Vertical	18	1.75	-	37.15	39.84	12.32	34.46

802.11a\_Nss2,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63836G	42.12	54.00	-11.88	17.70	3	Horizontal	284	1.31	-	24.42	39.84	12.32	34.46
PK	10.6416G	55.55	74.00	-18.45	17.70	3	Horizontal	284	1.31	-	37.85	39.84	12.32	34.46

### 802.11a\_Nss2,(6Mbps)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	48.11	54.00	-5.89	6.04	3	Vertical	3	1.63	-	42.07	31.61	8.69	34.26
AV	5.5042G	108.12	Inf	-Inf	6.19	3	Vertical	3	1.63	-	101.93	31.69	8.76	34.26
PK	5.4694G	60.41	68.20	-7.79	6.09	3	Vertical	3	1.63	-	54.32	31.64	8.71	34.26
PK	5.5038G	117.32	Inf	-Inf	6.19	3	Vertical	3	1.63	-	111.13	31.69	8.76	34.26

802.11a\_Nss2,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	48.31	54.00	-5.69	6.04	3	Horizontal	8	1.50	-	42.27	31.61	8.69	34.26
AV	5.4978G	108.71	Inf	-Inf	6.19	3	Horizontal	8	1.50	-	102.52	31.70	8.75	34.26
PK	5.4666G	61.92	68.20	-6.28	6.08	3	Horizontal	8	1.50	-	55.84	31.63	8.71	34.26
PK	5.4974G	118.05	Inf	-Inf	6.18	3	Horizontal	8	1.50	-	111.87	31.69	8.75	34.26

802.11a\_Nss2,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0064G	41.99	54.00	-12.01	18.50	3	Vertical	148	1.22	-	23.49	40.18	12.51	34.19
PK	10.9982G	55.36	74.00	-18.64	18.51	3	Vertical	148	1.22	-	36.85	40.20	12.50	34.19

802.11a\_Nss2,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99548G	42.07	54.00	-11.93	18.51	3	Horizontal	147	1.37	-	23.56	40.20	12.50	34.19
PK	10.9952G	55.23	74.00	-18.77	18.51	3	Horizontal	147	1.37	-	36.72	40.20	12.50	34.19

802.11a\_Nss2,(6Mbps)\_4TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	46.98	54.00	-7.02	6.05	3	Vertical	3	1.68	-	40.93	31.62	8.69	34.26
AV	5.5842G	108.08	Inf	-Inf	6.21	3	Vertical	3	1.68	-	101.87	31.60	8.88	34.27
PK	5.4642G	59.44	68.20	-8.76	6.07	3	Vertical	3	1.68	-	53.37	31.63	8.70	34.26
PK	5.5848G	117.68	Inf	-Inf	6.21	3	Vertical	3	1.68	-	111.47	31.60	8.88	34.27
PK	5.7276G	58.69	68.20	-9.51	6.64	3	Vertical	3	1.68	-	52.05	31.91	9.01	34.28



802.11a\_Nss2,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.21	54.00	-6.79	6.04	3	Horizontal	7	1.50	-	41.17	31.61	8.69	34.26
AV	5.577G	109.13	Inf	-Inf	6.20	3	Horizontal	7	1.50	-	102.93	31.60	8.87	34.27
PK	5.469G	59.28	68.20	-8.92	6.09	3	Horizontal	7	1.50	-	53.19	31.64	8.71	34.26
PK	5.577G	118.40	Inf	-Inf	6.20	3	Horizontal	7	1.50	-	112.20	31.60	8.87	34.27
PK	5.7276G	59.37	68.20	-8.83	6.64	3	Horizontal	7	1.50	-	52.73	31.91	9.01	34.28

802.11a\_Nss2,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16936G	41.89	54.00	-12.11	18.17	3	Vertical	147	2.00	-	23.72	39.76	12.59	34.18
PK	11.16496G	55.20	74.00	-18.80	18.18	3	Vertical	147	2.00	-	37.02	39.77	12.59	34.18

802.11a\_Nss2,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16504G	42.06	54.00	-11.94	18.18	3	Horizontal	52	1.30	-	23.88	39.77	12.59	34.18
PK	11.16648G	55.57	74.00	-18.43	18.18	3	Horizontal	52	1.30	-	37.39	39.77	12.59	34.18

802.11a\_Nss2,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	107.99	Inf	-Inf	6.50	3	Vertical	5	1.52	-	101.49	31.79	8.99	34.28
PK	5.6956G	117.71	Inf	-Inf	6.50	3	Vertical	5	1.52	-	111.21	31.79	8.99	34.28
PK	5.726G	63.18	68.20	-5.02	6.63	3	Vertical	5	1.52	-	56.55	31.90	9.01	34.28

802.11a\_Nss2,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	108.68	Inf	-Inf	6.50	3	Horizontal	4	1.50	-	102.18	31.79	8.99	34.28
PK	5.7048G	117.94	Inf	-Inf	6.53	3	Horizontal	4	1.50	-	111.41	31.82	8.99	34.28
PK	5.7256G	63.02	68.20	-5.18	6.63	3	Horizontal	4	1.50	-	56.39	31.90	9.01	34.28

802.11a\_Nss2,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.403G	42.16	54.00	-11.84	18.35	3	Vertical	82	1.54	-	23.81	39.81	12.71	34.17
PK	11.4074G	55.09	74.00	-18.91	18.35	3	Vertical	82	1.54	-	36.74	39.81	12.71	34.17


802.11a\_Nss2,(6Mbps)\_4TX

5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39216G	41.95	54.00	-12.05	18.32	3	Horizontal	92	2.36	-	23.63	39.79	12.70	34.17
PK	11.40616G	55.61	74.00	-18.39	18.35	3	Horizontal	92	2.36	-	37.26	39.81	12.71	34.17


**802.11a\_Nss2,(6Mbps)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.58	54.00	-6.42	6.04	3	Vertical	6	1.61	-	41.54	31.61	8.69	34.26
AV	5.7272G	107.43	Inf	-Inf	6.64	3	Vertical	6	1.61	-	100.79	31.91	9.01	34.28
PK	5.468G	59.19	68.20	-9.01	6.09	3	Vertical	6	1.61	-	53.10	31.64	8.71	34.26
PK	5.7272G	117.23	Inf	-Inf	6.64	3	Vertical	6	1.61	-	110.59	31.91	9.01	34.28
PK	5.9348G	59.53	68.20	-8.67	7.14	3	Vertical	6	1.61	-	52.39	32.30	9.14	34.30




**802.11a\_Nss2,(6Mbps)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	47.18	54.00	-6.82	6.04	3	Horizontal	4	1.59	-	41.14	31.61	8.69	34.26
AV	5.7236G	108.79	Inf	-Inf	6.62	3	Horizontal	4	1.59	-	102.17	31.89	9.01	34.28
PK	5.4656G	58.66	68.20	-9.54	6.08	3	Horizontal	4	1.59	-	52.58	31.63	8.71	34.26
PK	5.7248G	117.97	Inf	-Inf	6.63	3	Horizontal	4	1.59	-	111.34	31.90	9.01	34.28
PK	5.9048G	59.90	68.20	-8.30	7.13	3	Horizontal	4	1.59	-	52.77	32.30	9.13	34.30

**802.11a\_Nss2,(6Mbps)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43844G	41.74	54.00	-12.26	18.45	3	Vertical	121	1.07	-	23.29	39.88	12.73	34.16
PK	11.449G	55.69	74.00	-18.31	18.47	3	Vertical	121	1.07	-	37.22	39.90	12.73	34.16


**802.11a\_Nss2,(6Mbps)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43008G	41.82	54.00	-12.18	18.42	3	Horizontal	137	1.42	-	23.40	39.86	12.72	34.16
PK	11.446G	55.58	74.00	-18.42	18.46	3	Horizontal	137	1.42	-	37.12	39.89	12.73	34.16

802.11a\_Nss2,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	108.40	Inf	-Inf	6.71	3	Vertical	3	1.72	-	101.69	31.96	9.03	34.28
PK	5.5878G	61.67	68.20	-6.53	6.21	3	Vertical	3	1.72	-	55.46	31.60	8.88	34.27
PK	5.739G	118.29	Inf	-Inf	6.71	3	Vertical	3	1.72	-	111.58	31.96	9.03	34.28
PK	5.9298G	58.75	68.20	-9.45	7.14	3	Vertical	3	1.72	-	51.61	32.30	9.14	34.30

802.11a\_Nss2,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	109.02	Inf	-Inf	6.72	3	Horizontal	5	1.76	-	102.30	31.97	9.03	34.28
PK	5.601G	60.63	68.20	-7.57	6.23	3	Horizontal	5	1.76	-	54.40	31.60	8.90	34.27
PK	5.7414G	118.40	Inf	-Inf	6.72	3	Horizontal	5	1.76	-	111.68	31.97	9.03	34.28
PK	5.9982G	60.36	68.20	-7.84	7.26	3	Horizontal	5	1.76	-	53.10	32.40	9.17	34.31

802.11a\_Nss2,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4832G	41.93	54.00	-12.07	18.56	3	Vertical	187	1.06	-	23.37	39.97	12.75	34.16
PK	11.48004G	55.12	74.00	-18.88	18.55	3	Vertical	187	1.06	-	36.57	39.96	12.75	34.16

802.11a\_Nss2,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49396G	42.06	54.00	-11.94	18.58	3	Horizontal	229	2.08	-	23.48	39.99	12.75	34.16
PK	11.49792G	55.15	74.00	-18.85	18.60	3	Horizontal	229	2.08	-	36.55	40.00	12.76	34.16

802.11a\_Nss2,(6Mbps)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	107.85	Inf	-Inf	6.77	3	Vertical	3	1.50	-	101.08	32.00	9.06	34.29
PK	5.6086G	61.05	68.20	-7.15	6.26	3	Vertical	3	1.50	-	54.79	31.62	8.91	34.27
PK	5.779G	117.65	Inf	-Inf	6.77	3	Vertical	3	1.50	-	110.88	32.00	9.06	34.29
PK	5.9242G	59.67	68.79	-9.12	7.14	3	Vertical	3	1.50	-	52.53	32.30	9.14	34.30



802.11a\_Nss2,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	108.98	Inf	-Inf	6.78	3	Horizontal	2	1.78	-	102.20	32.00	9.07	34.29
PK	5.539G	60.53	68.20	-7.67	6.17	3	Horizontal	2	1.78	-	54.36	31.62	8.81	34.26
PK	5.7886G	117.85	Inf	-Inf	6.78	3	Horizontal	2	1.78	-	111.07	32.00	9.07	34.29
PK	5.929G	59.50	68.20	-8.70	7.14	3	Horizontal	2	1.78	-	52.36	32.30	9.14	34.30

802.11a\_Nss2,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56408G	41.70	54.00	-12.30	18.54	3	Vertical	102	1.67	-	23.16	39.94	12.79	34.19
PK	11.5706G	54.74	74.00	-19.26	18.53	3	Vertical	102	1.67	-	36.21	39.93	12.79	34.19

802.11a\_Nss2,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56244G	41.67	54.00	-12.33	18.54	3	Horizontal	268	1.48	-	23.13	39.94	12.79	34.19
PK	11.5624G	54.72	74.00	-19.28	18.54	3	Horizontal	268	1.48	-	36.18	39.94	12.79	34.19

802.11a\_Nss2,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	107.50	Inf	-Inf	6.89	3	Vertical	5	1.69	-	100.61	32.09	9.09	34.29
PK	5.5622G	61.89	68.20	-6.31	6.18	3	Vertical	5	1.69	-	55.71	31.60	8.85	34.27
PK	5.831G	117.34	Inf	-Inf	6.92	3	Vertical	5	1.69	-	110.42	32.12	9.09	34.29
PK	5.9606G	60.77	68.20	-7.43	7.16	3	Vertical	5	1.69	-	53.61	32.32	9.15	34.31

### 802.11a\_Nss2,(6Mbps)\_4TX


### 5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	108.70	Inf	-Inf	6.91	3	Horizontal	2	1.50	-	101.79	32.11	9.09	34.29
PK	5.5742G	60.63	68.20	-7.57	6.19	3	Horizontal	2	1.50	-	54.44	31.60	8.86	34.27
PK	5.8298G	117.71	Inf	-Inf	6.92	3	Horizontal	2	1.50	-	110.79	32.12	9.09	34.29
PK	5.9282G	59.74	68.20	-8.46	7.14	3	Horizontal	2	1.50	-	52.60	32.30	9.14	34.30

802.11a\_Nss2,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65388G	41.66	54.00	-12.34	18.13	3	Vertical	144	1.68	-	23.53	39.52	12.84	34.23
PK	11.6546G	54.66	74.00	-19.34	18.13	3	Vertical	144	1.68	-	36.53	39.52	12.84	34.23

802.11a\_Nss2,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65436G	41.62	54.00	-12.38	18.13	3	Horizontal	204	1.43	-	23.49	39.52	12.84	34.23
PK	11.65532G	55.01	74.00	-18.99	18.12	3	Horizontal	204	1.43	-	36.89	39.51	12.84	34.23

802.11ax HEW20\_Nss2,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.78	54.00	-0.22	5.46	3	Vertical	8	1.74	-	48.32	31.30	8.38	34.22
AV	5.1788G	107.37	Inf	-Inf	5.90	3	Vertical	8	1.74	-	101.47	31.58	8.55	34.23
AV	5.456G	47.66	54.00	-6.34	6.04	3	Vertical	8	1.74	-	41.62	31.61	8.69	34.26
PK	5.1488G	67.82	74.00	-6.18	5.99	3	Vertical	8	1.74	-	61.83	31.70	8.52	34.23
PK	5.1848G	120.05	Inf	-Inf	5.89	3	Vertical	8	1.74	-	114.16	31.56	8.56	34.23
PK	5.48G	59.81	68.20	-8.39	6.13	3	Vertical	8	1.74	-	53.68	31.66	8.73	34.26



### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.94	54.00	-5.06	5.99	3	Horizontal	6	1.50	-	42.95	31.70	8.52	34.23
AV	5.1836G	107.86	Inf	-Inf	5.89	3	Horizontal	6	1.50	-	101.97	31.57	8.55	34.23
AV	5.3516G	47.02	54.00	-6.98	5.36	3	Horizontal	6	1.50	-	41.66	31.01	8.60	34.25
PK	5.1476G	60.58	74.00	-13.42	5.99	3	Horizontal	6	1.50	-	54.59	31.70	8.52	34.23
PK	5.1728G	120.21	Inf	-Inf	5.92	3	Horizontal	6	1.50	-	114.29	31.61	8.54	34.23
PK	5.4668G	58.72	68.20	-9.48	6.08	3	Horizontal	6	1.50	-	52.64	31.63	8.71	34.26

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3692G	55.70	68.20	-12.50	16.93	3	Vertical	246	2.43	-	38.77	39.41	12.19	34.67

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35968G	54.91	68.20	-13.29	16.88	3	Horizontal	211	1.35	-	38.03	39.38	12.18	34.68

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	53.89	54.00	-0.11	5.46	3	Vertical	9	1.70	-	48.43	31.30	8.38	34.22
AV	5.1988G	107.41	Inf	-Inf	5.83	3	Vertical	9	1.70	-	101.58	31.50	8.57	34.24
AV	5.4256G	48.14	54.00	-5.86	5.85	3	Vertical	9	1.70	-	42.29	31.45	8.65	34.25
PK	4.9996G	61.87	74.00	-12.13	5.46	3	Vertical	9	1.70	-	56.41	31.30	8.38	34.22
PK	5.1928G	119.36	Inf	-Inf	5.85	3	Vertical	9	1.70	-	113.51	31.53	8.56	34.24
PK	5.4652G	59.79	68.20	-8.41	6.07	3	Vertical	9	1.70	-	53.72	31.63	8.70	34.26

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	48.13	54.00	-5.87	5.99	3	Horizontal	6	1.72	-	42.14	31.70	8.52	34.23
AV	5.1976G	108.29	Inf	-Inf	5.84	3	Horizontal	6	1.72	-	102.45	31.51	8.57	34.24
AV	5.4076G	47.62	54.00	-6.38	5.72	3	Horizontal	6	1.72	-	41.90	31.35	8.62	34.25
PK	5.1436G	60.85	74.00	-13.15	5.99	3	Horizontal	6	1.72	-	54.86	31.70	8.52	34.23
PK	5.2024G	120.38	Inf	-Inf	5.82	3	Horizontal	6	1.72	-	114.56	31.49	8.57	34.24
PK	5.494G	59.33	68.20	-8.87	6.18	3	Horizontal	6	1.72	-	53.15	31.69	8.75	34.26

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.404366	55.02	68.20	-13.18	17.07	3	Vertical	173	1.79	-	37.95	39.51	12.20	34.64

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39692G	55.75	68.20	-12.45	17.04	3	Horizontal	10	2.45	-	38.71	39.49	12.20	34.65

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.93	54.00	-2.07	5.46	3	Vertical	10	1.50	-	46.47	31.30	8.38	34.22
AV	5.2448G	106.34	Inf	-Inf	5.57	3	Vertical	10	1.50	-	100.77	31.23	8.58	34.24
AV	5.45G	48.07	54.00	-5.93	6.02	3	Vertical	10	1.50	-	42.05	31.60	8.68	34.26
PK	4.9988G	59.59	74.00	-14.41	5.46	3	Vertical	10	1.50	-	54.13	31.30	8.38	34.22
PK	5.246G	117.47	Inf	-Inf	5.56	3	Vertical	10	1.50	-	111.91	31.22	8.58	34.24
PK	5.5364G	60.17	68.20	-8.03	6.18	3	Vertical	10	1.50	-	53.99	31.63	8.81	34.26



802.11ax HEW20\_Nss2,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1356G	47.46	54.00	-6.54	5.98	3	Horizontal	6	1.73	-	41.48	31.70	8.51	34.23
AV	5.2376G	107.90	Inf	-Inf	5.61	3	Horizontal	6	1.73	-	102.29	31.27	8.58	34.24
AV	5.3516G	47.50	54.00	-6.50	5.36	3	Horizontal	6	1.73	-	42.14	31.01	8.60	34.25
PK	5.1308G	59.38	74.00	-14.62	5.97	3	Horizontal	6	1.73	-	53.41	31.70	8.50	34.23
PK	5.2436G	120.90	Inf	-Inf	5.58	3	Horizontal	6	1.73	-	115.32	31.24	8.58	34.24
PK	5.5148G	59.72	68.20	-8.48	6.19	3	Horizontal	6	1.73	-	53.53	31.67	8.78	34.26

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47968G	55.42	68.20	-12.78	17.31	3	Vertical	56	1.01	-	38.11	39.66	12.24	34.59

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47544G	55.05	68.20	-13.15	17.30	3	Horizontal	311	2.16	-	37.75	39.65	12.24	34.59

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	53.25	54.00	-0.75	5.46	3	Vertical	8	1.53	-	47.79	31.30	8.38	34.22
AV	5.2588G	107.73	Inf	-Inf	5.52	3	Vertical	8	1.53	-	102.21	31.18	8.58	34.24
AV	5.3716G	48.31	54.00	-5.69	5.48	3	Vertical	8	1.53	-	42.83	31.13	8.60	34.25
PK	4.9996G	61.59	74.00	-12.41	5.46	3	Vertical	8	1.53	-	56.13	31.30	8.38	34.22
PK	5.2684G	119.40	Inf	-Inf	5.50	3	Vertical	8	1.53	-	113.90	31.16	8.58	34.24
PK	5.4796G	61.69	68.20	-6.51	6.13	3	Vertical	8	1.53	-	55.56	31.66	8.73	34.26

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	50.26	54.00	-3.74	5.46	3	Horizontal	11	1.73	-	44.80	31.30	8.38	34.22
AV	5.2648G	107.78	Inf	-Inf	5.51	3	Horizontal	11	1.73	-	102.27	31.17	8.58	34.24
AV	5.3512G	47.49	54.00	-6.51	5.36	3	Horizontal	11	1.73	-	42.13	31.01	8.60	34.25
PK	5.0008G	59.71	74.00	-14.29	5.46	3	Horizontal	11	1.73	-	54.25	31.30	8.38	34.22
PK	5.266G	120.17	Inf	-Inf	5.51	3	Horizontal	11	1.73	-	114.66	31.17	8.58	34.24
PK	5.482G	60.45	68.20	-7.75	6.13	3	Horizontal	11	1.73	-	54.32	31.66	8.73	34.26

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52244G	55.86	68.20	-12.34	17.43	3	Vertical	314	1.80	-	38.43	39.72	12.26	34.55

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5202G	55.68	68.20	-12.52	17.43	3	Horizontal	59	2.32	-	38.25	39.72	12.26	34.55

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.02	54.00	-0.98	5.46	3	Vertical	9	1.50	-	47.56	31.30	8.38	34.22
AV	5.3048G	107.63	Inf	-Inf	5.44	3	Vertical	9	1.50	-	102.19	31.09	8.59	34.24
AV	5.354G	48.45	54.00	-5.55	5.37	3	Vertical	9	1.50	-	43.08	31.02	8.60	34.25
PK	5G	60.18	74.00	-13.82	5.46	3	Vertical	9	1.50	-	54.72	31.30	8.38	34.22
PK	5.294G	119.15	Inf	-Inf	5.46	3	Vertical	9	1.50	-	113.69	31.11	8.59	34.24
PK	5.516G	60.94	68.20	-7.26	6.19	3	Vertical	9	1.50	-	54.75	31.67	8.78	34.26



### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0696G	47.34	54.00	-6.66	5.80	3	Horizontal	6	1.50	-	41.54	31.58	8.45	34.23
AV	5.3036G	108.13	Inf	-Inf	5.44	3	Horizontal	6	1.50	-	102.69	31.09	8.59	34.24
AV	5.3792G	48.26	54.00	-5.74	5.54	3	Horizontal	6	1.50	-	42.72	31.18	8.61	34.25
PK	5.0636G	59.76	74.00	-14.24	5.76	3	Horizontal	6	1.50	-	54.00	31.55	8.44	34.23
PK	5.3024G	121.32	Inf	-Inf	5.45	3	Horizontal	6	1.50	-	115.87	31.10	8.59	34.24
PK	5.5112G	60.59	68.20	-7.61	6.19	3	Horizontal	6	1.50	-	54.40	31.68	8.77	34.26

802.11ax HEW20\_Nss2,(MCS0)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60812G	41.92	54.00	-12.08	17.63	3	Vertical	109	2.13	-	24.29	39.81	12.31	34.49
PK	10.60528G	55.37	74.00	-18.63	17.63	3	Vertical	109	2.13	-	37.74	39.81	12.31	34.49



802.11ax HEW20\_Nss2,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6098G	42.07	54.00	-11.93	17.63	3	Horizontal	320	1.71	-	24.44	39.81	12.31	34.49
PK	10.60404G	55.26	74.00	-18.74	17.62	3	Horizontal	320	1.71	-	37.64	39.80	12.31	34.49

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0908G	46.85	54.00	-7.15	5.90	3	Vertical	6	1.49	-	40.95	31.66	8.47	34.23
AV	5.3188G	107.99	Inf	-Inf	5.40	3	Vertical	6	1.49	-	102.59	31.06	8.59	34.25
AV	5.3512G	49.18	54.00	-4.82	5.36	3	Vertical	6	1.49	-	43.82	31.01	8.60	34.25
PK	5.0296G	59.50	74.00	-14.50	5.61	3	Vertical	6	1.49	-	53.89	31.42	8.41	34.22
PK	5.3284G	119.54	Inf	-Inf	5.39	3	Vertical	6	1.49	-	114.15	31.04	8.60	34.25
PK	5.3524G	68.56	74.00	-5.44	5.36	3	Vertical	6	1.49	-	63.20	31.01	8.60	34.25

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1064G	47.26	54.00	-6.74	5.95	3	Horizontal	5	1.50	-	41.31	31.70	8.48	34.23
AV	5.3224G	108.39	Inf	-Inf	5.40	3	Horizontal	5	1.50	-	102.99	31.06	8.59	34.25
AV	5.3524G	49.17	54.00	-4.83	5.36	3	Horizontal	5	1.50	-	43.81	31.01	8.60	34.25
PK	5.0992G	60.33	74.00	-13.67	5.94	3	Horizontal	5	1.50	-	54.39	31.70	8.47	34.23
PK	5.3236G	120.89	Inf	-Inf	5.39	3	Horizontal	5	1.50	-	115.50	31.05	8.59	34.25
PK	5.4772G	61.14	68.20	-7.06	6.11	3	Horizontal	5	1.50	-	55.03	31.65	8.72	34.26

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64744G	42.23	54.00	-11.77	17.72	3	Vertical	68	2.07	-	24.51	39.85	12.33	34.46
PK	10.63872G	55.56	74.00	-18.44	17.70	3	Vertical	68	2.07	-	37.86	39.84	12.32	34.46

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64864G	42.32	54.00	-11.68	17.72	3	Horizontal	161	1.20	-	24.60	39.85	12.33	34.46
PK	10.6364G	55.50	74.00	-18.50	17.69	3	Horizontal	161	1.20	-	37.81	39.84	12.32	34.47

802.11ax HEW20\_Nss2,(MCS0)\_4TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	47.94	54.00	-6.06	6.03	3	Vertical	7	1.64	-	41.91	31.60	8.69	34.26
AV	5.4988G	107.13	Inf	-Inf	6.19	3	Vertical	7	1.64	-	100.94	31.70	8.75	34.26
PK	5.4688G	67.48	68.20	-0.72	6.09	3	Vertical	7	1.64	-	61.39	31.64	8.71	34.26
PK	5.4928G	119.16	Inf	-Inf	6.17	3	Vertical	7	1.64	-	112.99	31.69	8.74	34.26
PK	5.728G	59.66	68.20	-8.54	6.65	3	Vertical	7	1.64	-	53.01	31.91	9.02	34.28



### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	48.27	54.00	-5.73	6.04	3	Horizontal	7	1.75	-	42.23	31.61	8.69	34.26
AV	5.4988G	107.44	Inf	-Inf	6.19	3	Horizontal	7	1.75	-	101.25	31.70	8.75	34.26
PK	5.47G	60.49	68.20	-7.71	6.09	3	Horizontal	7	1.75	-	54.40	31.64	8.71	34.26
PK	5.4928G	119.84	Inf	-Inf	6.17	3	Horizontal	7	1.75	-	113.67	31.69	8.74	34.26
PK	5.7748G	59.54	68.20	-8.66	6.77	3	Horizontal	7	1.75	-	52.77	32.00	9.06	34.29

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00968G	42.54	54.00	-11.46	18.49	3	Vertical	94	2.20	-	24.05	40.17	12.51	34.19
PK	10.99008G	56.19	74.00	-17.81	18.49	3	Vertical	94	2.20	-	37.70	40.19	12.50	34.20

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99604G	42.66	54.00	-11.34	18.51	3	Horizontal	250	2.07	-	24.15	40.20	12.50	34.19
PK	10.99328G	55.91	74.00	-18.09	18.49	3	Horizontal	250	2.07	-	37.42	40.19	12.50	34.20

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	47.14	54.00	-6.86	6.02	3	Vertical	7	1.50	-	41.12	31.60	8.68	34.26
AV	5.5788G	108.02	Inf	-Inf	6.20	3	Vertical	7	1.50	-	101.82	31.60	8.87	34.27
PK	5.4648G	59.77	68.20	-8.43	6.07	3	Vertical	7	1.50	-	53.70	31.63	8.70	34.26
PK	5.5728G	119.90	Inf	-Inf	6.19	3	Vertical	7	1.50	-	113.71	31.60	8.86	34.27
PK	5.8452G	59.57	68.20	-8.63	6.99	3	Vertical	7	1.50	-	52.58	32.18	9.10	34.29

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	47.46	54.00	-6.54	6.04	3	Horizontal	6	1.72	-	41.42	31.61	8.69	34.26
AV	5.5776G	108.96	Inf	-Inf	6.20	3	Horizontal	6	1.72	-	102.76	31.60	8.87	34.27
PK	5.4696G	59.54	68.20	-8.66	6.09	3	Horizontal	6	1.72	-	53.45	31.64	8.71	34.26
PK	5.5728G	121.68	Inf	-Inf	6.19	3	Horizontal	6	1.72	-	115.49	31.60	8.86	34.27
PK	5.73G	60.76	68.20	-7.44	6.66	3	Horizontal	6	1.72	-	54.10	31.92	9.02	34.28

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16788G	42.20	54.00	-11.80	18.17	3	Vertical	216	1.67	-	24.03	39.76	12.59	34.18
PK	11.16628G	54.96	74.00	-19.04	18.18	3	Vertical	216	1.67	-	36.78	39.77	12.59	34.18

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16624G	42.41	54.00	-11.59	18.18	3	Horizontal	283	2.27	-	24.23	39.77	12.59	34.18
PK	11.16496G	55.60	74.00	-18.40	18.18	3	Horizontal	283	2.27	-	37.42	39.77	12.59	34.18

802.11ax HEW20\_Nss2,(MCS0)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	47.13	54.00	-6.87	6.04	3	Vertical	6	1.56	-	41.09	31.61	8.69	34.26
AV	5.6988G	106.34	Inf	-Inf	6.51	3	Vertical	6	1.56	-	99.83	31.80	8.99	34.28
PK	5.466G	58.44	68.20	-9.76	6.08	3	Vertical	6	1.56	-	52.36	31.63	8.71	34.26
PK	5.7036G	118.17	Inf	-Inf	6.52	3	Vertical	6	1.56	-	111.65	31.81	8.99	34.28
PK	5.7288G	67.49	68.20	-0.71	6.66	3	Vertical	6	1.56	-	60.83	31.92	9.02	34.28



### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4288G	47.21	54.00	-6.79	5.87	3	Horizontal	6	1.50	-	41.34	31.47	8.65	34.25
AV	5.6988G	106.79	Inf	-Inf	6.51	3	Horizontal	6	1.50	-	100.28	31.80	8.99	34.28
PK	5.4672G	59.02	68.20	-9.18	6.08	3	Horizontal	6	1.50	-	52.94	31.63	8.71	34.26
PK	5.6928G	119.29	Inf	-Inf	6.49	3	Horizontal	6	1.50	-	112.80	31.79	8.98	34.28
PK	5.7252G	64.25	68.20	-3.95	6.63	3	Horizontal	6	1.50	-	57.62	31.90	9.01	34.28

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40124G	42.33	54.00	-11.67	18.34	3	Vertical	137	1.25	-	23.99	39.80	12.71	34.17
PK	11.39132G	55.81	74.00	-18.19	18.32	3	Vertical	137	1.25	-	37.49	39.79	12.70	34.17

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40916G	42.38	54.00	-11.62	18.36	3	Horizontal	200	1.07	-	24.02	39.82	12.71	34.17
PK	11.40312G	55.49	74.00	-18.51	18.35	3	Horizontal	200	1.07	-	37.14	39.81	12.71	34.17




**802.11ax HEW20\_Nss2,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	47.61	54.00	-6.39	5.97	3	Vertical	7	1.50	-	41.64	31.56	8.67	34.26
AV	5.7236G	107.70	Inf	-Inf	6.62	3	Vertical	7	1.50	-	101.08	31.89	9.01	34.28
PK	5.462G	60.23	68.20	-7.97	6.06	3	Vertical	7	1.50	-	54.17	31.62	8.70	34.26
PK	5.7128G	119.47	Inf	-Inf	6.57	3	Vertical	7	1.50	-	112.90	31.85	9.00	34.28
PK	5.8532G	59.63	68.20	-8.57	7.01	3	Vertical	7	1.50	-	52.62	32.21	9.10	34.30

**802.11ax HEW20\_Nss2,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	47.52	54.00	-6.48	5.95	3	Horizontal	5	1.69	-	41.57	31.54	8.67	34.26
AV	5.7224G	108.65	Inf	-Inf	6.62	3	Horizontal	5	1.69	-	102.03	31.89	9.01	34.28
PK	5.4668G	60.21	68.20	-7.99	6.08	3	Horizontal	5	1.69	-	54.13	31.63	8.71	34.26
PK	5.714G	120.37	Inf	-Inf	6.58	3	Horizontal	5	1.69	-	113.79	31.86	9.00	34.28
PK	5.8616G	60.66	68.20	-7.54	7.03	3	Horizontal	5	1.69	-	53.63	32.22	9.11	34.30

**802.11ax HEW20\_Nss2,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43604G	42.29	54.00	-11.71	18.44	3	Vertical	234	2.35	-	23.85	39.87	12.73	34.16
PK	11.44308G	55.68	74.00	-18.32	18.46	3	Vertical	234	2.35	-	37.22	39.89	12.73	34.16


**802.11ax HEW20\_Nss2,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4452G	42.36	54.00	-11.64	18.46	3	Horizontal	105	1.20	-	23.90	39.89	12.73	34.16
PK	11.43184G	55.67	74.00	-18.33	18.42	3	Horizontal	105	1.20	-	37.25	39.86	12.72	34.16

### 802.11ax HEW20\_Nss2,(MCS0)\_4TX

#### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	108.19	Inf	-Inf	6.73	3	Vertical	7	1.63	-	101.46	31.98	9.03	34.28
PK	5.631G	61.63	68.20	-6.57	6.32	3	Vertical	7	1.63	-	55.31	31.66	8.93	34.27
PK	5.7378G	119.65	Inf	-Inf	6.69	3	Vertical	7	1.63	-	112.96	31.95	9.02	34.28
PK	5.9742G	59.69	68.20	-8.51	7.20	3	Vertical	7	1.63	-	52.49	32.35	9.16	34.31



### 802.11ax HEW20\_Nss2,(MCS0)\_4TX


### 5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	47.46	54.00	-6.54	6.00	3	Horizontal	6	1.76	-	41.46	31.58	8.68	34.26
AV	5.7438G	108.99	Inf	-Inf	6.73	3	Horizontal	6	1.76	-	102.26	31.98	9.03	34.28
PK	5.5122G	60.80	68.20	-7.40	6.19	3	Horizontal	6	1.76	-	54.61	31.68	8.77	34.26
PK	5.7378G	121.44	Inf	-Inf	6.69	3	Horizontal	6	1.76	-	114.75	31.95	9.02	34.28
PK	6.0126G	59.98	68.20	-8.22	7.24	3	Horizontal	6	1.76	-	52.74	32.37	9.18	34.31

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4926G	42.71	54.00	-11.29	18.58	3	Vertical	69	2.33	-	24.13	39.99	12.75	34.16
PK	11.49624G	56.36	74.00	-17.64	18.59	3	Vertical	69	2.33	-	37.77	39.99	12.76	34.16

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49072G	42.79	54.00	-11.21	18.57	3	Horizontal	225	2.20	-	24.22	39.98	12.75	34.16
PK	11.4868G	56.04	74.00	-17.96	18.56	3	Horizontal	225	2.20	-	37.48	39.97	12.75	34.16

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	107.74	Inf	-Inf	6.77	3	Vertical	8	1.64	-	100.97	32.00	9.06	34.29
PK	5.5594G	61.97	68.20	-6.23	6.17	3	Vertical	8	1.64	-	55.80	31.60	8.84	34.27
PK	5.7898G	118.90	Inf	-Inf	6.78	3	Vertical	8	1.64	-	112.12	32.00	9.07	34.29
PK	5.9878G	59.42	68.20	-8.78	7.23	3	Vertical	8	1.64	-	52.19	32.38	9.16	34.31

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	108.85	Inf	-Inf	6.78	3	Horizontal	4	1.75	-	102.07	32.00	9.07	34.29
PK	5.5498G	60.67	68.20	-7.53	6.17	3	Horizontal	4	1.75	-	54.50	31.60	8.83	34.26
PK	5.7826G	121.26	Inf	-Inf	6.77	3	Horizontal	4	1.75	-	114.49	32.00	9.06	34.29
PK	6.0298G	59.99	68.20	-8.21	7.22	3	Horizontal	4	1.75	-	52.77	32.34	9.19	34.31

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56036G	42.56	54.00	-11.44	18.54	3	Vertical	229	1.83	-	24.02	39.94	12.79	34.19
PK	11.5614G	55.72	74.00	-18.28	18.54	3	Vertical	229	1.83	-	37.18	39.94	12.79	34.19

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56272G	42.42	54.00	-11.58	18.54	3	Horizontal	90	1.99	-	23.88	39.94	12.79	34.19
PK	11.57552G	56.06	74.00	-17.94	18.52	3	Horizontal	90	1.99	-	37.54	39.92	12.80	34.20

802.11ax HEW20\_Nss2,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	107.46	Inf	-Inf	6.91	3	Vertical	8	1.50	-	100.55	32.11	9.09	34.29
PK	5.6078G	61.90	68.20	-6.30	6.26	3	Vertical	8	1.50	-	55.64	31.62	8.91	34.27
PK	5.8298G	121.10	Inf	-Inf	6.92	3	Vertical	8	1.50	-	114.18	32.12	9.09	34.29
PK	5.945G	59.01	68.20	-9.19	7.15	3	Vertical	8	1.50	-	51.86	32.30	9.15	34.30



802.11ax HEW20\_Nss2,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	108.85	Inf	-Inf	6.91	3	Horizontal	5	1.50	-	101.94	32.11	9.09	34.29
PK	5.5514G	61.39	68.20	-6.81	6.16	3	Horizontal	5	1.50	-	55.23	31.60	8.83	34.27
PK	5.8178G	121.30	Inf	-Inf	6.87	3	Horizontal	5	1.50	-	114.43	32.07	9.09	34.29
PK	5.9618G	60.58	68.20	-7.62	7.16	3	Horizontal	5	1.50	-	53.42	32.32	9.15	34.31

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64124G	41.82	54.00	-12.18	18.21	3	Vertical	101	1.56	-	23.61	39.61	12.83	34.23
PK	11.64684G	55.22	74.00	-18.78	18.17	3	Vertical	101	1.56	-	37.05	39.57	12.83	34.23

802.11ax HEW20\_Nss2,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64G	41.99	54.00	-12.01	18.22	3	Horizontal	136	1.68	-	23.77	39.62	12.83	34.23
PK	11.65848G	55.54	74.00	-18.46	18.09	3	Horizontal	136	1.68	-	37.45	39.49	12.84	34.24

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9992G	53.74	54.00	-0.26	5.46	3	Vertical	8	1.61	-	48.28	31.30	8.38	34.22
AV	5.1936G	105.10	Inf	-Inf	5.85	3	Vertical	8	1.61	-	99.25	31.53	8.56	34.24
AV	5.4396G	48.99	54.00	-5.01	5.95	3	Vertical	8	1.61	-	43.04	31.54	8.67	34.26
PK	5.148G	64.38	74.00	-9.62	5.99	3	Vertical	8	1.61	-	58.39	31.70	8.52	34.23
PK	5.2044G	115.76	Inf	-Inf	5.80	3	Vertical	8	1.61	-	109.96	31.47	8.57	34.24
PK	5.4888G	59.61	68.20	-8.59	6.16	3	Vertical	8	1.61	-	53.45	31.68	8.74	34.26

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.86	54.00	-0.14	5.99	3	Horizontal	6	1.65	-	47.87	31.70	8.52	34.23
AV	5.184G	105.76	Inf	-Inf	5.88	3	Horizontal	6	1.65	-	99.88	31.56	8.55	34.23
AV	5.4336G	48.19	54.00	-5.81	5.91	3	Horizontal	6	1.65	-	42.28	31.50	8.66	34.25
PK	5.15G	66.95	74.00	-7.05	5.99	3	Horizontal	6	1.65	-	60.96	31.70	8.52	34.23
PK	5.178G	116.45	Inf	-Inf	5.91	3	Horizontal	6	1.65	-	110.54	31.59	8.55	34.23
PK	5.466G	58.92	68.20	-9.28	6.08	3	Horizontal	6	1.65	-	52.84	31.63	8.71	34.26

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38544G	54.07	68.20	-14.13	16.99	3	Vertical	127	2.49	-	37.08	39.46	12.19	34.66

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.377366G	54.25	68.20	-13.95	16.96	3	Horizontal	285	1.11	-	37.29	39.43	12.19	34.66

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	52.89	54.00	-1.11	5.46	3	Vertical	8	1.67	-	47.43	31.30	8.38	34.22
AV	5.2348G	104.46	Inf	-Inf	5.63	3	Vertical	8	1.67	-	98.83	31.29	8.58	34.24
AV	5.4508G	48.69	54.00	-5.31	6.02	3	Vertical	8	1.67	-	42.67	31.60	8.68	34.26
PK	4.9996G	61.13	74.00	-12.87	5.46	3	Vertical	8	1.67	-	55.67	31.30	8.38	34.22
PK	5.23G	115.67	Inf	-Inf	5.66	3	Vertical	8	1.67	-	110.01	31.32	8.58	34.24
PK	5.506G	60.61	68.20	-7.59	6.19	3	Vertical	8	1.67	-	54.42	31.69	8.76	34.26



### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


#### 5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	49.09	54.00	-4.91	5.46	3	Horizontal	7	1.72	-	43.63	31.30	8.38	34.22
AV	5.2348G	105.44	Inf	-Inf	5.63	3	Horizontal	7	1.72	-	99.81	31.29	8.58	34.24
AV	5.362G	48.44	54.00	-5.56	5.42	3	Horizontal	7	1.72	-	43.02	31.07	8.60	34.25
PK	5.1256G	60.31	74.00	-13.69	5.97	3	Horizontal	7	1.72	-	54.34	31.70	8.50	34.23
PK	5.2144G	116.98	Inf	-Inf	5.74	3	Horizontal	7	1.72	-	111.24	31.41	8.57	34.24
PK	5.5216G	60.17	68.20	-8.03	6.19	3	Horizontal	7	1.72	-	53.98	31.66	8.79	34.26

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4492G	54.07	68.20	-14.13	17.22	3	Vertical	63	1.94	-	36.85	39.60	12.23	34.61

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46144G	54.85	68.20	-13.35	17.25	3	Horizontal	206	1.03	-	37.60	39.62	12.23	34.60

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.53	54.00	-0.47	5.46	3	Vertical	7	1.61	-	48.07	31.30	8.38	34.22
AV	5.2844G	104.34	Inf	-Inf	5.48	3	Vertical	7	1.61	-	98.86	31.13	8.59	34.24
AV	5.4488G	48.66	54.00	-5.34	6.01	3	Vertical	7	1.61	-	42.65	31.59	8.68	34.26
PK	5G	60.04	74.00	-13.96	5.46	3	Vertical	7	1.61	-	54.58	31.30	8.38	34.22
PK	5.2832G	115.37	Inf	-Inf	5.48	3	Vertical	7	1.61	-	109.89	31.13	8.59	34.24
PK	5.4056G	59.82	74.00	-14.18	5.70	3	Vertical	7	1.61	-	54.12	31.33	8.62	34.25

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	48.49	54.00	-5.51	5.98	3	Horizontal	6	1.73	-	42.51	31.70	8.51	34.23
AV	5.264G	105.27	Inf	-Inf	5.51	3	Horizontal	6	1.73	-	99.76	31.17	8.58	34.24
AV	5.3792G	48.46	54.00	-5.54	5.54	3	Horizontal	6	1.73	-	42.92	31.18	8.61	34.25
PK	5.0924G	60.82	74.00	-13.18	5.91	3	Horizontal	6	1.73	-	54.91	31.67	8.47	34.23
PK	5.2544G	116.25	Inf	-Inf	5.53	3	Horizontal	6	1.73	-	110.72	31.19	8.58	34.24
PK	5.396G	60.40	74.00	-13.60	5.64	3	Horizontal	6	1.73	-	54.76	31.28	8.61	34.25

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.55592G	54.52	68.20	-13.68	17.51	3	Vertical	182	1.96	-	37.01	39.76	12.28	34.53

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5332G	54.82	68.20	-13.38	17.46	3	Horizontal	150	1.16	-	37.36	39.73	12.27	34.54

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0508G	47.54	54.00	-6.46	5.71	3	Vertical	7	1.67	-	41.83	31.50	8.43	34.22
AV	5.3196G	103.68	Inf	-Inf	5.40	3	Vertical	7	1.67	-	98.28	31.06	8.59	34.25
AV	5.35G	53.47	54.00	-0.53	5.35	3	Vertical	7	1.67	-	48.12	31.00	8.60	34.25
PK	5.1336G	59.13	74.00	-14.87	5.98	3	Vertical	7	1.67	-	53.15	31.70	8.51	34.23
PK	5.2944G	114.82	Inf	-Inf	5.46	3	Vertical	7	1.67	-	109.36	31.11	8.59	34.24
PK	5.35G	64.11	74.00	-9.89	5.35	3	Vertical	7	1.67	-	58.76	31.00	8.60	34.25



### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	47.94	54.00	-6.06	5.98	3	Horizontal	8	1.70	-	41.96	31.70	8.51	34.23
AV	5.2992G	104.13	Inf	-Inf	5.45	3	Horizontal	8	1.70	-	98.68	31.10	8.59	34.24
AV	5.35G	53.80	54.00	-0.20	5.35	3	Horizontal	8	1.70	-	48.45	31.00	8.60	34.25
PK	5.1192G	59.91	74.00	-14.09	5.96	3	Horizontal	8	1.70	-	53.95	31.70	8.49	34.23
PK	5.3004G	116.13	Inf	-Inf	5.45	3	Horizontal	8	1.70	-	110.68	31.10	8.59	34.24
PK	5.35G	65.98	74.00	-8.02	5.35	3	Horizontal	8	1.70	-	60.63	31.00	8.60	34.25

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63032G	42.66	54.00	-11.34	17.68	3	Vertical	141	1.62	-	24.98	39.83	12.32	34.47
PK	10.6248G	54.96	74.00	-19.04	17.66	3	Vertical	141	1.62	-	37.30	39.82	12.32	34.48

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63224G	42.64	54.00	-11.36	17.68	3	Horizontal	190	2.43	-	24.96	39.83	12.32	34.47
PK	10.61304G	55.11	74.00	-18.89	17.64	3	Horizontal	190	2.43	-	37.47	39.81	12.31	34.48

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	50.27	54.00	-3.73	6.05	3	Vertical	2	1.74	-	44.22	31.62	8.69	34.26
AV	5.502G	104.53	Inf	-Inf	6.20	3	Vertical	2	1.74	-	98.33	31.70	8.76	34.26
PK	5.4672G	65.37	68.20	-2.83	6.08	3	Vertical	2	1.74	-	59.29	31.63	8.71	34.26
PK	5.502G	117.06	Inf	-Inf	6.20	3	Vertical	2	1.74	-	110.86	31.70	8.76	34.26

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	51.24	54.00	-2.76	6.06	3	Horizontal	8	1.50	-	45.18	31.62	8.70	34.26
AV	5.5144G	104.79	Inf	-Inf	6.19	3	Horizontal	8	1.50	-	98.60	31.67	8.78	34.26
PK	5.4696G	66.24	68.20	-1.96	6.09	3	Horizontal	8	1.50	-	60.15	31.64	8.71	34.26
PK	5.4948G	116.35	Inf	-Inf	6.18	3	Horizontal	8	1.50	-	110.17	31.69	8.75	34.26

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5510MHz\_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0184G	42.47	54.00	-11.53	18.46	3	Vertical	70	1.24	-	24.01	40.14	12.51	34.19
PK	11.03888G	55.52	74.00	-18.48	18.41	3	Vertical	70	1.24	-	37.11	40.08	12.52	34.19

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00336G	42.51	54.00	-11.49	18.51	3	Horizontal	38	1.15	-	24.00	40.19	12.51	34.19
PK	11.01624G	55.11	74.00	-18.89	18.47	3	Horizontal	38	1.15	-	36.64	40.15	12.51	34.19

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	48.10	54.00	-5.90	6.02	3	Vertical	7	1.65	-	42.08	31.60	8.68	34.26
AV	5.544G	105.17	Inf	-Inf	6.17	3	Vertical	7	1.65	-	99.00	31.61	8.82	34.26
PK	5.4692G	60.59	68.20	-7.61	6.09	3	Vertical	7	1.65	-	54.50	31.64	8.71	34.26
PK	5.5492G	116.41	Inf	-Inf	6.17	3	Vertical	7	1.65	-	110.24	31.60	8.83	34.26



### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.47	54.00	-5.53	6.05	3	Horizontal	6	1.68	-	42.42	31.62	8.69	34.26
AV	5.5536G	105.36	Inf	-Inf	6.16	3	Horizontal	6	1.68	-	99.20	31.60	8.83	34.27
PK	5.4696G	60.22	68.20	-7.98	6.09	3	Horizontal	6	1.68	-	54.13	31.64	8.71	34.26
PK	5.5584G	116.61	Inf	-Inf	6.17	3	Horizontal	6	1.68	-	110.44	31.60	8.84	34.27

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0908G	42.17	54.00	-11.83	18.30	3	Vertical	255	1.11	-	23.87	39.93	12.55	34.18
PK	11.11736G	56.14	74.00	-17.86	18.25	3	Vertical	255	1.11	-	37.89	39.87	12.56	34.18

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11192G	42.29	54.00	-11.71	18.26	3	Horizontal	107	1.54	-	24.03	39.88	12.56	34.18
PK	11.11984G	54.76	74.00	-19.24	18.25	3	Horizontal	107	1.54	-	36.51	39.86	12.57	34.18

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6748G	104.74	Inf	-Inf	6.44	3	Vertical	8	1.56	-	98.30	31.75	8.97	34.28
PK	5.655G	116.77	Inf	-Inf	6.38	3	Vertical	8	1.56	-	110.39	31.71	8.95	34.28
PK	5.7372G	61.27	68.20	-6.93	6.69	3	Vertical	8	1.56	-	54.58	31.95	9.02	34.28

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6742G	105.29	Inf	-Inf	6.44	3	Horizontal	8	1.50	-	98.85	31.75	8.97	34.28
PK	5.655G	116.93	Inf	-Inf	6.38	3	Horizontal	8	1.50	-	110.55	31.71	8.95	34.28
PK	5.7294G	61.61	68.20	-6.59	6.66	3	Horizontal	8	1.50	-	54.95	31.92	9.02	34.28

802.11ax HEW40\_Nss2,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35424G	42.54	54.00	-11.46	18.26	3	Vertical	184	1.26	-	24.28	39.75	12.68	34.17
PK	11.32336G	54.92	74.00	-19.08	18.22	3	Vertical	184	1.26	-	36.70	39.72	12.67	34.17


### 802.11ax HEW40\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3504G	42.52	54.00	-11.48	18.26	3	Horizontal	121	2.42	-	24.26	39.75	12.68	34.17
PK	11.35088G	54.70	74.00	-19.30	18.26	3	Horizontal	121	2.42	-	36.44	39.75	12.68	34.17


**802.11ax HEW40\_Nss2,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.94	54.00	-6.06	6.05	3	Vertical	3	1.61	-	41.89	31.62	8.69	34.26
AV	5.6932G	104.25	Inf	-Inf	6.49	3	Vertical	3	1.61	-	97.76	31.79	8.98	34.28
PK	5.4664G	58.54	68.20	-9.66	6.08	3	Vertical	3	1.61	-	52.46	31.63	8.71	34.26
PK	5.7028G	116.88	Inf	-Inf	6.52	3	Vertical	3	1.61	-	110.36	31.81	8.99	34.28
PK	5.8672G	59.41	68.20	-8.79	7.04	3	Vertical	3	1.61	-	52.37	32.23	9.11	34.30




**802.11ax HEW40\_Nss2,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	47.72	54.00	-6.28	6.04	3	Horizontal	6	1.50	-	41.68	31.61	8.69	34.26
AV	5.7136G	105.04	Inf	-Inf	6.57	3	Horizontal	6	1.50	-	98.47	31.85	9.00	34.28
PK	5.4664G	58.95	68.20	-9.25	6.08	3	Horizontal	6	1.50	-	52.87	31.63	8.71	34.26
PK	5.7232G	115.87	Inf	-Inf	6.62	3	Horizontal	6	1.50	-	109.25	31.89	9.01	34.28
PK	5.8816G	59.83	68.20	-8.37	7.08	3	Horizontal	6	1.50	-	52.75	32.26	9.12	34.30

**802.11ax HEW40\_Nss2,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43368G	42.54	54.00	-11.46	18.43	3	Vertical	214	1.27	-	24.11	39.87	12.72	34.16
PK	11.43648G	54.76	74.00	-19.24	18.44	3	Vertical	214	1.27	-	36.32	39.87	12.73	34.16


**802.11ax HEW40\_Nss2,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42808G	42.57	54.00	-11.43	18.42	3	Horizontal	148	1.14	-	24.15	39.86	12.72	34.16
PK	11.406G	55.21	74.00	-18.79	18.35	3	Horizontal	148	1.14	-	36.86	39.81	12.71	34.17

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


#### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7382G	104.55	Inf	-Inf	6.69	3	Vertical	3	1.50	-	97.86	31.95	9.02	34.28
PK	5.6374G	61.86	68.20	-6.34	6.33	3	Vertical	3	1.50	-	55.53	31.67	8.93	34.27
PK	5.7478G	116.27	Inf	-Inf	6.74	3	Vertical	3	1.50	-	109.53	31.99	9.03	34.28
PK	6.0046G	58.50	68.20	-9.70	7.25	3	Vertical	3	1.50	-	51.25	32.39	9.17	34.31

### 802.11ax HEW40\_Nss2,(MCS0)\_4TX


#### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	105.36	Inf	-Inf	6.75	3	Horizontal	6	1.67	-	98.61	32.00	9.04	34.29
PK	5.6398G	60.86	68.20	-7.34	6.35	3	Horizontal	6	1.67	-	54.51	31.68	8.94	34.27
PK	5.7394G	117.20	Inf	-Inf	6.71	3	Horizontal	6	1.67	-	110.49	31.96	9.03	34.28
PK	5.9278G	58.92	68.20	-9.28	7.14	3	Horizontal	6	1.67	-	51.78	32.30	9.14	34.30

802.11ax HEW40\_Nss2,(MCS0)\_4TX

5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4988G	43.18	54.00	-10.82	18.60	3	Vertical	196	2.44	-	24.58	40.00	12.76	34.16
PK	11.52544G	55.21	74.00	-18.79	18.57	3	Vertical	196	2.44	-	36.64	39.97	12.77	34.17