


802.11ax HEW40_Nss2,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.5168G | 42.88 | 54.00 | -11.12 | 18.58 | 3 | Horizontal | 192 | 1.18 | - | 24.30 | 39.98 | 12.77 | 34.17 |
| PK | 11.51192G | 54.82 | 74.00 | -19.18 | 18.58 | 3 | Horizontal | 192 | 1.18 | - | 36.24 | 39.99 | 12.76 | 34.17 |

802.11ax HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.789G | 104.26 | Inf | -Inf | 6.78 | 3 | Vertical | 6 | 1.50 | - | 97.48 | 32.00 | 9.07 | 34.29 |
| PK | 5.5514G | 61.10 | 68.20 | -7.10 | 6.16 | 3 | Vertical | 6 | 1.50 | - | 54.94 | 31.60 | 8.83 | 34.27 |
| PK | 5.7842G | 115.25 | Inf | -Inf | 6.78 | 3 | Vertical | 6 | 1.50 | - | 108.47 | 32.00 | 9.07 | 34.29 |
| PK | 6.0158G | 58.50 | 68.20 | -9.70 | 7.24 | 3 | Vertical | 6 | 1.50 | - | 51.26 | 32.37 | 9.18 | 34.31 |

802.11ax HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.789G | 105.13 | Inf | -Inf | 6.78 | 3 | Horizontal | 4 | 1.82 | - | 98.35 | 32.00 | 9.07 | 34.29 |
| PK | 5.615G | 60.34 | 68.20 | -7.86 | 6.27 | 3 | Horizontal | 4 | 1.82 | - | 54.07 | 31.63 | 8.91 | 34.27 |
| PK | 5.789G | 115.72 | Inf | -Inf | 6.78 | 3 | Horizontal | 4 | 1.82 | - | 108.94 | 32.00 | 9.07 | 34.29 |
| PK | 5.951G | 59.56 | 68.20 | -8.64 | 7.14 | 3 | Horizontal | 4 | 1.82 | - | 52.42 | 32.30 | 9.15 | 34.31 |

802.11ax HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.57768G | 42.57 | 54.00 | -11.43 | 18.52 | 3 | Vertical | 213 | 1.35 | - | 24.05 | 39.92 | 12.80 | 34.20 |
| PK | 11.60896G | 54.98 | 74.00 | -19.02 | 18.44 | 3 | Vertical | 213 | 1.35 | - | 36.54 | 39.84 | 12.81 | 34.21 |

802.11ax HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.57744G | 42.88 | 54.00 | -11.12 | 18.52 | 3 | Horizontal | 198 | 1.78 | - | 24.36 | 39.92 | 12.80 | 34.20 |
| PK | 11.57984G | 55.27 | 74.00 | -18.73 | 18.52 | 3 | Horizontal | 198 | 1.78 | - | 36.75 | 39.92 | 12.80 | 34.20 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5G | 52.68 | 54.00 | -1.32 | 5.46 | 3 | Vertical | 7 | 1.61 | - | 47.22 | 31.30 | 8.38 | 34.22 |
| AV | 5.1992G | 101.47 | Inf | -Inf | 5.83 | 3 | Vertical | 7 | 1.61 | - | 95.64 | 31.50 | 8.57 | 34.24 |
| AV | 5.35G | 49.65 | 54.00 | -4.35 | 5.35 | 3 | Vertical | 7 | 1.61 | - | 44.30 | 31.00 | 8.60 | 34.25 |
| PK | 5.1452G | 63.73 | 74.00 | -10.27 | 5.99 | 3 | Vertical | 7 | 1.61 | - | 57.74 | 31.70 | 8.52 | 34.23 |
| PK | 5.2352G | 112.86 | Inf | -Inf | 5.63 | 3 | Vertical | 7 | 1.61 | - | 107.23 | 31.29 | 8.58 | 34.24 |
| PK | 5.5052G | 60.15 | 68.20 | -8.05 | 6.19 | 3 | Vertical | 7 | 1.61 | - | 53.96 | 31.69 | 8.76 | 34.26 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.60 | 54.00 | -0.40 | 5.99 | 3 | Horizontal | 8 | 1.72 | - | 47.61 | 31.70 | 8.52 | 34.23 |
| AV | 5.1992G | 101.81 | Inf | -Inf | 5.83 | 3 | Horizontal | 8 | 1.72 | - | 95.98 | 31.50 | 8.57 | 34.24 |
| AV | 5.36G | 48.85 | 54.00 | -5.15 | 5.41 | 3 | Horizontal | 8 | 1.72 | - | 43.44 | 31.06 | 8.60 | 34.25 |
| PK | 5.1452G | 65.18 | 74.00 | -8.82 | 5.99 | 3 | Horizontal | 8 | 1.72 | - | 59.19 | 31.70 | 8.52 | 34.23 |
| PK | 5.2004G | 114.05 | Inf | -Inf | 5.83 | 3 | Horizontal | 8 | 1.72 | - | 108.22 | 31.50 | 8.57 | 34.24 |
| PK | 5.3528G | 61.03 | 74.00 | -12.97 | 5.37 | 3 | Horizontal | 8 | 1.72 | - | 55.66 | 31.02 | 8.60 | 34.25 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.45664G | 54.29 | 68.20 | -13.91 | 17.24 | 3 | Vertical | 177 | 2.40 | - | 37.05 | 39.61 | 12.23 | 34.60 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.43952G | 53.97 | 68.20 | -14.23 | 17.18 | 3 | Horizontal | 215 | 1.92 | - | 36.79 | 39.58 | 12.22 | 34.62 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 4.9996G | 52.52 | 54.00 | -1.48 | 5.46 | 3 | Vertical | 8 | 1.50 | - | 47.06 | 31.30 | 8.38 | 34.22 |
| AV | 5.2996G | 101.29 | Inf | -Inf | 5.45 | 3 | Vertical | 8 | 1.50 | - | 95.84 | 31.10 | 8.59 | 34.24 |
| AV | 5.35G | 52.35 | 54.00 | -1.65 | 5.35 | 3 | Vertical | 8 | 1.50 | - | 47.00 | 31.00 | 8.60 | 34.25 |
| PK | 4.9996G | 59.81 | 74.00 | -14.19 | 5.46 | 3 | Vertical | 8 | 1.50 | - | 54.35 | 31.30 | 8.38 | 34.22 |
| PK | 5.2804G | 112.56 | Inf | -Inf | 5.49 | 3 | Vertical | 8 | 1.50 | - | 107.07 | 31.14 | 8.59 | 34.24 |
| PK | 5.3536G | 63.84 | 74.00 | -10.16 | 5.37 | 3 | Vertical | 8 | 1.50 | - | 58.47 | 31.02 | 8.60 | 34.25 |

802.11ax HEW80_Nss2,(MCS0)_4TX

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1448G | 48.84 | 54.00 | -5.16 | 5.99 | 3 | Horizontal | 6 | 1.61 | - | 42.85 | 31.70 | 8.52 | 34.23 |
| AV | 5.2984G | 101.66 | Inf | -Inf | 5.45 | 3 | Horizontal | 6 | 1.61 | - | 96.21 | 31.10 | 8.59 | 34.24 |
| AV | 5.3548G | 53.66 | 54.00 | -0.34 | 5.38 | 3 | Horizontal | 6 | 1.61 | - | 48.28 | 31.03 | 8.60 | 34.25 |
| PK | 5.1484G | 60.19 | 74.00 | -13.81 | 5.99 | 3 | Horizontal | 6 | 1.61 | - | 54.20 | 31.70 | 8.52 | 34.23 |
| PK | 5.2888G | 113.66 | Inf | -Inf | 5.47 | 3 | Horizontal | 6 | 1.61 | - | 108.19 | 31.12 | 8.59 | 34.24 |
| PK | 5.3536G | 65.09 | 74.00 | -8.91 | 5.37 | 3 | Horizontal | 6 | 1.61 | - | 59.72 | 31.02 | 8.60 | 34.25 |



802.11ax HEW80_Nss2,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.61904G | 42.43 | 54.00 | -11.57 | 17.65 | 3 | Vertical | 140 | 1.98 | - | 24.78 | 39.82 | 12.31 | 34.48 |
| PK | 10.6008G | 54.58 | 74.00 | -19.42 | 17.61 | 3 | Vertical | 140 | 1.98 | - | 36.97 | 39.80 | 12.30 | 34.49 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.60448G | 42.63 | 54.00 | -11.37 | 17.62 | 3 | Horizontal | 180 | 1.69 | - | 25.01 | 39.80 | 12.31 | 34.49 |
| PK | 10.61664G | 54.44 | 74.00 | -19.56 | 17.65 | 3 | Horizontal | 180 | 1.69 | - | 36.79 | 39.82 | 12.31 | 34.48 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.458G | 52.15 | 54.00 | -1.85 | 6.05 | 3 | Vertical | 4 | 1.67 | - | 46.10 | 31.62 | 8.69 | 34.26 |
| AV | 5.543G | 102.03 | Inf | -Inf | 6.17 | 3 | Vertical | 4 | 1.67 | - | 95.86 | 31.61 | 8.82 | 34.26 |
| PK | 5.466G | 66.57 | 68.20 | -1.63 | 6.08 | 3 | Vertical | 4 | 1.67 | - | 60.49 | 31.63 | 8.71 | 34.26 |
| PK | 5.543G | 113.85 | Inf | -Inf | 6.17 | 3 | Vertical | 4 | 1.67 | - | 107.68 | 31.61 | 8.82 | 34.26 |
| PK | 5.774G | 58.92 | 68.20 | -9.28 | 6.77 | 3 | Vertical | 4 | 1.67 | - | 52.15 | 32.00 | 9.06 | 34.29 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.458G | 52.12 | 54.00 | -1.88 | 6.05 | 3 | Horizontal | 5 | 1.50 | - | 46.07 | 31.62 | 8.69 | 34.26 |
| AV | 5.543G | 102.38 | Inf | -Inf | 6.17 | 3 | Horizontal | 5 | 1.50 | - | 96.21 | 31.61 | 8.82 | 34.26 |
| PK | 5.468G | 64.53 | 68.20 | -3.67 | 6.09 | 3 | Horizontal | 5 | 1.50 | - | 58.44 | 31.64 | 8.71 | 34.26 |
| PK | 5.543G | 114.04 | Inf | -Inf | 6.17 | 3 | Horizontal | 5 | 1.50 | - | 107.87 | 31.61 | 8.82 | 34.26 |
| PK | 5.734G | 59.96 | 68.20 | -8.24 | 6.68 | 3 | Horizontal | 5 | 1.50 | - | 53.28 | 31.94 | 9.02 | 34.28 |

802.11ax HEW80_Nss2,(MCS0)_4TX

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.03648G | 42.44 | 54.00 | -11.56 | 18.42 | 3 | Vertical | 131 | 1.11 | - | 24.02 | 40.09 | 12.52 | 34.19 |
| PK | 11.06672G | 54.34 | 74.00 | -19.66 | 18.35 | 3 | Vertical | 131 | 1.11 | - | 35.99 | 40.00 | 12.54 | 34.19 |



802.11ax HEW80_Nss2,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.02448G | 42.42 | 54.00 | -11.58 | 18.46 | 3 | Horizontal | 161 | 2.34 | - | 23.96 | 40.13 | 12.52 | 34.19 |
| PK | 11.02656G | 54.87 | 74.00 | -19.13 | 18.45 | 3 | Horizontal | 161 | 2.34 | - | 36.42 | 40.12 | 12.52 | 34.19 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.456G | 48.77 | 54.00 | -5.23 | 6.04 | 3 | Vertical | 4 | 1.72 | - | 42.73 | 31.61 | 8.69 | 34.26 |
| AV | 5.623G | 102.15 | Inf | -Inf | 6.30 | 3 | Vertical | 4 | 1.72 | - | 95.85 | 31.65 | 8.92 | 34.27 |
| PK | 5.468G | 60.11 | 68.20 | -8.09 | 6.09 | 3 | Vertical | 4 | 1.72 | - | 54.02 | 31.64 | 8.71 | 34.26 |
| PK | 5.624G | 113.58 | Inf | -Inf | 6.30 | 3 | Vertical | 4 | 1.72 | - | 107.28 | 31.65 | 8.92 | 34.27 |
| PK | 5.75G | 59.40 | 68.20 | -8.80 | 6.76 | 3 | Vertical | 4 | 1.72 | - | 52.64 | 32.00 | 9.04 | 34.28 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.456G | 48.84 | 54.00 | -5.16 | 6.04 | 3 | Horizontal | 5 | 1.74 | - | 42.80 | 31.61 | 8.69 | 34.26 |
| AV | 5.623G | 102.73 | Inf | -Inf | 6.30 | 3 | Horizontal | 5 | 1.74 | - | 96.43 | 31.65 | 8.92 | 34.27 |
| PK | 5.463G | 61.98 | 68.20 | -6.22 | 6.07 | 3 | Horizontal | 5 | 1.74 | - | 55.91 | 31.63 | 8.70 | 34.26 |
| PK | 5.623G | 114.59 | Inf | -Inf | 6.30 | 3 | Horizontal | 5 | 1.74 | - | 108.29 | 31.65 | 8.92 | 34.27 |
| PK | 5.732G | 61.08 | 68.20 | -7.12 | 6.67 | 3 | Horizontal | 5 | 1.74 | - | 54.41 | 31.93 | 9.02 | 34.28 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.22032G | 42.70 | 54.00 | -11.30 | 18.14 | 3 | Vertical | 128 | 1.43 | - | 24.56 | 39.70 | 12.62 | 34.18 |
| PK | 11.1904G | 55.08 | 74.00 | -18.92 | 18.14 | 3 | Vertical | 128 | 1.43 | - | 36.94 | 39.72 | 12.60 | 34.18 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.1992G | 42.71 | 54.00 | -11.29 | 18.13 | 3 | Horizontal | 83 | 1.22 | - | 24.58 | 39.70 | 12.61 | 34.18 |
| PK | 11.1896G | 54.78 | 74.00 | -19.22 | 18.14 | 3 | Horizontal | 83 | 1.22 | - | 36.64 | 39.72 | 12.60 | 34.18 |




802.11ax HEW80_Nss2,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.45G | 47.49 | 54.00 | -6.51 | 6.02 | 3 | Vertical | 4 | 1.50 | - | 41.47 | 31.60 | 8.68 | 34.26 |
| AV | 5.6828G | 101.91 | Inf | -Inf | 6.46 | 3 | Vertical | 4 | 1.50 | - | 95.45 | 31.77 | 8.97 | 34.28 |
| PK | 5.4656G | 59.80 | 68.20 | -8.40 | 6.08 | 3 | Vertical | 4 | 1.50 | - | 53.72 | 31.63 | 8.71 | 34.26 |
| PK | 5.6828G | 113.04 | Inf | -Inf | 6.46 | 3 | Vertical | 4 | 1.50 | - | 106.58 | 31.77 | 8.97 | 34.28 |
| PK | 5.9G | 59.16 | 68.20 | -9.04 | 7.12 | 3 | Vertical | 4 | 1.50 | - | 52.04 | 32.30 | 9.12 | 34.30 |




802.11ax HEW80_Nss2,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4356G | 47.84 | 54.00 | -6.16 | 5.92 | 3 | Horizontal | 5 | 1.67 | - | 41.92 | 31.51 | 8.66 | 34.25 |
| AV | 5.684G | 102.84 | Inf | -Inf | 6.47 | 3 | Horizontal | 5 | 1.67 | - | 96.37 | 31.77 | 8.98 | 34.28 |
| PK | 5.462G | 59.49 | 68.20 | -8.71 | 6.06 | 3 | Horizontal | 5 | 1.67 | - | 53.43 | 31.62 | 8.70 | 34.26 |
| PK | 5.6684G | 114.30 | Inf | -Inf | 6.42 | 3 | Horizontal | 5 | 1.67 | - | 107.88 | 31.74 | 8.96 | 34.28 |
| PK | 5.9336G | 60.48 | 68.20 | -7.72 | 7.14 | 3 | Horizontal | 5 | 1.67 | - | 53.34 | 32.30 | 9.14 | 34.30 |


802.11ax HEW80_Nss2,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.39936G | 42.34 | 54.00 | -11.66 | 18.34 | 3 | Vertical | 106 | 1.61 | - | 24.00 | 39.80 | 12.71 | 34.17 |
| PK | 11.35984G | 54.34 | 74.00 | -19.66 | 18.28 | 3 | Vertical | 106 | 1.61 | - | 36.06 | 39.76 | 12.69 | 34.17 |




802.11ax HEW80_Nss2,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.392G | 42.49 | 54.00 | -11.51 | 18.32 | 3 | Horizontal | 223 | 2.17 | - | 24.17 | 39.79 | 12.70 | 34.17 |
| PK | 11.3504G | 54.92 | 74.00 | -19.08 | 18.26 | 3 | Horizontal | 223 | 2.17 | - | 36.66 | 39.75 | 12.68 | 34.17 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7642G | 101.43 | Inf | -Inf | 6.76 | 3 | Vertical | 6 | 1.74 | - | 94.67 | 32.00 | 9.05 | 34.29 |
| PK | 5.6238G | 62.88 | 68.20 | -5.32 | 6.30 | 3 | Vertical | 6 | 1.74 | - | 56.58 | 31.65 | 8.92 | 34.27 |
| PK | 5.7738G | 113.23 | Inf | -Inf | 6.77 | 3 | Vertical | 6 | 1.74 | - | 106.46 | 32.00 | 9.06 | 34.29 |
| PK | 5.9262G | 58.97 | 68.20 | -9.23 | 7.14 | 3 | Vertical | 6 | 1.74 | - | 51.83 | 32.30 | 9.14 | 34.30 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7882G | 102.56 | Inf | -Inf | 6.78 | 3 | Horizontal | 4 | 1.70 | - | 95.78 | 32.00 | 9.07 | 34.29 |
| PK | 5.631G | 61.69 | 68.20 | -6.51 | 6.32 | 3 | Horizontal | 4 | 1.70 | - | 55.37 | 31.66 | 8.93 | 34.27 |
| PK | 5.7738G | 114.30 | Inf | -Inf | 6.77 | 3 | Horizontal | 4 | 1.70 | - | 107.53 | 32.00 | 9.06 | 34.29 |
| PK | 5.9274G | 61.06 | 68.20 | -7.14 | 7.14 | 3 | Horizontal | 4 | 1.70 | - | 53.92 | 32.30 | 9.14 | 34.30 |

802.11ax HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.51672G | 42.78 | 54.00 | -11.22 | 18.58 | 3 | Vertical | 280 | 2.32 | - | 24.20 | 39.98 | 12.77 | 34.17 |
| PK | 11.54568G | 54.87 | 74.00 | -19.13 | 18.55 | 3 | Vertical | 280 | 2.32 | - | 36.32 | 39.95 | 12.78 | 34.18 |

802.11ax HEW80_Nss2,(MCS0)_4TX

5775MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.5188G | 43.04 | 54.00 | -10.96 | 18.58 | 3 | Horizontal | 73 | 1.17 | - | 24.46 | 39.98 | 12.77 | 34.17 |
| PK | 11.5172G | 55.12 | 74.00 | -18.88 | 18.58 | 3 | Horizontal | 73 | 1.17 | - | 36.54 | 39.98 | 12.77 | 34.17 |



802.11ax HEW160_Nss2,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.001G | 53.63 | 54.00 | -0.37 | 5.46 | 3 | Vertical | 9 | 1.50 | - | 48.17 | 31.30 | 8.38 | 34.22 |
| AV | 5.274G | 96.63 | Inf | -Inf | 5.49 | 3 | Vertical | 9 | 1.50 | - | 91.14 | 31.15 | 8.58 | 34.24 |
| AV | 5.382G | 53.52 | 54.00 | -0.48 | 5.55 | 3 | Vertical | 9 | 1.50 | - | 47.97 | 31.19 | 8.61 | 34.25 |
| PK | 5.079G | 59.77 | 74.00 | -14.23 | 5.85 | 3 | Vertical | 9 | 1.50 | - | 53.92 | 31.62 | 8.46 | 34.23 |
| PK | 5.238G | 108.03 | Inf | -Inf | 5.61 | 3 | Vertical | 9 | 1.50 | - | 102.42 | 31.27 | 8.58 | 34.24 |
| PK | 5.382G | 63.45 | 74.00 | -10.55 | 5.55 | 3 | Vertical | 9 | 1.50 | - | 57.90 | 31.19 | 8.61 | 34.25 |

802.11ax HEW160_Nss2,(MCS0)_4TX

5250MHz Straddle 5.15-5.35GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.139G | 52.65 | 54.00 | -1.35 | 5.98 | 3 | Horizontal | 7 | 1.74 | - | 46.67 | 31.70 | 8.51 | 34.23 |
| AV | 5.256G | 97.51 | Inf | -Inf | 5.53 | 3 | Horizontal | 7 | 1.74 | - | 91.98 | 31.19 | 8.58 | 34.24 |
| AV | 5.379G | 52.05 | 54.00 | -1.95 | 5.53 | 3 | Horizontal | 7 | 1.74 | - | 46.52 | 31.17 | 8.61 | 34.25 |
| PK | 5.136G | 60.70 | 74.00 | -13.30 | 5.98 | 3 | Horizontal | 7 | 1.74 | - | 54.72 | 31.70 | 8.51 | 34.23 |
| PK | 5.253G | 109.26 | Inf | -Inf | 5.53 | 3 | Horizontal | 7 | 1.74 | - | 103.73 | 31.19 | 8.58 | 34.24 |
| PK | 5.358G | 61.55 | 74.00 | -12.45 | 5.40 | 3 | Horizontal | 7 | 1.74 | - | 56.15 | 31.05 | 8.60 | 34.25 |



802.11ax HEW160_Nss2,(MCS0)_4TX

5250MHz Straddle 5.15-5.35GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.55504G | 54.77 | 68.20 | -13.43 | 17.51 | 3 | Vertical | 174 | 2.39 | - | 37.26 | 39.76 | 12.28 | 34.53 |



802.11ax HEW160_Nss2,(MCS0)_4TX

5250MHz Straddle 5.15-5.35GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.50736G | 54.56 | 68.20 | -13.64 | 17.41 | 3 | Horizontal | 8 | 1.89 | - | 37.15 | 39.71 | 12.26 | 34.56 |



802.11ax HEW160_Nss2,(MCS0)_4TX


5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.456G | 53.03 | 54.00 | -0.97 | 6.04 | 3 | Vertical | 4 | 1.50 | - | 46.99 | 31.61 | 8.69 | 34.26 |
| AV | 5.582G | 99.87 | Inf | -Inf | 6.20 | 3 | Vertical | 4 | 1.50 | - | 93.67 | 31.60 | 8.87 | 34.27 |
| PK | 5.462G | 62.46 | 68.20 | -5.74 | 6.06 | 3 | Vertical | 4 | 1.50 | - | 56.40 | 31.62 | 8.70 | 34.26 |
| PK | 5.552G | 111.67 | Inf | -Inf | 6.16 | 3 | Vertical | 4 | 1.50 | - | 105.51 | 31.60 | 8.83 | 34.27 |
| PK | 5.738G | 62.64 | 68.20 | -5.56 | 6.69 | 3 | Vertical | 4 | 1.50 | - | 55.95 | 31.95 | 9.02 | 34.28 |

802.11ax HEW160_Nss2,(MCS0)_4TX


5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.459G | 52.82 | 54.00 | -1.18 | 6.06 | 3 | Horizontal | 6 | 1.78 | - | 46.76 | 31.62 | 8.70 | 34.26 |
| AV | 5.558G | 100.06 | Inf | -Inf | 6.17 | 3 | Horizontal | 6 | 1.78 | - | 93.89 | 31.60 | 8.84 | 34.27 |
| PK | 5.462G | 62.81 | 68.20 | -5.39 | 6.06 | 3 | Horizontal | 6 | 1.78 | - | 56.75 | 31.62 | 8.70 | 34.26 |
| PK | 5.573G | 111.46 | Inf | -Inf | 6.19 | 3 | Horizontal | 6 | 1.78 | - | 105.27 | 31.60 | 8.86 | 34.27 |
| PK | 5.75G | 62.94 | 68.20 | -5.26 | 6.76 | 3 | Horizontal | 6 | 1.78 | - | 56.18 | 32.00 | 9.04 | 34.28 |

802.11ax HEW160_Nss2,(MCS0)_4TX


5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.1576G | 44.54 | 54.00 | -9.46 | 18.18 | 3 | Vertical | 185 | 1.40 | - | 26.36 | 39.78 | 12.58 | 34.18 |
| PK | 11.16496G | 55.62 | 74.00 | -18.38 | 18.18 | 3 | Vertical | 185 | 1.40 | - | 37.44 | 39.77 | 12.59 | 34.18 |

802.11ax HEW160_Nss2,(MCS0)_4TX

5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.08176G | 44.42 | 54.00 | -9.58 | 18.31 | 3 | Horizontal | 235 | 2.17 | - | 26.11 | 39.95 | 12.55 | 34.19 |
| PK | 11.17936G | 55.39 | 74.00 | -18.61 | 18.16 | 3 | Horizontal | 235 | 2.17 | - | 37.23 | 39.74 | 12.60 | 34.18 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5.15-5.25GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss4,(MCS0)_4TX | Pass | AV | 5G | 53.51 | 54.00 | -0.49 | 3 | Vertical | 4 | 1.71 | - |
| 802.11ax HEW40_Nss4,(MCS0)_4TX | Pass | AV | 5.15G | 53.61 | 54.00 | -0.39 | 3 | Horizontal | 6 | 1.76 | - |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | Pass | AV | 5G | 53.91 | 54.00 | -0.09 | 3 | Vertical | 8 | 1.67 | - |
| 5.25-5.35GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss4,(MCS0)_4TX | Pass | AV | 5G | 53.56 | 54.00 | -0.44 | 3 | Vertical | 7 | 1.64 | - |
| 802.11ax HEW40_Nss4,(MCS0)_4TX | Pass | AV | 5.3532G | 53.79 | 54.00 | -0.21 | 3 | Horizontal | 7 | 1.76 | - |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | Pass | AV | 4.9996G | 53.76 | 54.00 | -0.24 | 3 | Vertical | 4 | 1.56 | - |
| 5.47-5.725GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss4,(MCS0)_4TX | Pass | PK | 5.7252G | 64.84 | 68.20 | -3.36 | 3 | Vertical | 4 | 1.75 | - |
| 802.11ax HEW40_Nss4,(MCS0)_4TX | Pass | AV | 5.458G | 50.97 | 54.00 | -3.03 | 3 | Horizontal | 7 | 1.65 | - |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | Pass | AV | 5.46G | 52.25 | 54.00 | -1.75 | 3 | Vertical | 6 | 1.50 | - |
| 802.11ax HEW160_Nss4,(MCS0)_4TX | Pass | AV | 5.438G | 53.52 | 54.00 | -0.48 | 3 | Vertical | 4 | 1.69 | - |
| 5.725-5.85GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss4,(MCS0)_4TX | Pass | PK | 5.6138G | 62.08 | 68.20 | -6.12 | 3 | Vertical | 3 | 1.66 | - |
| 802.11ax HEW40_Nss4,(MCS0)_4TX | Pass | PK | 5.5646G | 61.91 | 68.20 | -6.29 | 3 | Vertical | 4 | 1.49 | - |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | Pass | PK | 5.6418G | 62.99 | 68.20 | -5.21 | 3 | Vertical | 4 | 1.50 | - |
| 5.15-5.35GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW160_Nss4,(MCS0)_4TX | Pass | AV | 5.382G | 53.29 | 54.00 | -0.71 | 3 | Vertical | 5 | 1.50 | - |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11ax HEW20_Nss4,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5180MHz | Pass | AV | 5G | 53.51 | 54.00 | -0.49 | 3 | Vertical | 4 | 1.71 | - |
| 5180MHz | Pass | AV | 5.1824G | 104.77 | Inf | -Inf | 3 | Vertical | 4 | 1.71 | - |
| 5180MHz | Pass | AV | 5.4044G | 48.14 | 54.00 | -5.86 | 3 | Vertical | 4 | 1.71 | - |
| 5180MHz | Pass | PK | 5G | 60.58 | 74.00 | -13.42 | 3 | Vertical | 4 | 1.71 | - |
| 5180MHz | Pass | PK | 5.1824G | 117.23 | Inf | -Inf | 3 | Vertical | 4 | 1.71 | - |
| 5180MHz | Pass | PK | 5.4608G | 59.02 | 68.20 | -9.18 | 3 | Vertical | 4 | 1.71 | - |
| 5180MHz | Pass | AV | 5.1488G | 49.64 | 54.00 | -4.36 | 3 | Horizontal | 6 | 1.68 | - |
| 5180MHz | Pass | AV | 5.1788G | 106.00 | Inf | -Inf | 3 | Horizontal | 6 | 1.68 | - |
| 5180MHz | Pass | AV | 5.456G | 47.70 | 54.00 | -6.30 | 3 | Horizontal | 6 | 1.68 | - |
| 5180MHz | Pass | PK | 5.1488G | 60.20 | 74.00 | -13.80 | 3 | Horizontal | 6 | 1.68 | - |
| 5180MHz | Pass | PK | 5.1788G | 117.72 | Inf | -Inf | 3 | Horizontal | 6 | 1.68 | - |
| 5180MHz | Pass | PK | 5.4644G | 58.30 | 68.20 | -9.90 | 3 | Horizontal | 6 | 1.68 | - |
| 5180MHz | Pass | PK | 10.358G | 54.33 | 68.20 | -13.87 | 3 | Vertical | 200 | 2.39 | - |
| 5180MHz | Pass | PK | 10.35916G | 54.56 | 68.20 | -13.64 | 3 | Horizontal | 174 | 2.46 | - |
| 5200MHz | Pass | AV | 4.9996G | 52.61 | 54.00 | -1.39 | 3 | Vertical | 4 | 1.70 | - |
| 5200MHz | Pass | AV | 5.1976G | 104.39 | Inf | -Inf | 3 | Vertical | 4 | 1.70 | - |
| 5200MHz | Pass | AV | 5.3764G | 47.59 | 54.00 | -6.41 | 3 | Vertical | 4 | 1.70 | - |
| 5200MHz | Pass | PK | 4.9996G | 60.04 | 74.00 | -13.96 | 3 | Vertical | 4 | 1.70 | - |
| 5200MHz | Pass | PK | 5.1952G | 115.89 | Inf | -Inf | 3 | Vertical | 4 | 1.70 | - |
| 5200MHz | Pass | PK | 5.5G | 58.45 | 68.20 | -9.75 | 3 | Vertical | 4 | 1.70 | - |
| 5200MHz | Pass | AV | 5.1376G | 48.10 | 54.00 | -5.90 | 3 | Horizontal | 6 | 1.76 | - |
| 5200MHz | Pass | AV | 5.1988G | 105.69 | Inf | -Inf | 3 | Horizontal | 6 | 1.76 | - |
| 5200MHz | Pass | AV | 5.4388G | 47.58 | 54.00 | -6.42 | 3 | Horizontal | 6 | 1.76 | - |
| 5200MHz | Pass | PK | 5.1364G | 60.01 | 74.00 | -13.99 | 3 | Horizontal | 6 | 1.76 | - |
| 5200MHz | Pass | PK | 5.1988G | 117.35 | Inf | -Inf | 3 | Horizontal | 6 | 1.76 | - |
| 5200MHz | Pass | PK | 5.4808G | 59.26 | 68.20 | -8.94 | 3 | Horizontal | 6 | 1.76 | - |
| 5200MHz | Pass | PK | 10.47764G | 55.15 | 68.20 | -13.05 | 3 | Vertical | 184 | 1.98 | - |
| 5200MHz | Pass | PK | 10.48312G | 54.48 | 68.20 | -13.72 | 3 | Horizontal | 332 | 1.64 | - |
| 5240MHz | Pass | AV | 5G | 53.12 | 54.00 | -0.88 | 3 | Vertical | 5 | 1.77 | - |
| 5240MHz | Pass | AV | 5.2328G | 104.05 | Inf | -Inf | 3 | Vertical | 5 | 1.77 | - |
| 5240MHz | Pass | AV | 5.4452G | 47.77 | 54.00 | -6.23 | 3 | Vertical | 5 | 1.77 | - |
| 5240MHz | Pass | PK | 5G | 59.55 | 74.00 | -14.45 | 3 | Vertical | 5 | 1.77 | - |
| 5240MHz | Pass | PK | 5.2352G | 115.44 | Inf | -Inf | 3 | Vertical | 5 | 1.77 | - |
| 5240MHz | Pass | PK | 5.5004G | 59.59 | 68.20 | -8.61 | 3 | Vertical | 5 | 1.77 | - |
| 5240MHz | Pass | AV | 5.1248G | 47.85 | 54.00 | -6.15 | 3 | Horizontal | 6 | 1.74 | - |
| 5240MHz | Pass | AV | 5.2388G | 105.52 | Inf | -Inf | 3 | Horizontal | 6 | 1.74 | - |
| 5240MHz | Pass | AV | 5.354G | 47.71 | 54.00 | -6.29 | 3 | Horizontal | 6 | 1.74 | - |
| 5240MHz | Pass | PK | 5.042G | 59.59 | 74.00 | -14.41 | 3 | Horizontal | 6 | 1.74 | - |
| 5240MHz | Pass | PK | 5.2388G | 117.21 | Inf | -Inf | 3 | Horizontal | 6 | 1.74 | - |
| 5240MHz | Pass | PK | 5.5064G | 60.29 | 68.20 | -7.91 | 3 | Horizontal | 6 | 1.74 | - |
| 5240MHz | Pass | PK | 10.47132G | 54.43 | 68.20 | -13.77 | 3 | Vertical | 106 | 1.78 | - |
| 5240MHz | Pass | PK | 10.4876G | 54.54 | 68.20 | -13.66 | 3 | Horizontal | 265 | 1.60 | - |
| 5260MHz | Pass | AV | 4.9996G | 52.38 | 54.00 | -1.62 | 3 | Vertical | 4 | 1.65 | - |
| 5260MHz | Pass | AV | 5.26G | 104.56 | Inf | -Inf | 3 | Vertical | 4 | 1.65 | - |
| 5260MHz | Pass | AV | 5.4376G | 47.94 | 54.00 | -6.06 | 3 | Vertical | 4 | 1.65 | - |
| 5260MHz | Pass | PK | 4.9996G | 58.98 | 74.00 | -15.02 | 3 | Vertical | 4 | 1.65 | - |
| 5260MHz | Pass | PK | 5.2552G | 116.06 | Inf | -Inf | 3 | Vertical | 4 | 1.65 | - |
| 5260MHz | Pass | PK | 5.5204G | 59.86 | 68.20 | -8.34 | 3 | Vertical | 4 | 1.65 | - |
| 5260MHz | Pass | AV | 5.1052G | 47.42 | 54.00 | -6.58 | 3 | Horizontal | 6 | 1.68 | - |
| 5260MHz | Pass | AV | 5.2588G | 105.29 | Inf | -Inf | 3 | Horizontal | 6 | 1.68 | - |
| 5260MHz | Pass | AV | 5.374G | 47.88 | 54.00 | -6.12 | 3 | Horizontal | 6 | 1.68 | - |
| 5260MHz | Pass | PK | 5.1148G | 59.29 | 74.00 | -14.71 | 3 | Horizontal | 6 | 1.68 | - |
| 5260MHz | Pass | PK | 5.2588G | 117.19 | Inf | -Inf | 3 | Horizontal | 6 | 1.68 | - |
| 5260MHz | Pass | PK | 5.5552G | 59.32 | 68.20 | -8.88 | 3 | Horizontal | 6 | 1.68 | - |
| 5260MHz | Pass | PK | 10.52468G | 55.05 | 68.20 | -13.15 | 3 | Vertical | 110 | 2.07 | - |
| 5260MHz | Pass | PK | 10.52864G | 54.56 | 68.20 | -13.64 | 3 | Horizontal | 104 | 1.04 | - |
| 5300MHz | Pass | AV | 5G | 53.56 | 54.00 | -0.44 | 3 | Vertical | 7 | 1.64 | - |
| 5300MHz | Pass | AV | 5.2964G | 104.89 | Inf | -Inf | 3 | Vertical | 7 | 1.64 | - |
| 5300MHz | Pass | AV | 5.3528G | 48.28 | 54.00 | -5.72 | 3 | Vertical | 7 | 1.64 | - |
| 5300MHz | Pass | PK | 5G | 59.93 | 74.00 | -14.07 | 3 | Vertical | 7 | 1.64 | - |



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.4

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5300MHz | Pass | PK | 5.3024G | 116.70 | Inf | -Inf | 3 | Vertical | 7 | 1.64 | - |
| 5300MHz | Pass | PK | 5.552G | 60.51 | 68.20 | -7.69 | 3 | Vertical | 7 | 1.64 | - |
| 5300MHz | Pass | AV | 5.0792G | 47.54 | 54.00 | -6.46 | 3 | Horizontal | 5 | 1.72 | - |
| 5300MHz | Pass | AV | 5.2988G | 105.95 | Inf | -Inf | 3 | Horizontal | 5 | 1.72 | - |
| 5300MHz | Pass | AV | 5.372G | 48.55 | 54.00 | -5.45 | 3 | Horizontal | 5 | 1.72 | - |
| 5300MHz | Pass | PK | 5.0852G | 58.81 | 74.00 | -15.19 | 3 | Horizontal | 5 | 1.72 | - |
| 5300MHz | Pass | PK | 5.2988G | 117.23 | Inf | -Inf | 3 | Horizontal | 5 | 1.72 | - |
| 5300MHz | Pass | PK | 5.5424G | 59.51 | 68.20 | -8.69 | 3 | Horizontal | 5 | 1.72 | - |
| 5300MHz | Pass | PK | 10.60684G | 54.50 | 74.00 | -19.50 | 3 | Vertical | 22 | 2.88 | - |
| 5300MHz | Pass | PK | 10.6018G | 54.96 | 74.00 | -19.04 | 3 | Horizontal | 176 | 1.50 | - |
| 5320MHz | Pass | AV | 5.146G | 46.99 | 54.00 | -7.01 | 3 | Vertical | 9 | 1.66 | - |
| 5320MHz | Pass | AV | 5.3224G | 105.03 | Inf | -Inf | 3 | Vertical | 9 | 1.66 | - |
| 5320MHz | Pass | AV | 5.35G | 49.65 | 54.00 | -4.35 | 3 | Vertical | 9 | 1.66 | - |
| 5320MHz | Pass | PK | 5.0368G | 58.29 | 74.00 | -15.71 | 3 | Vertical | 9 | 1.66 | - |
| 5320MHz | Pass | PK | 5.3176G | 117.34 | Inf | -Inf | 3 | Vertical | 9 | 1.66 | - |
| 5320MHz | Pass | PK | 5.518G | 60.50 | 68.20 | -7.70 | 3 | Vertical | 9 | 1.66 | - |
| 5320MHz | Pass | AV | 5.1412G | 47.32 | 54.00 | -6.68 | 3 | Horizontal | 7 | 1.69 | - |
| 5320MHz | Pass | AV | 5.3188G | 106.05 | Inf | -Inf | 3 | Horizontal | 7 | 1.69 | - |
| 5320MHz | Pass | AV | 5.3512G | 50.04 | 54.00 | -3.96 | 3 | Horizontal | 7 | 1.69 | - |
| 5320MHz | Pass | PK | 5.0284G | 59.14 | 74.00 | -14.86 | 3 | Horizontal | 7 | 1.69 | - |
| 5320MHz | Pass | PK | 5.3188G | 117.61 | Inf | -Inf | 3 | Horizontal | 7 | 1.69 | - |
| 5320MHz | Pass | PK | 5.4868G | 59.61 | 68.20 | -8.59 | 3 | Horizontal | 7 | 1.69 | - |
| 5320MHz | Pass | AV | 10.64728G | 42.73 | 54.00 | -11.27 | 3 | Vertical | 187 | 1.50 | - |
| 5320MHz | Pass | PK | 10.64248G | 55.22 | 74.00 | -18.78 | 3 | Vertical | 187 | 1.50 | - |
| 5320MHz | Pass | AV | 10.63504G | 42.65 | 54.00 | -11.35 | 3 | Horizontal | 44 | 1.50 | - |
| 5320MHz | Pass | PK | 10.63952G | 54.80 | 74.00 | -19.20 | 3 | Horizontal | 44 | 1.50 | - |
| 5500MHz | Pass | AV | 5.4556G | 48.10 | 54.00 | -5.90 | 3 | Vertical | 5 | 1.60 | - |
| 5500MHz | Pass | AV | 5.4988G | 104.78 | Inf | -Inf | 3 | Vertical | 5 | 1.60 | - |
| 5500MHz | Pass | PK | 5.4688G | 61.47 | 68.20 | -6.73 | 3 | Vertical | 5 | 1.60 | - |
| 5500MHz | Pass | PK | 5.4928G | 116.18 | Inf | -Inf | 3 | Vertical | 5 | 1.60 | - |
| 5500MHz | Pass | PK | 5.7556G | 59.75 | 68.20 | -8.45 | 3 | Vertical | 5 | 1.60 | - |
| 5500MHz | Pass | AV | 5.46G | 48.62 | 54.00 | -5.38 | 3 | Horizontal | 8 | 1.81 | - |
| 5500MHz | Pass | AV | 5.4988G | 105.81 | Inf | -Inf | 3 | Horizontal | 8 | 1.81 | - |
| 5500MHz | Pass | PK | 5.4688G | 60.79 | 68.20 | -7.41 | 3 | Horizontal | 8 | 1.81 | - |
| 5500MHz | Pass | PK | 5.4988G | 117.60 | Inf | -Inf | 3 | Horizontal | 8 | 1.81 | - |
| 5500MHz | Pass | PK | 5.7328G | 59.46 | 68.20 | -8.74 | 3 | Horizontal | 8 | 1.81 | - |
| 5500MHz | Pass | AV | 10.99584G | 43.02 | 54.00 | -10.98 | 3 | Vertical | 18 | 2.39 | - |
| 5500MHz | Pass | PK | 10.99056G | 55.80 | 74.00 | -18.20 | 3 | Vertical | 18 | 2.39 | - |
| 5500MHz | Pass | AV | 10.995G | 43.00 | 54.00 | -11.00 | 3 | Horizontal | 46 | 1.02 | - |
| 5500MHz | Pass | PK | 11.0096G | 55.37 | 74.00 | -18.63 | 3 | Horizontal | 46 | 1.02 | - |
| 5580MHz | Pass | AV | 5.4564G | 47.35 | 54.00 | -6.65 | 3 | Vertical | 5 | 1.71 | - |
| 5580MHz | Pass | AV | 5.5788G | 105.50 | Inf | -Inf | 3 | Vertical | 5 | 1.71 | - |
| 5580MHz | Pass | PK | 5.466G | 59.26 | 68.20 | -8.94 | 3 | Vertical | 5 | 1.71 | - |
| 5580MHz | Pass | PK | 5.5824G | 117.64 | Inf | -Inf | 3 | Vertical | 5 | 1.71 | - |
| 5580MHz | Pass | PK | 5.8296G | 58.89 | 68.20 | -9.31 | 3 | Vertical | 5 | 1.71 | - |
| 5580MHz | Pass | AV | 5.4324G | 47.73 | 54.00 | -6.27 | 3 | Horizontal | 6 | 1.63 | - |
| 5580MHz | Pass | AV | 5.5788G | 106.67 | Inf | -Inf | 3 | Horizontal | 6 | 1.63 | - |
| 5580MHz | Pass | PK | 5.3424G | 59.35 | 68.20 | -8.85 | 3 | Horizontal | 6 | 1.63 | - |
| 5580MHz | Pass | PK | 5.5788G | 118.05 | Inf | -Inf | 3 | Horizontal | 6 | 1.63 | - |
| 5580MHz | Pass | PK | 5.8488G | 60.07 | 68.20 | -8.13 | 3 | Horizontal | 6 | 1.63 | - |
| 5580MHz | Pass | AV | 11.16412G | 42.91 | 54.00 | -11.09 | 3 | Vertical | 196 | 1.07 | - |
| 5580MHz | Pass | PK | 11.16744G | 56.12 | 74.00 | -17.88 | 3 | Vertical | 196 | 1.07 | - |
| 5580MHz | Pass | AV | 11.16692G | 42.80 | 54.00 | -11.20 | 3 | Horizontal | 11 | 1.02 | - |
| 5580MHz | Pass | PK | 11.16648G | 55.40 | 74.00 | -18.60 | 3 | Horizontal | 11 | 1.02 | - |
| 5700MHz | Pass | AV | 5.4576G | 47.67 | 54.00 | -6.33 | 3 | Vertical | 4 | 1.75 | - |
| 5700MHz | Pass | AV | 5.6928G | 105.22 | Inf | -Inf | 3 | Vertical | 4 | 1.75 | - |
| 5700MHz | Pass | PK | 5.4672G | 58.75 | 68.20 | -9.45 | 3 | Vertical | 4 | 1.75 | - |
| 5700MHz | Pass | PK | 5.6952G | 116.85 | Inf | -Inf | 3 | Vertical | 4 | 1.75 | - |
| 5700MHz | Pass | PK | 5.7252G | 64.84 | 68.20 | -3.36 | 3 | Vertical | 4 | 1.75 | - |
| 5700MHz | Pass | AV | 5.4324G | 48.05 | 54.00 | -5.95 | 3 | Horizontal | 5 | 1.71 | - |
| 5700MHz | Pass | AV | 5.6988G | 106.48 | Inf | -Inf | 3 | Horizontal | 5 | 1.71 | - |
| 5700MHz | Pass | PK | 5.4648G | 59.52 | 68.20 | -8.68 | 3 | Horizontal | 5 | 1.71 | - |



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.4

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5700MHz | Pass | PK | 5.6916G | 117.34 | Inf | -Inf | 3 | Horizontal | 5 | 1.71 | - |
| 5700MHz | Pass | PK | 5.7252G | 63.57 | 68.20 | -4.63 | 3 | Horizontal | 5 | 1.71 | - |
| 5700MHz | Pass | AV | 11.40764G | 42.88 | 54.00 | -11.12 | 3 | Vertical | 101 | 1.98 | - |
| 5700MHz | Pass | PK | 11.40996G | 55.08 | 74.00 | -18.92 | 3 | Vertical | 101 | 1.98 | - |
| 5700MHz | Pass | AV | 11.40584G | 43.09 | 54.00 | -10.91 | 3 | Horizontal | 186 | 2.46 | - |
| 5700MHz | Pass | PK | 11.39288G | 55.40 | 74.00 | -18.60 | 3 | Horizontal | 186 | 2.46 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.45G | 47.65 | 54.00 | -6.35 | 3 | Vertical | 5 | 1.54 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7248G | 104.40 | Inf | -Inf | 3 | Vertical | 5 | 1.54 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.468G | 58.18 | 68.20 | -10.02 | 3 | Vertical | 5 | 1.54 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7236G | 115.86 | Inf | -Inf | 3 | Vertical | 5 | 1.54 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8722G | 59.50 | 68.20 | -8.70 | 3 | Vertical | 5 | 1.54 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4524G | 47.91 | 54.00 | -6.09 | 3 | Horizontal | 5 | 1.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7188G | 106.18 | Inf | -Inf | 3 | Horizontal | 5 | 1.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4644G | 58.90 | 68.20 | -9.30 | 3 | Horizontal | 5 | 1.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7188G | 117.51 | Inf | -Inf | 3 | Horizontal | 5 | 1.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8568G | 59.79 | 68.20 | -8.41 | 3 | Horizontal | 5 | 1.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44664G | 42.87 | 54.00 | -11.13 | 3 | Vertical | 161 | 1.93 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43236G | 55.20 | 74.00 | -18.80 | 3 | Vertical | 161 | 1.93 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.43036G | 43.16 | 54.00 | -10.84 | 3 | Horizontal | 68 | 2.10 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43332G | 55.63 | 74.00 | -18.37 | 3 | Horizontal | 68 | 2.10 | - |
| 5745MHz | Pass | AV | 5.7378G | 105.73 | Inf | -Inf | 3 | Vertical | 4 | 1.70 | - |
| 5745MHz | Pass | PK | 5.6442G | 61.46 | 68.20 | -6.74 | 3 | Vertical | 4 | 1.70 | - |
| 5745MHz | Pass | PK | 5.7402G | 116.83 | Inf | -Inf | 3 | Vertical | 4 | 1.70 | - |
| 5745MHz | Pass | PK | 5.9982G | 58.58 | 68.20 | -9.62 | 3 | Vertical | 4 | 1.70 | - |
| 5745MHz | Pass | AV | 5.7438G | 106.06 | Inf | -Inf | 3 | Horizontal | 7 | 1.50 | - |
| 5745MHz | Pass | PK | 5.5206G | 60.21 | 68.20 | -7.99 | 3 | Horizontal | 7 | 1.50 | - |
| 5745MHz | Pass | PK | 5.7438G | 117.25 | Inf | -Inf | 3 | Horizontal | 7 | 1.50 | - |
| 5745MHz | Pass | PK | 6.0186G | 59.39 | 68.20 | -8.81 | 3 | Horizontal | 7 | 1.50 | - |
| 5745MHz | Pass | AV | 11.49948G | 43.05 | 54.00 | -10.95 | 3 | Vertical | 260 | 1.53 | - |
| 5745MHz | Pass | PK | 11.49348G | 55.81 | 74.00 | -18.19 | 3 | Vertical | 260 | 1.53 | - |
| 5745MHz | Pass | AV | 11.4948G | 43.22 | 54.00 | -10.78 | 3 | Horizontal | 345 | 2.05 | - |
| 5745MHz | Pass | PK | 11.49844G | 55.42 | 74.00 | -18.58 | 3 | Horizontal | 345 | 2.05 | - |
| 5785MHz | Pass | AV | 5.7778G | 105.04 | Inf | -Inf | 3 | Vertical | 3 | 1.62 | - |
| 5785MHz | Pass | PK | 5.5654G | 61.54 | 68.20 | -6.66 | 3 | Vertical | 3 | 1.62 | - |
| 5785MHz | Pass | PK | 5.7802G | 116.62 | Inf | -Inf | 3 | Vertical | 3 | 1.62 | - |
| 5785MHz | Pass | PK | 6.0154G | 58.55 | 68.20 | -9.65 | 3 | Vertical | 3 | 1.62 | - |
| 5785MHz | Pass | AV | 5.7838G | 106.39 | Inf | -Inf | 3 | Horizontal | 6 | 1.64 | - |
| 5785MHz | Pass | PK | 5.5258G | 60.89 | 68.20 | -7.31 | 3 | Horizontal | 6 | 1.64 | - |
| 5785MHz | Pass | PK | 5.7838G | 118.06 | Inf | -Inf | 3 | Horizontal | 6 | 1.64 | - |
| 5785MHz | Pass | PK | 5.9854G | 59.64 | 68.20 | -8.56 | 3 | Horizontal | 6 | 1.64 | - |
| 5785MHz | Pass | AV | 11.56056G | 42.86 | 54.00 | -11.14 | 3 | Vertical | 116 | 1.10 | - |
| 5785MHz | Pass | PK | 11.57576G | 55.36 | 74.00 | -18.64 | 3 | Vertical | 116 | 1.10 | - |
| 5785MHz | Pass | AV | 11.56536G | 42.87 | 54.00 | -11.13 | 3 | Horizontal | 46 | 1.33 | - |
| 5785MHz | Pass | PK | 11.56696G | 55.32 | 74.00 | -18.68 | 3 | Horizontal | 46 | 1.33 | - |
| 5825MHz | Pass | AV | 5.8274G | 104.94 | Inf | -Inf | 3 | Vertical | 3 | 1.66 | - |
| 5825MHz | Pass | PK | 5.6138G | 62.08 | 68.20 | -6.12 | 3 | Vertical | 3 | 1.66 | - |
| 5825MHz | Pass | PK | 5.8202G | 116.69 | Inf | -Inf | 3 | Vertical | 3 | 1.66 | - |
| 5825MHz | Pass | PK | 6.0434G | 59.31 | 68.20 | -8.89 | 3 | Vertical | 3 | 1.66 | - |
| 5825MHz | Pass | AV | 5.8238G | 106.20 | Inf | -Inf | 3 | Horizontal | 6 | 1.66 | - |
| 5825MHz | Pass | PK | 5.5958G | 60.64 | 68.20 | -7.56 | 3 | Horizontal | 6 | 1.66 | - |
| 5825MHz | Pass | PK | 5.8238G | 117.83 | Inf | -Inf | 3 | Horizontal | 6 | 1.66 | - |
| 5825MHz | Pass | PK | 5.927G | 59.45 | 68.20 | -8.75 | 3 | Horizontal | 6 | 1.66 | - |
| 5825MHz | Pass | AV | 11.64152G | 42.61 | 54.00 | -11.39 | 3 | Vertical | 215 | 1.94 | - |
| 5825MHz | Pass | PK | 11.64484G | 54.63 | 74.00 | -19.37 | 3 | Vertical | 215 | 1.94 | - |
| 5825MHz | Pass | AV | 11.6492G | 42.79 | 54.00 | -11.21 | 3 | Horizontal | 12 | 2.06 | - |
| 5825MHz | Pass | PK | 11.64556G | 55.00 | 74.00 | -19.00 | 3 | Horizontal | 12 | 2.06 | - |
| 802.11ax HEW40_Nss4_(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5190MHz | Pass | AV | 4.9992G | 53.29 | 54.00 | -0.71 | 3 | Vertical | 7 | 1.50 | - |
| 5190MHz | Pass | AV | 5.196G | 102.00 | Inf | -Inf | 3 | Vertical | 7 | 1.50 | - |
| 5190MHz | Pass | AV | 5.46G | 49.23 | 54.00 | -4.77 | 3 | Vertical | 7 | 1.50 | - |
| 5190MHz | Pass | PK | 5.1492G | 62.40 | 74.00 | -11.60 | 3 | Vertical | 7 | 1.50 | - |
| 5190MHz | Pass | PK | 5.1792G | 113.71 | Inf | -Inf | 3 | Vertical | 7 | 1.50 | - |



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.4

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5190MHz | Pass | PK | 5.4804G | 59.27 | 68.20 | -8.93 | 3 | Vertical | 7 | 1.50 | - |
| 5190MHz | Pass | AV | 5.15G | 53.61 | 54.00 | -0.39 | 3 | Horizontal | 6 | 1.76 | - |
| 5190MHz | Pass | AV | 5.1888G | 103.05 | Inf | -Inf | 3 | Horizontal | 6 | 1.76 | - |
| 5190MHz | Pass | AV | 5.4204G | 48.52 | 54.00 | -5.48 | 3 | Horizontal | 6 | 1.76 | - |
| 5190MHz | Pass | PK | 5.148G | 63.56 | 74.00 | -10.44 | 3 | Horizontal | 6 | 1.76 | - |
| 5190MHz | Pass | PK | 5.1984G | 113.60 | Inf | -Inf | 3 | Horizontal | 6 | 1.76 | - |
| 5190MHz | Pass | PK | 5.4744G | 58.66 | 68.20 | -9.54 | 3 | Horizontal | 6 | 1.76 | - |
| 5190MHz | Pass | PK | 10.39824G | 53.69 | 68.20 | -14.51 | 3 | Vertical | 0 | 1.32 | - |
| 5190MHz | Pass | PK | 10.37584G | 53.74 | 68.20 | -14.46 | 3 | Horizontal | 160 | 2.45 | - |
| 5230MHz | Pass | AV | 4.9996G | 52.81 | 54.00 | -1.19 | 3 | Vertical | 4 | 1.55 | - |
| 5230MHz | Pass | AV | 5.236G | 103.11 | Inf | -Inf | 3 | Vertical | 4 | 1.55 | - |
| 5230MHz | Pass | AV | 5.458G | 49.56 | 54.00 | -4.44 | 3 | Vertical | 4 | 1.55 | - |
| 5230MHz | Pass | PK | 4.9996G | 60.05 | 74.00 | -13.95 | 3 | Vertical | 4 | 1.55 | - |
| 5230MHz | Pass | PK | 5.218G | 113.18 | Inf | -Inf | 3 | Vertical | 4 | 1.55 | - |
| 5230MHz | Pass | PK | 5.476G | 60.41 | 68.20 | -7.79 | 3 | Vertical | 4 | 1.55 | - |
| 5230MHz | Pass | AV | 5.032G | 49.44 | 54.00 | -4.56 | 3 | Horizontal | 6 | 1.50 | - |
| 5230MHz | Pass | AV | 5.2288G | 103.07 | Inf | -Inf | 3 | Horizontal | 6 | 1.50 | - |
| 5230MHz | Pass | AV | 5.3872G | 49.19 | 54.00 | -4.81 | 3 | Horizontal | 6 | 1.50 | - |
| 5230MHz | Pass | PK | 4.9744G | 59.49 | 74.00 | -14.51 | 3 | Horizontal | 6 | 1.50 | - |
| 5230MHz | Pass | PK | 5.2192G | 113.67 | Inf | -Inf | 3 | Horizontal | 6 | 1.50 | - |
| 5230MHz | Pass | PK | 5.4892G | 59.48 | 68.20 | -8.72 | 3 | Horizontal | 6 | 1.50 | - |
| 5230MHz | Pass | PK | 10.46384G | 54.11 | 68.20 | -14.09 | 3 | Vertical | 231 | 2.07 | - |
| 5230MHz | Pass | PK | 10.4516G | 54.32 | 68.20 | -13.88 | 3 | Horizontal | 329 | 1.36 | - |
| 5270MHz | Pass | AV | 5G | 53.25 | 54.00 | -0.75 | 3 | Vertical | 4 | 1.50 | - |
| 5270MHz | Pass | AV | 5.276G | 102.91 | Inf | -Inf | 3 | Vertical | 4 | 1.50 | - |
| 5270MHz | Pass | AV | 5.384G | 49.45 | 54.00 | -4.55 | 3 | Vertical | 4 | 1.50 | - |
| 5270MHz | Pass | PK | 5G | 59.87 | 74.00 | -14.13 | 3 | Vertical | 4 | 1.50 | - |
| 5270MHz | Pass | PK | 5.2592G | 113.47 | Inf | -Inf | 3 | Vertical | 4 | 1.50 | - |
| 5270MHz | Pass | PK | 5.3684G | 60.56 | 74.00 | -13.44 | 3 | Vertical | 4 | 1.50 | - |
| 5270MHz | Pass | AV | 5.1284G | 48.93 | 54.00 | -5.07 | 3 | Horizontal | 6 | 1.66 | - |
| 5270MHz | Pass | AV | 5.2664G | 104.09 | Inf | -Inf | 3 | Horizontal | 6 | 1.66 | - |
| 5270MHz | Pass | AV | 5.378G | 49.45 | 54.00 | -4.55 | 3 | Horizontal | 6 | 1.66 | - |
| 5270MHz | Pass | PK | 5.0972G | 59.65 | 74.00 | -14.35 | 3 | Horizontal | 6 | 1.66 | - |
| 5270MHz | Pass | PK | 5.2592G | 114.50 | Inf | -Inf | 3 | Horizontal | 6 | 1.66 | - |
| 5270MHz | Pass | PK | 5.3624G | 59.93 | 74.00 | -14.07 | 3 | Horizontal | 6 | 1.66 | - |
| 5270MHz | Pass | PK | 10.55096G | 54.28 | 68.20 | -13.92 | 3 | Vertical | 120 | 1.14 | - |
| 5270MHz | Pass | PK | 10.52776G | 54.29 | 68.20 | -13.91 | 3 | Horizontal | 304 | 1.53 | - |
| 5310MHz | Pass | AV | 5.0496G | 48.36 | 54.00 | -5.64 | 3 | Vertical | 6 | 1.50 | - |
| 5310MHz | Pass | AV | 5.316G | 102.25 | Inf | -Inf | 3 | Vertical | 6 | 1.50 | - |
| 5310MHz | Pass | AV | 5.35G | 53.55 | 54.00 | -0.45 | 3 | Vertical | 6 | 1.50 | - |
| 5310MHz | Pass | PK | 5.0856G | 58.93 | 74.00 | -15.07 | 3 | Vertical | 6 | 1.50 | - |
| 5310MHz | Pass | PK | 5.2992G | 114.23 | Inf | -Inf | 3 | Vertical | 6 | 1.50 | - |
| 5310MHz | Pass | PK | 5.3544G | 64.09 | 74.00 | -9.91 | 3 | Vertical | 6 | 1.50 | - |
| 5310MHz | Pass | AV | 5.1336G | 49.22 | 54.00 | -4.78 | 3 | Horizontal | 7 | 1.76 | - |
| 5310MHz | Pass | AV | 5.304G | 103.47 | Inf | -Inf | 3 | Horizontal | 7 | 1.76 | - |
| 5310MHz | Pass | AV | 5.3532G | 53.79 | 54.00 | -0.21 | 3 | Horizontal | 7 | 1.76 | - |
| 5310MHz | Pass | PK | 5.0796G | 59.19 | 74.00 | -14.81 | 3 | Horizontal | 7 | 1.76 | - |
| 5310MHz | Pass | PK | 5.3064G | 113.83 | Inf | -Inf | 3 | Horizontal | 7 | 1.76 | - |
| 5310MHz | Pass | PK | 5.3532G | 64.89 | 74.00 | -9.11 | 3 | Horizontal | 7 | 1.76 | - |
| 5310MHz | Pass | AV | 10.63344G | 44.59 | 54.00 | -9.41 | 3 | Vertical | 147 | 2.41 | - |
| 5310MHz | Pass | PK | 10.63112G | 55.07 | 74.00 | -18.93 | 3 | Vertical | 147 | 2.41 | - |
| 5310MHz | Pass | AV | 10.6388G | 43.90 | 54.00 | -10.10 | 3 | Horizontal | 188 | 1.15 | - |
| 5310MHz | Pass | PK | 10.60032G | 54.95 | 74.00 | -19.05 | 3 | Horizontal | 188 | 1.15 | - |
| 5510MHz | Pass | AV | 5.4592G | 50.96 | 54.00 | -3.04 | 3 | Vertical | 6 | 1.50 | - |
| 5510MHz | Pass | AV | 5.506G | 103.24 | Inf | -Inf | 3 | Vertical | 6 | 1.50 | - |
| 5510MHz | Pass | PK | 5.4688G | 64.29 | 68.20 | -3.91 | 3 | Vertical | 6 | 1.50 | - |
| 5510MHz | Pass | PK | 5.4988G | 115.13 | Inf | -Inf | 3 | Vertical | 6 | 1.50 | - |
| 5510MHz | Pass | AV | 5.458G | 50.97 | 54.00 | -3.03 | 3 | Horizontal | 7 | 1.65 | - |
| 5510MHz | Pass | AV | 5.5092G | 103.32 | Inf | -Inf | 3 | Horizontal | 7 | 1.65 | - |
| 5510MHz | Pass | PK | 5.4688G | 64.42 | 68.20 | -3.78 | 3 | Horizontal | 7 | 1.65 | - |
| 5510MHz | Pass | PK | 5.5064G | 113.87 | Inf | -Inf | 3 | Horizontal | 7 | 1.65 | - |
| 5510MHz | Pass | AV | 11.02384G | 43.76 | 54.00 | -10.24 | 3 | Vertical | 34 | 1.38 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5510MHz | Pass | PK | 11.02608G | 54.37 | 74.00 | -19.63 | 3 | Vertical | 34 | 1.38 | - |
| 5510MHz | Pass | AV | 11.03392G | 44.08 | 54.00 | -9.92 | 3 | Horizontal | 24 | 1.15 | - |
| 5510MHz | Pass | PK | 11.01112G | 54.50 | 74.00 | -19.50 | 3 | Horizontal | 24 | 1.15 | - |
| 5550MHz | Pass | AV | 5.4512G | 49.06 | 54.00 | -4.94 | 3 | Vertical | 6 | 1.67 | - |
| 5550MHz | Pass | AV | 5.544G | 103.56 | Inf | -Inf | 3 | Vertical | 6 | 1.67 | - |
| 5550MHz | Pass | PK | 5.4676G | 59.67 | 68.20 | -8.53 | 3 | Vertical | 6 | 1.67 | - |
| 5550MHz | Pass | PK | 5.5388G | 115.22 | Inf | -Inf | 3 | Vertical | 6 | 1.67 | - |
| 5550MHz | Pass | AV | 5.4532G | 49.45 | 54.00 | -4.55 | 3 | Horizontal | 7 | 1.66 | - |
| 5550MHz | Pass | AV | 5.5556G | 104.00 | Inf | -Inf | 3 | Horizontal | 7 | 1.66 | - |
| 5550MHz | Pass | PK | 5.464G | 58.91 | 68.20 | -9.29 | 3 | Horizontal | 7 | 1.66 | - |
| 5550MHz | Pass | PK | 5.5604G | 114.62 | Inf | -Inf | 3 | Horizontal | 7 | 1.66 | - |
| 5550MHz | Pass | AV | 11.11152G | 44.21 | 54.00 | -9.79 | 3 | Vertical | 272 | 2.03 | - |
| 5550MHz | Pass | PK | 11.0908G | 54.81 | 74.00 | -19.19 | 3 | Vertical | 272 | 2.03 | - |
| 5550MHz | Pass | AV | 11.10272G | 43.95 | 54.00 | -10.05 | 3 | Horizontal | 213 | 1.94 | - |
| 5550MHz | Pass | PK | 11.1144G | 54.20 | 74.00 | -19.80 | 3 | Horizontal | 213 | 1.94 | - |
| 5670MHz | Pass | AV | 5.676G | 103.27 | Inf | -Inf | 3 | Vertical | 5 | 1.50 | - |
| 5670MHz | Pass | PK | 5.6586G | 114.99 | Inf | -Inf | 3 | Vertical | 5 | 1.50 | - |
| 5670MHz | Pass | PK | 5.7252G | 60.31 | 68.20 | -7.89 | 3 | Vertical | 5 | 1.50 | - |
| 5670MHz | Pass | AV | 5.673G | 103.94 | Inf | -Inf | 3 | Horizontal | 4 | 1.51 | - |
| 5670MHz | Pass | PK | 5.6808G | 115.10 | Inf | -Inf | 3 | Horizontal | 4 | 1.51 | - |
| 5670MHz | Pass | PK | 5.7258G | 61.25 | 68.20 | -6.95 | 3 | Horizontal | 4 | 1.51 | - |
| 5670MHz | Pass | AV | 11.33016G | 44.16 | 54.00 | -9.84 | 3 | Vertical | 150 | 1.48 | - |
| 5670MHz | Pass | PK | 11.34768G | 55.25 | 74.00 | -18.75 | 3 | Vertical | 150 | 1.48 | - |
| 5670MHz | Pass | AV | 11.35264G | 43.92 | 54.00 | -10.08 | 3 | Horizontal | 54 | 2.07 | - |
| 5670MHz | Pass | PK | 11.34096G | 54.88 | 74.00 | -19.12 | 3 | Horizontal | 54 | 2.07 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4544G | 48.71 | 54.00 | -5.29 | 3 | Vertical | 4 | 1.56 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.6956G | 103.41 | Inf | -Inf | 3 | Vertical | 4 | 1.56 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.46G | 58.18 | 68.20 | -10.02 | 3 | Vertical | 4 | 1.56 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.6992G | 114.82 | Inf | -Inf | 3 | Vertical | 4 | 1.56 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8984G | 58.64 | 68.20 | -9.56 | 3 | Vertical | 4 | 1.56 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4208G | 48.72 | 54.00 | -5.28 | 3 | Horizontal | 7 | 1.54 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7064G | 103.54 | Inf | -Inf | 3 | Horizontal | 7 | 1.54 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4616G | 58.24 | 68.20 | -9.96 | 3 | Horizontal | 7 | 1.54 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.6992G | 114.17 | Inf | -Inf | 3 | Horizontal | 7 | 1.54 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9872G | 59.67 | 68.20 | -8.53 | 3 | Horizontal | 7 | 1.54 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.43296G | 44.08 | 54.00 | -9.92 | 3 | Vertical | 142 | 2.32 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.40776G | 54.66 | 74.00 | -19.34 | 3 | Vertical | 142 | 2.32 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.41264G | 43.83 | 54.00 | -10.17 | 3 | Horizontal | 203 | 2.37 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.42616G | 54.65 | 74.00 | -19.35 | 3 | Horizontal | 203 | 2.37 | - |
| 5755MHz | Pass | AV | 5.749G | 103.14 | Inf | -Inf | 3 | Vertical | 5 | 1.50 | - |
| 5755MHz | Pass | PK | 5.6134G | 61.59 | 68.20 | -6.61 | 3 | Vertical | 5 | 1.50 | - |
| 5755MHz | Pass | PK | 5.7442G | 115.07 | Inf | -Inf | 3 | Vertical | 5 | 1.50 | - |
| 5755MHz | Pass | PK | 5.9338G | 58.43 | 68.20 | -9.77 | 3 | Vertical | 5 | 1.50 | - |
| 5755MHz | Pass | AV | 5.7442G | 103.28 | Inf | -Inf | 3 | Horizontal | 5 | 1.51 | - |
| 5755MHz | Pass | PK | 5.6422G | 59.46 | 68.20 | -8.74 | 3 | Horizontal | 5 | 1.51 | - |
| 5755MHz | Pass | PK | 5.7514G | 113.69 | Inf | -Inf | 3 | Horizontal | 5 | 1.51 | - |
| 5755MHz | Pass | PK | 6.0058G | 58.65 | 68.20 | -9.55 | 3 | Horizontal | 5 | 1.51 | - |
| 5755MHz | Pass | AV | 11.50248G | 44.13 | 54.00 | -9.87 | 3 | Vertical | 67 | 1.39 | - |
| 5755MHz | Pass | PK | 11.50576G | 55.21 | 74.00 | -18.79 | 3 | Vertical | 67 | 1.39 | - |
| 5755MHz | Pass | AV | 11.51584G | 44.10 | 54.00 | -9.90 | 3 | Horizontal | 163 | 2.04 | - |
| 5755MHz | Pass | PK | 11.5024G | 55.11 | 74.00 | -18.89 | 3 | Horizontal | 163 | 2.04 | - |
| 5795MHz | Pass | AV | 5.7806G | 102.74 | Inf | -Inf | 3 | Vertical | 4 | 1.49 | - |
| 5795MHz | Pass | PK | 5.5646G | 61.91 | 68.20 | -6.29 | 3 | Vertical | 4 | 1.49 | - |
| 5795MHz | Pass | PK | 5.7842G | 114.42 | Inf | -Inf | 3 | Vertical | 4 | 1.49 | - |
| 5795MHz | Pass | PK | 5.9426G | 59.04 | 68.20 | -9.16 | 3 | Vertical | 4 | 1.49 | - |
| 5795MHz | Pass | AV | 5.7938G | 103.24 | Inf | -Inf | 3 | Horizontal | 5 | 1.66 | - |
| 5795MHz | Pass | PK | 5.6234G | 59.69 | 68.20 | -8.51 | 3 | Horizontal | 5 | 1.66 | - |
| 5795MHz | Pass | PK | 5.7842G | 114.12 | Inf | -Inf | 3 | Horizontal | 5 | 1.66 | - |
| 5795MHz | Pass | PK | 5.9414G | 58.99 | 68.20 | -9.21 | 3 | Horizontal | 5 | 1.66 | - |
| 5795MHz | Pass | AV | 11.60888G | 44.18 | 54.00 | -9.82 | 3 | Vertical | 179 | 1.06 | - |
| 5795MHz | Pass | PK | 11.578G | 55.14 | 74.00 | -18.86 | 3 | Vertical | 179 | 1.06 | - |
| 5795MHz | Pass | AV | 11.57176G | 44.39 | 54.00 | -9.61 | 3 | Horizontal | 239 | 2.25 | - |



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.4

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5795MHz | Pass | PK | 11.5748G | 55.78 | 74.00 | -18.22 | 3 | Horizontal | 239 | 2.25 | - |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5210MHz | Pass | AV | 5G | 53.91 | 54.00 | -0.09 | 3 | Vertical | 8 | 1.67 | - |
| 5210MHz | Pass | AV | 5.1992G | 100.31 | Inf | -Inf | 3 | Vertical | 8 | 1.67 | - |
| 5210MHz | Pass | AV | 5.3612G | 50.21 | 54.00 | -3.79 | 3 | Vertical | 8 | 1.67 | - |
| 5210MHz | Pass | PK | 5.1452G | 61.95 | 74.00 | -12.05 | 3 | Vertical | 8 | 1.67 | - |
| 5210MHz | Pass | PK | 5.2376G | 110.62 | Inf | -Inf | 3 | Vertical | 8 | 1.67 | - |
| 5210MHz | Pass | PK | 5.474G | 59.33 | 68.20 | -8.87 | 3 | Vertical | 8 | 1.67 | - |
| 5210MHz | Pass | AV | 5.1488G | 52.56 | 54.00 | -1.44 | 3 | Horizontal | 12 | 1.80 | - |
| 5210MHz | Pass | AV | 5.2124G | 99.87 | Inf | -Inf | 3 | Horizontal | 12 | 1.80 | - |
| 5210MHz | Pass | AV | 5.35G | 49.46 | 54.00 | -4.54 | 3 | Horizontal | 12 | 1.80 | - |
| 5210MHz | Pass | PK | 5.1452G | 61.97 | 74.00 | -12.03 | 3 | Horizontal | 12 | 1.80 | - |
| 5210MHz | Pass | PK | 5.1992G | 111.11 | Inf | -Inf | 3 | Horizontal | 12 | 1.80 | - |
| 5210MHz | Pass | PK | 5.51G | 58.40 | 68.20 | -9.80 | 3 | Horizontal | 12 | 1.80 | - |
| 5210MHz | Pass | PK | 10.4177G | 53.47 | 68.20 | -14.73 | 3 | Vertical | 275 | 1.50 | - |
| 5210MHz | Pass | PK | 10.4225G | 54.64 | 68.20 | -13.56 | 3 | Horizontal | 151 | 1.56 | - |
| 5290MHz | Pass | AV | 4.9996G | 53.76 | 54.00 | -0.24 | 3 | Vertical | 4 | 1.56 | - |
| 5290MHz | Pass | AV | 5.2984G | 100.35 | Inf | -Inf | 3 | Vertical | 4 | 1.56 | - |
| 5290MHz | Pass | AV | 5.35G | 52.91 | 54.00 | -1.09 | 3 | Vertical | 4 | 1.56 | - |
| 5290MHz | Pass | PK | 5.1328G | 60.15 | 74.00 | -13.85 | 3 | Vertical | 4 | 1.56 | - |
| 5290MHz | Pass | PK | 5.3188G | 109.98 | Inf | -Inf | 3 | Vertical | 4 | 1.56 | - |
| 5290MHz | Pass | PK | 5.362G | 63.18 | 74.00 | -10.82 | 3 | Vertical | 4 | 1.56 | - |
| 5290MHz | Pass | AV | 5.1436G | 50.06 | 54.00 | -3.94 | 3 | Horizontal | 7 | 1.50 | - |
| 5290MHz | Pass | AV | 5.2816G | 100.88 | Inf | -Inf | 3 | Horizontal | 7 | 1.50 | - |
| 5290MHz | Pass | AV | 5.35G | 52.93 | 54.00 | -1.07 | 3 | Horizontal | 7 | 1.50 | - |
| 5290MHz | Pass | PK | 5.1448G | 60.39 | 74.00 | -13.61 | 3 | Horizontal | 7 | 1.50 | - |
| 5290MHz | Pass | PK | 5.2984G | 111.23 | Inf | -Inf | 3 | Horizontal | 7 | 1.50 | - |
| 5290MHz | Pass | PK | 5.35G | 62.89 | 74.00 | -11.11 | 3 | Horizontal | 7 | 1.50 | - |
| 5290MHz | Pass | PK | 10.57776G | 55.60 | 68.20 | -12.60 | 3 | Vertical | 181 | 1.46 | - |
| 5290MHz | Pass | PK | 10.58304G | 54.24 | 68.20 | -13.96 | 3 | Horizontal | 144 | 1.14 | - |
| 5530MHz | Pass | AV | 5.46G | 52.25 | 54.00 | -1.75 | 3 | Vertical | 6 | 1.50 | - |
| 5530MHz | Pass | AV | 5.518G | 100.13 | Inf | -Inf | 3 | Vertical | 6 | 1.50 | - |
| 5530MHz | Pass | PK | 5.466G | 62.78 | 68.20 | -5.42 | 3 | Vertical | 6 | 1.50 | - |
| 5530MHz | Pass | PK | 5.519G | 110.85 | Inf | -Inf | 3 | Vertical | 6 | 1.50 | - |
| 5530MHz | Pass | PK | 5.735G | 59.40 | 68.20 | -8.80 | 3 | Vertical | 6 | 1.50 | - |
| 5530MHz | Pass | AV | 5.46G | 51.67 | 54.00 | -2.33 | 3 | Horizontal | 10 | 1.51 | - |
| 5530MHz | Pass | AV | 5.528G | 100.21 | Inf | -Inf | 3 | Horizontal | 10 | 1.51 | - |
| 5530MHz | Pass | PK | 5.469G | 62.78 | 68.20 | -5.42 | 3 | Horizontal | 10 | 1.51 | - |
| 5530MHz | Pass | PK | 5.528G | 111.16 | Inf | -Inf | 3 | Horizontal | 10 | 1.51 | - |
| 5530MHz | Pass | PK | 5.749G | 59.16 | 68.20 | -9.04 | 3 | Horizontal | 10 | 1.51 | - |
| 5530MHz | Pass | AV | 11.0472G | 43.53 | 54.00 | -10.47 | 3 | Vertical | 252 | 1.34 | - |
| 5530MHz | Pass | PK | 11.02896G | 54.32 | 74.00 | -19.68 | 3 | Vertical | 252 | 1.34 | - |
| 5530MHz | Pass | AV | 11.02016G | 44.11 | 54.00 | -9.89 | 3 | Horizontal | 159 | 1.25 | - |
| 5530MHz | Pass | PK | 11.02464G | 54.83 | 74.00 | -19.17 | 3 | Horizontal | 159 | 1.25 | - |
| 5610MHz | Pass | AV | 5.46G | 49.83 | 54.00 | -4.17 | 3 | Vertical | 5 | 1.49 | - |
| 5610MHz | Pass | AV | 5.599G | 101.12 | Inf | -Inf | 3 | Vertical | 5 | 1.49 | - |
| 5610MHz | Pass | PK | 5.469G | 59.67 | 68.20 | -8.53 | 3 | Vertical | 5 | 1.49 | - |
| 5610MHz | Pass | PK | 5.638G | 111.04 | Inf | -Inf | 3 | Vertical | 5 | 1.49 | - |
| 5610MHz | Pass | PK | 5.727G | 59.85 | 68.20 | -8.35 | 3 | Vertical | 5 | 1.49 | - |
| 5610MHz | Pass | AV | 5.458G | 50.08 | 54.00 | -3.92 | 3 | Horizontal | 8 | 1.50 | - |
| 5610MHz | Pass | AV | 5.606G | 101.12 | Inf | -Inf | 3 | Horizontal | 8 | 1.50 | - |
| 5610MHz | Pass | PK | 5.461G | 60.70 | 68.20 | -7.50 | 3 | Horizontal | 8 | 1.50 | - |
| 5610MHz | Pass | PK | 5.599G | 111.85 | Inf | -Inf | 3 | Horizontal | 8 | 1.50 | - |
| 5610MHz | Pass | PK | 5.744G | 60.93 | 68.20 | -7.27 | 3 | Horizontal | 8 | 1.50 | - |
| 5610MHz | Pass | AV | 11.20032G | 44.19 | 54.00 | -9.81 | 3 | Vertical | 325 | 1.73 | - |
| 5610MHz | Pass | PK | 11.21296G | 55.25 | 74.00 | -18.75 | 3 | Vertical | 325 | 1.73 | - |
| 5610MHz | Pass | AV | 11.21296G | 44.04 | 54.00 | -9.96 | 3 | Horizontal | 291 | 1.51 | - |
| 5610MHz | Pass | PK | 11.23248G | 54.95 | 74.00 | -19.05 | 3 | Horizontal | 291 | 1.51 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.45G | 48.95 | 54.00 | -5.05 | 3 | Vertical | 5 | 1.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.678G | 101.13 | Inf | -Inf | 3 | Vertical | 5 | 1.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4692G | 58.72 | 68.20 | -9.48 | 3 | Vertical | 5 | 1.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.6792G | 111.09 | Inf | -Inf | 3 | Vertical | 5 | 1.50 | - |




RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.4

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8532G | 58.64 | 68.20 | -9.56 | 3 | Vertical | 5 | 1.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4128G | 49.04 | 54.00 | -4.96 | 3 | Horizontal | 6 | 1.51 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.6864G | 101.25 | Inf | -Inf | 3 | Horizontal | 6 | 1.51 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.468G | 59.55 | 68.20 | -8.65 | 3 | Horizontal | 6 | 1.51 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.678G | 111.50 | Inf | -Inf | 3 | Horizontal | 6 | 1.51 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8712G | 59.75 | 68.20 | -8.45 | 3 | Horizontal | 6 | 1.51 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.35184G | 43.93 | 54.00 | -10.07 | 3 | Vertical | 202 | 1.63 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.35408G | 54.99 | 74.00 | -19.01 | 3 | Vertical | 202 | 1.63 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.38752G | 43.94 | 54.00 | -10.06 | 3 | Horizontal | 172 | 1.04 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.39824G | 55.33 | 74.00 | -18.67 | 3 | Horizontal | 172 | 1.04 | - |
| 5775MHz | Pass | AV | 5.763G | 100.86 | Inf | -Inf | 3 | Vertical | 4 | 1.50 | - |
| 5775MHz | Pass | PK | 5.6418G | 62.99 | 68.20 | -5.21 | 3 | Vertical | 4 | 1.50 | - |
| 5775MHz | Pass | PK | 5.739G | 110.87 | Inf | -Inf | 3 | Vertical | 4 | 1.50 | - |
| 5775MHz | Pass | PK | 5.9286G | 58.90 | 68.20 | -9.30 | 3 | Vertical | 4 | 1.50 | - |
| 5775MHz | Pass | AV | 5.7714G | 101.09 | Inf | -Inf | 3 | Horizontal | 5 | 1.51 | - |
| 5775MHz | Pass | PK | 5.6502G | 60.64 | 68.35 | -7.71 | 3 | Horizontal | 5 | 1.51 | - |
| 5775MHz | Pass | PK | 5.763G | 111.09 | Inf | -Inf | 3 | Horizontal | 5 | 1.51 | - |
| 5775MHz | Pass | PK | 5.9262G | 60.30 | 68.20 | -7.90 | 3 | Horizontal | 5 | 1.51 | - |
| 5775MHz | Pass | AV | 11.55112G | 44.35 | 54.00 | -9.65 | 3 | Vertical | 68 | 1.04 | - |
| 5775MHz | Pass | PK | 11.55496G | 55.05 | 74.00 | -18.95 | 3 | Vertical | 68 | 1.04 | - |
| 5775MHz | Pass | AV | 11.52696G | 44.17 | 54.00 | -9.83 | 3 | Horizontal | 261 | 1.82 | - |
| 5775MHz | Pass | PK | 11.53208G | 55.24 | 74.00 | -18.76 | 3 | Horizontal | 261 | 1.82 | - |
| 802.11ax HEW160_Nss4,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | AV | 5.001G | 53.06 | 54.00 | -0.94 | 3 | Vertical | 5 | 1.50 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | AV | 5.283G | 94.32 | Inf | -Inf | 3 | Vertical | 5 | 1.50 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | AV | 5.382G | 53.29 | 54.00 | -0.71 | 3 | Vertical | 5 | 1.50 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | PK | 5.073G | 60.22 | 74.00 | -13.78 | 3 | Vertical | 5 | 1.50 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | PK | 5.265G | 105.87 | Inf | -Inf | 3 | Vertical | 5 | 1.50 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | PK | 5.385G | 63.24 | 74.00 | -10.76 | 3 | Vertical | 5 | 1.50 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | AV | 5.136G | 51.84 | 54.00 | -2.16 | 3 | Horizontal | 6 | 1.61 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | AV | 5.259G | 95.20 | Inf | -Inf | 3 | Horizontal | 6 | 1.61 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | AV | 5.379G | 51.59 | 54.00 | -2.41 | 3 | Horizontal | 6 | 1.61 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | PK | 5.139G | 60.69 | 74.00 | -13.31 | 3 | Horizontal | 6 | 1.61 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | PK | 5.268G | 105.74 | Inf | -Inf | 3 | Horizontal | 6 | 1.61 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | PK | 5.379G | 61.67 | 74.00 | -12.33 | 3 | Horizontal | 6 | 1.61 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | PK | 10.49312G | 55.31 | 68.20 | -12.89 | 3 | Vertical | 300 | 1.00 | - |
| 5250MHz Straddle 5.15-5.35GHz | Pass | PK | 10.50044G | 55.03 | 68.20 | -13.17 | 3 | Horizontal | 284 | 1.59 | - |
| 5570MHz | Pass | AV | 5.438G | 53.52 | 54.00 | -0.48 | 3 | Vertical | 4 | 1.69 | - |
| 5570MHz | Pass | AV | 5.573G | 97.41 | Inf | -Inf | 3 | Vertical | 4 | 1.69 | - |
| 5570MHz | Pass | PK | 5.462G | 61.78 | 68.20 | -6.42 | 3 | Vertical | 4 | 1.69 | - |
| 5570MHz | Pass | PK | 5.585G | 108.92 | Inf | -Inf | 3 | Vertical | 4 | 1.69 | - |
| 5570MHz | Pass | PK | 5.738G | 62.53 | 68.20 | -5.67 | 3 | Vertical | 4 | 1.69 | - |
| 5570MHz | Pass | AV | 5.435G | 53.35 | 54.00 | -0.65 | 3 | Horizontal | 7 | 1.68 | - |
| 5570MHz | Pass | AV | 5.579G | 98.06 | Inf | -Inf | 3 | Horizontal | 7 | 1.68 | - |
| 5570MHz | Pass | PK | 5.465G | 64.12 | 68.20 | -4.08 | 3 | Horizontal | 7 | 1.68 | - |
| 5570MHz | Pass | PK | 5.567G | 108.80 | Inf | -Inf | 3 | Horizontal | 7 | 1.68 | - |
| 5570MHz | Pass | PK | 5.726G | 62.85 | 68.20 | -5.35 | 3 | Horizontal | 7 | 1.68 | - |
| 5570MHz | Pass | AV | 11.20368G | 44.40 | 54.00 | -9.60 | 3 | Vertical | 108 | 1.99 | - |
| 5570MHz | Pass | PK | 11.19056G | 55.05 | 74.00 | -18.95 | 3 | Vertical | 108 | 1.99 | - |
| 5570MHz | Pass | AV | 11.21296G | 44.54 | 54.00 | -9.46 | 3 | Horizontal | 258 | 2.06 | - |
| 5570MHz | Pass | PK | 11.17904G | 54.98 | 74.00 | -19.02 | 3 | Horizontal | 258 | 2.06 | - |

802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5G | 53.51 | 54.00 | -0.49 | 5.46 | 3 | Vertical | 4 | 1.71 | - | 48.05 | 31.30 | 8.38 | 34.22 |
| AV | 5.1824G | 104.77 | Inf | -Inf | 5.89 | 3 | Vertical | 4 | 1.71 | - | 98.88 | 31.57 | 8.55 | 34.23 |
| AV | 5.4044G | 48.14 | 54.00 | -5.86 | 5.70 | 3 | Vertical | 4 | 1.71 | - | 42.44 | 31.33 | 8.62 | 34.25 |
| PK | 5G | 60.58 | 74.00 | -13.42 | 5.46 | 3 | Vertical | 4 | 1.71 | - | 55.12 | 31.30 | 8.38 | 34.22 |
| PK | 5.1824G | 117.23 | Inf | -Inf | 5.89 | 3 | Vertical | 4 | 1.71 | - | 111.34 | 31.57 | 8.55 | 34.23 |
| PK | 5.4608G | 59.02 | 68.20 | -9.18 | 6.06 | 3 | Vertical | 4 | 1.71 | - | 52.96 | 31.62 | 8.70 | 34.26 |



802.11ax HEW20_Nss4,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1488G | 49.64 | 54.00 | -4.36 | 5.99 | 3 | Horizontal | 6 | 1.68 | - | 43.65 | 31.70 | 8.52 | 34.23 |
| AV | 5.1788G | 106.00 | Inf | -Inf | 5.90 | 3 | Horizontal | 6 | 1.68 | - | 100.10 | 31.58 | 8.55 | 34.23 |
| AV | 5.456G | 47.70 | 54.00 | -6.30 | 6.04 | 3 | Horizontal | 6 | 1.68 | - | 41.66 | 31.61 | 8.69 | 34.26 |
| PK | 5.1488G | 60.20 | 74.00 | -13.80 | 5.99 | 3 | Horizontal | 6 | 1.68 | - | 54.21 | 31.70 | 8.52 | 34.23 |
| PK | 5.1788G | 117.72 | Inf | -Inf | 5.90 | 3 | Horizontal | 6 | 1.68 | - | 111.82 | 31.58 | 8.55 | 34.23 |
| PK | 5.4644G | 58.30 | 68.20 | -9.90 | 6.07 | 3 | Horizontal | 6 | 1.68 | - | 52.23 | 31.63 | 8.70 | 34.26 |

802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.358G | 54.33 | 68.20 | -13.87 | 16.87 | 3 | Vertical | 200 | 2.39 | - | 37.46 | 39.37 | 12.18 | 34.68 |



802.11ax HEW20_Nss4,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.35916G | 54.56 | 68.20 | -13.64 | 16.88 | 3 | Horizontal | 174 | 2.46 | - | 37.68 | 39.38 | 12.18 | 34.68 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 4.9996G | 52.61 | 54.00 | -1.39 | 5.46 | 3 | Vertical | 4 | 1.70 | - | 47.15 | 31.30 | 8.38 | 34.22 |
| AV | 5.1976G | 104.39 | Inf | -Inf | 5.84 | 3 | Vertical | 4 | 1.70 | - | 98.55 | 31.51 | 8.57 | 34.24 |
| AV | 5.3764G | 47.59 | 54.00 | -6.41 | 5.52 | 3 | Vertical | 4 | 1.70 | - | 42.07 | 31.16 | 8.61 | 34.25 |
| PK | 4.9996G | 60.04 | 74.00 | -13.96 | 5.46 | 3 | Vertical | 4 | 1.70 | - | 54.58 | 31.30 | 8.38 | 34.22 |
| PK | 5.1952G | 115.89 | Inf | -Inf | 5.85 | 3 | Vertical | 4 | 1.70 | - | 110.04 | 31.52 | 8.57 | 34.24 |
| PK | 5.5G | 58.45 | 68.20 | -9.75 | 6.19 | 3 | Vertical | 4 | 1.70 | - | 52.26 | 31.70 | 8.75 | 34.26 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1376G | 48.10 | 54.00 | -5.90 | 5.98 | 3 | Horizontal | 6 | 1.76 | - | 42.12 | 31.70 | 8.51 | 34.23 |
| AV | 5.1988G | 105.69 | Inf | -Inf | 5.83 | 3 | Horizontal | 6 | 1.76 | - | 99.86 | 31.50 | 8.57 | 34.24 |
| AV | 5.4388G | 47.58 | 54.00 | -6.42 | 5.94 | 3 | Horizontal | 6 | 1.76 | - | 41.64 | 31.53 | 8.67 | 34.26 |
| PK | 5.1364G | 60.01 | 74.00 | -13.99 | 5.98 | 3 | Horizontal | 6 | 1.76 | - | 54.03 | 31.70 | 8.51 | 34.23 |
| PK | 5.1988G | 117.35 | Inf | -Inf | 5.83 | 3 | Horizontal | 6 | 1.76 | - | 111.52 | 31.50 | 8.57 | 34.24 |
| PK | 5.4808G | 59.26 | 68.20 | -8.94 | 6.13 | 3 | Horizontal | 6 | 1.76 | - | 53.13 | 31.66 | 8.73 | 34.26 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.47764G | 55.15 | 68.20 | -13.05 | 17.31 | 3 | Vertical | 184 | 1.98 | - | 37.84 | 39.66 | 12.24 | 34.59 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.48312G | 54.48 | 68.20 | -13.72 | 17.33 | 3 | Horizontal | 332 | 1.64 | - | 37.15 | 39.67 | 12.24 | 34.58 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5G | 53.12 | 54.00 | -0.88 | 5.46 | 3 | Vertical | 5 | 1.77 | - | 47.66 | 31.30 | 8.38 | 34.22 |
| AV | 5.2328G | 104.05 | Inf | -Inf | 5.64 | 3 | Vertical | 5 | 1.77 | - | 98.41 | 31.30 | 8.58 | 34.24 |
| AV | 5.4452G | 47.77 | 54.00 | -6.23 | 5.99 | 3 | Vertical | 5 | 1.77 | - | 41.78 | 31.57 | 8.68 | 34.26 |
| PK | 5G | 59.55 | 74.00 | -14.45 | 5.46 | 3 | Vertical | 5 | 1.77 | - | 54.09 | 31.30 | 8.38 | 34.22 |
| PK | 5.2352G | 115.44 | Inf | -Inf | 5.63 | 3 | Vertical | 5 | 1.77 | - | 109.81 | 31.29 | 8.58 | 34.24 |
| PK | 5.5004G | 59.59 | 68.20 | -8.61 | 6.20 | 3 | Vertical | 5 | 1.77 | - | 53.39 | 31.70 | 8.76 | 34.26 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1248G | 47.85 | 54.00 | -6.15 | 5.97 | 3 | Horizontal | 6 | 1.74 | - | 41.88 | 31.70 | 8.50 | 34.23 |
| AV | 5.2388G | 105.52 | Inf | -Inf | 5.61 | 3 | Horizontal | 6 | 1.74 | - | 99.91 | 31.27 | 8.58 | 34.24 |
| AV | 5.354G | 47.71 | 54.00 | -6.29 | 5.37 | 3 | Horizontal | 6 | 1.74 | - | 42.34 | 31.02 | 8.60 | 34.25 |
| PK | 5.042G | 59.59 | 74.00 | -14.41 | 5.67 | 3 | Horizontal | 6 | 1.74 | - | 53.92 | 31.47 | 8.42 | 34.22 |
| PK | 5.2388G | 117.21 | Inf | -Inf | 5.61 | 3 | Horizontal | 6 | 1.74 | - | 111.60 | 31.27 | 8.58 | 34.24 |
| PK | 5.5064G | 60.29 | 68.20 | -7.91 | 6.19 | 3 | Horizontal | 6 | 1.74 | - | 54.10 | 31.69 | 8.76 | 34.26 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.47132G | 54.43 | 68.20 | -13.77 | 17.29 | 3 | Vertical | 106 | 1.78 | - | 37.14 | 39.64 | 12.24 | 34.59 |

802.11ax HEW20_Nss4,(MCS0)_4TX

5240MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (*) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 10.4876G | 54.54 | 68.20 | -13.66 | 17.35 | 3 | Horizontal | 265 | 1.60 | - | 37.19 | 39.68 | 12.25 | 34.58 |



802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 4.9996G | 52.38 | 54.00 | -1.62 | 5.46 | 3 | Vertical | 4 | 1.65 | - | 46.92 | 31.30 | 8.38 | 34.22 |
| AV | 5.26G | 104.56 | Inf | -Inf | 5.52 | 3 | Vertical | 4 | 1.65 | - | 99.04 | 31.18 | 8.58 | 34.24 |
| AV | 5.4376G | 47.94 | 54.00 | -6.06 | 5.93 | 3 | Vertical | 4 | 1.65 | - | 42.01 | 31.53 | 8.66 | 34.26 |
| PK | 4.9996G | 58.98 | 74.00 | -15.02 | 5.46 | 3 | Vertical | 4 | 1.65 | - | 53.52 | 31.30 | 8.38 | 34.22 |
| PK | 5.2552G | 116.06 | Inf | -Inf | 5.53 | 3 | Vertical | 4 | 1.65 | - | 110.53 | 31.19 | 8.58 | 34.24 |
| PK | 5.5204G | 59.86 | 68.20 | -8.34 | 6.18 | 3 | Vertical | 4 | 1.65 | - | 53.68 | 31.66 | 8.78 | 34.26 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1052G | 47.42 | 54.00 | -6.58 | 5.95 | 3 | Horizontal | 6 | 1.68 | - | 41.47 | 31.70 | 8.48 | 34.23 |
| AV | 5.2588G | 105.29 | Inf | -Inf | 5.52 | 3 | Horizontal | 6 | 1.68 | - | 99.77 | 31.18 | 8.58 | 34.24 |
| AV | 5.374G | 47.88 | 54.00 | -6.12 | 5.49 | 3 | Horizontal | 6 | 1.68 | - | 42.39 | 31.14 | 8.60 | 34.25 |
| PK | 5.1148G | 59.29 | 74.00 | -14.71 | 5.96 | 3 | Horizontal | 6 | 1.68 | - | 53.33 | 31.70 | 8.49 | 34.23 |
| PK | 5.2588G | 117.19 | Inf | -Inf | 5.52 | 3 | Horizontal | 6 | 1.68 | - | 111.67 | 31.18 | 8.58 | 34.24 |
| PK | 5.5552G | 59.32 | 68.20 | -8.88 | 6.17 | 3 | Horizontal | 6 | 1.68 | - | 53.15 | 31.60 | 8.84 | 34.27 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.524688G | 55.05 | 68.20 | -13.15 | 17.43 | 3 | Vertical | 110 | 2.07 | - | 37.62 | 39.72 | 12.26 | 34.55 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.52864G | 54.56 | 68.20 | -13.64 | 17.45 | 3 | Horizontal | 104 | 1.04 | - | 37.11 | 39.73 | 12.27 | 34.55 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5G | 53.56 | 54.00 | -0.44 | 5.46 | 3 | Vertical | 7 | 1.64 | - | 48.10 | 31.30 | 8.38 | 34.22 |
| AV | 5.2964G | 104.89 | Inf | -Inf | 5.46 | 3 | Vertical | 7 | 1.64 | - | 99.43 | 31.11 | 8.59 | 34.24 |
| AV | 5.3528G | 48.28 | 54.00 | -5.72 | 5.37 | 3 | Vertical | 7 | 1.64 | - | 42.91 | 31.02 | 8.60 | 34.25 |
| PK | 5G | 59.93 | 74.00 | -14.07 | 5.46 | 3 | Vertical | 7 | 1.64 | - | 54.47 | 31.30 | 8.38 | 34.22 |
| PK | 5.3024G | 116.70 | Inf | -Inf | 5.45 | 3 | Vertical | 7 | 1.64 | - | 111.25 | 31.10 | 8.59 | 34.24 |
| PK | 5.552G | 60.51 | 68.20 | -7.69 | 6.16 | 3 | Vertical | 7 | 1.64 | - | 54.35 | 31.60 | 8.83 | 34.27 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.0792G | 47.54 | 54.00 | -6.46 | 5.85 | 3 | Horizontal | 5 | 1.72 | - | 41.69 | 31.62 | 8.46 | 34.23 |
| AV | 5.2988G | 105.95 | Inf | -Inf | 5.45 | 3 | Horizontal | 5 | 1.72 | - | 100.50 | 31.10 | 8.59 | 34.24 |
| AV | 5.372G | 48.55 | 54.00 | -5.45 | 5.48 | 3 | Horizontal | 5 | 1.72 | - | 43.07 | 31.13 | 8.60 | 34.25 |
| PK | 5.0852G | 58.81 | 74.00 | -15.19 | 5.87 | 3 | Horizontal | 5 | 1.72 | - | 52.94 | 31.64 | 8.46 | 34.23 |
| PK | 5.2988G | 117.23 | Inf | -Inf | 5.45 | 3 | Horizontal | 5 | 1.72 | - | 111.78 | 31.10 | 8.59 | 34.24 |
| PK | 5.5424G | 59.51 | 68.20 | -8.69 | 6.18 | 3 | Horizontal | 5 | 1.72 | - | 53.33 | 31.62 | 8.82 | 34.26 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.60684G | 54.50 | 74.00 | -19.50 | 17.63 | 3 | Vertical | 22 | 2.88 | - | 36.87 | 39.81 | 12.31 | 34.49 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.6018G | 54.96 | 74.00 | -19.04 | 17.61 | 3 | Horizontal | 176 | 1.50 | - | 37.35 | 39.80 | 12.30 | 34.49 |

802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.146G | 46.99 | 54.00 | -7.01 | 5.99 | 3 | Vertical | 9 | 1.66 | - | 41.00 | 31.70 | 8.52 | 34.23 |
| AV | 5.3224G | 105.03 | Inf | -Inf | 5.40 | 3 | Vertical | 9 | 1.66 | - | 99.63 | 31.06 | 8.59 | 34.25 |
| AV | 5.35G | 49.65 | 54.00 | -4.35 | 5.35 | 3 | Vertical | 9 | 1.66 | - | 44.30 | 31.00 | 8.60 | 34.25 |
| PK | 5.0368G | 58.29 | 74.00 | -15.71 | 5.64 | 3 | Vertical | 9 | 1.66 | - | 52.65 | 31.45 | 8.41 | 34.22 |
| PK | 5.3176G | 117.34 | Inf | -Inf | 5.40 | 3 | Vertical | 9 | 1.66 | - | 111.94 | 31.06 | 8.59 | 34.25 |
| PK | 5.518G | 60.50 | 68.20 | -7.70 | 6.18 | 3 | Vertical | 9 | 1.66 | - | 54.32 | 31.66 | 8.78 | 34.26 |



802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




01/04/2021

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1412G | 47.32 | 54.00 | -6.68 | 5.98 | 3 | Horizontal | 7 | 1.69 | - | 41.34 | 31.70 | 8.51 | 34.23 |
| AV | 5.3188G | 106.05 | Inf | -Inf | 5.40 | 3 | Horizontal | 7 | 1.69 | - | 100.65 | 31.06 | 8.59 | 34.25 |
| AV | 5.3512G | 50.04 | 54.00 | -3.96 | 5.36 | 3 | Horizontal | 7 | 1.69 | - | 44.68 | 31.01 | 8.60 | 34.25 |
| PK | 5.0284G | 59.14 | 74.00 | -14.86 | 5.60 | 3 | Horizontal | 7 | 1.69 | - | 53.54 | 31.41 | 8.41 | 34.22 |
| PK | 5.3188G | 117.61 | Inf | -Inf | 5.40 | 3 | Horizontal | 7 | 1.69 | - | 112.21 | 31.06 | 8.59 | 34.25 |
| PK | 5.4868G | 59.61 | 68.20 | -8.59 | 6.15 | 3 | Horizontal | 7 | 1.69 | - | 53.46 | 31.67 | 8.74 | 34.26 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.64728G | 42.73 | 54.00 | -11.27 | 17.72 | 3 | Vertical | 187 | 1.50 | - | 25.01 | 39.85 | 12.33 | 34.46 |
| PK | 10.64248G | 55.22 | 74.00 | -18.78 | 17.70 | 3 | Vertical | 187 | 1.50 | - | 37.52 | 39.84 | 12.32 | 34.46 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.63504G | 42.65 | 54.00 | -11.35 | 17.69 | 3 | Horizontal | 44 | 1.50 | - | 24.96 | 39.84 | 12.32 | 34.47 |
| PK | 10.63952G | 54.80 | 74.00 | -19.20 | 17.70 | 3 | Horizontal | 44 | 1.50 | - | 37.10 | 39.84 | 12.32 | 34.46 |

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4556G | 48.10 | 54.00 | -5.90 | 6.04 | 3 | Vertical | 5 | 1.60 | - | 42.06 | 31.61 | 8.69 | 34.26 |
| AV | 5.4988G | 104.78 | Inf | -Inf | 6.19 | 3 | Vertical | 5 | 1.60 | - | 98.59 | 31.70 | 8.75 | 34.26 |
| PK | 5.4688G | 61.47 | 68.20 | -6.73 | 6.09 | 3 | Vertical | 5 | 1.60 | - | 55.38 | 31.64 | 8.71 | 34.26 |
| PK | 5.4928G | 116.18 | Inf | -Inf | 6.17 | 3 | Vertical | 5 | 1.60 | - | 110.01 | 31.69 | 8.74 | 34.26 |
| PK | 5.7556G | 59.75 | 68.20 | -8.45 | 6.75 | 3 | Vertical | 5 | 1.60 | - | 53.00 | 32.00 | 9.04 | 34.29 |



802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 48.62 | 54.00 | -5.38 | 6.06 | 3 | Horizontal | 8 | 1.81 | - | 42.56 | 31.62 | 8.70 | 34.26 |
| AV | 5.4988G | 105.81 | Inf | -Inf | 6.19 | 3 | Horizontal | 8 | 1.81 | - | 99.62 | 31.70 | 8.75 | 34.26 |
| PK | 5.4688G | 60.79 | 68.20 | -7.41 | 6.09 | 3 | Horizontal | 8 | 1.81 | - | 54.70 | 31.64 | 8.71 | 34.26 |
| PK | 5.4988G | 117.60 | Inf | -Inf | 6.19 | 3 | Horizontal | 8 | 1.81 | - | 111.41 | 31.70 | 8.75 | 34.26 |
| PK | 5.7328G | 59.46 | 68.20 | -8.74 | 6.67 | 3 | Horizontal | 8 | 1.81 | - | 52.79 | 31.93 | 9.02 | 34.28 |



802.11ax HEW20_Nss4,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.99584G | 43.02 | 54.00 | -10.98 | 18.51 | 3 | Vertical | 18 | 2.39 | - | 24.51 | 40.20 | 12.50 | 34.19 |
| PK | 10.99056G | 55.80 | 74.00 | -18.20 | 18.49 | 3 | Vertical | 18 | 2.39 | - | 37.31 | 40.19 | 12.50 | 34.20 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.995G | 43.00 | 54.00 | -11.00 | 18.51 | 3 | Horizontal | 46 | 1.02 | - | 24.49 | 40.20 | 12.50 | 34.19 |
| PK | 11.0096G | 55.37 | 74.00 | -18.63 | 18.49 | 3 | Horizontal | 46 | 1.02 | - | 36.88 | 40.17 | 12.51 | 34.19 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4564G | 47.35 | 54.00 | -6.65 | 6.04 | 3 | Vertical | 5 | 1.71 | - | 41.31 | 31.61 | 8.69 | 34.26 |
| AV | 5.5788G | 105.50 | Inf | -Inf | 6.20 | 3 | Vertical | 5 | 1.71 | - | 99.30 | 31.60 | 8.87 | 34.27 |
| PK | 5.466G | 59.26 | 68.20 | -8.94 | 6.08 | 3 | Vertical | 5 | 1.71 | - | 53.18 | 31.63 | 8.71 | 34.26 |
| PK | 5.5824G | 117.64 | Inf | -Inf | 6.20 | 3 | Vertical | 5 | 1.71 | - | 111.44 | 31.60 | 8.87 | 34.27 |
| PK | 5.8296G | 58.89 | 68.20 | -9.31 | 6.92 | 3 | Vertical | 5 | 1.71 | - | 51.97 | 32.12 | 9.09 | 34.29 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4324G | 47.73 | 54.00 | -6.27 | 5.90 | 3 | Horizontal | 6 | 1.63 | - | 41.83 | 31.49 | 8.66 | 34.25 |
| AV | 5.5788G | 106.67 | Inf | -Inf | 6.20 | 3 | Horizontal | 6 | 1.63 | - | 100.47 | 31.60 | 8.87 | 34.27 |
| PK | 5.3424G | 59.35 | 68.20 | -8.85 | 5.37 | 3 | Horizontal | 6 | 1.63 | - | 53.98 | 31.02 | 8.60 | 34.25 |
| PK | 5.5788G | 118.05 | Inf | -Inf | 6.20 | 3 | Horizontal | 6 | 1.63 | - | 111.85 | 31.60 | 8.87 | 34.27 |
| PK | 5.8488G | 60.07 | 68.20 | -8.13 | 7.01 | 3 | Horizontal | 6 | 1.63 | - | 53.06 | 32.20 | 9.10 | 34.29 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.16412G | 42.91 | 54.00 | -11.09 | 18.18 | 3 | Vertical | 196 | 1.07 | - | 24.73 | 39.77 | 12.59 | 34.18 |
| PK | 11.16744G | 56.12 | 74.00 | -17.88 | 18.18 | 3 | Vertical | 196 | 1.07 | - | 37.94 | 39.77 | 12.59 | 34.18 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.16692G | 42.80 | 54.00 | -11.20 | 18.18 | 3 | Horizontal | 11 | 1.02 | - | 24.62 | 39.77 | 12.59 | 34.18 |
| PK | 11.16648G | 55.40 | 74.00 | -18.60 | 18.18 | 3 | Horizontal | 11 | 1.02 | - | 37.22 | 39.77 | 12.59 | 34.18 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4576G | 47.67 | 54.00 | -6.33 | 6.05 | 3 | Vertical | 4 | 1.75 | - | 41.62 | 31.62 | 8.69 | 34.26 |
| AV | 5.6928G | 105.22 | Inf | -Inf | 6.49 | 3 | Vertical | 4 | 1.75 | - | 98.73 | 31.79 | 8.98 | 34.28 |
| PK | 5.4672G | 58.75 | 68.20 | -9.45 | 6.08 | 3 | Vertical | 4 | 1.75 | - | 52.67 | 31.63 | 8.71 | 34.26 |
| PK | 5.6952G | 116.85 | Inf | -Inf | 6.50 | 3 | Vertical | 4 | 1.75 | - | 110.35 | 31.79 | 8.99 | 34.28 |
| PK | 5.7252G | 64.84 | 68.20 | -3.36 | 6.63 | 3 | Vertical | 4 | 1.75 | - | 58.21 | 31.90 | 9.01 | 34.28 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4324G | 48.05 | 54.00 | -5.95 | 5.90 | 3 | Horizontal | 5 | 1.71 | - | 42.15 | 31.49 | 8.66 | 34.25 |
| AV | 5.6988G | 106.48 | Inf | -Inf | 6.51 | 3 | Horizontal | 5 | 1.71 | - | 99.97 | 31.80 | 8.99 | 34.28 |
| PK | 5.4648G | 59.52 | 68.20 | -8.68 | 6.07 | 3 | Horizontal | 5 | 1.71 | - | 53.45 | 31.63 | 8.70 | 34.26 |
| PK | 5.6916G | 117.34 | Inf | -Inf | 6.48 | 3 | Horizontal | 5 | 1.71 | - | 110.86 | 31.78 | 8.98 | 34.28 |
| PK | 5.7252G | 63.57 | 68.20 | -4.63 | 6.63 | 3 | Horizontal | 5 | 1.71 | - | 56.94 | 31.90 | 9.01 | 34.28 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.40764G | 42.88 | 54.00 | -11.12 | 18.36 | 3 | Vertical | 101 | 1.98 | - | 24.52 | 39.82 | 12.71 | 34.17 |
| PK | 11.40996G | 55.08 | 74.00 | -18.92 | 18.36 | 3 | Vertical | 101 | 1.98 | - | 36.72 | 39.82 | 12.71 | 34.17 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.40584G | 43.09 | 54.00 | -10.91 | 18.35 | 3 | Horizontal | 186 | 2.46 | - | 24.74 | 39.81 | 12.71 | 34.17 |
| PK | 11.39288G | 55.40 | 74.00 | -18.60 | 18.32 | 3 | Horizontal | 186 | 2.46 | - | 37.08 | 39.79 | 12.70 | 34.17 |




802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.45G | 47.65 | 54.00 | -6.35 | 6.02 | 3 | Vertical | 5 | 1.54 | - | 41.63 | 31.60 | 8.68 | 34.26 |
| AV | 5.7248G | 104.40 | Inf | -Inf | 6.63 | 3 | Vertical | 5 | 1.54 | - | 97.77 | 31.90 | 9.01 | 34.28 |
| PK | 5.468G | 58.18 | 68.20 | -10.02 | 6.09 | 3 | Vertical | 5 | 1.54 | - | 52.09 | 31.64 | 8.71 | 34.26 |
| PK | 5.7236G | 115.86 | Inf | -Inf | 6.62 | 3 | Vertical | 5 | 1.54 | - | 109.24 | 31.89 | 9.01 | 34.28 |
| PK | 5.8772G | 59.50 | 68.20 | -8.70 | 7.06 | 3 | Vertical | 5 | 1.54 | - | 52.44 | 32.25 | 9.11 | 34.30 |


802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4524G | 47.91 | 54.00 | -6.09 | 6.03 | 3 | Horizontal | 5 | 1.68 | - | 41.88 | 31.60 | 8.69 | 34.26 |
| AV | 5.7188G | 106.18 | Inf | -Inf | 6.61 | 3 | Horizontal | 5 | 1.68 | - | 99.57 | 31.88 | 9.01 | 34.28 |
| PK | 5.4644G | 58.90 | 68.20 | -9.30 | 6.07 | 3 | Horizontal | 5 | 1.68 | - | 52.83 | 31.63 | 8.70 | 34.26 |
| PK | 5.7188G | 117.51 | Inf | -Inf | 6.61 | 3 | Horizontal | 5 | 1.68 | - | 110.90 | 31.88 | 9.01 | 34.28 |
| PK | 5.8568G | 59.79 | 68.20 | -8.41 | 7.02 | 3 | Horizontal | 5 | 1.68 | - | 52.77 | 32.21 | 9.11 | 34.30 |




802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.44664G | 42.87 | 54.00 | -11.13 | 18.46 | 3 | Vertical | 161 | 1.93 | - | 24.41 | 39.89 | 12.73 | 34.16 |
| PK | 11.43236G | 55.20 | 74.00 | -18.80 | 18.42 | 3 | Vertical | 161 | 1.93 | - | 36.78 | 39.86 | 12.72 | 34.16 |


802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.43036G | 43.16 | 54.00 | -10.84 | 18.42 | 3 | Horizontal | 68 | 2.10 | - | 24.74 | 39.86 | 12.72 | 34.16 |
| PK | 11.43332G | 55.63 | 74.00 | -18.37 | 18.43 | 3 | Horizontal | 68 | 2.10 | - | 37.20 | 39.87 | 12.72 | 34.16 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7378G | 105.73 | Inf | -Inf | 6.69 | 3 | Vertical | 4 | 1.70 | - | 99.04 | 31.95 | 9.02 | 34.28 |
| PK | 5.6442G | 61.46 | 68.20 | -6.74 | 6.36 | 3 | Vertical | 4 | 1.70 | - | 55.10 | 31.69 | 8.94 | 34.27 |
| PK | 5.7402G | 116.83 | Inf | -Inf | 6.71 | 3 | Vertical | 4 | 1.70 | - | 110.12 | 31.96 | 9.03 | 34.28 |
| PK | 5.9982G | 58.58 | 68.20 | -9.62 | 7.26 | 3 | Vertical | 4 | 1.70 | - | 51.32 | 32.40 | 9.17 | 34.31 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7438G | 106.06 | Inf | -Inf | 6.73 | 3 | Horizontal | 7 | 1.50 | - | 99.33 | 31.98 | 9.03 | 34.28 |
| PK | 5.5206G | 60.21 | 68.20 | -7.99 | 6.18 | 3 | Horizontal | 7 | 1.50 | - | 54.03 | 31.66 | 8.78 | 34.26 |
| PK | 5.7438G | 117.25 | Inf | -Inf | 6.73 | 3 | Horizontal | 7 | 1.50 | - | 110.52 | 31.98 | 9.03 | 34.28 |
| PK | 6.0186G | 59.39 | 68.20 | -8.81 | 7.23 | 3 | Horizontal | 7 | 1.50 | - | 52.16 | 32.36 | 9.18 | 34.31 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.49948G | 43.05 | 54.00 | -10.95 | 18.60 | 3 | Vertical | 260 | 1.53 | - | 24.45 | 40.00 | 12.76 | 34.16 |
| PK | 11.49348G | 55.81 | 74.00 | -18.19 | 18.58 | 3 | Vertical | 260 | 1.53 | - | 37.23 | 39.99 | 12.75 | 34.16 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.4948G | 43.22 | 54.00 | -10.78 | 18.58 | 3 | Horizontal | 345 | 2.05 | - | 24.64 | 39.99 | 12.75 | 34.16 |
| PK | 11.49844G | 55.42 | 74.00 | -18.58 | 18.60 | 3 | Horizontal | 345 | 2.05 | - | 36.82 | 40.00 | 12.76 | 34.16 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7778G | 105.04 | Inf | -Inf | 6.77 | 3 | Vertical | 3 | 1.62 | - | 98.27 | 32.00 | 9.06 | 34.29 |
| PK | 5.5654G | 61.54 | 68.20 | -6.66 | 6.18 | 3 | Vertical | 3 | 1.62 | - | 55.36 | 31.60 | 8.85 | 34.27 |
| PK | 5.7802G | 116.62 | Inf | -Inf | 6.77 | 3 | Vertical | 3 | 1.62 | - | 109.85 | 32.00 | 9.06 | 34.29 |
| PK | 6.0154G | 58.55 | 68.20 | -9.65 | 7.24 | 3 | Vertical | 3 | 1.62 | - | 51.31 | 32.37 | 9.18 | 34.31 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7838G | 106.39 | Inf | -Inf | 6.78 | 3 | Horizontal | 6 | 1.64 | - | 99.61 | 32.00 | 9.07 | 34.29 |
| PK | 5.5258G | 60.89 | 68.20 | -7.31 | 6.18 | 3 | Horizontal | 6 | 1.64 | - | 54.71 | 31.65 | 8.79 | 34.26 |
| PK | 5.7838G | 118.06 | Inf | -Inf | 6.78 | 3 | Horizontal | 6 | 1.64 | - | 111.28 | 32.00 | 9.07 | 34.29 |
| PK | 5.9854G | 59.64 | 68.20 | -8.56 | 7.22 | 3 | Horizontal | 6 | 1.64 | - | 52.42 | 32.37 | 9.16 | 34.31 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.56056G | 42.86 | 54.00 | -11.14 | 18.54 | 3 | Vertical | 116 | 1.10 | - | 24.32 | 39.94 | 12.79 | 34.19 |
| PK | 11.57576G | 55.36 | 74.00 | -18.64 | 18.52 | 3 | Vertical | 116 | 1.10 | - | 36.84 | 39.92 | 12.80 | 34.20 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.56536G | 42.87 | 54.00 | -11.13 | 18.53 | 3 | Horizontal | 46 | 1.33 | - | 24.34 | 39.93 | 12.79 | 34.19 |
| PK | 11.56696G | 55.32 | 74.00 | -18.68 | 18.53 | 3 | Horizontal | 46 | 1.33 | - | 36.79 | 39.93 | 12.79 | 34.19 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8274G | 104.94 | Inf | -Inf | 6.91 | 3 | Vertical | 3 | 1.66 | - | 98.03 | 32.11 | 9.09 | 34.29 |
| PK | 5.6138G | 62.08 | 68.20 | -6.12 | 6.27 | 3 | Vertical | 3 | 1.66 | - | 55.81 | 31.63 | 8.91 | 34.27 |
| PK | 5.8202G | 116.69 | Inf | -Inf | 6.88 | 3 | Vertical | 3 | 1.66 | - | 109.81 | 32.08 | 9.09 | 34.29 |
| PK | 6.0434G | 59.31 | 68.20 | -8.89 | 7.20 | 3 | Vertical | 3 | 1.66 | - | 52.11 | 32.31 | 9.20 | 34.31 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8238G | 106.20 | Inf | -Inf | 6.90 | 3 | Horizontal | 6 | 1.66 | - | 99.30 | 32.10 | 9.09 | 34.29 |
| PK | 5.5958G | 60.64 | 68.20 | -7.56 | 6.22 | 3 | Horizontal | 6 | 1.66 | - | 54.42 | 31.60 | 8.89 | 34.27 |
| PK | 5.8238G | 117.83 | Inf | -Inf | 6.90 | 3 | Horizontal | 6 | 1.66 | - | 110.93 | 32.10 | 9.09 | 34.29 |
| PK | 5.927G | 59.45 | 68.20 | -8.75 | 7.14 | 3 | Horizontal | 6 | 1.66 | - | 52.31 | 32.30 | 9.14 | 34.30 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.64152G | 42.61 | 54.00 | -11.39 | 18.21 | 3 | Vertical | 215 | 1.94 | - | 24.40 | 39.61 | 12.83 | 34.23 |
| PK | 11.64484G | 54.63 | 74.00 | -19.37 | 18.19 | 3 | Vertical | 215 | 1.94 | - | 36.44 | 39.59 | 12.83 | 34.23 |

802.11ax HEW20_Nss4,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.6492G | 42.79 | 54.00 | -11.21 | 18.16 | 3 | Horizontal | 12 | 2.06 | - | 24.63 | 39.56 | 12.83 | 34.23 |
| PK | 11.64556G | 55.00 | 74.00 | -19.00 | 18.18 | 3 | Horizontal | 12 | 2.06 | - | 36.82 | 39.58 | 12.83 | 34.23 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 4.9992G | 53.29 | 54.00 | -0.71 | 5.46 | 3 | Vertical | 7 | 1.50 | - | 47.83 | 31.30 | 8.38 | 34.22 |
| AV | 5.196G | 102.00 | Inf | -Inf | 5.85 | 3 | Vertical | 7 | 1.50 | - | 96.15 | 31.52 | 8.57 | 34.24 |
| AV | 5.46G | 49.23 | 54.00 | -4.77 | 6.06 | 3 | Vertical | 7 | 1.50 | - | 43.17 | 31.62 | 8.70 | 34.26 |
| PK | 5.1492G | 62.40 | 74.00 | -11.60 | 5.99 | 3 | Vertical | 7 | 1.50 | - | 56.41 | 31.70 | 8.52 | 34.23 |
| PK | 5.1792G | 113.71 | Inf | -Inf | 5.90 | 3 | Vertical | 7 | 1.50 | - | 107.81 | 31.58 | 8.55 | 34.23 |
| PK | 5.4804G | 59.27 | 68.20 | -8.93 | 6.13 | 3 | Vertical | 7 | 1.50 | - | 53.14 | 31.66 | 8.73 | 34.26 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.61 | 54.00 | -0.39 | 5.99 | 3 | Horizontal | 6 | 1.76 | - | 47.62 | 31.70 | 8.52 | 34.23 |
| AV | 5.1888G | 103.05 | Inf | -Inf | 5.86 | 3 | Horizontal | 6 | 1.76 | - | 97.19 | 31.54 | 8.56 | 34.24 |
| AV | 5.4204G | 48.52 | 54.00 | -5.48 | 5.81 | 3 | Horizontal | 6 | 1.76 | - | 42.71 | 31.42 | 8.64 | 34.25 |
| PK | 5.148G | 63.56 | 74.00 | -10.44 | 5.99 | 3 | Horizontal | 6 | 1.76 | - | 57.57 | 31.70 | 8.52 | 34.23 |
| PK | 5.1984G | 113.60 | Inf | -Inf | 5.84 | 3 | Horizontal | 6 | 1.76 | - | 107.76 | 31.51 | 8.57 | 34.24 |
| PK | 5.4744G | 58.66 | 68.20 | -9.54 | 6.11 | 3 | Horizontal | 6 | 1.76 | - | 52.55 | 31.65 | 8.72 | 34.26 |

802.11ax HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.39824G | 53.69 | 68.20 | -14.51 | 17.04 | 3 | Vertical | 0 | 1.32 | - | 36.65 | 39.49 | 12.20 | 34.65 |



802.11ax HEW40_Nss4,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 10.37584G | 53.74 | 68.20 | -14.46 | 16.96 | 3 | Horizontal | 160 | 2.45 | - | 36.78 | 39.43 | 12.19 | 34.66 |

802.11ax HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 4.9996G | 52.81 | 54.00 | -1.19 | 5.46 | 3 | Vertical | 4 | 1.55 | - | 47.35 | 31.30 | 8.38 | 34.22 |
| AV | 5.236G | 103.11 | Inf | -Inf | 5.62 | 3 | Vertical | 4 | 1.55 | - | 97.49 | 31.28 | 8.58 | 34.24 |
| AV | 5.458G | 49.56 | 54.00 | -4.44 | 6.05 | 3 | Vertical | 4 | 1.55 | - | 43.51 | 31.62 | 8.69 | 34.26 |
| PK | 4.9996G | 60.05 | 74.00 | -13.95 | 5.46 | 3 | Vertical | 4 | 1.55 | - | 54.59 | 31.30 | 8.38 | 34.22 |
| PK | 5.218G | 113.18 | Inf | -Inf | 5.72 | 3 | Vertical | 4 | 1.55 | - | 107.46 | 31.39 | 8.57 | 34.24 |
| PK | 5.476G | 60.41 | 68.20 | -7.79 | 6.11 | 3 | Vertical | 4 | 1.55 | - | 54.30 | 31.65 | 8.72 | 34.26 |



802.11ax HEW40_Nss4,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.032G | 49.44 | 54.00 | -4.56 | 5.62 | 3 | Horizontal | 6 | 1.50 | - | 43.82 | 31.43 | 8.41 | 34.22 |
| AV | 5.2288G | 103.07 | Inf | -Inf | 5.67 | 3 | Horizontal | 6 | 1.50 | - | 97.40 | 31.33 | 8.58 | 34.24 |
| AV | 5.3872G | 49.19 | 54.00 | -4.81 | 5.58 | 3 | Horizontal | 6 | 1.50 | - | 43.61 | 31.22 | 8.61 | 34.25 |
| PK | 4.9744G | 59.49 | 74.00 | -14.51 | 5.38 | 3 | Horizontal | 6 | 1.50 | - | 54.11 | 31.25 | 8.36 | 34.23 |
| PK | 5.2192G | 113.67 | Inf | -Inf | 5.71 | 3 | Horizontal | 6 | 1.50 | - | 107.96 | 31.38 | 8.57 | 34.24 |
| PK | 5.4892G | 59.48 | 68.20 | -8.72 | 6.16 | 3 | Horizontal | 6 | 1.50 | - | 53.32 | 31.68 | 8.74 | 34.26 |

802.11ax HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.46384G | 54.11 | 68.20 | -14.09 | 17.26 | 3 | Vertical | 231 | 2.07 | - | 36.85 | 39.63 | 12.23 | 34.60 |



802.11ax HEW40_Nss4,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.4516G | 54.32 | 68.20 | -13.88 | 17.22 | 3 | Horizontal | 329 | 1.36 | - | 37.10 | 39.60 | 12.23 | 34.61 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 5G | 53.25 | 54.00 | -0.75 | 5.46 | 3 | Vertical | 4 | 1.50 | - | 47.79 | 31.30 | 8.38 | 34.22 |
| AV | 5.276G | 102.91 | Inf | -Inf | 5.50 | 3 | Vertical | 4 | 1.50 | - | 97.41 | 31.15 | 8.59 | 34.24 |
| AV | 5.384G | 49.45 | 54.00 | -4.55 | 5.56 | 3 | Vertical | 4 | 1.50 | - | 43.89 | 31.20 | 8.61 | 34.25 |
| PK | 5G | 59.87 | 74.00 | -14.13 | 5.46 | 3 | Vertical | 4 | 1.50 | - | 54.41 | 31.30 | 8.38 | 34.22 |
| PK | 5.2592G | 113.47 | Inf | -Inf | 5.52 | 3 | Vertical | 4 | 1.50 | - | 107.95 | 31.18 | 8.58 | 34.24 |
| PK | 5.3684G | 60.56 | 74.00 | -13.44 | 5.46 | 3 | Vertical | 4 | 1.50 | - | 55.10 | 31.11 | 8.60 | 34.25 |

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1284G | 48.93 | 54.00 | -5.07 | 5.97 | 3 | Horizontal | 6 | 1.66 | - | 42.96 | 31.70 | 8.50 | 34.23 |
| AV | 5.2664G | 104.09 | Inf | -Inf | 5.51 | 3 | Horizontal | 6 | 1.66 | - | 98.58 | 31.17 | 8.58 | 34.24 |
| AV | 5.378G | 49.45 | 54.00 | -4.55 | 5.53 | 3 | Horizontal | 6 | 1.66 | - | 43.92 | 31.17 | 8.61 | 34.25 |
| PK | 5.0972G | 59.65 | 74.00 | -14.35 | 5.93 | 3 | Horizontal | 6 | 1.66 | - | 53.72 | 31.69 | 8.47 | 34.23 |
| PK | 5.2592G | 114.50 | Inf | -Inf | 5.52 | 3 | Horizontal | 6 | 1.66 | - | 108.98 | 31.18 | 8.58 | 34.24 |
| PK | 5.3624G | 59.93 | 74.00 | -14.07 | 5.42 | 3 | Horizontal | 6 | 1.66 | - | 54.51 | 31.07 | 8.60 | 34.25 |



802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|------------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 10.550966G | 54.28 | 68.20 | -13.92 | 17.50 | 3 | Vertical | 120 | 1.14 | - | 36.78 | 39.75 | 12.28 | 34.53 |



802.11ax HEW40_Nss4,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.52776G | 54.29 | 68.20 | -13.91 | 17.45 | 3 | Horizontal | 304 | 1.53 | - | 36.84 | 39.73 | 12.27 | 34.55 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.0496G | 48.36 | 54.00 | -5.64 | 5.71 | 3 | Vertical | 6 | 1.50 | - | 42.65 | 31.50 | 8.43 | 34.22 |
| AV | 5.316G | 102.25 | Inf | -Inf | 5.41 | 3 | Vertical | 6 | 1.50 | - | 96.84 | 31.07 | 8.59 | 34.25 |
| AV | 5.355G | 53.55 | 54.00 | -0.45 | 5.35 | 3 | Vertical | 6 | 1.50 | - | 48.20 | 31.00 | 8.60 | 34.25 |
| PK | 5.0856G | 58.93 | 74.00 | -15.07 | 5.87 | 3 | Vertical | 6 | 1.50 | - | 53.06 | 31.64 | 8.46 | 34.23 |
| PK | 5.2992G | 114.23 | Inf | -Inf | 5.45 | 3 | Vertical | 6 | 1.50 | - | 108.78 | 31.10 | 8.59 | 34.24 |
| PK | 5.3544G | 64.09 | 74.00 | -9.91 | 5.38 | 3 | Vertical | 6 | 1.50 | - | 58.71 | 31.03 | 8.60 | 34.25 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1336G | 49.22 | 54.00 | -4.78 | 5.98 | 3 | Horizontal | 7 | 1.76 | - | 43.24 | 31.70 | 8.51 | 34.23 |
| AV | 5.304G | 103.47 | Inf | -Inf | 5.44 | 3 | Horizontal | 7 | 1.76 | - | 98.03 | 31.09 | 8.59 | 34.24 |
| AV | 5.3532G | 53.79 | 54.00 | -0.21 | 5.37 | 3 | Horizontal | 7 | 1.76 | - | 48.42 | 31.02 | 8.60 | 34.25 |
| PK | 5.0796G | 59.19 | 74.00 | -14.81 | 5.85 | 3 | Horizontal | 7 | 1.76 | - | 53.34 | 31.62 | 8.46 | 34.23 |
| PK | 5.3064G | 113.83 | Inf | -Inf | 5.44 | 3 | Horizontal | 7 | 1.76 | - | 108.39 | 31.09 | 8.59 | 34.24 |
| PK | 5.3532G | 64.89 | 74.00 | -9.11 | 5.37 | 3 | Horizontal | 7 | 1.76 | - | 59.52 | 31.02 | 8.60 | 34.25 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.63344G | 44.59 | 54.00 | -9.41 | 17.68 | 3 | Vertical | 147 | 2.41 | - | 26.91 | 39.83 | 12.32 | 34.47 |
| PK | 10.63112G | 55.07 | 74.00 | -18.93 | 17.68 | 3 | Vertical | 147 | 2.41 | - | 37.39 | 39.83 | 12.32 | 34.47 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.6388G | 43.90 | 54.00 | -10.10 | 17.70 | 3 | Horizontal | 188 | 1.15 | - | 26.20 | 39.84 | 12.32 | 34.46 |
| PK | 10.60032G | 54.95 | 74.00 | -19.05 | 17.61 | 3 | Horizontal | 188 | 1.15 | - | 37.34 | 39.80 | 12.30 | 34.49 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4592G | 50.96 | 54.00 | -3.04 | 6.06 | 3 | Vertical | 6 | 1.50 | - | 44.90 | 31.62 | 8.70 | 34.26 |
| AV | 5.506G | 103.24 | Inf | -Inf | 6.19 | 3 | Vertical | 6 | 1.50 | - | 97.05 | 31.69 | 8.76 | 34.26 |
| PK | 5.4688G | 64.29 | 68.20 | -3.91 | 6.09 | 3 | Vertical | 6 | 1.50 | - | 58.20 | 31.64 | 8.71 | 34.26 |
| PK | 5.4988G | 115.13 | Inf | -Inf | 6.19 | 3 | Vertical | 6 | 1.50 | - | 108.94 | 31.70 | 8.75 | 34.26 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.458G | 50.97 | 54.00 | -3.03 | 6.05 | 3 | Horizontal | 7 | 1.65 | - | 44.92 | 31.62 | 8.69 | 34.26 |
| AV | 5.5092G | 103.32 | Inf | -Inf | 6.19 | 3 | Horizontal | 7 | 1.65 | - | 97.13 | 31.68 | 8.77 | 34.26 |
| PK | 5.4688G | 64.42 | 68.20 | -3.78 | 6.09 | 3 | Horizontal | 7 | 1.65 | - | 58.33 | 31.64 | 8.71 | 34.26 |
| PK | 5.5064G | 113.87 | Inf | -Inf | 6.19 | 3 | Horizontal | 7 | 1.65 | - | 107.68 | 31.69 | 8.76 | 34.26 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.02384G | 43.76 | 54.00 | -10.24 | 18.46 | 3 | Vertical | 34 | 1.38 | - | 25.30 | 40.13 | 12.52 | 34.19 |
| PK | 11.02608G | 54.37 | 74.00 | -19.63 | 18.45 | 3 | Vertical | 34 | 1.38 | - | 35.92 | 40.12 | 12.52 | 34.19 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.03392G | 44.08 | 54.00 | -9.92 | 18.43 | 3 | Horizontal | 24 | 1.15 | - | 25.65 | 40.10 | 12.52 | 34.19 |
| PK | 11.01112G | 54.50 | 74.00 | -19.50 | 18.49 | 3 | Horizontal | 24 | 1.15 | - | 36.01 | 40.17 | 12.51 | 34.19 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4512G | 49.06 | 54.00 | -4.94 | 6.02 | 3 | Vertical | 6 | 1.67 | - | 43.04 | 31.60 | 8.68 | 34.26 |
| AV | 5.544G | 103.56 | Inf | -Inf | 6.17 | 3 | Vertical | 6 | 1.67 | - | 97.39 | 31.61 | 8.82 | 34.26 |
| PK | 5.4676G | 59.67 | 68.20 | -8.53 | 6.09 | 3 | Vertical | 6 | 1.67 | - | 53.58 | 31.64 | 8.71 | 34.26 |
| PK | 5.5388G | 115.22 | Inf | -Inf | 6.17 | 3 | Vertical | 6 | 1.67 | - | 109.05 | 31.62 | 8.81 | 34.26 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4532G | 49.45 | 54.00 | -4.55 | 6.04 | 3 | Horizontal | 7 | 1.66 | - | 43.41 | 31.61 | 8.69 | 34.26 |
| AV | 5.5556G | 104.00 | Inf | -Inf | 6.17 | 3 | Horizontal | 7 | 1.66 | - | 97.83 | 31.60 | 8.84 | 34.27 |
| PK | 5.464G | 58.91 | 68.20 | -9.29 | 6.07 | 3 | Horizontal | 7 | 1.66 | - | 52.84 | 31.63 | 8.70 | 34.26 |
| PK | 5.5604G | 114.62 | Inf | -Inf | 6.17 | 3 | Horizontal | 7 | 1.66 | - | 108.45 | 31.60 | 8.84 | 34.27 |

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.11152G | 44.21 | 54.00 | -9.79 | 18.26 | 3 | Vertical | 272 | 2.03 | - | 25.95 | 39.88 | 12.56 | 34.18 |
| PK | 11.0908G | 54.81 | 74.00 | -19.19 | 18.30 | 3 | Vertical | 272 | 2.03 | - | 36.51 | 39.93 | 12.55 | 34.18 |



802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.10272G | 43.95 | 54.00 | -10.05 | 18.27 | 3 | Horizontal | 213 | 1.94 | - | 25.68 | 39.89 | 12.56 | 34.18 |
| PK | 11.1144G | 54.20 | 74.00 | -19.80 | 18.25 | 3 | Horizontal | 213 | 1.94 | - | 35.95 | 39.87 | 12.56 | 34.18 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.676G | 103.27 | Inf | -Inf | 6.44 | 3 | Vertical | 5 | 1.50 | - | 96.83 | 31.75 | 8.97 | 34.28 |
| PK | 5.6586G | 114.99 | Inf | -Inf | 6.39 | 3 | Vertical | 5 | 1.50 | - | 108.60 | 31.72 | 8.95 | 34.28 |
| PK | 5.7252G | 60.31 | 68.20 | -7.89 | 6.63 | 3 | Vertical | 5 | 1.50 | - | 53.68 | 31.90 | 9.01 | 34.28 |

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.673G | 103.94 | Inf | -Inf | 6.44 | 3 | Horizontal | 4 | 1.51 | - | 97.50 | 31.75 | 8.97 | 34.28 |
| PK | 5.6808G | 115.10 | Inf | -Inf | 6.45 | 3 | Horizontal | 4 | 1.51 | - | 108.65 | 31.76 | 8.97 | 34.28 |
| PK | 5.7258G | 61.25 | 68.20 | -6.95 | 6.63 | 3 | Horizontal | 4 | 1.51 | - | 54.62 | 31.90 | 9.01 | 34.28 |



802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.33016G | 44.16 | 54.00 | -9.84 | 18.23 | 3 | Vertical | 150 | 1.48 | - | 25.93 | 39.73 | 12.67 | 34.17 |
| PK | 11.34768G | 55.25 | 74.00 | -18.75 | 18.26 | 3 | Vertical | 150 | 1.48 | - | 36.99 | 39.75 | 12.68 | 34.17 |




802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.35264G | 43.92 | 54.00 | -10.08 | 18.26 | 3 | Horizontal | 54 | 2.07 | - | 25.66 | 39.75 | 12.68 | 34.17 |
| PK | 11.34096G | 54.88 | 74.00 | -19.12 | 18.25 | 3 | Horizontal | 54 | 2.07 | - | 36.63 | 39.74 | 12.68 | 34.17 |

802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4544G | 48.71 | 54.00 | -5.29 | 6.04 | 3 | Vertical | 4 | 1.56 | - | 42.67 | 31.61 | 8.69 | 34.26 |
| AV | 5.6956G | 103.41 | Inf | -Inf | 6.50 | 3 | Vertical | 4 | 1.56 | - | 96.91 | 31.79 | 8.99 | 34.28 |
| PK | 5.46G | 58.18 | 68.20 | -10.02 | 6.06 | 3 | Vertical | 4 | 1.56 | - | 52.12 | 31.62 | 8.70 | 34.26 |
| PK | 5.6992G | 114.82 | Inf | -Inf | 6.51 | 3 | Vertical | 4 | 1.56 | - | 108.31 | 31.80 | 8.99 | 34.28 |
| PK | 5.8984G | 58.64 | 68.20 | -9.56 | 7.12 | 3 | Vertical | 4 | 1.56 | - | 51.52 | 32.30 | 9.12 | 34.30 |


802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4208G | 48.72 | 54.00 | -5.28 | 5.81 | 3 | Horizontal | 7 | 1.54 | - | 42.91 | 31.42 | 8.64 | 34.25 |
| AV | 5.7064G | 103.54 | Inf | -Inf | 6.55 | 3 | Horizontal | 7 | 1.54 | - | 96.99 | 31.83 | 9.00 | 34.28 |
| PK | 5.4616G | 58.24 | 68.20 | -9.96 | 6.06 | 3 | Horizontal | 7 | 1.54 | - | 52.18 | 31.62 | 8.70 | 34.26 |
| PK | 5.6992G | 114.17 | Inf | -Inf | 6.51 | 3 | Horizontal | 7 | 1.54 | - | 107.66 | 31.80 | 8.99 | 34.28 |
| PK | 5.9872G | 59.67 | 68.20 | -8.53 | 7.22 | 3 | Horizontal | 7 | 1.54 | - | 52.45 | 32.37 | 9.16 | 34.31 |




802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.43296G | 44.08 | 54.00 | -9.92 | 18.43 | 3 | Vertical | 142 | 2.32 | - | 25.65 | 39.87 | 12.72 | 34.16 |
| PK | 11.40776G | 54.66 | 74.00 | -19.34 | 18.36 | 3 | Vertical | 142 | 2.32 | - | 36.30 | 39.82 | 12.71 | 34.17 |




802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.41264G | 43.83 | 54.00 | -10.17 | 18.37 | 3 | Horizontal | 203 | 2.37 | - | 25.46 | 39.83 | 12.71 | 34.17 |
| PK | 11.42616G | 54.65 | 74.00 | -19.35 | 18.41 | 3 | Horizontal | 203 | 2.37 | - | 36.24 | 39.85 | 12.72 | 34.16 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.749G | 103.14 | Inf | -Inf | 6.75 | 3 | Vertical | 5 | 1.50 | - | 96.39 | 32.00 | 9.03 | 34.28 |
| PK | 5.6134G | 61.59 | 68.20 | -6.61 | 6.27 | 3 | Vertical | 5 | 1.50 | - | 55.32 | 31.63 | 8.91 | 34.27 |
| PK | 5.7442G | 115.07 | Inf | -Inf | 6.73 | 3 | Vertical | 5 | 1.50 | - | 108.34 | 31.98 | 9.03 | 34.28 |
| PK | 5.9338G | 58.43 | 68.20 | -9.77 | 7.14 | 3 | Vertical | 5 | 1.50 | - | 51.29 | 32.30 | 9.14 | 34.30 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7442G | 103.28 | Inf | -Inf | 6.73 | 3 | Horizontal | 5 | 1.51 | - | 96.55 | 31.98 | 9.03 | 34.28 |
| PK | 5.6422G | 59.46 | 68.20 | -8.74 | 6.35 | 3 | Horizontal | 5 | 1.51 | - | 53.11 | 31.68 | 8.94 | 34.27 |
| PK | 5.7514G | 113.69 | Inf | -Inf | 6.75 | 3 | Horizontal | 5 | 1.51 | - | 106.94 | 32.00 | 9.04 | 34.29 |
| PK | 6.0058G | 58.65 | 68.20 | -9.55 | 7.25 | 3 | Horizontal | 5 | 1.51 | - | 51.40 | 32.39 | 9.17 | 34.31 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.50248G | 44.13 | 54.00 | -9.87 | 18.60 | 3 | Vertical | 67 | 1.39 | - | 25.53 | 40.00 | 12.76 | 34.16 |
| PK | 11.50576G | 55.21 | 74.00 | -18.79 | 18.59 | 3 | Vertical | 67 | 1.39 | - | 36.62 | 39.99 | 12.76 | 34.16 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.51584G | 44.10 | 54.00 | -9.90 | 18.58 | 3 | Horizontal | 163 | 2.04 | - | 25.52 | 39.98 | 12.77 | 34.17 |
| PK | 11.5024G | 55.11 | 74.00 | -18.89 | 18.60 | 3 | Horizontal | 163 | 2.04 | - | 36.51 | 40.00 | 12.76 | 34.16 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7806G | 102.74 | Inf | -Inf | 6.77 | 3 | Vertical | 4 | 1.49 | - | 95.97 | 32.00 | 9.06 | 34.29 |
| PK | 5.5646G | 61.91 | 68.20 | -6.29 | 6.18 | 3 | Vertical | 4 | 1.49 | - | 55.73 | 31.60 | 8.85 | 34.27 |
| PK | 5.7842G | 114.42 | Inf | -Inf | 6.78 | 3 | Vertical | 4 | 1.49 | - | 107.64 | 32.00 | 9.07 | 34.29 |
| PK | 5.9426G | 59.04 | 68.20 | -9.16 | 7.14 | 3 | Vertical | 4 | 1.49 | - | 51.90 | 32.30 | 9.14 | 34.30 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7938G | 103.24 | Inf | -Inf | 6.78 | 3 | Horizontal | 5 | 1.66 | - | 96.46 | 32.00 | 9.07 | 34.29 |
| PK | 5.6234G | 59.69 | 68.20 | -8.51 | 6.30 | 3 | Horizontal | 5 | 1.66 | - | 53.39 | 31.65 | 8.92 | 34.27 |
| PK | 5.7842G | 114.12 | Inf | -Inf | 6.78 | 3 | Horizontal | 5 | 1.66 | - | 107.34 | 32.00 | 9.07 | 34.29 |
| PK | 5.9414G | 58.99 | 68.20 | -9.21 | 7.14 | 3 | Horizontal | 5 | 1.66 | - | 51.85 | 32.30 | 9.14 | 34.30 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.60888G | 44.18 | 54.00 | -9.82 | 18.44 | 3 | Vertical | 179 | 1.06 | - | 25.74 | 39.84 | 12.81 | 34.21 |
| PK | 11.578G | 55.14 | 74.00 | -18.86 | 18.52 | 3 | Vertical | 179 | 1.06 | - | 36.62 | 39.92 | 12.80 | 34.20 |

802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.57176G | 44.39 | 54.00 | -9.61 | 18.53 | 3 | Horizontal | 239 | 2.25 | - | 25.86 | 39.93 | 12.79 | 34.19 |
| PK | 11.5748G | 55.78 | 74.00 | -18.22 | 18.53 | 3 | Horizontal | 239 | 2.25 | - | 37.25 | 39.93 | 12.80 | 34.20 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5G | 53.91 | 54.00 | -0.09 | 5.46 | 3 | Vertical | 8 | 1.67 | - | 48.45 | 31.30 | 8.38 | 34.22 |
| AV | 5.1992G | 100.31 | Inf | -Inf | 5.83 | 3 | Vertical | 8 | 1.67 | - | 94.48 | 31.50 | 8.57 | 34.24 |
| AV | 5.3612G | 50.21 | 54.00 | -3.79 | 5.42 | 3 | Vertical | 8 | 1.67 | - | 44.79 | 31.07 | 8.60 | 34.25 |
| PK | 5.1452G | 61.95 | 74.00 | -12.05 | 5.99 | 3 | Vertical | 8 | 1.67 | - | 55.96 | 31.70 | 8.52 | 34.23 |
| PK | 5.2376G | 110.62 | Inf | -Inf | 5.61 | 3 | Vertical | 8 | 1.67 | - | 105.01 | 31.27 | 8.58 | 34.24 |
| PK | 5.474G | 59.33 | 68.20 | -8.87 | 6.11 | 3 | Vertical | 8 | 1.67 | - | 53.22 | 31.65 | 8.72 | 34.26 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1488G | 52.56 | 54.00 | -1.44 | 5.99 | 3 | Horizontal | 12 | 1.80 | - | 46.57 | 31.70 | 8.52 | 34.23 |
| AV | 5.2124G | 99.87 | Inf | -Inf | 5.76 | 3 | Horizontal | 12 | 1.80 | - | 94.11 | 31.43 | 8.57 | 34.24 |
| AV | 5.35G | 49.46 | 54.00 | -4.54 | 5.35 | 3 | Horizontal | 12 | 1.80 | - | 44.11 | 31.00 | 8.60 | 34.25 |
| PK | 5.1452G | 61.97 | 74.00 | -12.03 | 5.99 | 3 | Horizontal | 12 | 1.80 | - | 55.98 | 31.70 | 8.52 | 34.23 |
| PK | 5.1992G | 111.11 | Inf | -Inf | 5.83 | 3 | Horizontal | 12 | 1.80 | - | 105.28 | 31.50 | 8.57 | 34.24 |
| PK | 5.51G | 58.40 | 68.20 | -9.80 | 6.19 | 3 | Horizontal | 12 | 1.80 | - | 52.21 | 31.68 | 8.77 | 34.26 |

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.4177G | 53.47 | 68.20 | -14.73 | 17.12 | 3 | Vertical | 275 | 1.50 | - | 36.35 | 39.54 | 12.21 | 34.63 |



802.11ax HEW80_Nss4,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.4225G | 54.64 | 68.20 | -13.56 | 17.13 | 3 | Horizontal | 151 | 1.56 | - | 37.51 | 39.55 | 12.21 | 34.63 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 4.9996G | 53.76 | 54.00 | -0.24 | 5.46 | 3 | Vertical | 4 | 1.56 | - | 48.30 | 31.30 | 8.38 | 34.22 |
| AV | 5.2984G | 100.35 | Inf | -Inf | 5.45 | 3 | Vertical | 4 | 1.56 | - | 94.90 | 31.10 | 8.59 | 34.24 |
| AV | 5.35G | 52.91 | 54.00 | -1.09 | 5.35 | 3 | Vertical | 4 | 1.56 | - | 47.56 | 31.00 | 8.60 | 34.25 |
| PK | 5.1328G | 60.15 | 74.00 | -13.85 | 5.98 | 3 | Vertical | 4 | 1.56 | - | 54.17 | 31.70 | 8.51 | 34.23 |
| PK | 5.3188G | 109.98 | Inf | -Inf | 5.40 | 3 | Vertical | 4 | 1.56 | - | 104.58 | 31.06 | 8.59 | 34.25 |
| PK | 5.362G | 63.18 | 74.00 | -10.82 | 5.42 | 3 | Vertical | 4 | 1.56 | - | 57.76 | 31.07 | 8.60 | 34.25 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1436G | 50.06 | 54.00 | -3.94 | 5.99 | 3 | Horizontal | 7 | 1.50 | - | 44.07 | 31.70 | 8.52 | 34.23 |
| AV | 5.2816G | 100.88 | Inf | -Inf | 5.49 | 3 | Horizontal | 7 | 1.50 | - | 95.39 | 31.14 | 8.59 | 34.24 |
| AV | 5.35G | 52.93 | 54.00 | -1.07 | 5.35 | 3 | Horizontal | 7 | 1.50 | - | 47.58 | 31.00 | 8.60 | 34.25 |
| PK | 5.1448G | 60.39 | 74.00 | -13.61 | 5.99 | 3 | Horizontal | 7 | 1.50 | - | 54.40 | 31.70 | 8.52 | 34.23 |
| PK | 5.2984G | 111.23 | Inf | -Inf | 5.45 | 3 | Horizontal | 7 | 1.50 | - | 105.78 | 31.10 | 8.59 | 34.24 |
| PK | 5.35G | 62.89 | 74.00 | -11.11 | 5.35 | 3 | Horizontal | 7 | 1.50 | - | 57.54 | 31.00 | 8.60 | 34.25 |

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 10.57776G | 55.60 | 68.20 | -12.60 | 17.56 | 3 | Vertical | 181 | 1.46 | - | 38.04 | 39.78 | 12.29 | 34.51 |



802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.58304G | 54.24 | 68.20 | -13.96 | 17.56 | 3 | Horizontal | 144 | 1.14 | - | 36.68 | 39.78 | 12.29 | 34.51 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 52.25 | 54.00 | -1.75 | 6.06 | 3 | Vertical | 6 | 1.50 | - | 46.19 | 31.62 | 8.70 | 34.26 |
| AV | 5.518G | 100.13 | Inf | -Inf | 6.18 | 3 | Vertical | 6 | 1.50 | - | 93.95 | 31.66 | 8.78 | 34.26 |
| PK | 5.466G | 62.78 | 68.20 | -5.42 | 6.08 | 3 | Vertical | 6 | 1.50 | - | 56.70 | 31.63 | 8.71 | 34.26 |
| PK | 5.519G | 110.85 | Inf | -Inf | 6.18 | 3 | Vertical | 6 | 1.50 | - | 104.67 | 31.66 | 8.78 | 34.26 |
| PK | 5.735G | 59.40 | 68.20 | -8.80 | 6.68 | 3 | Vertical | 6 | 1.50 | - | 52.72 | 31.94 | 9.02 | 34.28 |

802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 51.67 | 54.00 | -2.33 | 6.06 | 3 | Horizontal | 10 | 1.51 | - | 45.61 | 31.62 | 8.70 | 34.26 |
| AV | 5.528G | 100.21 | Inf | -Inf | 6.18 | 3 | Horizontal | 10 | 1.51 | - | 94.03 | 31.64 | 8.80 | 34.26 |
| PK | 5.469G | 62.78 | 68.20 | -5.42 | 6.09 | 3 | Horizontal | 10 | 1.51 | - | 56.69 | 31.64 | 8.71 | 34.26 |
| PK | 5.528G | 111.16 | Inf | -Inf | 6.18 | 3 | Horizontal | 10 | 1.51 | - | 104.98 | 31.64 | 8.80 | 34.26 |
| PK | 5.749G | 59.16 | 68.20 | -9.04 | 6.75 | 3 | Horizontal | 10 | 1.51 | - | 52.41 | 32.00 | 9.03 | 34.28 |



802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.0472G | 43.53 | 54.00 | -10.47 | 18.40 | 3 | Vertical | 252 | 1.34 | - | 25.13 | 40.06 | 12.53 | 34.19 |
| PK | 11.02896G | 54.32 | 74.00 | -19.68 | 18.44 | 3 | Vertical | 252 | 1.34 | - | 35.88 | 40.11 | 12.52 | 34.19 |



802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.02016G | 44.11 | 54.00 | -9.89 | 18.47 | 3 | Horizontal | 159 | 1.25 | - | 25.64 | 40.14 | 12.52 | 34.19 |
| PK | 11.02464G | 54.83 | 74.00 | -19.17 | 18.46 | 3 | Horizontal | 159 | 1.25 | - | 36.37 | 40.13 | 12.52 | 34.19 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 49.83 | 54.00 | -4.17 | 6.06 | 3 | Vertical | 5 | 1.49 | - | 43.77 | 31.62 | 8.70 | 34.26 |
| AV | 5.599G | 101.12 | Inf | -Inf | 6.23 | 3 | Vertical | 5 | 1.49 | - | 94.89 | 31.60 | 8.90 | 34.27 |
| PK | 5.469G | 59.67 | 68.20 | -8.53 | 6.09 | 3 | Vertical | 5 | 1.49 | - | 53.58 | 31.64 | 8.71 | 34.26 |
| PK | 5.638G | 111.04 | Inf | -Inf | 6.34 | 3 | Vertical | 5 | 1.49 | - | 104.70 | 31.68 | 8.93 | 34.27 |
| PK | 5.727G | 59.85 | 68.20 | -8.35 | 6.64 | 3 | Vertical | 5 | 1.49 | - | 53.21 | 31.91 | 9.01 | 34.28 |

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.458G | 50.08 | 54.00 | -3.92 | 6.05 | 3 | Horizontal | 8 | 1.50 | - | 44.03 | 31.62 | 8.69 | 34.26 |
| AV | 5.606G | 101.12 | Inf | -Inf | 6.25 | 3 | Horizontal | 8 | 1.50 | - | 94.87 | 31.61 | 8.91 | 34.27 |
| PK | 5.461G | 60.70 | 68.20 | -7.50 | 6.06 | 3 | Horizontal | 8 | 1.50 | - | 54.64 | 31.62 | 8.70 | 34.26 |
| PK | 5.599G | 111.85 | Inf | -Inf | 6.23 | 3 | Horizontal | 8 | 1.50 | - | 105.62 | 31.60 | 8.90 | 34.27 |
| PK | 5.744G | 60.93 | 68.20 | -7.27 | 6.73 | 3 | Horizontal | 8 | 1.50 | - | 54.20 | 31.98 | 9.03 | 34.28 |



802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.20032G | 44.19 | 54.00 | -9.81 | 18.13 | 3 | Vertical | 325 | 1.73 | - | 26.06 | 39.70 | 12.61 | 34.18 |
| PK | 11.23104G | 55.25 | 74.00 | -18.75 | 18.14 | 3 | Vertical | 325 | 1.73 | - | 37.11 | 39.70 | 12.62 | 34.18 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.21296G | 44.04 | 54.00 | -9.96 | 18.13 | 3 | Horizontal | 291 | 1.51 | - | 25.91 | 39.70 | 12.61 | 34.18 |
| PK | 11.23248G | 54.95 | 74.00 | -19.05 | 18.14 | 3 | Horizontal | 291 | 1.51 | - | 36.81 | 39.70 | 12.62 | 34.18 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.45G | 48.95 | 54.00 | -5.05 | 6.02 | 3 | Vertical | 5 | 1.50 | - | 42.93 | 31.60 | 8.68 | 34.26 |
| AV | 5.678G | 101.13 | Inf | -Inf | 6.45 | 3 | Vertical | 5 | 1.50 | - | 94.68 | 31.76 | 8.97 | 34.28 |
| PK | 5.4692G | 58.72 | 68.20 | -9.48 | 6.09 | 3 | Vertical | 5 | 1.50 | - | 52.63 | 31.64 | 8.71 | 34.26 |
| PK | 5.6792G | 111.09 | Inf | -Inf | 6.45 | 3 | Vertical | 5 | 1.50 | - | 104.64 | 31.76 | 8.97 | 34.28 |
| PK | 5.8532G | 58.64 | 68.20 | -9.56 | 7.01 | 3 | Vertical | 5 | 1.50 | - | 51.63 | 32.21 | 9.10 | 34.30 |




802.11ax HEW80_Nss4,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4128G | 49.04 | 54.00 | -4.96 | 5.76 | 3 | Horizontal | 6 | 1.51 | - | 43.28 | 31.38 | 8.63 | 34.25 |
| AV | 5.6864G | 101.25 | Inf | -Inf | 6.47 | 3 | Horizontal | 6 | 1.51 | - | 94.78 | 31.77 | 8.98 | 34.28 |
| PK | 5.468G | 59.55 | 68.20 | -8.65 | 6.09 | 3 | Horizontal | 6 | 1.51 | - | 53.46 | 31.64 | 8.71 | 34.26 |
| PK | 5.678G | 111.50 | Inf | -Inf | 6.45 | 3 | Horizontal | 6 | 1.51 | - | 105.05 | 31.76 | 8.97 | 34.28 |
| PK | 5.8712G | 59.75 | 68.20 | -8.45 | 7.05 | 3 | Horizontal | 6 | 1.51 | - | 52.70 | 32.24 | 9.11 | 34.30 |




802.11ax HEW80_Nss4,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.35184G | 43.93 | 54.00 | -10.07 | 18.26 | 3 | Vertical | 202 | 1.63 | - | 25.67 | 39.75 | 12.68 | 34.17 |
| PK | 11.35408G | 54.99 | 74.00 | -19.01 | 18.26 | 3 | Vertical | 202 | 1.63 | - | 36.73 | 39.75 | 12.68 | 34.17 |




802.11ax HEW80_Nss4,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.38752G | 43.94 | 54.00 | -10.06 | 18.32 | 3 | Horizontal | 172 | 1.04 | - | 25.62 | 39.79 | 12.70 | 34.17 |
| PK | 11.39824G | 55.33 | 74.00 | -18.67 | 18.34 | 3 | Horizontal | 172 | 1.04 | - | 36.99 | 39.80 | 12.71 | 34.17 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.763G | 100.86 | Inf | -Inf | 6.76 | 3 | Vertical | 4 | 1.50 | - | 94.10 | 32.00 | 9.05 | 34.29 |
| PK | 5.6418G | 62.99 | 68.20 | -5.21 | 6.35 | 3 | Vertical | 4 | 1.50 | - | 56.64 | 31.68 | 8.94 | 34.27 |
| PK | 5.739G | 110.87 | Inf | -Inf | 6.71 | 3 | Vertical | 4 | 1.50 | - | 104.16 | 31.96 | 9.03 | 34.28 |
| PK | 5.9286G | 58.90 | 68.20 | -9.30 | 7.14 | 3 | Vertical | 4 | 1.50 | - | 51.76 | 32.30 | 9.14 | 34.30 |

802.11ax HEW80_Nss4,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7714G | 101.09 | Inf | -Inf | 6.76 | 3 | Horizontal | 5 | 1.51 | - | 94.33 | 32.00 | 9.05 | 34.29 |
| PK | 5.6502G | 60.64 | 68.35 | -7.71 | 6.37 | 3 | Horizontal | 5 | 1.51 | - | 54.27 | 31.70 | 8.95 | 34.28 |
| PK | 5.763G | 111.09 | Inf | -Inf | 6.76 | 3 | Horizontal | 5 | 1.51 | - | 104.33 | 32.00 | 9.05 | 34.29 |
| PK | 5.9262G | 60.30 | 68.20 | -7.90 | 7.14 | 3 | Horizontal | 5 | 1.51 | - | 53.16 | 32.30 | 9.14 | 34.30 |

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.55112G | 44.35 | 54.00 | -9.65 | 18.55 | 3 | Vertical | 68 | 1.04 | - | 25.80 | 39.95 | 12.78 | 34.18 |
| PK | 11.55496G | 55.05 | 74.00 | -18.95 | 18.55 | 3 | Vertical | 68 | 1.04 | - | 36.50 | 39.95 | 12.79 | 34.19 |



802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.52696G | 44.17 | 54.00 | -9.83 | 18.57 | 3 | Horizontal | 261 | 1.82 | - | 25.60 | 39.97 | 12.77 | 34.17 |
| PK | 11.53208G | 55.24 | 74.00 | -18.76 | 18.56 | 3 | Horizontal | 261 | 1.82 | - | 36.68 | 39.97 | 12.77 | 34.18 |



802.11ax HEW160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.001G | 53.06 | 54.00 | -0.94 | 5.46 | 3 | Vertical | 5 | 1.50 | - | 47.60 | 31.30 | 8.38 | 34.22 |
| AV | 5.283G | 94.32 | Inf | -Inf | 5.48 | 3 | Vertical | 5 | 1.50 | - | 88.84 | 31.13 | 8.59 | 34.24 |
| AV | 5.382G | 53.29 | 54.00 | -0.71 | 5.55 | 3 | Vertical | 5 | 1.50 | - | 47.74 | 31.19 | 8.61 | 34.25 |
| PK | 5.073G | 60.22 | 74.00 | -13.78 | 5.81 | 3 | Vertical | 5 | 1.50 | - | 54.41 | 31.59 | 8.45 | 34.23 |
| PK | 5.265G | 105.87 | Inf | -Inf | 5.51 | 3 | Vertical | 5 | 1.50 | - | 100.36 | 31.17 | 8.58 | 34.24 |
| PK | 5.385G | 63.24 | 74.00 | -10.76 | 5.57 | 3 | Vertical | 5 | 1.50 | - | 57.67 | 31.21 | 8.61 | 34.25 |

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.15-5.35GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.136G | 51.84 | 54.00 | -2.16 | 5.98 | 3 | Horizontal | 6 | 1.61 | - | 45.86 | 31.70 | 8.51 | 34.23 |
| AV | 5.259G | 95.20 | Inf | -Inf | 5.52 | 3 | Horizontal | 6 | 1.61 | - | 89.68 | 31.18 | 8.58 | 34.24 |
| AV | 5.379G | 51.59 | 54.00 | -2.41 | 5.53 | 3 | Horizontal | 6 | 1.61 | - | 46.06 | 31.17 | 8.61 | 34.25 |
| PK | 5.139G | 60.69 | 74.00 | -13.31 | 5.98 | 3 | Horizontal | 6 | 1.61 | - | 54.71 | 31.70 | 8.51 | 34.23 |
| PK | 5.268G | 105.74 | Inf | -Inf | 5.50 | 3 | Horizontal | 6 | 1.61 | - | 100.24 | 31.16 | 8.58 | 34.24 |
| PK | 5.379G | 61.67 | 74.00 | -12.33 | 5.53 | 3 | Horizontal | 6 | 1.61 | - | 56.14 | 31.17 | 8.61 | 34.25 |



802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.15-5.35GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.49312G | 55.31 | 68.20 | -12.89 | 17.36 | 3 | Vertical | 300 | 1.00 | - | 37.95 | 39.69 | 12.25 | 34.58 |



802.11ax HEW160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (*) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 10.50044G | 55.03 | 68.20 | -13.17 | 17.38 | 3 | Horizontal | 284 | 1.59 | - | 37.65 | 39.70 | 12.25 | 34.57 |

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.438G | 53.52 | 54.00 | -0.48 | 5.94 | 3 | Vertical | 4 | 1.69 | - | 47.58 | 31.53 | 8.67 | 34.26 |
| AV | 5.573G | 97.41 | Inf | -Inf | 6.19 | 3 | Vertical | 4 | 1.69 | - | 91.22 | 31.60 | 8.86 | 34.27 |
| PK | 5.462G | 61.78 | 68.20 | -6.42 | 6.06 | 3 | Vertical | 4 | 1.69 | - | 55.72 | 31.62 | 8.70 | 34.26 |
| PK | 5.585G | 108.92 | Inf | -Inf | 6.21 | 3 | Vertical | 4 | 1.69 | - | 102.71 | 31.60 | 8.88 | 34.27 |
| PK | 5.738G | 62.53 | 68.20 | -5.67 | 6.69 | 3 | Vertical | 4 | 1.69 | - | 55.84 | 31.95 | 9.02 | 34.28 |



802.11ax HEW160_Nss4,(MCS0)_4TX


5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.435G | 53.35 | 54.00 | -0.65 | 5.92 | 3 | Horizontal | 7 | 1.68 | - | 47.43 | 31.51 | 8.66 | 34.25 |
| AV | 5.579G | 98.06 | Inf | -Inf | 6.20 | 3 | Horizontal | 7 | 1.68 | - | 91.86 | 31.60 | 8.87 | 34.27 |
| PK | 5.465G | 64.12 | 68.20 | -4.08 | 6.07 | 3 | Horizontal | 7 | 1.68 | - | 58.05 | 31.63 | 8.70 | 34.26 |
| PK | 5.567G | 108.80 | Inf | -Inf | 6.18 | 3 | Horizontal | 7 | 1.68 | - | 102.62 | 31.60 | 8.85 | 34.27 |
| PK | 5.726G | 62.85 | 68.20 | -5.35 | 6.63 | 3 | Horizontal | 7 | 1.68 | - | 56.22 | 31.90 | 9.01 | 34.28 |

802.11ax HEW160_Nss4,(MCS0)_4TX


5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.20368G | 44.40 | 54.00 | -9.60 | 18.13 | 3 | Vertical | 108 | 1.99 | - | 26.27 | 39.70 | 12.61 | 34.18 |
| PK | 11.19056G | 55.05 | 74.00 | -18.95 | 18.14 | 3 | Vertical | 108 | 1.99 | - | 36.91 | 39.72 | 12.60 | 34.18 |

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.21296G | 44.54 | 54.00 | -9.46 | 18.13 | 3 | Horizontal | 258 | 2.06 | - | 26.41 | 39.70 | 12.61 | 34.18 |
| PK | 11.17904G | 54.98 | 74.00 | -19.02 | 18.16 | 3 | Horizontal | 258 | 2.06 | - | 36.82 | 39.74 | 12.60 | 34.18 |