



PSD\_Non-Beamforming Radio 2\_4T2S


Appendix D.3


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5785MHz	Pass	18.01	7.84	7.97	7.60	7.99	13.70	30.00	31.71	36.00
5825MHz	Pass	18.01	7.27	7.66	7.06	7.18	13.16	30.00	31.17	36.00
802.11ac VHT40_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	18.01	-4.88	-5.60	-4.81	-5.32	0.61	17.00	18.62	40.00
5230MHz	Pass	18.01	-2.79	-3.28	-3.27	-3.22	2.70	17.00	20.71	40.00
5270MHz	Pass	18.01	-7.82	-7.23	-7.18	-7.75	-1.65	-1.01	16.36	17.00
5310MHz	Pass	18.01	-7.64	-7.75	-7.76	-7.65	-1.87	-1.01	16.14	17.00
5510MHz	Pass	18.01	-7.30	-8.42	-7.60	-7.29	-1.76	-1.01	16.25	17.00
5550MHz	Pass	18.01	-7.61	-8.41	-7.31	-7.62	-1.88	-1.01	16.13	17.00
5670MHz	Pass	18.01	-7.60	-7.99	-7.24	-7.69	-1.82	-1.01	16.19	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	18.01	-7.29	-7.77	-7.49	-7.27	-1.61	-1.01	16.40	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	18.01	-9.89	-10.30	-9.32	-9.95	-3.96	30.00	14.05	36.00
5755MHz	Pass	18.01	2.00	1.64	2.25	1.63	7.70	30.00	25.71	36.00
5795MHz	Pass	18.01	3.08	2.71	3.08	3.26	8.95	30.00	26.96	36.00
802.11ac VHT80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	18.01	-9.61	-10.18	-9.37	-10.01	-3.85	17.00	14.16	40.00
5290MHz	Pass	18.01	-10.48	-10.75	-9.88	-10.31	-4.60	-1.01	13.41	17.00
5530MHz	Pass	18.01	-9.79	-11.34	-10.17	-10.59	-4.56	-1.01	13.45	17.00
5610MHz	Pass	18.01	-10.30	-11.13	-10.75	-10.29	-4.75	-1.01	13.26	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	18.01	-10.93	-11.24	-10.78	-11.20	-5.31	-1.01	12.70	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	18.01	-13.76	-14.23	-13.56	-13.78	-7.88	30.00	10.13	36.00
5775MHz	Pass	18.01	-4.27	-4.75	-3.80	-4.68	1.36	30.00	19.37	36.00
802.11ac VHT160_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	18.01	-13.94	-14.39	-14.39	-14.53	-8.45	17.00	9.56	40.00
5250MHz Straddle 5.25-5.35GHz	Pass	18.01	-14.20	-14.43	-14.06	-15.00	-8.52	-1.01	9.49	17.00
5570MHz	Pass	18.01	-13.22	-12.90	-12.80	-13.03	-7.31	-1.01	10.70	17.00
802.11ax HEW20_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	18.01	-2.16	-3.08	-2.52	-2.62	3.33	17.00	21.34	40.00
5200MHz	Pass	18.01	-3.72	-4.48	-4.36	-4.09	1.79	17.00	19.80	40.00
5240MHz	Pass	18.01	1.02	0.40	0.72	0.71	6.64	17.00	24.65	40.00
5260MHz	Pass	18.01	-7.39	-6.54	-6.90	-7.16	-1.07	-1.01	16.94	17.00
5300MHz	Pass	18.01	-7.42	-6.48	-7.02	-7.16	-1.10	-1.01	16.91	17.00
5320MHz	Pass	18.01	-7.51	-6.70	-6.98	-7.04	-1.13	-1.01	16.88	17.00
5500MHz	Pass	18.01	-7.46	-6.80	-7.35	-7.29	-1.22	-1.01	16.79	17.00
5580MHz	Pass	18.01	-7.52	-6.95	-7.15	-7.07	-1.24	-1.01	16.77	17.00
5700MHz	Pass	18.01	-7.34	-6.49	-7.01	-7.60	-1.16	-1.01	16.85	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	18.01	-7.37	-6.45	-6.79	-7.50	-1.09	-1.01	16.92	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	18.01	-9.03	-8.15	-8.48	-9.19	-2.75	30.00	15.26	36.00
5745MHz	Pass	18.01	6.72	6.95	6.60	6.44	12.50	30.00	30.51	36.00
5785MHz	Pass	18.01	7.77	7.92	7.46	7.76	13.56	30.00	31.57	36.00
5825MHz	Pass	18.01	7.15	7.33	6.89	6.90	12.93	30.00	30.94	36.00
802.11ax HEW40_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	18.01	-4.89	-5.66	-5.23	-5.47	0.65	17.00	18.66	40.00
5230MHz	Pass	18.01	-2.94	-3.36	-3.03	-3.23	2.81	17.00	20.82	40.00
5270MHz	Pass	18.01	-7.27	-7.15	-6.97	-7.43	-1.27	-1.01	16.74	17.00
5310MHz	Pass	18.01	-7.76	-7.51	-7.52	-7.83	-1.69	-1.01	16.32	17.00
5510MHz	Pass	18.01	-7.25	-8.05	-7.22	-7.47	-1.51	-1.01	16.50	17.00
5550MHz	Pass	18.01	-7.79	-8.46	-7.61	-7.95	-1.95	-1.01	16.06	17.00
5670MHz	Pass	18.01	-7.56	-8.07	-7.51	-7.54	-1.73	-1.01	16.28	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	18.01	-7.41	-7.80	-7.23	-7.61	-1.57	-1.01	16.44	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	18.01	-9.48	-10.15	-9.25	-9.82	-3.67	30.00	14.34	36.00
5755MHz	Pass	18.01	1.73	1.47	1.88	1.86	7.70	30.00	25.71	36.00
5795MHz	Pass	18.01	2.66	2.79	3.17	2.75	8.76	30.00	26.77	36.00
802.11ax HEW80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	18.01	-9.92	-10.12	-9.44	-10.16	-3.99	17.00	14.02	40.00
5290MHz	Pass	18.01	-10.23	-10.50	-9.96	-10.34	-4.34	-1.01	13.67	17.00





Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5530MHz	Pass	18.01	-9.78	-11.36	-10.09	-10.75	-4.54	-1.01	13.47	17.00
5610MHz	Pass	18.01	-10.48	-11.11	-10.39	-10.41	-4.73	-1.01	13.28	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	18.01	-10.92	-11.34	-10.84	-10.85	-5.06	-1.01	12.95	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	18.01	-13.61	-14.43	-13.32	-14.22	-7.91	30.00	10.10	36.00
5775MHz	Pass	18.01	-4.66	-5.07	-4.49	-4.63	1.23	30.00	19.24	36.00
802.11ax HEW160_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	18.01	-13.98	-14.30	-14.12	-14.74	-8.30	17.00	9.71	40.00
5250MHz Straddle 5.25-5.35GHz	Pass	18.01	-13.74	-14.36	-14.17	-14.36	-8.24	-1.01	9.77	17.00
5570MHz	Pass	18.01	-13.17	-13.42	-13.00	-13.46	-7.39	-1.01	10.62	17.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;






























































































































































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11n HT20_Nss4,(MCS0)_4TX	2.79	17.79
802.11ac VHT20_Nss4,(MCS0)_4TX	2.76	17.76
802.11ax HEW20_Nss4,(MCS0)_4TX	2.90	17.90
802.11n HT40_Nss4,(MCS0)_4TX	1.61	16.61
802.11ac VHT40_Nss4,(MCS0)_4TX	1.56	16.56
802.11ax HEW40_Nss4,(MCS0)_4TX	1.66	16.66
802.11ac VHT80_Nss4,(MCS0)_4TX	-3.92	11.08
802.11ax HEW80_Nss4,(MCS0)_4TX	-3.56	11.44
802.11ac VHT160_Nss4,(MCS0)_4TX	-5.23	9.77
802.11ax HEW160_Nss4,(MCS0)_4TX	-5.04	9.96
5.25-5.35GHz	-	-
802.11n HT20_Nss4,(MCS0)_4TX	0.23	15.23
802.11ac VHT20_Nss4,(MCS0)_4TX	0.18	15.18
802.11ax HEW20_Nss4,(MCS0)_4TX	0.30	15.30
802.11n HT40_Nss4,(MCS0)_4TX	-2.60	12.40
802.11ac VHT40_Nss4,(MCS0)_4TX	-2.60	12.40
802.11ax HEW40_Nss4,(MCS0)_4TX	-2.45	12.55
802.11ac VHT80_Nss4,(MCS0)_4TX	-5.78	9.22
802.11ax HEW80_Nss4,(MCS0)_4TX	-5.52	9.48
802.11ac VHT160_Nss4,(MCS0)_4TX	-5.09	9.91
802.11ax HEW160_Nss4,(MCS0)_4TX	-4.91	10.09
5.47-5.725GHz	-	-
802.11n HT20_Nss4,(MCS0)_4TX	0.88	15.88
802.11ac VHT20_Nss4,(MCS0)_4TX	1.01	16.01
802.11ax HEW20_Nss4,(MCS0)_4TX	0.70	15.70
802.11n HT40_Nss4,(MCS0)_4TX	-1.95	13.05
802.11ac VHT40_Nss4,(MCS0)_4TX	-1.96	13.04
802.11ax HEW40_Nss4,(MCS0)_4TX	-1.75	13.25
802.11ac VHT80_Nss4,(MCS0)_4TX	-5.27	9.73
802.11ax HEW80_Nss4,(MCS0)_4TX	-4.90	10.10
802.11ac VHT160_Nss4,(MCS0)_4TX	-8.25	6.75
802.11ax HEW160_Nss4,(MCS0)_4TX	-7.92	7.08
5.725-5.85GHz	-	-
802.11n HT20_Nss4,(MCS0)_4TX	13.60	28.60
802.11ac VHT20_Nss4,(MCS0)_4TX	13.44	28.44
802.11ax HEW20_Nss4,(MCS0)_4TX	13.39	28.39
802.11n HT40_Nss4,(MCS0)_4TX	6.35	21.35
802.11ac VHT40_Nss4,(MCS0)_4TX	6.32	21.32
802.11ax HEW40_Nss4,(MCS0)_4TX	6.45	21.45
802.11ac VHT80_Nss4,(MCS0)_4TX	-0.56	14.44
802.11ax HEW80_Nss4,(MCS0)_4TX	-0.23	14.77

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11n HT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	15.00	-2.98	-3.69	-3.46	-3.43	2.54	17.00	17.54	40.00
5200MHz	Pass	15.00	-2.81	-3.51	-3.25	-3.05	2.79	17.00	17.79	40.00
5240MHz	Pass	15.00	-2.95	-3.41	-3.14	-3.42	2.68	17.00	17.68	40.00
5260MHz	Pass	15.00	-5.98	-5.69	-5.13	-6.07	0.21	2.00	15.21	17.00
5300MHz	Pass	15.00	-6.00	-5.75	-5.13	-6.06	0.19	2.00	15.19	17.00
5320MHz	Pass	15.00	-6.00	-5.55	-5.12	-6.05	0.23	2.00	15.23	17.00
5500MHz	Pass	15.00	-5.47	-6.01	-5.37	-5.78	0.25	2.00	15.25	17.00
5580MHz	Pass	15.00	-5.38	-5.74	-5.04	-5.80	0.45	2.00	15.45	17.00
5700MHz	Pass	15.00	-5.80	-5.49	-5.13	-5.70	0.36	2.00	15.36	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	15.00	-5.12	-5.02	-4.70	-5.29	0.88	2.00	15.88	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	15.00	-7.17	-7.15	-6.58	-7.34	-1.07	30.00	13.93	36.00
5745MHz	Pass	15.00	5.47	5.43	5.29	5.20	11.17	30.00	26.17	36.00
5785MHz	Pass	15.00	7.69	8.01	7.76	7.49	13.60	30.00	28.60	36.00
5825MHz	Pass	15.00	6.23	5.89	6.19	5.90	11.92	30.00	26.92	36.00
802.11n HT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	15.00	-5.53	-5.99	-5.85	-6.36	0.00	17.00	15.00	40.00
5230MHz	Pass	15.00	-4.01	-4.34	-4.33	-4.49	1.61	17.00	16.61	40.00
5270MHz	Pass	15.00	-8.56	-8.18	-8.42	-8.93	-2.62	2.00	12.38	17.00
5310MHz	Pass	15.00	-8.46	-8.32	-8.31	-8.87	-2.60	2.00	12.40	17.00
5510MHz	Pass	15.00	-8.29	-9.18	-8.42	-8.74	-2.74	2.00	12.26	17.00
5550MHz	Pass	15.00	-8.29	-9.00	-8.34	-8.70	-2.65	2.00	12.35	17.00
5670MHz	Pass	15.00	-8.08	-8.65	-8.23	-8.23	-2.41	2.00	12.59	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	15.00	-7.84	-8.03	-7.50	-7.86	-1.95	2.00	13.05	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	15.00	-9.90	-10.12	-9.86	-10.15	-4.04	30.00	10.96	36.00
5755MHz	Pass	15.00	-1.70	-1.78	-1.65	-1.74	4.15	30.00	19.15	36.00
5795MHz	Pass	15.00	0.52	0.40	0.61	0.49	6.35	30.00	21.35	36.00
802.11ac VHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	15.00	-3.13	-3.92	-3.47	-3.87	2.33	17.00	17.33	40.00
5200MHz	Pass	15.00	-2.86	-3.48	-3.31	-3.15	2.76	17.00	17.76	40.00
5240MHz	Pass	15.00	-2.95	-3.53	-3.27	-3.49	2.61	17.00	17.61	40.00
5260MHz	Pass	15.00	-6.01	-5.70	-5.27	-6.13	0.18	2.00	15.18	17.00
5300MHz	Pass	15.00	-5.98	-5.80	-5.41	-6.19	0.10	2.00	15.10	17.00
5320MHz	Pass	15.00	-6.09	-5.65	-5.27	-6.37	0.11	2.00	15.11	17.00
5500MHz	Pass	15.00	-5.52	-5.98	-5.60	-5.83	0.18	2.00	15.18	17.00
5580MHz	Pass	15.00	-5.45	-5.90	-5.28	-5.76	0.31	2.00	15.31	17.00
5700MHz	Pass	15.00	-6.00	-5.71	-5.24	-5.83	0.21	2.00	15.21	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	15.00	-5.10	-5.02	-4.42	-5.29	1.01	2.00	16.01	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	15.00	-6.59	-6.82	-6.29	-6.93	-0.70	30.00	14.30	36.00
5745MHz	Pass	15.00	5.28	5.10	5.19	5.02	11.08	30.00	26.08	36.00
5785MHz	Pass	15.00	7.59	7.65	7.55	7.37	13.44	30.00	28.44	36.00
5825MHz	Pass	15.00	6.01	5.73	5.88	5.84	11.77	30.00	26.77	36.00
802.11ac VHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	15.00	-5.68	-6.32	-5.99	-6.44	-0.13	17.00	14.87	40.00
5230MHz	Pass	15.00	-4.03	-4.59	-4.23	-4.61	1.56	17.00	16.56	40.00
5270MHz	Pass	15.00	-8.51	-8.34	-8.61	-8.93	-2.60	2.00	12.40	17.00
5310MHz	Pass	15.00	-8.60	-8.22	-8.41	-8.96	-2.65	2.00	12.35	17.00
5510MHz	Pass	15.00	-8.50	-9.08	-8.55	-8.78	-2.78	2.00	12.22	17.00
5550MHz	Pass	15.00	-8.42	-9.18	-8.47	-8.85	-2.80	2.00	12.20	17.00
5670MHz	Pass	15.00	-8.09	-8.42	-8.02	-8.11	-2.29	2.00	12.71	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	15.00	-7.71	-8.02	-7.58	-8.06	-1.96	2.00	13.04	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	15.00	-9.91	-10.38	-9.56	-10.27	-4.06	30.00	10.94	36.00
5755MHz	Pass	15.00	-1.92	-1.68	-1.85	-2.03	4.07	30.00	19.07	36.00
5795MHz	Pass	15.00	0.28	0.47	0.54	0.37	6.32	30.00	21.32	36.00
802.11ac VHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-





**PSD Non-Beamforming Radio 2\_4T4S**


**Appendix D.4**


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5210MHz	Pass	15.00	-9.75	-10.03	-9.58	-10.03	-3.92	17.00	11.08	40.00
5290MHz	Pass	15.00	-11.66	-11.86	-11.30	-11.91	-5.78	2.00	9.22	17.00
5530MHz	Pass	15.00	-11.05	-12.62	-11.28	-11.97	-5.73	2.00	9.27	17.00
5610MHz	Pass	15.00	-11.42	-12.03	-11.58	-11.38	-5.77	2.00	9.23	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	15.00	-10.99	-11.46	-11.19	-11.20	-5.27	2.00	9.73	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	15.00	-13.74	-14.46	-13.60	-14.68	-8.15	30.00	6.85	36.00
5775MHz	Pass	15.00	-6.43	-6.75	-6.40	-6.55	-0.56	30.00	14.44	36.00
802.11ac VHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	15.00	-10.95	-11.05	-10.82	-11.73	-5.23	17.00	9.77	40.00
5250MHz Straddle 5.25-5.35GHz	Pass	15.00	-10.70	-11.19	-10.88	-11.33	-5.09	2.00	9.91	17.00
5570MHz	Pass	15.00	-13.93	-14.03	-13.63	-14.90	-8.25	2.00	6.75	17.00
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	15.00	-2.84	-3.53	-3.37	-3.43	2.68	17.00	17.68	40.00
5200MHz	Pass	15.00	-2.67	-3.30	-3.18	-3.11	2.90	17.00	17.90	40.00
5240MHz	Pass	15.00	-2.83	-3.30	-3.36	-3.28	2.75	17.00	17.75	40.00
5260MHz	Pass	15.00	-5.84	-5.64	-5.22	-6.07	0.28	2.00	15.28	17.00
5300MHz	Pass	15.00	-5.83	-5.51	-5.21	-6.08	0.30	2.00	15.30	17.00
5320MHz	Pass	15.00	-6.03	-5.61	-5.23	-6.05	0.25	2.00	15.25	17.00
5500MHz	Pass	15.00	-5.39	-5.96	-5.39	-5.85	0.34	2.00	15.34	17.00
5580MHz	Pass	15.00	-5.34	-5.87	-5.19	-5.82	0.39	2.00	15.39	17.00
5700MHz	Pass	15.00	-5.78	-5.53	-5.29	-5.71	0.37	2.00	15.37	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	15.00	-5.32	-5.32	-4.95	-5.54	0.70	2.00	15.70	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	15.00	-7.04	-7.17	-6.72	-7.94	-1.23	30.00	13.77	36.00
5745MHz	Pass	15.00	5.45	5.23	5.24	5.03	11.19	30.00	26.19	36.00
5785MHz	Pass	15.00	7.47	7.58	7.53	7.35	13.39	30.00	28.39	36.00
5825MHz	Pass	15.00	6.05	5.75	6.06	5.74	11.79	30.00	26.79	36.00
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	15.00	-5.59	-5.98	-5.80	-6.24	0.06	17.00	15.06	40.00
5230MHz	Pass	15.00	-4.04	-4.52	-4.26	-4.41	1.66	17.00	16.66	40.00
5270MHz	Pass	15.00	-8.32	-8.06	-8.42	-8.81	-2.45	2.00	12.55	17.00
5310MHz	Pass	15.00	-8.41	-8.16	-8.35	-8.86	-2.49	2.00	12.51	17.00
5510MHz	Pass	15.00	-8.27	-8.89	-8.47	-8.64	-2.67	2.00	12.33	17.00
5550MHz	Pass	15.00	-8.38	-9.08	-8.45	-8.78	-2.70	2.00	12.30	17.00
5670MHz	Pass	15.00	-7.75	-8.47	-7.95	-7.97	-2.10	2.00	12.90	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	15.00	-7.72	-7.86	-7.50	-7.75	-1.75	2.00	13.25	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	15.00	-9.78	-10.21	-9.70	-10.12	-3.96	30.00	11.04	36.00
5755MHz	Pass	15.00	-1.79	-1.69	-1.52	-1.65	4.30	30.00	19.30	36.00
5795MHz	Pass	15.00	0.52	0.53	0.53	0.60	6.45	30.00	21.45	36.00
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	15.00	-9.50	-9.64	-9.19	-9.70	-3.56	17.00	11.44	40.00
5290MHz	Pass	15.00	-11.21	-11.56	-11.25	-11.66	-5.52	2.00	9.48	17.00
5530MHz	Pass	15.00	-10.72	-12.16	-10.96	-11.81	-5.46	2.00	9.54	17.00
5610MHz	Pass	15.00	-11.03	-11.62	-11.18	-11.12	-5.39	2.00	9.61	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	15.00	-10.78	-11.13	-10.78	-10.85	-4.90	2.00	10.10	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	15.00	-13.51	-14.22	-13.37	-14.23	-7.87	30.00	7.13	36.00
5775MHz	Pass	15.00	-6.13	-6.41	-6.04	-6.15	-0.23	30.00	14.77	36.00
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	15.00	-10.51	-11.07	-10.72	-11.67	-5.04	17.00	9.96	40.00
5250MHz Straddle 5.25-5.35GHz	Pass	15.00	-10.48	-10.85	-10.87	-11.17	-4.91	2.00	10.09	17.00
5570MHz	Pass	15.00	-13.77	-13.88	-13.49	-14.07	-7.92	2.00	7.08	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




























































































































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	499.48M	41.01	46.00	-4.99	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	123.12M	36.43	43.50	-7.07	3	Vertical	360	1.00
5775MHz	Pass	PK	249.22M	34.61	46.00	-11.39	3	Vertical	360	1.00
5775MHz	Pass	PK	375.32M	38.05	46.00	-7.95	3	Vertical	360	1.00
5775MHz	Pass	PK	499.48M	41.01	46.00	-4.99	3	Vertical	360	1.00
5775MHz	Pass	PK	662.44M	36.70	46.00	-9.30	3	Vertical	360	1.00
5775MHz	Pass	PK	866.14M	33.98	46.00	-12.02	3	Vertical	360	1.00
5775MHz	Pass	PK	125.06M	37.70	43.50	-5.80	3	Horizontal	0	1.00
5775MHz	Pass	PK	249.22M	38.24	46.00	-7.76	3	Horizontal	0	1.00
5775MHz	Pass	PK	322.94M	36.42	46.00	-9.58	3	Horizontal	0	1.00
5775MHz	Pass	PK	513.06M	40.34	46.00	-5.66	3	Horizontal	0	1.00
5775MHz	Pass	PK	586.78M	39.57	46.00	-6.43	3	Horizontal	0	1.00
5775MHz	Pass	PK	852.56M	37.50	46.00	-8.50	3	Horizontal	0	1.00



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	123.12M	36.43	43.50	-7.07	-8.03	3	Vertical	360	1.00	44.46	17.42	1.82	27.27
PK	249.22M	34.61	46.00	-11.39	-6.52	3	Vertical	360	1.00	41.13	17.53	2.63	26.68
PK	375.32M	38.05	46.00	-7.95	-3.77	3	Vertical	360	1.00	41.82	20.00	3.26	27.03
PK	499.48M	41.01	46.00	-4.99	-1.19	3	Vertical	360	1.00	42.20	22.77	3.81	27.77
PK	662.44M	36.70	46.00	-9.30	0.73	3	Vertical	360	1.00	35.97	24.29	4.43	27.99
PK	866.14M	33.98	46.00	-12.02	3.45	3	Vertical	360	1.00	30.53	25.81	5.15	27.51

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	37.70	43.50	-5.80	-8.00	3	Horizontal	0	1.00	45.70	17.42	1.84	27.26
PK	249.22M	38.24	46.00	-7.76	-6.52	3	Horizontal	0	1.00	44.76	17.53	2.63	26.68
PK	322.94M	36.42	46.00	-9.58	-4.97	3	Horizontal	0	1.00	41.39	18.73	3.02	26.72
PK	513.06M	40.34	46.00	-5.66	-1.01	3	Horizontal	0	1.00	41.35	22.97	3.85	27.83
PK	586.78M	39.57	46.00	-6.43	0.14	3	Horizontal	0	1.00	39.43	23.95	4.15	27.96
PK	852.56M	37.50	46.00	-8.50	3.36	3	Horizontal	0	1.00	34.14	25.74	5.11	27.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	186	1.69
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.1492G	53.82	54.00	-0.18	3	Horizontal	186	1.93
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.75	54.00	-0.25	3	Horizontal	187	1.80
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	53.39	54.00	-0.61	3	Horizontal	187	1.78
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.76	54.00	-0.24	3	Horizontal	186	2.01
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.87	54.00	-0.13	3	Horizontal	186	1.89
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.82	54.00	-0.18	3	Horizontal	186	1.88
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.75	54.00	-0.25	3	Horizontal	186	1.77
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.83	54.00	-0.17	3	Horizontal	189	1.78
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	16.73178G	67.56	68.20	-0.64	3	Vertical	271	3.00
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	16.74468G	67.88	68.20	-0.32	3	Vertical	270	3.00
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.4684G	67.98	68.20	-0.22	3	Horizontal	187	1.79
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.726G	67.71	68.20	-0.49	3	Horizontal	190	1.91
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	PK	5.4644G	67.22	68.20	-0.98	3	Horizontal	190	1.86
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.9438G	67.48	68.20	-0.72	3	Horizontal	185	1.82
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.6502G	67.79	68.35	-0.56	3	Horizontal	184	1.97
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.6518G	69.11	69.53	-0.42	3	Horizontal	184	1.94
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.6454G	67.66	68.20	-0.54	3	Horizontal	189	1.94





Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	53.67	54.00	-0.33	3	Horizontal	189	1.90
5180MHz	Pass	AV	5.1816G	109.02	Inf	-Inf	3	Horizontal	189	1.90
5180MHz	Pass	PK	5.1494G	72.46	74.00	-1.54	3	Horizontal	189	1.90
5180MHz	Pass	PK	5.1816G	121.55	Inf	-Inf	3	Horizontal	189	1.90
5180MHz	Pass	AV	5.0003G	34.71	54.00	-19.29	3	Horizontal	228	1.21
5180MHz	Pass	AV	15.54186G	37.71	54.00	-16.29	3	Vertical	203	3.00
5180MHz	Pass	PK	5.00028G	46.02	74.00	-27.98	3	Vertical	228	1.21
5180MHz	Pass	PK	10.34908G	50.72	68.20	-17.48	3	Vertical	185	1.04
5180MHz	Pass	PK	15.52986G	52.38	74.00	-21.62	3	Vertical	203	3.00
5180MHz	Pass	AV	5.00001G	51.98	54.00	-2.02	3	Horizontal	187	2.02
5180MHz	Pass	AV	15.54084G	37.71	54.00	-16.29	3	Horizontal	229	2.30
5180MHz	Pass	PK	5.0001G	63.05	74.00	-10.95	3	Horizontal	187	2.02
5180MHz	Pass	PK	10.35844G	50.24	68.20	-17.96	3	Horizontal	327	1.50
5180MHz	Pass	PK	15.53334G	52.22	74.00	-21.78	3	Horizontal	229	2.30
5200MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	186	1.69
5200MHz	Pass	AV	5.197G	113.50	Inf	-Inf	3	Horizontal	186	1.69
5200MHz	Pass	PK	5.1444G	70.44	74.00	-3.56	3	Horizontal	186	1.69
5200MHz	Pass	PK	5.193G	124.01	Inf	-Inf	3	Horizontal	186	1.69
5200MHz	Pass	AV	4.99998G	34.51	54.00	-19.49	3	Vertical	236	1.23
5200MHz	Pass	AV	15.59848G	40.94	54.00	-13.06	3	Vertical	287	2.40
5200MHz	Pass	PK	4.99996G	45.55	74.00	-28.45	3	Vertical	236	1.23
5200MHz	Pass	PK	10.40396G	50.71	68.20	-17.49	3	Vertical	220	1.50
5200MHz	Pass	PK	15.60136G	59.91	74.00	-14.09	3	Vertical	287	2.40
5200MHz	Pass	AV	5.00001G	51.48	54.00	-2.52	3	Horizontal	188	1.92
5200MHz	Pass	AV	15.59728G	39.81	54.00	-14.19	3	Horizontal	191	2.11
5200MHz	Pass	PK	4.99993G	63.99	74.00	-10.01	3	Horizontal	188	1.92
5200MHz	Pass	PK	10.38992G	49.62	68.20	-18.58	3	Horizontal	195	2.36
5200MHz	Pass	PK	15.5968G	57.17	74.00	-16.83	3	Horizontal	191	2.11
5240MHz	Pass	AV	5.1482G	53.58	54.00	-0.42	3	Horizontal	188	1.70
5240MHz	Pass	AV	5.2442G	117.15	Inf	-Inf	3	Horizontal	188	1.70
5240MHz	Pass	AV	5.35G	53.85	54.00	-0.15	3	Horizontal	188	1.70
5240MHz	Pass	PK	5.1482G	69.74	74.00	-4.26	3	Horizontal	188	1.70
5240MHz	Pass	PK	5.2454G	128.44	Inf	-Inf	3	Horizontal	188	1.70
5240MHz	Pass	PK	5.3528G	67.95	74.00	-6.05	3	Horizontal	188	1.70
5240MHz	Pass	AV	5.00004G	33.19	54.00	-20.81	3	Vertical	243	1.00
5240MHz	Pass	AV	15.72036G	52.82	54.00	-1.18	3	Vertical	271	1.90
5240MHz	Pass	PK	4.99996G	46.81	74.00	-27.19	3	Vertical	243	1.00
5240MHz	Pass	PK	10.48678G	51.81	68.20	-16.39	3	Vertical	218	2.89
5240MHz	Pass	PK	15.71916G	67.22	74.00	-6.78	3	Vertical	271	1.90
5240MHz	Pass	AV	4.99996G	50.93	54.00	-3.07	3	Horizontal	189	1.98
5240MHz	Pass	AV	15.72018G	48.44	54.00	-5.56	3	Horizontal	260	2.68
5240MHz	Pass	PK	5.00024G	64.55	74.00	-9.45	3	Horizontal	189	1.98
5240MHz	Pass	PK	10.48462G	52.20	68.20	-16.00	3	Horizontal	155	1.93
5240MHz	Pass	PK	15.71436G	62.81	74.00	-11.19	3	Horizontal	260	2.68
5260MHz	Pass	AV	5.149G	52.73	54.00	-1.27	3	Horizontal	187	1.88
5260MHz	Pass	AV	5.2618G	116.94	Inf	-Inf	3	Horizontal	187	1.88
5260MHz	Pass	AV	5.3608G	53.71	54.00	-0.29	3	Horizontal	187	1.88
5260MHz	Pass	PK	5.1484G	66.61	74.00	-7.39	3	Horizontal	187	1.88
5260MHz	Pass	PK	5.2612G	127.94	Inf	-Inf	3	Horizontal	187	1.88
5260MHz	Pass	PK	5.3608G	68.33	74.00	-5.67	3	Horizontal	187	1.88
5260MHz	Pass	AV	4.99996G	33.37	54.00	-20.63	3	Vertical	228	1.30
5260MHz	Pass	AV	15.78228G	53.73	54.00	-0.27	3	Vertical	270	1.95
5260MHz	Pass	PK	4.99832G	45.63	74.00	-28.37	3	Vertical	228	1.30
5260MHz	Pass	PK	10.51586G	50.41	68.20	-17.79	3	Vertical	221	1.37
5260MHz	Pass	PK	15.79218G	68.50	74.00	-5.50	3	Vertical	270	1.95
5260MHz	Pass	AV	5.00004G	50.67	54.00	-3.33	3	Horizontal	189	1.96
5260MHz	Pass	AV	15.78036G	48.68	54.00	-5.32	3	Horizontal	259	2.69
5260MHz	Pass	PK	4.9997G	63.85	74.00	-10.15	3	Horizontal	189	1.96
5260MHz	Pass	PK	10.52216G	51.52	68.20	-16.68	3	Horizontal	123	1.83
5260MHz	Pass	PK	15.77448G	63.12	74.00	-10.88	3	Horizontal	259	2.69



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5300MHz	Pass	AV	5.302G	113.80	Inf	-Inf	3	Horizontal	186	2.01
5300MHz	Pass	AV	5.35G	53.76	54.00	-0.24	3	Horizontal	186	2.01
5300MHz	Pass	PK	5.3024G	124.97	Inf	-Inf	3	Horizontal	186	2.01
5300MHz	Pass	PK	5.3524G	69.21	74.00	-4.79	3	Horizontal	186	2.01
5300MHz	Pass	AV	5.00008G	32.78	54.00	-21.22	3	Vertical	229	1.21
5300MHz	Pass	AV	10.60078G	37.02	54.00	-16.98	3	Vertical	144	1.42
5300MHz	Pass	AV	15.89868G	41.98	54.00	-12.02	3	Vertical	287	1.04
5300MHz	Pass	PK	4.99996G	45.27	74.00	-28.73	3	Vertical	229	1.21
5300MHz	Pass	PK	10.59604G	50.65	68.20	-17.55	3	Vertical	144	1.42
5300MHz	Pass	PK	15.90156G	60.23	74.00	-13.77	3	Vertical	287	1.04
5300MHz	Pass	AV	4.99996G	49.62	54.00	-4.38	3	Horizontal	188	1.50
5300MHz	Pass	AV	10.60054G	38.17	54.00	-15.83	3	Horizontal	122	1.94
5300MHz	Pass	AV	15.9012G	39.97	54.00	-14.03	3	Horizontal	288	2.95
5300MHz	Pass	PK	4.99998G	61.49	74.00	-12.51	3	Horizontal	188	1.50
5300MHz	Pass	PK	10.59184G	51.18	68.20	-17.02	3	Horizontal	122	1.94
5300MHz	Pass	PK	15.90126G	54.77	74.00	-19.23	3	Horizontal	288	2.95
5320MHz	Pass	AV	5.3218G	109.58	Inf	-Inf	3	Horizontal	186	1.85
5320MHz	Pass	AV	5.35G	53.61	54.00	-0.39	3	Horizontal	186	1.85
5320MHz	Pass	PK	5.3224G	120.81	Inf	-Inf	3	Horizontal	186	1.85
5320MHz	Pass	PK	5.3502G	71.50	74.00	-2.50	3	Horizontal	186	1.85
5320MHz	Pass	AV	5G	32.28	54.00	-21.72	3	Vertical	230	1.29
5320MHz	Pass	AV	10.64138G	37.08	54.00	-16.92	3	Vertical	143	1.50
5320MHz	Pass	AV	15.9606G	38.46	54.00	-15.54	3	Vertical	271	1.94
5320MHz	Pass	PK	5.0001G	43.86	74.00	-30.14	3	Vertical	230	1.29
5320MHz	Pass	PK	10.65296G	50.79	74.00	-23.21	3	Vertical	143	1.50
5320MHz	Pass	PK	15.96234G	52.73	74.00	-21.27	3	Vertical	271	1.94
5320MHz	Pass	AV	5G	50.24	54.00	-3.76	3	Horizontal	187	2.04
5320MHz	Pass	AV	10.62968G	36.93	54.00	-17.07	3	Horizontal	114	1.50
5320MHz	Pass	AV	15.95052G	37.53	54.00	-16.47	3	Horizontal	299	1.50
5320MHz	Pass	PK	5.00012G	60.48	74.00	-13.52	3	Horizontal	187	2.04
5320MHz	Pass	PK	10.62518G	51.08	74.00	-22.92	3	Horizontal	114	1.50
5320MHz	Pass	PK	15.9588G	50.63	74.00	-23.37	3	Horizontal	299	1.50
5500MHz	Pass	AV	5.459G	49.06	54.00	-4.94	3	Horizontal	185	1.80
5500MHz	Pass	AV	5.5018G	107.06	Inf	-Inf	3	Horizontal	185	1.80
5500MHz	Pass	PK	5.4532G	62.62	74.00	-11.38	3	Horizontal	185	1.80
5500MHz	Pass	PK	5.469G	67.44	68.20	-0.76	3	Horizontal	185	1.80
5500MHz	Pass	PK	5.5016G	117.98	Inf	-Inf	3	Horizontal	185	1.80
5500MHz	Pass	AV	5G	33.54	54.00	-20.46	3	Vertical	236	1.24
5500MHz	Pass	AV	10.98506G	36.78	54.00	-17.22	3	Vertical	44	1.50
5500MHz	Pass	PK	5.0003G	44.69	74.00	-29.31	3	Vertical	236	1.24
5500MHz	Pass	PK	11G	51.58	74.00	-22.42	3	Vertical	44	1.50
5500MHz	Pass	PK	16.5144G	51.40	68.20	-16.80	3	Vertical	276	1.50
5500MHz	Pass	AV	4.99998G	48.49	54.00	-5.51	3	Horizontal	191	1.79
5500MHz	Pass	AV	11.00234G	36.91	54.00	-17.09	3	Horizontal	190	1.96
5500MHz	Pass	PK	4.99986G	58.66	74.00	-15.34	3	Horizontal	191	1.79
5500MHz	Pass	PK	10.99394G	50.43	74.00	-23.57	3	Horizontal	190	1.96
5500MHz	Pass	PK	16.50954G	51.50	68.20	-16.70	3	Horizontal	121	1.50
5580MHz	Pass	AV	5.4534G	51.96	54.00	-2.04	3	Horizontal	186	1.75
5580MHz	Pass	AV	5.577G	114.36	Inf	-Inf	3	Horizontal	186	1.75
5580MHz	Pass	PK	5.457G	65.49	74.00	-8.51	3	Horizontal	186	1.75
5580MHz	Pass	PK	5.4666G	66.11	68.20	-2.09	3	Horizontal	186	1.75
5580MHz	Pass	PK	5.5788G	125.15	Inf	-Inf	3	Horizontal	186	1.75
5580MHz	Pass	PK	5.73G	64.22	68.20	-3.98	3	Horizontal	186	1.75
5580MHz	Pass	AV	5G	32.70	54.00	-21.30	3	Vertical	230	1.28
5580MHz	Pass	AV	11.15772G	37.28	54.00	-16.72	3	Vertical	201	1.32
5580MHz	Pass	PK	5.00016G	44.02	74.00	-29.98	3	Vertical	230	1.28
5580MHz	Pass	PK	11.15322G	51.81	74.00	-22.19	3	Vertical	201	1.32
5580MHz	Pass	PK	16.73178G	67.56	68.20	-0.64	3	Vertical	271	3.00
5580MHz	Pass	AV	4.99994G	49.69	54.00	-4.31	3	Horizontal	185	2.02
5580MHz	Pass	AV	11.15514G	38.42	54.00	-15.58	3	Horizontal	190	2.01
5580MHz	Pass	PK	5.00008G	60.62	74.00	-13.38	3	Horizontal	185	2.02
5580MHz	Pass	PK	11.15082G	51.61	74.00	-22.39	3	Horizontal	190	2.01



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5580MHz	Pass	PK	16.7391G	61.56	68.20	-6.64	3	Horizontal	277	2.81
5700MHz	Pass	AV	5.702G	106.33	Inf	-Inf	3	Horizontal	185	1.77
5700MHz	Pass	PK	5.7024G	117.57	Inf	-Inf	3	Horizontal	185	1.77
5700MHz	Pass	PK	5.7256G	67.06	68.20	-1.14	3	Horizontal	185	1.77
5700MHz	Pass	AV	5G	32.10	54.00	-21.90	3	Vertical	230	2.37
5700MHz	Pass	AV	11.39616G	37.86	54.00	-16.14	3	Vertical	212	1.31
5700MHz	Pass	PK	5.00018G	43.53	74.00	-30.47	3	Vertical	230	2.37
5700MHz	Pass	PK	11.41146G	52.12	74.00	-21.88	3	Vertical	212	1.31
5700MHz	Pass	PK	17.08662G	51.51	68.20	-16.69	3	Vertical	40	1.43
5700MHz	Pass	AV	5G	46.47	54.00	-7.53	3	Horizontal	186	2.02
5700MHz	Pass	AV	11.40036G	38.14	54.00	-15.86	3	Horizontal	191	2.02
5700MHz	Pass	PK	5.00006G	55.00	74.00	-19.00	3	Horizontal	186	2.02
5700MHz	Pass	PK	11.40174G	51.60	74.00	-22.40	3	Horizontal	191	2.02
5700MHz	Pass	PK	17.10786G	51.45	68.20	-16.75	3	Horizontal	230	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	50.03	54.00	-3.97	3	Horizontal	182	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	115.66	Inf	-Inf	3	Horizontal	182	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	63.91	74.00	-10.09	3	Horizontal	182	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	63.49	68.20	-4.71	3	Horizontal	182	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	126.81	Inf	-Inf	3	Horizontal	182	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	65.59	68.20	-2.61	3	Horizontal	182	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	AV	4.99998G	31.00	54.00	-23.00	3	Vertical	230	1.26
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4394G	38.50	54.00	-15.50	3	Vertical	213	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.00022G	43.56	74.00	-30.44	3	Vertical	230	1.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4469G	51.97	74.00	-22.03	3	Vertical	213	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15512G	64.07	68.20	-4.13	3	Vertical	301	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5G	45.48	54.00	-8.52	3	Horizontal	190	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43898G	39.22	54.00	-14.78	3	Horizontal	192	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	4.9971G	57.89	74.00	-16.11	3	Horizontal	190	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4382G	52.62	74.00	-21.38	3	Horizontal	192	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.145G	60.12	68.20	-8.08	3	Horizontal	286	2.68
5745MHz	Pass	AV	5.4546G	49.82	54.00	-4.18	3	Horizontal	185	1.96
5745MHz	Pass	AV	5.7462G	114.77	Inf	-Inf	3	Horizontal	185	1.96
5745MHz	Pass	PK	5.6442G	66.25	68.20	-1.95	3	Horizontal	185	1.96
5745MHz	Pass	PK	5.7474G	125.82	Inf	-Inf	3	Horizontal	185	1.96
5745MHz	Pass	PK	5.9526G	65.25	68.20	-2.95	3	Horizontal	185	1.96
5745MHz	Pass	AV	5.00002G	31.10	54.00	-22.90	3	Vertical	228	1.13
5745MHz	Pass	AV	11.48502G	39.55	54.00	-14.45	3	Vertical	243	2.14
5745MHz	Pass	PK	5.00022G	43.91	74.00	-30.09	3	Vertical	228	1.13
5745MHz	Pass	PK	11.49G	53.74	74.00	-20.26	3	Vertical	243	2.14
5745MHz	Pass	PK	17.2473G	61.34	68.20	-6.86	3	Vertical	289	2.78
5745MHz	Pass	AV	4.99998G	46.52	54.00	-7.48	3	Horizontal	187	1.64
5745MHz	Pass	AV	11.48634G	38.56	54.00	-15.44	3	Horizontal	192	1.98
5745MHz	Pass	PK	5.00012G	58.77	74.00	-15.23	3	Horizontal	187	1.64
5745MHz	Pass	PK	11.48934G	52.07	74.00	-21.93	3	Horizontal	192	1.98
5745MHz	Pass	PK	17.22648G	57.67	68.20	-10.53	3	Horizontal	286	2.66
5785MHz	Pass	AV	5.77887G	115.89	Inf	-Inf	3	Horizontal	186	1.67
5785MHz	Pass	PK	5.6494G	66.81	68.20	-1.39	3	Horizontal	186	1.67
5785MHz	Pass	PK	5.78008G	127.12	Inf	-Inf	3	Horizontal	186	1.67
5785MHz	Pass	PK	5.93133G	66.37	68.20	-1.83	3	Horizontal	186	1.67
5785MHz	Pass	AV	5.00002G	32.19	54.00	-21.81	3	Vertical	236	1.24
5785MHz	Pass	AV	11.57006G	38.09	54.00	-15.91	3	Vertical	245	2.16
5785MHz	Pass	PK	5.00012G	44.38	74.00	-29.62	3	Vertical	236	1.24
5785MHz	Pass	PK	11.56472G	51.56	74.00	-22.44	3	Vertical	245	2.16
5785MHz	Pass	PK	17.3502G	62.79	68.20	-5.41	3	Vertical	289	2.87
5785MHz	Pass	AV	5G	45.28	54.00	-8.72	3	Horizontal	188	1.65
5785MHz	Pass	AV	11.57036G	40.10	54.00	-13.90	3	Horizontal	136	1.83
5785MHz	Pass	PK	5.0002G	58.08	74.00	-15.92	3	Horizontal	188	1.65
5785MHz	Pass	PK	11.57102G	53.81	74.00	-20.19	3	Horizontal	136	1.83
5785MHz	Pass	PK	17.35584G	54.37	68.20	-13.83	3	Horizontal	259	1.03
5825MHz	Pass	AV	5.8214G	114.85	Inf	-Inf	3	Horizontal	185	1.82
5825MHz	Pass	PK	5.6282G	64.94	68.20	-3.26	3	Horizontal	185	1.82
5825MHz	Pass	PK	5.8262G	125.83	Inf	-Inf	3	Horizontal	185	1.82



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5825MHz	Pass	PK	5.9438G	67.48	68.20	-0.72	3	Horizontal	185	1.82
5825MHz	Pass	AV	4.99998G	32.65	54.00	-21.35	3	Vertical	236	1.25
5825MHz	Pass	AV	11.64034G	37.90	54.00	-16.10	3	Vertical	246	3.00
5825MHz	Pass	PK	5.00004G	44.92	74.00	-29.08	3	Vertical	236	1.25
5825MHz	Pass	PK	11.6446G	51.83	74.00	-22.17	3	Vertical	246	3.00
5825MHz	Pass	PK	17.46972G	54.47	68.20	-13.73	3	Vertical	304	1.00
5825MHz	Pass	AV	5G	46.40	54.00	-7.60	3	Horizontal	188	1.88
5825MHz	Pass	AV	11.65078G	39.32	54.00	-14.68	3	Horizontal	134	1.77
5825MHz	Pass	PK	4.99992G	58.40	74.00	-15.60	3	Horizontal	188	1.88
5825MHz	Pass	PK	11.65072G	52.82	74.00	-21.18	3	Horizontal	134	1.77
5825MHz	Pass	PK	17.47194G	56.90	68.20	-11.30	3	Horizontal	296	1.91
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	53.82	54.00	-0.18	3	Horizontal	186	1.93
5180MHz	Pass	AV	5.1754G	108.47	Inf	-Inf	3	Horizontal	186	1.93
5180MHz	Pass	PK	5.1496G	71.12	74.00	-2.88	3	Horizontal	186	1.93
5180MHz	Pass	PK	5.1768G	123.01	Inf	-Inf	3	Horizontal	186	1.93
5180MHz	Pass	AV	5G	34.55	54.00	-19.45	3	Vertical	236	1.23
5180MHz	Pass	AV	15.54414G	38.26	54.00	-15.74	3	Vertical	111	1.50
5180MHz	Pass	PK	5.0003G	45.41	74.00	-28.59	3	Vertical	236	1.23
5180MHz	Pass	PK	10.35376G	50.30	68.20	-17.90	3	Vertical	285	1.50
5180MHz	Pass	PK	15.54108G	52.00	74.00	-22.00	3	Vertical	111	1.50
5180MHz	Pass	AV	5.00002G	51.89	54.00	-2.11	3	Horizontal	189	1.84
5180MHz	Pass	AV	15.5334G	38.12	54.00	-15.88	3	Horizontal	99	1.50
5180MHz	Pass	PK	5G	62.10	74.00	-11.90	3	Horizontal	189	1.84
5180MHz	Pass	PK	10.36684G	50.87	68.20	-17.33	3	Horizontal	61	2.52
5180MHz	Pass	PK	15.54624G	52.88	74.00	-21.12	3	Horizontal	99	1.50
5200MHz	Pass	AV	5.1498G	53.76	54.00	-0.24	3	Horizontal	185	1.85
5200MHz	Pass	AV	5.1954G	111.90	Inf	-Inf	3	Horizontal	185	1.85
5200MHz	Pass	PK	5.148G	69.86	74.00	-4.14	3	Horizontal	185	1.85
5200MHz	Pass	PK	5.2018G	125.01	Inf	-Inf	3	Horizontal	185	1.85
5200MHz	Pass	PK	4.99777G	45.30	74.00	-28.70	3	Vertical	237	1.33
5200MHz	Pass	AV	4.99998G	33.12	54.00	-20.88	3	Vertical	237	1.33
5200MHz	Pass	PK	10.40678G	49.06	68.20	-19.14	3	Vertical	134	2.56
5200MHz	Pass	PK	15.6037G	51.76	74.00	-22.24	3	Vertical	310	2.16
5200MHz	Pass	AV	15.59706G	37.90	54.00	-16.10	3	Vertical	310	2.16
5200MHz	Pass	AV	5.00001G	51.14	54.00	-2.86	3	Horizontal	189	1.58
5200MHz	Pass	AV	15.5983G	39.12	54.00	-14.88	3	Horizontal	154	1.93
5200MHz	Pass	PK	4.99985G	63.45	74.00	-10.55	3	Horizontal	189	1.58
5200MHz	Pass	PK	10.3928G	49.86	68.20	-18.34	3	Horizontal	125	1.84
5200MHz	Pass	PK	15.59884G	55.21	74.00	-18.79	3	Horizontal	154	1.93
5240MHz	Pass	AV	5.15G	53.68	54.00	-0.32	3	Horizontal	186	1.86
5240MHz	Pass	AV	5.243G	115.73	Inf	-Inf	3	Horizontal	186	1.86
5240MHz	Pass	AV	5.35G	53.30	54.00	-0.70	3	Horizontal	186	1.86
5240MHz	Pass	PK	5.1446G	68.92	74.00	-5.08	3	Horizontal	186	1.86
5240MHz	Pass	PK	5.237G	129.85	Inf	-Inf	3	Horizontal	186	1.86
5240MHz	Pass	PK	5.3792G	67.07	74.00	-6.93	3	Horizontal	186	1.86
5240MHz	Pass	AV	5G	33.44	54.00	-20.56	3	Vertical	237	1.32
5240MHz	Pass	AV	15.71952G	51.58	54.00	-2.42	3	Vertical	271	1.87
5240MHz	Pass	PK	4.99982G	46.11	74.00	-27.89	3	Vertical	237	1.32
5240MHz	Pass	PK	10.49296G	51.68	68.20	-16.52	3	Vertical	220	1.50
5240MHz	Pass	PK	15.72174G	65.98	74.00	-8.02	3	Vertical	271	1.87
5240MHz	Pass	AV	5G	51.30	54.00	-2.70	3	Horizontal	192	2.02
5240MHz	Pass	AV	15.72234G	41.98	54.00	-12.02	3	Horizontal	192	2.71
5240MHz	Pass	PK	5.00016G	64.72	74.00	-9.28	3	Horizontal	192	2.02
5240MHz	Pass	PK	10.47184G	50.82	68.20	-17.38	3	Horizontal	193	2.05
5240MHz	Pass	PK	15.72312G	55.47	74.00	-18.53	3	Horizontal	192	2.71
5260MHz	Pass	AV	5.15G	52.14	54.00	-1.86	3	Horizontal	189	1.77
5260MHz	Pass	AV	5.2576G	115.65	Inf	-Inf	3	Horizontal	189	1.77
5260MHz	Pass	AV	5.35G	53.40	54.00	-0.60	3	Horizontal	189	1.77
5260MHz	Pass	PK	5.1484G	66.17	74.00	-7.83	3	Horizontal	189	1.77
5260MHz	Pass	PK	5.257G	130.17	Inf	-Inf	3	Horizontal	189	1.77
5260MHz	Pass	PK	5.3572G	68.93	74.00	-5.07	3	Horizontal	189	1.77



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5260MHz	Pass	AV	5G	33.14	54.00	-20.86	3	Vertical	229	1.30
5260MHz	Pass	AV	15.78132G	52.07	54.00	-1.93	3	Vertical	273	1.92
5260MHz	Pass	PK	5.00006G	44.79	74.00	-29.21	3	Vertical	229	1.30
5260MHz	Pass	PK	10.52894G	50.58	68.20	-17.62	3	Vertical	139	1.50
5260MHz	Pass	PK	15.78168G	66.42	74.00	-7.58	3	Vertical	273	1.92
5260MHz	Pass	AV	5.00002G	50.15	54.00	-3.85	3	Horizontal	189	1.97
5260MHz	Pass	AV	15.77844G	44.40	54.00	-9.60	3	Horizontal	227	2.47
5260MHz	Pass	PK	4.99984G	64.08	74.00	-9.92	3	Horizontal	189	1.97
5260MHz	Pass	PK	10.5245G	52.18	68.20	-16.02	3	Horizontal	124	1.94
5260MHz	Pass	PK	15.77106G	58.84	74.00	-15.16	3	Horizontal	227	2.47
5300MHz	Pass	AV	5.3028G	112.31	Inf	-Inf	3	Horizontal	186	1.89
5300MHz	Pass	AV	5.35G	53.87	54.00	-0.13	3	Horizontal	186	1.89
5300MHz	Pass	PK	5.2968G	126.81	Inf	-Inf	3	Horizontal	186	1.89
5300MHz	Pass	PK	5.3524G	70.04	74.00	-3.96	3	Horizontal	186	1.89
5300MHz	Pass	AV	4.99996G	32.82	54.00	-21.18	3	Vertical	229	1.21
5300MHz	Pass	AV	15.89814G	40.62	54.00	-13.38	3	Vertical	273	1.80
5300MHz	Pass	PK	4.99998G	45.04	74.00	-28.96	3	Vertical	229	1.21
5300MHz	Pass	PK	10.59508G	51.19	68.20	-17.01	3	Vertical	144	1.46
5300MHz	Pass	PK	15.89406G	56.92	74.00	-17.08	3	Vertical	273	1.80
5300MHz	Pass	AV	5.00002G	50.32	54.00	-3.68	3	Horizontal	191	2.00
5300MHz	Pass	AV	10.6033G	37.98	54.00	-16.02	3	Horizontal	120	1.65
5300MHz	Pass	AV	15.90102G	40.16	54.00	-13.84	3	Horizontal	288	3.00
5300MHz	Pass	PK	5.00012G	62.61	74.00	-11.39	3	Horizontal	191	2.00
5300MHz	Pass	PK	10.60474G	51.59	74.00	-22.41	3	Horizontal	120	1.65
5300MHz	Pass	PK	15.9042G	54.99	74.00	-19.01	3	Horizontal	288	3.00
5320MHz	Pass	AV	5.323G	108.16	Inf	-Inf	3	Horizontal	185	1.90
5320MHz	Pass	AV	5.3508G	53.73	54.00	-0.27	3	Horizontal	185	1.90
5320MHz	Pass	PK	5.3168G	122.39	Inf	-Inf	3	Horizontal	185	1.90
5320MHz	Pass	PK	5.3552G	71.01	74.00	-2.99	3	Horizontal	185	1.90
5320MHz	Pass	AV	5G	34.08	54.00	-19.92	3	Vertical	236	1.24
5320MHz	Pass	AV	10.63112G	37.18	54.00	-16.82	3	Vertical	75	1.50
5320MHz	Pass	AV	15.94968G	38.06	54.00	-15.94	3	Vertical	71	1.50
5320MHz	Pass	PK	4.99996G	45.08	74.00	-28.92	3	Vertical	236	1.24
5320MHz	Pass	PK	10.64804G	50.87	74.00	-23.13	3	Vertical	75	1.50
5320MHz	Pass	PK	15.94506G	51.40	74.00	-22.60	3	Vertical	71	1.50
5320MHz	Pass	AV	5G	50.21	54.00	-3.79	3	Horizontal	192	1.86
5320MHz	Pass	AV	10.62974G	37.18	54.00	-16.82	3	Horizontal	107	1.50
5320MHz	Pass	AV	15.94968G	37.93	54.00	-16.07	3	Horizontal	200	1.50
5320MHz	Pass	PK	4.99986G	60.98	74.00	-13.02	3	Horizontal	192	1.86
5320MHz	Pass	PK	10.64918G	50.70	74.00	-23.30	3	Horizontal	107	1.50
5320MHz	Pass	PK	15.95136G	51.59	74.00	-22.41	3	Horizontal	200	1.50
5500MHz	Pass	AV	5.459G	48.28	54.00	-5.72	3	Horizontal	187	1.81
5500MHz	Pass	AV	5.503G	104.14	Inf	-Inf	3	Horizontal	187	1.81
5500MHz	Pass	PK	5.4548G	62.36	74.00	-11.64	3	Horizontal	187	1.81
5500MHz	Pass	PK	5.4688G	67.33	68.20	-0.87	3	Horizontal	187	1.81
5500MHz	Pass	PK	5.5058G	118.35	Inf	-Inf	3	Horizontal	187	1.81
5500MHz	Pass	AV	5G	32.69	54.00	-21.31	3	Vertical	237	1.22
5500MHz	Pass	AV	11.00828G	37.24	54.00	-16.76	3	Vertical	19	1.50
5500MHz	Pass	PK	4.99988G	43.93	74.00	-30.07	3	Vertical	237	1.22
5500MHz	Pass	PK	11.00984G	51.25	74.00	-22.75	3	Vertical	19	1.50
5500MHz	Pass	PK	16.49568G	51.70	68.20	-16.50	3	Vertical	302	1.94
5500MHz	Pass	AV	5.00004G	48.66	54.00	-5.34	3	Horizontal	188	1.93
5500MHz	Pass	AV	11.0081G	37.34	54.00	-16.66	3	Horizontal	206	1.81
5500MHz	Pass	PK	5.00026G	58.12	74.00	-15.88	3	Horizontal	188	1.93
5500MHz	Pass	PK	11.01146G	51.40	74.00	-22.60	3	Horizontal	206	1.81
5500MHz	Pass	PK	16.51254G	51.53	68.20	-16.67	3	Horizontal	177	2.13
5580MHz	Pass	AV	5.454G	51.65	54.00	-2.35	3	Horizontal	188	1.75
5580MHz	Pass	AV	5.5776G	112.93	Inf	-Inf	3	Horizontal	188	1.75
5580MHz	Pass	PK	5.4492G	65.53	74.00	-8.47	3	Horizontal	188	1.75
5580MHz	Pass	PK	5.469G	65.55	68.20	-2.65	3	Horizontal	188	1.75
5580MHz	Pass	PK	5.577G	127.58	Inf	-Inf	3	Horizontal	188	1.75
5580MHz	Pass	PK	5.7294G	64.41	68.20	-3.79	3	Horizontal	188	1.75



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5580MHz	Pass	AV	5.00002G	32.96	54.00	-21.04	3	Vertical	230	1.29
5580MHz	Pass	AV	11.16138G	37.39	54.00	-16.61	3	Vertical	163	2.13
5580MHz	Pass	PK	4.99976G	44.20	74.00	-29.80	3	Vertical	230	1.29
5580MHz	Pass	PK	11.17392G	51.39	74.00	-22.61	3	Vertical	163	2.13
5580MHz	Pass	PK	16.74468G	67.88	68.20	-0.32	3	Vertical	270	3.00
5580MHz	Pass	AV	5.00002G	49.55	54.00	-4.45	3	Horizontal	184	1.94
5580MHz	Pass	AV	11.1564G	38.70	54.00	-15.30	3	Horizontal	190	1.86
5580MHz	Pass	PK	5.00028G	60.89	74.00	-13.11	3	Horizontal	184	1.94
5580MHz	Pass	PK	11.15868G	52.50	74.00	-21.50	3	Horizontal	190	1.86
5580MHz	Pass	PK	16.74174G	61.00	68.20	-7.20	3	Horizontal	277	2.64
5700MHz	Pass	AV	5.6984G	102.89	Inf	-Inf	3	Horizontal	186	1.78
5700MHz	Pass	PK	5.6968G	117.12	Inf	-Inf	3	Horizontal	186	1.78
5700MHz	Pass	PK	5.728G	67.10	68.20	-1.10	3	Horizontal	186	1.78
5700MHz	Pass	AV	5G	32.51	54.00	-21.49	3	Vertical	229	1.20
5700MHz	Pass	AV	11.40006G	38.09	54.00	-15.91	3	Vertical	276	2.28
5700MHz	Pass	PK	5.00002G	44.40	74.00	-29.60	3	Vertical	229	1.20
5700MHz	Pass	PK	11.38512G	52.06	74.00	-21.94	3	Vertical	276	2.28
5700MHz	Pass	PK	17.10042G	51.69	68.20	-16.51	3	Vertical	215	1.50
5700MHz	Pass	AV	5G	46.89	54.00	-7.11	3	Horizontal	185	2.05
5700MHz	Pass	AV	11.40114G	38.04	54.00	-15.96	3	Horizontal	190	1.50
5700MHz	Pass	PK	4.9999G	54.71	74.00	-19.29	3	Horizontal	185	2.05
5700MHz	Pass	PK	11.39712G	51.03	74.00	-22.97	3	Horizontal	190	1.50
5700MHz	Pass	PK	17.08734G	51.37	68.20	-16.83	3	Horizontal	94	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	50.04	54.00	-3.96	3	Horizontal	184	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	114.16	Inf	-Inf	3	Horizontal	184	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4524G	64.19	74.00	-9.81	3	Horizontal	184	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	63.72	68.20	-4.48	3	Horizontal	184	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	128.69	Inf	-Inf	3	Horizontal	184	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	67.56	68.20	-0.64	3	Horizontal	184	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	AV	4.99998G	31.88	54.00	-22.12	3	Vertical	230	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4319G	38.42	54.00	-15.58	3	Vertical	216	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	4.99972G	43.86	74.00	-30.14	3	Vertical	230	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42554G	51.68	74.00	-22.32	3	Vertical	216	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16186G	64.29	68.20	-3.91	3	Vertical	289	2.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	4.99998G	45.56	54.00	-8.44	3	Horizontal	190	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4385G	41.72	54.00	-12.28	3	Horizontal	138	1.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	4.99996G	57.89	74.00	-16.11	3	Horizontal	190	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43154G	55.29	74.00	-18.71	3	Horizontal	138	1.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15298G	58.78	68.20	-9.42	3	Horizontal	167	2.04
5745MHz	Pass	AV	5.4546G	49.37	54.00	-4.63	3	Horizontal	184	1.97
5745MHz	Pass	AV	5.7438G	113.87	Inf	-Inf	3	Horizontal	184	1.97
5745MHz	Pass	PK	5.6502G	67.79	68.35	-0.56	3	Horizontal	184	1.97
5745MHz	Pass	PK	5.7414G	128.34	Inf	-Inf	3	Horizontal	184	1.97
5745MHz	Pass	PK	6.021G	64.69	68.20	-3.51	3	Horizontal	184	1.97
5745MHz	Pass	AV	4.99998G	31.96	54.00	-22.04	3	Vertical	235	1.20
5745MHz	Pass	AV	11.4912G	38.29	54.00	-15.71	3	Vertical	214	1.33
5745MHz	Pass	PK	5.00032G	44.30	74.00	-29.70	3	Vertical	235	1.20
5745MHz	Pass	PK	11.50002G	52.35	74.00	-21.65	3	Vertical	214	1.33
5745MHz	Pass	PK	17.23464G	61.13	68.20	-7.07	3	Vertical	289	2.59
5745MHz	Pass	AV	5G	45.83	54.00	-8.17	3	Horizontal	188	1.95
5745MHz	Pass	AV	11.48436G	38.74	54.00	-15.26	3	Horizontal	195	1.97
5745MHz	Pass	PK	5.00018G	57.69	74.00	-16.31	3	Horizontal	188	1.95
5745MHz	Pass	PK	11.48436G	52.09	74.00	-21.91	3	Horizontal	195	1.97
5745MHz	Pass	PK	17.23476G	53.14	68.20	-15.06	3	Horizontal	250	2.96
5785MHz	Pass	AV	5.78008G	114.42	Inf	-Inf	3	Horizontal	187	1.82
5785MHz	Pass	PK	5.63004G	65.42	68.20	-2.78	3	Horizontal	187	1.82
5785MHz	Pass	PK	5.78129G	128.98	Inf	-Inf	3	Horizontal	187	1.82
5785MHz	Pass	PK	5.92528G	66.34	68.20	-1.86	3	Horizontal	187	1.82
5785MHz	Pass	AV	4.99998G	32.45	54.00	-21.55	3	Vertical	234	1.25
5785MHz	Pass	AV	11.56352G	39.40	54.00	-14.60	3	Vertical	245	2.14
5785MHz	Pass	PK	4.99978G	44.52	74.00	-29.48	3	Vertical	234	1.25
5785MHz	Pass	PK	11.57108G	52.54	74.00	-21.46	3	Vertical	245	2.14



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5785MHz	Pass	PK	17.34738G	62.29	68.20	-5.91	3	Vertical	289	2.89
5785MHz	Pass	AV	5G	46.05	54.00	-7.95	3	Horizontal	186	2.13
5785MHz	Pass	AV	11.56994G	40.84	54.00	-13.16	3	Horizontal	136	1.84
5785MHz	Pass	PK	5.00008G	58.49	74.00	-15.51	3	Horizontal	186	2.13
5785MHz	Pass	PK	11.57384G	54.36	74.00	-19.64	3	Horizontal	136	1.84
5785MHz	Pass	PK	17.36562G	55.14	68.20	-13.06	3	Horizontal	205	1.77
5825MHz	Pass	AV	5.8274G	113.10	Inf	-Inf	3	Horizontal	186	1.89
5825MHz	Pass	PK	5.5886G	64.52	68.20	-3.68	3	Horizontal	186	1.89
5825MHz	Pass	PK	5.8214G	127.33	Inf	-Inf	3	Horizontal	186	1.89
5825MHz	Pass	PK	5.9246G	67.54	68.50	-0.96	3	Horizontal	186	1.89
5825MHz	Pass	AV	5G	32.20	54.00	-21.80	3	Vertical	230	1.41
5825MHz	Pass	AV	11.64502G	38.91	54.00	-15.09	3	Vertical	247	2.83
5825MHz	Pass	PK	5.0003G	44.86	74.00	-29.14	3	Vertical	230	1.41
5825MHz	Pass	PK	11.6461G	52.94	74.00	-21.06	3	Vertical	247	2.83
5825MHz	Pass	PK	17.4822G	57.35	68.20	-10.85	3	Vertical	292	3.00
5825MHz	Pass	AV	4.99998G	47.62	54.00	-6.38	3	Horizontal	186	2.10
5825MHz	Pass	AV	11.64364G	38.19	54.00	-15.81	3	Horizontal	232	1.40
5825MHz	Pass	PK	5.0001G	58.94	74.00	-15.06	3	Horizontal	186	2.10
5825MHz	Pass	PK	11.64448G	51.69	74.00	-22.31	3	Horizontal	232	1.40
5825MHz	Pass	PK	17.4798G	53.47	68.20	-14.73	3	Horizontal	205	1.78
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.69	54.00	-0.31	3	Horizontal	186	1.94
5190MHz	Pass	AV	5.1952G	101.42	Inf	-Inf	3	Horizontal	186	1.94
5190MHz	Pass	PK	5.1464G	68.60	74.00	-5.40	3	Horizontal	186	1.94
5190MHz	Pass	PK	5.1832G	114.79	Inf	-Inf	3	Horizontal	186	1.94
5190MHz	Pass	AV	4.99996G	31.72	54.00	-22.28	3	Vertical	230	1.30
5190MHz	Pass	AV	15.5472G	38.12	54.00	-15.88	3	Vertical	62	1.50
5190MHz	Pass	PK	5.00016G	43.40	74.00	-30.60	3	Vertical	230	1.30
5190MHz	Pass	PK	10.40184G	51.16	68.20	-17.04	3	Vertical	-0	1.50
5190MHz	Pass	PK	15.56028G	52.28	74.00	-21.72	3	Vertical	62	1.50
5190MHz	Pass	AV	4.99998G	49.69	54.00	-4.31	3	Horizontal	189	1.86
5190MHz	Pass	AV	15.54252G	38.06	54.00	-15.94	3	Horizontal	141	1.50
5190MHz	Pass	PK	5.00006G	59.78	74.00	-14.22	3	Horizontal	189	1.86
5190MHz	Pass	PK	10.35024G	50.71	68.20	-17.49	3	Horizontal	205	2.88
5190MHz	Pass	PK	15.56964G	51.79	74.00	-22.21	3	Horizontal	141	1.50
5230MHz	Pass	AV	5.15G	53.75	54.00	-0.25	3	Horizontal	187	1.80
5230MHz	Pass	AV	5.224G	108.16	Inf	-Inf	3	Horizontal	187	1.80
5230MHz	Pass	PK	5.1456G	69.83	74.00	-4.17	3	Horizontal	187	1.80
5230MHz	Pass	PK	5.2268G	123.89	Inf	-Inf	3	Horizontal	187	1.80
5230MHz	Pass	PK	4.98212G	41.81	74.00	-32.19	3	Vertical	230	1.29
5230MHz	Pass	AV	4.99988G	32.44	54.00	-21.56	3	Vertical	230	1.29
5230MHz	Pass	PK	10.45556G	49.72	68.20	-18.48	3	Vertical	187	1.50
5230MHz	Pass	PK	15.68654G	50.42	74.00	-23.58	3	Vertical	300	1.55
5230MHz	Pass	AV	15.68558G	37.66	54.00	-16.34	3	Vertical	300	1.55
5230MHz	Pass	AV	5G	50.99	54.00	-3.01	3	Horizontal	188	1.88
5230MHz	Pass	AV	15.68818G	37.61	54.00	-16.39	3	Horizontal	293	1.24
5230MHz	Pass	PK	4.99988G	62.59	74.00	-11.41	3	Horizontal	188	1.88
5230MHz	Pass	PK	10.48196G	50.00	68.20	-18.20	3	Horizontal	129	1.78
5230MHz	Pass	PK	15.6878G	51.80	74.00	-22.20	3	Horizontal	293	1.24
5270MHz	Pass	AV	5.2636G	108.63	Inf	-Inf	3	Horizontal	188	1.91
5270MHz	Pass	AV	5.3512G	53.53	54.00	-0.47	3	Horizontal	188	1.91
5270MHz	Pass	PK	5.268G	123.55	Inf	-Inf	3	Horizontal	188	1.91
5270MHz	Pass	PK	5.3524G	68.98	74.00	-5.02	3	Horizontal	188	1.91
5270MHz	Pass	AV	4.99998G	33.43	54.00	-20.57	3	Vertical	228	1.31
5270MHz	Pass	AV	15.83676G	37.46	54.00	-16.54	3	Vertical	80	1.50
5270MHz	Pass	PK	4.99988G	44.77	74.00	-29.23	3	Vertical	228	1.31
5270MHz	Pass	PK	10.53016G	50.63	68.20	-17.57	3	Vertical	221	1.45
5270MHz	Pass	PK	15.7986G	51.42	74.00	-22.58	3	Vertical	80	1.50
5270MHz	Pass	AV	4.99996G	50.18	54.00	-3.82	3	Horizontal	188	1.71
5270MHz	Pass	AV	15.82656G	37.68	54.00	-16.32	3	Horizontal	231	1.93
5270MHz	Pass	PK	5.0001G	62.35	74.00	-11.65	3	Horizontal	188	1.71
5270MHz	Pass	PK	10.53472G	51.09	68.20	-17.11	3	Horizontal	124	1.90





RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5270MHz	Pass	PK	15.81264G	51.91	74.00	-22.09	3	Horizontal	231	1.93
5310MHz	Pass	AV	5.304G	101.81	Inf	-Inf	3	Horizontal	186	1.88
5310MHz	Pass	AV	5.35G	53.82	54.00	-0.18	3	Horizontal	186	1.88
5310MHz	Pass	PK	5.3028G	115.95	Inf	-Inf	3	Horizontal	186	1.88
5310MHz	Pass	PK	5.3528G	69.48	74.00	-4.52	3	Horizontal	186	1.88
5310MHz	Pass	AV	4.99998G	32.29	54.00	-21.71	3	Vertical	229	1.20
5310MHz	Pass	AV	10.63104G	37.18	54.00	-16.82	3	Vertical	185	1.50
5310MHz	Pass	AV	15.95232G	38.01	54.00	-15.99	3	Vertical	356	1.50
5310MHz	Pass	PK	4.99966G	43.96	74.00	-30.04	3	Vertical	229	1.20
5310MHz	Pass	PK	10.62G	50.99	74.00	-23.01	3	Vertical	185	1.50
5310MHz	Pass	PK	15.90624G	51.69	74.00	-22.31	3	Vertical	356	1.50
5310MHz	Pass	AV	4.99996G	48.54	54.00	-5.46	3	Horizontal	186	2.04
5310MHz	Pass	AV	10.63104G	37.13	54.00	-16.87	3	Horizontal	83	1.50
5310MHz	Pass	AV	15.9498G	37.92	54.00	-16.08	3	Horizontal	24	1.50
5310MHz	Pass	PK	5.00004G	59.33	74.00	-14.67	3	Horizontal	186	2.04
5310MHz	Pass	PK	10.6356G	51.10	74.00	-22.90	3	Horizontal	83	1.50
5310MHz	Pass	PK	15.94332G	51.16	74.00	-22.84	3	Horizontal	24	1.50
5510MHz	Pass	AV	5.4588G	50.51	54.00	-3.49	3	Horizontal	187	1.79
5510MHz	Pass	AV	5.5036G	101.08	Inf	-Inf	3	Horizontal	187	1.79
5510MHz	Pass	PK	5.458G	64.59	74.00	-9.41	3	Horizontal	187	1.79
5510MHz	Pass	PK	5.4684G	67.98	68.20	-0.22	3	Horizontal	187	1.79
5510MHz	Pass	PK	5.5032G	115.05	Inf	-Inf	3	Horizontal	187	1.79
5510MHz	Pass	AV	5G	33.18	54.00	-20.82	3	Vertical	229	1.50
5510MHz	Pass	AV	11.01232G	37.31	54.00	-16.69	3	Vertical	296	1.50
5510MHz	Pass	PK	5.03G	43.27	74.00	-30.73	3	Vertical	229	1.50
5510MHz	Pass	PK	11.0116G	51.11	74.00	-22.89	3	Vertical	296	1.50
5510MHz	Pass	PK	16.54356G	52.73	68.20	-15.47	3	Vertical	168	1.50
5510MHz	Pass	AV	5G	48.70	54.00	-5.30	3	Horizontal	186	1.95
5510MHz	Pass	AV	11.0086G	37.41	54.00	-16.59	3	Horizontal	146	1.50
5510MHz	Pass	PK	5G	58.16	74.00	-15.84	3	Horizontal	186	1.95
5510MHz	Pass	PK	10.9984G	51.27	74.00	-22.73	3	Horizontal	146	1.50
5510MHz	Pass	PK	16.51464G	51.92	68.20	-16.28	3	Horizontal	58	1.50
5550MHz	Pass	AV	5.4556G	50.82	54.00	-3.18	3	Horizontal	188	1.72
5550MHz	Pass	AV	5.5552G	105.90	Inf	-Inf	3	Horizontal	188	1.72
5550MHz	Pass	PK	5.4544G	65.13	74.00	-8.87	3	Horizontal	188	1.72
5550MHz	Pass	PK	5.4676G	66.81	68.20	-1.39	3	Horizontal	188	1.72
5550MHz	Pass	PK	5.5492G	119.43	Inf	-Inf	3	Horizontal	188	1.72
5550MHz	Pass	AV	4.99998G	32.70	54.00	-21.30	3	Vertical	230	1.50
5550MHz	Pass	AV	11.07192G	37.27	54.00	-16.73	3	Vertical	243	1.50
5550MHz	Pass	PK	5.00032G	44.15	74.00	-29.85	3	Vertical	230	1.50
5550MHz	Pass	PK	11.07564G	51.46	74.00	-22.54	3	Vertical	243	1.50
5550MHz	Pass	PK	16.63428G	53.96	68.20	-14.24	3	Vertical	272	2.80
5550MHz	Pass	AV	5.00002G	47.85	54.00	-6.15	3	Horizontal	187	2.17
5550MHz	Pass	AV	11.1258G	37.33	54.00	-16.67	3	Horizontal	224	2.95
5550MHz	Pass	PK	4.9998G	58.61	74.00	-15.39	3	Horizontal	187	2.17
5550MHz	Pass	PK	11.12172G	51.64	74.00	-22.36	3	Horizontal	224	2.95
5550MHz	Pass	PK	16.64616G	52.30	68.20	-15.90	3	Horizontal	122	1.50
5670MHz	Pass	AV	5.664G	103.54	Inf	-Inf	3	Horizontal	185	1.79
5670MHz	Pass	PK	5.6688G	117.07	Inf	-Inf	3	Horizontal	185	1.79
5670MHz	Pass	PK	5.7276G	67.73	68.20	-0.47	3	Horizontal	185	1.79
5670MHz	Pass	AV	4.99996G	30.27	54.00	-23.73	3	Vertical	225	1.00
5670MHz	Pass	AV	11.34G	37.92	54.00	-16.08	3	Vertical	142	2.76
5670MHz	Pass	PK	4.99934G	43.03	74.00	-30.97	3	Vertical	225	1.00
5670MHz	Pass	PK	11.3508G	51.36	74.00	-22.64	3	Vertical	142	2.76
5670MHz	Pass	PK	17.0034G	51.96	68.20	-16.24	3	Vertical	155	1.50
5670MHz	Pass	AV	4.99998G	47.29	54.00	-6.71	3	Horizontal	185	1.88
5670MHz	Pass	AV	11.34612G	38.48	54.00	-15.52	3	Horizontal	194	1.98
5670MHz	Pass	PK	5.00004G	57.06	74.00	-16.94	3	Horizontal	185	1.88
5670MHz	Pass	PK	11.3136G	51.98	74.00	-22.02	3	Horizontal	194	1.98
5670MHz	Pass	PK	16.99548G	51.88	68.20	-16.32	3	Horizontal	324	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	49.90	54.00	-4.10	3	Horizontal	186	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	109.66	Inf	-Inf	3	Horizontal	186	1.70





RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4316G	63.71	74.00	-10.29	3	Horizontal	186	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	63.02	68.20	-5.18	3	Horizontal	186	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.704G	123.29	Inf	-Inf	3	Horizontal	186	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	67.87	68.20	-0.33	3	Horizontal	186	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5G	30.82	54.00	-23.18	3	Vertical	229	2.06
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40596G	38.64	54.00	-15.36	3	Vertical	213	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	4.9999G	43.94	74.00	-30.06	3	Vertical	229	2.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40008G	51.90	74.00	-22.10	3	Vertical	213	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13864G	53.55	68.20	-14.65	3	Vertical	301	2.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.00004G	47.67	54.00	-6.33	3	Horizontal	185	2.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42036G	40.16	54.00	-13.84	3	Horizontal	139	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	4.99974G	58.34	74.00	-15.66	3	Horizontal	185	2.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41496G	52.89	74.00	-21.11	3	Horizontal	139	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14116G	52.74	68.20	-15.46	3	Horizontal	67	2.73
5755MHz	Pass	AV	5.455G	48.97	54.00	-5.03	3	Horizontal	184	1.94
5755MHz	Pass	AV	5.7598G	108.29	Inf	-Inf	3	Horizontal	184	1.94
5755MHz	Pass	PK	5.6518G	69.11	69.53	-0.42	3	Horizontal	184	1.94
5755MHz	Pass	PK	5.749G	121.96	Inf	-Inf	3	Horizontal	184	1.94
5755MHz	Pass	PK	6.049G	64.08	68.20	-4.12	3	Horizontal	184	1.94
5755MHz	Pass	AV	5.00002G	31.94	54.00	-22.06	3	Vertical	231	1.50
5755MHz	Pass	AV	11.50088G	39.08	54.00	-14.92	3	Vertical	242	2.54
5755MHz	Pass	PK	5.00006G	43.57	74.00	-30.43	3	Vertical	231	1.50
5755MHz	Pass	PK	11.50592G	52.72	74.00	-21.28	3	Vertical	242	2.54
5755MHz	Pass	PK	17.265G	51.77	68.20	-16.43	3	Vertical	162	2.46
5755MHz	Pass	AV	4.99998G	47.77	54.00	-6.23	3	Horizontal	185	2.14
5755MHz	Pass	AV	11.4884G	38.33	54.00	-15.67	3	Horizontal	192	1.99
5755MHz	Pass	PK	5.0001G	57.85	74.00	-16.15	3	Horizontal	185	2.14
5755MHz	Pass	PK	11.492G	51.84	74.00	-22.16	3	Horizontal	192	1.99
5755MHz	Pass	PK	17.23908G	51.72	68.20	-16.48	3	Horizontal	360	1.50
5795MHz	Pass	AV	5.7818G	108.76	Inf	-Inf	3	Horizontal	187	1.83
5795MHz	Pass	PK	5.651G	66.13	68.94	-2.81	3	Horizontal	187	1.83
5795MHz	Pass	PK	5.789G	122.40	Inf	-Inf	3	Horizontal	187	1.83
5795MHz	Pass	PK	5.9306G	67.56	68.20	-0.64	3	Horizontal	187	1.83
5795MHz	Pass	AV	4.99998G	32.36	54.00	-21.64	3	Vertical	228	1.20
5795MHz	Pass	AV	11.5912G	38.50	54.00	-15.50	3	Vertical	250	1.62
5795MHz	Pass	PK	4.99984G	44.07	74.00	-29.93	3	Vertical	228	1.20
5795MHz	Pass	PK	11.59288G	52.81	74.00	-21.19	3	Vertical	250	1.62
5795MHz	Pass	PK	17.385G	54.17	68.20	-14.03	3	Vertical	290	2.95
5795MHz	Pass	AV	5.00002G	48.02	54.00	-5.98	3	Horizontal	186	2.00
5795MHz	Pass	AV	11.5804G	38.33	54.00	-15.67	3	Horizontal	131	1.86
5795MHz	Pass	PK	5.00014G	58.16	74.00	-15.84	3	Horizontal	186	2.00
5795MHz	Pass	PK	11.57428G	52.25	74.00	-21.75	3	Horizontal	131	1.86
5795MHz	Pass	PK	17.36916G	52.73	68.20	-15.47	3	Horizontal	54	2.92
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.39	54.00	-0.61	3	Horizontal	187	1.78
5210MHz	Pass	AV	5.221G	98.93	Inf	-Inf	3	Horizontal	187	1.78
5210MHz	Pass	AV	5.351G	47.65	54.00	-6.35	3	Horizontal	187	1.78
5210MHz	Pass	PK	5.147G	67.13	74.00	-6.87	3	Horizontal	187	1.78
5210MHz	Pass	PK	5.196G	112.86	Inf	-Inf	3	Horizontal	187	1.78
5210MHz	Pass	PK	5.458G	61.53	74.00	-12.47	3	Horizontal	187	1.78
5210MHz	Pass	AV	5.00002G	33.93	54.00	-20.07	3	Vertical	235	1.24
5210MHz	Pass	AV	15.57552G	37.96	54.00	-16.04	3	Vertical	220	1.62
5210MHz	Pass	PK	4.99982G	44.77	74.00	-29.23	3	Vertical	235	1.24
5210MHz	Pass	PK	10.38184G	50.83	68.20	-17.37	3	Vertical	207	1.50
5210MHz	Pass	PK	15.68448G	52.22	74.00	-21.78	3	Vertical	220	1.62
5210MHz	Pass	AV	4.99994G	49.54	54.00	-4.46	3	Horizontal	190	1.86
5210MHz	Pass	AV	15.5712G	37.92	54.00	-16.08	3	Horizontal	120	2.58
5210MHz	Pass	PK	5.00032G	60.37	74.00	-13.63	3	Horizontal	190	1.86
5210MHz	Pass	PK	10.44808G	50.94	68.20	-17.26	3	Horizontal	67	1.50
5210MHz	Pass	PK	15.60384G	51.50	74.00	-22.50	3	Horizontal	120	2.58
5290MHz	Pass	AV	5.15G	48.12	54.00	-5.88	3	Horizontal	186	1.77
5290MHz	Pass	AV	5.276G	98.68	Inf	-Inf	3	Horizontal	186	1.77



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5290MHz	Pass	AV	5.35G	53.75	54.00	-0.25	3	Horizontal	186	1.77
5290MHz	Pass	PK	5.148G	61.53	74.00	-12.47	3	Horizontal	186	1.77
5290MHz	Pass	PK	5.276G	113.01	Inf	-Inf	3	Horizontal	186	1.77
5290MHz	Pass	PK	5.35G	68.48	74.00	-5.52	3	Horizontal	186	1.77
5290MHz	Pass	PK	5.488G	61.87	68.20	-6.33	3	Horizontal	186	1.77
5290MHz	Pass	AV	5.00004G	31.82	54.00	-22.18	3	Vertical	230	1.32
5290MHz	Pass	AV	10.63208G	37.27	54.00	-16.73	3	Vertical	85	1.50
5290MHz	Pass	AV	15.924G	37.97	54.00	-16.03	3	Vertical	16	1.92
5290MHz	Pass	PK	5.0002G	44.26	74.00	-29.74	3	Vertical	230	1.32
5290MHz	Pass	PK	10.5776G	50.71	68.20	-17.49	3	Vertical	85	1.50
5290MHz	Pass	PK	15.81528G	51.81	74.00	-22.19	3	Vertical	16	1.92
5290MHz	Pass	AV	4.99996G	48.70	54.00	-5.30	3	Horizontal	185	2.03
5290MHz	Pass	AV	10.63328G	37.11	54.00	-16.89	3	Horizontal	247	2.75
5290MHz	Pass	AV	15.87432G	37.75	54.00	-16.25	3	Horizontal	349	1.50
5290MHz	Pass	PK	4.99982G	59.07	74.00	-14.93	3	Horizontal	185	2.03
5290MHz	Pass	PK	10.62344G	50.51	74.00	-23.49	3	Horizontal	247	2.75
5290MHz	Pass	PK	15.8556G	51.37	74.00	-22.63	3	Horizontal	349	1.50
5530MHz	Pass	AV	5.35G	46.79	54.00	-7.21	3	Horizontal	188	1.83
5530MHz	Pass	AV	5.46G	52.28	54.00	-1.72	3	Horizontal	188	1.83
5530MHz	Pass	AV	5.519G	97.54	Inf	-Inf	3	Horizontal	188	1.83
5530MHz	Pass	PK	5.339G	61.21	68.20	-6.99	3	Horizontal	188	1.83
5530MHz	Pass	PK	5.46G	66.13	74.00	-7.87	3	Horizontal	188	1.83
5530MHz	Pass	PK	5.47G	67.61	68.20	-0.59	3	Horizontal	188	1.83
5530MHz	Pass	PK	5.516G	111.93	Inf	-Inf	3	Horizontal	188	1.83
5530MHz	Pass	PK	5.768G	61.07	68.20	-7.13	3	Horizontal	188	1.83
5530MHz	Pass	AV	5G	31.22	54.00	-22.78	3	Vertical	228	2.17
5530MHz	Pass	AV	11.0432G	37.31	54.00	-16.69	3	Vertical	39	1.50
5530MHz	Pass	PK	5.00022G	43.33	74.00	-30.67	3	Vertical	228	2.17
5530MHz	Pass	PK	11.03984G	52.12	74.00	-21.88	3	Vertical	39	1.50
5530MHz	Pass	PK	16.60992G	51.59	68.20	-16.61	3	Vertical	235	1.80
5530MHz	Pass	AV	5G	47.24	54.00	-6.76	3	Horizontal	185	2.16
5530MHz	Pass	AV	11.01344G	37.36	54.00	-16.64	3	Horizontal	325	1.50
5530MHz	Pass	PK	5.0001G	57.55	74.00	-16.45	3	Horizontal	185	2.16
5530MHz	Pass	PK	11.01704G	50.75	74.00	-23.25	3	Horizontal	325	1.50
5530MHz	Pass	PK	16.57872G	51.31	68.20	-16.89	3	Horizontal	259	1.50
5610MHz	Pass	AV	5.457G	50.16	54.00	-3.84	3	Horizontal	190	1.91
5610MHz	Pass	AV	5.595G	100.59	Inf	-Inf	3	Horizontal	190	1.91
5610MHz	Pass	PK	5.459G	63.72	74.00	-10.28	3	Horizontal	190	1.91
5610MHz	Pass	PK	5.468G	65.25	68.20	-2.95	3	Horizontal	190	1.91
5610MHz	Pass	PK	5.596G	115.11	Inf	-Inf	3	Horizontal	190	1.91
5610MHz	Pass	PK	5.726G	67.71	68.20	-0.49	3	Horizontal	190	1.91
5610MHz	Pass	AV	4.99996G	31.33	54.00	-22.67	3	Vertical	230	2.29
5610MHz	Pass	AV	11.16144G	37.34	54.00	-16.66	3	Vertical	208	1.50
5610MHz	Pass	PK	4.99988G	43.93	74.00	-30.07	3	Vertical	230	2.29
5610MHz	Pass	PK	11.2284G	51.85	74.00	-22.15	3	Vertical	208	1.50
5610MHz	Pass	PK	16.85952G	51.72	68.20	-16.48	3	Vertical	198	1.50
5610MHz	Pass	AV	4.99998G	47.86	54.00	-6.14	3	Horizontal	185	2.00
5610MHz	Pass	AV	11.19192G	37.33	54.00	-16.67	3	Horizontal	239	1.50
5610MHz	Pass	PK	4.99998G	58.71	74.00	-15.29	3	Horizontal	185	2.00
5610MHz	Pass	PK	11.23056G	51.33	74.00	-22.67	3	Horizontal	239	1.50
5610MHz	Pass	PK	16.82928G	52.11	68.20	-16.09	3	Horizontal	132	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	49.57	54.00	-4.43	3	Horizontal	185	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	103.72	Inf	-Inf	3	Horizontal	185	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4176G	63.44	74.00	-10.56	3	Horizontal	185	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	62.89	68.20	-5.31	3	Horizontal	185	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	117.61	Inf	-Inf	3	Horizontal	185	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	67.44	68.20	-0.76	3	Horizontal	185	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5G	30.79	54.00	-23.21	3	Vertical	230	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3752G	38.06	54.00	-15.94	3	Vertical	141	2.21
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.0001G	43.11	74.00	-30.89	3	Vertical	230	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.32456G	51.78	74.00	-22.22	3	Vertical	141	2.21
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.10264G	52.23	68.20	-15.97	3	Vertical	143	1.50



RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_1T1S


Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
5690MHz Straddle 5.47-5.725GHz	Pass	AV	4.99996G	46.23	54.00	-7.77	3	Horizontal	184	2.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37304G	38.89	54.00	-15.11	3	Horizontal	136	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	4.99998G	57.37	74.00	-16.63	3	Horizontal	184	2.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37424G	52.43	74.00	-21.57	3	Horizontal	136	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.1072G	51.99	68.20	-16.21	3	Horizontal	269	2.54
5775MHz	Pass	AV	5.7642G	101.99	Inf	-Inf	3	Horizontal	189	1.94
5775MHz	Pass	PK	5.6454G	67.66	68.20	-0.54	3	Horizontal	189	1.94
5775MHz	Pass	PK	5.7618G	116.54	Inf	-Inf	3	Horizontal	189	1.94
5775MHz	Pass	PK	5.9274G	64.86	68.20	-3.34	3	Horizontal	189	1.94
5775MHz	Pass	AV	5.00002G	31.81	54.00	-22.19	3	Vertical	235	1.18
5775MHz	Pass	AV	11.52744G	37.97	54.00	-16.03	3	Vertical	245	2.77
5775MHz	Pass	PK	4.99998G	44.12	74.00	-29.88	3	Vertical	235	1.18
5775MHz	Pass	PK	11.52408G	52.32	74.00	-21.68	3	Vertical	245	2.77
5775MHz	Pass	PK	17.38452G	51.81	68.20	-16.39	3	Vertical	227	1.50
5775MHz	Pass	AV	4.99998G	46.65	54.00	-7.35	3	Horizontal	185	2.14
5775MHz	Pass	AV	11.52624G	37.87	54.00	-16.13	3	Horizontal	130	1.00
5775MHz	Pass	PK	4.9999G	57.08	74.00	-16.92	3	Horizontal	185	2.14
5775MHz	Pass	PK	11.55504G	51.58	74.00	-22.42	3	Horizontal	130	1.00
5775MHz	Pass	PK	17.37156G	51.92	68.20	-16.28	3	Horizontal	360	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.83	54.00	-0.17	3	Horizontal	189	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2596G	97.27	Inf	-Inf	3	Horizontal	189	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	52.69	54.00	-1.31	3	Horizontal	189	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1348G	68.72	74.00	-5.28	3	Horizontal	189	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2548G	111.45	Inf	-Inf	3	Horizontal	189	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3832G	67.14	74.00	-6.86	3	Horizontal	189	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	62.92	68.20	-5.28	3	Horizontal	189	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.00004G	32.60	54.00	-21.40	3	Vertical	229	1.21
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.6948G	37.66	54.00	-16.34	3	Vertical	320	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	4.9962G	44.66	74.00	-29.34	3	Vertical	229	1.21
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4184G	50.83	68.20	-17.37	3	Vertical	67	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.69768G	51.57	74.00	-22.43	3	Vertical	320	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	4.99996G	49.65	54.00	-4.35	3	Horizontal	188	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.61904G	36.96	54.00	-17.04	3	Horizontal	185	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.6972G	37.74	54.00	-16.26	3	Horizontal	360	2.88
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0002G	62.14	74.00	-11.86	3	Horizontal	188	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.44336G	51.33	68.20	-16.87	3	Horizontal	185	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.67848G	52.16	74.00	-21.84	3	Horizontal	360	2.88
5570MHz	Pass	AV	5.4596G	52.25	54.00	-1.75	3	Horizontal	190	1.86
5570MHz	Pass	AV	5.5652G	95.68	Inf	-Inf	3	Horizontal	190	1.86
5570MHz	Pass	PK	5.3348G	63.23	68.20	-4.97	3	Horizontal	190	1.86
5570MHz	Pass	PK	5.4572G	67.35	74.00	-6.65	3	Horizontal	190	1.86
5570MHz	Pass	PK	5.4644G	67.22	68.20	-0.98	3	Horizontal	190	1.86
5570MHz	Pass	PK	5.5676G	109.91	Inf	-Inf	3	Horizontal	190	1.86
5570MHz	Pass	PK	5.762G	64.30	68.20	-3.90	3	Horizontal	190	1.86
5570MHz	Pass	AV	5G	31.41	54.00	-22.59	3	Vertical	230	2.29
5570MHz	Pass	AV	11.16304G	37.45	54.00	-16.55	3	Vertical	149	2.10
5570MHz	Pass	PK	4.99994G	43.69	74.00	-30.31	3	Vertical	230	2.29
5570MHz	Pass	PK	11.05744G	51.20	74.00	-22.80	3	Vertical	149	2.10
5570MHz	Pass	PK	16.72392G	52.34	68.20	-15.86	3	Vertical	53	1.50
5570MHz	Pass	AV	5.00002G	46.22	54.00	-7.78	3	Horizontal	185	2.05
5570MHz	Pass	AV	11.1568G	37.37	54.00	-16.63	3	Horizontal	195	1.50
5570MHz	Pass	PK	5G	57.17	74.00	-16.83	3	Horizontal	185	2.05
5570MHz	Pass	PK	11.0296G	51.14	74.00	-22.86	3	Horizontal	195	1.50
5570MHz	Pass	PK	16.79208G	52.08	68.20	-16.12	3	Horizontal	164	1.50



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.67	54.00	-0.33	5.37	3	Horizontal	189	1.90	48.30	33.10	6.41	34.14
AV	5.1816G	109.02	Inf	-Inf	5.40	3	Horizontal	189	1.90	103.62	33.10	6.44	34.14
PK	5.1494G	72.46	74.00	-1.54	5.37	3	Horizontal	189	1.90	67.09	33.10	6.41	34.14
PK	5.1816G	121.55	Inf	-Inf	5.40	3	Horizontal	189	1.90	116.15	33.10	6.44	34.14

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00003G	34.71	54.00	-19.29	5.38	3	Vertical	228	1.21	29.33	33.20	6.30	34.12
AV	15.54186G	37.71	54.00	-16.29	16.66	3	Vertical	203	3.00	21.05	38.82	12.16	34.32
PK	5.00028G	46.02	74.00	-27.98	5.38	3	Vertical	228	1.21	40.64	33.20	6.30	34.12
PK	10.34908G	50.72	68.20	-17.48	15.27	3	Vertical	185	1.04	35.45	38.90	11.01	34.64
PK	15.52986G	52.38	74.00	-21.62	16.68	3	Vertical	203	3.00	35.70	38.84	12.15	34.31



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00001G	51.98	54.00	-2.02	5.38	3	Horizontal	187	2.02	46.60	33.20	6.30	34.12
AV	15.54084G	37.71	54.00	-16.29	16.66	3	Horizontal	229	2.30	21.05	38.82	12.16	34.32
PK	5.0001G	63.05	74.00	-10.95	5.38	3	Horizontal	187	2.02	57.67	33.20	6.30	34.12
PK	10.35844G	50.24	68.20	-17.96	15.28	3	Horizontal	327	1.50	34.96	38.90	11.01	34.63
PK	15.53334G	52.22	74.00	-21.78	16.66	3	Horizontal	229	2.30	35.56	38.83	12.15	34.32

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.86	54.00	-0.14	5.37	3	Horizontal	186	1.69	48.49	33.10	6.41	34.14
AV	5.197G	113.50	Inf	-Inf	5.41	3	Horizontal	186	1.69	108.09	33.10	6.45	34.14
PK	5.1444G	70.44	74.00	-3.56	5.37	3	Horizontal	186	1.69	65.07	33.10	6.41	34.14
PK	5.193G	124.01	Inf	-Inf	5.40	3	Horizontal	186	1.69	118.61	33.10	6.44	34.14



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	34.51	54.00	-19.49	5.38	3	Vertical	236	1.23	29.13	33.20	6.30	34.12
AV	15.59848G	40.94	54.00	-13.06	16.52	3	Vertical	287	2.40	24.42	38.70	12.19	34.37
PK	4.99996G	45.55	74.00	-28.45	5.38	3	Vertical	236	1.23	40.17	33.20	6.30	34.12
PK	10.40396G	50.71	68.20	-17.49	15.34	3	Vertical	220	1.50	35.37	38.90	11.03	34.59
PK	15.60136G	59.91	74.00	-14.09	16.52	3	Vertical	287	2.40	43.39	38.70	12.19	34.37

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00001G	51.48	54.00	-2.52	5.38	3	Horizontal	188	1.92	46.10	33.20	6.30	34.12
AV	15.59728G	39.81	54.00	-14.19	16.53	3	Horizontal	191	2.11	23.28	38.71	12.19	34.37
PK	4.99993G	63.99	74.00	-10.01	5.38	3	Horizontal	188	1.92	58.61	33.20	6.30	34.12
PK	10.38992G	49.62	68.20	-18.58	15.32	3	Horizontal	195	2.36	34.30	38.90	11.02	34.60
PK	15.5968G	57.17	74.00	-16.83	16.53	3	Horizontal	191	2.11	40.64	38.71	12.19	34.37



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	53.58	54.00	-0.42	5.37	3	Horizontal	188	1.70	48.21	33.10	6.41	34.14
AV	5.2442G	117.15	Inf	-Inf	5.34	3	Horizontal	188	1.70	111.81	33.01	6.48	34.15
AV	5.35G	53.85	54.00	-0.15	5.29	3	Horizontal	188	1.70	48.56	32.90	6.55	34.16
PK	5.1482G	69.74	74.00	-4.26	5.37	3	Horizontal	188	1.70	64.37	33.10	6.41	34.14
PK	5.2454G	128.44	Inf	-Inf	5.34	3	Horizontal	188	1.70	123.10	33.01	6.48	34.15
PK	5.3528G	67.95	74.00	-6.05	5.30	3	Horizontal	188	1.70	62.65	32.90	6.56	34.16

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	33.19	54.00	-20.81	5.38	3	Vertical	243	1.00	27.81	33.20	6.30	34.12
AV	15.72036G	52.82	54.00	-1.18	16.21	3	Vertical	271	1.90	36.61	38.40	12.27	34.46
PK	4.99996G	46.81	74.00	-27.19	5.38	3	Vertical	243	1.00	41.43	33.20	6.30	34.12
PK	10.48678G	51.81	68.20	-16.39	15.44	3	Vertical	218	2.89	36.37	38.90	11.06	34.52
PK	15.71916G	67.22	74.00	-6.78	16.21	3	Vertical	271	1.90	51.01	38.40	12.27	34.46

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	50.93	54.00	-3.07	5.38	3	Horizontal	189	1.98	45.55	33.20	6.30	34.12
AV	15.72018G	48.44	54.00	-5.56	16.21	3	Horizontal	260	2.68	32.23	38.40	12.27	34.46
PK	5.00024G	64.55	74.00	-9.45	5.38	3	Horizontal	189	1.98	59.17	33.20	6.30	34.12
PK	10.48462G	52.20	68.20	-16.00	15.44	3	Horizontal	155	1.93	36.76	38.90	11.06	34.52
PK	15.71436G	62.81	74.00	-11.19	16.20	3	Horizontal	260	2.68	46.61	38.40	12.26	34.46

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.73	54.00	-1.27	5.37	3	Horizontal	187	1.88	47.36	33.10	6.41	34.14
AV	5.2618G	116.94	Inf	-Inf	5.34	3	Horizontal	187	1.88	111.60	33.00	6.49	34.15
AV	5.3608G	53.71	54.00	-0.29	5.30	3	Horizontal	187	1.88	48.41	32.90	6.56	34.16
PK	5.1484G	66.61	74.00	-7.39	5.37	3	Horizontal	187	1.88	61.24	33.10	6.41	34.14
PK	5.2612G	127.94	Inf	-Inf	5.34	3	Horizontal	187	1.88	122.60	33.00	6.49	34.15
PK	5.3608G	68.33	74.00	-5.67	5.30	3	Horizontal	187	1.88	63.03	32.90	6.56	34.16





5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	33.37	54.00	-20.63	5.38	3	Vertical	228	1.30	27.99	33.20	6.30	34.12
AV	15.78228G	53.73	54.00	-0.27	16.20	3	Vertical	270	1.95	37.53	38.40	12.31	34.51
PK	4.99832G	45.63	74.00	-28.37	5.37	3	Vertical	228	1.30	40.26	33.19	6.30	34.12
PK	10.51586G	50.41	68.20	-17.79	15.47	3	Vertical	221	1.37	34.94	38.90	11.07	34.50
PK	15.79218G	68.50	74.00	-5.50	16.19	3	Vertical	270	1.95	52.31	38.40	12.31	34.52

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	50.67	54.00	-3.33	5.38	3	Horizontal	189	1.96	45.29	33.20	6.30	34.12
AV	15.78036G	48.68	54.00	-5.32	16.19	3	Horizontal	259	2.69	32.49	38.40	12.30	34.51
PK	4.9997G	63.85	74.00	-10.15	5.38	3	Horizontal	189	1.96	58.47	33.20	6.30	34.12
PK	10.52216G	51.52	68.20	-16.68	15.48	3	Horizontal	123	1.83	36.04	38.90	11.07	34.49
PK	15.77448G	63.12	74.00	-10.88	16.20	3	Horizontal	259	2.69	46.92	38.40	12.30	34.50



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	113.80	Inf	-Inf	5.36	3	Horizontal	186	2.01	108.44	33.00	6.52	34.16
AV	5.35G	53.76	54.00	-0.24	5.29	3	Horizontal	186	2.01	48.47	32.90	6.55	34.16
PK	5.3024G	124.97	Inf	-Inf	5.36	3	Horizontal	186	2.01	119.61	33.00	6.52	34.16
PK	5.3524G	69.21	74.00	-4.79	5.30	3	Horizontal	186	2.01	63.91	32.90	6.56	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00008G	32.78	54.00	-21.22	5.38	3	Vertical	229	1.21	27.40	33.20	6.30	34.12
AV	10.60078G	37.02	54.00	-16.98	15.56	3	Vertical	144	1.42	21.46	38.90	11.10	34.44
AV	15.89868G	41.98	54.00	-12.02	15.98	3	Vertical	287	1.04	26.00	38.20	12.38	34.60
PK	4.99996G	45.27	74.00	-28.73	5.38	3	Vertical	229	1.21	39.89	33.20	6.30	34.12
PK	10.59604G	50.65	68.20	-17.55	15.56	3	Vertical	144	1.42	35.09	38.90	11.10	34.44
PK	15.90156G	60.23	74.00	-13.77	15.98	3	Vertical	287	1.04	44.25	38.20	12.38	34.60



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	49.62	54.00	-4.38	5.38	3	Horizontal	188	1.50	44.24	33.20	6.30	34.12
AV	10.60054G	38.17	54.00	-15.83	15.56	3	Horizontal	122	1.94	22.61	38.90	11.10	34.44
AV	15.9012G	39.97	54.00	-14.03	15.98	3	Horizontal	288	2.95	23.99	38.20	12.38	34.60
PK	4.99998G	61.49	74.00	-12.51	5.38	3	Horizontal	188	1.50	56.11	33.20	6.30	34.12
PK	10.59184G	51.18	68.20	-17.02	15.55	3	Horizontal	122	1.94	35.63	38.90	11.10	34.45
PK	15.90126G	54.77	74.00	-19.23	15.98	3	Horizontal	288	2.95	38.79	38.20	12.38	34.60

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	109.58	Inf	-Inf	5.34	3	Horizontal	186	1.85	104.24	32.96	6.54	34.16
AV	5.35G	53.61	54.00	-0.39	5.29	3	Horizontal	186	1.85	48.32	32.90	6.55	34.16
PK	5.3224G	120.81	Inf	-Inf	5.34	3	Horizontal	186	1.85	115.47	32.96	6.54	34.16
PK	5.3502G	71.50	74.00	-2.50	5.30	3	Horizontal	186	1.85	66.20	32.90	6.56	34.16



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	32.28	54.00	-21.72	5.38	3	Vertical	230	1.29	26.90	33.20	6.30	34.12
AV	10.64138G	37.08	54.00	-16.92	15.73	3	Vertical	143	1.50	21.35	39.02	11.12	34.41
AV	15.9606G	38.46	54.00	-15.54	15.85	3	Vertical	271	1.94	22.61	38.08	12.42	34.65
PK	5.0001G	43.86	74.00	-30.14	5.38	3	Vertical	230	1.29	38.48	33.20	6.30	34.12
PK	10.65296G	50.79	74.00	-23.21	15.78	3	Vertical	143	1.50	35.01	39.06	11.12	34.40
PK	15.96234G	52.73	74.00	-21.27	15.85	3	Vertical	271	1.94	36.88	38.08	12.42	34.65

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	50.24	54.00	-3.76	5.38	3	Horizontal	187	2.04	44.86	33.20	6.30	34.12
AV	10.62968G	36.93	54.00	-17.07	15.68	3	Horizontal	114	1.50	21.25	38.99	11.11	34.42
AV	15.95052G	37.53	54.00	-16.47	15.87	3	Horizontal	299	1.50	21.66	38.10	12.41	34.64
PK	5.00012G	60.48	74.00	-13.52	5.38	3	Horizontal	187	2.04	55.10	33.20	6.30	34.12
PK	10.62518G	51.08	74.00	-22.92	15.67	3	Horizontal	114	1.50	35.41	38.98	11.11	34.42
PK	15.9588G	50.63	74.00	-23.37	15.84	3	Horizontal	299	1.50	34.79	38.08	12.41	34.65



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.06	54.00	-4.94	5.36	3	Horizontal	185	1.80	43.70	32.90	6.64	34.18
AV	5.5018G	107.06	Inf	-Inf	5.40	3	Horizontal	185	1.80	101.66	32.90	6.68	34.18
PK	5.4532G	62.62	74.00	-11.38	5.37	3	Horizontal	185	1.80	57.25	32.90	6.64	34.17
PK	5.469G	67.44	68.20	-0.76	5.37	3	Horizontal	185	1.80	62.07	32.90	6.65	34.18
PK	5.5016G	117.98	Inf	-Inf	5.40	3	Horizontal	185	1.80	112.58	32.90	6.68	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	33.54	54.00	-20.46	5.38	3	Vertical	236	1.24	28.16	33.20	6.30	34.12
AV	10.98506G	36.78	54.00	-17.22	16.08	3	Vertical	44	1.50	20.70	39.01	11.24	34.17
PK	5.0003G	44.69	74.00	-29.31	5.38	3	Vertical	236	1.24	39.31	33.20	6.30	34.12
PK	11G	51.58	74.00	-22.42	16.09	3	Vertical	44	1.50	35.49	39.00	11.25	34.16
PK	16.5144G	51.40	68.20	-16.80	16.86	3	Vertical	276	1.50	34.54	38.36	12.67	34.17



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	48.49	54.00	-5.51	5.38	3	Horizontal	191	1.79	43.11	33.20	6.30	34.12
AV	11.00234G	36.91	54.00	-17.09	16.09	3	Horizontal	190	1.96	20.82	39.00	11.25	34.16
PK	4.99986G	58.66	74.00	-15.34	5.38	3	Horizontal	191	1.79	53.28	33.20	6.30	34.12
PK	10.99394G	50.43	74.00	-23.57	16.10	3	Horizontal	190	1.96	34.33	39.01	11.25	34.16
PK	16.50954G	51.50	68.20	-16.70	16.86	3	Horizontal	121	1.50	34.64	38.37	12.67	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	51.96	54.00	-2.04	5.37	3	Horizontal	186	1.75	46.59	32.90	6.64	34.17
AV	5.577G	114.36	Inf	-Inf	5.51	3	Horizontal	186	1.75	108.85	32.95	6.75	34.19
PK	5.457G	65.49	74.00	-8.51	5.37	3	Horizontal	186	1.75	60.12	32.90	6.64	34.17
PK	5.4666G	66.11	68.20	-2.09	5.37	3	Horizontal	186	1.75	60.74	32.90	6.65	34.18
PK	5.5788G	125.15	Inf	-Inf	5.52	3	Horizontal	186	1.75	119.63	32.96	6.75	34.19
PK	5.73G	64.22	68.20	-3.98	6.37	3	Horizontal	186	1.75	57.85	33.72	6.85	34.20



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	32.70	54.00	-21.30	5.38	3	Vertical	230	1.28	27.32	33.20	6.30	34.12
AV	11.15772G	37.28	54.00	-16.72	16.14	3	Vertical	201	1.32	21.14	38.96	11.31	34.13
PK	5.00016G	44.02	74.00	-29.98	5.38	3	Vertical	230	1.28	38.64	33.20	6.30	34.12
PK	11.15322G	51.81	74.00	-22.19	16.13	3	Vertical	201	1.32	35.68	38.95	11.31	34.13
PK	16.73178G	67.56	68.20	-0.64	17.33	3	Vertical	271	3.00	50.23	38.30	12.77	33.74

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	49.69	54.00	-4.31	5.38	3	Horizontal	185	2.02	44.31	33.20	6.30	34.12
AV	11.15514G	38.42	54.00	-15.58	16.14	3	Horizontal	190	2.01	22.28	38.96	11.31	34.13
PK	5.00008G	60.62	74.00	-13.38	5.38	3	Horizontal	185	2.02	55.24	33.20	6.30	34.12
PK	11.15082G	51.61	74.00	-22.39	16.13	3	Horizontal	190	2.01	35.48	38.95	11.31	34.13
PK	16.7391G	61.56	68.20	-6.64	17.35	3	Horizontal	277	2.81	44.21	38.30	12.78	33.73



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	106.33	Inf	-Inf	6.25	3	Horizontal	185	1.77	100.08	33.61	6.84	34.20
PK	5.7024G	117.57	Inf	-Inf	6.25	3	Horizontal	185	1.77	111.32	33.61	6.84	34.20
PK	5.7256G	67.06	68.20	-1.14	6.35	3	Horizontal	185	1.77	60.71	33.70	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	32.10	54.00	-21.90	5.38	3	Vertical	230	2.37	26.72	33.20	6.30	34.12
AV	11.39616G	37.86	54.00	-16.14	16.52	3	Vertical	212	1.31	21.34	39.20	11.40	34.08
PK	5.00018G	43.53	74.00	-30.47	5.38	3	Vertical	230	2.37	38.15	33.20	6.30	34.12
PK	11.41146G	52.12	74.00	-21.88	16.51	3	Vertical	212	1.31	35.61	39.19	11.40	34.08
PK	17.08662G	51.51	68.20	-16.69	17.88	3	Vertical	40	1.43	33.63	38.19	12.93	33.24





5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	46.47	54.00	-7.53	5.38	3	Horizontal	186	2.02	41.09	33.20	6.30	34.12
AV	11.40036G	38.14	54.00	-15.86	16.52	3	Horizontal	191	2.02	21.62	39.20	11.40	34.08
PK	5.00006G	55.00	74.00	-19.00	5.38	3	Horizontal	186	2.02	49.62	33.20	6.30	34.12
PK	11.40174G	51.60	74.00	-22.40	16.52	3	Horizontal	191	2.02	35.08	39.20	11.40	34.08
PK	17.10786G	51.45	68.20	-16.75	17.90	3	Horizontal	230	1.50	33.55	38.20	12.94	33.24

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	50.03	54.00	-3.97	5.37	3	Horizontal	182	1.84	44.66	32.90	6.64	34.17
AV	5.714G	115.66	Inf	-Inf	6.30	3	Horizontal	182	1.84	109.36	33.66	6.84	34.20
PK	5.4536G	63.91	74.00	-10.09	5.37	3	Horizontal	182	1.84	58.54	32.90	6.64	34.17
PK	5.4644G	63.49	68.20	-4.71	5.37	3	Horizontal	182	1.84	58.12	32.90	6.65	34.18
PK	5.7176G	126.81	Inf	-Inf	6.32	3	Horizontal	182	1.84	120.49	33.67	6.85	34.20
PK	5.8544G	65.59	68.20	-2.61	6.86	3	Horizontal	182	1.84	58.73	34.12	6.95	34.21



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	31.00	54.00	-23.00	5.38	3	Vertical	230	1.26	25.62	33.20	6.30	34.12
AV	11.4394G	38.50	54.00	-15.50	16.50	3	Vertical	213	1.50	22.00	39.16	11.41	34.07
PK	5.00022G	43.56	74.00	-30.44	5.38	3	Vertical	230	1.26	38.18	33.20	6.30	34.12
PK	11.4469G	51.97	74.00	-22.03	16.50	3	Vertical	213	1.50	35.47	39.15	11.42	34.07
PK	17.15512G	64.07	68.20	-4.13	17.91	3	Vertical	301	2.04	46.16	38.20	12.97	33.26

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	45.48	54.00	-8.52	5.38	3	Horizontal	190	1.96	40.10	33.20	6.30	34.12
AV	11.43898G	39.22	54.00	-14.78	16.50	3	Horizontal	192	1.95	22.72	39.16	11.41	34.07
PK	4.9971G	57.89	74.00	-16.11	5.37	3	Horizontal	190	1.96	52.52	33.19	6.30	34.12
PK	11.4382G	52.62	74.00	-21.38	16.50	3	Horizontal	192	1.95	36.12	39.16	11.41	34.07
PK	17.145G	60.12	68.20	-8.08	17.90	3	Horizontal	286	2.68	42.22	38.20	12.96	33.26



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	49.82	54.00	-4.18	5.37	3	Horizontal	185	1.96	44.45	32.90	6.64	34.17
AV	5.7462G	114.77	Inf	-Inf	6.45	3	Horizontal	185	1.96	108.32	33.78	6.87	34.20
PK	5.6442G	66.25	68.20	-1.95	5.61	3	Horizontal	185	1.96	60.64	33.00	6.80	34.19
PK	5.7474G	125.82	Inf	-Inf	6.46	3	Horizontal	185	1.96	119.36	33.79	6.87	34.20
PK	5.9526G	65.25	68.20	-2.95	7.00	3	Horizontal	185	1.96	58.25	34.19	7.03	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	31.10	54.00	-22.90	5.38	3	Vertical	228	1.13	25.72	33.20	6.30	34.12
AV	11.48502G	39.55	54.00	-14.45	16.48	3	Vertical	243	2.14	23.07	39.11	11.43	34.06
PK	5.00022G	43.91	74.00	-30.09	5.38	3	Vertical	228	1.13	38.53	33.20	6.30	34.12
PK	11.49G	53.74	74.00	-20.26	16.48	3	Vertical	243	2.14	37.26	39.11	11.43	34.06
PK	17.2473G	61.34	68.20	-6.86	17.97	3	Vertical	289	2.78	43.37	38.25	13.01	33.29



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	46.52	54.00	-7.48	5.38	3	Horizontal	187	1.64	41.14	33.20	6.30	34.12
AV	11.48634G	38.56	54.00	-15.44	16.48	3	Horizontal	192	1.98	22.08	39.11	11.43	34.06
PK	5.00012G	58.77	74.00	-15.23	5.38	3	Horizontal	187	1.64	53.39	33.20	6.30	34.12
PK	11.48934G	52.07	74.00	-21.93	16.48	3	Horizontal	192	1.98	35.59	39.11	11.43	34.06
PK	17.22648G	57.67	68.20	-10.53	17.95	3	Horizontal	286	2.66	39.72	38.23	13.00	33.28

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.77887G	115.89	Inf	-Inf	6.66	3	Horizontal	186	1.67	109.23	33.97	6.89	34.20
PK	5.6494G	66.81	68.20	-1.39	5.61	3	Horizontal	186	1.67	61.20	33.00	6.80	34.19
PK	5.78008G	127.12	Inf	-Inf	6.67	3	Horizontal	186	1.67	120.45	33.98	6.89	34.20
PK	5.93133G	66.37	68.20	-1.83	7.04	3	Horizontal	186	1.67	59.33	34.24	7.01	34.21



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	32.19	54.00	-21.81	5.38	3	Vertical	236	1.24	26.81	33.20	6.30	34.12
AV	11.57006G	38.09	54.00	-15.91	16.18	3	Vertical	245	2.16	21.91	38.82	11.46	34.10
PK	5.00012G	44.38	74.00	-29.62	5.38	3	Vertical	236	1.24	39.00	33.20	6.30	34.12
PK	11.56472G	51.56	74.00	-22.44	16.20	3	Vertical	245	2.16	35.36	38.84	11.46	34.10
PK	17.3502G	62.79	68.20	-5.41	18.18	3	Vertical	289	2.87	44.61	38.45	13.05	33.32

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	45.28	54.00	-8.72	5.38	3	Horizontal	188	1.65	39.90	33.20	6.30	34.12
AV	11.57036G	40.10	54.00	-13.90	16.18	3	Horizontal	136	1.83	23.92	38.82	11.46	34.10
PK	5.0002G	58.08	74.00	-15.92	5.38	3	Horizontal	188	1.65	52.70	33.20	6.30	34.12
PK	11.57102G	53.81	74.00	-20.19	16.18	3	Horizontal	136	1.83	37.63	38.82	11.46	34.10
PK	17.35584G	54.37	68.20	-13.83	18.21	3	Horizontal	259	1.03	36.16	38.47	13.06	33.32



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	114.85	Inf	-Inf	6.81	3	Horizontal	185	1.82	108.04	34.10	6.92	34.21
PK	5.8282G	64.94	68.20	-3.26	5.60	3	Horizontal	185	1.82	59.34	33.00	6.79	34.19
PK	5.8262G	125.83	Inf	-Inf	6.81	3	Horizontal	185	1.82	119.02	34.10	6.92	34.21
PK	5.9438G	67.48	68.20	-0.72	7.01	3	Horizontal	185	1.82	60.47	34.21	7.02	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	32.65	54.00	-21.35	5.38	3	Vertical	236	1.25	27.27	33.20	6.30	34.12
AV	11.64034G	37.90	54.00	-16.10	16.04	3	Vertical	246	3.00	21.86	38.70	11.49	34.15
PK	5.00004G	44.92	74.00	-29.08	5.38	3	Vertical	236	1.25	39.54	33.20	6.30	34.12
PK	11.6446G	51.83	74.00	-22.17	16.04	3	Vertical	246	3.00	35.79	38.70	11.49	34.15
PK	17.46972G	54.47	68.20	-13.73	18.42	3	Vertical	304	1.00	36.05	38.67	13.11	33.36



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	46.40	54.00	-7.60	5.38	3	Horizontal	188	1.88	41.02	33.20	6.30	34.12
AV	11.65078G	39.32	54.00	-14.68	16.04	3	Horizontal	134	1.77	23.28	38.70	11.49	34.15
PK	4.99992G	58.40	74.00	-15.60	5.38	3	Horizontal	188	1.88	53.02	33.20	6.30	34.12
PK	11.65072G	52.82	74.00	-21.18	16.04	3	Horizontal	134	1.77	36.78	38.70	11.49	34.15
PK	17.47194G	56.90	68.20	-11.30	18.42	3	Horizontal	296	1.91	38.48	38.67	13.11	33.36

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.82	54.00	-0.18	5.37	3	Horizontal	186	1.93	48.45	33.10	6.41	34.14
AV	5.1754G	108.47	Inf	-Inf	5.39	3	Horizontal	186	1.93	103.08	33.10	6.43	34.14
PK	5.1496G	71.12	74.00	-2.88	5.37	3	Horizontal	186	1.93	65.75	33.10	6.41	34.14
PK	5.1768G	123.01	Inf	-Inf	5.39	3	Horizontal	186	1.93	117.62	33.10	6.43	34.14



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	34.55	54.00	-19.45	5.38	3	Vertical	236	1.23	29.17	33.20	6.30	34.12
AV	15.54414G	38.26	54.00	-15.74	16.65	3	Vertical	111	1.50	21.61	38.81	12.16	34.32
PK	5.0003G	45.41	74.00	-28.59	5.38	3	Vertical	236	1.23	40.03	33.20	6.30	34.12
PK	10.35376G	50.30	68.20	-17.90	15.28	3	Vertical	285	1.50	35.02	38.90	11.01	34.63
PK	15.54108G	52.00	74.00	-22.00	16.66	3	Vertical	111	1.50	35.34	38.82	12.16	34.32

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	51.89	54.00	-2.11	5.38	3	Horizontal	189	1.84	46.51	33.20	6.30	34.12
AV	15.5334G	38.12	54.00	-15.88	16.66	3	Horizontal	99	1.50	21.46	38.83	12.15	34.32
PK	5G	62.10	74.00	-11.90	5.38	3	Horizontal	189	1.84	56.72	33.20	6.30	34.12
PK	10.36684G	50.87	68.20	-17.33	15.30	3	Horizontal	61	2.52	35.57	38.90	11.02	34.62
PK	15.54624G	52.88	74.00	-21.12	16.64	3	Horizontal	99	1.50	36.24	38.81	12.16	34.33





5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.76	54.00	-0.24	5.37	3	Horizontal	185	1.85	48.39	33.10	6.41	34.14
AV	5.1954G	111.90	Inf	-Inf	5.41	3	Horizontal	185	1.85	106.49	33.10	6.45	34.14
PK	5.148G	69.86	74.00	-4.14	5.37	3	Horizontal	185	1.85	64.49	33.10	6.41	34.14
PK	5.2018G	125.01	Inf	-Inf	5.41	3	Horizontal	185	1.85	119.60	33.10	6.45	34.14

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.99777G	45.30	74.00	-28.70	5.37	3	Vertical	237	1.33	39.93	33.19	6.30	34.12
AV	4.99998G	33.12	54.00	-20.88	5.38	3	Vertical	237	1.33	27.74	33.20	6.30	34.12
PK	10.40678G	49.06	68.20	-19.14	15.34	3	Vertical	134	2.56	33.72	38.90	11.03	34.59
PK	15.6037G	51.76	74.00	-22.24	16.51	3	Vertical	310	2.16	35.25	38.69	12.19	34.37
AV	15.59706G	37.90	54.00	-16.10	16.53	3	Vertical	310	2.16	21.37	38.71	12.19	34.37



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00001G	51.14	54.00	-2.86	5.38	3	Horizontal	189	1.58	45.76	33.20	6.30	34.12
AV	15.5983G	39.12	54.00	-14.88	16.52	3	Horizontal	154	1.93	22.60	38.70	12.19	34.37
PK	4.99985G	63.45	74.00	-10.55	5.38	3	Horizontal	189	1.58	58.07	33.20	6.30	34.12
PK	10.3928G	49.86	68.20	-18.34	15.33	3	Horizontal	125	1.84	34.53	38.90	11.03	34.60
PK	15.59884G	55.21	74.00	-18.79	16.52	3	Horizontal	154	1.93	38.69	38.70	12.19	34.37

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.68	54.00	-0.32	5.37	3	Horizontal	186	1.86	48.31	33.10	6.41	34.14
AV	5.243G	115.73	Inf	-Inf	5.34	3	Horizontal	186	1.86	110.39	33.01	6.48	34.15
AV	5.35G	53.30	54.00	-0.70	5.29	3	Horizontal	186	1.86	48.01	32.90	6.55	34.16
PK	5.1446G	68.92	74.00	-5.08	5.37	3	Horizontal	186	1.86	63.55	33.10	6.41	34.14
PK	5.237G	129.85	Inf	-Inf	5.36	3	Horizontal	186	1.86	124.49	33.03	6.48	34.15
PK	5.3792G	67.07	74.00	-6.93	5.31	3	Horizontal	186	1.86	61.76	32.90	6.58	34.17



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	33.44	54.00	-20.56	5.38	3	Vertical	237	1.32	28.06	33.20	6.30	34.12
AV	15.71952G	51.58	54.00	-2.42	16.21	3	Vertical	271	1.87	35.37	38.40	12.27	34.46
PK	4.99982G	46.11	74.00	-27.89	5.38	3	Vertical	237	1.32	40.73	33.20	6.30	34.12
PK	10.49296G	51.68	68.20	-16.52	15.44	3	Vertical	220	1.50	36.24	38.90	11.06	34.52
PK	15.72174G	65.98	74.00	-8.02	16.21	3	Vertical	271	1.87	49.77	38.40	12.27	34.46

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.30	54.00	-2.70	5.38	3	Horizontal	192	2.02	45.92	33.20	6.30	34.12
AV	15.72234G	41.98	54.00	-12.02	16.21	3	Horizontal	192	2.71	25.77	38.40	12.27	34.46
PK	5.00016G	64.72	74.00	-9.28	5.38	3	Horizontal	192	2.02	59.34	33.20	6.30	34.12
PK	10.47184G	50.82	68.20	-17.38	15.42	3	Horizontal	193	2.05	35.40	38.90	11.05	34.53
PK	15.72312G	55.47	74.00	-18.53	16.21	3	Horizontal	192	2.71	39.26	38.40	12.27	34.46



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.14	54.00	-1.86	5.37	3	Horizontal	189	1.77	46.77	33.10	6.41	34.14
AV	5.2576G	115.65	Inf	-Inf	5.34	3	Horizontal	189	1.77	110.31	33.00	6.49	34.15
AV	5.35G	53.40	54.00	-0.60	5.29	3	Horizontal	189	1.77	48.11	32.90	6.55	34.16
PK	5.1484G	66.17	74.00	-7.83	5.37	3	Horizontal	189	1.77	60.80	33.10	6.41	34.14
PK	5.257G	130.17	Inf	-Inf	5.34	3	Horizontal	189	1.77	124.83	33.00	6.49	34.15
PK	5.3572G	68.93	74.00	-5.07	5.30	3	Horizontal	189	1.77	63.63	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	33.14	54.00	-20.86	5.38	3	Vertical	229	1.30	27.76	33.20	6.30	34.12
AV	15.78132G	52.07	54.00	-1.93	16.19	3	Vertical	273	1.92	35.88	38.40	12.30	34.51
PK	5.00006G	44.79	74.00	-29.21	5.38	3	Vertical	229	1.30	39.41	33.20	6.30	34.12
PK	10.52894G	50.58	68.20	-17.62	15.49	3	Vertical	139	1.50	35.09	38.90	11.08	34.49
PK	15.78168G	66.42	74.00	-7.58	16.19	3	Vertical	273	1.92	50.23	38.40	12.30	34.51



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	50.15	54.00	-3.85	5.38	3	Horizontal	189	1.97	44.77	33.20	6.30	34.12
AV	15.77844G	44.40	54.00	-9.60	16.19	3	Horizontal	227	2.47	28.21	38.40	12.30	34.51
PK	4.99984G	64.08	74.00	-9.92	5.38	3	Horizontal	189	1.97	58.70	33.20	6.30	34.12
PK	10.5245G	52.18	68.20	-16.02	15.48	3	Horizontal	124	1.94	36.70	38.90	11.07	34.49
PK	15.77106G	58.84	74.00	-15.16	16.20	3	Horizontal	227	2.47	42.64	38.40	12.30	34.50

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	112.31	Inf	-Inf	5.35	3	Horizontal	186	1.89	106.96	32.99	6.52	34.16
AV	5.35G	53.87	54.00	-0.13	5.29	3	Horizontal	186	1.89	48.58	32.90	6.55	34.16
PK	5.2968G	126.81	Inf	-Inf	5.36	3	Horizontal	186	1.89	121.45	33.00	6.52	34.16
PK	5.3524G	70.04	74.00	-3.96	5.30	3	Horizontal	186	1.89	64.74	32.90	6.56	34.16



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	32.82	54.00	-21.18	5.38	3	Vertical	229	1.21	27.44	33.20	6.30	34.12
AV	15.89814G	40.62	54.00	-13.38	15.98	3	Vertical	273	1.80	24.64	38.20	12.38	34.60
PK	4.99998G	45.04	74.00	-28.96	5.38	3	Vertical	229	1.21	39.66	33.20	6.30	34.12
PK	10.59508G	51.19	68.20	-17.01	15.56	3	Vertical	144	1.46	35.63	38.90	11.10	34.44
PK	15.89406G	56.92	74.00	-17.08	15.98	3	Vertical	273	1.80	40.94	38.21	12.37	34.60

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	50.32	54.00	-3.68	5.38	3	Horizontal	191	2.00	44.94	33.20	6.30	34.12
AV	10.6033G	37.98	54.00	-16.02	15.57	3	Horizontal	120	1.65	22.41	38.91	11.10	34.44
AV	15.90102G	40.16	54.00	-13.84	15.98	3	Horizontal	288	3.00	24.18	38.20	12.38	34.60
PK	5.00012G	62.61	74.00	-11.39	5.38	3	Horizontal	191	2.00	57.23	33.20	6.30	34.12
PK	10.60474G	51.59	74.00	-22.41	15.57	3	Horizontal	120	1.65	36.02	38.91	11.10	34.44
PK	15.9042G	54.99	74.00	-19.01	15.96	3	Horizontal	288	3.00	39.03	38.19	12.38	34.61



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	108.16	Inf	-Inf	5.33	3	Horizontal	185	1.90	102.83	32.95	6.54	34.16
AV	5.3508G	53.73	54.00	-0.27	5.30	3	Horizontal	185	1.90	48.43	32.90	6.56	34.16
PK	5.3168G	122.39	Inf	-Inf	5.34	3	Horizontal	185	1.90	117.05	32.97	6.53	34.16
PK	5.3552G	71.01	74.00	-2.99	5.30	3	Horizontal	185	1.90	65.71	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	34.08	54.00	-19.92	5.38	3	Vertical	236	1.24	28.70	33.20	6.30	34.12
AV	10.63112G	37.18	54.00	-16.82	15.68	3	Vertical	75	1.50	21.50	38.99	11.11	34.42
AV	15.94968G	38.06	54.00	-15.94	15.87	3	Vertical	71	1.50	22.19	38.10	12.41	34.64
PK	4.99996G	45.08	74.00	-28.92	5.38	3	Vertical	236	1.24	39.70	33.20	6.30	34.12
PK	10.64804G	50.87	74.00	-23.13	15.75	3	Vertical	75	1.50	35.12	39.04	11.12	34.41
PK	15.94506G	51.40	74.00	-22.60	15.88	3	Vertical	71	1.50	35.52	38.11	12.41	34.64



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	50.21	54.00	-3.79	5.38	3	Horizontal	192	1.86	44.83	33.20	6.30	34.12
AV	10.62974G	37.18	54.00	-16.82	15.68	3	Horizontal	107	1.50	21.50	38.99	11.11	34.42
AV	15.94968G	37.93	54.00	-16.07	15.87	3	Horizontal	200	1.50	22.06	38.10	12.41	34.64
PK	4.99986G	60.98	74.00	-13.02	5.38	3	Horizontal	192	1.86	55.60	33.20	6.30	34.12
PK	10.64918G	50.70	74.00	-23.30	15.76	3	Horizontal	107	1.50	34.94	39.05	11.12	34.41
PK	15.95136G	51.59	74.00	-22.41	15.87	3	Horizontal	200	1.50	35.72	38.10	12.41	34.64

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.28	54.00	-5.72	5.36	3	Horizontal	187	1.81	42.92	32.90	6.64	34.18
AV	5.503G	104.14	Inf	-Inf	5.40	3	Horizontal	187	1.81	98.74	32.90	6.68	34.18
PK	5.4548G	62.36	74.00	-11.64	5.37	3	Horizontal	187	1.81	56.99	32.90	6.64	34.17
PK	5.4688G	67.33	68.20	-0.87	5.37	3	Horizontal	187	1.81	61.96	32.90	6.65	34.18
PK	5.5058G	118.35	Inf	-Inf	5.41	3	Horizontal	187	1.81	112.94	32.90	6.69	34.18





5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	32.69	54.00	-21.31	5.38	3	Vertical	237	1.22	27.31	33.20	6.30	34.12
AV	11.00828G	37.24	54.00	-16.76	16.08	3	Vertical	19	1.50	21.16	38.99	11.25	34.16
PK	4.99988G	43.93	74.00	-30.07	5.38	3	Vertical	237	1.22	38.55	33.20	6.30	34.12
PK	11.00984G	51.25	74.00	-22.75	16.08	3	Vertical	19	1.50	35.17	38.99	11.25	34.16
PK	16.49568G	51.70	68.20	-16.50	16.85	3	Vertical	302	1.94	34.85	38.38	12.67	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	48.66	54.00	-5.34	5.38	3	Horizontal	188	1.93	43.28	33.20	6.30	34.12
AV	11.0081G	37.34	54.00	-16.66	16.08	3	Horizontal	206	1.81	21.26	38.99	11.25	34.16
PK	5.00026G	58.12	74.00	-15.88	5.38	3	Horizontal	188	1.93	52.74	33.20	6.30	34.12
PK	11.01146G	51.40	74.00	-22.60	16.08	3	Horizontal	206	1.81	35.32	38.99	11.25	34.16
PK	16.51254G	51.53	68.20	-16.67	16.85	3	Horizontal	177	2.13	34.68	38.36	12.67	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	51.65	54.00	-2.35	5.37	3	Horizontal	188	1.75	46.28	32.90	6.64	34.17
AV	5.5776G	112.93	Inf	-Inf	5.52	3	Horizontal	188	1.75	107.41	32.96	6.75	34.19
PK	5.4492G	65.53	74.00	-8.47	5.36	3	Horizontal	188	1.75	60.17	32.90	6.63	34.17
PK	5.469G	65.55	68.20	-2.65	5.37	3	Horizontal	188	1.75	60.18	32.90	6.65	34.18
PK	5.577G	127.58	Inf	-Inf	5.51	3	Horizontal	188	1.75	122.07	32.95	6.75	34.19
PK	5.7294G	64.41	68.20	-3.79	6.37	3	Horizontal	188	1.75	58.04	33.72	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	32.96	54.00	-21.04	5.38	3	Vertical	230	1.29	27.58	33.20	6.30	34.12
AV	11.16138G	37.39	54.00	-16.61	16.14	3	Vertical	163	2.13	21.25	38.96	11.31	34.13
PK	4.99976G	44.20	74.00	-29.80	5.38	3	Vertical	230	1.29	38.82	33.20	6.30	34.12
PK	11.17392G	51.39	74.00	-22.61	16.15	3	Vertical	163	2.13	35.24	38.97	11.31	34.13
PK	16.74468G	67.88	68.20	-0.32	17.36	3	Vertical	270	3.00	50.52	38.30	12.78	33.72