




5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	49.55	54.00	-4.45	5.38	3	Horizontal	184	1.94	44.17	33.20	6.30	34.12
AV	11.1564G	38.70	54.00	-15.30	16.14	3	Horizontal	190	1.86	22.56	38.96	11.31	34.13
PK	5.00028G	60.89	74.00	-13.11	5.38	3	Horizontal	184	1.94	55.51	33.20	6.30	34.12
PK	11.15868G	52.50	74.00	-21.50	16.14	3	Horizontal	190	1.86	36.36	38.96	11.31	34.13
PK	16.74174G	61.00	68.20	-7.20	17.36	3	Horizontal	277	2.64	43.64	38.30	12.78	33.72

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	102.89	Inf	-Inf	6.21	3	Horizontal	186	1.78	96.68	33.58	6.83	34.20
PK	5.6968G	117.12	Inf	-Inf	6.19	3	Horizontal	186	1.78	110.93	33.56	6.83	34.20
PK	5.728G	67.10	68.20	-1.10	6.36	3	Horizontal	186	1.78	60.74	33.71	6.85	34.20



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	32.51	54.00	-21.49	5.38	3	Vertical	229	1.20	27.13	33.20	6.30	34.12
AV	11.40006G	38.09	54.00	-15.91	16.52	3	Vertical	276	2.28	21.57	39.20	11.40	34.08
PK	5.00002G	44.40	74.00	-29.60	5.38	3	Vertical	229	1.20	39.02	33.20	6.30	34.12
PK	11.38512G	52.06	74.00	-21.94	16.50	3	Vertical	276	2.28	35.56	39.19	11.39	34.08
PK	17.10042G	51.69	68.20	-16.51	17.90	3	Vertical	215	1.50	33.79	38.20	12.94	33.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	46.89	54.00	-7.11	5.38	3	Horizontal	185	2.05	41.51	33.20	6.30	34.12
AV	11.40114G	38.04	54.00	-15.96	16.52	3	Horizontal	190	1.50	21.52	39.20	11.40	34.08
PK	4.99999G	54.71	74.00	-19.29	5.38	3	Horizontal	185	2.05	49.33	33.20	6.30	34.12
PK	11.39712G	51.03	74.00	-22.97	16.52	3	Horizontal	190	1.50	34.51	39.20	11.40	34.08
PK	17.08734G	51.37	68.20	-16.83	17.88	3	Horizontal	94	1.50	33.49	38.19	12.93	33.24



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	50.04	54.00	-3.96	5.37	3	Horizontal	184	1.85	44.67	32.90	6.64	34.17
AV	5.7152G	114.16	Inf	-Inf	6.30	3	Horizontal	184	1.85	107.86	33.66	6.84	34.20
PK	5.4524G	64.19	74.00	-9.81	5.37	3	Horizontal	184	1.85	58.82	32.90	6.64	34.17
PK	5.462G	63.72	68.20	-4.48	5.37	3	Horizontal	184	1.85	58.35	32.90	6.65	34.18
PK	5.7164G	128.69	Inf	-Inf	6.32	3	Horizontal	184	1.85	122.37	33.67	6.85	34.20
PK	5.8508G	67.56	68.20	-0.64	6.83	3	Horizontal	184	1.85	60.73	34.10	6.94	34.21

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	31.88	54.00	-22.12	5.38	3	Vertical	230	1.32	26.50	33.20	6.30	34.12
AV	11.4319G	38.42	54.00	-15.58	16.51	3	Vertical	216	1.50	21.91	39.17	11.41	34.07
PK	4.99972G	43.86	74.00	-30.14	5.38	3	Vertical	230	1.32	38.48	33.20	6.30	34.12
PK	11.42554G	51.68	74.00	-22.32	16.51	3	Vertical	216	1.50	35.17	39.17	11.41	34.07
PK	17.16186G	64.29	68.20	-3.91	17.91	3	Vertical	289	2.73	46.38	38.20	12.97	33.26



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	45.56	54.00	-8.44	5.38	3	Horizontal	190	1.88	40.18	33.20	6.30	34.12
AV	11.4385G	41.72	54.00	-12.28	16.50	3	Horizontal	138	1.79	25.22	39.16	11.41	34.07
PK	4.99996G	57.89	74.00	-16.11	5.38	3	Horizontal	190	1.88	52.51	33.20	6.30	34.12
PK	11.43154G	55.29	74.00	-18.71	16.51	3	Horizontal	138	1.79	38.78	39.17	11.41	34.07
PK	17.15298G	58.78	68.20	-9.42	17.90	3	Horizontal	167	2.04	40.88	38.20	12.96	33.26

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	49.37	54.00	-4.63	5.37	3	Horizontal	184	1.97	44.00	32.90	6.64	34.17
AV	5.7438G	113.87	Inf	-Inf	6.44	3	Horizontal	184	1.97	107.43	33.78	6.86	34.20
PK	5.6502G	67.79	68.35	-0.56	5.61	3	Horizontal	184	1.97	62.18	33.00	6.80	34.19
PK	5.7414G	128.34	Inf	-Inf	6.43	3	Horizontal	184	1.97	121.91	33.77	6.86	34.20
PK	6.021G	64.69	68.20	-3.51	6.96	3	Horizontal	184	1.97	57.73	34.10	7.08	34.22



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	31.96	54.00	-22.04	5.38	3	Vertical	235	1.20	26.58	33.20	6.30	34.12
AV	11.4912G	38.29	54.00	-15.71	16.48	3	Vertical	214	1.33	21.81	39.11	11.43	34.06
PK	5.00032G	44.30	74.00	-29.70	5.38	3	Vertical	235	1.20	38.92	33.20	6.30	34.12
PK	11.50002G	52.35	74.00	-21.65	16.48	3	Vertical	214	1.33	35.87	39.10	11.44	34.06
PK	17.23464G	61.13	68.20	-7.07	17.94	3	Vertical	289	2.59	43.19	38.23	13.00	33.29

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	45.83	54.00	-8.17	5.38	3	Horizontal	188	1.95	40.45	33.20	6.30	34.12
AV	11.48436G	38.74	54.00	-15.26	16.49	3	Horizontal	195	1.97	22.25	39.12	11.43	34.06
PK	5.00018G	57.69	74.00	-16.31	5.38	3	Horizontal	188	1.95	52.31	33.20	6.30	34.12
PK	11.48436G	52.09	74.00	-21.91	16.49	3	Horizontal	195	1.97	35.60	39.12	11.43	34.06
PK	17.23476G	53.14	68.20	-15.06	17.94	3	Horizontal	250	2.96	35.20	38.23	13.00	33.29



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX



17/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78008G	114.42	Inf	-Inf	6.67	3	Horizontal	187	1.82	107.75	33.98	6.89	34.20
PK	5.63004G	65.42	68.20	-2.78	5.60	3	Horizontal	187	1.82	59.82	33.00	6.79	34.19
PK	5.78129G	128.98	Inf	-Inf	6.68	3	Horizontal	187	1.82	122.30	33.99	6.89	34.20
PK	5.92528G	66.34	68.20	-1.86	7.05	3	Horizontal	187	1.82	59.29	34.25	7.01	34.21

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




18/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	32.45	54.00	-21.55	5.38	3	Vertical	234	1.25	27.07	33.20	6.30	34.12
AV	11.56352G	39.40	54.00	-14.60	16.21	3	Vertical	245	2.14	23.19	38.85	11.46	34.10
PK	4.99978G	44.52	74.00	-29.48	5.38	3	Vertical	234	1.25	39.14	33.20	6.30	34.12
PK	11.57108G	52.54	74.00	-21.46	16.18	3	Vertical	245	2.14	36.36	38.82	11.46	34.10
PK	17.34738G	62.29	68.20	-5.91	18.17	3	Vertical	289	2.89	44.12	38.44	13.05	33.32



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	46.05	54.00	-7.95	5.38	3	Horizontal	186	2.13	40.67	33.20	6.30	34.12
AV	11.56994G	40.84	54.00	-13.16	16.18	3	Horizontal	136	1.84	24.66	38.82	11.46	34.10
PK	5.00008G	58.49	74.00	-15.51	5.38	3	Horizontal	186	2.13	53.11	33.20	6.30	34.12
PK	11.57384G	54.36	74.00	-19.64	16.15	3	Horizontal	136	1.84	38.21	38.80	11.46	34.11
PK	17.36562G	55.14	68.20	-13.06	18.23	3	Horizontal	205	1.77	36.91	38.50	13.06	33.33

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	113.10	Inf	-Inf	6.81	3	Horizontal	186	1.89	106.29	34.10	6.92	34.21
PK	5.5886G	64.52	68.20	-3.68	5.55	3	Horizontal	186	1.89	58.97	32.98	6.76	34.19
PK	5.8214G	127.33	Inf	-Inf	6.81	3	Horizontal	186	1.89	120.52	34.10	6.92	34.21
PK	5.9246G	67.54	68.50	-0.96	7.05	3	Horizontal	186	1.89	60.49	34.25	7.01	34.21



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	32.20	54.00	-21.80	5.38	3	Vertical	230	1.41	26.82	33.20	6.30	34.12
AV	11.64502G	38.91	54.00	-15.09	16.04	3	Vertical	247	2.83	22.87	38.70	11.49	34.15
PK	5.0003G	44.86	74.00	-29.14	5.38	3	Vertical	230	1.41	39.48	33.20	6.30	34.12
PK	11.6461G	52.94	74.00	-21.06	16.04	3	Vertical	247	2.83	36.90	38.70	11.49	34.15
PK	17.4822G	57.35	68.20	-10.85	18.43	3	Vertical	292	3.00	38.92	38.68	13.11	33.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	47.62	54.00	-6.38	5.38	3	Horizontal	186	2.10	42.24	33.20	6.30	34.12
AV	11.64364G	38.19	54.00	-15.81	16.04	3	Horizontal	232	1.40	22.15	38.70	11.49	34.15
PK	5.0001G	58.94	74.00	-15.06	5.38	3	Horizontal	186	2.10	53.56	33.20	6.30	34.12
PK	11.64448G	51.69	74.00	-22.31	16.04	3	Horizontal	232	1.40	35.65	38.70	11.49	34.15
PK	17.4798G	53.47	68.20	-14.73	18.43	3	Horizontal	205	1.78	35.04	38.68	13.11	33.36



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.69	54.00	-0.31	5.37	3	Horizontal	186	1.94	48.32	33.10	6.41	34.14
AV	5.1952G	101.42	Inf	-Inf	5.41	3	Horizontal	186	1.94	96.01	33.10	6.45	34.14
PK	5.1464G	68.60	74.00	-5.40	5.37	3	Horizontal	186	1.94	63.23	33.10	6.41	34.14
PK	5.1832G	114.79	Inf	-Inf	5.40	3	Horizontal	186	1.94	109.39	33.10	6.44	34.14

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	31.72	54.00	-22.28	5.38	3	Vertical	230	1.30	26.34	33.20	6.30	34.12
AV	15.5472G	38.12	54.00	-15.88	16.64	3	Vertical	62	1.50	21.48	38.81	12.16	34.33
PK	5.00016G	43.40	74.00	-30.60	5.38	3	Vertical	230	1.30	38.02	33.20	6.30	34.12
PK	10.40184G	51.16	68.20	-17.04	15.34	3	Vertical	-0	1.50	35.82	38.90	11.03	34.59
PK	15.56028G	52.28	74.00	-21.72	16.61	3	Vertical	62	1.50	35.67	38.78	12.17	34.34



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	49.69	54.00	-4.31	5.38	3	Horizontal	189	1.86	44.31	33.20	6.30	34.12
AV	15.54252G	38.06	54.00	-15.94	16.65	3	Horizontal	141	1.50	21.41	38.81	12.16	34.32
PK	5.00006G	59.78	74.00	-14.22	5.38	3	Horizontal	189	1.86	54.40	33.20	6.30	34.12
PK	10.35024G	50.71	68.20	-17.49	15.27	3	Horizontal	205	2.88	35.44	38.90	11.01	34.64
PK	15.56964G	51.79	74.00	-22.21	16.59	3	Horizontal	141	1.50	35.20	38.76	12.17	34.34

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.75	54.00	-0.25	5.37	3	Horizontal	187	1.80	48.38	33.10	6.41	34.14
AV	5.224G	108.16	Inf	-Inf	5.37	3	Horizontal	187	1.80	102.79	33.05	6.47	34.15
PK	5.1456G	69.83	74.00	-4.17	5.37	3	Horizontal	187	1.80	64.46	33.10	6.41	34.14
PK	5.2268G	123.89	Inf	-Inf	5.37	3	Horizontal	187	1.80	118.52	33.05	6.47	34.15



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.98212G	41.81	74.00	-32.19	5.29	3	Vertical	230	1.29	36.52	33.13	6.29	34.13
AV	4.99988G	32.44	54.00	-21.56	5.38	3	Vertical	230	1.29	27.06	33.20	6.30	34.12
PK	10.45556G	49.72	68.20	-18.48	15.40	3	Vertical	187	1.50	34.32	38.90	11.05	34.55
PK	15.68654G	50.42	74.00	-23.58	16.25	3	Vertical	300	1.55	34.17	38.44	12.25	34.44
AV	15.68558G	37.66	54.00	-16.34	16.26	3	Vertical	300	1.55	21.40	38.44	12.25	34.43

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	50.99	54.00	-3.01	5.38	3	Horizontal	188	1.88	45.61	33.20	6.30	34.12
AV	15.68818G	37.61	54.00	-16.39	16.25	3	Horizontal	293	1.24	21.36	38.44	12.25	34.44
PK	4.99988G	62.59	74.00	-11.41	5.38	3	Horizontal	188	1.88	57.21	33.20	6.30	34.12
PK	10.48196G	50.00	68.20	-18.20	15.43	3	Horizontal	129	1.78	34.57	38.90	11.06	34.53
PK	15.6878G	51.80	74.00	-22.20	16.25	3	Horizontal	293	1.24	35.55	38.44	12.25	34.44



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2636G	108.63	Inf	-Inf	5.34	3	Horizontal	188	1.91	103.29	33.00	6.49	34.15
AV	5.3512G	53.53	54.00	-0.47	5.30	3	Horizontal	188	1.91	48.23	32.90	6.56	34.16
PK	5.268G	123.55	Inf	-Inf	5.35	3	Horizontal	188	1.91	118.20	33.00	6.50	34.15
PK	5.3524G	68.98	74.00	-5.02	5.30	3	Horizontal	188	1.91	63.68	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	33.43	54.00	-20.57	5.38	3	Vertical	228	1.31	28.05	33.20	6.30	34.12
AV	15.83676G	37.46	54.00	-16.54	16.12	3	Vertical	80	1.50	21.34	38.33	12.34	34.55
PK	4.99988G	44.77	74.00	-29.23	5.38	3	Vertical	228	1.31	39.39	33.20	6.30	34.12
PK	10.53016G	50.63	68.20	-17.57	15.49	3	Vertical	221	1.45	35.14	38.90	11.08	34.49
PK	15.7986G	51.42	74.00	-22.58	16.20	3	Vertical	80	1.50	35.22	38.40	12.32	34.52



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	50.18	54.00	-3.82	5.38	3	Horizontal	188	1.71	44.80	33.20	6.30	34.12
AV	15.82656G	37.68	54.00	-16.32	16.14	3	Horizontal	231	1.93	21.54	38.35	12.33	34.54
PK	5.0001G	62.35	74.00	-11.65	5.38	3	Horizontal	188	1.71	56.97	33.20	6.30	34.12
PK	10.53472G	51.09	68.20	-17.11	15.49	3	Horizontal	124	1.90	35.60	38.90	11.08	34.49
PK	15.81264G	51.91	74.00	-22.09	16.16	3	Horizontal	231	1.93	35.75	38.37	12.32	34.53

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	101.81	Inf	-Inf	5.35	3	Horizontal	186	1.88	96.46	32.99	6.52	34.16
AV	5.35G	53.82	54.00	-0.18	5.29	3	Horizontal	186	1.88	48.53	32.90	6.55	34.16
PK	5.3028G	115.95	Inf	-Inf	5.35	3	Horizontal	186	1.88	110.60	32.99	6.52	34.16
PK	5.3528G	69.48	74.00	-4.52	5.30	3	Horizontal	186	1.88	64.18	32.90	6.56	34.16



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	32.29	54.00	-21.71	5.38	3	Vertical	229	1.20	26.91	33.20	6.30	34.12
AV	10.63104G	37.18	54.00	-16.82	15.68	3	Vertical	185	1.50	21.50	38.99	11.11	34.42
AV	15.95232G	38.01	54.00	-15.99	15.87	3	Vertical	356	1.50	22.14	38.10	12.41	34.64
PK	4.99966G	43.96	74.00	-30.04	5.38	3	Vertical	229	1.20	38.58	33.20	6.30	34.12
PK	10.62G	50.99	74.00	-23.01	15.64	3	Vertical	185	1.50	35.35	38.96	11.11	34.43
PK	15.90624G	51.69	74.00	-22.31	15.96	3	Vertical	356	1.50	35.73	38.19	12.38	34.61

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	48.54	54.00	-5.46	5.38	3	Horizontal	186	2.04	43.16	33.20	6.30	34.12
AV	10.63104G	37.13	54.00	-16.87	15.68	3	Horizontal	83	1.50	21.45	38.99	11.11	34.42
AV	15.9498G	37.92	54.00	-16.08	15.87	3	Horizontal	24	1.50	22.05	38.10	12.41	34.64
PK	5.00004G	59.33	74.00	-14.67	5.38	3	Horizontal	186	2.04	53.95	33.20	6.30	34.12
PK	10.6356G	51.10	74.00	-22.90	15.71	3	Horizontal	83	1.50	35.39	39.01	11.12	34.42
PK	15.94332G	51.16	74.00	-22.84	15.87	3	Horizontal	24	1.50	35.29	38.11	12.40	34.64



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	50.51	54.00	-3.49	5.36	3	Horizontal	187	1.79	45.15	32.90	6.64	34.18
AV	5.5036G	101.08	Inf	-Inf	5.40	3	Horizontal	187	1.79	95.68	32.90	6.68	34.18
PK	5.458G	64.59	74.00	-9.41	5.37	3	Horizontal	187	1.79	59.22	32.90	6.64	34.17
PK	5.4684G	67.98	68.20	-0.22	5.37	3	Horizontal	187	1.79	62.61	32.90	6.65	34.18
PK	5.5032G	115.05	Inf	-Inf	5.40	3	Horizontal	187	1.79	109.65	32.90	6.68	34.18

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	33.18	54.00	-20.82	5.38	3	Vertical	229	1.50	27.80	33.20	6.30	34.12
AV	11.01232G	37.31	54.00	-16.69	16.08	3	Vertical	296	1.50	21.23	38.99	11.25	34.16
PK	5.03G	43.27	74.00	-30.73	5.46	3	Vertical	229	1.50	37.81	33.26	6.32	34.12
PK	11.0116G	51.11	74.00	-22.89	16.08	3	Vertical	296	1.50	35.03	38.99	11.25	34.16
PK	16.54356G	52.73	68.20	-15.47	16.85	3	Vertical	168	1.50	35.88	38.27	12.69	34.11



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	48.70	54.00	-5.30	5.38	3	Horizontal	186	1.95	43.32	33.20	6.30	34.12
AV	11.0086G	37.41	54.00	-16.59	16.08	3	Horizontal	146	1.50	21.33	38.99	11.25	34.16
PK	5G	58.16	74.00	-15.84	5.38	3	Horizontal	186	1.95	52.78	33.20	6.30	34.12
PK	10.9984G	51.27	74.00	-22.73	16.09	3	Horizontal	146	1.50	35.18	39.00	11.25	34.16
PK	16.51464G	51.92	68.20	-16.28	16.86	3	Horizontal	58	1.50	35.06	38.36	12.67	34.17

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	50.82	54.00	-3.18	5.37	3	Horizontal	188	1.72	45.45	32.90	6.64	34.17
AV	5.5552G	105.90	Inf	-Inf	5.46	3	Horizontal	188	1.72	100.44	32.91	6.73	34.18
PK	5.4544G	65.13	74.00	-8.87	5.37	3	Horizontal	188	1.72	59.76	32.90	6.64	34.17
PK	5.4676G	66.81	68.20	-1.39	5.37	3	Horizontal	188	1.72	61.44	32.90	6.65	34.18
PK	5.5492G	119.43	Inf	-Inf	5.44	3	Horizontal	188	1.72	113.99	32.90	6.72	34.18



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	32.70	54.00	-21.30	5.38	3	Vertical	230	1.50	27.32	33.20	6.30	34.12
AV	11.07192G	37.27	54.00	-16.73	16.06	3	Vertical	243	1.50	21.21	38.93	11.28	34.15
PK	5.00032G	44.15	74.00	-29.85	5.38	3	Vertical	230	1.50	38.77	33.20	6.30	34.12
PK	11.07564G	51.46	74.00	-22.54	16.06	3	Vertical	243	1.50	35.40	38.92	11.28	34.14
PK	16.63428G	53.96	68.20	-14.24	16.97	3	Vertical	272	2.80	36.99	38.17	12.73	33.93

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	47.85	54.00	-6.15	5.38	3	Horizontal	187	2.17	42.47	33.20	6.30	34.12
AV	11.1258G	37.33	54.00	-16.67	16.10	3	Horizontal	224	2.95	21.23	38.93	11.30	34.13
PK	4.9998G	58.61	74.00	-15.39	5.38	3	Horizontal	187	2.17	53.23	33.20	6.30	34.12
PK	11.12172G	51.64	74.00	-22.36	16.08	3	Horizontal	224	2.95	35.56	38.92	11.30	34.14
PK	16.64616G	52.30	68.20	-15.90	17.01	3	Horizontal	122	1.50	35.29	38.19	12.73	33.91



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	103.54	Inf	-Inf	5.79	3	Horizontal	185	1.79	97.75	33.17	6.81	34.19
PK	5.6688G	117.07	Inf	-Inf	5.85	3	Horizontal	185	1.79	111.22	33.23	6.81	34.19
PK	5.7276G	67.73	68.20	-0.47	6.36	3	Horizontal	185	1.79	61.37	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	30.27	54.00	-23.73	5.38	3	Vertical	225	1.00	24.89	33.20	6.30	34.12
AV	11.34G	37.92	54.00	-16.08	16.43	3	Vertical	142	2.76	21.49	39.14	11.38	34.09
PK	4.99934G	43.03	74.00	-30.97	5.38	3	Vertical	225	1.00	37.65	33.20	6.30	34.12
PK	11.3508G	51.36	74.00	-22.64	16.44	3	Vertical	142	2.76	34.92	39.15	11.38	34.09
PK	17.0034G	51.96	68.20	-16.24	17.79	3	Vertical	155	1.50	34.17	38.10	12.90	33.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	47.29	54.00	-6.71	5.38	3	Horizontal	185	1.88	41.91	33.20	6.30	34.12
AV	11.34612G	38.48	54.00	-15.52	16.44	3	Horizontal	194	1.98	22.04	39.15	11.38	34.09
PK	5.00004G	57.06	74.00	-16.94	5.38	3	Horizontal	185	1.88	51.68	33.20	6.30	34.12
PK	11.3136G	51.98	74.00	-22.02	16.38	3	Horizontal	194	1.98	35.60	39.11	11.37	34.10
PK	16.99548G	51.88	68.20	-16.32	17.77	3	Horizontal	324	1.50	34.11	38.10	12.89	33.22

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	49.90	54.00	-4.10	5.37	3	Horizontal	186	1.70	44.53	32.90	6.64	34.17
AV	5.704G	109.66	Inf	-Inf	6.26	3	Horizontal	186	1.70	103.40	33.62	6.84	34.20
PK	5.4316G	63.71	74.00	-10.29	5.35	3	Horizontal	186	1.70	58.36	32.90	6.62	34.17
PK	5.4676G	63.02	68.20	-5.18	5.37	3	Horizontal	186	1.70	57.65	32.90	6.65	34.18
PK	5.704G	123.29	Inf	-Inf	6.26	3	Horizontal	186	1.70	117.03	33.62	6.84	34.20
PK	5.8564G	67.87	68.20	-0.33	6.87	3	Horizontal	186	1.70	61.00	34.13	6.95	34.21



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	30.82	54.00	-23.18	5.38	3	Vertical	229	2.06	25.44	33.20	6.30	34.12
AV	11.40596G	38.64	54.00	-15.36	16.51	3	Vertical	213	1.50	22.13	39.19	11.40	34.08
PK	4.9999G	43.94	74.00	-30.06	5.38	3	Vertical	229	2.06	38.56	33.20	6.30	34.12
PK	11.40008G	51.90	74.00	-22.10	16.52	3	Vertical	213	1.50	35.38	39.20	11.40	34.08
PK	17.13864G	53.55	68.20	-14.65	17.91	3	Vertical	301	2.00	35.64	38.20	12.96	33.25

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	47.67	54.00	-6.33	5.38	3	Horizontal	185	2.00	42.29	33.20	6.30	34.12
AV	11.42036G	40.16	54.00	-13.84	16.51	3	Horizontal	139	1.77	23.65	39.18	11.41	34.08
PK	4.99974G	58.34	74.00	-15.66	5.38	3	Horizontal	185	2.00	52.96	33.20	6.30	34.12
PK	11.41496G	52.89	74.00	-21.11	16.51	3	Horizontal	139	1.77	36.38	39.19	11.40	34.08
PK	17.14116G	52.74	68.20	-15.46	17.90	3	Horizontal	67	2.73	34.84	38.20	12.96	33.26



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	48.97	54.00	-5.03	5.37	3	Horizontal	184	1.94	43.60	32.90	6.64	34.17
AV	5.7598G	108.29	Inf	-Inf	6.53	3	Horizontal	184	1.94	101.76	33.86	6.87	34.20
PK	5.6518G	69.11	69.53	-0.42	5.63	3	Horizontal	184	1.94	63.48	33.02	6.80	34.19
PK	5.749G	121.96	Inf	-Inf	6.47	3	Horizontal	184	1.94	115.49	33.80	6.87	34.20
PK	6.049G	64.08	68.20	-4.12	6.96	3	Horizontal	184	1.94	57.12	34.10	7.09	34.23

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	31.94	54.00	-22.06	5.38	3	Vertical	231	1.50	26.56	33.20	6.30	34.12
AV	11.50088G	39.08	54.00	-14.92	16.48	3	Vertical	242	2.54	22.60	39.10	11.44	34.06
PK	5.00006G	43.57	74.00	-30.43	5.38	3	Vertical	231	1.50	38.19	33.20	6.30	34.12
PK	11.50592G	52.72	74.00	-21.28	16.46	3	Vertical	242	2.54	36.26	39.08	11.44	34.06
PK	17.265G	51.77	68.20	-16.43	18.00	3	Vertical	162	2.46	33.77	38.27	13.02	33.29



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	47.77	54.00	-6.23	5.38	3	Horizontal	185	2.14	42.39	33.20	6.30	34.12
AV	11.4884G	38.33	54.00	-15.67	16.48	3	Horizontal	192	1.99	21.85	39.11	11.43	34.06
PK	5.0001G	57.85	74.00	-16.15	5.38	3	Horizontal	185	2.14	52.47	33.20	6.30	34.12
PK	11.492G	51.84	74.00	-22.16	16.48	3	Horizontal	192	1.99	35.36	39.11	11.43	34.06
PK	17.23908G	51.72	68.20	-16.48	17.95	3	Horizontal	360	1.50	33.77	38.24	13.00	33.29

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	108.76	Inf	-Inf	6.68	3	Horizontal	187	1.83	102.08	33.99	6.89	34.20
PK	5.651G	66.13	68.94	-2.81	5.62	3	Horizontal	187	1.83	60.51	33.01	6.80	34.19
PK	5.789G	122.40	Inf	-Inf	6.72	3	Horizontal	187	1.83	115.68	34.03	6.89	34.20
PK	5.9306G	67.56	68.20	-0.64	7.04	3	Horizontal	187	1.83	60.52	34.24	7.01	34.21



5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	32.36	54.00	-21.64	5.38	3	Vertical	228	1.20	26.98	33.20	6.30	34.12
AV	11.5912G	38.50	54.00	-15.50	16.09	3	Vertical	250	1.62	22.41	38.74	11.47	34.12
PK	4.99984G	44.07	74.00	-29.93	5.38	3	Vertical	228	1.20	38.69	33.20	6.30	34.12
PK	11.59288G	52.81	74.00	-21.19	16.08	3	Vertical	250	1.62	36.73	38.73	11.47	34.12
PK	17.385G	54.17	68.20	-14.03	18.29	3	Vertical	290	2.95	35.88	38.55	13.07	33.33

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	48.02	54.00	-5.98	5.38	3	Horizontal	186	2.00	42.64	33.20	6.30	34.12
AV	11.5804G	38.33	54.00	-15.67	16.13	3	Horizontal	131	1.86	22.20	38.78	11.46	34.11
PK	5.00014G	58.16	74.00	-15.84	5.38	3	Horizontal	186	2.00	52.78	33.20	6.30	34.12
PK	11.57428G	52.25	74.00	-21.75	16.15	3	Horizontal	131	1.86	36.10	38.80	11.46	34.11
PK	17.36916G	52.73	68.20	-15.47	18.24	3	Horizontal	54	2.92	34.49	38.51	13.06	33.33



5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.39	54.00	-0.61	5.37	3	Horizontal	187	1.78	48.02	33.10	6.41	34.14
AV	5.221G	98.93	Inf	-Inf	5.37	3	Horizontal	187	1.78	93.56	33.06	6.46	34.15
AV	5.351G	47.65	54.00	-6.35	5.30	3	Horizontal	187	1.78	42.35	32.90	6.56	34.16
PK	5.147G	67.13	74.00	-6.87	5.37	3	Horizontal	187	1.78	61.76	33.10	6.41	34.14
PK	5.196G	112.86	Inf	-Inf	5.41	3	Horizontal	187	1.78	107.45	33.10	6.45	34.14
PK	5.458G	61.53	74.00	-12.47	5.37	3	Horizontal	187	1.78	56.16	32.90	6.64	34.17

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	33.93	54.00	-20.07	5.38	3	Vertical	235	1.24	28.55	33.20	6.30	34.12
AV	15.57552G	37.96	54.00	-16.04	16.58	3	Vertical	220	1.62	21.38	38.75	12.18	34.35
PK	4.99982G	44.77	74.00	-29.23	5.38	3	Vertical	235	1.24	39.39	33.20	6.30	34.12
PK	10.38184G	50.83	68.20	-17.37	15.31	3	Vertical	207	1.50	35.52	38.90	11.02	34.61
PK	15.68448G	52.22	74.00	-21.78	16.26	3	Vertical	220	1.62	35.96	38.45	12.24	34.43



5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	49.54	54.00	-4.46	5.38	3	Horizontal	190	1.86	44.16	33.20	6.30	34.12
AV	15.5712G	37.92	54.00	-16.08	16.58	3	Horizontal	120	2.58	21.34	38.76	12.17	34.35
PK	5.00032G	60.37	74.00	-13.63	5.38	3	Horizontal	190	1.86	54.99	33.20	6.30	34.12
PK	10.44808G	50.94	68.20	-17.26	15.40	3	Horizontal	67	1.50	35.54	38.90	11.05	34.55
PK	15.60384G	51.50	74.00	-22.50	16.51	3	Horizontal	120	2.58	34.99	38.69	12.19	34.37

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.12	54.00	-5.88	5.37	3	Horizontal	186	1.77	42.75	33.10	6.41	34.14
AV	5.276G	98.88	Inf	-Inf	5.35	3	Horizontal	186	1.77	93.33	33.00	6.50	34.15
AV	5.35G	53.75	54.00	-0.25	5.29	3	Horizontal	186	1.77	48.46	32.90	6.55	34.16
PK	5.148G	61.53	74.00	-12.47	5.37	3	Horizontal	186	1.77	56.16	33.10	6.41	34.14
PK	5.276G	113.01	Inf	-Inf	5.35	3	Horizontal	186	1.77	107.66	33.00	6.50	34.15
PK	5.35G	68.48	74.00	-5.52	5.29	3	Horizontal	186	1.77	63.19	32.90	6.55	34.16
PK	5.488G	61.87	68.20	-6.33	5.39	3	Horizontal	186	1.77	56.48	32.90	6.67	34.18



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	31.82	54.00	-22.18	5.38	3	Vertical	230	1.32	26.44	33.20	6.30	34.12
AV	10.63208G	37.27	54.00	-16.73	15.69	3	Vertical	85	1.50	21.58	39.00	11.11	34.42
AV	15.924G	37.97	54.00	-16.03	15.92	3	Vertical	16	1.92	22.05	38.15	12.39	34.62
PK	5.0002G	44.26	74.00	-29.74	5.38	3	Vertical	230	1.32	38.88	33.20	6.30	34.12
PK	10.5776G	50.71	68.20	-17.49	15.53	3	Vertical	85	1.50	35.18	38.90	11.09	34.46
PK	15.81528G	51.81	74.00	-22.19	16.16	3	Vertical	16	1.92	35.65	38.37	12.33	34.54

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	48.70	54.00	-5.30	5.38	3	Horizontal	185	2.03	43.32	33.20	6.30	34.12
AV	10.63328G	37.11	54.00	-16.89	15.69	3	Horizontal	247	2.75	21.42	39.00	11.11	34.42
AV	15.87432G	37.75	54.00	-16.25	16.03	3	Horizontal	349	1.50	21.72	38.25	12.36	34.58
PK	4.99982G	59.07	74.00	-14.93	5.38	3	Horizontal	185	2.03	53.69	33.20	6.30	34.12
PK	10.62344G	50.51	74.00	-23.49	15.66	3	Horizontal	247	2.75	34.85	38.97	11.11	34.42
PK	15.8556G	51.37	74.00	-22.63	16.07	3	Horizontal	349	1.50	35.30	38.29	12.35	34.57



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.79	54.00	-7.21	5.29	3	Horizontal	188	1.83	41.50	32.90	6.55	34.16
AV	5.46G	52.28	54.00	-1.72	5.36	3	Horizontal	188	1.83	46.92	32.90	6.64	34.18
AV	5.519G	97.54	Inf	-Inf	5.42	3	Horizontal	188	1.83	92.12	32.90	6.70	34.18
PK	5.339G	61.21	68.20	-6.99	5.31	3	Horizontal	188	1.83	55.90	32.92	6.55	34.16
PK	5.46G	66.13	74.00	-7.87	5.36	3	Horizontal	188	1.83	60.77	32.90	6.64	34.18
PK	5.47G	67.61	68.20	-0.59	5.37	3	Horizontal	188	1.83	62.24	32.90	6.65	34.18
PK	5.516G	111.93	Inf	-Inf	5.41	3	Horizontal	188	1.83	106.52	32.90	6.69	34.18
PK	5.768G	61.07	68.20	-7.13	6.59	3	Horizontal	188	1.83	54.48	33.91	6.88	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	31.22	54.00	-22.78	5.38	3	Vertical	228	2.17	25.84	33.20	6.30	34.12
AV	11.0432G	37.31	54.00	-16.69	16.08	3	Vertical	39	1.50	21.23	38.96	11.27	34.15
PK	5.00022G	43.33	74.00	-30.67	5.38	3	Vertical	228	2.17	37.95	33.20	6.30	34.12
PK	11.03984G	52.12	74.00	-21.88	16.07	3	Vertical	39	1.50	36.05	38.96	11.26	34.15
PK	16.60992G	51.59	68.20	-16.61	16.86	3	Vertical	235	1.80	34.73	38.12	12.72	33.98



5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	47.24	54.00	-6.76	5.38	3	Horizontal	185	2.16	41.86	33.20	6.30	34.12
AV	11.01344G	37.36	54.00	-16.64	16.08	3	Horizontal	325	1.50	21.28	38.99	11.25	34.16
PK	5.0001G	57.55	74.00	-16.45	5.38	3	Horizontal	185	2.16	52.17	33.20	6.30	34.12
PK	11.01704G	50.75	74.00	-23.25	16.08	3	Horizontal	325	1.50	34.67	38.98	11.26	34.16
PK	16.57872G	51.31	68.20	-16.89	16.82	3	Horizontal	259	1.50	34.49	38.16	12.70	34.04

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	50.16	54.00	-3.84	5.37	3	Horizontal	190	1.91	44.79	32.90	6.64	34.17
AV	5.595G	100.59	Inf	-Inf	5.57	3	Horizontal	190	1.91	95.02	32.99	6.77	34.19
PK	5.459G	63.72	74.00	-10.28	5.36	3	Horizontal	190	1.91	58.36	32.90	6.64	34.18
PK	5.468G	65.25	68.20	-2.95	5.37	3	Horizontal	190	1.91	59.88	32.90	6.65	34.18
PK	5.596G	115.11	Inf	-Inf	5.57	3	Horizontal	190	1.91	109.54	32.99	6.77	34.19
PK	5.726G	67.71	68.20	-0.49	6.35	3	Horizontal	190	1.91	61.36	33.70	6.85	34.20



5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	31.33	54.00	-22.67	5.38	3	Vertical	230	2.29	25.95	33.20	6.30	34.12
AV	11.16144G	37.34	54.00	-16.66	16.14	3	Vertical	208	1.50	21.20	38.96	11.31	34.13
PK	4.99988G	43.93	74.00	-30.07	5.38	3	Vertical	230	2.29	38.55	33.20	6.30	34.12
PK	11.2284G	51.85	74.00	-22.15	16.25	3	Vertical	208	1.50	35.60	39.03	11.33	34.11
PK	16.85952G	51.72	68.20	-16.48	17.52	3	Vertical	198	1.50	34.20	38.18	12.83	33.49

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	47.86	54.00	-6.14	5.38	3	Horizontal	185	2.00	42.48	33.20	6.30	34.12
AV	11.19192G	37.33	54.00	-16.67	16.19	3	Horizontal	239	1.50	21.14	38.99	11.32	34.12
PK	4.99998G	58.71	74.00	-15.29	5.38	3	Horizontal	185	2.00	53.33	33.20	6.30	34.12
PK	11.23056G	51.33	74.00	-22.67	16.26	3	Horizontal	239	1.50	35.07	39.03	11.34	34.11
PK	16.82928G	52.11	68.20	-16.09	17.51	3	Horizontal	132	1.50	34.60	38.24	12.82	33.55



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	49.57	54.00	-4.43	5.37	3	Horizontal	185	1.76	44.20	32.90	6.64	34.17
AV	5.7008G	103.72	Inf	-Inf	6.24	3	Horizontal	185	1.76	97.48	33.60	6.84	34.20
PK	5.4176G	63.44	74.00	-10.56	5.34	3	Horizontal	185	1.76	58.10	32.90	6.61	34.17
PK	5.468G	62.89	68.20	-5.31	5.37	3	Horizontal	185	1.76	57.52	32.90	6.65	34.18
PK	5.6768G	117.61	Inf	-Inf	5.95	3	Horizontal	185	1.76	111.66	33.32	6.82	34.19
PK	5.858G	67.44	68.20	-0.76	6.87	3	Horizontal	185	1.76	60.57	34.13	6.95	34.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	30.79	54.00	-23.21	5.38	3	Vertical	230	2.18	25.41	33.20	6.30	34.12
AV	11.3752G	38.06	54.00	-15.94	16.49	3	Vertical	141	2.21	21.57	39.18	11.39	34.08
PK	5.0001G	43.11	74.00	-30.89	5.38	3	Vertical	230	2.18	37.73	33.20	6.30	34.12
PK	11.32456G	51.78	74.00	-22.22	16.39	3	Vertical	141	2.21	35.39	39.12	11.37	34.10
PK	17.10264G	52.23	68.20	-15.97	17.90	3	Vertical	143	1.50	34.33	38.20	12.94	33.24



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	46.23	54.00	-7.77	5.38	3	Horizontal	184	2.00	40.85	33.20	6.30	34.12
AV	11.37304G	38.89	54.00	-15.11	16.47	3	Horizontal	136	1.94	22.42	39.17	11.39	34.09
PK	4.99998G	57.37	74.00	-16.63	5.38	3	Horizontal	184	2.00	51.99	33.20	6.30	34.12
PK	11.37424G	52.43	74.00	-21.57	16.47	3	Horizontal	136	1.94	35.96	39.17	11.39	34.09
PK	17.1072G	51.99	68.20	-16.21	17.90	3	Horizontal	269	2.54	34.09	38.20	12.94	33.24

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	101.99	Inf	-Inf	6.57	3	Horizontal	189	1.94	95.42	33.89	6.88	34.20
PK	5.6454G	67.66	68.20	-0.54	5.61	3	Horizontal	189	1.94	62.05	33.00	6.80	34.19
PK	5.7618G	116.54	Inf	-Inf	6.55	3	Horizontal	189	1.94	109.99	33.87	6.88	34.20
PK	5.9274G	64.86	68.20	-3.34	7.05	3	Horizontal	189	1.94	57.81	34.25	7.01	34.21



5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	31.81	54.00	-22.19	5.38	3	Vertical	235	1.18	26.43	33.20	6.30	34.12
AV	11.52744G	37.97	54.00	-16.03	16.36	3	Vertical	245	2.77	21.61	38.99	11.45	34.08
PK	4.99998G	44.12	74.00	-29.88	5.38	3	Vertical	235	1.18	38.74	33.20	6.30	34.12
PK	11.52408G	52.32	74.00	-21.68	16.37	3	Vertical	245	2.77	35.95	39.00	11.44	34.07
PK	17.38452G	51.81	68.20	-16.39	18.29	3	Vertical	227	1.50	33.52	38.55	13.07	33.33

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	46.65	54.00	-7.35	5.38	3	Horizontal	185	2.14	41.27	33.20	6.30	34.12
AV	11.52624G	37.87	54.00	-16.13	16.36	3	Horizontal	130	1.00	21.51	39.00	11.44	34.08
PK	4.9999G	57.08	74.00	-16.92	5.38	3	Horizontal	185	2.14	51.70	33.20	6.30	34.12
PK	11.55504G	51.58	74.00	-22.42	16.25	3	Horizontal	130	1.00	35.33	38.88	11.46	34.09
PK	17.37156G	51.92	68.20	-16.28	18.24	3	Horizontal	360	1.50	33.68	38.51	13.06	33.33



5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.83	54.00	-0.17	5.37	3	Horizontal	189	1.78	48.46	33.10	6.41	34.14
AV	5.2596G	97.27	Inf	-Inf	5.34	3	Horizontal	189	1.78	91.93	33.00	6.49	34.15
AV	5.3508G	52.69	54.00	-1.31	5.30	3	Horizontal	189	1.78	47.39	32.90	6.56	34.16
PK	5.1348G	68.72	74.00	-5.28	5.36	3	Horizontal	189	1.78	63.36	33.10	6.40	34.14
PK	5.2548G	111.45	Inf	-Inf	5.34	3	Horizontal	189	1.78	106.11	33.00	6.49	34.15
PK	5.3832G	67.14	74.00	-6.86	5.31	3	Horizontal	189	1.78	61.83	32.90	6.58	34.17
PK	5.4672G	62.92	68.20	-5.28	5.37	3	Horizontal	189	1.78	57.55	32.90	6.65	34.18

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	32.60	54.00	-21.40	5.38	3	Vertical	229	1.21	27.22	33.20	6.30	34.12
AV	15.6948G	37.66	54.00	-16.34	16.23	3	Vertical	320	1.50	21.43	38.42	12.25	34.44
PK	4.99962G	44.66	74.00	-29.34	5.38	3	Vertical	229	1.21	39.28	33.20	6.30	34.12
PK	10.4184G	50.83	68.20	-17.37	15.35	3	Vertical	67	1.50	35.48	38.90	11.03	34.58
PK	15.69768G	51.57	74.00	-22.43	16.22	3	Vertical	320	1.50	35.35	38.41	12.25	34.44



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	49.65	54.00	-4.35	5.38	3	Horizontal	188	2.03	44.27	33.20	6.30	34.12
AV	10.61904G	36.96	54.00	-17.04	15.64	3	Horizontal	185	1.50	21.32	38.96	11.11	34.43
AV	15.6972G	37.74	54.00	-16.26	16.22	3	Horizontal	360	2.88	21.52	38.41	12.25	34.44
PK	5.0002G	62.14	74.00	-11.86	5.38	3	Horizontal	188	2.03	56.76	33.20	6.30	34.12
PK	10.44336G	51.33	68.20	-16.87	15.38	3	Horizontal	185	1.50	35.95	38.90	11.04	34.56
PK	15.67848G	52.16	74.00	-21.84	16.27	3	Horizontal	360	2.88	35.89	38.46	12.24	34.43

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45996G	52.25	54.00	-1.75	5.36	3	Horizontal	190	1.86	46.89	32.90	6.64	34.18
AV	5.5652G	95.68	Inf	-Inf	5.48	3	Horizontal	190	1.86	90.20	32.93	6.74	34.19
PK	5.3348G	63.23	68.20	-4.97	5.31	3	Horizontal	190	1.86	57.92	32.93	6.54	34.16
PK	5.4572G	67.35	74.00	-6.65	5.37	3	Horizontal	190	1.86	61.98	32.90	6.64	34.17
PK	5.4644G	67.22	68.20	-0.98	5.37	3	Horizontal	190	1.86	61.85	32.90	6.65	34.18
PK	5.5676G	109.91	Inf	-Inf	5.49	3	Horizontal	190	1.86	104.42	32.94	6.74	34.19
PK	5.762G	64.30	68.20	-3.90	6.55	3	Horizontal	190	1.86	57.75	33.87	6.88	34.20



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	31.41	54.00	-22.59	5.38	3	Vertical	230	2.29	26.03	33.20	6.30	34.12
AV	11.16304G	37.45	54.00	-16.55	16.14	3	Vertical	149	2.10	21.31	38.96	11.31	34.13
PK	4.99994G	43.69	74.00	-30.31	5.38	3	Vertical	230	2.29	38.31	33.20	6.30	34.12
PK	11.05744G	51.20	74.00	-22.80	16.06	3	Vertical	149	2.10	35.14	38.94	11.27	34.15
PK	16.72392G	52.34	68.20	-15.86	17.31	3	Vertical	53	1.50	35.03	38.30	12.77	33.76

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	46.22	54.00	-7.78	5.38	3	Horizontal	185	2.05	40.84	33.20	6.30	34.12
AV	11.1568G	37.37	54.00	-16.63	16.14	3	Horizontal	195	1.50	21.23	38.96	11.31	34.13
PK	5G	57.17	74.00	-16.83	5.38	3	Horizontal	185	2.05	51.79	33.20	6.30	34.12
PK	11.0296G	51.14	74.00	-22.86	16.08	3	Horizontal	195	1.50	35.06	38.97	11.26	34.15
PK	16.79208G	52.08	68.20	-16.12	17.48	3	Horizontal	164	1.50	34.60	38.30	12.80	33.62



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	499.48M	41.48	46.00	-4.52	3	Horizontal	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	123.12M	33.29	43.50	-10.21	3	Vertical	360	1.00
5775MHz	Pass	PK	249.22M	34.46	46.00	-11.54	3	Vertical	360	1.00
5775MHz	Pass	PK	375.32M	38.33	46.00	-7.67	3	Vertical	360	1.00
5775MHz	Pass	PK	499.48M	40.11	46.00	-5.89	3	Vertical	360	1.00
5775MHz	Pass	PK	648.86M	38.20	46.00	-7.80	3	Vertical	360	1.00
5775MHz	Pass	PK	749.74M	39.23	46.00	-6.77	3	Vertical	360	1.00
5775MHz	Pass	PK	125.06M	32.37	43.50	-11.13	3	Horizontal	0	1.00
5775MHz	Pass	PK	249.22M	38.67	46.00	-7.33	3	Horizontal	0	1.00
5775MHz	Pass	PK	375.32M	35.38	46.00	-10.62	3	Horizontal	0	1.00
5775MHz	Pass	PK	499.48M	41.48	46.00	-4.52	3	Horizontal	0	1.00
5775MHz	Pass	PK	656.62M	39.78	46.00	-6.22	3	Horizontal	0	1.00
5775MHz	Pass	PK	871.96M	35.35	46.00	-10.65	3	Horizontal	0	1.00



5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	123.12M	33.29	43.50	-10.21	-8.03	3	Vertical	360	1.00	41.32	17.42	1.82	27.27
PK	249.22M	34.46	46.00	-11.54	-6.52	3	Vertical	360	1.00	40.98	17.53	2.63	26.68
PK	375.32M	38.33	46.00	-7.67	-3.77	3	Vertical	360	1.00	42.10	20.00	3.26	27.03
PK	499.48M	40.11	46.00	-5.89	-1.19	3	Vertical	360	1.00	41.30	22.77	3.81	27.77
PK	648.86M	38.20	46.00	-7.80	0.64	3	Vertical	360	1.00	37.56	24.28	4.39	28.03
PK	749.74M	39.23	46.00	-6.77	2.33	3	Vertical	360	1.00	36.90	25.34	4.73	27.74

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	32.37	43.50	-11.13	-8.00	3	Horizontal	0	1.00	40.37	17.42	1.84	27.26
PK	249.22M	38.67	46.00	-7.33	-6.52	3	Horizontal	0	1.00	45.19	17.53	2.63	26.68
PK	375.32M	35.38	46.00	-10.62	-3.77	3	Horizontal	0	1.00	39.15	20.00	3.26	27.03
PK	499.48M	41.48	46.00	-4.52	-1.19	3	Horizontal	0	1.00	42.67	22.77	3.81	27.77
PK	656.62M	39.78	46.00	-6.22	0.67	3	Horizontal	0	1.00	39.11	24.27	4.41	28.01
PK	871.96M	35.35	46.00	-10.65	3.63	3	Horizontal	0	1.00	31.72	25.98	5.17	27.52



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	15.72228G	52.29	54.00	-1.71	3	Vertical	87	2.88
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	4.99996G	52.35	54.00	-1.65	3	Horizontal	185	1.95
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	4.99992G	50.04	54.00	-3.96	3	Vertical	192	1.85
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	4.99998G	50.43	54.00	-3.57	3	Horizontal	185	2.02
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5G	51.49	54.00	-2.51	3	Horizontal	184	1.95
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5G	51.84	54.00	-2.16	3	Horizontal	189	2.13
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	15.77976G	52.64	54.00	-1.36	3	Vertical	296	2.57
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5G	50.73	54.00	-3.27	3	Horizontal	186	1.85
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	4.99998G	50.45	54.00	-3.55	3	Horizontal	184	1.97
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	16.73778G	67.43	68.20	-0.77	3	Vertical	332	3.00
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	16.74384G	66.70	68.20	-1.50	3	Vertical	333	2.78
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	4.99996G	50.31	54.00	-3.69	3	Horizontal	190	2.15
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	4.99994G	49.95	54.00	-4.05	3	Horizontal	188	1.74
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5G	48.92	54.00	-5.08	3	Horizontal	189	1.62
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.22858G	65.91	68.20	-2.29	3	Vertical	304	2.77
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	4.99998G	48.06	54.00	-5.94	3	Horizontal	187	1.78
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5G	48.86	54.00	-5.14	3	Horizontal	183	1.94
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	4.99998G	48.59	54.00	-5.41	3	Horizontal	190	1.60



Result

Table with 11 columns: Mode, Result, Type, Freq (Hz), Level (dBuV/m), Limit (dBuV/m), Margin (dB), Dist (m), Condition, Azimuth (°), Height (m). It lists test results for various frequencies from 5180MHz to 5320MHz, including Pass/Fail status, Type (AV/PK), and Azimuth/Height data.



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.00024G	60.53	74.00	-13.47	3	Horizontal	179	2.18
5320MHz	Pass	PK	10.64444G	51.90	74.00	-22.10	3	Horizontal	255	1.44
5320MHz	Pass	PK	15.96318G	51.68	74.00	-22.32	3	Horizontal	190	1.80
5500MHz	Pass	AV	5.00002G	43.10	54.00	-10.90	3	Vertical	186	1.94
5500MHz	Pass	AV	11.00012G	37.44	54.00	-16.56	3	Vertical	245	1.84
5500MHz	Pass	PK	4.99994G	56.70	74.00	-17.30	3	Vertical	186	1.94
5500MHz	Pass	PK	10.98554G	51.39	74.00	-22.61	3	Vertical	245	1.84
5500MHz	Pass	PK	16.515G	52.63	68.20	-15.57	3	Vertical	297	1.90
5500MHz	Pass	AV	5.00002G	49.61	54.00	-4.39	3	Horizontal	182	1.93
5500MHz	Pass	AV	11.00276G	37.39	54.00	-16.61	3	Horizontal	183	2.52
5500MHz	Pass	PK	4.99976G	59.37	74.00	-14.63	3	Horizontal	182	1.93
5500MHz	Pass	PK	10.99376G	51.35	74.00	-22.65	3	Horizontal	183	2.52
5500MHz	Pass	PK	16.50774G	51.72	68.20	-16.48	3	Horizontal	317	1.50
5580MHz	Pass	AV	4.99992G	46.59	54.00	-7.41	3	Vertical	187	1.84
5580MHz	Pass	AV	11.16066G	38.82	54.00	-15.18	3	Vertical	19	1.75
5580MHz	Pass	PK	5.00012G	59.87	74.00	-14.13	3	Vertical	187	1.84
5580MHz	Pass	PK	11.15814G	52.49	74.00	-21.51	3	Vertical	19	1.75
5580MHz	Pass	PK	16.73778G	67.43	68.20	-0.77	3	Vertical	332	3.00
5580MHz	Pass	AV	4.99996G	49.76	54.00	-4.24	3	Horizontal	192	2.16
5580MHz	Pass	AV	11.15952G	38.26	54.00	-15.74	3	Horizontal	190	2.06
5580MHz	Pass	PK	4.9999G	60.42	74.00	-13.58	3	Horizontal	192	2.16
5580MHz	Pass	PK	11.16186G	51.53	74.00	-22.47	3	Horizontal	190	2.06
5580MHz	Pass	PK	16.752G	65.83	68.20	-2.37	3	Horizontal	336	2.97
5700MHz	Pass	AV	4.99996G	39.79	54.00	-14.21	3	Vertical	193	1.91
5700MHz	Pass	AV	11.40036G	39.32	54.00	-14.68	3	Vertical	131	2.30
5700MHz	Pass	PK	4.99984G	52.97	74.00	-21.03	3	Vertical	193	1.91
5700MHz	Pass	PK	11.40474G	52.32	74.00	-21.68	3	Vertical	131	2.30
5700MHz	Pass	PK	17.10192G	52.43	68.20	-15.77	3	Vertical	317	1.75
5700MHz	Pass	AV	5G	47.42	54.00	-6.58	3	Horizontal	189	1.78
5700MHz	Pass	AV	11.3994G	39.68	54.00	-14.32	3	Horizontal	132	1.91
5700MHz	Pass	PK	5.00002G	55.49	74.00	-18.51	3	Horizontal	189	1.78
5700MHz	Pass	PK	11.39976G	53.25	74.00	-20.75	3	Horizontal	132	1.91
5700MHz	Pass	PK	17.10282G	51.58	68.20	-16.62	3	Horizontal	148	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.00004G	41.99	54.00	-12.01	3	Vertical	191	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43958G	42.98	54.00	-11.02	3	Vertical	239	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	4.99626G	56.05	74.00	-17.95	3	Vertical	191	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43742G	57.56	74.00	-16.44	3	Vertical	239	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16048G	66.82	68.20	-1.38	3	Vertical	322	2.44
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.00002G	45.53	54.00	-8.47	3	Horizontal	189	1.76
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44054G	39.70	54.00	-14.30	3	Horizontal	188	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	PK	4.99998G	56.66	74.00	-17.34	3	Horizontal	189	1.76
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43304G	53.20	74.00	-20.80	3	Horizontal	188	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15934G	59.95	68.20	-8.25	3	Horizontal	295	2.78
5745MHz	Pass	AV	4.99992G	42.53	54.00	-11.47	3	Vertical	190	1.84
5745MHz	Pass	AV	11.49G	41.36	54.00	-12.64	3	Vertical	239	1.50
5745MHz	Pass	PK	4.99618G	56.89	74.00	-17.11	3	Vertical	190	1.84
5745MHz	Pass	PK	11.4867G	55.04	74.00	-18.96	3	Vertical	239	1.50
5745MHz	Pass	PK	17.22858G	65.91	68.20	-2.29	3	Vertical	304	2.77
5745MHz	Pass	AV	4.99994G	47.15	54.00	-6.85	3	Horizontal	190	1.78
5745MHz	Pass	AV	11.4894G	43.04	54.00	-10.96	3	Horizontal	196	1.82
5745MHz	Pass	PK	4.99984G	58.72	74.00	-15.28	3	Horizontal	190	1.78
5745MHz	Pass	PK	11.49558G	56.91	74.00	-17.09	3	Horizontal	196	1.82
5745MHz	Pass	PK	17.24016G	61.35	68.20	-6.85	3	Horizontal	297	1.76
5785MHz	Pass	AV	5.00002G	42.61	54.00	-11.39	3	Vertical	189	1.81
5785MHz	Pass	AV	11.57018G	43.31	54.00	-10.69	3	Vertical	245	1.50
5785MHz	Pass	PK	4.9999G	57.08	74.00	-16.92	3	Vertical	189	1.81
5785MHz	Pass	PK	11.56466G	56.76	74.00	-17.24	3	Vertical	245	1.50
5785MHz	Pass	PK	17.3496G	62.34	68.20	-5.86	3	Vertical	306	2.64
5785MHz	Pass	AV	5.00002G	46.86	54.00	-7.14	3	Horizontal	189	1.80
5785MHz	Pass	AV	11.56352G	38.26	54.00	-15.74	3	Horizontal	230	1.22
5785MHz	Pass	PK	4.99996G	58.64	74.00	-15.36	3	Horizontal	189	1.80
5785MHz	Pass	PK	11.56322G	52.12	74.00	-21.88	3	Horizontal	230	1.22



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	17.35344G	62.15	68.20	-6.05	3	Horizontal	298	1.91
5825MHz	Pass	AV	5.00006G	43.94	54.00	-10.06	3	Vertical	187	1.84
5825MHz	Pass	AV	11.65078G	42.59	54.00	-11.41	3	Vertical	246	1.50
5825MHz	Pass	PK	4.99918G	57.80	74.00	-16.20	3	Vertical	187	1.84
5825MHz	Pass	PK	11.65114G	56.16	74.00	-17.84	3	Vertical	246	1.50
5825MHz	Pass	PK	17.47122G	55.00	68.20	-13.20	3	Vertical	177	1.50
5825MHz	Pass	AV	4.99998G	48.75	54.00	-5.25	3	Horizontal	185	1.79
5825MHz	Pass	AV	11.64808G	40.89	54.00	-13.11	3	Horizontal	278	2.42
5825MHz	Pass	PK	4.99994G	59.11	74.00	-14.89	3	Horizontal	185	1.79
5825MHz	Pass	PK	11.64382G	54.56	74.00	-19.44	3	Horizontal	278	2.42
5825MHz	Pass	PK	17.487G	64.30	68.20	-3.90	3	Horizontal	297	1.84
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	4.99996G	46.53	54.00	-7.47	3	Vertical	186	1.92
5180MHz	Pass	AV	15.54108G	38.23	54.00	-15.77	3	Vertical	131	1.50
5180MHz	Pass	PK	5.00308G	59.91	74.00	-14.09	3	Vertical	186	1.92
5180MHz	Pass	PK	10.3567G	50.78	68.20	-17.42	3	Vertical	31	1.78
5180MHz	Pass	PK	15.53292G	51.59	74.00	-22.41	3	Vertical	131	1.50
5180MHz	Pass	AV	5.00004G	52.21	54.00	-1.79	3	Horizontal	186	2.11
5180MHz	Pass	AV	15.54504G	38.35	54.00	-15.65	3	Horizontal	64	3.00
5180MHz	Pass	PK	4.99998G	61.86	74.00	-12.14	3	Horizontal	186	2.11
5180MHz	Pass	PK	10.35706G	50.35	68.20	-17.85	3	Horizontal	290	3.00
5180MHz	Pass	PK	15.54648G	52.14	74.00	-21.86	3	Horizontal	64	3.00
5200MHz	Pass	AV	4.99994G	50.90	54.00	-3.10	3	Vertical	188	1.84
5200MHz	Pass	AV	15.59036G	37.57	54.00	-16.43	3	Vertical	79	2.84
5200MHz	Pass	PK	5.00086G	65.03	74.00	-8.97	3	Vertical	188	1.84
5200MHz	Pass	PK	10.39304G	48.35	68.20	-19.85	3	Vertical	157	2.98
5200MHz	Pass	PK	15.59116G	49.66	74.00	-24.34	3	Vertical	79	2.84
5200MHz	Pass	AV	4.99996G	52.35	54.00	-1.65	3	Horizontal	185	1.95
5200MHz	Pass	AV	15.59028G	37.28	54.00	-16.72	3	Horizontal	61	1.61
5200MHz	Pass	PK	4.99974G	63.77	74.00	-10.23	3	Horizontal	185	1.95
5200MHz	Pass	PK	10.40696G	48.82	68.20	-19.38	3	Horizontal	298	2.29
5200MHz	Pass	PK	15.60136G	49.51	74.00	-24.49	3	Horizontal	61	1.61
5240MHz	Pass	AV	4.99576G	51.63	54.00	-2.37	3	Vertical	185	1.93
5240MHz	Pass	AV	15.72186G	50.21	54.00	-3.79	3	Vertical	298	1.81
5240MHz	Pass	PK	4.99524G	66.32	74.00	-7.68	3	Vertical	185	1.93
5240MHz	Pass	PK	10.48198G	51.21	68.20	-16.99	3	Vertical	70	2.04
5240MHz	Pass	PK	15.7248G	64.12	74.00	-9.88	3	Vertical	298	1.81
5240MHz	Pass	AV	4.99998G	51.20	54.00	-2.80	3	Horizontal	190	2.17
5240MHz	Pass	AV	15.72276G	42.53	54.00	-11.47	3	Horizontal	251	2.32
5240MHz	Pass	PK	4.99968G	64.22	74.00	-9.78	3	Horizontal	190	2.17
5240MHz	Pass	PK	10.47628G	51.71	68.20	-16.49	3	Horizontal	187	2.01
5240MHz	Pass	PK	15.73104G	57.13	74.00	-16.87	3	Horizontal	251	2.32
5260MHz	Pass	AV	4.99994G	51.04	54.00	-2.96	3	Vertical	192	1.88
5260MHz	Pass	AV	15.77976G	52.64	54.00	-1.36	3	Vertical	296	2.57
5260MHz	Pass	PK	4.99536G	65.32	74.00	-8.68	3	Vertical	192	1.88
5260MHz	Pass	PK	10.5236G	52.48	68.20	-15.72	3	Vertical	70	1.89
5260MHz	Pass	PK	15.77538G	66.89	74.00	-7.11	3	Vertical	296	2.57
5260MHz	Pass	AV	4.99996G	50.21	54.00	-3.79	3	Horizontal	190	2.03
5260MHz	Pass	AV	15.78144G	46.34	54.00	-7.66	3	Horizontal	248	1.95
5260MHz	Pass	PK	4.9996G	62.77	74.00	-11.23	3	Horizontal	190	2.03
5260MHz	Pass	PK	10.52642G	52.08	68.20	-16.12	3	Horizontal	118	1.99
5260MHz	Pass	PK	15.78474G	61.12	74.00	-12.88	3	Horizontal	248	1.95
5300MHz	Pass	AV	4.99984G	49.10	54.00	-4.90	3	Vertical	188	1.94
5300MHz	Pass	AV	15.90174G	41.72	54.00	-12.28	3	Vertical	314	1.50
5300MHz	Pass	PK	4.99518G	63.59	74.00	-10.41	3	Vertical	188	1.94
5300MHz	Pass	PK	10.60282G	51.89	74.00	-22.11	3	Vertical	296	1.84
5300MHz	Pass	PK	15.90084G	56.42	74.00	-17.58	3	Vertical	314	1.50
5300MHz	Pass	AV	4.99998G	51.26	54.00	-2.74	3	Horizontal	185	1.93
5300MHz	Pass	AV	10.60012G	37.68	54.00	-16.32	3	Horizontal	258	1.78
5300MHz	Pass	AV	15.90162G	40.22	54.00	-13.78	3	Horizontal	291	2.62
5300MHz	Pass	PK	5.0001G	62.54	74.00	-11.46	3	Horizontal	185	1.93
5300MHz	Pass	PK	10.60414G	51.70	74.00	-22.30	3	Horizontal	258	1.78



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz	Pass	PK	15.9015G	53.94	74.00	-20.06	3	Horizontal	291	2.62
5320MHz	Pass	AV	4.9999G	46.67	54.00	-7.33	3	Vertical	186	1.93
5320MHz	Pass	AV	10.63088G	37.45	54.00	-16.55	3	Vertical	300	1.50
5320MHz	Pass	AV	15.96222G	38.87	54.00	-15.13	3	Vertical	314	2.53
5320MHz	Pass	PK	4.99678G	60.38	74.00	-13.62	3	Vertical	186	1.93
5320MHz	Pass	PK	10.62902G	51.12	74.00	-22.88	3	Vertical	300	1.50
5320MHz	Pass	PK	15.9612G	53.11	74.00	-20.89	3	Vertical	314	2.53
5320MHz	Pass	AV	5.00002G	51.18	54.00	-2.82	3	Horizontal	183	2.05
5320MHz	Pass	AV	10.63088G	37.49	54.00	-16.51	3	Horizontal	356	1.50
5320MHz	Pass	AV	15.9474G	38.27	54.00	-15.73	3	Horizontal	162	2.37
5320MHz	Pass	PK	4.99988G	60.92	74.00	-13.08	3	Horizontal	183	2.05
5320MHz	Pass	PK	10.63124G	51.74	74.00	-22.26	3	Horizontal	356	1.50
5320MHz	Pass	PK	15.9525G	52.38	74.00	-21.62	3	Horizontal	162	2.37
5500MHz	Pass	AV	4.99994G	42.98	54.00	-11.02	3	Vertical	186	1.94
5500MHz	Pass	AV	10.98752G	37.55	54.00	-16.45	3	Vertical	246	2.18
5500MHz	Pass	PK	4.99646G	56.98	74.00	-17.02	3	Vertical	186	1.94
5500MHz	Pass	PK	11.00852G	52.08	74.00	-21.92	3	Vertical	246	2.18
5500MHz	Pass	PK	16.49934G	52.45	68.20	-15.75	3	Vertical	306	3.00
5500MHz	Pass	AV	5.00002G	49.44	54.00	-4.56	3	Horizontal	183	1.96
5500MHz	Pass	AV	11.0054G	37.79	54.00	-16.21	3	Horizontal	193	1.68
5500MHz	Pass	PK	5.00008G	58.50	74.00	-15.50	3	Horizontal	183	1.96
5500MHz	Pass	PK	10.9934G	52.15	74.00	-21.85	3	Horizontal	193	1.68
5500MHz	Pass	PK	16.51416G	51.73	68.20	-16.47	3	Horizontal	302	1.50
5580MHz	Pass	AV	5.00004G	46.36	54.00	-7.64	3	Vertical	188	1.88
5580MHz	Pass	AV	11.16156G	38.97	54.00	-15.03	3	Vertical	343	2.93
5580MHz	Pass	PK	4.99972G	60.04	74.00	-13.96	3	Vertical	188	1.88
5580MHz	Pass	PK	11.16708G	52.58	74.00	-21.42	3	Vertical	343	2.93
5580MHz	Pass	PK	16.74384G	66.70	68.20	-1.50	3	Vertical	333	2.78
5580MHz	Pass	AV	5.00002G	48.87	54.00	-5.13	3	Horizontal	192	2.11
5580MHz	Pass	AV	11.16102G	38.78	54.00	-15.22	3	Horizontal	137	1.76
5580MHz	Pass	PK	4.99982G	59.89	74.00	-14.11	3	Horizontal	192	2.11
5580MHz	Pass	PK	11.16144G	52.31	74.00	-21.69	3	Horizontal	137	1.76
5580MHz	Pass	PK	16.73526G	64.34	68.20	-3.86	3	Horizontal	337	2.92
5700MHz	Pass	AV	4.9999G	38.06	54.00	-15.94	3	Vertical	191	1.88
5700MHz	Pass	AV	11.40042G	38.52	54.00	-15.48	3	Vertical	103	1.69
5700MHz	Pass	PK	5G	51.47	74.00	-22.53	3	Vertical	191	1.88
5700MHz	Pass	PK	11.40822G	52.59	74.00	-21.41	3	Vertical	103	1.69
5700MHz	Pass	PK	17.10366G	52.29	68.20	-15.91	3	Vertical	26	1.03
5700MHz	Pass	AV	4.99998G	47.61	54.00	-6.39	3	Horizontal	185	1.94
5700MHz	Pass	AV	11.40138G	38.64	54.00	-15.36	3	Horizontal	124	1.00
5700MHz	Pass	PK	5.00008G	55.28	74.00	-18.72	3	Horizontal	185	1.94
5700MHz	Pass	PK	11.41056G	52.56	74.00	-21.44	3	Horizontal	124	1.00
5700MHz	Pass	PK	17.10504G	51.31	68.20	-16.89	3	Horizontal	332	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	AV	4.99998G	41.33	54.00	-12.67	3	Vertical	192	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44102G	39.45	54.00	-14.55	3	Vertical	247	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	4.99954G	57.85	74.00	-16.15	3	Vertical	192	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44858G	52.69	74.00	-21.31	3	Vertical	247	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15946G	66.21	68.20	-1.99	3	Vertical	322	2.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5G	44.54	54.00	-9.46	3	Horizontal	188	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43676G	40.18	54.00	-13.82	3	Horizontal	190	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.00006G	56.96	74.00	-17.04	3	Horizontal	188	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43106G	53.82	74.00	-20.18	3	Horizontal	190	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15856G	58.96	68.20	-9.24	3	Horizontal	334	1.50
5745MHz	Pass	AV	5G	41.95	54.00	-12.05	3	Vertical	192	1.96
5745MHz	Pass	AV	11.49084G	41.67	54.00	-12.33	3	Vertical	212	1.50
5745MHz	Pass	PK	4.99762G	56.06	74.00	-17.94	3	Vertical	192	1.96
5745MHz	Pass	PK	11.48676G	55.54	74.00	-18.46	3	Vertical	212	1.50
5745MHz	Pass	PK	17.2284G	60.69	68.20	-7.51	3	Vertical	306	2.70
5745MHz	Pass	AV	4.99996G	46.27	54.00	-7.73	3	Horizontal	183	2.12
5745MHz	Pass	AV	11.48628G	41.40	54.00	-12.60	3	Horizontal	192	2.10
5745MHz	Pass	PK	5.0001G	57.42	74.00	-16.58	3	Horizontal	183	2.12
5745MHz	Pass	PK	11.47872G	56.71	74.00	-17.29	3	Horizontal	192	2.10



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	17.24028G	60.35	68.20	-7.85	3	Horizontal	297	1.78
5785MHz	Pass	AV	5.00004G	42.56	54.00	-11.44	3	Vertical	191	1.86
5785MHz	Pass	AV	11.55608G	38.24	54.00	-15.76	3	Vertical	247	1.50
5785MHz	Pass	PK	5.0002G	56.76	74.00	-17.24	3	Vertical	191	1.86
5785MHz	Pass	PK	11.55788G	51.60	74.00	-22.40	3	Vertical	247	1.50
5785MHz	Pass	PK	17.34852G	60.36	68.20	-7.84	3	Vertical	306	2.75
5785MHz	Pass	AV	5G	46.90	54.00	-7.10	3	Horizontal	187	1.96
5785MHz	Pass	AV	11.5712G	41.24	54.00	-12.76	3	Horizontal	282	2.69
5785MHz	Pass	PK	5G	57.95	74.00	-16.05	3	Horizontal	187	1.96
5785MHz	Pass	PK	11.56928G	54.81	74.00	-19.19	3	Horizontal	282	2.69
5785MHz	Pass	PK	17.35134G	60.51	68.20	-7.69	3	Horizontal	298	1.77
5825MHz	Pass	AV	4.99998G	43.67	54.00	-10.33	3	Vertical	188	1.85
5825MHz	Pass	AV	11.63758G	38.29	54.00	-15.71	3	Vertical	248	1.50
5825MHz	Pass	PK	4.99942G	57.31	74.00	-16.69	3	Vertical	188	1.85
5825MHz	Pass	PK	11.64076G	51.89	74.00	-22.11	3	Vertical	248	1.50
5825MHz	Pass	PK	17.47674G	61.51	68.20	-6.69	3	Vertical	322	2.89
5825MHz	Pass	AV	4.99998G	48.06	54.00	-5.94	3	Horizontal	187	1.78
5825MHz	Pass	AV	11.65006G	39.57	54.00	-14.43	3	Horizontal	198	2.10
5825MHz	Pass	PK	5.00016G	57.98	74.00	-16.02	3	Horizontal	187	1.78
5825MHz	Pass	PK	11.64622G	53.43	74.00	-20.57	3	Horizontal	198	2.10
5825MHz	Pass	PK	17.47452G	60.70	68.20	-7.50	3	Horizontal	297	1.83
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	4.99996G	45.38	54.00	-8.62	3	Vertical	190	1.85
5190MHz	Pass	AV	15.54636G	38.24	54.00	-15.76	3	Vertical	129	1.50
5190MHz	Pass	PK	5.00052G	58.96	74.00	-15.04	3	Vertical	190	1.85
5190MHz	Pass	PK	10.36224G	50.63	68.20	-17.57	3	Vertical	308	2.85
5190MHz	Pass	PK	15.54036G	51.81	74.00	-22.19	3	Vertical	129	1.50
5190MHz	Pass	AV	4.99996G	49.12	54.00	-4.88	3	Horizontal	192	2.38
5190MHz	Pass	AV	15.54048G	38.22	54.00	-15.78	3	Horizontal	260	1.50
5190MHz	Pass	PK	4.9999G	58.25	74.00	-15.75	3	Horizontal	192	2.38
5190MHz	Pass	PK	10.37508G	50.85	68.20	-17.35	3	Horizontal	283	1.50
5190MHz	Pass	PK	15.57048G	52.26	74.00	-21.74	3	Horizontal	260	1.50
5230MHz	Pass	AV	4.99992G	50.04	54.00	-3.96	3	Vertical	192	1.85
5230MHz	Pass	AV	15.6814G	37.25	54.00	-16.75	3	Vertical	147	1.79
5230MHz	Pass	PK	4.99696G	64.31	74.00	-9.69	3	Vertical	192	1.85
5230MHz	Pass	PK	10.45088G	49.06	68.20	-19.14	3	Vertical	328	2.53
5230MHz	Pass	PK	15.69896G	51.55	74.00	-22.45	3	Vertical	147	1.79
5230MHz	Pass	AV	5G	49.91	54.00	-4.09	3	Horizontal	189	2.04
5230MHz	Pass	AV	15.68384G	37.40	54.00	-16.60	3	Horizontal	299	2.27
5230MHz	Pass	PK	5.00028G	62.55	74.00	-11.45	3	Horizontal	189	2.04
5230MHz	Pass	PK	10.46924G	48.56	68.20	-19.64	3	Horizontal	172	1.32
5230MHz	Pass	PK	15.6886G	50.02	74.00	-23.98	3	Horizontal	299	2.27
5270MHz	Pass	AV	5.00008G	49.28	54.00	-4.72	3	Vertical	186	1.88
5270MHz	Pass	AV	15.81396G	39.01	54.00	-14.99	3	Vertical	293	1.76
5270MHz	Pass	PK	4.99974G	64.25	74.00	-9.75	3	Vertical	186	1.88
5270MHz	Pass	PK	10.51024G	50.72	68.20	-17.48	3	Vertical	160	1.19
5270MHz	Pass	PK	15.798G	52.82	74.00	-21.18	3	Vertical	293	1.76
5270MHz	Pass	AV	5G	50.73	54.00	-3.27	3	Horizontal	186	1.85
5270MHz	Pass	AV	15.7992G	37.73	54.00	-16.27	3	Horizontal	246	1.50
5270MHz	Pass	PK	4.99978G	62.21	74.00	-11.79	3	Horizontal	186	1.85
5270MHz	Pass	PK	10.56808G	51.19	68.20	-17.01	3	Horizontal	246	2.66
5270MHz	Pass	PK	15.8004G	51.85	74.00	-22.15	3	Horizontal	246	1.50
5310MHz	Pass	AV	4.99994G	44.29	54.00	-9.71	3	Vertical	186	1.94
5310MHz	Pass	AV	10.63188G	37.06	54.00	-16.94	3	Vertical	272	1.50
5310MHz	Pass	AV	15.95532G	37.92	54.00	-16.08	3	Vertical	6	1.50
5310MHz	Pass	PK	4.99546G	58.65	74.00	-15.35	3	Vertical	186	1.94
5310MHz	Pass	PK	10.64652G	50.99	74.00	-23.01	3	Vertical	272	1.50
5310MHz	Pass	PK	15.92808G	52.29	74.00	-21.71	3	Vertical	6	1.50
5310MHz	Pass	AV	5G	48.55	54.00	-5.45	3	Horizontal	188	1.86
5310MHz	Pass	AV	10.63104G	37.15	54.00	-16.85	3	Horizontal	200	2.86
5310MHz	Pass	AV	15.94776G	37.95	54.00	-16.05	3	Horizontal	159	1.50
5310MHz	Pass	PK	4.99994G	58.53	74.00	-15.47	3	Horizontal	188	1.86



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	10.63716G	51.39	74.00	-22.61	3	Horizontal	200	2.86
5310MHz	Pass	PK	15.95868G	52.45	74.00	-21.55	3	Horizontal	159	1.50
5510MHz	Pass	AV	4.99998G	40.30	54.00	-13.70	3	Vertical	188	1.86
5510MHz	Pass	AV	11.01328G	37.36	54.00	-16.64	3	Vertical	214	2.88
5510MHz	Pass	PK	5.00018G	53.68	74.00	-20.32	3	Vertical	188	1.86
5510MHz	Pass	PK	11.03308G	51.39	74.00	-22.61	3	Vertical	214	2.88
5510MHz	Pass	PK	16.54536G	52.05	68.20	-16.15	3	Vertical	247	1.50
5510MHz	Pass	AV	4.99998G	47.97	54.00	-6.03	3	Horizontal	187	1.50
5510MHz	Pass	AV	11.01424G	37.23	54.00	-16.77	3	Horizontal	28	1.50
5510MHz	Pass	PK	4.99982G	56.08	74.00	-17.92	3	Horizontal	187	1.50
5510MHz	Pass	PK	11.03656G	51.36	74.00	-22.64	3	Horizontal	28	1.50
5510MHz	Pass	PK	16.51896G	51.43	68.20	-16.77	3	Horizontal	203	1.50
5550MHz	Pass	AV	5G	44.43	54.00	-9.57	3	Vertical	191	1.77
5550MHz	Pass	AV	11.1018G	36.83	54.00	-17.17	3	Vertical	161	2.77
5550MHz	Pass	PK	5.00038G	58.33	74.00	-15.67	3	Vertical	191	1.77
5550MHz	Pass	PK	11.09508G	50.02	74.00	-23.98	3	Vertical	161	2.77
5550MHz	Pass	PK	16.63668G	50.81	68.20	-17.39	3	Vertical	96	2.79
5550MHz	Pass	AV	4.99996G	50.31	54.00	-3.69	3	Horizontal	190	2.15
5550MHz	Pass	AV	11.10468G	37.14	54.00	-16.86	3	Horizontal	12	1.06
5550MHz	Pass	PK	4.9998G	59.76	74.00	-14.24	3	Horizontal	190	2.15
5550MHz	Pass	PK	11.09598G	49.29	74.00	-24.71	3	Horizontal	12	1.06
5550MHz	Pass	PK	16.6353G	50.53	68.20	-17.67	3	Horizontal	259	3.00
5670MHz	Pass	AV	4.99996G	41.02	54.00	-12.98	3	Vertical	187	1.83
5670MHz	Pass	AV	11.35952G	37.70	54.00	-16.30	3	Vertical	179	2.36
5670MHz	Pass	PK	4.99916G	54.03	74.00	-19.97	3	Vertical	187	1.83
5670MHz	Pass	PK	11.32912G	50.18	74.00	-23.82	3	Vertical	179	2.36
5670MHz	Pass	PK	16.99792G	50.55	68.20	-17.65	3	Vertical	248	1.57
5670MHz	Pass	AV	5.00004G	47.92	54.00	-6.08	3	Horizontal	192	2.16
5670MHz	Pass	AV	11.34792G	37.72	54.00	-16.28	3	Horizontal	212	2.84
5670MHz	Pass	PK	5.00012G	56.17	74.00	-17.83	3	Horizontal	192	2.16
5670MHz	Pass	PK	11.3516G	50.51	74.00	-23.49	3	Horizontal	212	2.84
5670MHz	Pass	PK	17.00096G	51.06	68.20	-17.14	3	Horizontal	265	1.11
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5G	41.87	54.00	-12.13	3	Vertical	191	1.84
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41128G	37.99	54.00	-16.01	3	Vertical	340	1.12
5710MHz Straddle 5.47-5.725GHz	Pass	PK	4.99822G	55.94	74.00	-18.06	3	Vertical	191	1.84
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41896G	50.97	74.00	-23.03	3	Vertical	340	1.12
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1336G	50.55	68.20	-17.65	3	Vertical	272	1.53
5710MHz Straddle 5.47-5.725GHz	Pass	AV	4.99998G	47.47	54.00	-6.53	3	Horizontal	182	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40848G	38.26	54.00	-15.74	3	Horizontal	175	2.23
5710MHz Straddle 5.47-5.725GHz	Pass	PK	4.99978G	57.61	74.00	-16.39	3	Horizontal	182	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43552G	50.92	74.00	-23.08	3	Horizontal	175	2.23
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13456G	50.54	68.20	-17.66	3	Horizontal	257	1.58
5755MHz	Pass	AV	5.00006G	41.75	54.00	-12.25	3	Vertical	191	1.85
5755MHz	Pass	AV	11.49296G	37.97	54.00	-16.03	3	Vertical	281	1.67
5755MHz	Pass	PK	5.0039G	55.45	74.00	-18.55	3	Vertical	191	1.85
5755MHz	Pass	PK	11.50816G	51.39	74.00	-22.61	3	Vertical	281	1.67
5755MHz	Pass	PK	17.25964G	50.49	68.20	-17.71	3	Vertical	187	2.65
5755MHz	Pass	AV	5G	48.42	54.00	-5.58	3	Horizontal	189	1.66
5755MHz	Pass	AV	11.5112G	38.56	54.00	-15.44	3	Horizontal	131	1.91
5755MHz	Pass	PK	5.0001G	57.91	74.00	-16.09	3	Horizontal	189	1.66
5755MHz	Pass	PK	11.5088G	50.62	74.00	-23.38	3	Horizontal	131	1.91
5755MHz	Pass	PK	17.26036G	50.41	68.20	-17.79	3	Horizontal	109	2.20
5795MHz	Pass	AV	4.99994G	42.50	54.00	-11.50	3	Vertical	187	1.84
5795MHz	Pass	AV	11.59108G	39.79	54.00	-14.21	3	Vertical	245	1.50
5795MHz	Pass	PK	5.00058G	57.06	74.00	-16.94	3	Vertical	187	1.84
5795MHz	Pass	PK	11.60068G	53.45	74.00	-20.55	3	Vertical	245	1.50
5795MHz	Pass	PK	17.39796G	53.62	68.20	-14.58	3	Vertical	306	2.76
5795MHz	Pass	AV	5G	48.86	54.00	-5.14	3	Horizontal	183	1.94
5795MHz	Pass	AV	11.5912G	39.39	54.00	-14.61	3	Horizontal	132	1.94
5795MHz	Pass	PK	5G	58.21	74.00	-15.79	3	Horizontal	183	1.94
5795MHz	Pass	PK	11.57344G	51.03	74.00	-22.97	3	Horizontal	132	1.94
5795MHz	Pass	PK	17.39484G	53.42	68.20	-14.78	3	Horizontal	297	1.88



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	4.99994G	46.24	54.00	-7.76	3	Vertical	187	1.84
5210MHz	Pass	AV	15.62384G	37.99	54.00	-16.01	3	Vertical	245	1.57
5210MHz	Pass	PK	4.99982G	60.35	74.00	-13.65	3	Vertical	187	1.84
5210MHz	Pass	PK	10.42748G	49.37	68.20	-18.83	3	Vertical	30	2.15
5210MHz	Pass	PK	15.63052G	50.74	74.00	-23.26	3	Vertical	245	1.57
5210MHz	Pass	AV	4.99998G	50.43	54.00	-3.57	3	Horizontal	185	2.02
5210MHz	Pass	AV	15.62G	38.02	54.00	-15.98	3	Horizontal	351	1.71
5210MHz	Pass	PK	4.99992G	59.31	74.00	-14.69	3	Horizontal	185	2.02
5210MHz	Pass	PK	10.41072G	48.95	68.20	-19.25	3	Horizontal	304	2.95
5210MHz	Pass	PK	15.62076G	50.96	74.00	-23.04	3	Horizontal	351	1.71
5290MHz	Pass	AV	5.00016G	45.73	54.00	-8.27	3	Vertical	186	1.85
5290MHz	Pass	AV	15.87944G	38.37	54.00	-15.63	3	Vertical	6	1.98
5290MHz	Pass	PK	5.00212G	58.37	74.00	-15.63	3	Vertical	186	1.85
5290MHz	Pass	PK	10.57036G	50.02	68.20	-18.18	3	Vertical	77	2.22
5290MHz	Pass	PK	15.87848G	50.47	74.00	-23.53	3	Vertical	6	1.98
5290MHz	Pass	AV	4.99998G	50.45	54.00	-3.55	3	Horizontal	184	1.97
5290MHz	Pass	AV	15.8776G	38.43	54.00	-15.57	3	Horizontal	41	2.35
5290MHz	Pass	PK	4.99994G	59.14	74.00	-14.86	3	Horizontal	184	1.97
5290MHz	Pass	PK	10.5702G	49.88	68.20	-18.32	3	Horizontal	79	1.45
5290MHz	Pass	PK	15.86408G	50.14	74.00	-23.86	3	Horizontal	41	2.35
5530MHz	Pass	AV	4.9999G	41.68	54.00	-12.32	3	Vertical	191	1.84
5530MHz	Pass	AV	11.05356G	37.93	54.00	-16.07	3	Vertical	197	2.29
5530MHz	Pass	PK	4.99994G	53.93	74.00	-20.07	3	Vertical	191	1.84
5530MHz	Pass	PK	11.0508G	49.50	74.00	-24.50	3	Vertical	197	2.29
5530MHz	Pass	PK	16.5846G	50.60	68.20	-17.60	3	Vertical	200	2.46
5530MHz	Pass	AV	4.99996G	48.90	54.00	-5.10	3	Horizontal	190	1.80
5530MHz	Pass	AV	11.05596G	37.87	54.00	-16.13	3	Horizontal	218	2.12
5530MHz	Pass	PK	4.99982G	57.34	74.00	-16.66	3	Horizontal	190	1.80
5530MHz	Pass	PK	11.051G	49.74	74.00	-24.26	3	Horizontal	218	2.12
5530MHz	Pass	PK	16.58232G	51.08	68.20	-17.12	3	Horizontal	306	2.76
5610MHz	Pass	AV	4.99988G	44.09	54.00	-9.91	3	Vertical	190	1.85
5610MHz	Pass	AV	11.22536G	38.06	54.00	-15.94	3	Vertical	176	1.20
5610MHz	Pass	PK	4.99892G	56.38	74.00	-17.62	3	Vertical	190	1.85
5610MHz	Pass	PK	11.21736G	49.85	74.00	-24.15	3	Vertical	176	1.20
5610MHz	Pass	PK	16.82676G	51.09	68.20	-17.11	3	Vertical	191	1.42
5610MHz	Pass	AV	4.99994G	49.95	54.00	-4.05	3	Horizontal	188	1.74
5610MHz	Pass	AV	11.22064G	37.97	54.00	-16.03	3	Horizontal	257	1.56
5610MHz	Pass	PK	5.0002G	58.01	74.00	-15.99	3	Horizontal	188	1.74
5610MHz	Pass	PK	11.22776G	49.73	74.00	-24.27	3	Horizontal	257	1.56
5610MHz	Pass	PK	16.8324G	52.14	68.20	-16.06	3	Horizontal	218	1.56
5690MHz Straddle 5.47-5.725GHz	Pass	AV	4.99996G	41.97	54.00	-12.03	3	Vertical	189	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3846G	38.79	54.00	-15.21	3	Vertical	147	1.71
5690MHz Straddle 5.47-5.725GHz	Pass	PK	4.99956G	54.47	74.00	-19.53	3	Vertical	189	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37004G	50.36	74.00	-23.64	3	Vertical	147	1.71
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0662G	49.90	68.20	-18.30	3	Vertical	342	2.27
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.00006G	38.87	54.00	-15.13	3	Horizontal	168	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37792G	38.70	54.00	-15.30	3	Horizontal	345	1.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.00016G	48.14	74.00	-25.86	3	Horizontal	168	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3722G	50.53	74.00	-23.47	3	Horizontal	345	1.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06092G	51.46	68.20	-16.74	3	Horizontal	35	1.63
5775MHz	Pass	AV	4.99998G	41.49	54.00	-12.51	3	Vertical	192	1.87
5775MHz	Pass	AV	11.5454G	38.84	54.00	-15.16	3	Vertical	236	1.49
5775MHz	Pass	PK	4.99992G	53.58	74.00	-20.42	3	Vertical	192	1.87
5775MHz	Pass	PK	11.5498G	50.11	74.00	-23.89	3	Vertical	236	1.49
5775MHz	Pass	PK	17.3184G	50.01	68.20	-18.19	3	Vertical	220	2.13
5775MHz	Pass	AV	4.99998G	48.59	54.00	-5.41	3	Horizontal	190	1.60
5775MHz	Pass	AV	11.54028G	38.99	54.00	-15.01	3	Horizontal	181	1.82
5775MHz	Pass	PK	4.99988G	56.49	74.00	-17.51	3	Horizontal	190	1.60
5775MHz	Pass	PK	11.5418G	51.60	74.00	-22.40	3	Horizontal	181	1.82
5775MHz	Pass	PK	17.31796G	50.44	68.20	-17.76	3	Horizontal	48	1.75
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.00208G	48.57	54.00	-5.43	3	Vertical	185	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.75008G	38.92	54.00	-15.08	3	Vertical	242	1.05
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0007G	61.17	74.00	-12.83	3	Vertical	185	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5086G	50.49	68.20	-17.71	3	Vertical	226	2.29
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.74676G	49.41	74.00	-24.59	3	Vertical	242	1.05
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5G	51.49	54.00	-2.51	3	Horizontal	184	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.7458G	38.84	54.00	-15.16	3	Horizontal	113	2.67
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.00018G	61.24	74.00	-12.76	3	Horizontal	184	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50956G	49.07	68.20	-19.13	3	Horizontal	314	2.25
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.75928G	50.12	74.00	-23.88	3	Horizontal	113	2.67
5570MHz	Pass	AV	5.00018G	41.85	54.00	-12.15	3	Vertical	190	1.96
5570MHz	Pass	AV	11.13412G	38.41	54.00	-15.59	3	Vertical	149	2.69
5570MHz	Pass	PK	4.99994G	53.36	74.00	-20.64	3	Vertical	190	1.96
5570MHz	Pass	PK	11.14044G	49.01	74.00	-24.99	3	Vertical	149	2.69
5570MHz	Pass	PK	16.713G	50.88	68.20	-17.32	3	Vertical	293	2.92
5570MHz	Pass	AV	5G	48.92	54.00	-5.08	3	Horizontal	189	1.62
5570MHz	Pass	AV	11.13248G	38.34	54.00	-15.66	3	Horizontal	120	1.35
5570MHz	Pass	PK	4.99992G	55.98	74.00	-18.02	3	Horizontal	189	1.62
5570MHz	Pass	PK	11.13572G	49.95	74.00	-24.05	3	Horizontal	120	1.35
5570MHz	Pass	PK	16.7146G	50.22	68.20	-17.98	3	Horizontal	30	1.61



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.44	54.00	-3.56	5.37	3	Vertical	189	1.74	45.07	33.10	6.41	34.14
AV	5.182G	108.79	Inf	-Inf	5.40	3	Vertical	189	1.74	103.39	33.10	6.44	34.14
PK	5.1496G	64.88	74.00	-9.12	5.37	3	Vertical	189	1.74	59.51	33.10	6.41	34.14
PK	5.1786G	121.26	Inf	-Inf	5.39	3	Vertical	189	1.74	115.87	33.10	6.43	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	5.37	3	Horizontal	186	1.92	48.18	33.10	6.41	34.14
AV	5.178G	110.20	Inf	-Inf	5.39	3	Horizontal	186	1.92	104.81	33.10	6.43	34.14
PK	5.15G	72.57	74.00	-1.43	5.37	3	Horizontal	186	1.92	67.20	33.10	6.41	34.14
PK	5.1788G	121.48	Inf	-Inf	5.39	3	Horizontal	186	1.92	116.09	33.10	6.43	34.14



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	48.35	54.00	-5.65	5.38	3	Vertical	186	1.84	42.97	33.20	6.30	34.12
AV	15.5406G	37.94	54.00	-16.06	16.66	3	Vertical	143	1.50	21.28	38.82	12.16	34.32
PK	5.00044G	61.16	74.00	-12.84	5.38	3	Vertical	186	1.84	55.78	33.20	6.30	34.12
PK	10.35604G	51.33	68.20	-16.87	15.28	3	Vertical	245	2.10	36.05	38.90	11.01	34.63
PK	15.54486G	51.45	74.00	-22.55	16.65	3	Vertical	143	1.50	34.80	38.81	12.16	34.32

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	52.12	54.00	-1.88	5.38	3	Horizontal	189	1.91	46.74	33.20	6.30	34.12
AV	15.54066G	38.08	54.00	-15.92	16.66	3	Horizontal	222	2.94	21.42	38.82	12.16	34.32
PK	4.99988G	62.47	74.00	-11.53	5.38	3	Horizontal	189	1.91	57.09	33.20	6.30	34.12
PK	10.3648G	50.71	68.20	-17.49	15.29	3	Horizontal	290	1.01	35.42	38.90	11.01	34.62
PK	15.53856G	51.83	74.00	-22.17	16.65	3	Horizontal	222	2.94	35.18	38.82	12.15	34.32



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.34	54.00	-1.66	5.37	3	Vertical	186	1.43	46.97	33.10	6.41	34.14
AV	5.2008G	112.77	Inf	-Inf	5.41	3	Vertical	186	1.43	107.36	33.10	6.45	34.14
PK	5.1424G	69.08	74.00	-4.92	5.37	3	Vertical	186	1.43	63.71	33.10	6.41	34.14
PK	5.1984G	125.52	Inf	-Inf	5.41	3	Vertical	186	1.43	120.11	33.10	6.45	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.85	54.00	-0.15	5.37	3	Horizontal	186	1.86	48.48	33.10	6.41	34.14
AV	5.1952G	113.98	Inf	-Inf	5.41	3	Horizontal	186	1.86	108.57	33.10	6.45	34.14
PK	5.1428G	70.06	74.00	-3.94	5.37	3	Horizontal	186	1.86	64.69	33.10	6.41	34.14
PK	5.1936G	125.20	Inf	-Inf	5.41	3	Horizontal	186	1.86	119.79	33.10	6.45	34.14



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	51.12	54.00	-2.88	5.38	3	Vertical	188	1.84	45.74	33.20	6.30	34.12
AV	15.59904G	42.52	54.00	-11.48	16.52	3	Vertical	297	2.11	26.00	38.70	12.19	34.37
PK	4.99972G	65.34	74.00	-8.66	5.38	3	Vertical	188	1.84	59.96	33.20	6.30	34.12
PK	10.3979G	53.18	68.20	-15.02	15.33	3	Vertical	248	2.13	37.85	38.90	11.03	34.60
PK	15.59916G	60.00	74.00	-14.00	16.52	3	Vertical	297	2.11	43.48	38.70	12.19	34.37

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9999G	51.44	54.00	-2.56	5.38	3	Horizontal	190	2.13	46.06	33.20	6.30	34.12
AV	15.60576G	39.04	54.00	-14.96	16.51	3	Horizontal	246	1.00	22.53	38.68	12.20	34.37
PK	4.998G	62.59	74.00	-11.41	5.37	3	Horizontal	190	2.13	57.22	33.19	6.30	34.12
PK	10.38836G	52.32	68.20	-15.88	15.32	3	Horizontal	163	2.16	37.00	38.90	11.02	34.60
PK	15.5868G	54.18	74.00	-19.82	16.55	3	Horizontal	246	1.00	37.63	38.73	12.18	34.36



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.135G	52.30	54.00	-1.70	5.36	3	Vertical	186	1.50	46.94	33.10	6.40	34.14
AV	5.2466G	116.14	Inf	-Inf	5.34	3	Vertical	186	1.50	110.80	33.01	6.48	34.15
AV	5.3528G	53.72	54.00	-0.28	5.30	3	Vertical	186	1.50	48.42	32.90	6.56	34.16
PK	5.1494G	66.94	74.00	-7.06	5.37	3	Vertical	186	1.50	61.57	33.10	6.41	34.14
PK	5.2466G	127.94	Inf	-Inf	5.34	3	Vertical	186	1.50	122.60	33.01	6.48	34.15
PK	5.369G	67.65	74.00	-6.35	5.31	3	Vertical	186	1.50	62.34	32.90	6.57	34.16

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	52.83	54.00	-1.17	5.37	3	Horizontal	186	1.88	47.46	33.10	6.41	34.14
AV	5.2412G	116.81	Inf	-Inf	5.35	3	Horizontal	186	1.88	111.46	33.02	6.48	34.15
AV	5.351G	53.22	54.00	-0.78	5.30	3	Horizontal	186	1.88	47.92	32.90	6.56	34.16
PK	5.1476G	68.07	74.00	-5.93	5.37	3	Horizontal	186	1.88	62.70	33.10	6.41	34.14
PK	5.2424G	127.80	Inf	-Inf	5.35	3	Horizontal	186	1.88	122.45	33.02	6.48	34.15
PK	5.3858G	66.68	74.00	-7.32	5.31	3	Horizontal	186	1.88	61.37	32.90	6.58	34.17



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.16	54.00	-2.84	5.38	3	Vertical	188	1.87	45.78	33.20	6.30	34.12
AV	15.72228G	52.29	54.00	-1.71	16.21	3	Vertical	87	2.88	36.08	38.40	12.27	34.46
PK	4.99876G	65.96	74.00	-8.04	5.38	3	Vertical	188	1.87	60.58	33.20	6.30	34.12
PK	10.47418G	53.23	68.20	-14.97	15.43	3	Vertical	120	1.81	37.80	38.90	11.06	34.53
PK	15.73224G	67.47	74.00	-6.53	16.20	3	Vertical	87	2.88	51.27	38.40	12.27	34.47

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00106G	49.08	54.00	-4.92	5.38	3	Horizontal	190	1.95	43.70	33.20	6.30	34.12
AV	15.7221G	49.74	54.00	-4.26	16.21	3	Horizontal	124	2.66	33.53	38.40	12.27	34.46
PK	4.99966G	64.49	74.00	-9.51	5.38	3	Horizontal	190	1.95	59.11	33.20	6.30	34.12
PK	10.4737G	53.19	68.20	-15.01	15.43	3	Horizontal	148	2.14	37.76	38.90	11.06	34.53
PK	15.73176G	64.35	74.00	-9.65	16.20	3	Horizontal	124	2.66	48.15	38.40	12.27	34.47



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.62	54.00	-2.38	5.37	3	Vertical	185	1.62	46.25	33.10	6.41	34.14
AV	5.257G	116.02	Inf	-Inf	5.34	3	Vertical	185	1.62	110.68	33.00	6.49	34.15
AV	5.374G	53.74	54.00	-0.26	5.31	3	Vertical	185	1.62	48.43	32.90	6.57	34.16
PK	5.1472G	65.62	74.00	-8.38	5.37	3	Vertical	185	1.62	60.25	33.10	6.41	34.14
PK	5.2588G	128.59	Inf	-Inf	5.34	3	Vertical	185	1.62	123.25	33.00	6.49	34.15
PK	5.3722G	67.53	74.00	-6.47	5.31	3	Vertical	185	1.62	62.22	32.90	6.57	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.34	54.00	-2.66	5.37	3	Horizontal	186	1.62	45.97	33.10	6.41	34.14
AV	5.2576G	115.29	Inf	-Inf	5.34	3	Horizontal	186	1.62	109.95	33.00	6.49	34.15
AV	5.3704G	52.09	54.00	-1.91	5.31	3	Horizontal	186	1.62	46.78	32.90	6.57	34.16
PK	5.1484G	64.95	74.00	-9.05	5.37	3	Horizontal	186	1.62	59.58	33.10	6.41	34.14
PK	5.254G	126.32	Inf	-Inf	5.34	3	Horizontal	186	1.62	120.98	33.00	6.49	34.15
PK	5.3638G	66.41	74.00	-7.59	5.30	3	Horizontal	186	1.62	61.11	32.90	6.56	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	51.76	54.00	-2.24	5.38	3	Vertical	187	1.84	46.38	33.20	6.30	34.12
AV	15.7806G	50.62	54.00	-3.38	16.19	3	Vertical	312	1.50	34.43	38.40	12.30	34.51
PK	5.0005G	65.54	74.00	-8.46	5.38	3	Vertical	187	1.84	60.16	33.20	6.30	34.12
PK	10.51358G	52.64	68.20	-15.56	15.47	3	Vertical	70	1.84	37.17	38.90	11.07	34.50
PK	15.7806G	64.86	74.00	-9.14	16.19	3	Vertical	312	1.50	48.67	38.40	12.30	34.51

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.61	54.00	-2.39	5.38	3	Horizontal	187	1.94	46.23	33.20	6.30	34.12
AV	15.77442G	41.44	54.00	-12.56	16.20	3	Horizontal	250	3.00	25.24	38.40	12.30	34.50
PK	5.00018G	64.00	74.00	-10.00	5.38	3	Horizontal	187	1.94	58.62	33.20	6.30	34.12
PK	10.51178G	52.07	68.20	-16.13	15.47	3	Horizontal	153	2.01	36.60	38.90	11.07	34.50
PK	15.77454G	57.07	74.00	-16.93	16.20	3	Horizontal	250	3.00	40.87	38.40	12.30	34.50



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	113.33	Inf	-Inf	5.36	3	Vertical	184	1.62	107.97	33.00	6.52	34.16
AV	5.35G	53.73	54.00	-0.27	5.29	3	Vertical	184	1.62	48.44	32.90	6.55	34.16
PK	5.2988G	125.78	Inf	-Inf	5.36	3	Vertical	184	1.62	120.42	33.00	6.52	34.16
PK	5.35G	67.64	74.00	-6.36	5.29	3	Vertical	184	1.62	62.35	32.90	6.55	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	113.68	Inf	-Inf	5.36	3	Horizontal	186	1.89	108.32	33.00	6.52	34.16
AV	5.3504G	53.89	54.00	-0.31	5.30	3	Horizontal	186	1.89	48.39	32.90	6.56	34.16
PK	5.3024G	124.70	Inf	-Inf	5.36	3	Horizontal	186	1.89	119.34	33.00	6.52	34.16
PK	5.3504G	69.25	74.00	-4.75	5.30	3	Horizontal	186	1.89	63.95	32.90	6.56	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	50.31	54.00	-3.69	5.38	3	Vertical	188	1.87	44.93	33.20	6.30	34.12
AV	10.60054G	38.53	54.00	-15.47	15.56	3	Vertical	217	1.50	22.97	38.90	11.10	34.44
AV	15.90012G	43.71	54.00	-10.29	15.98	3	Vertical	290	1.93	27.73	38.20	12.38	34.60
PK	4.99998G	64.27	74.00	-9.73	5.38	3	Vertical	188	1.87	58.89	33.20	6.30	34.12
PK	10.60042G	52.18	74.00	-21.82	15.56	3	Vertical	217	1.50	36.62	38.90	11.10	34.44
PK	15.90378G	60.41	74.00	-13.59	15.97	3	Vertical	290	1.93	44.44	38.19	12.38	34.60

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.84	54.00	-2.16	5.38	3	Horizontal	189	2.13	46.46	33.20	6.30	34.12
AV	15.90108G	42.10	54.00	-11.90	15.98	3	Horizontal	293	2.05	26.12	38.20	12.38	34.60
PK	5.00016G	63.15	74.00	-10.85	5.38	3	Horizontal	189	2.13	57.77	33.20	6.30	34.12
PK	10.59772G	51.92	68.20	-16.28	15.56	3	Horizontal	258	2.62	36.36	38.90	11.10	34.44
PK	15.89712G	57.52	74.00	-16.48	15.99	3	Horizontal	293	2.05	41.53	38.21	12.38	34.60



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	109.68	Inf	-Inf	5.33	3	Vertical	186	1.50	104.35	32.96	6.53	34.16
AV	5.35G	53.56	54.00	-0.44	5.29	3	Vertical	186	1.50	48.27	32.90	6.55	34.16
PK	5.3186G	122.11	Inf	-Inf	5.33	3	Vertical	186	1.50	116.78	32.96	6.53	34.16
PK	5.3502G	70.56	74.00	-3.44	5.30	3	Vertical	186	1.50	65.26	32.90	6.56	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	110.05	Inf	-Inf	5.34	3	Horizontal	187	1.90	104.71	32.96	6.54	34.16
AV	5.35G	53.85	54.00	-0.15	5.29	3	Horizontal	187	1.90	48.56	32.90	6.55	34.16
PK	5.3224G	121.22	Inf	-Inf	5.34	3	Horizontal	187	1.90	115.88	32.96	6.54	34.16
PK	5.3502G	73.12	74.00	-0.88	5.30	3	Horizontal	187	1.90	67.82	32.90	6.56	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00006G	47.66	54.00	-6.34	5.38	3	Vertical	187	1.86	42.28	33.20	6.30	34.12
AV	10.63934G	37.46	54.00	-16.54	15.73	3	Vertical	196	1.06	21.73	39.02	11.12	34.41
AV	15.96054G	39.84	54.00	-14.16	15.85	3	Vertical	299	1.82	23.99	38.08	12.42	34.65
PK	4.99902G	61.22	74.00	-12.78	5.38	3	Vertical	187	1.86	55.84	33.20	6.30	34.12
PK	10.63094G	51.72	74.00	-22.28	15.68	3	Vertical	196	1.06	36.04	38.99	11.11	34.42
PK	15.9645G	54.30	74.00	-19.70	15.84	3	Vertical	299	1.82	38.46	38.07	12.42	34.65

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	50.28	54.00	-3.72	5.38	3	Horizontal	179	2.18	44.90	33.20	6.30	34.12
AV	10.64342G	37.42	54.00	-16.58	15.74	3	Horizontal	255	1.44	21.68	39.03	11.12	34.41
AV	15.96426G	38.13	54.00	-15.87	15.84	3	Horizontal	190	1.80	22.29	38.07	12.42	34.65
PK	5.00024G	60.53	74.00	-13.47	5.38	3	Horizontal	179	2.18	55.15	33.20	6.30	34.12
PK	10.64444G	51.90	74.00	-22.10	15.74	3	Horizontal	255	1.44	36.16	39.03	11.12	34.41
PK	15.96318G	51.68	74.00	-22.32	15.84	3	Horizontal	190	1.80	35.84	38.07	12.42	34.65



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.23	54.00	-5.77	5.36	3	Vertical	187	1.50	42.87	32.90	6.64	34.18
AV	5.501G	106.23	Inf	-Inf	5.40	3	Vertical	187	1.50	100.83	32.90	6.68	34.18
PK	5.4596G	62.50	74.00	-11.50	5.36	3	Vertical	187	1.50	57.14	32.90	6.64	34.18
PK	5.4686G	64.58	68.20	-3.62	5.37	3	Vertical	187	1.50	59.21	32.90	6.65	34.18
PK	5.4986G	118.56	Inf	-Inf	5.40	3	Vertical	187	1.50	113.16	32.90	6.68	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.40	54.00	-4.60	5.36	3	Horizontal	187	1.81	44.04	32.90	6.64	34.18
AV	5.5042G	106.91	Inf	-Inf	5.40	3	Horizontal	187	1.81	101.51	32.90	6.68	34.18
PK	5.4598G	64.34	74.00	-9.66	5.36	3	Horizontal	187	1.81	58.98	32.90	6.64	34.18
PK	5.4692G	67.83	68.20	-0.37	5.37	3	Horizontal	187	1.81	62.46	32.90	6.65	34.18
PK	5.5014G	117.93	Inf	-Inf	5.40	3	Horizontal	187	1.81	112.53	32.90	6.68	34.18



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	43.10	54.00	-10.90	5.38	3	Vertical	186	1.94	37.72	33.20	6.30	34.12
AV	11.00012G	37.44	54.00	-16.56	16.09	3	Vertical	245	1.84	21.35	39.00	11.25	34.16
PK	4.99994G	56.70	74.00	-17.30	5.38	3	Vertical	186	1.94	51.32	33.20	6.30	34.12
PK	10.98554G	51.39	74.00	-22.61	16.08	3	Vertical	245	1.84	35.31	39.01	11.24	34.17
PK	16.515G	52.63	68.20	-15.57	16.85	3	Vertical	297	1.90	35.78	38.35	12.67	34.17

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	49.61	54.00	-4.39	5.38	3	Horizontal	182	1.93	44.23	33.20	6.30	34.12
AV	11.00276G	37.39	54.00	-16.61	16.09	3	Horizontal	183	2.52	21.30	39.00	11.25	34.16
PK	4.99976G	59.37	74.00	-14.63	5.38	3	Horizontal	182	1.93	53.99	33.20	6.30	34.12
PK	10.99376G	51.35	74.00	-22.65	16.10	3	Horizontal	183	2.52	35.25	39.01	11.25	34.16
PK	16.50774G	51.72	68.20	-16.48	16.87	3	Horizontal	317	1.50	34.85	38.38	12.67	34.18



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	49.91	54.00	-4.09	5.37	3	Vertical	188	1.81	44.54	32.90	6.64	34.17
AV	5.5776G	114.16	Inf	-Inf	5.52	3	Vertical	188	1.81	108.64	32.96	6.75	34.19
PK	5.4582G	63.95	74.00	-10.05	5.37	3	Vertical	188	1.81	58.58	32.90	6.64	34.17
PK	5.4666G	64.58	68.20	-3.62	5.37	3	Vertical	188	1.81	59.21	32.90	6.65	34.18
PK	5.5782G	126.86	Inf	-Inf	5.52	3	Vertical	188	1.81	121.34	32.96	6.75	34.19
PK	5.73G	63.72	68.20	-4.48	6.37	3	Vertical	188	1.81	57.35	33.72	6.85	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	51.50	54.00	-2.50	5.37	3	Horizontal	188	1.99	46.13	32.90	6.64	34.17
AV	5.577G	113.97	Inf	-Inf	5.51	3	Horizontal	188	1.99	108.46	32.95	6.75	34.19
PK	5.4408G	65.80	74.00	-8.20	5.36	3	Horizontal	188	1.99	60.44	32.90	6.63	34.17
PK	5.466G	66.08	68.20	-2.12	5.37	3	Horizontal	188	1.99	60.71	32.90	6.65	34.18
PK	5.5824G	124.84	Inf	-Inf	5.52	3	Horizontal	188	1.99	119.32	32.96	6.75	34.19
PK	5.7258G	63.65	68.20	-4.55	6.35	3	Horizontal	188	1.99	57.30	33.70	6.85	34.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	46.59	54.00	-7.41	5.38	3	Vertical	187	1.84	41.21	33.20	6.30	34.12
AV	11.16066G	38.82	54.00	-15.18	16.14	3	Vertical	19	1.75	22.68	38.96	11.31	34.13
PK	5.00012G	59.87	74.00	-14.13	5.38	3	Vertical	187	1.84	54.49	33.20	6.30	34.12
PK	11.15814G	52.49	74.00	-21.51	16.14	3	Vertical	19	1.75	36.35	38.96	11.31	34.13
PK	16.73778G	67.43	68.20	-0.77	17.35	3	Vertical	332	3.00	50.08	38.30	12.78	33.73

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	49.76	54.00	-4.24	5.38	3	Horizontal	192	2.16	44.38	33.20	6.30	34.12
AV	11.15952G	38.26	54.00	-15.74	16.14	3	Horizontal	190	2.06	22.12	38.96	11.31	34.13
PK	4.9999G	60.42	74.00	-13.58	5.38	3	Horizontal	192	2.16	55.04	33.20	6.30	34.12
PK	11.16186G	51.53	74.00	-22.47	16.14	3	Horizontal	190	2.06	35.39	38.96	11.31	34.13
PK	16.752G	65.83	68.20	-2.37	17.38	3	Horizontal	336	2.97	48.45	38.30	12.78	33.70



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	106.70	Inf	-Inf	6.17	3	Vertical	190	1.67	100.53	33.54	6.83	34.20
PK	5.6984G	119.00	Inf	-Inf	6.21	3	Vertical	190	1.67	112.79	33.58	6.83	34.20
PK	5.7264G	67.10	68.20	-1.10	6.36	3	Vertical	190	1.67	60.74	33.71	6.85	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	106.98	Inf	-Inf	6.25	3	Horizontal	189	1.79	100.73	33.61	6.84	34.20
PK	5.7024G	117.92	Inf	-Inf	6.25	3	Horizontal	189	1.79	111.67	33.61	6.84	34.20
PK	5.7252G	67.29	68.20	-0.91	6.35	3	Horizontal	189	1.79	60.94	33.70	6.85	34.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	39.79	54.00	-14.21	5.38	3	Vertical	193	1.91	34.41	33.20	6.30	34.12
AV	11.40036G	39.32	54.00	-14.68	16.52	3	Vertical	131	2.30	22.80	39.20	11.40	34.08
PK	4.99984G	52.97	74.00	-21.03	5.38	3	Vertical	193	1.91	47.59	33.20	6.30	34.12
PK	11.40474G	52.32	74.00	-21.68	16.52	3	Vertical	131	2.30	35.80	39.20	11.40	34.08
PK	17.10192G	52.43	68.20	-15.77	17.90	3	Vertical	317	1.75	34.53	38.20	12.94	33.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	47.42	54.00	-6.58	5.38	3	Horizontal	189	1.78	42.04	33.20	6.30	34.12
AV	11.3994G	39.68	54.00	-14.32	16.52	3	Horizontal	132	1.91	23.16	39.20	11.40	34.08
PK	5.00002G	55.49	74.00	-18.51	5.38	3	Horizontal	189	1.78	50.11	33.20	6.30	34.12
PK	11.39976G	53.25	74.00	-20.75	16.52	3	Horizontal	132	1.91	36.73	39.20	11.40	34.08
PK	17.10282G	51.58	68.20	-16.62	17.90	3	Horizontal	148	1.50	33.68	38.20	12.94	33.24



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	49.10	54.00	-4.90	5.37	3	Vertical	192	1.50	43.73	32.90	6.64	34.17
AV	5.7164G	114.75	Inf	-Inf	6.32	3	Vertical	192	1.50	108.43	33.67	6.85	34.20
PK	5.456G	62.91	74.00	-11.09	5.37	3	Vertical	192	1.50	57.54	32.90	6.64	34.17
PK	5.462G	62.51	68.20	-5.69	5.37	3	Vertical	192	1.50	57.14	32.90	6.65	34.18
PK	5.7188G	126.40	Inf	-Inf	6.33	3	Vertical	192	1.50	120.07	33.68	6.85	34.20
PK	5.8676G	63.39	68.20	-4.81	6.92	3	Vertical	192	1.50	56.47	34.17	6.96	34.21

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	50.46	54.00	-3.54	5.35	3	Horizontal	184	1.97	45.11	32.90	6.62	34.17
AV	5.7164G	116.37	Inf	-Inf	6.32	3	Horizontal	184	1.97	110.05	33.67	6.85	34.20
PK	5.4296G	64.83	74.00	-9.17	5.35	3	Horizontal	184	1.97	59.48	32.90	6.62	34.17
PK	5.4668G	64.66	68.20	-3.54	5.37	3	Horizontal	184	1.97	59.29	32.90	6.65	34.18
PK	5.7176G	127.08	Inf	-Inf	6.32	3	Horizontal	184	1.97	120.76	33.67	6.85	34.20
PK	5.8604G	65.03	68.20	-3.17	6.88	3	Horizontal	184	1.97	58.15	34.14	6.95	34.21



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	41.99	54.00	-12.01	5.38	3	Vertical	191	1.95	36.61	33.20	6.30	34.12
AV	11.43958G	42.98	54.00	-11.02	16.50	3	Vertical	239	1.50	26.48	39.16	11.41	34.07
PK	4.99626G	56.05	74.00	-17.95	5.37	3	Vertical	191	1.95	50.68	33.19	6.30	34.12
PK	11.43742G	57.56	74.00	-16.44	16.50	3	Vertical	239	1.50	41.06	39.16	11.41	34.07
PK	17.16048G	66.82	68.20	-1.38	17.91	3	Vertical	322	2.44	48.91	38.20	12.97	33.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	45.53	54.00	-8.47	5.38	3	Horizontal	189	1.76	40.15	33.20	6.30	34.12
AV	11.44054G	39.70	54.00	-14.30	16.50	3	Horizontal	188	2.04	23.20	39.16	11.41	34.07
PK	4.99998G	56.66	74.00	-17.34	5.38	3	Horizontal	189	1.76	51.28	33.20	6.30	34.12
PK	11.43304G	53.20	74.00	-20.80	16.51	3	Horizontal	188	2.04	36.69	39.17	11.41	34.07
PK	17.15934G	59.95	68.20	-8.25	17.91	3	Horizontal	295	2.78	42.04	38.20	12.97	33.26



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	48.39	54.00	-5.61	5.37	3	Vertical	192	1.65	43.02	32.90	6.64	34.17
AV	5.7462G	114.46	Inf	-Inf	6.45	3	Vertical	192	1.65	108.01	33.78	6.87	34.20
PK	5.6394G	67.15	68.20	-1.05	5.61	3	Vertical	192	1.65	61.54	33.00	6.80	34.19
PK	5.7438G	126.70	Inf	-Inf	6.44	3	Vertical	192	1.65	120.26	33.78	6.86	34.20
PK	6.0426G	63.04	68.20	-5.16	6.96	3	Vertical	192	1.65	56.08	34.10	7.09	34.23

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	49.85	54.00	-4.15	5.37	3	Horizontal	185	1.98	44.48	32.90	6.64	34.17
AV	5.7414G	114.96	Inf	-Inf	6.43	3	Horizontal	185	1.98	108.53	33.77	6.86	34.20
PK	5.6466G	66.14	68.20	-2.06	5.61	3	Horizontal	185	1.98	60.53	33.00	6.80	34.19
PK	5.7462G	125.90	Inf	-Inf	6.45	3	Horizontal	185	1.98	119.45	33.78	6.87	34.20
PK	5.9922G	65.56	68.20	-2.64	6.96	3	Horizontal	185	1.98	58.60	34.12	7.06	34.22



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	42.53	54.00	-11.47	5.38	3	Vertical	190	1.84	37.15	33.20	6.30	34.12
AV	11.49G	41.36	54.00	-12.64	16.48	3	Vertical	239	1.50	24.88	39.11	11.43	34.06
PK	4.99618G	56.89	74.00	-17.11	5.36	3	Vertical	190	1.84	51.53	33.18	6.30	34.12
PK	11.4867G	55.04	74.00	-18.96	16.48	3	Vertical	239	1.50	38.56	39.11	11.43	34.06
PK	17.22858G	65.91	68.20	-2.29	17.95	3	Vertical	304	2.77	47.96	38.23	13.00	33.28

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	47.15	54.00	-6.85	5.38	3	Horizontal	190	1.78	41.77	33.20	6.30	34.12
AV	11.4894G	43.04	54.00	-10.96	16.48	3	Horizontal	196	1.82	26.56	39.11	11.43	34.06
PK	4.99984G	58.72	74.00	-15.28	5.38	3	Horizontal	190	1.78	53.34	33.20	6.30	34.12
PK	11.49558G	56.91	74.00	-17.09	16.47	3	Horizontal	196	1.82	40.44	39.10	11.43	34.06
PK	17.24016G	61.35	68.20	-6.85	17.95	3	Horizontal	297	1.76	43.40	38.24	13.00	33.29



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78855G	113.79	Inf	-Inf	6.72	3	Vertical	185	1.50	107.07	34.03	6.89	34.20
PK	5.6131G	65.71	68.20	-2.49	5.59	3	Vertical	185	1.50	60.12	33.00	6.78	34.19
PK	5.78371G	125.65	Inf	-Inf	6.69	3	Vertical	185	1.50	118.96	34.00	6.89	34.20
PK	5.94706G	63.52	68.20	-4.68	7.02	3	Vertical	185	1.50	56.50	34.21	7.03	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78129G	115.98	Inf	-Inf	6.68	3	Horizontal	186	1.65	109.30	33.99	6.89	34.20
PK	5.63125G	64.90	68.20	-3.30	5.60	3	Horizontal	186	1.65	59.30	33.00	6.79	34.19
PK	5.7825G	127.20	Inf	-Inf	6.69	3	Horizontal	186	1.65	120.51	34.00	6.89	34.20
PK	5.92528G	67.80	68.20	-0.40	7.05	3	Horizontal	186	1.65	60.75	34.25	7.01	34.21



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	42.61	54.00	-11.39	5.38	3	Vertical	189	1.81	37.23	33.20	6.30	34.12
AV	11.57018G	43.31	54.00	-10.69	16.18	3	Vertical	245	1.50	27.13	38.82	11.46	34.10
PK	4.9999G	57.08	74.00	-16.92	5.38	3	Vertical	189	1.81	51.70	33.20	6.30	34.12
PK	11.56466G	56.76	74.00	-17.24	16.20	3	Vertical	245	1.50	40.56	38.84	11.46	34.10
PK	17.3496G	62.34	68.20	-5.86	18.18	3	Vertical	306	2.64	44.16	38.45	13.05	33.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	46.86	54.00	-7.14	5.38	3	Horizontal	189	1.80	41.48	33.20	6.30	34.12
AV	11.56352G	38.26	54.00	-15.74	16.21	3	Horizontal	230	1.22	22.05	38.85	11.46	34.10
PK	4.99996G	58.64	74.00	-15.36	5.38	3	Horizontal	189	1.80	53.26	33.20	6.30	34.12
PK	11.56322G	52.12	74.00	-21.88	16.21	3	Horizontal	230	1.22	35.91	38.85	11.46	34.10
PK	17.35344G	62.15	68.20	-6.05	18.20	3	Horizontal	298	1.91	43.95	38.46	13.06	33.32



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	113.21	Inf	-Inf	6.81	3	Vertical	190	1.52	106.40	34.10	6.92	34.21
PK	5.5994G	66.26	68.20	-1.94	5.58	3	Vertical	190	1.52	60.68	33.00	6.77	34.19
PK	5.8238G	125.42	Inf	-Inf	6.81	3	Vertical	190	1.52	118.61	34.10	6.92	34.21
PK	5.9534G	63.97	68.20	-4.23	7.00	3	Vertical	190	1.52	56.97	34.19	7.03	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	115.02	Inf	-Inf	6.81	3	Horizontal	184	1.76	108.21	34.10	6.92	34.21
PK	5.609G	64.77	68.20	-3.43	5.59	3	Horizontal	184	1.76	59.18	33.00	6.78	34.19
PK	5.8226G	125.92	Inf	-Inf	6.81	3	Horizontal	184	1.76	119.11	34.10	6.92	34.21
PK	5.9294G	66.81	68.20	-1.39	7.04	3	Horizontal	184	1.76	59.77	34.24	7.01	34.21



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00006G	43.94	54.00	-10.06	5.38	3	Vertical	187	1.84	38.56	33.20	6.30	34.12
AV	11.65078G	42.59	54.00	-11.41	16.04	3	Vertical	246	1.50	26.55	38.70	11.49	34.15
PK	4.99918G	57.80	74.00	-16.20	5.38	3	Vertical	187	1.84	52.42	33.20	6.30	34.12
PK	11.65114G	56.16	74.00	-17.84	16.04	3	Vertical	246	1.50	40.12	38.70	11.49	34.15
PK	17.47122G	55.00	68.20	-13.20	18.42	3	Vertical	177	1.50	36.58	38.67	13.11	33.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	48.75	54.00	-5.25	5.38	3	Horizontal	185	1.79	43.37	33.20	6.30	34.12
AV	11.64808G	40.89	54.00	-13.11	16.04	3	Horizontal	278	2.42	24.85	38.70	11.49	34.15
PK	4.99994G	59.11	74.00	-14.89	5.38	3	Horizontal	185	1.79	53.73	33.20	6.30	34.12
PK	11.64382G	54.56	74.00	-19.44	16.04	3	Horizontal	278	2.42	38.52	38.70	11.49	34.15
PK	17.487G	64.30	68.20	-3.90	18.44	3	Horizontal	297	1.84	45.86	38.69	13.12	33.37



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.93	54.00	-4.07	5.37	3	Vertical	180	1.50	44.56	33.10	6.41	34.14
AV	5.187G	104.90	Inf	-Inf	5.40	3	Vertical	180	1.50	99.50	33.10	6.44	34.14
PK	5.1498G	65.70	74.00	-8.30	5.37	3	Vertical	180	1.50	60.33	33.10	6.41	34.14
PK	5.175G	120.08	Inf	-Inf	5.39	3	Vertical	180	1.50	114.69	33.10	6.43	34.14

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.55	54.00	-0.45	5.37	3	Horizontal	184	1.89	48.18	33.10	6.41	34.14
AV	5.1826G	107.37	Inf	-Inf	5.40	3	Horizontal	184	1.89	101.97	33.10	6.44	34.14
PK	5.1492G	69.22	74.00	-4.78	5.37	3	Horizontal	184	1.89	63.85	33.10	6.41	34.14
PK	5.1858G	122.10	Inf	-Inf	5.40	3	Horizontal	184	1.89	116.70	33.10	6.44	34.14



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	46.53	54.00	-7.47	5.38	3	Vertical	186	1.92	41.15	33.20	6.30	34.12
AV	15.54108G	38.23	54.00	-15.77	16.66	3	Vertical	131	1.50	21.57	38.82	12.16	34.32
PK	5.00308G	59.91	74.00	-14.09	5.39	3	Vertical	186	1.92	54.52	33.21	6.30	34.12
PK	10.3567G	50.78	68.20	-17.42	15.28	3	Vertical	31	1.78	35.50	38.90	11.01	34.63
PK	15.53292G	51.59	74.00	-22.41	16.66	3	Vertical	131	1.50	34.93	38.83	12.15	34.32

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	52.21	54.00	-1.79	5.38	3	Horizontal	186	2.11	46.83	33.20	6.30	34.12
AV	15.54504G	38.35	54.00	-15.65	16.64	3	Horizontal	64	3.00	21.71	38.81	12.16	34.33
PK	4.99998G	61.86	74.00	-12.14	5.38	3	Horizontal	186	2.11	56.48	33.20	6.30	34.12
PK	10.35706G	50.35	68.20	-17.85	15.28	3	Horizontal	290	3.00	35.07	38.90	11.01	34.63
PK	15.54648G	52.14	74.00	-21.86	16.64	3	Horizontal	64	3.00	35.50	38.81	12.16	34.33



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.80	54.00	-1.20	5.37	3	Vertical	187	1.84	47.43	33.10	6.41	34.14
AV	5.1944G	110.37	Inf	-Inf	5.41	3	Vertical	187	1.84	104.96	33.10	6.45	34.14
PK	5.1472G	67.12	74.00	-6.88	5.37	3	Vertical	187	1.84	61.75	33.10	6.41	34.14
PK	5.1952G	126.17	Inf	-Inf	5.41	3	Vertical	187	1.84	120.76	33.10	6.45	34.14

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.90	54.00	-0.10	5.37	3	Horizontal	186	1.84	48.53	33.10	6.41	34.14
AV	5.1984G	111.33	Inf	-Inf	5.41	3	Horizontal	186	1.84	105.92	33.10	6.45	34.14
PK	5.1484G	68.84	74.00	-5.16	5.37	3	Horizontal	186	1.84	63.47	33.10	6.41	34.14
PK	5.1972G	126.60	Inf	-Inf	5.41	3	Horizontal	186	1.84	121.19	33.10	6.45	34.14



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	50.90	54.00	-3.10	5.38	3	Vertical	188	1.84	45.52	33.20	6.30	34.12
AV	15.59036G	37.57	54.00	-16.43	16.55	3	Vertical	79	2.84	21.02	38.72	12.19	34.36
PK	5.00086G	65.03	74.00	-8.97	5.38	3	Vertical	188	1.84	59.65	33.20	6.30	34.12
PK	10.39304G	48.35	68.20	-19.85	15.33	3	Vertical	157	2.98	33.02	38.90	11.03	34.60
PK	15.59116G	49.66	74.00	-24.34	16.55	3	Vertical	79	2.84	33.11	38.72	12.19	34.36

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.35	54.00	-1.65	5.38	3	Horizontal	185	1.95	46.97	33.20	6.30	34.12
AV	15.59028G	37.28	54.00	-16.72	16.55	3	Horizontal	61	1.61	20.73	38.72	12.19	34.36
PK	4.99974G	63.77	74.00	-10.23	5.38	3	Horizontal	185	1.95	58.39	33.20	6.30	34.12
PK	10.40696G	48.82	68.20	-19.38	15.34	3	Horizontal	298	2.29	33.48	38.90	11.03	34.59
PK	15.60136G	49.51	74.00	-24.49	16.52	3	Horizontal	61	1.61	32.99	38.70	12.19	34.37



5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.52	54.00	-1.48	5.37	3	Vertical	187	1.50	47.15	33.10	6.41	34.14
AV	5.2442G	115.12	Inf	-Inf	5.34	3	Vertical	187	1.50	109.78	33.01	6.48	34.15
AV	5.3504G	53.63	54.00	-0.37	5.30	3	Vertical	187	1.50	48.33	32.90	6.56	34.16
PK	5.1374G	67.89	74.00	-6.11	5.36	3	Vertical	187	1.50	62.53	33.10	6.40	34.14
PK	5.2442G	129.11	Inf	-Inf	5.34	3	Vertical	187	1.50	123.77	33.01	6.48	34.15
PK	5.3534G	67.17	74.00	-6.83	5.30	3	Vertical	187	1.50	61.87	32.90	6.56	34.16

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.81	54.00	-0.19	5.37	3	Horizontal	186	1.87	48.44	33.10	6.41	34.14
AV	5.2442G	116.61	Inf	-Inf	5.34	3	Horizontal	186	1.87	111.27	33.01	6.48	34.15
AV	5.3504G	53.50	54.00	-0.50	5.30	3	Horizontal	186	1.87	48.20	32.90	6.56	34.16
PK	5.1458G	70.38	74.00	-3.62	5.37	3	Horizontal	186	1.87	65.01	33.10	6.41	34.14
PK	5.2418G	130.24	Inf	-Inf	5.35	3	Horizontal	186	1.87	124.89	33.02	6.48	34.15
PK	5.3552G	67.25	74.00	-6.75	5.30	3	Horizontal	186	1.87	61.95	32.90	6.56	34.16



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99576G	51.63	54.00	-2.37	5.36	3	Vertical	185	1.93	46.27	33.18	6.30	34.12
AV	15.72186G	50.21	54.00	-3.79	16.21	3	Vertical	298	1.81	34.00	38.40	12.27	34.46
PK	4.99524G	66.32	74.00	-7.68	5.36	3	Vertical	185	1.93	60.96	33.18	6.30	34.12
PK	10.48198G	51.21	68.20	-16.99	15.43	3	Vertical	70	2.04	35.78	38.90	11.06	34.53
PK	15.7248G	64.12	74.00	-9.88	16.20	3	Vertical	298	1.81	47.92	38.40	12.27	34.47

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	51.20	54.00	-2.80	5.38	3	Horizontal	190	2.17	45.82	33.20	6.30	34.12
AV	15.72276G	42.53	54.00	-11.47	16.21	3	Horizontal	251	2.32	26.32	38.40	12.27	34.46
PK	4.99968G	64.22	74.00	-9.78	5.38	3	Horizontal	190	2.17	58.84	33.20	6.30	34.12
PK	10.47628G	51.71	68.20	-16.49	15.43	3	Horizontal	187	2.01	36.28	38.90	11.06	34.53
PK	15.73104G	57.13	74.00	-16.87	16.20	3	Horizontal	251	2.32	40.93	38.40	12.27	34.47



5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	51.63	54.00	-2.37	5.37	3	Vertical	184	1.60	46.26	33.10	6.41	34.14
AV	5.2612G	115.53	Inf	-Inf	5.34	3	Vertical	184	1.60	110.19	33.00	6.49	34.15
AV	5.35G	53.84	54.00	-0.16	5.29	3	Vertical	184	1.60	48.55	32.90	6.55	34.16
PK	5.1454G	66.30	74.00	-7.70	5.37	3	Vertical	184	1.60	60.93	33.10	6.41	34.14
PK	5.2606G	129.86	Inf	-Inf	5.34	3	Vertical	184	1.60	124.52	33.00	6.49	34.15
PK	5.3518G	67.71	74.00	-6.29	5.30	3	Vertical	184	1.60	62.41	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.25	54.00	-2.75	5.37	3	Horizontal	191	1.60	45.88	33.10	6.41	34.14
AV	5.2642G	114.61	Inf	-Inf	5.34	3	Horizontal	191	1.60	109.27	33.00	6.49	34.15
AV	5.359G	52.53	54.00	-1.47	5.30	3	Horizontal	191	1.60	47.23	32.90	6.56	34.16
PK	5.1448G	65.46	74.00	-8.54	5.37	3	Horizontal	191	1.60	60.09	33.10	6.41	34.14
PK	5.257G	128.62	Inf	-Inf	5.34	3	Horizontal	191	1.60	123.28	33.00	6.49	34.15
PK	5.35G	67.03	74.00	-6.97	5.29	3	Horizontal	191	1.60	61.74	32.90	6.55	34.16



5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	51.04	54.00	-2.96	5.38	3	Vertical	192	1.88	45.66	33.20	6.30	34.12
AV	15.77976G	52.64	54.00	-1.36	16.19	3	Vertical	296	2.57	36.45	38.40	12.30	34.51
PK	4.99536G	65.32	74.00	-8.68	5.36	3	Vertical	192	1.88	59.96	33.18	6.30	34.12
PK	10.5236G	52.48	68.20	-15.72	15.48	3	Vertical	70	1.89	37.00	38.90	11.07	34.49
PK	15.77538G	66.89	74.00	-7.11	16.20	3	Vertical	296	2.57	50.69	38.40	12.30	34.50

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	50.21	54.00	-3.79	5.38	3	Horizontal	190	2.03	44.83	33.20	6.30	34.12
AV	15.78144G	46.34	54.00	-7.66	16.19	3	Horizontal	248	1.95	30.15	38.40	12.30	34.51
PK	4.9996G	62.77	74.00	-11.23	5.38	3	Horizontal	190	2.03	57.39	33.20	6.30	34.12
PK	10.52642G	52.08	68.20	-16.12	15.48	3	Horizontal	118	1.99	36.60	38.90	11.07	34.49
PK	15.78474G	61.12	74.00	-12.88	16.20	3	Horizontal	248	1.95	44.92	38.40	12.31	34.51



5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	111.05	Inf	-Inf	5.36	3	Vertical	181	1.50	105.69	33.00	6.52	34.16
AV	5.35G	53.31	54.00	-0.69	5.29	3	Vertical	181	1.50	48.02	32.90	6.55	34.16
PK	5.304G	125.29	Inf	-Inf	5.35	3	Vertical	181	1.50	119.94	32.99	6.52	34.16
PK	5.3576G	66.86	74.00	-7.14	5.30	3	Vertical	181	1.50	61.56	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	111.84	Inf	-Inf	5.35	3	Horizontal	183	1.98	106.49	32.99	6.52	34.16
AV	5.35G	53.85	54.00	-0.15	5.29	3	Horizontal	183	1.98	48.56	32.90	6.55	34.16
PK	5.2976G	126.63	Inf	-Inf	5.36	3	Horizontal	183	1.98	121.27	33.00	6.52	34.16
PK	5.3532G	66.55	74.00	-7.45	5.30	3	Horizontal	183	1.98	61.25	32.90	6.56	34.16



5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99984G	49.10	54.00	-4.90	5.38	3	Vertical	188	1.94	43.72	33.20	6.30	34.12
AV	15.90174G	41.72	54.00	-12.28	15.98	3	Vertical	314	1.50	25.74	38.20	12.38	34.60
PK	4.99518G	63.59	74.00	-10.41	5.36	3	Vertical	188	1.94	58.23	33.18	6.30	34.12
PK	10.60282G	51.89	74.00	-22.11	15.57	3	Vertical	296	1.84	36.32	38.91	11.10	34.44
PK	15.90084G	56.42	74.00	-17.58	15.98	3	Vertical	314	1.50	40.44	38.20	12.38	34.60

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	51.26	54.00	-2.74	5.38	3	Horizontal	185	1.93	45.88	33.20	6.30	34.12
AV	10.60012G	37.68	54.00	-16.32	15.56	3	Horizontal	258	1.78	22.12	38.90	11.10	34.44
AV	15.90162G	40.22	54.00	-13.78	15.98	3	Horizontal	291	2.62	24.24	38.20	12.38	34.60
PK	5.0001G	62.54	74.00	-11.46	5.38	3	Horizontal	185	1.93	57.16	33.20	6.30	34.12
PK	10.60414G	51.70	74.00	-22.30	15.57	3	Horizontal	258	1.78	36.13	38.91	11.10	34.44
PK	15.9015G	53.94	74.00	-20.06	15.98	3	Horizontal	291	2.62	37.96	38.20	12.38	34.60



5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	107.95	Inf	-Inf	5.33	3	Vertical	182	1.50	102.62	32.96	6.53	34.16
AV	5.3506G	53.62	54.00	-0.38	5.30	3	Vertical	182	1.50	48.32	32.90	6.56	34.16
PK	5.3242G	121.60	Inf	-Inf	5.33	3	Vertical	182	1.50	116.27	32.95	6.54	34.16
PK	5.3502G	66.45	74.00	-7.55	5.30	3	Vertical	182	1.50	61.15	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	108.05	Inf	-Inf	5.33	3	Horizontal	185	2.00	102.72	32.96	6.53	34.16
AV	5.3506G	53.69	54.00	-0.31	5.30	3	Horizontal	185	2.00	48.39	32.90	6.56	34.16
PK	5.3172G	122.58	Inf	-Inf	5.34	3	Horizontal	185	2.00	117.24	32.97	6.53	34.16
PK	5.35G	68.34	74.00	-5.66	5.29	3	Horizontal	185	2.00	63.05	32.90	6.55	34.16



5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9999G	46.67	54.00	-7.33	5.38	3	Vertical	186	1.93	41.29	33.20	6.30	34.12
AV	10.63088G	37.45	54.00	-16.55	15.68	3	Vertical	300	1.50	21.77	38.99	11.11	34.42
AV	15.96222G	38.87	54.00	-15.13	15.85	3	Vertical	314	2.53	23.02	38.08	12.42	34.65
PK	4.99678G	60.38	74.00	-13.62	5.37	3	Vertical	186	1.93	55.01	33.19	6.30	34.12
PK	10.62902G	51.12	74.00	-22.88	15.68	3	Vertical	300	1.50	35.44	38.99	11.11	34.42
PK	15.9612G	53.11	74.00	-20.89	15.85	3	Vertical	314	2.53	37.26	38.08	12.42	34.65

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	51.18	54.00	-2.82	5.38	3	Horizontal	183	2.05	45.80	33.20	6.30	34.12
AV	10.63088G	37.49	54.00	-16.51	15.68	3	Horizontal	356	1.50	21.81	38.99	11.11	34.42
AV	15.9474G	38.27	54.00	-15.73	15.88	3	Horizontal	162	2.37	22.39	38.11	12.41	34.64
PK	4.99988G	60.92	74.00	-13.08	5.38	3	Horizontal	183	2.05	55.54	33.20	6.30	34.12
PK	10.63124G	51.74	74.00	-22.26	15.68	3	Horizontal	356	1.50	36.06	38.99	11.11	34.42
PK	15.9525G	52.38	74.00	-21.62	15.86	3	Horizontal	162	2.37	36.52	38.09	12.41	34.64



5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.57	54.00	-5.43	5.36	3	Vertical	184	1.67	43.21	32.90	6.64	34.18
AV	5.5012G	105.69	Inf	-Inf	5.40	3	Vertical	184	1.67	100.29	32.90	6.68	34.18
PK	5.4574G	61.25	74.00	-12.75	5.37	3	Vertical	184	1.67	55.88	32.90	6.64	34.17
PK	5.465G	63.89	68.20	-4.31	5.37	3	Vertical	184	1.67	58.52	32.90	6.65	34.18
PK	5.4922G	119.31	Inf	-Inf	5.39	3	Vertical	184	1.67	113.92	32.90	6.67	34.18

5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.63	54.00	-4.37	5.36	3	Horizontal	185	1.87	44.27	32.90	6.64	34.18
AV	5.4986G	106.36	Inf	-Inf	5.40	3	Horizontal	185	1.87	100.96	32.90	6.68	34.18
PK	5.4578G	63.51	74.00	-10.49	5.37	3	Horizontal	185	1.87	58.14	32.90	6.64	34.17
PK	5.463G	65.89	68.20	-2.31	5.37	3	Horizontal	185	1.87	60.52	32.90	6.65	34.18
PK	5.4974G	120.50	Inf	-Inf	5.40	3	Horizontal	185	1.87	115.10	32.90	6.68	34.18



5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	42.98	54.00	-11.02	5.38	3	Vertical	186	1.94	37.60	33.20	6.30	34.12
AV	10.98752G	37.55	54.00	-16.45	16.09	3	Vertical	246	2.18	21.46	39.01	11.25	34.17
PK	4.99646G	56.98	74.00	-17.02	5.37	3	Vertical	186	1.94	51.61	33.19	6.30	34.12
PK	11.00852G	52.08	74.00	-21.92	16.08	3	Vertical	246	2.18	36.00	38.99	11.25	34.16
PK	16.49934G	52.45	68.20	-15.75	16.87	3	Vertical	306	3.00	35.58	38.40	12.67	34.20

5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	49.44	54.00	-4.56	5.38	3	Horizontal	183	1.96	44.06	33.20	6.30	34.12
AV	11.0054G	37.79	54.00	-16.21	16.08	3	Horizontal	193	1.68	21.71	38.99	11.25	34.16
PK	5.00008G	58.50	74.00	-15.50	5.38	3	Horizontal	183	1.96	53.12	33.20	6.30	34.12
PK	10.9934G	52.15	74.00	-21.85	16.10	3	Horizontal	193	1.68	36.05	39.01	11.25	34.16
PK	16.51416G	51.73	68.20	-16.47	16.86	3	Horizontal	302	1.50	34.87	38.36	12.67	34.17



5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	50.18	54.00	-3.82	5.37	3	Vertical	188	1.78	44.81	32.90	6.64	34.17
AV	5.5764G	113.70	Inf	-Inf	5.51	3	Vertical	188	1.78	108.19	32.95	6.75	34.19
PK	5.4486G	64.35	74.00	-9.65	5.36	3	Vertical	188	1.78	58.99	32.90	6.63	34.17
PK	5.4678G	64.94	68.20	-3.26	5.37	3	Vertical	188	1.78	59.57	32.90	6.65	34.18
PK	5.5758G	127.90	Inf	-Inf	5.51	3	Vertical	188	1.78	122.39	32.95	6.75	34.19
PK	5.727G	63.69	68.20	-4.51	6.36	3	Vertical	188	1.78	57.33	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	50.92	54.00	-3.08	5.37	3	Horizontal	184	1.72	45.55	32.90	6.64	34.17
AV	5.5776G	112.97	Inf	-Inf	5.52	3	Horizontal	184	1.72	107.45	32.96	6.75	34.19
PK	5.4546G	65.56	74.00	-8.44	5.37	3	Horizontal	184	1.72	60.19	32.90	6.64	34.17
PK	5.4666G	66.20	68.20	-2.00	5.37	3	Horizontal	184	1.72	60.83	32.90	6.65	34.18
PK	5.577G	127.25	Inf	-Inf	5.51	3	Horizontal	184	1.72	121.74	32.95	6.75	34.19
PK	5.7288G	64.44	68.20	-3.76	6.37	3	Horizontal	184	1.72	58.07	33.72	6.85	34.20



5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	46.36	54.00	-7.64	5.38	3	Vertical	188	1.88	40.98	33.20	6.30	34.12
AV	11.16156G	38.97	54.00	-15.03	16.14	3	Vertical	343	2.93	22.83	38.96	11.31	34.13
PK	4.99972G	60.04	74.00	-13.96	5.38	3	Vertical	188	1.88	54.66	33.20	6.30	34.12
PK	11.16708G	52.58	74.00	-21.42	16.15	3	Vertical	343	2.93	36.43	38.97	11.31	34.13
PK	16.74384G	66.70	68.20	-1.50	17.36	3	Vertical	333	2.78	49.34	38.30	12.78	33.72

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	48.87	54.00	-5.13	5.38	3	Horizontal	192	2.11	43.49	33.20	6.30	34.12
AV	11.16102G	38.78	54.00	-15.22	16.14	3	Horizontal	137	1.76	22.64	38.96	11.31	34.13
PK	4.99982G	59.89	74.00	-14.11	5.38	3	Horizontal	192	2.11	54.51	33.20	6.30	34.12
PK	11.16144G	52.31	74.00	-21.69	16.14	3	Horizontal	137	1.76	36.17	38.96	11.31	34.13
PK	16.73526G	64.34	68.20	-3.86	17.34	3	Horizontal	337	2.92	47.00	38.30	12.77	33.73

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.696G	102.99	Inf	-Inf	6.18	3	Vertical	188	1.79	96.81	33.55	6.83	34.20
PK	5.6924G	117.21	Inf	-Inf	6.14	3	Vertical	188	1.79	111.07	33.51	6.83	34.20
PK	5.7264G	66.39	68.20	-1.81	6.36	3	Vertical	188	1.79	60.03	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	103.57	Inf	-Inf	6.22	3	Horizontal	184	1.79	97.35	33.59	6.83	34.20
PK	5.6972G	118.03	Inf	-Inf	6.20	3	Horizontal	184	1.79	111.83	33.57	6.83	34.20
PK	5.7252G	65.97	68.20	-2.23	6.35	3	Horizontal	184	1.79	59.62	33.70	6.85	34.20



5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99999G	38.06	54.00	-15.94	5.38	3	Vertical	191	1.88	32.68	33.20	6.30	34.12
AV	11.40042G	38.52	54.00	-15.48	16.52	3	Vertical	103	1.69	22.00	39.20	11.40	34.08
PK	5G	51.47	74.00	-22.53	5.38	3	Vertical	191	1.88	46.09	33.20	6.30	34.12
PK	11.40822G	52.59	74.00	-21.41	16.51	3	Vertical	103	1.69	36.08	39.19	11.40	34.08
PK	17.10366G	52.29	68.20	-15.91	17.90	3	Vertical	26	1.03	34.39	38.20	12.94	33.24

5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	47.61	54.00	-6.39	5.38	3	Horizontal	185	1.94	42.23	33.20	6.30	34.12
AV	11.40138G	38.64	54.00	-15.36	16.52	3	Horizontal	124	1.00	22.12	39.20	11.40	34.08
PK	5.00008G	55.28	74.00	-18.72	5.38	3	Horizontal	185	1.94	49.90	33.20	6.30	34.12
PK	11.41056G	52.56	74.00	-21.44	16.51	3	Horizontal	124	1.00	36.05	39.19	11.40	34.08
PK	17.10504G	51.31	68.20	-16.89	17.90	3	Horizontal	332	2.80	33.41	38.20	12.94	33.24



5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	49.23	54.00	-4.77	5.37	3	Vertical	188	1.63	43.86	32.90	6.64	34.17
AV	5.7164G	114.12	Inf	-Inf	6.32	3	Vertical	188	1.63	107.80	33.67	6.85	34.20
PK	5.4368G	62.68	74.00	-11.32	5.35	3	Vertical	188	1.63	57.33	32.90	6.62	34.17
PK	5.4668G	63.67	68.20	-4.53	5.37	3	Vertical	188	1.63	58.30	32.90	6.65	34.18
PK	5.7176G	127.99	Inf	-Inf	6.32	3	Vertical	188	1.63	121.67	33.67	6.85	34.20
PK	5.8556G	64.46	68.20	-3.74	6.86	3	Vertical	188	1.63	57.60	34.12	6.95	34.21

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	50.39	54.00	-3.61	5.36	3	Horizontal	184	2.00	45.03	32.90	6.63	34.17
AV	5.7212G	114.46	Inf	-Inf	6.33	3	Horizontal	184	2.00	108.13	33.68	6.85	34.20
PK	5.4464G	64.53	74.00	-9.47	5.36	3	Horizontal	184	2.00	59.17	32.90	6.63	34.17
PK	5.4668G	64.70	68.20	-3.50	5.37	3	Horizontal	184	2.00	59.33	32.90	6.65	34.18
PK	5.7176G	128.26	Inf	-Inf	6.32	3	Horizontal	184	2.00	121.94	33.67	6.85	34.20
PK	5.852G	67.25	68.20	-0.95	6.84	3	Horizontal	184	2.00	60.41	34.11	6.94	34.21



5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	41.33	54.00	-12.67	5.38	3	Vertical	192	1.96	35.95	33.20	6.30	34.12
AV	11.44102G	39.45	54.00	-14.55	16.50	3	Vertical	247	1.50	22.95	39.16	11.41	34.07
PK	4.99954G	57.85	74.00	-16.15	5.38	3	Vertical	192	1.96	52.47	33.20	6.30	34.12
PK	11.44858G	52.69	74.00	-21.31	16.50	3	Vertical	247	1.50	36.19	39.15	11.42	34.07
PK	17.15946G	66.21	68.20	-1.99	17.91	3	Vertical	322	2.37	48.30	38.20	12.97	33.26

5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	44.54	54.00	-9.46	5.38	3	Horizontal	188	1.94	39.16	33.20	6.30	34.12
AV	11.43676G	40.18	54.00	-13.82	16.50	3	Horizontal	190	2.06	23.68	39.16	11.41	34.07
PK	5.00006G	56.96	74.00	-17.04	5.38	3	Horizontal	188	1.94	51.58	33.20	6.30	34.12
PK	11.43106G	53.82	74.00	-20.18	16.51	3	Horizontal	190	2.06	37.31	39.17	11.41	34.07
PK	17.15856G	58.96	68.20	-9.24	17.91	3	Horizontal	334	1.50	41.05	38.20	12.97	33.26



5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	48.46	54.00	-5.54	5.37	3	Vertical	190	1.82	43.09	32.90	6.64	34.17
AV	5.7414G	112.94	Inf	-Inf	6.43	3	Vertical	190	1.82	106.51	33.77	6.86	34.20
PK	5.6442G	67.83	68.20	-0.37	5.61	3	Vertical	190	1.82	62.22	33.00	6.80	34.19
PK	5.7486G	126.69	Inf	-Inf	6.46	3	Vertical	190	1.82	120.23	33.79	6.87	34.20
PK	5.9274G	62.55	68.20	-5.65	7.05	3	Vertical	190	1.82	55.50	34.25	7.01	34.21

5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	49.73	54.00	-4.27	5.37	3	Horizontal	186	1.92	44.36	32.90	6.64	34.17
AV	5.7462G	113.94	Inf	-Inf	6.45	3	Horizontal	186	1.92	107.49	33.78	6.87	34.20
PK	5.6454G	67.97	68.20	-0.23	5.61	3	Horizontal	186	1.92	62.36	33.00	6.80	34.19
PK	5.7426G	127.75	Inf	-Inf	6.43	3	Horizontal	186	1.92	121.32	33.77	6.86	34.20
PK	5.9826G	65.24	68.20	-2.96	6.97	3	Horizontal	186	1.92	58.27	34.13	7.06	34.22



5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	41.95	54.00	-12.05	5.38	3	Vertical	192	1.96	36.57	33.20	6.30	34.12
AV	11.49084G	41.67	54.00	-12.33	16.48	3	Vertical	212	1.50	25.19	39.11	11.43	34.06
PK	4.99762G	56.06	74.00	-17.94	5.37	3	Vertical	192	1.96	50.69	33.19	6.30	34.12
PK	11.48676G	55.54	74.00	-18.46	16.48	3	Vertical	212	1.50	39.06	39.11	11.43	34.06
PK	17.2284G	60.69	68.20	-7.51	17.95	3	Vertical	306	2.70	42.74	38.23	13.00	33.28

5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	46.27	54.00	-7.73	5.38	3	Horizontal	183	2.12	40.89	33.20	6.30	34.12
AV	11.48628G	41.40	54.00	-12.60	16.48	3	Horizontal	192	2.10	24.92	39.11	11.43	34.06
PK	5.0001G	57.42	74.00	-16.58	5.38	3	Horizontal	183	2.12	52.04	33.20	6.30	34.12
PK	11.47872G	56.71	74.00	-17.29	16.49	3	Horizontal	192	2.10	40.22	39.12	11.43	34.06
PK	17.24028G	60.35	68.20	-7.85	17.95	3	Horizontal	297	1.78	42.40	38.24	13.00	33.29



5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	112.32	Inf	-Inf	6.68	3	Vertical	191	1.86	105.64	33.99	6.89	34.20
PK	5.6374G	65.31	68.20	-2.89	5.60	3	Vertical	191	1.86	59.71	33.00	6.79	34.19
PK	5.7826G	126.03	Inf	-Inf	6.69	3	Vertical	191	1.86	119.34	34.00	6.89	34.20
PK	6.0202G	63.26	68.20	-4.94	6.96	3	Vertical	191	1.86	56.30	34.10	7.08	34.22

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	114.01	Inf	-Inf	6.69	3	Horizontal	184	2.09	107.32	34.00	6.89	34.20
PK	5.6494G	65.08	68.20	-3.12	5.61	3	Horizontal	184	2.09	59.47	33.00	6.80	34.19
PK	5.7826G	127.86	Inf	-Inf	6.69	3	Horizontal	184	2.09	121.17	34.00	6.89	34.20
PK	5.9278G	65.97	68.20	-2.23	7.04	3	Horizontal	184	2.09	58.93	34.24	7.01	34.21



5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	42.56	54.00	-11.44	5.38	3	Vertical	191	1.86	37.18	33.20	6.30	34.12
AV	11.55608G	38.24	54.00	-15.76	16.25	3	Vertical	247	1.50	21.99	38.88	11.46	34.09
PK	5.0002G	56.76	74.00	-17.24	5.38	3	Vertical	191	1.86	51.38	33.20	6.30	34.12
PK	11.55788G	51.60	74.00	-22.40	16.23	3	Vertical	247	1.50	35.37	38.87	11.46	34.10
PK	17.34852G	60.36	68.20	-7.84	18.18	3	Vertical	306	2.75	42.18	38.45	13.05	33.32

5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	46.90	54.00	-7.10	5.38	3	Horizontal	187	1.96	41.52	33.20	6.30	34.12
AV	11.5712G	41.24	54.00	-12.76	16.18	3	Horizontal	282	2.69	25.06	38.82	11.46	34.10
PK	5G	57.95	74.00	-16.05	5.38	3	Horizontal	187	1.96	52.57	33.20	6.30	34.12
PK	11.56928G	54.81	74.00	-19.19	16.18	3	Horizontal	282	2.69	38.63	38.82	11.46	34.10
PK	17.35134G	60.51	68.20	-7.69	18.18	3	Horizontal	298	1.77	42.33	38.45	13.05	33.32



5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	111.17	Inf	-Inf	6.81	3	Vertical	186	1.50	104.36	34.10	6.92	34.21
PK	5.5982G	65.92	68.20	-2.28	5.58	3	Vertical	186	1.50	60.34	33.00	6.77	34.19
PK	5.8298G	124.93	Inf	-Inf	6.82	3	Vertical	186	1.50	118.11	34.10	6.93	34.21
PK	5.927G	63.83	68.20	-4.37	7.05	3	Vertical	186	1.50	56.78	34.25	7.01	34.21

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	113.16	Inf	-Inf	6.81	3	Horizontal	185	2.09	106.35	34.10	6.92	34.21
PK	5.6114G	64.13	68.20	-4.07	5.59	3	Horizontal	185	2.09	58.54	33.00	6.78	34.19
PK	5.8226G	127.48	Inf	-Inf	6.81	3	Horizontal	185	2.09	120.67	34.10	6.92	34.21
PK	5.927G	67.26	68.20	-0.94	7.05	3	Horizontal	185	2.09	60.21	34.25	7.01	34.21



5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	43.67	54.00	-10.33	5.38	3	Vertical	188	1.85	38.29	33.20	6.30	34.12
AV	11.63758G	38.29	54.00	-15.71	16.04	3	Vertical	248	1.50	22.25	38.70	11.49	34.15
PK	4.99942G	57.31	74.00	-16.69	5.38	3	Vertical	188	1.85	51.93	33.20	6.30	34.12
PK	11.64076G	51.89	74.00	-22.11	16.04	3	Vertical	248	1.50	35.85	38.70	11.49	34.15
PK	17.47674G	61.51	68.20	-6.69	18.43	3	Vertical	322	2.89	43.08	38.68	13.11	33.36

5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	48.06	54.00	-5.94	5.38	3	Horizontal	187	1.78	42.68	33.20	6.30	34.12
AV	11.65006G	39.57	54.00	-14.43	16.04	3	Horizontal	198	2.10	23.53	38.70	11.49	34.15
PK	5.00016G	57.98	74.00	-16.02	5.38	3	Horizontal	187	1.78	52.60	33.20	6.30	34.12
PK	11.64622G	53.43	74.00	-20.57	16.04	3	Horizontal	198	2.10	37.39	38.70	11.49	34.15
PK	17.47452G	60.70	68.20	-7.50	18.42	3	Horizontal	297	1.83	42.28	38.67	13.11	33.36



5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.29	54.00	-1.71	5.37	3	Vertical	190	1.80	46.92	33.10	6.41	34.14
AV	5.1828G	100.55	Inf	-Inf	5.40	3	Vertical	190	1.80	95.15	33.10	6.44	34.14
PK	5.15G	66.45	74.00	-7.55	5.37	3	Vertical	190	1.80	61.08	33.10	6.41	34.14
PK	5.176G	114.76	Inf	-Inf	5.39	3	Vertical	190	1.80	109.37	33.10	6.43	34.14

5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.40	54.00	-0.60	5.37	3	Horizontal	186	2.16	48.03	33.10	6.41	34.14
AV	5.1944G	101.26	Inf	-Inf	5.41	3	Horizontal	186	2.16	95.85	33.10	6.45	34.14
PK	5.1496G	69.62	74.00	-4.38	5.37	3	Horizontal	186	2.16	64.25	33.10	6.41	34.14
PK	5.1936G	115.56	Inf	-Inf	5.41	3	Horizontal	186	2.16	110.15	33.10	6.45	34.14



5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	45.38	54.00	-8.62	5.38	3	Vertical	190	1.85	40.00	33.20	6.30	34.12
AV	15.54636G	38.24	54.00	-15.76	16.64	3	Vertical	129	1.50	21.60	38.81	12.16	34.33
PK	5.00052G	58.96	74.00	-15.04	5.38	3	Vertical	190	1.85	53.58	33.20	6.30	34.12
PK	10.36224G	50.63	68.20	-17.57	15.28	3	Vertical	308	2.85	35.35	38.90	11.01	34.63
PK	15.54036G	51.81	74.00	-22.19	16.66	3	Vertical	129	1.50	35.15	38.82	12.16	34.32

5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	49.12	54.00	-4.88	5.38	3	Horizontal	192	2.38	43.74	33.20	6.30	34.12
AV	15.54048G	38.22	54.00	-15.78	16.66	3	Horizontal	260	1.50	21.56	38.82	12.16	34.32
PK	4.9999G	58.25	74.00	-15.75	5.38	3	Horizontal	192	2.38	52.87	33.20	6.30	34.12
PK	10.37508G	50.85	68.20	-17.35	15.31	3	Horizontal	283	1.50	35.54	38.90	11.02	34.61
PK	15.57048G	52.26	74.00	-21.74	16.59	3	Horizontal	260	1.50	35.67	38.76	12.17	34.34



5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.88	54.00	-1.12	5.37	3	Vertical	187	1.82	47.51	33.10	6.41	34.14
AV	5.2436G	108.39	Inf	-Inf	5.34	3	Vertical	187	1.82	103.05	33.01	6.48	34.15
PK	5.15G	68.04	74.00	-5.96	5.37	3	Vertical	187	1.82	62.67	33.10	6.41	34.14
PK	5.2408G	122.29	Inf	-Inf	5.35	3	Vertical	187	1.82	116.94	33.02	6.48	34.15

5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	5.37	3	Horizontal	191	1.89	48.18	33.10	6.41	34.14
AV	5.2252G	109.17	Inf	-Inf	5.37	3	Horizontal	191	1.89	103.80	33.05	6.47	34.15
PK	5.1476G	68.76	74.00	-5.24	5.37	3	Horizontal	191	1.89	63.39	33.10	6.41	34.14
PK	5.2276G	124.13	Inf	-Inf	5.36	3	Horizontal	191	1.89	118.77	33.04	6.47	34.15



5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	50.04	54.00	-3.96	5.38	3	Vertical	192	1.85	44.66	33.20	6.30	34.12
AV	15.6814G	37.25	54.00	-16.75	16.27	3	Vertical	147	1.79	20.98	38.46	12.24	34.43
PK	4.99696G	64.31	74.00	-9.69	5.37	3	Vertical	192	1.85	58.94	33.19	6.30	34.12
PK	10.45088G	49.06	68.20	-19.14	15.40	3	Vertical	328	2.53	33.66	38.90	11.05	34.55
PK	15.69896G	51.55	74.00	-22.45	16.20	3	Vertical	147	1.79	35.35	38.40	12.25	34.45

5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	49.91	54.00	-4.09	5.38	3	Horizontal	189	2.04	44.53	33.20	6.30	34.12
AV	15.68384G	37.40	54.00	-16.60	16.26	3	Horizontal	299	2.27	21.14	38.45	12.24	34.43
PK	5.00028G	62.55	74.00	-11.45	5.38	3	Horizontal	189	2.04	57.17	33.20	6.30	34.12
PK	10.46924G	48.56	68.20	-19.64	15.41	3	Horizontal	172	1.32	33.15	38.90	11.05	34.54
PK	15.6886G	50.02	74.00	-23.98	16.24	3	Horizontal	299	2.27	33.78	38.43	12.25	34.44



5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2764G	108.35	Inf	-Inf	5.35	3	Vertical	184	1.50	103.00	33.00	6.50	34.15
AV	5.35G	53.57	54.00	-0.43	5.29	3	Vertical	184	1.50	48.28	32.90	6.55	34.16
PK	5.256G	122.62	Inf	-Inf	5.34	3	Vertical	184	1.50	117.28	33.00	6.49	34.15
PK	5.3508G	69.41	74.00	-4.59	5.30	3	Vertical	184	1.50	64.11	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2752G	107.95	Inf	-Inf	5.35	3	Horizontal	185	2.16	102.60	33.00	6.50	34.15
AV	5.35G	53.54	54.00	-0.46	5.29	3	Horizontal	185	2.16	48.25	32.90	6.55	34.16
PK	5.2676G	122.80	Inf	-Inf	5.35	3	Horizontal	185	2.16	117.45	33.00	6.50	34.15
PK	5.352G	69.07	74.00	-4.93	5.30	3	Horizontal	185	2.16	63.77	32.90	6.56	34.16



5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00008G	49.28	54.00	-4.72	5.38	3	Vertical	186	1.88	43.90	33.20	6.30	34.12
AV	15.81396G	39.01	54.00	-14.99	16.16	3	Vertical	293	1.76	22.85	38.37	12.32	34.53
PK	4.99974G	64.25	74.00	-9.75	5.38	3	Vertical	186	1.88	58.87	33.20	6.30	34.12
PK	10.51024G	50.72	68.20	-17.48	15.47	3	Vertical	160	1.19	35.25	38.90	11.07	34.50
PK	15.798G	52.82	74.00	-21.18	16.19	3	Vertical	293	1.76	36.63	38.40	12.31	34.52

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	50.73	54.00	-3.27	5.38	3	Horizontal	186	1.85	45.35	33.20	6.30	34.12
AV	15.7992G	37.73	54.00	-16.27	16.20	3	Horizontal	246	1.50	21.53	38.40	12.32	34.52
PK	4.99978G	62.21	74.00	-11.79	5.38	3	Horizontal	186	1.85	56.83	33.20	6.30	34.12
PK	10.56808G	51.19	68.20	-17.01	15.53	3	Horizontal	246	2.66	35.66	38.90	11.09	34.46
PK	15.8004G	51.85	74.00	-22.15	16.20	3	Horizontal	246	1.50	35.65	38.40	12.32	34.52



5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	100.44	Inf	-Inf	5.34	3	Vertical	185	1.50	95.10	32.97	6.53	34.16
AV	5.35G	53.37	54.00	-0.63	5.29	3	Vertical	185	1.50	48.08	32.90	6.55	34.16
PK	5.3144G	114.57	Inf	-Inf	5.34	3	Vertical	185	1.50	109.23	32.97	6.53	34.16
PK	5.3548G	68.41	74.00	-5.59	5.30	3	Vertical	185	1.50	63.11	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	101.40	Inf	-Inf	5.33	3	Horizontal	184	2.14	96.07	32.96	6.53	34.16
AV	5.35G	53.52	54.00	-0.48	5.29	3	Horizontal	184	2.14	48.23	32.90	6.55	34.16
PK	5.3076G	115.98	Inf	-Inf	5.35	3	Horizontal	184	2.14	110.63	32.98	6.53	34.16
PK	5.3536G	69.35	74.00	-4.65	5.30	3	Horizontal	184	2.14	64.05	32.90	6.56	34.16



5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	44.29	54.00	-9.71	5.38	3	Vertical	186	1.94	38.91	33.20	6.30	34.12
AV	10.63188G	37.06	54.00	-16.94	15.69	3	Vertical	272	1.50	21.37	39.00	11.11	34.42
AV	15.95532G	37.92	54.00	-16.08	15.85	3	Vertical	6	1.50	22.07	38.09	12.41	34.65
PK	4.99546G	58.65	74.00	-15.35	5.36	3	Vertical	186	1.94	53.29	33.18	6.30	34.12
PK	10.64652G	50.99	74.00	-23.01	15.75	3	Vertical	272	1.50	35.24	39.04	11.12	34.41
PK	15.92808G	52.29	74.00	-21.71	15.92	3	Vertical	6	1.50	36.37	38.14	12.40	34.62

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	48.55	54.00	-5.45	5.38	3	Horizontal	188	1.86	43.17	33.20	6.30	34.12
AV	10.63104G	37.15	54.00	-16.85	15.68	3	Horizontal	200	2.86	21.47	38.99	11.11	34.42
AV	15.94776G	37.95	54.00	-16.05	15.87	3	Horizontal	159	1.50	22.08	38.10	12.41	34.64
PK	4.99994G	58.53	74.00	-15.47	5.38	3	Horizontal	188	1.86	53.15	33.20	6.30	34.12
PK	10.63716G	51.39	74.00	-22.61	15.72	3	Horizontal	200	2.86	35.67	39.01	11.12	34.41
PK	15.95868G	52.45	74.00	-21.55	15.84	3	Horizontal	159	1.50	36.61	38.08	12.41	34.65



5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.36	54.00	-5.64	5.36	3	Vertical	187	1.66	43.00	32.90	6.64	34.18
AV	5.5164G	99.52	Inf	-Inf	5.41	3	Vertical	187	1.66	94.11	32.90	6.69	34.18
PK	5.46G	63.24	74.00	-10.76	5.36	3	Vertical	187	1.66	57.88	32.90	6.64	34.18
PK	5.47G	67.87	68.20	-0.33	5.37	3	Vertical	187	1.66	62.50	32.90	6.65	34.18
PK	5.5168G	113.38	Inf	-Inf	5.42	3	Vertical	187	1.66	107.96	32.90	6.70	34.18

5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.57	54.00	-5.43	5.36	3	Horizontal	187	1.66	43.21	32.90	6.64	34.18
AV	5.5012G	99.23	Inf	-Inf	5.40	3	Horizontal	187	1.66	93.83	32.90	6.68	34.18
PK	5.4572G	62.84	74.00	-11.16	5.37	3	Horizontal	187	1.66	57.47	32.90	6.64	34.17
PK	5.4696G	67.59	68.20	-0.61	5.37	3	Horizontal	187	1.66	62.22	32.90	6.65	34.18
PK	5.5076G	113.79	Inf	-Inf	5.41	3	Horizontal	187	1.66	108.38	32.90	6.69	34.18



5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	40.30	54.00	-13.70	5.38	3	Vertical	188	1.86	34.92	33.20	6.30	34.12
AV	11.01328G	37.36	54.00	-16.64	16.08	3	Vertical	214	2.88	21.28	38.99	11.25	34.16
PK	5.00018G	53.68	74.00	-20.32	5.38	3	Vertical	188	1.86	48.30	33.20	6.30	34.12
PK	11.03308G	51.39	74.00	-22.61	16.08	3	Vertical	214	2.88	35.31	38.97	11.26	34.15
PK	16.54536G	52.05	68.20	-16.15	16.84	3	Vertical	247	1.50	35.21	38.26	12.69	34.11

5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	47.97	54.00	-6.03	5.38	3	Horizontal	187	1.50	42.59	33.20	6.30	34.12
AV	11.01424G	37.23	54.00	-16.77	16.09	3	Horizontal	28	1.50	21.14	38.99	11.26	34.16
PK	4.99982G	56.08	74.00	-17.92	5.38	3	Horizontal	187	1.50	50.70	33.20	6.30	34.12
PK	11.03656G	51.36	74.00	-22.64	16.07	3	Horizontal	28	1.50	35.29	38.96	11.26	34.15
PK	16.51896G	51.43	68.20	-16.77	16.86	3	Horizontal	203	1.50	34.57	38.34	12.68	34.16



5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	48.96	54.00	-5.04	5.37	3	Vertical	188	1.60	43.59	32.90	6.64	34.17
AV	5.5564G	106.17	Inf	-Inf	5.46	3	Vertical	188	1.60	100.71	32.91	6.73	34.18
PK	5.4564G	63.52	74.00	-10.48	5.37	3	Vertical	188	1.60	58.15	32.90	6.64	34.17
PK	5.4692G	63.52	68.20	-4.68	5.37	3	Vertical	188	1.60	58.15	32.90	6.65	34.18
PK	5.5516G	120.15	Inf	-Inf	5.45	3	Vertical	188	1.60	114.70	32.90	6.73	34.18

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	50.66	54.00	-3.34	5.37	3	Horizontal	190	2.15	45.29	32.90	6.64	34.17
AV	5.5632G	105.37	Inf	-Inf	5.48	3	Horizontal	190	2.15	99.89	32.93	6.74	34.19
PK	5.4536G	65.03	74.00	-8.97	5.37	3	Horizontal	190	2.15	59.66	32.90	6.64	34.17
PK	5.47G	67.51	68.20	-0.69	5.37	3	Horizontal	190	2.15	62.14	32.90	6.65	34.18
PK	5.5476G	120.31	Inf	-Inf	5.44	3	Horizontal	190	2.15	114.87	32.90	6.72	34.18



5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	44.43	54.00	-9.57	5.38	3	Vertical	191	1.77	39.05	33.20	6.30	34.12
AV	11.1018G	36.83	54.00	-17.17	16.05	3	Vertical	161	2.77	20.78	38.90	11.29	34.14
PK	5.00038G	58.33	74.00	-15.67	5.38	3	Vertical	191	1.77	52.95	33.20	6.30	34.12
PK	11.09508G	50.02	74.00	-23.98	16.05	3	Vertical	161	2.77	33.97	38.90	11.29	34.14
PK	16.63668G	50.81	68.20	-17.39	16.97	3	Vertical	96	2.79	33.84	38.17	12.73	33.93

5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	50.31	54.00	-3.69	5.38	3	Horizontal	190	2.15	44.93	33.20	6.30	34.12
AV	11.10468G	37.14	54.00	-16.86	16.05	3	Horizontal	12	1.06	21.09	38.90	11.29	34.14
PK	4.9998G	59.76	74.00	-14.24	5.38	3	Horizontal	190	2.15	54.38	33.20	6.30	34.12
PK	11.09598G	49.29	74.00	-24.71	16.05	3	Horizontal	12	1.06	33.24	38.90	11.29	34.14
PK	16.6353G	50.53	68.20	-17.67	16.97	3	Horizontal	259	3.00	33.56	38.17	12.73	33.93



5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6766G	102.32	Inf	-Inf	5.95	3	Vertical	187	1.70	96.37	33.32	6.82	34.19
PK	5.6556G	116.40	Inf	-Inf	5.69	3	Vertical	187	1.70	110.71	33.07	6.81	34.19
PK	5.7282G	64.80	68.20	-3.40	6.36	3	Vertical	187	1.70	58.44	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6652G	102.91	Inf	-Inf	5.80	3	Horizontal	190	1.96	97.11	33.18	6.81	34.19
PK	5.6676G	117.70	Inf	-Inf	5.83	3	Horizontal	190	1.96	111.87	33.21	6.81	34.19
PK	5.7264G	66.44	68.20	-1.76	6.36	3	Horizontal	190	1.96	60.08	33.71	6.85	34.20



5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	41.02	54.00	-12.98	5.38	3	Vertical	187	1.83	35.64	33.20	6.30	34.12
AV	11.35952G	37.70	54.00	-16.30	16.45	3	Vertical	179	2.36	21.25	39.16	11.38	34.09
PK	4.99916G	54.03	74.00	-19.97	5.38	3	Vertical	187	1.83	48.65	33.20	6.30	34.12
PK	11.32912G	50.18	74.00	-23.82	16.41	3	Vertical	179	2.36	33.77	39.13	11.37	34.09
PK	16.99792G	50.55	68.20	-17.65	17.78	3	Vertical	248	1.57	32.77	38.10	12.89	33.21

5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	47.92	54.00	-6.08	5.38	3	Horizontal	192	2.16	42.54	33.20	6.30	34.12
AV	11.34792G	37.72	54.00	-16.28	16.44	3	Horizontal	212	2.84	21.28	39.15	11.38	34.09
PK	5.00012G	56.17	74.00	-17.83	5.38	3	Horizontal	192	2.16	50.79	33.20	6.30	34.12
PK	11.3516G	50.51	74.00	-23.49	16.44	3	Horizontal	212	2.84	34.07	39.15	11.38	34.09
PK	17.00096G	51.06	68.20	-17.14	17.79	3	Horizontal	265	1.11	33.27	38.10	12.90	33.21



5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	47.63	54.00	-6.37	5.37	3	Vertical	188	1.75	42.26	32.90	6.64	34.17
AV	5.6956G	108.51	Inf	-Inf	6.18	3	Vertical	188	1.75	102.33	33.55	6.83	34.20
PK	5.46G	61.49	74.00	-12.51	5.36	3	Vertical	188	1.75	56.13	32.90	6.64	34.18
PK	5.4604G	61.49	68.20	-6.71	5.36	3	Vertical	188	1.75	56.13	32.90	6.64	34.18
PK	5.6956G	122.78	Inf	-Inf	6.18	3	Vertical	188	1.75	116.60	33.55	6.83	34.20
PK	5.8516G	64.60	68.20	-3.60	6.84	3	Vertical	188	1.75	57.76	34.11	6.94	34.21

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4484G	48.59	54.00	-5.41	5.36	3	Horizontal	183	1.91	43.23	32.90	6.63	34.17
AV	5.7232G	108.30	Inf	-Inf	6.34	3	Horizontal	183	1.91	101.96	33.69	6.85	34.20
PK	5.4556G	62.45	74.00	-11.55	5.37	3	Horizontal	183	1.91	57.08	32.90	6.64	34.17
PK	5.47G	62.75	68.20	-5.45	5.37	3	Horizontal	183	1.91	57.38	32.90	6.65	34.18
PK	5.7076G	123.37	Inf	-Inf	6.27	3	Horizontal	183	1.91	117.10	33.63	6.84	34.20
PK	5.854G	67.55	68.20	-0.65	6.86	3	Horizontal	183	1.91	60.69	34.12	6.95	34.21



5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	41.87	54.00	-12.13	5.38	3	Vertical	191	1.84	36.49	33.20	6.30	34.12
AV	11.41128G	37.99	54.00	-16.01	16.51	3	Vertical	340	1.12	21.48	39.19	11.40	34.08
PK	4.99822G	55.94	74.00	-18.06	5.37	3	Vertical	191	1.84	50.57	33.19	6.30	34.12
PK	11.41896G	50.97	74.00	-23.03	16.51	3	Vertical	340	1.12	34.46	39.18	11.41	34.08
PK	17.1336G	50.55	68.20	-17.65	17.91	3	Vertical	272	1.53	32.64	38.20	12.96	33.25

5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	47.47	54.00	-6.53	5.38	3	Horizontal	182	2.12	42.09	33.20	6.30	34.12
AV	11.40848G	38.26	54.00	-15.74	16.51	3	Horizontal	175	2.23	21.75	39.19	11.40	34.08
PK	4.99978G	57.61	74.00	-16.39	5.38	3	Horizontal	182	2.12	52.23	33.20	6.30	34.12
PK	11.43552G	50.92	74.00	-23.08	16.50	3	Horizontal	175	2.23	34.42	39.16	11.41	34.07
PK	17.13456G	50.54	68.20	-17.66	17.91	3	Horizontal	257	1.58	32.63	38.20	12.96	33.25



5.725-5.85GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	47.39	54.00	-6.61	5.36	3	Vertical	189	1.70	42.03	32.90	6.64	34.18
AV	5.7442G	106.45	Inf	-Inf	6.44	3	Vertical	189	1.70	100.01	33.78	6.86	34.20
PK	5.6494G	65.69	68.20	-2.51	5.61	3	Vertical	189	1.70	60.08	33.00	6.80	34.19
PK	5.7406G	121.12	Inf	-Inf	6.42	3	Vertical	189	1.70	114.70	33.76	6.86	34.20
PK	5.9314G	61.94	68.20	-6.26	7.04	3	Vertical	189	1.70	54.90	34.24	7.01	34.21

5.725-5.85GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	48.55	54.00	-5.45	5.37	3	Horizontal	184	1.64	43.18	32.90	6.64	34.17
AV	5.7502G	107.37	Inf	-Inf	6.47	3	Horizontal	184	1.64	100.90	33.80	6.87	34.20
PK	5.6482G	67.66	68.20	-0.54	5.61	3	Horizontal	184	1.64	62.05	33.00	6.80	34.19
PK	5.7526G	122.22	Inf	-Inf	6.49	3	Horizontal	184	1.64	115.73	33.82	6.87	34.20
PK	5.9818G	64.05	68.20	-4.15	6.97	3	Horizontal	184	1.64	57.08	34.14	7.05	34.22



5.725-5.85GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00006G	41.75	54.00	-12.25	5.38	3	Vertical	191	1.85	36.37	33.20	6.30	34.12
AV	11.49296G	37.97	54.00	-16.03	16.48	3	Vertical	281	1.67	21.49	39.11	11.43	34.06
PK	5.0039G	55.45	74.00	-18.55	5.39	3	Vertical	191	1.85	50.06	33.21	6.30	34.12
PK	11.50816G	51.39	74.00	-22.61	16.44	3	Vertical	281	1.67	34.95	39.07	11.44	34.07
PK	17.25964G	50.49	68.20	-17.71	17.98	3	Vertical	187	2.65	32.51	38.26	13.01	33.29

5.725-5.85GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	48.42	54.00	-5.58	5.38	3	Horizontal	189	1.66	43.04	33.20	6.30	34.12
AV	11.5112G	38.56	54.00	-15.44	16.43	3	Horizontal	131	1.91	22.13	39.06	11.44	34.07
PK	5.0001G	57.91	74.00	-16.09	5.38	3	Horizontal	189	1.66	52.53	33.20	6.30	34.12
PK	11.5088G	50.62	74.00	-23.38	16.43	3	Horizontal	131	1.91	34.19	39.06	11.44	34.07
PK	17.26036G	50.41	68.20	-17.79	17.98	3	Horizontal	109	2.20	32.43	38.26	13.01	33.29



5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	106.74	Inf	-Inf	6.67	3	Vertical	189	1.87	100.07	33.98	6.89	34.20
PK	5.6426G	65.67	68.20	-2.53	5.61	3	Vertical	189	1.87	60.06	33.00	6.80	34.19
PK	5.7806G	121.24	Inf	-Inf	6.67	3	Vertical	189	1.87	114.57	33.98	6.89	34.20
PK	5.9366G	62.57	68.20	-5.63	7.04	3	Vertical	189	1.87	55.53	34.23	7.02	34.21

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	108.71	Inf	-Inf	6.73	3	Horizontal	185	2.07	101.98	34.04	6.89	34.20
PK	5.6366G	64.33	68.20	-3.87	5.60	3	Horizontal	185	2.07	58.73	33.00	6.79	34.19
PK	5.7926G	123.69	Inf	-Inf	6.76	3	Horizontal	185	2.07	116.93	34.06	6.90	34.20
PK	5.9246G	68.05	68.50	-0.45	7.05	3	Horizontal	185	2.07	61.00	34.25	7.01	34.21



5.725-5.85GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	42.50	54.00	-11.50	5.38	3	Vertical	187	1.84	37.12	33.20	6.30	34.12
AV	11.59108G	39.79	54.00	-14.21	16.09	3	Vertical	245	1.50	23.70	38.74	11.47	34.12
PK	5.00058G	57.06	74.00	-16.94	5.38	3	Vertical	187	1.84	51.68	33.20	6.30	34.12
PK	11.60068G	53.45	74.00	-20.55	16.05	3	Vertical	245	1.50	37.40	38.70	11.47	34.12
PK	17.39796G	53.62	68.20	-14.58	18.33	3	Vertical	306	2.76	35.29	38.59	13.08	33.34

5.725-5.85GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	48.86	54.00	-5.14	5.38	3	Horizontal	183	1.94	43.48	33.20	6.30	34.12
AV	11.5912G	39.39	54.00	-14.61	16.09	3	Horizontal	132	1.94	23.30	38.74	11.47	34.12
PK	5G	58.21	74.00	-15.79	5.38	3	Horizontal	183	1.94	52.83	33.20	6.30	34.12
PK	11.57344G	51.03	74.00	-22.97	16.16	3	Horizontal	132	1.94	34.87	38.81	11.46	34.11
PK	17.39484G	53.42	68.20	-14.78	18.31	3	Horizontal	297	1.88	35.11	38.58	13.07	33.34



5.15-5.25GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.61	54.00	-0.39	5.37	3	Vertical	190	1.86	48.24	33.10	6.41	34.14
AV	5.196G	98.99	Inf	-Inf	5.41	3	Vertical	190	1.86	93.58	33.10	6.45	34.14
AV	5.351G	48.86	54.00	-5.14	5.30	3	Vertical	190	1.86	43.56	32.90	6.56	34.16
PK	5.144G	69.15	74.00	-4.85	5.37	3	Vertical	190	1.86	63.78	33.10	6.41	34.14
PK	5.186G	111.30	Inf	-Inf	5.40	3	Vertical	190	1.86	105.90	33.10	6.44	34.14
PK	5.378G	62.16	74.00	-11.84	5.30	3	Vertical	190	1.86	56.86	32.90	6.57	34.17

5.15-5.25GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.66	54.00	-1.34	5.37	3	Horizontal	186	1.86	47.29	33.10	6.41	34.14
AV	5.213G	99.00	Inf	-Inf	5.38	3	Horizontal	186	1.86	93.62	33.07	6.46	34.15
AV	5.359G	47.54	54.00	-6.46	5.30	3	Horizontal	186	1.86	42.24	32.90	6.56	34.16
PK	5.148G	66.05	74.00	-7.95	5.37	3	Horizontal	186	1.86	60.68	33.10	6.41	34.14
PK	5.198G	111.96	Inf	-Inf	5.41	3	Horizontal	186	1.86	106.55	33.10	6.45	34.14
PK	5.354G	60.27	74.00	-13.73	5.30	3	Horizontal	186	1.86	54.97	32.90	6.56	34.16



5.15-5.25GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	46.24	54.00	-7.76	5.38	3	Vertical	187	1.84	40.86	33.20	6.30	34.12
AV	15.62384G	37.99	54.00	-16.01	16.45	3	Vertical	245	1.57	21.54	38.63	12.21	34.39
PK	4.99982G	60.35	74.00	-13.65	5.38	3	Vertical	187	1.84	54.97	33.20	6.30	34.12
PK	10.42748G	49.37	68.20	-18.83	15.37	3	Vertical	30	2.15	34.00	38.90	11.04	34.57
PK	15.63052G	50.74	74.00	-23.26	16.43	3	Vertical	245	1.57	34.31	38.61	12.21	34.39

5.15-5.25GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	50.43	54.00	-3.57	5.38	3	Horizontal	185	2.02	45.05	33.20	6.30	34.12
AV	15.62G	38.02	54.00	-15.98	16.46	3	Horizontal	351	1.71	21.56	38.64	12.20	34.38
PK	4.99992G	59.31	74.00	-14.69	5.38	3	Horizontal	185	2.02	53.93	33.20	6.30	34.12
PK	10.41072G	48.95	68.20	-19.25	15.35	3	Horizontal	304	2.95	33.60	38.90	11.03	34.58
PK	15.62076G	50.96	74.00	-23.04	16.46	3	Horizontal	351	1.71	34.50	38.64	12.20	34.38



5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.14	54.00	-6.86	5.37	3	Vertical	184	1.50	41.77	33.10	6.41	34.14
AV	5.303G	97.42	Inf	-Inf	5.35	3	Vertical	184	1.50	92.07	32.99	6.52	34.16
AV	5.351G	53.51	54.00	-0.49	5.30	3	Vertical	184	1.50	48.21	32.90	6.56	34.16
PK	5.048G	61.11	74.00	-12.89	5.51	3	Vertical	184	1.50	55.60	33.30	6.34	34.13
PK	5.277G	111.27	Inf	-Inf	5.35	3	Vertical	184	1.50	105.92	33.00	6.50	34.15
PK	5.356G	68.07	74.00	-5.93	5.30	3	Vertical	184	1.50	62.77	32.90	6.56	34.16
PK	5.473G	62.48	68.20	-5.72	5.38	3	Vertical	184	1.50	57.10	32.90	6.66	34.18

5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.93	54.00	-7.07	5.37	3	Horizontal	186	1.50	41.56	33.10	6.41	34.14
AV	5.3G	97.23	Inf	-Inf	5.36	3	Horizontal	186	1.50	91.87	33.00	6.52	34.16
AV	5.35G	51.31	54.00	-2.69	5.29	3	Horizontal	186	1.50	46.02	32.90	6.55	34.16
PK	5.149G	61.05	74.00	-12.95	5.37	3	Horizontal	186	1.50	55.68	33.10	6.41	34.14
PK	5.253G	110.91	Inf	-Inf	5.34	3	Horizontal	186	1.50	105.57	33.00	6.49	34.15
PK	5.351G	64.65	74.00	-9.35	5.30	3	Horizontal	186	1.50	59.35	32.90	6.56	34.16
PK	5.523G	60.18	68.20	-8.02	5.42	3	Horizontal	186	1.50	54.76	32.90	6.70	34.18



5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00016G	45.73	54.00	-8.27	5.38	3	Vertical	186	1.85	40.35	33.20	6.30	34.12
AV	15.87944G	38.37	54.00	-15.63	16.02	3	Vertical	6	1.98	22.35	38.24	12.37	34.59
PK	5.00212G	58.37	74.00	-15.63	5.38	3	Vertical	186	1.85	52.99	33.20	6.30	34.12
PK	10.57036G	50.02	68.20	-18.18	15.53	3	Vertical	77	2.22	34.49	38.90	11.09	34.46
PK	15.87848G	50.47	74.00	-23.53	16.01	3	Vertical	6	1.98	34.46	38.24	12.36	34.59

5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	50.45	54.00	-3.55	5.38	3	Horizontal	184	1.97	45.07	33.20	6.30	34.12
AV	15.8776G	38.43	54.00	-15.57	16.02	3	Horizontal	41	2.35	22.41	38.24	12.36	34.58
PK	4.99994G	59.14	74.00	-14.86	5.38	3	Horizontal	184	1.97	53.76	33.20	6.30	34.12
PK	10.5702G	49.88	68.20	-18.32	15.53	3	Horizontal	79	1.45	34.35	38.90	11.09	34.46
PK	15.86408G	50.14	74.00	-23.86	16.06	3	Horizontal	41	2.35	34.08	38.27	12.36	34.57



5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.45	54.00	-8.55	5.29	3	Vertical	188	1.77	40.16	32.90	6.55	34.16
AV	5.46G	51.11	54.00	-2.89	5.36	3	Vertical	188	1.77	45.75	32.90	6.64	34.18
AV	5.543G	97.05	Inf	-Inf	5.44	3	Vertical	188	1.77	91.61	32.90	6.72	34.18
PK	5.323G	59.45	68.20	-8.75	5.33	3	Vertical	188	1.77	54.12	32.95	6.54	34.16
PK	5.459G	66.14	74.00	-7.86	5.36	3	Vertical	188	1.77	60.78	32.90	6.64	34.18
PK	5.469G	67.25	68.20	-0.95	5.37	3	Vertical	188	1.77	61.88	32.90	6.65	34.18
PK	5.545G	111.19	Inf	-Inf	5.44	3	Vertical	188	1.77	105.75	32.90	6.72	34.18
PK	5.766G	60.60	68.20	-7.60	6.58	3	Vertical	188	1.77	54.02	33.90	6.88	34.20

5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.56	54.00	-7.44	5.29	3	Horizontal	190	2.06	41.27	32.90	6.55	34.16
AV	5.46G	51.41	54.00	-2.59	5.36	3	Horizontal	190	2.06	46.05	32.90	6.64	34.18
AV	5.516G	97.61	Inf	-Inf	5.41	3	Horizontal	190	2.06	92.20	32.90	6.69	34.18
PK	5.334G	60.76	68.20	-7.44	5.31	3	Horizontal	190	2.06	55.45	32.93	6.54	34.16
PK	5.459G	64.67	74.00	-9.33	5.36	3	Horizontal	190	2.06	59.31	32.90	6.64	34.18
PK	5.47G	67.71	68.20	-0.49	5.37	3	Horizontal	190	2.06	62.34	32.90	6.65	34.18
PK	5.493G	111.67	Inf	-Inf	5.39	3	Horizontal	190	2.06	106.28	32.90	6.67	34.18
PK	5.738G	61.14	68.20	-7.06	6.41	3	Horizontal	190	2.06	54.73	33.75	6.86	34.20



5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99999G	41.68	54.00	-12.32	5.38	3	Vertical	191	1.84	36.30	33.20	6.30	34.12
AV	11.05356G	37.93	54.00	-16.07	16.07	3	Vertical	197	2.29	21.86	38.95	11.27	34.15
PK	4.99994G	53.93	74.00	-20.07	5.38	3	Vertical	191	1.84	48.55	33.20	6.30	34.12
PK	11.0508G	49.50	74.00	-24.50	16.07	3	Vertical	197	2.29	33.43	38.95	11.27	34.15
PK	16.5846G	50.60	68.20	-17.60	16.83	3	Vertical	200	2.46	33.77	38.15	12.71	34.03

5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	48.90	54.00	-5.10	5.38	3	Horizontal	190	1.80	43.52	33.20	6.30	34.12
AV	11.05596G	37.87	54.00	-16.13	16.06	3	Horizontal	218	2.12	21.81	38.94	11.27	34.15
PK	4.99982G	57.34	74.00	-16.66	5.38	3	Horizontal	190	1.80	51.96	33.20	6.30	34.12
PK	11.051G	49.74	74.00	-24.26	16.07	3	Horizontal	218	2.12	33.67	38.95	11.27	34.15
PK	16.58232G	51.08	68.20	-17.12	16.81	3	Horizontal	306	2.76	34.27	38.15	12.70	34.04

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	47.34	54.00	-6.66	5.37	3	Vertical	189	1.80	41.97	32.90	6.64	34.17
AV	5.596G	99.56	Inf	-Inf	5.57	3	Vertical	189	1.80	93.99	32.99	6.77	34.19
PK	5.452G	63.02	74.00	-10.98	5.37	3	Vertical	189	1.80	57.65	32.90	6.64	34.17
PK	5.467G	61.72	68.20	-6.48	5.37	3	Vertical	189	1.80	56.35	32.90	6.65	34.18
PK	5.596G	113.21	Inf	-Inf	5.57	3	Vertical	189	1.80	107.64	32.99	6.77	34.19
PK	5.726G	63.83	68.20	-4.37	6.35	3	Vertical	189	1.80	57.48	33.70	6.85	34.20

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.17	54.00	-3.83	5.36	3	Horizontal	185	1.84	44.81	32.90	6.64	34.18
AV	5.599G	101.26	Inf	-Inf	5.58	3	Horizontal	185	1.84	95.68	33.00	6.77	34.19
PK	5.449G	64.36	74.00	-9.64	5.36	3	Horizontal	185	1.84	59.00	32.90	6.63	34.17
PK	5.466G	64.15	68.20	-4.05	5.37	3	Horizontal	185	1.84	58.78	32.90	6.65	34.18
PK	5.573G	115.81	Inf	-Inf	5.51	3	Horizontal	185	1.84	110.30	32.95	6.75	34.19
PK	5.726G	66.96	68.20	-1.24	6.35	3	Horizontal	185	1.84	60.61	33.70	6.85	34.20



5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99988G	44.09	54.00	-9.91	5.38	3	Vertical	190	1.85	38.71	33.20	6.30	34.12
AV	11.22536G	38.06	54.00	-15.94	16.25	3	Vertical	176	1.20	21.81	39.03	11.33	34.11
PK	4.99892G	56.38	74.00	-17.62	5.38	3	Vertical	190	1.85	51.00	33.20	6.30	34.12
PK	11.21736G	49.85	74.00	-24.15	16.23	3	Vertical	176	1.20	33.62	39.02	11.33	34.12
PK	16.82676G	51.09	68.20	-17.11	17.52	3	Vertical	191	1.42	33.57	38.25	12.82	33.55

5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	49.95	54.00	-4.05	5.38	3	Horizontal	188	1.74	44.57	33.20	6.30	34.12
AV	11.22064G	37.97	54.00	-16.03	16.23	3	Horizontal	257	1.56	21.74	39.02	11.33	34.12
PK	5.0002G	58.01	74.00	-15.99	5.38	3	Horizontal	188	1.74	52.63	33.20	6.30	34.12
PK	11.22776G	49.73	74.00	-24.27	16.25	3	Horizontal	257	1.56	33.48	39.03	11.33	34.11
PK	16.8324G	52.14	68.20	-16.06	17.52	3	Horizontal	218	1.56	34.62	38.24	12.82	33.54



5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	47.68	54.00	-6.32	5.37	3	Vertical	188	1.72	42.31	32.90	6.64	34.17
AV	5.6756G	103.12	Inf	-Inf	5.94	3	Vertical	188	1.72	97.18	33.31	6.82	34.19
PK	5.456G	61.51	74.00	-12.49	5.37	3	Vertical	188	1.72	56.14	32.90	6.64	34.17
PK	5.4668G	61.80	68.20	-6.40	5.37	3	Vertical	188	1.72	56.43	32.90	6.65	34.18
PK	5.6828G	116.83	Inf	-Inf	6.02	3	Vertical	188	1.72	110.81	33.39	6.82	34.19
PK	5.8676G	62.67	68.20	-5.53	6.92	3	Vertical	188	1.72	55.75	34.17	6.96	34.21

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	48.35	54.00	-5.65	5.36	3	Horizontal	184	1.80	42.99	32.90	6.63	34.17
AV	5.6996G	102.40	Inf	-Inf	6.23	3	Horizontal	184	1.80	96.17	33.60	6.83	34.20
PK	5.444G	62.63	74.00	-11.37	5.36	3	Horizontal	184	1.80	57.27	32.90	6.63	34.17
PK	5.4644G	62.21	68.20	-5.99	5.37	3	Horizontal	184	1.80	56.84	32.90	6.65	34.18
PK	5.6984G	116.03	Inf	-Inf	6.21	3	Horizontal	184	1.80	109.82	33.58	6.83	34.20
PK	5.8604G	67.01	68.20	-1.19	6.88	3	Horizontal	184	1.80	60.13	34.14	6.95	34.21



5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	41.97	54.00	-12.03	5.38	3	Vertical	189	1.84	36.59	33.20	6.30	34.12
AV	11.3846G	38.79	54.00	-15.21	16.49	3	Vertical	147	1.71	22.30	39.18	11.39	34.08
PK	4.99956G	54.47	74.00	-19.53	5.38	3	Vertical	189	1.84	49.09	33.20	6.30	34.12
PK	11.37004G	50.36	74.00	-23.64	16.47	3	Vertical	147	1.71	33.89	39.17	11.39	34.09
PK	17.0662G	49.90	68.20	-18.30	17.87	3	Vertical	342	2.27	32.03	38.17	12.93	33.23

5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00006G	38.87	54.00	-15.13	5.38	3	Horizontal	168	1.50	33.49	33.20	6.30	34.12
AV	11.37792G	38.70	54.00	-15.30	16.49	3	Horizontal	345	1.58	22.21	39.18	11.39	34.08
PK	5.00016G	48.14	74.00	-25.86	5.38	3	Horizontal	168	1.50	42.76	33.20	6.30	34.12
PK	11.3722G	50.53	74.00	-23.47	16.47	3	Horizontal	345	1.58	34.06	39.17	11.39	34.09
PK	17.06092G	51.46	68.20	-16.74	17.85	3	Horizontal	35	1.63	33.61	38.16	12.92	33.23



5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	100.57	Inf	-Inf	6.53	3	Vertical	189	1.87	94.04	33.86	6.87	34.20
PK	5.649G	65.04	68.20	-3.16	5.61	3	Vertical	189	1.87	59.43	33.00	6.80	34.19
PK	5.751G	114.40	Inf	-Inf	6.48	3	Vertical	189	1.87	107.92	33.81	6.87	34.20
PK	5.9358G	61.46	68.20	-6.74	7.04	3	Vertical	189	1.87	54.42	34.23	7.02	34.21

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	102.16	Inf	-Inf	6.57	3	Horizontal	185	1.93	95.59	33.89	6.88	34.20
PK	5.6406G	66.29	68.20	-1.91	5.61	3	Horizontal	185	1.93	60.68	33.00	6.80	34.19
PK	5.7678G	115.86	Inf	-Inf	6.59	3	Horizontal	185	1.93	109.27	33.91	6.88	34.20
PK	5.925G	64.71	68.20	-3.49	7.05	3	Horizontal	185	1.93	57.66	34.25	7.01	34.21



5.725-5.85GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	41.49	54.00	-12.51	5.38	3	Vertical	192	1.87	36.11	33.20	6.30	34.12
AV	11.5454G	38.84	54.00	-15.16	16.28	3	Vertical	236	1.49	22.56	38.92	11.45	34.09
PK	4.99992G	53.58	74.00	-20.42	5.38	3	Vertical	192	1.87	48.20	33.20	6.30	34.12
PK	11.5498G	50.11	74.00	-23.89	16.26	3	Vertical	236	1.49	33.85	38.90	11.45	34.09
PK	17.3184G	50.01	68.20	-18.19	18.09	3	Vertical	220	2.13	31.92	38.36	13.04	33.31

5.725-5.85GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	48.59	54.00	-5.41	5.38	3	Horizontal	190	1.60	43.21	33.20	6.30	34.12
AV	11.54028G	38.99	54.00	-15.01	16.31	3	Horizontal	181	1.82	22.68	38.94	11.45	34.08
PK	4.99988G	56.49	74.00	-17.51	5.38	3	Horizontal	190	1.60	51.11	33.20	6.30	34.12
PK	11.5418G	51.60	74.00	-22.40	16.29	3	Horizontal	181	1.82	35.31	38.93	11.45	34.09
PK	17.31796G	50.44	68.20	-17.76	18.08	3	Horizontal	48	1.75	32.36	38.35	13.04	33.31



5.15-5.25GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.60	54.00	-0.40	5.37	3	Vertical	185	1.94	48.23	33.10	6.41	34.14
AV	5.25168G	97.18	Inf	-Inf	5.34	3	Vertical	185	1.94	91.84	33.00	6.49	34.15
AV	5.40792G	53.46	54.00	-0.54	5.33	3	Vertical	185	1.94	48.13	32.90	6.60	34.17
PK	5.13912G	66.70	74.00	-7.30	5.36	3	Vertical	185	1.94	61.34	33.10	6.40	34.14
PK	5.26344G	109.84	Inf	-Inf	5.34	3	Vertical	185	1.94	104.50	33.00	6.49	34.15
PK	5.45496G	66.97	74.00	-7.03	5.37	3	Vertical	185	1.94	61.60	32.90	6.64	34.17
PK	5.46504G	64.58	68.20	-3.62	5.37	3	Vertical	185	1.94	59.21	32.90	6.65	34.18

5.15-5.25GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1408G	53.55	54.00	-0.45	5.37	3	Horizontal	186	1.89	48.18	33.10	6.41	34.14
AV	5.26512G	97.79	Inf	-Inf	5.35	3	Horizontal	186	1.89	92.44	33.00	6.50	34.15
AV	5.35416G	53.16	54.00	-0.84	5.30	3	Horizontal	186	1.89	47.86	32.90	6.56	34.16
PK	5.1408G	69.05	74.00	-4.95	5.37	3	Horizontal	186	1.89	63.68	33.10	6.41	34.14
PK	5.22816G	110.27	Inf	-Inf	5.36	3	Horizontal	186	1.89	104.91	33.04	6.47	34.15
PK	5.35G	65.98	74.00	-8.02	5.29	3	Horizontal	186	1.89	60.69	32.90	6.55	34.16
PK	5.46672G	63.50	68.20	-4.70	5.37	3	Horizontal	186	1.89	58.13	32.90	6.65	34.18



5.15-5.25GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00208G	48.57	54.00	-5.43	5.38	3	Vertical	185	1.92	43.19	33.20	6.30	34.12
AV	15.75008G	38.92	54.00	-15.08	16.20	3	Vertical	242	1.05	22.72	38.40	12.29	34.49
PK	5.0007G	61.17	74.00	-12.83	5.38	3	Vertical	185	1.92	55.79	33.20	6.30	34.12
PK	10.5086G	50.49	68.20	-17.71	15.47	3	Vertical	226	2.29	35.02	38.90	11.07	34.50
PK	15.74676G	49.41	74.00	-24.59	16.20	3	Vertical	242	1.05	33.21	38.40	12.28	34.48

5.15-5.25GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.49	54.00	-2.51	5.38	3	Horizontal	184	1.95	46.11	33.20	6.30	34.12
AV	15.7458G	38.84	54.00	-15.16	16.20	3	Horizontal	113	2.67	22.64	38.40	12.28	34.48
PK	5.00018G	61.24	74.00	-12.76	5.38	3	Horizontal	184	1.95	55.86	33.20	6.30	34.12
PK	10.50956G	49.07	68.20	-19.13	15.47	3	Horizontal	314	2.25	33.60	38.90	11.07	34.50
PK	15.75928G	50.12	74.00	-23.88	16.20	3	Horizontal	113	2.67	33.92	38.40	12.29	34.49



5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	50.12	54.00	-3.88	5.37	3	Vertical	188	1.78	44.75	32.90	6.64	34.17
AV	5.582G	93.90	Inf	-Inf	5.52	3	Vertical	188	1.78	88.38	32.96	6.75	34.19
PK	5.3348G	60.83	68.20	-7.37	5.31	3	Vertical	188	1.78	55.52	32.93	6.54	34.16
PK	5.4536G	65.58	74.00	-8.42	5.37	3	Vertical	188	1.78	60.21	32.90	6.64	34.17
PK	5.4632G	64.71	68.20	-3.49	5.37	3	Vertical	188	1.78	59.34	32.90	6.65	34.18
PK	5.5832G	110.19	Inf	-Inf	5.53	3	Vertical	188	1.78	104.66	32.97	6.75	34.19
PK	5.7356G	65.02	68.20	-3.18	6.40	3	Vertical	188	1.78	58.62	33.74	6.86	34.20

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	51.31	54.00	-2.69	5.36	3	Horizontal	186	1.67	45.95	32.90	6.64	34.18
AV	5.552G	94.21	Inf	-Inf	5.45	3	Horizontal	186	1.67	88.76	32.90	6.73	34.18
PK	5.348G	63.31	68.20	-4.89	5.29	3	Horizontal	186	1.67	58.02	32.90	6.55	34.16
PK	5.4584G	67.26	74.00	-6.74	5.36	3	Horizontal	186	1.67	61.90	32.90	6.64	34.18
PK	5.4608G	67.49	68.20	-0.71	5.36	3	Horizontal	186	1.67	62.13	32.90	6.64	34.18
PK	5.5484G	109.64	Inf	-Inf	5.44	3	Horizontal	186	1.67	104.20	32.90	6.72	34.18
PK	5.7644G	64.60	68.20	-3.60	6.57	3	Horizontal	186	1.67	58.03	33.89	6.88	34.20



5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00018G	41.85	54.00	-12.15	5.38	3	Vertical	190	1.96	36.47	33.20	6.30	34.12
AV	11.13412G	38.41	54.00	-15.59	16.10	3	Vertical	149	2.69	22.31	38.93	11.30	34.13
PK	4.99994G	53.36	74.00	-20.64	5.38	3	Vertical	190	1.96	47.98	33.20	6.30	34.12
PK	11.14044G	49.01	74.00	-24.99	16.11	3	Vertical	149	2.69	32.90	38.94	11.30	34.13
PK	16.713G	50.88	68.20	-17.32	17.28	3	Vertical	293	2.92	33.60	38.30	12.76	33.78

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	48.92	54.00	-5.08	5.38	3	Horizontal	189	1.62	43.54	33.20	6.30	34.12
AV	11.13248G	38.34	54.00	-15.66	16.10	3	Horizontal	120	1.35	22.24	38.93	11.30	34.13
PK	4.99992G	55.98	74.00	-18.02	5.38	3	Horizontal	189	1.62	50.60	33.20	6.30	34.12
PK	11.13572G	49.95	74.00	-24.05	16.11	3	Horizontal	120	1.35	33.84	38.94	11.30	34.13
PK	16.7146G	50.22	68.20	-17.98	17.29	3	Horizontal	30	1.61	32.93	38.30	12.77	33.78



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	PK	499.48M	41.45	46.00	-4.55	3	Horizontal	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	123.12M	34.18	43.50	-9.32	3	Vertical	360	1.00
5775MHz	Pass	PK	249.22M	33.24	46.00	-12.76	3	Vertical	360	1.00
5775MHz	Pass	PK	375.32M	38.34	46.00	-7.66	3	Vertical	360	1.00
5775MHz	Pass	PK	499.48M	40.06	46.00	-5.94	3	Vertical	360	1.00
5775MHz	Pass	PK	749.74M	39.17	46.00	-6.83	3	Vertical	360	1.00
5775MHz	Pass	PK	844.8M	38.63	46.00	-7.37	3	Vertical	360	1.00
5775MHz	Pass	PK	125.06M	32.25	43.50	-11.25	3	Horizontal	0	1.00
5775MHz	Pass	PK	249.22M	36.90	46.00	-9.10	3	Horizontal	0	1.00
5775MHz	Pass	PK	375.32M	35.37	46.00	-10.63	3	Horizontal	0	1.00
5775MHz	Pass	PK	499.48M	41.45	46.00	-4.55	3	Horizontal	0	1.00
5775MHz	Pass	PK	654.68M	39.64	46.00	-6.36	3	Horizontal	0	1.00
5775MHz	Pass	PK	749.74M	40.80	46.00	-5.20	3	Horizontal	0	1.00



5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	123.12M	34.18	43.50	-9.32	-8.03	3	Vertical	360	1.00	42.21	17.42	1.82	27.27
PK	249.22M	33.24	46.00	-12.76	-6.52	3	Vertical	360	1.00	39.76	17.53	2.63	26.68
PK	375.32M	38.34	46.00	-7.66	-3.77	3	Vertical	360	1.00	42.11	20.00	3.26	27.03
PK	499.48M	40.06	46.00	-5.94	-1.19	3	Vertical	360	1.00	41.25	22.77	3.81	27.77
PK	749.74M	39.17	46.00	-6.83	2.33	3	Vertical	360	1.00	36.84	25.34	4.73	27.74
PK	844.8M	38.63	46.00	-7.37	3.30	3	Vertical	360	1.00	35.33	25.74	5.08	27.52

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_4TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	32.25	43.50	-11.25	-8.00	3	Horizontal	0	1.00	40.25	17.42	1.84	27.26
PK	249.22M	36.90	46.00	-9.10	-6.52	3	Horizontal	0	1.00	43.42	17.53	2.63	26.68
PK	375.32M	35.37	46.00	-10.63	-3.77	3	Horizontal	0	1.00	39.14	20.00	3.26	27.03
PK	499.48M	41.45	46.00	-4.55	-1.19	3	Horizontal	0	1.00	42.64	22.77	3.81	27.77
PK	654.68M	39.64	46.00	-6.36	0.67	3	Horizontal	0	1.00	38.97	24.28	4.41	28.02
PK	749.74M	40.80	46.00	-5.20	2.33	3	Horizontal	0	1.00	38.47	25.34	4.73	27.74



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5G	53.52	54.00	-0.48	3	Vertical	187	1.91
802.11ax HEW20_Nss2,(MCS0)_4TX	Pass	AV	4.99998G	53.87	54.00	-0.13	3	Horizontal	191	2.08
802.11ax HEW40_Nss2,(MCS0)_4TX	Pass	AV	4.99996G	53.80	54.00	-0.20	3	Horizontal	192	2.12
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	AV	5.00002G	53.77	54.00	-0.23	3	Vertical	189	1.85
802.11ax HEW160_Nss2,(MCS0)_4TX	Pass	AV	4.99968G	53.72	54.00	-0.28	3	Horizontal	189	1.97
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.00002G	53.89	54.00	-0.11	3	Vertical	189	1.94
802.11ax HEW20_Nss2,(MCS0)_4TX	Pass	AV	5.3508G	53.86	54.00	-0.14	3	Vertical	187	1.74
802.11ax HEW40_Nss2,(MCS0)_4TX	Pass	AV	5.00002G	53.54	54.00	-0.46	3	Horizontal	191	2.02
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	AV	5.36G	53.46	54.00	-0.54	3	Vertical	188	1.72
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7268G	67.74	68.20	-0.46	3	Vertical	190	1.65
802.11ax HEW20_Nss2,(MCS0)_4TX	Pass	AV	4.99996G	53.88	54.00	-0.12	3	Horizontal	192	2.10
802.11ax HEW40_Nss2,(MCS0)_4TX	Pass	AV	5G	53.47	54.00	-0.53	3	Vertical	190	1.87
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	AV	4.99998G	53.44	54.00	-0.56	3	Horizontal	194	2.10
802.11ax HEW160_Nss2,(MCS0)_4TX	Pass	AV	4.99994G	53.60	54.00	-0.40	3	Vertical	189	1.96
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.6246G	67.56	68.20	-0.64	3	Vertical	190	1.66
802.11ax HEW20_Nss2,(MCS0)_4TX	Pass	PK	5.6454G	67.75	68.20	-0.45	3	Vertical	189	1.82
802.11ax HEW40_Nss2,(MCS0)_4TX	Pass	PK	5.9306G	68.04	68.20	-0.16	3	Horizontal	190	2.06
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	AV	4.99996G	52.98	54.00	-1.02	3	Horizontal	194	2.12



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	47.30	54.00	-6.70	3	Vertical	191	1.84
5180MHz	Pass	AV	5.1752G	106.50	Inf	-Inf	3	Vertical	191	1.84
5180MHz	Pass	PK	5.1496G	61.57	74.00	-12.43	3	Vertical	191	1.84
5180MHz	Pass	PK	5.1756G	117.03	Inf	-Inf	3	Vertical	191	1.84
5180MHz	Pass	AV	5.1484G	48.42	54.00	-5.58	3	Horizontal	192	1.85
5180MHz	Pass	AV	5.1724G	107.02	Inf	-Inf	3	Horizontal	192	1.85
5180MHz	Pass	PK	5.1454G	62.61	74.00	-11.39	3	Horizontal	192	1.85
5180MHz	Pass	PK	5.1728G	117.34	Inf	-Inf	3	Horizontal	192	1.85
5180MHz	Pass	AV	5G	53.52	54.00	-0.48	3	Vertical	187	1.91
5180MHz	Pass	PK	5.00004G	60.82	74.00	-13.18	3	Vertical	187	1.91
5180MHz	Pass	AV	5.00002G	52.93	54.00	-1.07	3	Horizontal	187	2.04
5180MHz	Pass	PK	5.0002G	63.80	74.00	-10.20	3	Horizontal	187	2.04
5200MHz	Pass	AV	5.148G	46.81	54.00	-7.19	3	Vertical	192	1.84
5200MHz	Pass	AV	5.194G	106.61	Inf	-Inf	3	Vertical	192	1.84
5200MHz	Pass	PK	5.1312G	61.14	74.00	-12.86	3	Vertical	192	1.84
5200MHz	Pass	PK	5.1936G	117.29	Inf	-Inf	3	Vertical	192	1.84
5200MHz	Pass	AV	5.1472G	47.58	54.00	-6.42	3	Horizontal	188	2.04
5200MHz	Pass	AV	5.1956G	107.40	Inf	-Inf	3	Horizontal	188	2.04
5200MHz	Pass	PK	5.148G	61.83	74.00	-12.17	3	Horizontal	188	2.04
5200MHz	Pass	PK	5.1964G	118.17	Inf	-Inf	3	Horizontal	188	2.04
5200MHz	Pass	AV	5G	53.14	54.00	-0.86	3	Vertical	191	1.88
5200MHz	Pass	PK	4.99994G	61.32	74.00	-12.68	3	Vertical	191	1.88
5200MHz	Pass	AV	4.99996G	52.21	54.00	-1.79	3	Horizontal	191	2.13
5200MHz	Pass	PK	5.00018G	60.81	74.00	-13.19	3	Horizontal	191	2.13
5240MHz	Pass	AV	5.1254G	47.24	54.00	-6.76	3	Vertical	193	1.88
5240MHz	Pass	AV	5.234G	108.04	Inf	-Inf	3	Vertical	193	1.88
5240MHz	Pass	AV	5.3522G	47.96	54.00	-6.04	3	Vertical	193	1.88
5240MHz	Pass	PK	5.1152G	61.26	74.00	-12.74	3	Vertical	193	1.88
5240MHz	Pass	PK	5.2334G	119.06	Inf	-Inf	3	Vertical	193	1.88
5240MHz	Pass	PK	5.3528G	61.38	74.00	-12.62	3	Vertical	193	1.88
5240MHz	Pass	AV	5.1278G	48.56	54.00	-5.44	3	Horizontal	188	2.06
5240MHz	Pass	AV	5.2352G	109.40	Inf	-Inf	3	Horizontal	188	2.06
5240MHz	Pass	AV	5.35G	48.46	54.00	-5.54	3	Horizontal	188	2.06
5240MHz	Pass	PK	5.1476G	62.70	74.00	-11.30	3	Horizontal	188	2.06
5240MHz	Pass	PK	5.2352G	119.98	Inf	-Inf	3	Horizontal	188	2.06
5240MHz	Pass	PK	5.3894G	62.85	74.00	-11.15	3	Horizontal	188	2.06
5240MHz	Pass	AV	5.00002G	53.31	54.00	-0.69	3	Vertical	190	1.82
5240MHz	Pass	PK	4.99986G	61.87	74.00	-12.13	3	Vertical	190	1.82
5240MHz	Pass	AV	4.99998G	52.80	54.00	-1.20	3	Horizontal	192	1.82
5240MHz	Pass	PK	5.00022G	62.77	74.00	-11.23	3	Horizontal	192	1.82
5260MHz	Pass	AV	5.1472G	48.85	54.00	-5.15	3	Vertical	191	1.93
5260MHz	Pass	AV	5.2552G	111.99	Inf	-Inf	3	Vertical	191	1.93
5260MHz	Pass	AV	5.3644G	49.86	54.00	-4.14	3	Vertical	191	1.93
5260MHz	Pass	PK	5.1442G	62.41	74.00	-11.59	3	Vertical	191	1.93
5260MHz	Pass	PK	5.2558G	122.83	Inf	-Inf	3	Vertical	191	1.93
5260MHz	Pass	PK	5.3632G	64.28	74.00	-9.72	3	Vertical	191	1.93
5260MHz	Pass	AV	5.1472G	50.31	54.00	-3.69	3	Horizontal	188	1.85
5260MHz	Pass	AV	5.2546G	111.81	Inf	-Inf	3	Horizontal	188	1.85
5260MHz	Pass	AV	5.3704G	49.88	54.00	-4.12	3	Horizontal	188	1.85
5260MHz	Pass	PK	5.15G	64.10	74.00	-9.90	3	Horizontal	188	1.85
5260MHz	Pass	PK	5.2546G	122.32	Inf	-Inf	3	Horizontal	188	1.85
5260MHz	Pass	PK	5.3572G	63.67	74.00	-10.33	3	Horizontal	188	1.85
5260MHz	Pass	AV	5.00002G	53.89	54.00	-0.11	3	Vertical	189	1.94
5260MHz	Pass	PK	4.99986G	64.16	74.00	-9.84	3	Vertical	189	1.94
5260MHz	Pass	AV	5G	53.75	54.00	-0.25	3	Horizontal	192	1.94
5260MHz	Pass	PK	4.99974G	65.08	74.00	-8.92	3	Horizontal	192	1.94
5300MHz	Pass	AV	5.2972G	110.78	Inf	-Inf	3	Vertical	188	1.93
5300MHz	Pass	AV	5.3776G	49.38	54.00	-4.62	3	Vertical	188	1.93
5300MHz	Pass	PK	5.2972G	121.83	Inf	-Inf	3	Vertical	188	1.93
5300MHz	Pass	PK	5.3772G	63.64	74.00	-10.36	3	Vertical	188	1.93



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz	Pass	AV	5.2952G	111.99	Inf	-Inf	3	Horizontal	190	2.03
5300MHz	Pass	AV	5.3532G	50.05	54.00	-3.95	3	Horizontal	190	2.03
5300MHz	Pass	PK	5.2956G	122.57	Inf	-Inf	3	Horizontal	190	2.03
5300MHz	Pass	PK	5.368G	63.83	74.00	-10.17	3	Horizontal	190	2.03
5300MHz	Pass	AV	5G	53.84	54.00	-0.16	3	Vertical	190	1.95
5300MHz	Pass	PK	5.0008G	63.15	74.00	-10.85	3	Vertical	190	1.95
5300MHz	Pass	AV	4.99994G	53.89	54.00	-0.11	3	Horizontal	191	2.04
5300MHz	Pass	PK	4.9998G	63.74	74.00	-10.26	3	Horizontal	191	2.04
5320MHz	Pass	AV	5.317G	112.14	Inf	-Inf	3	Vertical	190	2.00
5320MHz	Pass	AV	5.3556G	51.29	54.00	-2.71	3	Vertical	190	2.00
5320MHz	Pass	PK	5.3164G	122.96	Inf	-Inf	3	Vertical	190	2.00
5320MHz	Pass	PK	5.3542G	66.45	74.00	-7.55	3	Vertical	190	2.00
5320MHz	Pass	AV	5.3142G	112.23	Inf	-Inf	3	Horizontal	189	1.95
5320MHz	Pass	AV	5.35G	52.39	54.00	-1.61	3	Horizontal	189	1.95
5320MHz	Pass	PK	5.322G	122.78	Inf	-Inf	3	Horizontal	189	1.95
5320MHz	Pass	PK	5.3548G	68.18	74.00	-5.82	3	Horizontal	189	1.95
5320MHz	Pass	AV	4.99998G	53.84	54.00	-0.16	3	Vertical	190	1.85
5320MHz	Pass	PK	4.9999G	63.31	74.00	-10.69	3	Vertical	190	1.85
5320MHz	Pass	AV	4.99998G	53.51	54.00	-0.49	3	Horizontal	192	2.05
5320MHz	Pass	PK	4.99988G	64.76	74.00	-9.24	3	Horizontal	192	2.05
5500MHz	Pass	AV	5.456G	48.79	54.00	-5.21	3	Vertical	191	1.71
5500MHz	Pass	AV	5.5048G	110.50	Inf	-Inf	3	Vertical	191	1.71
5500MHz	Pass	PK	5.457G	62.97	74.00	-11.03	3	Vertical	191	1.71
5500MHz	Pass	PK	5.4664G	65.91	68.20	-2.29	3	Vertical	191	1.71
5500MHz	Pass	PK	5.505G	121.55	Inf	-Inf	3	Vertical	191	1.71
5500MHz	Pass	AV	5.4598G	49.81	54.00	-4.19	3	Horizontal	192	2.03
5500MHz	Pass	AV	5.5006G	110.20	Inf	-Inf	3	Horizontal	192	2.03
5500MHz	Pass	PK	5.4536G	63.73	74.00	-10.27	3	Horizontal	192	2.03
5500MHz	Pass	PK	5.4684G	66.19	68.20	-2.01	3	Horizontal	192	2.03
5500MHz	Pass	PK	5.4928G	120.59	Inf	-Inf	3	Horizontal	192	2.03
5500MHz	Pass	AV	4.99998G	53.43	54.00	-0.57	3	Vertical	190	1.91
5500MHz	Pass	PK	5.00006G	60.88	74.00	-13.12	3	Vertical	190	1.91
5500MHz	Pass	AV	4.99996G	53.12	54.00	-0.88	3	Horizontal	193	1.91
5500MHz	Pass	PK	4.99976G	62.39	74.00	-11.61	3	Horizontal	193	1.91
5580MHz	Pass	AV	5.454G	51.13	54.00	-2.87	3	Vertical	192	1.67
5580MHz	Pass	AV	5.5842G	118.52	Inf	-Inf	3	Vertical	192	1.67
5580MHz	Pass	PK	5.457G	65.57	74.00	-8.43	3	Vertical	192	1.67
5580MHz	Pass	PK	5.4648G	65.50	68.20	-2.70	3	Vertical	192	1.67
5580MHz	Pass	PK	5.5848G	128.84	Inf	-Inf	3	Vertical	192	1.67
5580MHz	Pass	PK	5.7258G	64.51	68.20	-3.69	3	Vertical	192	1.67
5580MHz	Pass	AV	5.4402G	52.10	54.00	-1.90	3	Horizontal	185	1.80
5580MHz	Pass	AV	5.5842G	117.80	Inf	-Inf	3	Horizontal	185	1.80
5580MHz	Pass	PK	5.4474G	66.60	74.00	-7.40	3	Horizontal	185	1.80
5580MHz	Pass	PK	5.4672G	66.48	68.20	-1.72	3	Horizontal	185	1.80
5580MHz	Pass	PK	5.5836G	128.16	Inf	-Inf	3	Horizontal	185	1.80
5580MHz	Pass	PK	5.727G	66.70	68.20	-1.50	3	Horizontal	185	1.80
5580MHz	Pass	AV	4.9999G	52.96	54.00	-1.04	3	Vertical	189	2.02
5580MHz	Pass	AV	11.15784G	37.32	54.00	-16.68	3	Vertical	39	1.50
5580MHz	Pass	PK	4.9997G	63.84	74.00	-10.16	3	Vertical	189	2.02
5580MHz	Pass	PK	11.17416G	50.58	74.00	-23.42	3	Vertical	39	1.50
5580MHz	Pass	PK	16.73556G	51.47	68.20	-16.73	3	Vertical	44	1.50
5580MHz	Pass	AV	4.99994G	52.63	54.00	-1.37	3	Horizontal	194	2.10
5580MHz	Pass	AV	11.1633G	37.36	54.00	-16.64	3	Horizontal	314	1.50
5580MHz	Pass	PK	5.00008G	64.61	74.00	-9.39	3	Horizontal	194	2.10
5580MHz	Pass	PK	11.16006G	51.10	74.00	-22.90	3	Horizontal	314	1.50
5580MHz	Pass	PK	16.73718G	51.86	68.20	-16.34	3	Horizontal	200	1.50
5700MHz	Pass	AV	5.7056G	108.99	Inf	-Inf	3	Vertical	190	1.65
5700MHz	Pass	PK	5.7064G	120.58	Inf	-Inf	3	Vertical	190	1.65
5700MHz	Pass	PK	5.7268G	67.74	68.20	-0.46	3	Vertical	190	1.65
5700MHz	Pass	AV	5.7012G	109.02	Inf	-Inf	3	Horizontal	191	1.65
5700MHz	Pass	PK	5.698G	118.74	Inf	-Inf	3	Horizontal	191	1.65
5700MHz	Pass	PK	5.7284G	65.78	68.20	-2.42	3	Horizontal	191	1.65



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	AV	4.99996G	51.63	54.00	-2.37	3	Vertical	191	1.87
5700MHz	Pass	PK	5.00004G	58.61	74.00	-15.39	3	Vertical	191	1.87
5700MHz	Pass	AV	4.99998G	51.73	54.00	-2.27	3	Horizontal	194	2.12
5700MHz	Pass	PK	5G	59.44	74.00	-14.56	3	Horizontal	194	2.12
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	50.95	54.00	-3.05	3	Vertical	193	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	119.67	Inf	-Inf	3	Vertical	193	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	64.54	74.00	-9.46	3	Vertical	193	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	65.44	68.20	-2.76	3	Vertical	193	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	130.81	Inf	-Inf	3	Vertical	193	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	65.73	68.20	-2.47	3	Vertical	193	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	51.39	54.00	-2.61	3	Horizontal	191	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	119.30	Inf	-Inf	3	Horizontal	191	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	66.09	74.00	-7.91	3	Horizontal	191	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	65.67	68.20	-2.53	3	Horizontal	191	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	129.88	Inf	-Inf	3	Horizontal	191	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	67.38	68.20	-0.82	3	Horizontal	191	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	4.99992G	47.87	54.00	-6.13	3	Vertical	192	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44936G	38.12	54.00	-15.88	3	Vertical	212	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.00006G	60.87	74.00	-13.13	3	Vertical	192	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4418G	51.40	74.00	-22.60	3	Vertical	212	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16294G	50.67	68.20	-17.53	3	Vertical	172	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	4.99992G	49.62	54.00	-4.38	3	Horizontal	194	2.11
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42752G	38.15	54.00	-15.85	3	Horizontal	189	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5G	61.52	74.00	-12.48	3	Horizontal	194	2.11
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4505G	51.33	74.00	-22.67	3	Horizontal	189	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1606G	51.29	68.20	-16.91	3	Horizontal	81	1.50
5745MHz	Pass	AV	5.4522G	50.38	54.00	-3.62	3	Vertical	189	1.61
5745MHz	Pass	AV	5.7426G	117.02	Inf	-Inf	3	Vertical	189	1.61
5745MHz	Pass	PK	5.6442G	67.09	68.20	-1.11	3	Vertical	189	1.61
5745MHz	Pass	PK	5.7426G	128.01	Inf	-Inf	3	Vertical	189	1.61
5745MHz	Pass	PK	5.9658G	63.18	68.20	-5.02	3	Vertical	189	1.61
5745MHz	Pass	AV	5.4462G	49.52	54.00	-4.48	3	Horizontal	188	1.61
5745MHz	Pass	AV	5.7474G	116.61	Inf	-Inf	3	Horizontal	188	1.61
5745MHz	Pass	PK	5.6346G	65.85	68.20	-2.35	3	Horizontal	188	1.61
5745MHz	Pass	PK	5.7438G	126.89	Inf	-Inf	3	Horizontal	188	1.61
5745MHz	Pass	PK	5.9574G	64.06	68.20	-4.14	3	Horizontal	188	1.61
5745MHz	Pass	AV	5G	50.58	54.00	-3.42	3	Vertical	190	1.90
5745MHz	Pass	AV	11.49366G	38.29	54.00	-15.71	3	Vertical	134	1.89
5745MHz	Pass	PK	4.99972G	59.85	74.00	-14.15	3	Vertical	190	1.90
5745MHz	Pass	PK	11.48892G	51.42	74.00	-22.58	3	Vertical	134	1.89
5745MHz	Pass	PK	17.24046G	51.51	68.20	-16.69	3	Vertical	311	1.50
5745MHz	Pass	AV	4.99992G	52.05	54.00	-1.95	3	Horizontal	193	2.11
5745MHz	Pass	AV	11.49264G	38.49	54.00	-15.51	3	Horizontal	156	2.98
5745MHz	Pass	PK	5.00002G	42.88	74.00	-31.12	3	Horizontal	193	2.11
5745MHz	Pass	PK	11.48658G	51.38	74.00	-22.62	3	Horizontal	156	2.98
5745MHz	Pass	PK	17.24508G	51.31	68.20	-16.89	3	Horizontal	53	1.50
5785MHz	Pass	AV	5.7826G	117.73	Inf	-Inf	3	Vertical	188	1.64
5785MHz	Pass	PK	5.6206G	67.44	68.20	-0.76	3	Vertical	188	1.64
5785MHz	Pass	PK	5.7838G	128.55	Inf	-Inf	3	Vertical	188	1.64
5785MHz	Pass	PK	5.935G	64.29	68.20	-3.91	3	Vertical	188	1.64
5785MHz	Pass	AV	5.7862G	117.58	Inf	-Inf	3	Horizontal	188	1.64
5785MHz	Pass	PK	5.6314G	65.67	68.20	-2.53	3	Horizontal	188	1.64
5785MHz	Pass	PK	5.7802G	127.91	Inf	-Inf	3	Horizontal	188	1.64
5785MHz	Pass	PK	5.9398G	64.88	68.20	-3.32	3	Horizontal	188	1.64
5785MHz	Pass	AV	4.99994G	50.64	54.00	-3.36	3	Vertical	192	1.84
5785MHz	Pass	AV	11.5829G	38.15	54.00	-15.85	3	Vertical	168	2.14
5785MHz	Pass	PK	4.99986G	60.32	74.00	-13.68	3	Vertical	192	1.84
5785MHz	Pass	PK	11.56298G	51.19	74.00	-22.81	3	Vertical	168	2.14
5785MHz	Pass	PK	17.3415G	51.13	68.20	-17.07	3	Vertical	190	2.09
5785MHz	Pass	AV	4.99998G	30.49	54.00	-23.51	3	Horizontal	194	2.19
5785MHz	Pass	AV	11.5553G	38.27	54.00	-15.73	3	Horizontal	168	2.07
5785MHz	Pass	PK	5.00002G	61.02	74.00	-12.98	3	Horizontal	194	2.19



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	11.5655G	51.09	74.00	-22.91	3	Horizontal	168	2.07
5785MHz	Pass	PK	17.3646G	51.50	68.20	-16.70	3	Horizontal	172	1.50
5825MHz	Pass	AV	5.831G	116.18	Inf	-Inf	3	Vertical	190	1.66
5825MHz	Pass	PK	5.6246G	67.56	68.20	-0.64	3	Vertical	190	1.66
5825MHz	Pass	PK	5.831G	127.15	Inf	-Inf	3	Vertical	190	1.66
5825MHz	Pass	PK	5.9342G	64.62	68.20	-3.58	3	Vertical	190	1.66
5825MHz	Pass	AV	5.8226G	116.83	Inf	-Inf	3	Horizontal	189	1.66
5825MHz	Pass	PK	5.5778G	65.29	68.20	-2.91	3	Horizontal	189	1.66
5825MHz	Pass	PK	5.8226G	127.23	Inf	-Inf	3	Horizontal	189	1.66
5825MHz	Pass	PK	5.9318G	64.95	68.20	-3.25	3	Horizontal	189	1.66
5825MHz	Pass	AV	4.99996G	52.01	54.00	-1.99	3	Vertical	191	1.95
5825MHz	Pass	AV	11.63536G	37.38	54.00	-16.62	3	Vertical	355	1.50
5825MHz	Pass	PK	4.99952G	60.43	74.00	-13.57	3	Vertical	191	1.95
5825MHz	Pass	PK	11.64256G	50.46	74.00	-23.54	3	Vertical	355	1.50
5825MHz	Pass	PK	17.4711G	52.49	68.20	-15.71	3	Vertical	334	1.50
5825MHz	Pass	AV	4.99998G	52.67	54.00	-1.33	3	Horizontal	194	2.15
5825MHz	Pass	AV	11.63734G	37.45	54.00	-16.55	3	Horizontal	-0	1.50
5825MHz	Pass	PK	5.0001G	61.60	74.00	-12.40	3	Horizontal	194	2.15
5825MHz	Pass	PK	11.65018G	51.02	74.00	-22.98	3	Horizontal	-0	1.50
5825MHz	Pass	PK	17.46462G	51.94	68.20	-16.26	3	Horizontal	99	1.50
802.11ax HEW20_Nss2.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	48.81	54.00	-5.19	3	Vertical	188	1.77
5180MHz	Pass	AV	5.174G	107.77	Inf	-Inf	3	Vertical	188	1.77
5180MHz	Pass	PK	5.147G	63.20	74.00	-10.80	3	Vertical	188	1.77
5180MHz	Pass	PK	5.1738G	121.74	Inf	-Inf	3	Vertical	188	1.77
5180MHz	Pass	AV	5.149G	50.49	54.00	-3.51	3	Horizontal	193	1.87
5180MHz	Pass	AV	5.181G	109.21	Inf	-Inf	3	Horizontal	193	1.87
5180MHz	Pass	PK	5.1418G	64.72	74.00	-9.28	3	Horizontal	193	1.87
5180MHz	Pass	PK	5.1804G	121.55	Inf	-Inf	3	Horizontal	193	1.87
5180MHz	Pass	AV	4.99998G	53.55	54.00	-0.45	3	Vertical	189	1.94
5180MHz	Pass	PK	5G	62.07	74.00	-11.93	3	Vertical	189	1.94
5180MHz	Pass	AV	4.99998G	53.87	54.00	-0.13	3	Horizontal	191	2.08
5180MHz	Pass	PK	5.0001G	62.96	74.00	-11.04	3	Horizontal	191	2.08
5200MHz	Pass	AV	5.1484G	47.08	54.00	-6.92	3	Vertical	188	1.85
5200MHz	Pass	AV	5.194G	106.48	Inf	-Inf	3	Vertical	188	1.85
5200MHz	Pass	PK	5.1436G	60.74	74.00	-13.26	3	Vertical	188	1.85
5200MHz	Pass	PK	5.1924G	120.54	Inf	-Inf	3	Vertical	188	1.85
5200MHz	Pass	AV	5.15G	48.51	54.00	-5.49	3	Horizontal	190	1.92
5200MHz	Pass	AV	5.204G	107.37	Inf	-Inf	3	Horizontal	190	1.92
5200MHz	Pass	PK	5.148G	63.59	74.00	-10.41	3	Horizontal	190	1.92
5200MHz	Pass	PK	5.2068G	120.49	Inf	-Inf	3	Horizontal	190	1.92
5200MHz	Pass	AV	4.99998G	52.53	54.00	-1.47	3	Vertical	190	1.50
5200MHz	Pass	PK	4.99992G	60.86	74.00	-13.14	3	Vertical	190	1.50
5200MHz	Pass	AV	4.99998G	53.76	54.00	-0.24	3	Horizontal	190	2.14
5200MHz	Pass	PK	5.00022G	62.99	74.00	-11.01	3	Horizontal	190	2.14
5240MHz	Pass	AV	5.15G	48.02	54.00	-5.98	3	Vertical	183	1.50
5240MHz	Pass	AV	5.2412G	109.96	Inf	-Inf	3	Vertical	183	1.50
5240MHz	Pass	AV	5.35G	49.06	54.00	-4.94	3	Vertical	183	1.50
5240MHz	Pass	PK	5.1494G	62.44	74.00	-11.56	3	Vertical	183	1.50
5240MHz	Pass	PK	5.2394G	123.37	Inf	-Inf	3	Vertical	183	1.50
5240MHz	Pass	PK	5.35G	62.53	74.00	-11.47	3	Vertical	183	1.50
5240MHz	Pass	AV	5.15G	50.40	54.00	-3.60	3	Horizontal	191	1.94
5240MHz	Pass	AV	5.2442G	111.52	Inf	-Inf	3	Horizontal	191	1.94
5240MHz	Pass	AV	5.3534G	50.08	54.00	-3.92	3	Horizontal	191	1.94
5240MHz	Pass	PK	5.1278G	63.97	74.00	-10.03	3	Horizontal	191	1.94
5240MHz	Pass	PK	5.249G	125.47	Inf	-Inf	3	Horizontal	191	1.94
5240MHz	Pass	PK	5.3546G	64.23	74.00	-9.77	3	Horizontal	191	1.94
5240MHz	Pass	AV	4.99992G	53.75	54.00	-0.25	3	Vertical	190	1.83
5240MHz	Pass	PK	4.99974G	63.97	74.00	-10.03	3	Vertical	190	1.83
5240MHz	Pass	AV	5G	53.64	54.00	-0.36	3	Horizontal	192	2.12
5240MHz	Pass	PK	5.00008G	64.42	74.00	-9.58	3	Horizontal	192	2.12
5260MHz	Pass	AV	5.1478G	48.74	54.00	-5.26	3	Vertical	185	1.74



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	AV	5.2588G	111.42	Inf	-Inf	3	Vertical	185	1.74
5260MHz	Pass	AV	5.3674G	49.95	54.00	-4.05	3	Vertical	185	1.74
5260MHz	Pass	PK	5.1286G	62.24	74.00	-11.76	3	Vertical	185	1.74
5260MHz	Pass	PK	5.2594G	125.47	Inf	-Inf	3	Vertical	185	1.74
5260MHz	Pass	PK	5.3668G	63.93	74.00	-10.07	3	Vertical	185	1.74
5260MHz	Pass	AV	5.1496G	50.55	54.00	-3.45	3	Horizontal	193	1.90
5260MHz	Pass	AV	5.2612G	112.24	Inf	-Inf	3	Horizontal	193	1.90
5260MHz	Pass	AV	5.35G	50.35	54.00	-3.65	3	Horizontal	193	1.90
5260MHz	Pass	PK	5.15G	64.23	74.00	-9.77	3	Horizontal	193	1.90
5260MHz	Pass	PK	5.2576G	125.32	Inf	-Inf	3	Horizontal	193	1.90
5260MHz	Pass	PK	5.35G	64.39	74.00	-9.61	3	Horizontal	193	1.90
5260MHz	Pass	AV	5.00002G	53.80	54.00	-0.20	3	Vertical	189	1.94
5260MHz	Pass	PK	5.0002G	64.22	74.00	-9.78	3	Vertical	189	1.94
5260MHz	Pass	AV	5.00002G	53.72	54.00	-0.28	3	Horizontal	192	2.11
5260MHz	Pass	PK	5.00024G	65.24	74.00	-8.76	3	Horizontal	192	2.11
5300MHz	Pass	AV	5.294G	111.37	Inf	-Inf	3	Vertical	189	1.81
5300MHz	Pass	AV	5.376G	50.81	54.00	-3.19	3	Vertical	189	1.81
5300MHz	Pass	PK	5.2936G	125.14	Inf	-Inf	3	Vertical	189	1.81
5300MHz	Pass	PK	5.3764G	64.92	74.00	-9.08	3	Vertical	189	1.81
5300MHz	Pass	AV	5.304G	112.60	Inf	-Inf	3	Horizontal	192	2.04
5300MHz	Pass	AV	5.3508G	51.14	54.00	-2.86	3	Horizontal	192	2.04
5300MHz	Pass	PK	5.3044G	125.52	Inf	-Inf	3	Horizontal	192	2.04
5300MHz	Pass	PK	5.388G	66.07	74.00	-7.93	3	Horizontal	192	2.04
5300MHz	Pass	AV	4.99996G	52.60	54.00	-1.40	3	Vertical	192	1.90
5300MHz	Pass	PK	4.99996G	63.26	74.00	-10.74	3	Vertical	192	1.90
5300MHz	Pass	AV	4.99996G	53.84	54.00	-0.16	3	Horizontal	192	2.11
5300MHz	Pass	PK	4.99992G	65.21	74.00	-8.79	3	Horizontal	192	2.11
5320MHz	Pass	AV	5.3162G	110.58	Inf	-Inf	3	Vertical	187	1.74
5320MHz	Pass	AV	5.3508G	53.86	54.00	-0.14	3	Vertical	187	1.74
5320MHz	Pass	PK	5.3192G	124.29	Inf	-Inf	3	Vertical	187	1.74
5320MHz	Pass	PK	5.3504G	69.66	74.00	-4.34	3	Vertical	187	1.74
5320MHz	Pass	AV	5.321G	110.79	Inf	-Inf	3	Horizontal	192	1.74
5320MHz	Pass	AV	5.3522G	53.04	54.00	-0.96	3	Horizontal	192	1.74
5320MHz	Pass	PK	5.3246G	124.96	Inf	-Inf	3	Horizontal	192	1.74
5320MHz	Pass	PK	5.352G	69.94	74.00	-4.06	3	Horizontal	192	1.74
5320MHz	Pass	AV	4.99998G	53.71	54.00	-0.29	3	Vertical	189	1.78
5320MHz	Pass	PK	4.99992G	63.40	74.00	-10.60	3	Vertical	189	1.78
5320MHz	Pass	AV	4.99998G	53.68	54.00	-0.32	3	Horizontal	192	2.16
5320MHz	Pass	PK	5.00016G	64.09	74.00	-9.91	3	Horizontal	192	2.16
5500MHz	Pass	AV	5.4548G	47.16	54.00	-6.84	3	Vertical	192	1.73
5500MHz	Pass	AV	5.5074G	105.43	Inf	-Inf	3	Vertical	192	1.73
5500MHz	Pass	PK	5.4514G	61.61	74.00	-12.39	3	Vertical	192	1.73
5500MHz	Pass	PK	5.4696G	63.14	68.20	-5.06	3	Vertical	192	1.73
5500MHz	Pass	PK	5.4922G	119.33	Inf	-Inf	3	Vertical	192	1.73
5500MHz	Pass	AV	5.4542G	47.58	54.00	-6.42	3	Horizontal	193	2.02
5500MHz	Pass	AV	5.501G	106.53	Inf	-Inf	3	Horizontal	193	2.02
5500MHz	Pass	PK	5.46G	61.66	74.00	-12.34	3	Horizontal	193	2.02
5500MHz	Pass	PK	5.4694G	66.56	68.20	-1.64	3	Horizontal	193	2.02
5500MHz	Pass	PK	5.5016G	120.81	Inf	-Inf	3	Horizontal	193	2.02
5500MHz	Pass	AV	4.99998G	53.02	54.00	-0.98	3	Vertical	190	1.97
5500MHz	Pass	PK	4.99984G	59.63	74.00	-14.37	3	Vertical	190	1.97
5500MHz	Pass	AV	4.99996G	53.88	54.00	-0.12	3	Horizontal	192	2.10
5500MHz	Pass	PK	5.00006G	61.02	74.00	-12.98	3	Horizontal	192	2.10
5580MHz	Pass	AV	5.457G	47.58	54.00	-6.42	3	Vertical	190	1.74
5580MHz	Pass	AV	5.5728G	109.78	Inf	-Inf	3	Vertical	190	1.74
5580MHz	Pass	PK	5.4558G	61.26	74.00	-12.74	3	Vertical	190	1.74
5580MHz	Pass	PK	5.466G	61.35	68.20	-6.85	3	Vertical	190	1.74
5580MHz	Pass	PK	5.5722G	124.10	Inf	-Inf	3	Vertical	190	1.74
5580MHz	Pass	PK	5.7294G	61.51	68.20	-6.69	3	Vertical	190	1.74
5580MHz	Pass	AV	5.4522G	48.38	54.00	-5.62	3	Horizontal	192	1.88
5580MHz	Pass	AV	5.5824G	110.75	Inf	-Inf	3	Horizontal	192	1.88
5580MHz	Pass	PK	5.4306G	62.45	74.00	-11.55	3	Horizontal	192	1.88



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.4666G	62.46	68.20	-5.74	3	Horizontal	192	1.88
5580MHz	Pass	PK	5.5824G	123.41	Inf	-Inf	3	Horizontal	192	1.88
5580MHz	Pass	PK	5.7264G	62.89	68.20	-5.31	3	Horizontal	192	1.88
5580MHz	Pass	AV	5.00002G	52.81	54.00	-1.19	3	Vertical	191	1.94
5580MHz	Pass	PK	4.99986G	60.80	74.00	-13.20	3	Vertical	191	1.94
5580MHz	Pass	AV	5.00002G	52.99	54.00	-1.01	3	Horizontal	193	2.13
5580MHz	Pass	PK	4.99996G	61.72	74.00	-12.28	3	Horizontal	193	2.13
5700MHz	Pass	AV	5.696G	108.88	Inf	-Inf	3	Vertical	188	1.70
5700MHz	Pass	PK	5.6948G	122.59	Inf	-Inf	3	Vertical	188	1.70
5700MHz	Pass	PK	5.7344G	67.34	68.20	-0.86	3	Vertical	188	1.70
5700MHz	Pass	AV	5.7016G	108.37	Inf	-Inf	3	Horizontal	192	1.70
5700MHz	Pass	PK	5.7068G	121.98	Inf	-Inf	3	Horizontal	192	1.70
5700MHz	Pass	PK	5.7252G	66.60	68.20	-1.60	3	Horizontal	192	1.70
5700MHz	Pass	AV	4.99994G	51.51	54.00	-2.49	3	Vertical	191	1.85
5700MHz	Pass	PK	5.00004G	59.64	74.00	-14.36	3	Vertical	191	1.85
5700MHz	Pass	AV	4.99994G	51.79	54.00	-2.21	3	Horizontal	194	2.10
5700MHz	Pass	PK	5.00342G	57.45	74.00	-16.55	3	Horizontal	194	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	50.67	54.00	-3.33	3	Vertical	191	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	118.44	Inf	-Inf	3	Vertical	191	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	65.44	74.00	-8.56	3	Vertical	191	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	64.18	68.20	-4.02	3	Vertical	191	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	131.21	Inf	-Inf	3	Vertical	191	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	65.06	68.20	-3.14	3	Vertical	191	1.84
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	50.80	54.00	-3.20	3	Horizontal	193	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	118.19	Inf	-Inf	3	Horizontal	193	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4452G	65.08	74.00	-8.92	3	Horizontal	193	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	64.35	68.20	-3.85	3	Horizontal	193	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	130.75	Inf	-Inf	3	Horizontal	193	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	67.89	68.20	-0.31	3	Horizontal	193	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5G	48.52	54.00	-5.48	3	Vertical	191	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44036G	38.17	54.00	-15.83	3	Vertical	314	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.00144G	60.17	74.00	-13.83	3	Vertical	191	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43652G	51.64	74.00	-22.36	3	Vertical	314	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16318G	51.40	68.20	-16.80	3	Vertical	209	2.09
5720MHz Straddle 5.47-5.725GHz	Pass	AV	4.99994G	50.18	54.00	-3.82	3	Horizontal	194	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4457G	38.08	54.00	-15.92	3	Horizontal	45	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	4.99978G	60.73	74.00	-13.27	3	Horizontal	194	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44984G	51.67	74.00	-22.33	3	Horizontal	45	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17428G	51.89	68.20	-16.31	3	Horizontal	120	1.50
5745MHz	Pass	AV	5.4522G	50.23	54.00	-3.77	3	Vertical	189	1.82
5745MHz	Pass	AV	5.7414G	116.75	Inf	-Inf	3	Vertical	189	1.82
5745MHz	Pass	PK	5.6454G	67.75	68.20	-0.45	3	Vertical	189	1.82
5745MHz	Pass	PK	5.7402G	130.51	Inf	-Inf	3	Vertical	189	1.82
5745MHz	Pass	PK	5.9646G	63.46	68.20	-4.74	3	Vertical	189	1.82
5745MHz	Pass	AV	5.4474G	49.56	54.00	-4.44	3	Horizontal	196	1.82
5745MHz	Pass	AV	5.7486G	116.42	Inf	-Inf	3	Horizontal	196	1.82
5745MHz	Pass	PK	5.6526G	67.94	70.12	-2.18	3	Horizontal	196	1.82
5745MHz	Pass	PK	5.7534G	128.88	Inf	-Inf	3	Horizontal	196	1.82
5745MHz	Pass	PK	5.9838G	63.65	68.20	-4.55	3	Horizontal	196	1.82
5745MHz	Pass	AV	4.99996G	49.68	54.00	-4.32	3	Vertical	192	1.84
5745MHz	Pass	AV	11.49966G	38.45	54.00	-15.55	3	Vertical	136	1.98
5745MHz	Pass	PK	5.0002G	59.60	74.00	-14.40	3	Vertical	192	1.84
5745MHz	Pass	PK	11.49834G	51.50	74.00	-22.50	3	Vertical	136	1.98
5745MHz	Pass	PK	17.24466G	50.80	68.20	-17.40	3	Vertical	357	1.12
5745MHz	Pass	AV	5.00004G	49.97	54.00	-4.03	3	Horizontal	195	2.04
5745MHz	Pass	AV	11.49168G	38.28	54.00	-15.72	3	Horizontal	288	2.91
5745MHz	Pass	PK	4.99984G	59.89	74.00	-14.11	3	Horizontal	195	2.04
5745MHz	Pass	PK	11.49882G	51.29	74.00	-22.71	3	Horizontal	288	2.91
5745MHz	Pass	PK	17.23074G	51.53	68.20	-16.67	3	Horizontal	25	1.50
5785MHz	Pass	AV	5.7826G	117.26	Inf	-Inf	3	Vertical	193	1.79
5785MHz	Pass	PK	5.6254G	67.70	68.20	-0.50	3	Vertical	193	1.79
5785MHz	Pass	PK	5.779G	130.26	Inf	-Inf	3	Vertical	193	1.79



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.959G	64.54	68.20	-3.66	3	Vertical	193	1.79
5785MHz	Pass	AV	5.7838G	117.78	Inf	-Inf	3	Horizontal	195	1.79
5785MHz	Pass	PK	5.5498G	66.17	68.20	-2.03	3	Horizontal	195	1.79
5785MHz	Pass	PK	5.7766G	131.31	Inf	-Inf	3	Horizontal	195	1.79
5785MHz	Pass	PK	5.9314G	64.72	68.20	-3.48	3	Horizontal	195	1.79
5785MHz	Pass	AV	4.99998G	49.66	54.00	-4.34	3	Vertical	191	1.96
5785MHz	Pass	AV	11.58566G	37.97	54.00	-16.03	3	Vertical	166	1.88
5785MHz	Pass	PK	5.00062G	60.75	74.00	-13.25	3	Vertical	191	1.96
5785MHz	Pass	PK	11.56226G	51.09	74.00	-22.91	3	Vertical	166	1.88
5785MHz	Pass	PK	17.3535G	51.72	68.20	-16.48	3	Vertical	148	1.50
5785MHz	Pass	AV	4.99998G	50.16	54.00	-3.84	3	Horizontal	195	2.10
5785MHz	Pass	AV	11.55686G	38.09	54.00	-15.91	3	Horizontal	172	1.82
5785MHz	Pass	PK	4.99958G	43.00	74.00	-31.00	3	Horizontal	195	2.10
5785MHz	Pass	PK	11.58356G	50.91	74.00	-23.09	3	Horizontal	172	1.82
5785MHz	Pass	PK	17.35848G	52.27	68.20	-15.93	3	Horizontal	171	1.50
5825MHz	Pass	AV	5.8238G	116.02	Inf	-Inf	3	Vertical	187	1.50
5825MHz	Pass	PK	5.6294G	67.00	68.20	-1.20	3	Vertical	187	1.50
5825MHz	Pass	PK	5.8238G	129.92	Inf	-Inf	3	Vertical	187	1.50
5825MHz	Pass	PK	5.9606G	65.16	68.20	-3.04	3	Vertical	187	1.50
5825MHz	Pass	AV	5.8238G	115.58	Inf	-Inf	3	Horizontal	187	1.50
5825MHz	Pass	PK	5.5874G	64.02	68.20	-4.18	3	Horizontal	187	1.50
5825MHz	Pass	PK	5.8166G	128.92	Inf	-Inf	3	Horizontal	187	1.50
5825MHz	Pass	PK	5.9258G	66.03	68.20	-2.17	3	Horizontal	187	1.50
5825MHz	Pass	AV	5G	50.30	54.00	-3.70	3	Vertical	192	2.18
5825MHz	Pass	AV	11.63572G	37.37	54.00	-16.63	3	Vertical	289	1.50
5825MHz	Pass	PK	5.00004G	60.42	74.00	-13.58	3	Vertical	192	2.18
5825MHz	Pass	PK	11.6611G	50.84	74.00	-23.16	3	Vertical	289	1.50
5825MHz	Pass	PK	17.46216G	52.15	68.20	-16.05	3	Vertical	18	1.50
5825MHz	Pass	AV	4.99998G	51.78	54.00	-2.22	3	Horizontal	194	2.11
5825MHz	Pass	AV	11.63542G	37.42	54.00	-16.58	3	Horizontal	359	1.12
5825MHz	Pass	PK	5.00006G	62.05	74.00	-11.95	3	Horizontal	194	2.11
5825MHz	Pass	PK	11.63962G	51.34	74.00	-22.66	3	Horizontal	359	1.12
5825MHz	Pass	PK	17.46474G	51.96	68.20	-16.24	3	Horizontal	331	1.50
802.11ax HEW40_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.57	54.00	-0.43	3	Vertical	188	1.86
5190MHz	Pass	AV	5.184G	105.29	Inf	-Inf	3	Vertical	188	1.86
5190MHz	Pass	PK	5.15G	69.72	74.00	-4.28	3	Vertical	188	1.86
5190MHz	Pass	PK	5.1848G	119.21	Inf	-Inf	3	Vertical	188	1.86
5190MHz	Pass	AV	5.15G	53.57	54.00	-0.43	3	Horizontal	193	1.89
5190MHz	Pass	AV	5.1928G	106.22	Inf	-Inf	3	Horizontal	193	1.89
5190MHz	Pass	PK	5.15G	68.26	74.00	-5.74	3	Horizontal	193	1.89
5190MHz	Pass	PK	5.1932G	120.77	Inf	-Inf	3	Horizontal	193	1.89
5190MHz	Pass	AV	5G	53.30	54.00	-0.70	3	Vertical	190	2.03
5190MHz	Pass	PK	5G	62.91	74.00	-11.09	3	Vertical	190	2.03
5190MHz	Pass	AV	4.99996G	53.80	54.00	-0.20	3	Horizontal	192	2.12
5190MHz	Pass	PK	5.0001G	64.92	74.00	-9.08	3	Horizontal	192	2.12
5230MHz	Pass	AV	5.1468G	49.22	54.00	-4.78	3	Vertical	189	1.75
5230MHz	Pass	AV	5.2228G	106.77	Inf	-Inf	3	Vertical	189	1.75
5230MHz	Pass	PK	5.136G	62.88	74.00	-11.12	3	Vertical	189	1.75
5230MHz	Pass	PK	5.244G	120.84	Inf	-Inf	3	Vertical	189	1.75
5230MHz	Pass	AV	5.15G	50.42	54.00	-3.58	3	Horizontal	194	1.89
5230MHz	Pass	AV	5.2256G	107.91	Inf	-Inf	3	Horizontal	194	1.89
5230MHz	Pass	PK	5.1312G	64.63	74.00	-9.37	3	Horizontal	194	1.89
5230MHz	Pass	PK	5.2276G	122.93	Inf	-Inf	3	Horizontal	194	1.89
5230MHz	Pass	AV	4.99998G	53.80	54.00	-0.20	3	Vertical	190	1.87
5230MHz	Pass	PK	5.00004G	63.63	74.00	-10.37	3	Vertical	190	1.87
5230MHz	Pass	AV	4.99998G	53.08	54.00	-0.92	3	Horizontal	192	1.87
5230MHz	Pass	PK	5.00002G	63.92	74.00	-10.08	3	Horizontal	192	1.87
5270MHz	Pass	AV	5.2764G	107.33	Inf	-Inf	3	Vertical	194	2.00
5270MHz	Pass	AV	5.368G	49.98	54.00	-4.02	3	Vertical	194	2.00
5270MHz	Pass	PK	5.258G	121.63	Inf	-Inf	3	Vertical	194	2.00
5270MHz	Pass	PK	5.3576G	64.06	74.00	-9.94	3	Vertical	194	2.00



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	AV	5.2832G	108.19	Inf	-Inf	3	Horizontal	191	1.96
5270MHz	Pass	AV	5.3524G	50.86	54.00	-3.14	3	Horizontal	191	1.96
5270MHz	Pass	PK	5.2816G	122.40	Inf	-Inf	3	Horizontal	191	1.96
5270MHz	Pass	PK	5.3536G	64.53	74.00	-9.47	3	Horizontal	191	1.96
5270MHz	Pass	AV	4.99998G	53.02	54.00	-0.98	3	Vertical	192	2.03
5270MHz	Pass	PK	5.00004G	63.06	74.00	-10.94	3	Vertical	192	2.03
5270MHz	Pass	AV	5.00002G	53.54	54.00	-0.46	3	Horizontal	191	2.02
5270MHz	Pass	PK	5.00006G	64.47	74.00	-9.53	3	Horizontal	191	2.02
5310MHz	Pass	AV	5.3044G	104.78	Inf	-Inf	3	Vertical	187	1.50
5310MHz	Pass	AV	5.35G	51.05	54.00	-2.95	3	Vertical	187	1.50
5310MHz	Pass	PK	5.302G	119.48	Inf	-Inf	3	Vertical	187	1.50
5310MHz	Pass	PK	5.3552G	67.34	74.00	-6.66	3	Vertical	187	1.50
5310MHz	Pass	AV	5.308G	105.82	Inf	-Inf	3	Horizontal	194	1.87
5310MHz	Pass	AV	5.3532G	52.44	54.00	-1.56	3	Horizontal	194	1.87
5310MHz	Pass	PK	5.3076G	120.76	Inf	-Inf	3	Horizontal	194	1.87
5310MHz	Pass	PK	5.3516G	68.43	74.00	-5.57	3	Horizontal	194	1.87
5310MHz	Pass	AV	4.99998G	53.28	54.00	-0.72	3	Vertical	190	1.94
5310MHz	Pass	PK	4.99986G	62.76	74.00	-11.24	3	Vertical	190	1.94
5310MHz	Pass	AV	4.99996G	53.37	54.00	-0.63	3	Horizontal	191	2.01
5310MHz	Pass	PK	5.00006G	63.66	74.00	-10.34	3	Horizontal	191	2.01
5510MHz	Pass	AV	5.4588G	49.78	54.00	-4.22	3	Vertical	192	1.72
5510MHz	Pass	AV	5.518G	104.65	Inf	-Inf	3	Vertical	192	1.72
5510MHz	Pass	PK	5.46G	65.66	74.00	-8.34	3	Vertical	192	1.72
5510MHz	Pass	PK	5.4656G	66.70	68.20	-1.50	3	Vertical	192	1.72
5510MHz	Pass	PK	5.5016G	119.11	Inf	-Inf	3	Vertical	192	1.72
5510MHz	Pass	AV	5.458G	51.27	54.00	-2.73	3	Horizontal	190	1.91
5510MHz	Pass	AV	5.5172G	105.03	Inf	-Inf	3	Horizontal	190	1.91
5510MHz	Pass	PK	5.4584G	64.93	74.00	-9.07	3	Horizontal	190	1.91
5510MHz	Pass	PK	5.4632G	66.99	68.20	-1.21	3	Horizontal	190	1.91
5510MHz	Pass	PK	5.5156G	119.20	Inf	-Inf	3	Horizontal	190	1.91
5510MHz	Pass	AV	4.99996G	52.89	54.00	-1.11	3	Vertical	190	1.85
5510MHz	Pass	PK	4.99996G	60.86	74.00	-13.14	3	Vertical	190	1.85
5510MHz	Pass	AV	4.99996G	52.73	54.00	-1.27	3	Horizontal	194	2.14
5510MHz	Pass	PK	4.9998G	61.53	74.00	-12.47	3	Horizontal	194	2.14
5550MHz	Pass	AV	5.4584G	50.28	54.00	-3.72	3	Vertical	193	1.70
5550MHz	Pass	AV	5.554G	110.18	Inf	-Inf	3	Vertical	193	1.70
5550MHz	Pass	PK	5.454G	64.90	74.00	-9.10	3	Vertical	193	1.70
5550MHz	Pass	PK	5.4688G	65.20	68.20	-3.00	3	Vertical	193	1.70
5550MHz	Pass	PK	5.5448G	122.95	Inf	-Inf	3	Vertical	193	1.70
5550MHz	Pass	AV	5.4592G	51.76	54.00	-2.24	3	Horizontal	193	2.11
5550MHz	Pass	AV	5.5516G	110.28	Inf	-Inf	3	Horizontal	193	2.11
5550MHz	Pass	PK	5.4592G	67.49	74.00	-6.51	3	Horizontal	193	2.11
5550MHz	Pass	PK	5.466G	66.90	68.20	-1.30	3	Horizontal	193	2.11
5550MHz	Pass	PK	5.5476G	124.56	Inf	-Inf	3	Horizontal	193	2.11
5550MHz	Pass	AV	5G	53.47	54.00	-0.53	3	Vertical	190	1.87
5550MHz	Pass	PK	4.99982G	62.69	74.00	-11.31	3	Vertical	190	1.87
5550MHz	Pass	AV	4.99996G	52.40	54.00	-1.60	3	Horizontal	192	2.09
5550MHz	Pass	PK	5.00088G	60.83	74.00	-13.17	3	Horizontal	192	2.09
5670MHz	Pass	AV	5.664G	106.80	Inf	-Inf	3	Vertical	188	1.68
5670MHz	Pass	PK	5.667G	121.26	Inf	-Inf	3	Vertical	188	1.68
5670MHz	Pass	PK	5.7252G	65.02	68.20	-3.18	3	Vertical	188	1.68
5670MHz	Pass	AV	5.6652G	106.43	Inf	-Inf	3	Horizontal	195	1.76
5670MHz	Pass	PK	5.6676G	121.24	Inf	-Inf	3	Horizontal	195	1.76
5670MHz	Pass	PK	5.7288G	67.34	68.20	-0.86	3	Horizontal	195	1.76
5670MHz	Pass	AV	4.99998G	51.32	54.00	-2.68	3	Vertical	191	1.90
5670MHz	Pass	PK	4.99996G	60.21	74.00	-13.79	3	Vertical	191	1.90
5670MHz	Pass	AV	4.99998G	52.52	54.00	-1.48	3	Horizontal	193	2.12
5670MHz	Pass	PK	5.00018G	60.26	74.00	-13.74	3	Horizontal	193	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	50.09	54.00	-3.91	3	Vertical	191	1.79
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7004G	113.29	Inf	-Inf	3	Vertical	191	1.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4448G	63.81	74.00	-10.19	3	Vertical	191	1.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	63.92	68.20	-4.28	3	Vertical	191	1.79



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	127.44	Inf	-Inf	3	Vertical	191	1.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	65.40	68.20	-2.80	3	Vertical	191	1.79
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	50.51	54.00	-3.49	3	Horizontal	193	1.97
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	113.50	Inf	-Inf	3	Horizontal	193	1.97
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4304G	64.46	74.00	-9.54	3	Horizontal	193	1.97
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	64.18	68.20	-4.02	3	Horizontal	193	1.97
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	128.08	Inf	-Inf	3	Horizontal	193	1.97
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	67.05	68.20	-1.15	3	Horizontal	193	1.97
5710MHz Straddle 5.47-5.725GHz	Pass	AV	4.99998G	49.72	54.00	-4.28	3	Vertical	193	1.84
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43476G	38.12	54.00	-15.88	3	Vertical	153	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.00012G	60.39	74.00	-13.61	3	Vertical	193	1.84
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.3918G	51.41	74.00	-22.59	3	Vertical	153	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.10984G	51.67	68.20	-16.53	3	Vertical	211	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	4.99998G	51.75	54.00	-2.25	3	Horizontal	194	2.04
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40248G	38.09	54.00	-15.91	3	Horizontal	262	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	4.99506G	58.87	74.00	-15.13	3	Horizontal	194	2.04
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41172G	51.51	74.00	-22.49	3	Horizontal	262	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1558G	51.41	68.20	-16.79	3	Horizontal	202	1.50
5755MHz	Pass	AV	5.4562G	49.31	54.00	-4.69	3	Vertical	192	1.72
5755MHz	Pass	AV	5.7502G	111.26	Inf	-Inf	3	Vertical	192	1.72
5755MHz	Pass	PK	5.641G	67.64	68.20	-0.56	3	Vertical	192	1.72
5755MHz	Pass	PK	5.7406G	125.42	Inf	-Inf	3	Vertical	192	1.72
5755MHz	Pass	PK	5.9638G	63.12	68.20	-5.08	3	Vertical	192	1.72
5755MHz	Pass	AV	5.4574G	50.05	54.00	-3.95	3	Horizontal	188	1.88
5755MHz	Pass	AV	5.7406G	110.62	Inf	-Inf	3	Horizontal	188	1.88
5755MHz	Pass	PK	5.6494G	67.32	68.20	-0.88	3	Horizontal	188	1.88
5755MHz	Pass	PK	5.7442G	124.44	Inf	-Inf	3	Horizontal	188	1.88
5755MHz	Pass	PK	5.9518G	64.48	68.20	-3.72	3	Horizontal	188	1.88
5755MHz	Pass	AV	4.99996G	50.42	54.00	-3.58	3	Vertical	192	2.00
5755MHz	Pass	PK	4.99982G	59.25	74.00	-14.75	3	Vertical	192	2.00
5755MHz	Pass	AV	4.99996G	51.87	54.00	-2.13	3	Horizontal	194	2.05
5755MHz	Pass	PK	4.99984G	60.43	74.00	-13.57	3	Horizontal	194	2.05
5795MHz	Pass	AV	5.7878G	111.68	Inf	-Inf	3	Vertical	190	1.78
5795MHz	Pass	PK	5.6306G	67.75	68.20	-0.45	3	Vertical	190	1.78
5795MHz	Pass	PK	5.783G	125.77	Inf	-Inf	3	Vertical	190	1.78
5795MHz	Pass	PK	5.9246G	65.06	68.50	-3.44	3	Vertical	190	1.78
5795MHz	Pass	AV	5.7806G	111.68	Inf	-Inf	3	Horizontal	190	2.06
5795MHz	Pass	PK	5.6342G	67.35	68.20	-0.85	3	Horizontal	190	2.06
5795MHz	Pass	PK	5.8118G	125.56	Inf	-Inf	3	Horizontal	190	2.06
5795MHz	Pass	PK	5.9306G	68.04	68.20	-0.16	3	Horizontal	190	2.06
5795MHz	Pass	AV	4.99996G	51.17	54.00	-2.83	3	Vertical	192	1.86
5795MHz	Pass	AV	11.56396G	38.72	54.00	-15.28	3	Vertical	169	1.96
5795MHz	Pass	PK	4.9999G	60.21	74.00	-13.79	3	Vertical	192	1.86
5795MHz	Pass	PK	11.56276G	52.03	74.00	-21.97	3	Vertical	169	1.96
5795MHz	Pass	PK	17.4138G	51.58	68.20	-16.62	3	Vertical	162	1.50
5795MHz	Pass	AV	4.99994G	51.44	54.00	-2.56	3	Horizontal	195	2.11
5795MHz	Pass	AV	11.56012G	37.99	54.00	-16.01	3	Horizontal	237	2.37
5795MHz	Pass	PK	5.00002G	60.24	74.00	-13.76	3	Horizontal	195	2.11
5795MHz	Pass	PK	11.58136G	51.95	74.00	-22.05	3	Horizontal	237	2.37
5795MHz	Pass	PK	17.40696G	51.84	68.20	-16.36	3	Horizontal	343	2.95
802.11ax HEW80_Nss2.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5G	53.49	54.00	-0.51	3	Vertical	191	1.85
5210MHz	Pass	AV	5.199G	100.62	Inf	-Inf	3	Vertical	191	1.85
5210MHz	Pass	AV	5.352G	48.14	54.00	-5.86	3	Vertical	191	1.85
5210MHz	Pass	PK	5.143G	69.29	74.00	-4.71	3	Vertical	191	1.85
5210MHz	Pass	PK	5.181G	114.69	Inf	-Inf	3	Vertical	191	1.85
5210MHz	Pass	PK	5.368G	61.78	74.00	-12.22	3	Vertical	191	1.85
5210MHz	Pass	AV	5.15G	53.50	54.00	-0.50	3	Horizontal	193	2.06
5210MHz	Pass	AV	5.212G	100.73	Inf	-Inf	3	Horizontal	193	2.06
5210MHz	Pass	AV	5.35G	48.21	54.00	-5.79	3	Horizontal	193	2.06
5210MHz	Pass	PK	5.14G	69.17	74.00	-4.83	3	Horizontal	193	2.06
5210MHz	Pass	PK	5.213G	114.71	Inf	-Inf	3	Horizontal	193	2.06



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.374G	62.27	74.00	-11.73	3	Horizontal	193	2.06
5210MHz	Pass	AV	5.00002G	53.77	54.00	-0.23	3	Vertical	189	1.85
5210MHz	Pass	PK	4.99996G	62.18	74.00	-11.82	3	Vertical	189	1.85
5210MHz	Pass	AV	4.99996G	52.75	54.00	-1.25	3	Horizontal	190	1.85
5210MHz	Pass	PK	5G	62.20	74.00	-11.80	3	Horizontal	190	1.85
5290MHz	Pass	AV	5.148G	48.12	54.00	-5.88	3	Vertical	188	1.72
5290MHz	Pass	AV	5.303G	101.00	Inf	-Inf	3	Vertical	188	1.72
5290MHz	Pass	AV	5.36G	53.46	54.00	-0.54	3	Vertical	188	1.72
5290MHz	Pass	PK	5.044G	61.70	74.00	-12.30	3	Vertical	188	1.72
5290MHz	Pass	PK	5.303G	114.60	Inf	-Inf	3	Vertical	188	1.72
5290MHz	Pass	PK	5.36G	72.80	74.00	-1.20	3	Vertical	188	1.72
5290MHz	Pass	PK	5.482G	63.78	68.20	-4.42	3	Vertical	188	1.72
5290MHz	Pass	AV	5.15G	49.22	54.00	-4.78	3	Horizontal	192	1.72
5290MHz	Pass	AV	5.3G	102.03	Inf	-Inf	3	Horizontal	192	1.72
5290MHz	Pass	AV	5.35G	52.75	54.00	-1.25	3	Horizontal	192	1.72
5290MHz	Pass	PK	5.143G	62.74	74.00	-11.26	3	Horizontal	192	1.72
5290MHz	Pass	PK	5.299G	115.77	Inf	-Inf	3	Horizontal	192	1.72
5290MHz	Pass	PK	5.35G	68.78	74.00	-5.22	3	Horizontal	192	1.72
5290MHz	Pass	PK	5.515G	61.95	68.20	-6.25	3	Horizontal	192	1.72
5290MHz	Pass	AV	5G	53.45	54.00	-0.55	3	Vertical	190	1.85
5290MHz	Pass	PK	4.9999G	64.66	74.00	-9.34	3	Vertical	190	1.85
5290MHz	Pass	AV	4.99998G	53.35	54.00	-0.65	3	Horizontal	192	2.11
5290MHz	Pass	PK	5.00012G	64.44	74.00	-9.56	3	Horizontal	192	2.11
5530MHz	Pass	AV	5.35G	46.49	54.00	-7.51	3	Vertical	192	1.76
5530MHz	Pass	AV	5.46G	52.12	54.00	-1.88	3	Vertical	192	1.76
5530MHz	Pass	AV	5.541G	101.07	Inf	-Inf	3	Vertical	192	1.76
5530MHz	Pass	PK	5.328G	59.92	68.20	-8.28	3	Vertical	192	1.76
5530MHz	Pass	PK	5.46G	67.04	74.00	-6.96	3	Vertical	192	1.76
5530MHz	Pass	PK	5.461G	66.90	68.20	-1.30	3	Vertical	192	1.76
5530MHz	Pass	PK	5.522G	114.07	Inf	-Inf	3	Vertical	192	1.76
5530MHz	Pass	PK	5.739G	60.86	68.20	-7.34	3	Vertical	192	1.76
5530MHz	Pass	AV	5.35G	47.71	54.00	-6.29	3	Horizontal	191	2.10
5530MHz	Pass	AV	5.46G	52.56	54.00	-1.44	3	Horizontal	191	2.10
5530MHz	Pass	AV	5.537G	101.04	Inf	-Inf	3	Horizontal	191	2.10
5530MHz	Pass	PK	5.346G	60.86	68.20	-7.34	3	Horizontal	191	2.10
5530MHz	Pass	PK	5.46G	67.11	74.00	-6.89	3	Horizontal	191	2.10
5530MHz	Pass	PK	5.467G	67.50	68.20	-0.70	3	Horizontal	191	2.10
5530MHz	Pass	PK	5.493G	113.44	Inf	-Inf	3	Horizontal	191	2.10
5530MHz	Pass	PK	5.774G	61.63	68.20	-6.57	3	Horizontal	191	2.10
5530MHz	Pass	AV	5.00002G	52.89	54.00	-1.11	3	Vertical	192	1.94
5530MHz	Pass	PK	5.0001G	59.80	74.00	-14.20	3	Vertical	192	1.94
5530MHz	Pass	AV	5G	53.02	54.00	-0.98	3	Horizontal	194	2.18
5530MHz	Pass	PK	4.99982G	61.24	74.00	-12.76	3	Horizontal	194	2.18
5610MHz	Pass	AV	5.459G	50.06	54.00	-3.94	3	Vertical	190	1.69
5610MHz	Pass	AV	5.604G	105.87	Inf	-Inf	3	Vertical	190	1.69
5610MHz	Pass	PK	5.437G	62.93	74.00	-11.07	3	Vertical	190	1.69
5610MHz	Pass	PK	5.466G	63.26	68.20	-4.94	3	Vertical	190	1.69
5610MHz	Pass	PK	5.602G	118.42	Inf	-Inf	3	Vertical	190	1.69
5610MHz	Pass	PK	5.731G	65.48	68.20	-2.72	3	Vertical	190	1.69
5610MHz	Pass	AV	5.46G	51.57	54.00	-2.43	3	Horizontal	188	1.85
5610MHz	Pass	AV	5.625G	106.04	Inf	-Inf	3	Horizontal	188	1.85
5610MHz	Pass	PK	5.448G	64.27	74.00	-9.73	3	Horizontal	188	1.85
5610MHz	Pass	PK	5.462G	64.54	68.20	-3.66	3	Horizontal	188	1.85
5610MHz	Pass	PK	5.625G	118.51	Inf	-Inf	3	Horizontal	188	1.85
5610MHz	Pass	PK	5.743G	66.36	68.20	-1.84	3	Horizontal	188	1.85
5610MHz	Pass	AV	4.99996G	52.94	54.00	-1.06	3	Vertical	191	1.87
5610MHz	Pass	PK	4.99978G	61.22	74.00	-12.78	3	Vertical	191	1.87
5610MHz	Pass	AV	4.99998G	53.44	54.00	-0.56	3	Horizontal	194	2.10
5610MHz	Pass	PK	5.003G	60.68	74.00	-13.32	3	Horizontal	194	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	49.55	54.00	-4.45	3	Vertical	189	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6648G	107.38	Inf	-Inf	3	Vertical	189	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4404G	62.89	74.00	-11.11	3	Vertical	189	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	62.71	68.20	-5.49	3	Vertical	189	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6828G	120.86	Inf	-Inf	3	Vertical	189	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	64.09	68.20	-4.11	3	Vertical	189	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	50.50	54.00	-3.50	3	Horizontal	194	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6972G	108.45	Inf	-Inf	3	Horizontal	194	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.438G	64.06	74.00	-9.94	3	Horizontal	194	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	63.50	68.20	-4.70	3	Horizontal	194	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6984G	120.98	Inf	-Inf	3	Horizontal	194	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	66.34	68.20	-1.86	3	Horizontal	194	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5G	51.54	54.00	-2.46	3	Vertical	191	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	4.99994G	59.67	74.00	-14.33	3	Vertical	191	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.00004G	51.40	54.00	-2.60	3	Horizontal	195	2.09
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.00002G	58.57	74.00	-15.43	3	Horizontal	195	2.09
5775MHz	Pass	AV	5.7426G	105.87	Inf	-Inf	3	Vertical	192	1.85
5775MHz	Pass	PK	5.649G	67.10	68.20	-1.10	3	Vertical	192	1.85
5775MHz	Pass	PK	5.7402G	118.83	Inf	-Inf	3	Vertical	192	1.85
5775MHz	Pass	PK	5.949G	62.42	68.20	-5.78	3	Vertical	192	1.85
5775MHz	Pass	AV	5.7606G	106.86	Inf	-Inf	3	Horizontal	188	1.92
5775MHz	Pass	PK	5.6394G	66.96	68.20	-1.24	3	Horizontal	188	1.92
5775MHz	Pass	PK	5.7594G	119.74	Inf	-Inf	3	Horizontal	188	1.92
5775MHz	Pass	PK	5.9238G	66.24	69.09	-2.85	3	Horizontal	188	1.92
5775MHz	Pass	AV	4.99994G	51.02	54.00	-2.98	3	Vertical	194	1.82
5775MHz	Pass	AV	11.54328G	39.50	54.00	-14.50	3	Vertical	170	2.07
5775MHz	Pass	PK	4.99994G	58.03	74.00	-15.97	3	Vertical	194	1.82
5775MHz	Pass	PK	11.54808G	52.01	74.00	-21.99	3	Vertical	170	2.07
5775MHz	Pass	PK	17.33484G	52.01	68.20	-16.19	3	Vertical	113	1.83
5775MHz	Pass	AV	4.99996G	52.98	54.00	-1.02	3	Horizontal	194	2.12
5775MHz	Pass	AV	11.5356G	39.42	54.00	-14.58	3	Horizontal	137	2.01
5775MHz	Pass	PK	4.99974G	59.44	74.00	-14.56	3	Horizontal	194	2.12
5775MHz	Pass	PK	11.53416G	52.51	74.00	-21.49	3	Horizontal	137	2.01
5775MHz	Pass	PK	17.30412G	52.22	68.20	-15.98	3	Horizontal	214	1.50
802.11ax HEW160_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	4.99968G	52.51	54.00	-1.49	3	Vertical	189	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2416G	97.68	Inf	-Inf	3	Vertical	189	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.40288G	51.16	54.00	-2.84	3	Vertical	189	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.13912G	65.52	74.00	-8.48	3	Vertical	189	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.23992G	110.19	Inf	-Inf	3	Vertical	189	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.38608G	65.18	74.00	-8.82	3	Vertical	189	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.49696G	62.59	68.20	-5.61	3	Vertical	189	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	AV	4.99968G	53.72	54.00	-0.28	3	Horizontal	189	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2584G	98.42	Inf	-Inf	3	Horizontal	191	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.36928G	51.09	54.00	-2.91	3	Horizontal	191	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14416G	65.39	74.00	-8.61	3	Horizontal	191	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.22144G	110.31	Inf	-Inf	3	Horizontal	191	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.38104G	64.10	74.00	-9.90	3	Horizontal	191	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.49024G	62.49	68.20	-5.71	3	Horizontal	191	1.97
5250MHz Straddle 5.15-5.25GHz	Pass	AV	4.99994G	52.59	54.00	-1.41	3	Vertical	189	1.84
5250MHz Straddle 5.15-5.25GHz	Pass	PK	4.9998G	61.59	74.00	-12.41	3	Vertical	189	1.84
5250MHz Straddle 5.15-5.25GHz	Pass	AV	4.99994G	53.45	54.00	-0.55	3	Horizontal	191	2.10
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.00022G	61.67	74.00	-12.33	3	Horizontal	191	2.10
5570MHz	Pass	AV	5.4596G	52.46	54.00	-1.54	3	Vertical	191	1.67
5570MHz	Pass	AV	5.582G	99.77	Inf	-Inf	3	Vertical	191	1.67
5570MHz	Pass	PK	5.318G	62.02	68.20	-6.18	3	Vertical	191	1.67
5570MHz	Pass	PK	5.4572G	64.90	74.00	-9.10	3	Vertical	191	1.67
5570MHz	Pass	PK	5.4656G	65.81	68.20	-2.39	3	Vertical	191	1.67
5570MHz	Pass	PK	5.5832G	113.09	Inf	-Inf	3	Vertical	191	1.67
5570MHz	Pass	PK	5.738G	65.19	68.20	-3.01	3	Vertical	191	1.67
5570MHz	Pass	AV	5.4596G	53.27	54.00	-0.73	3	Horizontal	190	2.01
5570MHz	Pass	AV	5.5808G	99.51	Inf	-Inf	3	Horizontal	190	2.01
5570MHz	Pass	PK	5.348G	63.20	68.20	-5.00	3	Horizontal	190	2.01
5570MHz	Pass	PK	5.4248G	66.69	74.00	-7.31	3	Horizontal	190	2.01
5570MHz	Pass	PK	5.4656G	66.66	68.20	-1.54	3	Horizontal	190	2.01




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.54G	111.54	Inf	-Inf	3	Horizontal	190	2.01
5570MHz	Pass	PK	5.7356G	66.27	68.20	-1.93	3	Horizontal	190	2.01
5570MHz	Pass	AV	4.99994G	53.60	54.00	-0.40	3	Vertical	189	1.96
5570MHz	Pass	PK	4.99984G	59.59	74.00	-14.41	3	Vertical	189	1.96
5570MHz	Pass	AV	5G	53.45	54.00	-0.55	3	Horizontal	194	2.10
5570MHz	Pass	PK	4.9974G	58.70	74.00	-15.30	3	Horizontal	194	2.10



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.30	54.00	-6.70	5.37	3	Vertical	191	1.84	41.93	33.10	6.41	34.14
AV	5.1752G	106.50	Inf	-Inf	5.39	3	Vertical	191	1.84	101.11	33.10	6.43	34.14
PK	5.1496G	61.57	74.00	-12.43	5.37	3	Vertical	191	1.84	56.20	33.10	6.41	34.14
PK	5.1756G	117.03	Inf	-Inf	5.39	3	Vertical	191	1.84	111.64	33.10	6.43	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	48.42	54.00	-5.58	5.37	3	Horizontal	192	1.85	43.05	33.10	6.41	34.14
AV	5.1724G	107.02	Inf	-Inf	5.39	3	Horizontal	192	1.85	101.63	33.10	6.43	34.14
PK	5.1454G	62.61	74.00	-11.39	5.37	3	Horizontal	192	1.85	57.24	33.10	6.41	34.14
PK	5.1728G	117.34	Inf	-Inf	5.39	3	Horizontal	192	1.85	111.95	33.10	6.43	34.14



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.52	54.00	-0.48	5.38	3	Vertical	187	1.91	48.14	33.20	6.30	34.12
PK	5.00004G	60.82	74.00	-13.18	5.38	3	Vertical	187	1.91	55.44	33.20	6.30	34.12

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	52.93	54.00	-1.07	5.38	3	Horizontal	187	2.04	47.55	33.20	6.30	34.12
PK	5.0002G	63.80	74.00	-10.20	5.38	3	Horizontal	187	2.04	58.42	33.20	6.30	34.12



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	46.81	54.00	-7.19	5.37	3	Vertical	192	1.84	41.44	33.10	6.41	34.14
AV	5.194G	106.61	Inf	-Inf	5.41	3	Vertical	192	1.84	101.20	33.10	6.45	34.14
PK	5.1312G	61.14	74.00	-12.86	5.36	3	Vertical	192	1.84	55.78	33.10	6.40	34.14
PK	5.1936G	117.29	Inf	-Inf	5.41	3	Vertical	192	1.84	111.88	33.10	6.45	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	47.58	54.00	-6.42	5.37	3	Horizontal	188	2.04	42.21	33.10	6.41	34.14
AV	5.1956G	107.40	Inf	-Inf	5.41	3	Horizontal	188	2.04	101.99	33.10	6.45	34.14
PK	5.148G	61.83	74.00	-12.17	5.37	3	Horizontal	188	2.04	56.46	33.10	6.41	34.14
PK	5.1964G	118.17	Inf	-Inf	5.41	3	Horizontal	188	2.04	112.76	33.10	6.45	34.14



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.14	54.00	-0.86	5.38	3	Vertical	191	1.88	47.76	33.20	6.30	34.12
PK	4.99994G	61.32	74.00	-12.68	5.38	3	Vertical	191	1.88	55.94	33.20	6.30	34.12

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.21	54.00	-1.79	5.38	3	Horizontal	191	2.13	46.83	33.20	6.30	34.12
PK	5.00018G	60.81	74.00	-13.19	5.38	3	Horizontal	191	2.13	55.43	33.20	6.30	34.12



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1254G	47.24	54.00	-6.76	5.35	3	Vertical	193	1.88	41.89	33.10	6.39	34.14
AV	5.234G	108.04	Inf	-Inf	5.35	3	Vertical	193	1.88	102.69	33.03	6.47	34.15
AV	5.3522G	47.96	54.00	-6.04	5.30	3	Vertical	193	1.88	42.66	32.90	6.56	34.16
PK	5.1152G	61.26	74.00	-12.74	5.36	3	Vertical	193	1.88	55.90	33.10	6.39	34.13
PK	5.2334G	119.06	Inf	-Inf	5.35	3	Vertical	193	1.88	113.71	33.03	6.47	34.15
PK	5.3528G	61.38	74.00	-12.62	5.30	3	Vertical	193	1.88	56.08	32.90	6.56	34.16

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1278G	48.56	54.00	-5.44	5.36	3	Horizontal	188	2.06	43.20	33.10	6.40	34.14
AV	5.2352G	109.40	Inf	-Inf	5.35	3	Horizontal	188	2.06	104.05	33.03	6.47	34.15
AV	5.35G	48.46	54.00	-5.54	5.29	3	Horizontal	188	2.06	43.17	32.90	6.55	34.16
PK	5.1476G	62.70	74.00	-11.30	5.37	3	Horizontal	188	2.06	57.33	33.10	6.41	34.14
PK	5.2352G	119.98	Inf	-Inf	5.35	3	Horizontal	188	2.06	114.63	33.03	6.47	34.15
PK	5.3894G	62.85	74.00	-11.15	5.31	3	Horizontal	188	2.06	57.54	32.90	6.58	34.17



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	53.31	54.00	-0.69	5.38	3	Vertical	190	1.82	47.93	33.20	6.30	34.12
PK	4.99986G	61.87	74.00	-12.13	5.38	3	Vertical	190	1.82	56.49	33.20	6.30	34.12

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	52.80	54.00	-1.20	5.38	3	Horizontal	192	1.82	47.42	33.20	6.30	34.12
PK	5.00022G	62.77	74.00	-11.23	5.38	3	Horizontal	192	1.82	57.39	33.20	6.30	34.12



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.85	54.00	-5.15	5.37	3	Vertical	191	1.93	43.48	33.10	6.41	34.14
AV	5.2552G	111.99	Inf	-Inf	5.34	3	Vertical	191	1.93	106.65	33.00	6.49	34.15
AV	5.3644G	49.86	54.00	-4.14	5.31	3	Vertical	191	1.93	44.55	32.90	6.57	34.16
PK	5.1442G	62.41	74.00	-11.59	5.37	3	Vertical	191	1.93	57.04	33.10	6.41	34.14
PK	5.2558G	122.83	Inf	-Inf	5.34	3	Vertical	191	1.93	117.49	33.00	6.49	34.15
PK	5.3632G	64.28	74.00	-9.72	5.30	3	Vertical	191	1.93	58.98	32.90	6.56	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	50.31	54.00	-3.69	5.37	3	Horizontal	188	1.85	44.94	33.10	6.41	34.14
AV	5.2546G	111.81	Inf	-Inf	5.34	3	Horizontal	188	1.85	106.47	33.00	6.49	34.15
AV	5.3704G	49.88	54.00	-4.12	5.31	3	Horizontal	188	1.85	44.57	32.90	6.57	34.16
PK	5.15G	64.10	74.00	-9.90	5.37	3	Horizontal	188	1.85	58.73	33.10	6.41	34.14
PK	5.2546G	122.32	Inf	-Inf	5.34	3	Horizontal	188	1.85	116.98	33.00	6.49	34.15
PK	5.3572G	63.67	74.00	-10.33	5.30	3	Horizontal	188	1.85	58.37	32.90	6.56	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	53.89	54.00	-0.11	5.38	3	Vertical	189	1.94	48.51	33.20	6.30	34.12
PK	4.99986G	64.16	74.00	-9.84	5.38	3	Vertical	189	1.94	58.78	33.20	6.30	34.12

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.75	54.00	-0.25	5.38	3	Horizontal	192	1.94	48.37	33.20	6.30	34.12
PK	4.99974G	65.08	74.00	-8.92	5.38	3	Horizontal	192	1.94	59.70	33.20	6.30	34.12



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	110.78	Inf	-Inf	5.36	3	Vertical	188	1.93	105.42	33.00	6.52	34.16
AV	5.3776G	49.38	54.00	-4.62	5.30	3	Vertical	188	1.93	44.08	32.90	6.57	34.17
PK	5.2972G	121.83	Inf	-Inf	5.36	3	Vertical	188	1.93	116.47	33.00	6.52	34.16
PK	5.3772G	63.64	74.00	-10.36	5.30	3	Vertical	188	1.93	58.34	32.90	6.57	34.17

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	111.99	Inf	-Inf	5.36	3	Horizontal	190	2.03	106.63	33.00	6.52	34.16
AV	5.3532G	50.05	54.00	-3.95	5.30	3	Horizontal	190	2.03	44.75	32.90	6.56	34.16
PK	5.2956G	122.57	Inf	-Inf	5.36	3	Horizontal	190	2.03	117.21	33.00	6.52	34.16
PK	5.368G	63.83	74.00	-10.17	5.31	3	Horizontal	190	2.03	58.52	32.90	6.57	34.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.84	54.00	-0.16	5.38	3	Vertical	190	1.95	48.46	33.20	6.30	34.12
PK	5.00008G	63.15	74.00	-10.85	5.38	3	Vertical	190	1.95	57.77	33.20	6.30	34.12

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	53.89	54.00	-0.11	5.38	3	Horizontal	191	2.04	48.51	33.20	6.30	34.12
PK	4.9998G	63.74	74.00	-10.26	5.38	3	Horizontal	191	2.04	58.36	33.20	6.30	34.12



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.317G	112.14	Inf	-Inf	5.34	3	Vertical	190	2.00	106.80	32.97	6.53	34.16
AV	5.3556G	51.29	54.00	-2.71	5.30	3	Vertical	190	2.00	45.99	32.90	6.56	34.16
PK	5.3164G	122.96	Inf	-Inf	5.34	3	Vertical	190	2.00	117.62	32.97	6.53	34.16
PK	5.3542G	66.45	74.00	-7.55	5.30	3	Vertical	190	2.00	61.15	32.90	6.56	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3142G	112.23	Inf	-Inf	5.34	3	Horizontal	189	1.95	106.89	32.97	6.53	34.16
AV	5.35G	52.39	54.00	-1.61	5.29	3	Horizontal	189	1.95	47.10	32.90	6.55	34.16
PK	5.322G	122.78	Inf	-Inf	5.34	3	Horizontal	189	1.95	117.44	32.96	6.54	34.16
PK	5.3548G	68.18	74.00	-5.82	5.30	3	Horizontal	189	1.95	62.88	32.90	6.56	34.16




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	48.79	54.00	-5.21	5.37	3	Vertical	191	1.71	43.42	32.90	6.64	34.17
AV	5.5048G	110.50	Inf	-Inf	5.40	3	Vertical	191	1.71	105.10	32.90	6.68	34.18
PK	5.457G	62.97	74.00	-11.03	5.37	3	Vertical	191	1.71	57.60	32.90	6.64	34.17
PK	5.4664G	65.91	68.20	-2.29	5.37	3	Vertical	191	1.71	60.54	32.90	6.65	34.18
PK	5.505G	121.55	Inf	-Inf	5.40	3	Vertical	191	1.71	116.15	32.90	6.68	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	49.81	54.00	-4.19	5.36	3	Horizontal	192	2.03	44.45	32.90	6.64	34.18
AV	5.5006G	110.20	Inf	-Inf	5.40	3	Horizontal	192	2.03	104.80	32.90	6.68	34.18
PK	5.4536G	63.73	74.00	-10.27	5.37	3	Horizontal	192	2.03	58.36	32.90	6.64	34.17
PK	5.4684G	66.19	68.20	-2.01	5.37	3	Horizontal	192	2.03	60.82	32.90	6.65	34.18
PK	5.4928G	120.59	Inf	-Inf	5.39	3	Horizontal	192	2.03	115.20	32.90	6.67	34.18



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.43	54.00	-0.57	5.38	3	Vertical	190	1.91	48.05	33.20	6.30	34.12
PK	5.00006G	60.88	74.00	-13.12	5.38	3	Vertical	190	1.91	55.50	33.20	6.30	34.12

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	53.12	54.00	-0.88	5.38	3	Horizontal	193	1.91	47.74	33.20	6.30	34.12
PK	4.99976G	62.39	74.00	-11.61	5.38	3	Horizontal	193	1.91	57.01	33.20	6.30	34.12



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	51.13	54.00	-2.87	5.37	3	Vertical	192	1.67	45.76	32.90	6.64	34.17
AV	5.5842G	118.52	Inf	-Inf	5.54	3	Vertical	192	1.67	112.98	32.97	6.76	34.19
PK	5.457G	65.57	74.00	-8.43	5.37	3	Vertical	192	1.67	60.20	32.90	6.64	34.17
PK	5.4648G	65.50	68.20	-2.70	5.37	3	Vertical	192	1.67	60.13	32.90	6.65	34.18
PK	5.5848G	128.84	Inf	-Inf	5.54	3	Vertical	192	1.67	123.30	32.97	6.76	34.19
PK	5.7258G	64.51	68.20	-3.69	6.35	3	Vertical	192	1.67	58.16	33.70	6.85	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4402G	52.10	54.00	-1.90	5.36	3	Horizontal	185	1.80	46.74	32.90	6.63	34.17
AV	5.5842G	117.80	Inf	-Inf	5.54	3	Horizontal	185	1.80	112.26	32.97	6.76	34.19
PK	5.4474G	66.60	74.00	-7.40	5.36	3	Horizontal	185	1.80	61.24	32.90	6.63	34.17
PK	5.4672G	66.48	68.20	-1.72	5.37	3	Horizontal	185	1.80	61.11	32.90	6.65	34.18
PK	5.5836G	128.16	Inf	-Inf	5.54	3	Horizontal	185	1.80	122.62	32.97	6.76	34.19
PK	5.727G	66.70	68.20	-1.50	6.36	3	Horizontal	185	1.80	60.34	33.71	6.85	34.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9999G	52.96	54.00	-1.04	5.38	3	Vertical	189	2.02	47.58	33.20	6.30	34.12
AV	11.15784G	37.32	54.00	-16.68	16.14	3	Vertical	39	1.50	21.18	38.96	11.31	34.13
PK	4.9997G	63.84	74.00	-10.16	5.38	3	Vertical	189	2.02	58.46	33.20	6.30	34.12
PK	11.17416G	50.58	74.00	-23.42	16.15	3	Vertical	39	1.50	34.43	38.97	11.31	34.13
PK	16.73556G	51.47	68.20	-16.73	17.34	3	Vertical	44	1.50	34.13	38.30	12.77	33.73

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	52.63	54.00	-1.37	5.38	3	Horizontal	194	2.10	47.25	33.20	6.30	34.12
AV	11.1633G	37.36	54.00	-16.64	16.14	3	Horizontal	314	1.50	21.22	38.96	11.31	34.13
PK	5.00008G	64.61	74.00	-9.39	5.38	3	Horizontal	194	2.10	59.23	33.20	6.30	34.12
PK	11.16006G	51.10	74.00	-22.90	16.14	3	Horizontal	314	1.50	34.96	38.96	11.31	34.13
PK	16.73718G	51.86	68.20	-16.34	17.35	3	Horizontal	200	1.50	34.51	38.30	12.78	33.73



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7056G	108.99	Inf	-Inf	6.26	3	Vertical	190	1.65	102.73	33.62	6.84	34.20
PK	5.7064G	120.58	Inf	-Inf	6.27	3	Vertical	190	1.65	114.31	33.63	6.84	34.20
PK	5.7268G	67.74	68.20	-0.46	6.36	3	Vertical	190	1.65	61.38	33.71	6.85	34.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	109.02	Inf	-Inf	6.24	3	Horizontal	191	1.65	102.78	33.60	6.84	34.20
PK	5.698G	118.74	Inf	-Inf	6.21	3	Horizontal	191	1.65	112.53	33.58	6.83	34.20
PK	5.7284G	65.78	68.20	-2.42	6.36	3	Horizontal	191	1.65	59.42	33.71	6.85	34.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	51.63	54.00	-2.37	5.38	3	Vertical	191	1.87	46.25	33.20	6.30	34.12
PK	5.00004G	58.61	74.00	-15.39	5.38	3	Vertical	191	1.87	53.23	33.20	6.30	34.12

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	51.73	54.00	-2.27	5.38	3	Horizontal	194	2.12	46.35	33.20	6.30	34.12
PK	5G	59.44	74.00	-14.56	5.38	3	Horizontal	194	2.12	54.06	33.20	6.30	34.12



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	50.95	54.00	-3.05	5.37	3	Vertical	193	1.65	45.58	32.90	6.64	34.17
AV	5.7236G	119.67	Inf	-Inf	6.34	3	Vertical	193	1.65	113.33	33.69	6.85	34.20
PK	5.4344G	64.54	74.00	-9.46	5.35	3	Vertical	193	1.65	59.19	32.90	6.62	34.17
PK	5.4644G	65.44	68.20	-2.76	5.37	3	Vertical	193	1.65	60.07	32.90	6.65	34.18
PK	5.7272G	130.81	Inf	-Inf	6.36	3	Vertical	193	1.65	124.45	33.71	6.85	34.20
PK	5.8592G	65.73	68.20	-2.47	6.88	3	Vertical	193	1.65	58.85	34.14	6.95	34.21

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	51.39	54.00	-2.61	5.37	3	Horizontal	191	1.97	46.02	32.90	6.64	34.17
AV	5.7152G	119.30	Inf	-Inf	6.30	3	Horizontal	191	1.97	113.00	33.66	6.84	34.20
PK	5.4512G	66.09	74.00	-7.91	5.37	3	Horizontal	191	1.97	60.72	32.90	6.64	34.17
PK	5.462G	65.67	68.20	-2.53	5.37	3	Horizontal	191	1.97	60.30	32.90	6.65	34.18
PK	5.7212G	129.88	Inf	-Inf	6.33	3	Horizontal	191	1.97	123.55	33.68	6.85	34.20
PK	5.8556G	67.38	68.20	-0.82	6.86	3	Horizontal	191	1.97	60.52	34.12	6.95	34.21



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	47.87	54.00	-6.13	5.38	3	Vertical	192	1.83	42.49	33.20	6.30	34.12
AV	11.44936G	38.12	54.00	-15.88	16.50	3	Vertical	212	1.50	21.62	39.15	11.42	34.07
PK	5.00006G	60.87	74.00	-13.13	5.38	3	Vertical	192	1.83	55.49	33.20	6.30	34.12
PK	11.4418G	51.40	74.00	-22.60	16.50	3	Vertical	212	1.50	34.90	39.16	11.41	34.07
PK	17.16294G	50.67	68.20	-17.53	17.91	3	Vertical	172	1.50	32.76	38.20	12.97	33.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	49.62	54.00	-4.38	5.38	3	Horizontal	194	2.11	44.24	33.20	6.30	34.12
AV	11.42752G	38.15	54.00	-15.85	16.51	3	Horizontal	189	1.50	21.64	39.17	11.41	34.07
PK	5G	61.52	74.00	-12.48	5.38	3	Horizontal	194	2.11	56.14	33.20	6.30	34.12
PK	11.4505G	51.33	74.00	-22.67	16.50	3	Horizontal	189	1.50	34.83	39.15	11.42	34.07
PK	17.1606G	51.29	68.20	-16.91	17.91	3	Horizontal	81	1.50	33.38	38.20	12.97	33.26



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	50.38	54.00	-3.62	5.37	3	Vertical	189	1.61	45.01	32.90	6.64	34.17
AV	5.7426G	117.02	Inf	-Inf	6.43	3	Vertical	189	1.61	110.59	33.77	6.86	34.20
PK	5.6442G	67.09	68.20	-1.11	5.61	3	Vertical	189	1.61	61.48	33.00	6.80	34.19
PK	5.7426G	128.01	Inf	-Inf	6.43	3	Vertical	189	1.61	121.58	33.77	6.86	34.20
PK	5.9658G	63.18	68.20	-5.02	6.99	3	Vertical	189	1.61	56.19	34.17	7.04	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	49.52	54.00	-4.48	5.36	3	Horizontal	188	1.61	44.16	32.90	6.63	34.17
AV	5.7474G	116.61	Inf	-Inf	6.46	3	Horizontal	188	1.61	110.15	33.79	6.87	34.20
PK	5.6346G	65.85	68.20	-2.35	5.60	3	Horizontal	188	1.61	60.25	33.00	6.79	34.19
PK	5.7438G	126.89	Inf	-Inf	6.44	3	Horizontal	188	1.61	120.45	33.78	6.86	34.20
PK	5.9574G	64.06	68.20	-4.14	7.00	3	Horizontal	188	1.61	57.06	34.19	7.03	34.22