




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	50.58	54.00	-3.42	5.38	3	Vertical	190	1.90	45.20	33.20	6.30	34.12
AV	11.49366G	38.29	54.00	-15.71	16.48	3	Vertical	134	1.89	21.81	39.11	11.43	34.06
PK	4.99972G	59.85	74.00	-14.15	5.38	3	Vertical	190	1.90	54.47	33.20	6.30	34.12
PK	11.48892G	51.42	74.00	-22.58	16.48	3	Vertical	134	1.89	34.94	39.11	11.43	34.06
PK	17.24046G	51.51	68.20	-16.69	17.95	3	Vertical	311	1.50	33.56	38.24	13.00	33.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	52.05	54.00	-1.95	5.38	3	Horizontal	193	2.11	46.67	33.20	6.30	34.12
AV	11.49264G	38.49	54.00	-15.51	16.48	3	Horizontal	156	2.98	22.01	39.11	11.43	34.06
PK	5.00002G	42.88	74.00	-31.12	5.38	3	Horizontal	193	2.11	37.50	33.20	6.30	34.12
PK	11.48658G	51.38	74.00	-22.62	16.48	3	Horizontal	156	2.98	34.90	39.11	11.43	34.06
PK	17.24508G	51.31	68.20	-16.89	17.97	3	Horizontal	53	1.50	33.34	38.25	13.01	33.29



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	117.73	Inf	-Inf	6.69	3	Vertical	188	1.64	111.04	34.00	6.89	34.20
PK	5.6206G	67.44	68.20	-0.76	5.59	3	Vertical	188	1.64	61.85	33.00	6.78	34.19
PK	5.7838G	128.55	Inf	-Inf	6.69	3	Vertical	188	1.64	121.86	34.00	6.89	34.20
PK	5.935G	64.29	68.20	-3.91	7.03	3	Vertical	188	1.64	57.26	34.23	7.01	34.21

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	117.58	Inf	-Inf	6.71	3	Horizontal	188	1.64	110.87	34.02	6.89	34.20
PK	5.6314G	65.67	68.20	-2.53	5.60	3	Horizontal	188	1.64	60.07	33.00	6.79	34.19
PK	5.7802G	127.91	Inf	-Inf	6.67	3	Horizontal	188	1.64	121.24	33.98	6.89	34.20
PK	5.9398G	64.88	68.20	-3.32	7.02	3	Horizontal	188	1.64	57.86	34.22	7.02	34.22



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	50.64	54.00	-3.36	5.38	3	Vertical	192	1.84	45.26	33.20	6.30	34.12
AV	11.5829G	38.15	54.00	-15.85	16.13	3	Vertical	168	2.14	22.02	38.77	11.47	34.11
PK	4.99986G	60.32	74.00	-13.68	5.38	3	Vertical	192	1.84	54.94	33.20	6.30	34.12
PK	11.56298G	51.19	74.00	-22.81	16.21	3	Vertical	168	2.14	34.98	38.85	11.46	34.10
PK	17.3415G	51.13	68.20	-17.07	18.15	3	Vertical	190	2.09	32.98	38.42	13.05	33.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	30.49	54.00	-23.51	5.38	3	Horizontal	194	2.19	25.11	33.20	6.30	34.12
AV	11.5553G	38.27	54.00	-15.73	16.25	3	Horizontal	168	2.07	22.02	38.88	11.46	34.09
PK	5.00002G	61.02	74.00	-12.98	5.38	3	Horizontal	194	2.19	55.64	33.20	6.30	34.12
PK	11.5655G	51.09	74.00	-22.91	16.20	3	Horizontal	168	2.07	34.89	38.84	11.46	34.10
PK	17.3646G	51.50	68.20	-16.70	18.22	3	Horizontal	172	1.50	33.28	38.49	13.06	33.33



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	116.18	Inf	-Inf	6.82	3	Vertical	190	1.66	109.36	34.10	6.93	34.21
PK	5.6246G	67.56	68.20	-0.64	5.60	3	Vertical	190	1.66	61.96	33.00	6.79	34.19
PK	5.831G	127.15	Inf	-Inf	6.82	3	Vertical	190	1.66	120.33	34.10	6.93	34.21
PK	5.9342G	64.62	68.20	-3.58	7.03	3	Vertical	190	1.66	57.59	34.23	7.01	34.21

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	116.83	Inf	-Inf	6.81	3	Horizontal	189	1.66	110.02	34.10	6.92	34.21
PK	5.5778G	65.29	68.20	-2.91	5.52	3	Horizontal	189	1.66	59.77	32.96	6.75	34.19
PK	5.8226G	127.23	Inf	-Inf	6.81	3	Horizontal	189	1.66	120.42	34.10	6.92	34.21
PK	5.9318G	64.95	68.20	-3.25	7.04	3	Horizontal	189	1.66	57.91	34.24	7.01	34.21



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.01	54.00	-1.99	5.38	3	Vertical	191	1.95	46.63	33.20	6.30	34.12
AV	11.63536G	37.38	54.00	-16.62	16.05	3	Vertical	355	1.50	21.33	38.70	11.49	34.14
PK	4.99952G	60.43	74.00	-13.57	5.38	3	Vertical	191	1.95	55.05	33.20	6.30	34.12
PK	11.64256G	50.46	74.00	-23.54	16.04	3	Vertical	355	1.50	34.42	38.70	11.49	34.15
PK	17.4711G	52.49	68.20	-15.71	18.42	3	Vertical	334	1.50	34.07	38.67	13.11	33.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	52.67	54.00	-1.33	5.38	3	Horizontal	194	2.15	47.29	33.20	6.30	34.12
AV	11.63734G	37.45	54.00	-16.55	16.04	3	Horizontal	-0	1.50	21.41	38.70	11.49	34.15
PK	5.0001G	61.60	74.00	-12.40	5.38	3	Horizontal	194	2.15	56.22	33.20	6.30	34.12
PK	11.65018G	51.02	74.00	-22.98	16.04	3	Horizontal	-0	1.50	34.98	38.70	11.49	34.15
PK	17.46462G	51.94	68.20	-16.26	18.41	3	Horizontal	99	1.50	33.53	38.66	13.11	33.36



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.81	54.00	-5.19	5.37	3	Vertical	188	1.77	43.44	33.10	6.41	34.14
AV	5.174G	107.77	Inf	-Inf	5.39	3	Vertical	188	1.77	102.38	33.10	6.43	34.14
PK	5.147G	63.20	74.00	-10.80	5.37	3	Vertical	188	1.77	57.83	33.10	6.41	34.14
PK	5.1738G	121.74	Inf	-Inf	5.39	3	Vertical	188	1.77	116.35	33.10	6.43	34.14

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.49	54.00	-3.51	5.37	3	Horizontal	193	1.87	45.12	33.10	6.41	34.14
AV	5.181G	109.21	Inf	-Inf	5.40	3	Horizontal	193	1.87	103.81	33.10	6.44	34.14
PK	5.1418G	64.72	74.00	-9.28	5.37	3	Horizontal	193	1.87	59.35	33.10	6.41	34.14
PK	5.1804G	121.55	Inf	-Inf	5.40	3	Horizontal	193	1.87	116.15	33.10	6.44	34.14



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.55	54.00	-0.45	5.38	3	Vertical	189	1.94	48.17	33.20	6.30	34.12
PK	5G	62.07	74.00	-11.93	5.38	3	Vertical	189	1.94	56.69	33.20	6.30	34.12

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.87	54.00	-0.13	5.38	3	Horizontal	191	2.08	48.49	33.20	6.30	34.12
PK	5.0001G	62.96	74.00	-11.04	5.38	3	Horizontal	191	2.08	57.58	33.20	6.30	34.12



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.08	54.00	-6.92	5.37	3	Vertical	188	1.85	41.71	33.10	6.41	34.14
AV	5.194G	106.48	Inf	-Inf	5.41	3	Vertical	188	1.85	101.07	33.10	6.45	34.14
PK	5.1436G	60.74	74.00	-13.26	5.37	3	Vertical	188	1.85	55.37	33.10	6.41	34.14
PK	5.1924G	120.54	Inf	-Inf	5.40	3	Vertical	188	1.85	115.14	33.10	6.44	34.14

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.51	54.00	-5.49	5.37	3	Horizontal	190	1.92	43.14	33.10	6.41	34.14
AV	5.204G	107.37	Inf	-Inf	5.40	3	Horizontal	190	1.92	101.97	33.09	6.45	34.14
PK	5.148G	63.59	74.00	-10.41	5.37	3	Horizontal	190	1.92	58.22	33.10	6.41	34.14
PK	5.2068G	120.49	Inf	-Inf	5.40	3	Horizontal	190	1.92	115.09	33.09	6.45	34.14



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	52.53	54.00	-1.47	5.38	3	Vertical	190	1.50	47.15	33.20	6.30	34.12
PK	4.99992G	60.86	74.00	-13.14	5.38	3	Vertical	190	1.50	55.48	33.20	6.30	34.12

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.76	54.00	-0.24	5.38	3	Horizontal	190	2.14	48.38	33.20	6.30	34.12
PK	5.00022G	62.99	74.00	-11.01	5.38	3	Horizontal	190	2.14	57.61	33.20	6.30	34.12



5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.02	54.00	-5.98	5.37	3	Vertical	183	1.50	42.65	33.10	6.41	34.14
AV	5.2412G	109.96	Inf	-Inf	5.35	3	Vertical	183	1.50	104.61	33.02	6.48	34.15
AV	5.35G	49.06	54.00	-4.94	5.29	3	Vertical	183	1.50	43.77	32.90	6.55	34.16
PK	5.1494G	62.44	74.00	-11.56	5.37	3	Vertical	183	1.50	57.07	33.10	6.41	34.14
PK	5.2394G	123.37	Inf	-Inf	5.35	3	Vertical	183	1.50	118.02	33.02	6.48	34.15
PK	5.35G	62.53	74.00	-11.47	5.29	3	Vertical	183	1.50	57.24	32.90	6.55	34.16

5.15-5.25GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.40	54.00	-3.60	5.37	3	Horizontal	191	1.94	45.03	33.10	6.41	34.14
AV	5.2442G	111.52	Inf	-Inf	5.34	3	Horizontal	191	1.94	106.18	33.01	6.48	34.15
AV	5.3534G	50.08	54.00	-3.92	5.30	3	Horizontal	191	1.94	44.78	32.90	6.56	34.16
PK	5.1278G	63.97	74.00	-10.03	5.36	3	Horizontal	191	1.94	58.61	33.10	6.40	34.14
PK	5.249G	125.47	Inf	-Inf	5.33	3	Horizontal	191	1.94	120.14	33.00	6.48	34.15
PK	5.3546G	64.23	74.00	-9.77	5.30	3	Horizontal	191	1.94	58.93	32.90	6.56	34.16



5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	53.75	54.00	-0.25	5.38	3	Vertical	190	1.83	48.37	33.20	6.30	34.12
PK	4.99974G	63.97	74.00	-10.03	5.38	3	Vertical	190	1.83	58.59	33.20	6.30	34.12

5.15-5.25GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.64	54.00	-0.36	5.38	3	Horizontal	192	2.12	48.26	33.20	6.30	34.12
PK	5.00008G	64.42	74.00	-9.58	5.38	3	Horizontal	192	2.12	59.04	33.20	6.30	34.12



5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	48.74	54.00	-5.26	5.37	3	Vertical	185	1.74	43.37	33.10	6.41	34.14
AV	5.2588G	111.42	Inf	-Inf	5.34	3	Vertical	185	1.74	106.08	33.00	6.49	34.15
AV	5.3674G	49.95	54.00	-4.05	5.31	3	Vertical	185	1.74	44.64	32.90	6.57	34.16
PK	5.1286G	62.24	74.00	-11.76	5.36	3	Vertical	185	1.74	56.88	33.10	6.40	34.14
PK	5.2594G	125.47	Inf	-Inf	5.34	3	Vertical	185	1.74	120.13	33.00	6.49	34.15
PK	5.3668G	63.93	74.00	-10.07	5.31	3	Vertical	185	1.74	58.62	32.90	6.57	34.16

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.55	54.00	-3.45	5.37	3	Horizontal	193	1.90	45.18	33.10	6.41	34.14
AV	5.2612G	112.24	Inf	-Inf	5.34	3	Horizontal	193	1.90	106.90	33.00	6.49	34.15
AV	5.35G	50.35	54.00	-3.65	5.29	3	Horizontal	193	1.90	45.06	32.90	6.55	34.16
PK	5.15G	64.23	74.00	-9.77	5.37	3	Horizontal	193	1.90	58.86	33.10	6.41	34.14
PK	5.2576G	125.32	Inf	-Inf	5.34	3	Horizontal	193	1.90	119.98	33.00	6.49	34.15
PK	5.35G	64.39	74.00	-9.61	5.29	3	Horizontal	193	1.90	59.10	32.90	6.55	34.16



5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	53.80	54.00	-0.20	5.38	3	Vertical	189	1.94	48.42	33.20	6.30	34.12
PK	5.0002G	64.22	74.00	-9.78	5.38	3	Vertical	189	1.94	58.84	33.20	6.30	34.12

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	53.72	54.00	-0.28	5.38	3	Horizontal	192	2.11	48.34	33.20	6.30	34.12
PK	5.00024G	65.24	74.00	-8.76	5.38	3	Horizontal	192	2.11	59.86	33.20	6.30	34.12



5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.294G	111.37	Inf	-Inf	5.36	3	Vertical	189	1.81	106.01	33.00	6.52	34.16
AV	5.376G	50.81	54.00	-3.19	5.30	3	Vertical	189	1.81	45.51	32.90	6.57	34.17
PK	5.2936G	125.14	Inf	-Inf	5.36	3	Vertical	189	1.81	119.78	33.00	6.52	34.16
PK	5.3764G	64.92	74.00	-9.08	5.30	3	Vertical	189	1.81	59.62	32.90	6.57	34.17

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	112.60	Inf	-Inf	5.35	3	Horizontal	192	2.04	107.25	32.99	6.52	34.16
AV	5.3508G	51.14	54.00	-2.86	5.30	3	Horizontal	192	2.04	45.84	32.90	6.56	34.16
PK	5.3044G	125.52	Inf	-Inf	5.35	3	Horizontal	192	2.04	120.17	32.99	6.52	34.16
PK	5.388G	66.07	74.00	-7.93	5.31	3	Horizontal	192	2.04	60.76	32.90	6.58	34.17



5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.60	54.00	-1.40	5.38	3	Vertical	192	1.90	47.22	33.20	6.30	34.12
PK	4.99996G	63.26	74.00	-10.74	5.38	3	Vertical	192	1.90	57.88	33.20	6.30	34.12

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	53.84	54.00	-0.16	5.38	3	Horizontal	192	2.11	48.46	33.20	6.30	34.12
PK	4.99992G	65.21	74.00	-8.79	5.38	3	Horizontal	192	2.11	59.83	33.20	6.30	34.12



5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3162G	110.58	Inf	-Inf	5.34	3	Vertical	187	1.74	105.24	32.97	6.53	34.16
AV	5.3508G	53.86	54.00	-0.14	5.30	3	Vertical	187	1.74	48.56	32.90	6.56	34.16
PK	5.3192G	124.29	Inf	-Inf	5.33	3	Vertical	187	1.74	118.96	32.96	6.53	34.16
PK	5.3504G	69.66	74.00	-4.34	5.30	3	Vertical	187	1.74	64.36	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	110.79	Inf	-Inf	5.33	3	Horizontal	192	1.74	105.46	32.96	6.53	34.16
AV	5.3522G	53.04	54.00	-0.96	5.30	3	Horizontal	192	1.74	47.74	32.90	6.56	34.16
PK	5.3246G	124.96	Inf	-Inf	5.33	3	Horizontal	192	1.74	119.63	32.95	6.54	34.16
PK	5.352G	69.94	74.00	-4.06	5.30	3	Horizontal	192	1.74	64.64	32.90	6.56	34.16



5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.71	54.00	-0.29	5.38	3	Vertical	189	1.78	48.33	33.20	6.30	34.12
PK	4.99992G	63.40	74.00	-10.60	5.38	3	Vertical	189	1.78	58.02	33.20	6.30	34.12

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.68	54.00	-0.32	5.38	3	Horizontal	192	2.16	48.30	33.20	6.30	34.12
PK	5.00016G	64.09	74.00	-9.91	5.38	3	Horizontal	192	2.16	58.71	33.20	6.30	34.12

5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	47.16	54.00	-6.84	5.37	3	Vertical	192	1.73	41.79	32.90	6.64	34.17
AV	5.5074G	105.43	Inf	-Inf	5.41	3	Vertical	192	1.73	100.02	32.90	6.69	34.18
PK	5.4514G	61.61	74.00	-12.39	5.37	3	Vertical	192	1.73	56.24	32.90	6.64	34.17
PK	5.4696G	63.14	68.20	-5.06	5.37	3	Vertical	192	1.73	57.77	32.90	6.65	34.18
PK	5.4922G	119.33	Inf	-Inf	5.39	3	Vertical	192	1.73	113.94	32.90	6.67	34.18

5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4542G	47.58	54.00	-6.42	5.37	3	Horizontal	193	2.02	42.21	32.90	6.64	34.17
AV	5.501G	106.53	Inf	-Inf	5.40	3	Horizontal	193	2.02	101.13	32.90	6.68	34.18
PK	5.46G	61.66	74.00	-12.34	5.36	3	Horizontal	193	2.02	56.30	32.90	6.64	34.18
PK	5.4694G	66.56	68.20	-1.64	5.37	3	Horizontal	193	2.02	61.19	32.90	6.65	34.18
PK	5.5016G	120.81	Inf	-Inf	5.40	3	Horizontal	193	2.02	115.41	32.90	6.68	34.18



5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.02	54.00	-0.98	5.38	3	Vertical	190	1.97	47.64	33.20	6.30	34.12
PK	4.99984G	59.63	74.00	-14.37	5.38	3	Vertical	190	1.97	54.25	33.20	6.30	34.12

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	53.88	54.00	-0.12	5.38	3	Horizontal	192	2.10	48.50	33.20	6.30	34.12
PK	5.00006G	61.02	74.00	-12.98	5.38	3	Horizontal	192	2.10	55.64	33.20	6.30	34.12



5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	47.58	54.00	-6.42	5.37	3	Vertical	190	1.74	42.21	32.90	6.64	34.17
AV	5.5728G	109.78	Inf	-Inf	5.51	3	Vertical	190	1.74	104.27	32.95	6.75	34.19
PK	5.4558G	61.26	74.00	-12.74	5.37	3	Vertical	190	1.74	55.89	32.90	6.64	34.17
PK	5.466G	61.35	68.20	-6.85	5.37	3	Vertical	190	1.74	55.98	32.90	6.65	34.18
PK	5.5722G	124.10	Inf	-Inf	5.49	3	Vertical	190	1.74	118.61	32.94	6.74	34.19
PK	5.7294G	61.51	68.20	-6.69	6.37	3	Vertical	190	1.74	55.14	33.72	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	48.38	54.00	-5.62	5.37	3	Horizontal	192	1.88	43.01	32.90	6.64	34.17
AV	5.5824G	110.75	Inf	-Inf	5.52	3	Horizontal	192	1.88	105.23	32.96	6.75	34.19
PK	5.4306G	62.45	74.00	-11.55	5.35	3	Horizontal	192	1.88	57.10	32.90	6.62	34.17
PK	5.4666G	62.46	68.20	-5.74	5.37	3	Horizontal	192	1.88	57.09	32.90	6.65	34.18
PK	5.5824G	123.41	Inf	-Inf	5.52	3	Horizontal	192	1.88	117.89	32.96	6.75	34.19
PK	5.7264G	62.89	68.20	-5.31	6.36	3	Horizontal	192	1.88	56.53	33.71	6.85	34.20



5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	52.81	54.00	-1.19	5.38	3	Vertical	191	1.94	47.43	33.20	6.30	34.12
PK	4.99986G	60.80	74.00	-13.20	5.38	3	Vertical	191	1.94	55.42	33.20	6.30	34.12

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	52.99	54.00	-1.01	5.38	3	Horizontal	193	2.13	47.61	33.20	6.30	34.12
PK	4.99996G	61.72	74.00	-12.28	5.38	3	Horizontal	193	2.13	56.34	33.20	6.30	34.12



5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.696G	108.88	Inf	-Inf	6.18	3	Vertical	188	1.70	102.70	33.55	6.83	34.20
PK	5.6948G	122.59	Inf	-Inf	6.17	3	Vertical	188	1.70	116.42	33.54	6.83	34.20
PK	5.7344G	67.34	68.20	-0.86	6.40	3	Vertical	188	1.70	60.94	33.74	6.86	34.20

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7016G	108.37	Inf	-Inf	6.25	3	Horizontal	192	1.70	102.12	33.61	6.84	34.20
PK	5.7068G	121.98	Inf	-Inf	6.27	3	Horizontal	192	1.70	115.71	33.63	6.84	34.20
PK	5.7252G	66.60	68.20	-1.60	6.35	3	Horizontal	192	1.70	60.25	33.70	6.85	34.20



5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	51.51	54.00	-2.49	5.38	3	Vertical	191	1.85	46.13	33.20	6.30	34.12
PK	5.00004G	59.64	74.00	-14.36	5.38	3	Vertical	191	1.85	54.26	33.20	6.30	34.12

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	51.79	54.00	-2.21	5.38	3	Horizontal	194	2.10	46.41	33.20	6.30	34.12
PK	5.00342G	57.45	74.00	-16.55	5.39	3	Horizontal	194	2.10	52.06	33.21	6.30	34.12



5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	50.67	54.00	-3.33	5.37	3	Vertical	191	1.84	45.30	32.90	6.64	34.17
AV	5.7128G	118.44	Inf	-Inf	6.29	3	Vertical	191	1.84	112.15	33.65	6.84	34.20
PK	5.4476G	65.44	74.00	-8.56	5.36	3	Vertical	191	1.84	60.08	32.90	6.63	34.17
PK	5.4644G	64.18	68.20	-4.02	5.37	3	Vertical	191	1.84	58.81	32.90	6.65	34.18
PK	5.714G	131.21	Inf	-Inf	6.30	3	Vertical	191	1.84	124.91	33.66	6.84	34.20
PK	5.8508G	65.06	68.20	-3.14	6.83	3	Vertical	191	1.84	58.23	34.10	6.94	34.21

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	50.80	54.00	-3.20	5.35	3	Horizontal	193	1.89	45.45	32.90	6.62	34.17
AV	5.7236G	118.19	Inf	-Inf	6.34	3	Horizontal	193	1.89	111.85	33.69	6.85	34.20
PK	5.4452G	65.08	74.00	-8.92	5.36	3	Horizontal	193	1.89	59.72	32.90	6.63	34.17
PK	5.4632G	64.35	68.20	-3.85	5.37	3	Horizontal	193	1.89	58.98	32.90	6.65	34.18
PK	5.7176G	130.75	Inf	-Inf	6.32	3	Horizontal	193	1.89	124.43	33.67	6.85	34.20
PK	5.852G	67.89	68.20	-0.31	6.84	3	Horizontal	193	1.89	61.05	34.11	6.94	34.21



5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	48.52	54.00	-5.48	5.38	3	Vertical	191	1.96	43.14	33.20	6.30	34.12
AV	11.44036G	38.17	54.00	-15.83	16.50	3	Vertical	314	1.50	21.67	39.16	11.41	34.07
PK	5.00144G	60.17	74.00	-13.83	5.38	3	Vertical	191	1.96	54.79	33.20	6.30	34.12
PK	11.43652G	51.64	74.00	-22.36	16.50	3	Vertical	314	1.50	35.14	39.16	11.41	34.07
PK	17.16318G	51.40	68.20	-16.80	17.91	3	Vertical	209	2.09	33.49	38.20	12.97	33.26

5.47-5.725GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	50.18	54.00	-3.82	5.38	3	Horizontal	194	2.02	44.80	33.20	6.30	34.12
AV	11.4457G	38.08	54.00	-15.92	16.49	3	Horizontal	45	1.50	21.59	39.15	11.41	34.07
PK	4.99978G	60.73	74.00	-13.27	5.38	3	Horizontal	194	2.02	55.35	33.20	6.30	34.12
PK	11.44984G	51.67	74.00	-22.33	16.50	3	Horizontal	45	1.50	35.17	39.15	11.42	34.07
PK	17.17428G	51.89	68.20	-16.31	17.90	3	Horizontal	120	1.50	33.99	38.20	12.97	33.27



5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5745MHz_TX



Legend for plot:


- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Green line)
- AV (Black line)

26/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	50.23	54.00	-3.77	5.37	3	Vertical	189	1.82	44.86	32.90	6.64	34.17
AV	5.7414G	116.75	Inf	-Inf	6.43	3	Vertical	189	1.82	110.32	33.77	6.86	34.20
PK	5.6454G	67.75	68.20	-0.45	5.61	3	Vertical	189	1.82	62.14	33.00	6.80	34.19
PK	5.7402G	130.51	Inf	-Inf	6.42	3	Vertical	189	1.82	124.09	33.76	6.86	34.20
PK	5.9646G	63.46	68.20	-4.74	6.99	3	Vertical	189	1.82	56.47	34.17	7.04	34.22

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5745MHz_TX



Legend for plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Green line)
- AV (Black line)


26/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	49.56	54.00	-4.44	5.36	3	Horizontal	196	1.82	44.20	32.90	6.63	34.17
AV	5.7486G	116.42	Inf	-Inf	6.46	3	Horizontal	196	1.82	109.96	33.79	6.87	34.20
PK	5.6526G	67.94	70.12	-2.18	5.64	3	Horizontal	196	1.82	62.30	33.03	6.80	34.19
PK	5.7534G	128.88	Inf	-Inf	6.49	3	Horizontal	196	1.82	122.39	33.82	6.87	34.20
PK	5.9838G	63.65	68.20	-4.55	6.97	3	Horizontal	196	1.82	56.68	34.13	7.06	34.22



5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	49.68	54.00	-4.32	5.38	3	Vertical	192	1.84	44.30	33.20	6.30	34.12
AV	11.49966G	38.45	54.00	-15.55	16.47	3	Vertical	136	1.98	21.98	39.10	11.43	34.06
PK	5.0002G	59.60	74.00	-14.40	5.38	3	Vertical	192	1.84	54.22	33.20	6.30	34.12
PK	11.49834G	51.50	74.00	-22.50	16.47	3	Vertical	136	1.98	35.03	39.10	11.43	34.06
PK	17.24466G	50.80	68.20	-17.40	17.96	3	Vertical	357	1.12	32.84	38.24	13.01	33.29

5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	49.97	54.00	-4.03	5.38	3	Horizontal	195	2.04	44.59	33.20	6.30	34.12
AV	11.49168G	38.28	54.00	-15.72	16.48	3	Horizontal	288	2.91	21.80	39.11	11.43	34.06
PK	4.99984G	59.89	74.00	-14.11	5.38	3	Horizontal	195	2.04	54.51	33.20	6.30	34.12
PK	11.49882G	51.29	74.00	-22.71	16.47	3	Horizontal	288	2.91	34.82	39.10	11.43	34.06
PK	17.23074G	51.53	68.20	-16.67	17.95	3	Horizontal	25	1.50	33.58	38.23	13.00	33.28



5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	117.26	Inf	-Inf	6.69	3	Vertical	193	1.79	110.57	34.00	6.89	34.20
PK	5.6254G	67.70	68.20	-0.50	5.60	3	Vertical	193	1.79	62.10	33.00	6.79	34.19
PK	5.779G	130.26	Inf	-Inf	6.66	3	Vertical	193	1.79	123.60	33.97	6.89	34.20
PK	5.959G	64.54	68.20	-3.66	7.00	3	Vertical	193	1.79	57.54	34.18	7.04	34.22

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	117.78	Inf	-Inf	6.69	3	Horizontal	195	1.79	111.09	34.00	6.89	34.20
PK	5.5498G	66.17	68.20	-2.03	5.44	3	Horizontal	195	1.79	60.73	32.90	6.72	34.18
PK	5.7766G	131.31	Inf	-Inf	6.64	3	Horizontal	195	1.79	124.67	33.96	6.88	34.20
PK	5.9314G	64.72	68.20	-3.48	7.04	3	Horizontal	195	1.79	57.68	34.24	7.01	34.21



5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	49.66	54.00	-4.34	5.38	3	Vertical	191	1.96	44.28	33.20	6.30	34.12
AV	11.55566G	37.97	54.00	-16.03	16.25	3	Vertical	166	1.88	21.72	38.88	11.46	34.09
PK	5.00062G	60.75	74.00	-13.25	5.38	3	Vertical	191	1.96	55.37	33.20	6.30	34.12
PK	11.56226G	51.09	74.00	-22.91	16.21	3	Vertical	166	1.88	34.88	38.85	11.46	34.10
PK	17.3535G	51.72	68.20	-16.48	18.20	3	Vertical	148	1.50	33.52	38.46	13.06	33.32

5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	50.16	54.00	-3.84	5.38	3	Horizontal	195	2.10	44.78	33.20	6.30	34.12
AV	11.55686G	38.09	54.00	-15.91	16.23	3	Horizontal	172	1.82	21.86	38.87	11.46	34.10
PK	4.99958G	43.00	74.00	-31.00	5.38	3	Horizontal	195	2.10	37.62	33.20	6.30	34.12
PK	11.58356G	50.91	74.00	-23.09	16.13	3	Horizontal	172	1.82	34.78	38.77	11.47	34.11
PK	17.35848G	52.27	68.20	-15.93	18.22	3	Horizontal	171	1.50	34.05	38.48	13.06	33.32



5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	116.02	Inf	-Inf	6.81	3	Vertical	187	1.50	109.21	34.10	6.92	34.21
PK	5.6294G	67.00	68.20	-1.20	5.60	3	Vertical	187	1.50	61.40	33.00	6.79	34.19
PK	5.8238G	129.92	Inf	-Inf	6.81	3	Vertical	187	1.50	123.11	34.10	6.92	34.21
PK	5.9606G	65.16	68.20	-3.04	7.00	3	Vertical	187	1.50	58.16	34.18	7.04	34.22

5.725-5.85GHz_802.11ax HEW20_Nss2,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	115.58	Inf	-Inf	6.81	3	Horizontal	187	1.50	108.77	34.10	6.92	34.21
PK	5.5874G	64.02	68.20	-4.18	5.54	3	Horizontal	187	1.50	58.48	32.97	6.76	34.19
PK	5.8166G	128.92	Inf	-Inf	6.80	3	Horizontal	187	1.50	122.12	34.10	6.91	34.21
PK	5.9258G	66.03	68.20	-2.17	7.05	3	Horizontal	187	1.50	58.98	34.25	7.01	34.21



5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	50.30	54.00	-3.70	5.38	3	Vertical	192	2.18	44.92	33.20	6.30	34.12
AV	11.63572G	37.37	54.00	-16.63	16.05	3	Vertical	289	1.50	21.32	38.70	11.49	34.14
PK	5.00004G	60.42	74.00	-13.58	5.38	3	Vertical	192	2.18	55.04	33.20	6.30	34.12
PK	11.6611G	50.84	74.00	-23.16	16.03	3	Vertical	289	1.50	34.81	38.70	11.49	34.16
PK	17.46216G	52.15	68.20	-16.05	18.41	3	Vertical	18	1.50	33.74	38.66	13.11	33.36

5.725-5.85GHz_802.11ax_HEW20_Nss2,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	51.78	54.00	-2.22	5.38	3	Horizontal	194	2.11	46.40	33.20	6.30	34.12
AV	11.63542G	37.42	54.00	-16.58	16.05	3	Horizontal	359	1.12	21.37	38.70	11.49	34.14
PK	5.00006G	62.05	74.00	-11.95	5.38	3	Horizontal	194	2.11	56.67	33.20	6.30	34.12
PK	11.63962G	51.34	74.00	-22.66	16.04	3	Horizontal	359	1.12	35.30	38.70	11.49	34.15
PK	17.46474G	51.96	68.20	-16.24	18.41	3	Horizontal	331	1.50	33.55	38.66	13.11	33.36



5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.57	54.00	-0.43	5.37	3	Vertical	188	1.86	48.20	33.10	6.41	34.14
AV	5.184G	105.29	Inf	-Inf	5.40	3	Vertical	188	1.86	99.89	33.10	6.44	34.14
PK	5.15G	69.72	74.00	-4.28	5.37	3	Vertical	188	1.86	64.35	33.10	6.41	34.14
PK	5.1848G	119.21	Inf	-Inf	5.40	3	Vertical	188	1.86	113.81	33.10	6.44	34.14

5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.57	54.00	-0.43	5.37	3	Horizontal	193	1.89	48.20	33.10	6.41	34.14
AV	5.1928G	106.22	Inf	-Inf	5.40	3	Horizontal	193	1.89	100.82	33.10	6.44	34.14
PK	5.15G	68.26	74.00	-5.74	5.37	3	Horizontal	193	1.89	62.89	33.10	6.41	34.14
PK	5.1932G	120.77	Inf	-Inf	5.40	3	Horizontal	193	1.89	115.37	33.10	6.44	34.14



5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.30	54.00	-0.70	5.38	3	Vertical	190	2.03	47.92	33.20	6.30	34.12
PK	5G	62.91	74.00	-11.09	5.38	3	Vertical	190	2.03	57.53	33.20	6.30	34.12

5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	53.80	54.00	-0.20	5.38	3	Horizontal	192	2.12	48.42	33.20	6.30	34.12
PK	5.0001G	64.92	74.00	-9.08	5.38	3	Horizontal	192	2.12	59.54	33.20	6.30	34.12



5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	49.22	54.00	-4.78	5.37	3	Vertical	189	1.75	43.85	33.10	6.41	34.14
AV	5.2228G	106.77	Inf	-Inf	5.37	3	Vertical	189	1.75	101.40	33.05	6.47	34.15
PK	5.136G	62.88	74.00	-11.12	5.36	3	Vertical	189	1.75	57.52	33.10	6.40	34.14
PK	5.244G	120.84	Inf	-Inf	5.34	3	Vertical	189	1.75	115.50	33.01	6.48	34.15

5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.42	54.00	-3.58	5.37	3	Horizontal	194	1.89	45.05	33.10	6.41	34.14
AV	5.2256G	107.91	Inf	-Inf	5.37	3	Horizontal	194	1.89	102.54	33.05	6.47	34.15
PK	5.1312G	64.63	74.00	-9.37	5.36	3	Horizontal	194	1.89	59.27	33.10	6.40	34.14
PK	5.2276G	122.93	Inf	-Inf	5.36	3	Horizontal	194	1.89	117.57	33.04	6.47	34.15



5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.80	54.00	-0.20	5.38	3	Vertical	190	1.87	48.42	33.20	6.30	34.12
PK	5.00004G	63.63	74.00	-10.37	5.38	3	Vertical	190	1.87	58.25	33.20	6.30	34.12

5.15-5.25GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.08	54.00	-0.92	5.38	3	Horizontal	192	1.87	47.70	33.20	6.30	34.12
PK	5.00002G	63.92	74.00	-10.08	5.38	3	Horizontal	192	1.87	58.54	33.20	6.30	34.12



5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2764G	107.33	Inf	-Inf	5.35	3	Vertical	194	2.00	101.98	33.00	6.50	34.15
AV	5.368G	49.98	54.00	-4.02	5.31	3	Vertical	194	2.00	44.67	32.90	6.57	34.16
PK	5.258G	121.63	Inf	-Inf	5.34	3	Vertical	194	2.00	116.29	33.00	6.49	34.15
PK	5.3576G	64.06	74.00	-9.94	5.30	3	Vertical	194	2.00	58.76	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2832G	108.19	Inf	-Inf	5.36	3	Horizontal	191	1.96	102.83	33.00	6.51	34.15
AV	5.3524G	50.86	54.00	-3.14	5.30	3	Horizontal	191	1.96	45.56	32.90	6.56	34.16
PK	5.2816G	122.40	Inf	-Inf	5.36	3	Horizontal	191	1.96	117.04	33.00	6.51	34.15
PK	5.3536G	64.53	74.00	-9.47	5.30	3	Horizontal	191	1.96	59.23	32.90	6.56	34.16



5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.02	54.00	-0.98	5.38	3	Vertical	192	2.03	47.64	33.20	6.30	34.12
PK	5.00004G	63.06	74.00	-10.94	5.38	3	Vertical	192	2.03	57.68	33.20	6.30	34.12

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	53.54	54.00	-0.46	5.38	3	Horizontal	191	2.02	48.16	33.20	6.30	34.12
PK	5.00006G	64.47	74.00	-9.53	5.38	3	Horizontal	191	2.02	59.09	33.20	6.30	34.12



5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3044G	104.78	Inf	-Inf	5.35	3	Vertical	187	1.50	99.43	32.99	6.52	34.16
AV	5.35G	51.05	54.00	-2.95	5.29	3	Vertical	187	1.50	45.76	32.90	6.55	34.16
PK	5.302G	119.48	Inf	-Inf	5.36	3	Vertical	187	1.50	114.12	33.00	6.52	34.16
PK	5.3552G	67.34	74.00	-6.66	5.30	3	Vertical	187	1.50	62.04	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	105.82	Inf	-Inf	5.35	3	Horizontal	194	1.87	100.47	32.98	6.53	34.16
AV	5.3532G	52.44	54.00	-1.56	5.30	3	Horizontal	194	1.87	47.14	32.90	6.56	34.16
PK	5.3076G	120.76	Inf	-Inf	5.35	3	Horizontal	194	1.87	115.41	32.98	6.53	34.16
PK	5.3516G	68.43	74.00	-5.57	5.30	3	Horizontal	194	1.87	63.13	32.90	6.56	34.16



5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.28	54.00	-0.72	5.38	3	Vertical	190	1.94	47.90	33.20	6.30	34.12
PK	4.99986G	62.76	74.00	-11.24	5.38	3	Vertical	190	1.94	57.38	33.20	6.30	34.12

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	53.37	54.00	-0.63	5.38	3	Horizontal	191	2.01	47.99	33.20	6.30	34.12
PK	5.00006G	63.66	74.00	-10.34	5.38	3	Horizontal	191	2.01	58.28	33.20	6.30	34.12



5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5510MHz_TX




25/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.78	54.00	-4.22	5.36	3	Vertical	192	1.72	44.42	32.90	6.64	34.18
AV	5.518G	104.65	Inf	-Inf	5.42	3	Vertical	192	1.72	99.23	32.90	6.70	34.18
PK	5.46G	65.66	74.00	-8.34	5.36	3	Vertical	192	1.72	60.30	32.90	6.64	34.18
PK	5.4656G	66.70	68.20	-1.50	5.37	3	Vertical	192	1.72	61.33	32.90	6.65	34.18
PK	5.5016G	119.11	Inf	-Inf	5.40	3	Vertical	192	1.72	113.71	32.90	6.68	34.18

5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5510MHz_TX




25/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	51.27	54.00	-2.73	5.37	3	Horizontal	190	1.91	45.90	32.90	6.64	34.17
AV	5.5172G	105.03	Inf	-Inf	5.42	3	Horizontal	190	1.91	99.61	32.90	6.70	34.18
PK	5.4584G	64.93	74.00	-9.07	5.36	3	Horizontal	190	1.91	59.57	32.90	6.64	34.18
PK	5.4632G	66.99	68.20	-1.21	5.37	3	Horizontal	190	1.91	61.62	32.90	6.65	34.18
PK	5.5156G	119.20	Inf	-Inf	5.41	3	Horizontal	190	1.91	113.79	32.90	6.69	34.18



5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.89	54.00	-1.11	5.38	3	Vertical	190	1.85	47.51	33.20	6.30	34.12
PK	4.99996G	60.86	74.00	-13.14	5.38	3	Vertical	190	1.85	55.48	33.20	6.30	34.12

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.73	54.00	-1.27	5.38	3	Horizontal	194	2.14	47.35	33.20	6.30	34.12
PK	4.9998G	61.53	74.00	-12.47	5.38	3	Horizontal	194	2.14	56.15	33.20	6.30	34.12



5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	50.28	54.00	-3.72	5.36	3	Vertical	193	1.70	44.92	32.90	6.64	34.18
AV	5.554G	110.18	Inf	-Inf	5.46	3	Vertical	193	1.70	104.72	32.91	6.73	34.18
PK	5.454G	64.90	74.00	-9.10	5.37	3	Vertical	193	1.70	59.53	32.90	6.64	34.17
PK	5.4688G	65.20	68.20	-3.00	5.37	3	Vertical	193	1.70	59.83	32.90	6.65	34.18
PK	5.5448G	122.95	Inf	-Inf	5.44	3	Vertical	193	1.70	117.51	32.90	6.72	34.18

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	51.76	54.00	-2.24	5.36	3	Horizontal	193	2.11	46.40	32.90	6.64	34.18
AV	5.5516G	110.28	Inf	-Inf	5.45	3	Horizontal	193	2.11	104.83	32.90	6.73	34.18
PK	5.4592G	67.49	74.00	-6.51	5.36	3	Horizontal	193	2.11	62.13	32.90	6.64	34.18
PK	5.466G	66.90	68.20	-1.30	5.37	3	Horizontal	193	2.11	61.53	32.90	6.65	34.18
PK	5.5476G	124.56	Inf	-Inf	5.44	3	Horizontal	193	2.11	119.12	32.90	6.72	34.18



5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.47	54.00	-0.53	5.38	3	Vertical	190	1.87	48.09	33.20	6.30	34.12
PK	4.99982G	62.69	74.00	-11.31	5.38	3	Vertical	190	1.87	57.31	33.20	6.30	34.12

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.40	54.00	-1.60	5.38	3	Horizontal	192	2.09	47.02	33.20	6.30	34.12
PK	5.00088G	60.83	74.00	-13.17	5.38	3	Horizontal	192	2.09	55.45	33.20	6.30	34.12



5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6664G	106.80	Inf	-Inf	5.82	3	Vertical	188	1.68	100.98	33.20	6.81	34.19
PK	5.667G	121.26	Inf	-Inf	5.82	3	Vertical	188	1.68	115.44	33.20	6.81	34.19
PK	5.7252G	65.02	68.20	-3.18	6.35	3	Vertical	188	1.68	58.67	33.70	6.85	34.20

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6652G	106.43	Inf	-Inf	5.80	3	Horizontal	195	1.76	100.63	33.18	6.81	34.19
PK	5.6676G	121.24	Inf	-Inf	5.83	3	Horizontal	195	1.76	115.41	33.21	6.81	34.19
PK	5.7288G	67.34	68.20	-0.86	6.37	3	Horizontal	195	1.76	60.97	33.72	6.85	34.20



5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	51.32	54.00	-2.68	5.38	3	Vertical	191	1.90	45.94	33.20	6.30	34.12
PK	4.99996G	60.21	74.00	-13.79	5.38	3	Vertical	191	1.90	54.83	33.20	6.30	34.12

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	52.52	54.00	-1.48	5.38	3	Horizontal	193	2.12	47.14	33.20	6.30	34.12
PK	5.00018G	60.26	74.00	-13.74	5.38	3	Horizontal	193	2.12	54.88	33.20	6.30	34.12



5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	50.09	54.00	-3.91	5.37	3	Vertical	191	1.79	44.72	32.90	6.64	34.17
AV	5.7004G	113.29	Inf	-Inf	6.24	3	Vertical	191	1.79	107.05	33.60	6.84	34.20
PK	5.4448G	63.81	74.00	-10.19	5.36	3	Vertical	191	1.79	58.45	32.90	6.63	34.17
PK	5.4676G	63.92	68.20	-4.28	5.37	3	Vertical	191	1.79	58.55	32.90	6.65	34.18
PK	5.698G	127.44	Inf	-Inf	6.21	3	Vertical	191	1.79	121.23	33.58	6.83	34.20
PK	5.86G	65.40	68.20	-2.80	6.88	3	Vertical	191	1.79	58.52	34.14	6.95	34.21

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	50.51	54.00	-3.49	5.37	3	Horizontal	193	1.97	45.14	32.90	6.64	34.17
AV	5.7148G	113.50	Inf	-Inf	6.30	3	Horizontal	193	1.97	107.20	33.66	6.84	34.20
PK	5.4304G	64.46	74.00	-9.54	5.35	3	Horizontal	193	1.97	59.11	32.90	6.62	34.17
PK	5.4664G	64.18	68.20	-4.02	5.37	3	Horizontal	193	1.97	58.81	32.90	6.65	34.18
PK	5.7136G	128.08	Inf	-Inf	6.29	3	Horizontal	193	1.97	121.79	33.65	6.84	34.20
PK	5.86G	67.05	68.20	-1.15	6.88	3	Horizontal	193	1.97	60.17	34.14	6.95	34.21



5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	49.72	54.00	-4.28	5.38	3	Vertical	193	1.84	44.34	33.20	6.30	34.12
AV	11.43476G	38.12	54.00	-15.88	16.51	3	Vertical	153	1.50	21.61	39.17	11.41	34.07
PK	5.00012G	60.39	74.00	-13.61	5.38	3	Vertical	193	1.84	55.01	33.20	6.30	34.12
PK	11.3918G	51.41	74.00	-22.59	16.50	3	Vertical	153	1.50	34.91	39.19	11.39	34.08
PK	17.10984G	51.67	68.20	-16.53	17.89	3	Vertical	211	1.50	33.78	38.20	12.94	33.25

5.47-5.725GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	51.75	54.00	-2.25	5.38	3	Horizontal	194	2.04	46.37	33.20	6.30	34.12
AV	11.40248G	38.09	54.00	-15.91	16.52	3	Horizontal	262	1.50	21.57	39.20	11.40	34.08
PK	4.99506G	58.87	74.00	-15.13	5.36	3	Horizontal	194	2.04	53.51	33.18	6.30	34.12
PK	11.41172G	51.51	74.00	-22.49	16.51	3	Horizontal	262	1.50	35.00	39.19	11.40	34.08
PK	17.1558G	51.41	68.20	-16.79	17.91	3	Horizontal	202	1.50	33.50	38.20	12.97	33.26



5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	49.31	54.00	-4.69	5.37	3	Vertical	192	1.72	43.94	32.90	6.64	34.17
AV	5.7502G	111.26	Inf	-Inf	6.47	3	Vertical	192	1.72	104.79	33.80	6.87	34.20
PK	5.641G	67.64	68.20	-0.56	5.61	3	Vertical	192	1.72	62.03	33.00	6.80	34.19
PK	5.7406G	125.42	Inf	-Inf	6.42	3	Vertical	192	1.72	119.00	33.76	6.86	34.20
PK	5.9638G	63.12	68.20	-5.08	6.99	3	Vertical	192	1.72	56.13	34.17	7.04	34.22

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	50.05	54.00	-3.95	5.37	3	Horizontal	188	1.88	44.68	32.90	6.64	34.17
AV	5.7406G	110.62	Inf	-Inf	6.42	3	Horizontal	188	1.88	104.20	33.76	6.86	34.20
PK	5.6494G	67.32	68.20	-0.88	5.61	3	Horizontal	188	1.88	61.71	33.00	6.80	34.19
PK	5.7442G	124.44	Inf	-Inf	6.44	3	Horizontal	188	1.88	118.00	33.78	6.86	34.20
PK	5.9518G	64.48	68.20	-3.72	7.01	3	Horizontal	188	1.88	57.47	34.20	7.03	34.22



5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	50.42	54.00	-3.58	5.38	3	Vertical	192	2.00	45.04	33.20	6.30	34.12
PK	4.99982G	59.25	74.00	-14.75	5.38	3	Vertical	192	2.00	53.87	33.20	6.30	34.12

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	51.87	54.00	-2.13	5.38	3	Horizontal	194	2.05	46.49	33.20	6.30	34.12
PK	4.99984G	60.43	74.00	-13.57	5.38	3	Horizontal	194	2.05	55.05	33.20	6.30	34.12



5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	111.68	Inf	-Inf	6.72	3	Vertical	190	1.78	104.96	34.03	6.89	34.20
PK	5.6306G	67.75	68.20	-0.45	5.60	3	Vertical	190	1.78	62.15	33.00	6.79	34.19
PK	5.783G	125.77	Inf	-Inf	6.69	3	Vertical	190	1.78	119.08	34.00	6.89	34.20
PK	5.9246G	65.06	68.50	-3.44	7.05	3	Vertical	190	1.78	58.01	34.25	7.01	34.21

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	111.68	Inf	-Inf	6.67	3	Horizontal	190	2.06	105.01	33.98	6.89	34.20
PK	5.6342G	67.35	68.20	-0.85	5.60	3	Horizontal	190	2.06	61.75	33.00	6.79	34.19
PK	5.8118G	125.56	Inf	-Inf	6.81	3	Horizontal	190	2.06	118.75	34.10	6.91	34.20
PK	5.9306G	68.04	68.20	-0.16	7.04	3	Horizontal	190	2.06	61.00	34.24	7.01	34.21



5.725-5.85GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	51.17	54.00	-2.83	5.38	3	Vertical	192	1.86	45.79	33.20	6.30	34.12
AV	11.56396G	38.72	54.00	-15.28	16.20	3	Vertical	169	1.96	22.52	38.84	11.46	34.10
PK	4.9999G	60.21	74.00	-13.79	5.38	3	Vertical	192	1.86	54.83	33.20	6.30	34.12
PK	11.56276G	52.03	74.00	-21.97	16.21	3	Vertical	169	1.96	35.82	38.85	11.46	34.10
PK	17.4138G	51.58	68.20	-16.62	18.35	3	Vertical	162	1.50	33.23	38.61	13.08	33.34

5.725-5.85GHz_802.11ax_HEW40_Nss2,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	51.44	54.00	-2.56	5.38	3	Horizontal	195	2.11	46.06	33.20	6.30	34.12
AV	11.56012G	37.99	54.00	-16.01	16.22	3	Horizontal	237	2.37	21.77	38.86	11.46	34.10
PK	5.00002G	60.24	74.00	-13.76	5.38	3	Horizontal	195	2.11	54.86	33.20	6.30	34.12
PK	11.58136G	51.95	74.00	-22.05	16.13	3	Horizontal	237	2.37	35.82	38.77	11.47	34.11
PK	17.40696G	51.84	68.20	-16.36	18.35	3	Horizontal	343	2.95	33.49	38.61	13.08	33.34



5.15-5.25GHz_802.11ax HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.49	54.00	-0.51	5.38	3	Vertical	191	1.85	48.11	33.20	6.30	34.12
AV	5.199G	100.62	Inf	-Inf	5.41	3	Vertical	191	1.85	95.21	33.10	6.45	34.14
AV	5.352G	48.14	54.00	-5.86	5.30	3	Vertical	191	1.85	42.84	32.90	6.56	34.16
PK	5.143G	69.29	74.00	-4.71	5.37	3	Vertical	191	1.85	63.92	33.10	6.41	34.14
PK	5.181G	114.69	Inf	-Inf	5.40	3	Vertical	191	1.85	109.29	33.10	6.44	34.14
PK	5.368G	61.78	74.00	-12.22	5.31	3	Vertical	191	1.85	56.47	32.90	6.57	34.16

5.15-5.25GHz_802.11ax HEW80_Nss2,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.50	54.00	-0.50	5.37	3	Horizontal	193	2.06	48.13	33.10	6.41	34.14
AV	5.212G	100.73	Inf	-Inf	5.39	3	Horizontal	193	2.06	95.34	33.08	6.46	34.15
AV	5.35G	48.21	54.00	-5.79	5.29	3	Horizontal	193	2.06	42.92	32.90	6.55	34.16
PK	5.14G	69.17	74.00	-4.83	5.37	3	Horizontal	193	2.06	63.80	33.10	6.41	34.14
PK	5.213G	114.71	Inf	-Inf	5.38	3	Horizontal	193	2.06	109.33	33.07	6.46	34.15
PK	5.374G	62.27	74.00	-11.73	5.31	3	Horizontal	193	2.06	56.96	32.90	6.57	34.16



5.15-5.25GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	53.77	54.00	-0.23	5.38	3	Vertical	189	1.85	48.39	33.20	6.30	34.12
PK	4.99996G	62.18	74.00	-11.82	5.38	3	Vertical	189	1.85	56.80	33.20	6.30	34.12

5.15-5.25GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.75	54.00	-1.25	5.38	3	Horizontal	190	1.85	47.37	33.20	6.30	34.12
PK	5G	62.20	74.00	-11.80	5.38	3	Horizontal	190	1.85	56.82	33.20	6.30	34.12



5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.12	54.00	-5.88	5.37	3	Vertical	188	1.72	42.75	33.10	6.41	34.14
AV	5.303G	101.00	Inf	-Inf	5.35	3	Vertical	188	1.72	95.65	32.99	6.52	34.16
AV	5.36G	53.46	54.00	-0.54	5.30	3	Vertical	188	1.72	48.16	32.90	6.56	34.16
PK	5.044G	61.70	74.00	-12.30	5.49	3	Vertical	188	1.72	56.21	33.29	6.33	34.13
PK	5.303G	114.60	Inf	-Inf	5.35	3	Vertical	188	1.72	109.25	32.99	6.52	34.16
PK	5.36G	72.80	74.00	-1.20	5.30	3	Vertical	188	1.72	67.50	32.90	6.56	34.16
PK	5.482G	63.78	68.20	-4.42	5.38	3	Vertical	188	1.72	58.40	32.90	6.66	34.18

5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.22	54.00	-4.78	5.37	3	Horizontal	192	1.72	43.85	33.10	6.41	34.14
AV	5.3G	102.03	Inf	-Inf	5.36	3	Horizontal	192	1.72	96.67	33.00	6.52	34.16
AV	5.35G	52.75	54.00	-1.25	5.29	3	Horizontal	192	1.72	47.46	32.90	6.55	34.16
PK	5.143G	62.74	74.00	-11.26	5.37	3	Horizontal	192	1.72	57.37	33.10	6.41	34.14
PK	5.299G	115.77	Inf	-Inf	5.36	3	Horizontal	192	1.72	110.41	33.00	6.52	34.16
PK	5.35G	68.78	74.00	-5.22	5.29	3	Horizontal	192	1.72	63.49	32.90	6.55	34.16
PK	5.515G	61.95	68.20	-6.25	5.41	3	Horizontal	192	1.72	56.54	32.90	6.69	34.18



5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.45	54.00	-0.55	5.38	3	Vertical	190	1.85	48.07	33.20	6.30	34.12
PK	4.9999G	64.66	74.00	-9.34	5.38	3	Vertical	190	1.85	59.28	33.20	6.30	34.12

5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.35	54.00	-0.65	5.38	3	Horizontal	192	2.11	47.97	33.20	6.30	34.12
PK	5.00012G	64.44	74.00	-9.56	5.38	3	Horizontal	192	2.11	59.06	33.20	6.30	34.12



5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.49	54.00	-7.51	5.29	3	Vertical	192	1.76	41.20	32.90	6.55	34.16
AV	5.46G	52.12	54.00	-1.88	5.36	3	Vertical	192	1.76	46.76	32.90	6.64	34.18
AV	5.541G	101.07	Inf	-Inf	5.44	3	Vertical	192	1.76	95.63	32.90	6.72	34.18
PK	5.328G	59.92	68.20	-8.28	5.32	3	Vertical	192	1.76	54.60	32.94	6.54	34.16
PK	5.46G	67.04	74.00	-6.96	5.36	3	Vertical	192	1.76	61.68	32.90	6.64	34.18
PK	5.461G	66.90	68.20	-1.30	5.36	3	Vertical	192	1.76	61.54	32.90	6.64	34.18
PK	5.522G	114.07	Inf	-Inf	5.42	3	Vertical	192	1.76	108.65	32.90	6.70	34.18
PK	5.739G	60.86	68.20	-7.34	6.42	3	Vertical	192	1.76	54.44	33.76	6.86	34.20

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.71	54.00	-6.29	5.29	3	Horizontal	191	2.10	42.42	32.90	6.55	34.16
AV	5.46G	52.56	54.00	-1.44	5.36	3	Horizontal	191	2.10	47.20	32.90	6.64	34.18
AV	5.537G	101.04	Inf	-Inf	5.43	3	Horizontal	191	2.10	95.61	32.90	6.71	34.18
PK	5.346G	60.86	68.20	-7.34	5.30	3	Horizontal	191	2.10	55.56	32.91	6.55	34.16
PK	5.46G	67.11	74.00	-6.89	5.36	3	Horizontal	191	2.10	61.75	32.90	6.64	34.18
PK	5.467G	67.50	68.20	-0.70	5.37	3	Horizontal	191	2.10	62.13	32.90	6.65	34.18
PK	5.493G	113.44	Inf	-Inf	5.39	3	Horizontal	191	2.10	108.05	32.90	6.67	34.18
PK	5.774G	61.63	68.20	-6.57	6.62	3	Horizontal	191	2.10	55.01	33.94	6.88	34.20



5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	52.89	54.00	-1.11	5.38	3	Vertical	192	1.94	47.51	33.20	6.30	34.12
PK	5.0001G	59.80	74.00	-14.20	5.38	3	Vertical	192	1.94	54.42	33.20	6.30	34.12

5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.02	54.00	-0.98	5.38	3	Horizontal	194	2.18	47.64	33.20	6.30	34.12
PK	4.99982G	61.24	74.00	-12.76	5.38	3	Horizontal	194	2.18	55.86	33.20	6.30	34.12



5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.06	54.00	-3.94	5.36	3	Vertical	190	1.69	44.70	32.90	6.64	34.18
AV	5.604G	105.87	Inf	-Inf	5.58	3	Vertical	190	1.69	100.29	33.00	6.77	34.19
PK	5.437G	62.93	74.00	-11.07	5.35	3	Vertical	190	1.69	57.58	32.90	6.62	34.17
PK	5.466G	63.26	68.20	-4.94	5.37	3	Vertical	190	1.69	57.89	32.90	6.65	34.18
PK	5.602G	118.42	Inf	-Inf	5.58	3	Vertical	190	1.69	112.84	33.00	6.77	34.19
PK	5.731G	65.48	68.20	-2.72	6.38	3	Vertical	190	1.69	59.10	33.72	6.86	34.20

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.57	54.00	-2.43	5.36	3	Horizontal	188	1.85	46.21	32.90	6.64	34.18
AV	5.625G	106.04	Inf	-Inf	5.60	3	Horizontal	188	1.85	100.44	33.00	6.79	34.19
PK	5.448G	64.27	74.00	-9.73	5.36	3	Horizontal	188	1.85	58.91	32.90	6.63	34.17
PK	5.462G	64.54	68.20	-3.66	5.37	3	Horizontal	188	1.85	59.17	32.90	6.65	34.18
PK	5.625G	118.51	Inf	-Inf	5.60	3	Horizontal	188	1.85	112.91	33.00	6.79	34.19
PK	5.743G	66.36	68.20	-1.84	6.43	3	Horizontal	188	1.85	59.93	33.77	6.86	34.20



5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.94	54.00	-1.06	5.38	3	Vertical	191	1.87	47.56	33.20	6.30	34.12
PK	4.99978G	61.22	74.00	-12.78	5.38	3	Vertical	191	1.87	55.84	33.20	6.30	34.12

5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.44	54.00	-0.56	5.38	3	Horizontal	194	2.10	48.06	33.20	6.30	34.12
PK	5.003G	60.68	74.00	-13.32	5.39	3	Horizontal	194	2.10	55.29	33.21	6.30	34.12

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	49.55	54.00	-4.45	5.37	3	Vertical	189	1.50	44.18	32.90	6.64	34.17
AV	5.6648G	107.38	Inf	-Inf	5.80	3	Vertical	189	1.50	101.58	33.18	6.81	34.19
PK	5.4404G	62.89	74.00	-11.11	5.36	3	Vertical	189	1.50	57.53	32.90	6.63	34.17
PK	5.4656G	62.71	68.20	-5.49	5.37	3	Vertical	189	1.50	57.34	32.90	6.65	34.18
PK	5.6828G	120.86	Inf	-Inf	6.02	3	Vertical	189	1.50	114.84	33.39	6.82	34.19
PK	5.8604G	64.09	68.20	-4.11	6.88	3	Vertical	189	1.50	57.21	34.14	6.95	34.21

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	50.50	54.00	-3.50	5.36	3	Horizontal	194	2.04	45.14	32.90	6.63	34.17
AV	5.6972G	108.45	Inf	-Inf	6.20	3	Horizontal	194	2.04	102.25	33.57	6.83	34.20
PK	5.438G	64.06	74.00	-9.94	5.35	3	Horizontal	194	2.04	58.71	32.90	6.62	34.17
PK	5.468G	63.50	68.20	-4.70	5.37	3	Horizontal	194	2.04	58.13	32.90	6.65	34.18
PK	5.6984G	120.98	Inf	-Inf	6.21	3	Horizontal	194	2.04	114.77	33.58	6.83	34.20
PK	5.8556G	66.34	68.20	-1.86	6.86	3	Horizontal	194	2.04	59.48	34.12	6.95	34.21



5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.54	54.00	-2.46	5.38	3	Vertical	191	1.76	46.16	33.20	6.30	34.12
PK	4.99994G	59.67	74.00	-14.33	5.38	3	Vertical	191	1.76	54.29	33.20	6.30	34.12

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	51.40	54.00	-2.60	5.38	3	Horizontal	195	2.09	46.02	33.20	6.30	34.12
PK	5.00002G	58.57	74.00	-15.43	5.38	3	Horizontal	195	2.09	53.19	33.20	6.30	34.12



5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	105.87	Inf	-Inf	6.43	3	Vertical	192	1.85	99.44	33.77	6.86	34.20
PK	5.649G	67.10	68.20	-1.10	5.61	3	Vertical	192	1.85	61.49	33.00	6.80	34.19
PK	5.7402G	118.83	Inf	-Inf	6.42	3	Vertical	192	1.85	112.41	33.76	6.86	34.20
PK	5.949G	62.42	68.20	-5.78	7.01	3	Vertical	192	1.85	55.41	34.20	7.03	34.22

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	106.86	Inf	-Inf	6.53	3	Horizontal	188	1.92	100.33	33.86	6.87	34.20
PK	5.6394G	66.96	68.20	-1.24	5.61	3	Horizontal	188	1.92	61.35	33.00	6.80	34.19
PK	5.7594G	119.74	Inf	-Inf	6.53	3	Horizontal	188	1.92	113.21	33.86	6.87	34.20
PK	5.9238G	66.24	69.09	-2.85	7.05	3	Horizontal	188	1.92	59.19	34.25	7.01	34.21



5.725-5.85GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	51.02	54.00	-2.98	5.38	3	Vertical	194	1.82	45.64	33.20	6.30	34.12
AV	11.54328G	39.50	54.00	-14.50	16.29	3	Vertical	170	2.07	23.21	38.93	11.45	34.09
PK	4.99994G	58.03	74.00	-15.97	5.38	3	Vertical	194	1.82	52.65	33.20	6.30	34.12
PK	11.54808G	52.01	74.00	-21.99	16.27	3	Vertical	170	2.07	35.74	38.91	11.45	34.09
PK	17.33484G	52.01	68.20	-16.19	18.13	3	Vertical	113	1.83	33.88	38.40	13.05	33.32

5.725-5.85GHz_802.11ax_HEW80_Nss2,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.98	54.00	-1.02	5.38	3	Horizontal	194	2.12	47.60	33.20	6.30	34.12
AV	11.5356G	39.42	54.00	-14.58	16.33	3	Horizontal	137	2.01	23.09	38.96	11.45	34.08
PK	4.99974G	59.44	74.00	-14.56	5.38	3	Horizontal	194	2.12	54.06	33.20	6.30	34.12
PK	11.53416G	52.51	74.00	-21.49	16.33	3	Horizontal	137	2.01	36.18	38.96	11.45	34.08
PK	17.30412G	52.22	68.20	-15.98	18.03	3	Horizontal	214	1.50	34.19	38.31	13.03	33.31



5.15-5.25GHz_802.11ax HEW160_Nss2,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99968G	52.51	54.00	-1.49	5.38	3	Vertical	189	1.97	47.13	33.20	6.30	34.12
AV	5.2416G	97.68	Inf	-Inf	5.35	3	Vertical	189	1.97	92.33	33.02	6.48	34.15
AV	5.40288G	51.16	54.00	-2.84	5.32	3	Vertical	189	1.97	45.84	32.90	6.59	34.17
PK	5.13912G	65.52	74.00	-8.48	5.36	3	Vertical	189	1.97	60.16	33.10	6.40	34.14
PK	5.23992G	110.19	Inf	-Inf	5.35	3	Vertical	189	1.97	104.84	33.02	6.48	34.15
PK	5.38608G	65.18	74.00	-8.82	5.31	3	Vertical	189	1.97	59.87	32.90	6.58	34.17
PK	5.49696G	62.59	68.20	-5.61	5.40	3	Vertical	189	1.97	57.19	32.90	6.68	34.18

5.15-5.25GHz_802.11ax HEW160_Nss2,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99968G	53.72	54.00	-0.28	5.38	3	Horizontal	189	1.97	48.34	33.20	6.30	34.12
AV	5.2584G	98.42	Inf	-Inf	5.34	3	Horizontal	191	1.97	93.08	33.00	6.49	34.15
AV	5.36928G	51.09	54.00	-2.91	5.31	3	Horizontal	191	1.97	45.78	32.90	6.57	34.16
PK	5.14416G	65.39	74.00	-8.61	5.37	3	Horizontal	191	1.97	60.02	33.10	6.41	34.14
PK	5.22144G	110.31	Inf	-Inf	5.38	3	Horizontal	191	1.97	104.93	33.06	6.47	34.15
PK	5.38104G	64.10	74.00	-9.90	5.31	3	Horizontal	191	1.97	58.79	32.90	6.58	34.17
PK	5.49024G	62.49	68.20	-5.71	5.39	3	Horizontal	191	1.97	57.10	32.90	6.67	34.18



5.15-5.25GHz_802.11ax_HEW160_Nss2,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	52.59	54.00	-1.41	5.38	3	Vertical	189	1.84	47.21	33.20	6.30	34.12
PK	4.9998G	61.59	74.00	-12.41	5.38	3	Vertical	189	1.84	56.21	33.20	6.30	34.12

5.15-5.25GHz_802.11ax_HEW160_Nss2,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	53.45	54.00	-0.55	5.38	3	Horizontal	191	2.10	48.07	33.20	6.30	34.12
PK	5.00022G	61.67	74.00	-12.33	5.38	3	Horizontal	191	2.10	56.29	33.20	6.30	34.12



5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.46	54.00	-1.54	5.36	3	Vertical	191	1.67	47.10	32.90	6.64	34.18
AV	5.582G	99.77	Inf	-Inf	5.52	3	Vertical	191	1.67	94.25	32.96	6.75	34.19
PK	5.318G	62.02	68.20	-6.18	5.33	3	Vertical	191	1.67	56.69	32.96	6.53	34.16
PK	5.4572G	64.90	74.00	-9.10	5.37	3	Vertical	191	1.67	59.53	32.90	6.64	34.17
PK	5.4656G	65.81	68.20	-2.39	5.37	3	Vertical	191	1.67	60.44	32.90	6.65	34.18
PK	5.5832G	113.09	Inf	-Inf	5.53	3	Vertical	191	1.67	107.56	32.97	6.75	34.19
PK	5.738G	65.19	68.20	-3.01	6.41	3	Vertical	191	1.67	58.78	33.75	6.86	34.20

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.27	54.00	-0.73	5.36	3	Horizontal	190	2.01	47.91	32.90	6.64	34.18
AV	5.5808G	99.51	Inf	-Inf	5.52	3	Horizontal	190	2.01	93.99	32.96	6.75	34.19
PK	5.348G	63.20	68.20	-5.00	5.29	3	Horizontal	190	2.01	57.91	32.90	6.55	34.16
PK	5.4248G	66.69	74.00	-7.31	5.34	3	Horizontal	190	2.01	61.35	32.90	6.61	34.17
PK	5.4656G	66.66	68.20	-1.54	5.37	3	Horizontal	190	2.01	61.29	32.90	6.65	34.18
PK	5.54G	111.54	Inf	-Inf	5.44	3	Horizontal	190	2.01	106.10	32.90	6.72	34.18
PK	5.7356G	66.27	68.20	-1.93	6.40	3	Horizontal	190	2.01	59.87	33.74	6.86	34.20



5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	53.60	54.00	-0.40	5.38	3	Vertical	189	1.96	48.22	33.20	6.30	34.12
PK	4.99984G	59.59	74.00	-14.41	5.38	3	Vertical	189	1.96	54.21	33.20	6.30	34.12

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.45	54.00	-0.55	5.38	3	Horizontal	194	2.10	48.07	33.20	6.30	34.12
PK	4.9974G	58.70	74.00	-15.30	5.37	3	Horizontal	194	2.10	53.33	33.19	6.30	34.12



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	PK	726.46M	41.35	46.00	-4.65	3	Horizontal	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	125.06M	36.48	43.50	-7.02	3	Vertical	360	1.00
5775MHz	Pass	PK	249.22M	34.02	46.00	-11.98	3	Vertical	360	1.00
5775MHz	Pass	PK	375.32M	38.54	46.00	-7.46	3	Vertical	360	1.00
5775MHz	Pass	PK	513.06M	39.94	46.00	-6.06	3	Vertical	360	1.00
5775MHz	Pass	PK	664.38M	36.87	46.00	-9.13	3	Vertical	360	1.00
5775MHz	Pass	PK	858.38M	36.39	46.00	-9.61	3	Vertical	360	1.00
5775MHz	Pass	PK	123.12M	30.59	43.50	-12.91	3	Horizontal	0	1.00
5775MHz	Pass	PK	249.22M	37.58	46.00	-8.42	3	Horizontal	0	1.00
5775MHz	Pass	PK	375.32M	35.88	46.00	-10.12	3	Horizontal	0	1.00
5775MHz	Pass	PK	513.06M	40.90	46.00	-5.10	3	Horizontal	0	1.00
5775MHz	Pass	PK	646.92M	40.11	46.00	-5.89	3	Horizontal	0	1.00
5775MHz	Pass	PK	726.46M	41.35	46.00	-4.65	3	Horizontal	0	1.00



5.725-5.85GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	36.48	43.50	-7.02	-8.00	3	Vertical	360	1.00	44.48	17.42	1.84	27.26
PK	249.22M	34.02	46.00	-11.98	-6.52	3	Vertical	360	1.00	40.54	17.53	2.63	26.68
PK	375.32M	38.54	46.00	-7.46	-3.77	3	Vertical	360	1.00	42.31	20.00	3.26	27.03
PK	513.06M	39.94	46.00	-6.06	-1.01	3	Vertical	360	1.00	40.95	22.97	3.85	27.83
PK	664.38M	36.87	46.00	-9.13	0.77	3	Vertical	360	1.00	36.10	24.32	4.44	27.99
PK	858.38M	36.39	46.00	-9.61	3.40	3	Vertical	360	1.00	32.99	25.77	5.13	27.50

5.725-5.85GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	123.12M	30.59	43.50	-12.91	-8.03	3	Horizontal	0	1.00	38.62	17.42	1.82	27.27
PK	249.22M	37.58	46.00	-8.42	-6.52	3	Horizontal	0	1.00	44.10	17.53	2.63	26.68
PK	375.32M	35.88	46.00	-10.12	-3.77	3	Horizontal	0	1.00	39.65	20.00	3.26	27.03
PK	513.06M	40.90	46.00	-5.10	-1.01	3	Horizontal	0	1.00	41.91	22.97	3.85	27.83
PK	646.92M	40.11	46.00	-5.89	0.64	3	Horizontal	0	1.00	39.47	24.29	4.38	28.03
PK	726.46M	41.35	46.00	-4.65	1.77	3	Horizontal	0	1.00	39.58	24.93	4.65	27.81



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	4.99998G	53.87	54.00	-0.13	3	Horizontal	189	2.11
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	4.99996G	53.84	54.00	-0.16	3	Horizontal	190	2.10
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5G	53.90	54.00	-0.10	3	Vertical	187	1.93
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	5.00002G	53.82	54.00	-0.18	3	Horizontal	189	2.04
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	4.99992G	53.75	54.00	-0.25	3	Horizontal	189	2.02
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	184	1.94
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.81	54.00	-0.19	3	Horizontal	188	1.85
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	4.99998G	53.88	54.00	-0.12	3	Horizontal	190	2.11
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	PK	5.468G	67.98	68.20	-0.22	3	Vertical	187	1.70
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5.457G	53.74	54.00	-0.26	3	Horizontal	187	2.06
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	4.99998G	53.87	54.00	-0.13	3	Horizontal	189	2.04
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	5.939G	68.02	68.20	-0.18	3	Horizontal	184	1.72
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	PK	5.9234G	68.59	69.38	-0.79	3	Horizontal	191	1.76
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	PK	5.643G	66.43	68.20	-1.77	3	Horizontal	184	1.94



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	49.50	54.00	-4.50	3	Vertical	191	1.86
5180MHz	Pass	AV	5.1782G	104.71	Inf	-Inf	3	Vertical	191	1.86
5180MHz	Pass	PK	5.149G	61.56	74.00	-12.44	3	Vertical	191	1.86
5180MHz	Pass	PK	5.1864G	117.91	Inf	-Inf	3	Vertical	191	1.86
5180MHz	Pass	AV	5.1492G	48.56	54.00	-5.44	3	Horizontal	188	1.94
5180MHz	Pass	AV	5.1778G	103.99	Inf	-Inf	3	Horizontal	188	1.94
5180MHz	Pass	PK	5.1496G	62.03	74.00	-11.97	3	Horizontal	188	1.94
5180MHz	Pass	PK	5.1742G	117.72	Inf	-Inf	3	Horizontal	188	1.94
5180MHz	Pass	AV	4.99994G	45.57	54.00	-8.43	3	Vertical	170	1.50
5180MHz	Pass	AV	15.53608G	37.97	54.00	-16.03	3	Vertical	335	1.96
5180MHz	Pass	PK	4.99988G	53.97	74.00	-20.03	3	Vertical	170	1.50
5180MHz	Pass	PK	10.35748G	49.56	68.20	-18.64	3	Vertical	335	2.46
5180MHz	Pass	PK	15.5438G	51.70	74.00	-22.30	3	Vertical	335	1.96
5180MHz	Pass	AV	4.99998G	53.87	54.00	-0.13	3	Horizontal	189	2.11
5180MHz	Pass	AV	15.5355G	37.98	54.00	-16.02	3	Horizontal	49	2.02
5180MHz	Pass	PK	5.00004G	61.66	74.00	-12.34	3	Horizontal	189	2.11
5180MHz	Pass	PK	10.35988G	49.70	68.20	-18.50	3	Horizontal	334	2.32
5180MHz	Pass	PK	15.53514G	51.33	74.00	-22.67	3	Horizontal	49	2.02
5200MHz	Pass	AV	5.1484G	47.54	54.00	-6.46	3	Vertical	191	2.00
5200MHz	Pass	AV	5.1984G	103.92	Inf	-Inf	3	Vertical	191	2.00
5200MHz	Pass	PK	5.1404G	61.46	74.00	-12.54	3	Vertical	191	2.00
5200MHz	Pass	PK	5.2064G	117.49	Inf	-Inf	3	Vertical	191	2.00
5200MHz	Pass	AV	5.1496G	46.96	54.00	-7.04	3	Horizontal	187	1.94
5200MHz	Pass	AV	5.198G	103.54	Inf	-Inf	3	Horizontal	187	1.94
5200MHz	Pass	PK	5.1496G	60.84	74.00	-13.16	3	Horizontal	187	1.94
5200MHz	Pass	PK	5.1944G	117.73	Inf	-Inf	3	Horizontal	187	1.94
5200MHz	Pass	AV	4.99998G	53.02	54.00	-0.98	3	Vertical	186	1.93
5200MHz	Pass	AV	15.58536G	38.97	54.00	-15.03	3	Vertical	188	2.02
5200MHz	Pass	PK	4.99996G	60.85	74.00	-13.15	3	Vertical	186	1.93
5200MHz	Pass	PK	10.39598G	53.31	68.20	-14.89	3	Vertical	202	1.87
5200MHz	Pass	PK	15.59712G	52.35	74.00	-21.65	3	Vertical	188	2.02
5200MHz	Pass	AV	4.99996G	52.50	54.00	-1.50	3	Horizontal	188	2.02
5200MHz	Pass	AV	15.59626G	37.51	54.00	-16.49	3	Horizontal	132	1.44
5200MHz	Pass	PK	5.00008G	61.64	74.00	-12.36	3	Horizontal	188	2.02
5200MHz	Pass	PK	10.39988G	49.60	68.20	-18.60	3	Horizontal	281	2.98
5200MHz	Pass	PK	15.60354G	50.87	74.00	-23.13	3	Horizontal	132	1.44
5240MHz	Pass	AV	5.141G	47.17	54.00	-6.83	3	Vertical	190	1.57
5240MHz	Pass	AV	5.2382G	104.04	Inf	-Inf	3	Vertical	190	1.57
5240MHz	Pass	AV	5.354G	47.31	54.00	-6.69	3	Vertical	190	1.57
5240MHz	Pass	PK	5.1266G	61.14	74.00	-12.86	3	Vertical	190	1.57
5240MHz	Pass	PK	5.2466G	117.75	Inf	-Inf	3	Vertical	190	1.57
5240MHz	Pass	PK	5.3612G	61.11	74.00	-12.89	3	Vertical	190	1.57
5240MHz	Pass	AV	5.141G	46.59	54.00	-7.41	3	Horizontal	185	1.89
5240MHz	Pass	AV	5.2436G	103.51	Inf	-Inf	3	Horizontal	185	1.89
5240MHz	Pass	AV	5.3534G	47.16	54.00	-6.84	3	Horizontal	185	1.89
5240MHz	Pass	PK	5.1122G	61.25	74.00	-12.75	3	Horizontal	185	1.89
5240MHz	Pass	PK	5.2412G	117.43	Inf	-Inf	3	Horizontal	185	1.89
5240MHz	Pass	PK	5.3522G	61.40	74.00	-12.60	3	Horizontal	185	1.89
5240MHz	Pass	AV	4.99998G	53.04	54.00	-0.96	3	Vertical	186	1.77
5240MHz	Pass	AV	15.71824G	37.65	54.00	-16.35	3	Vertical	260	2.50
5240MHz	Pass	PK	5G	61.47	74.00	-12.53	3	Vertical	186	1.77
5240MHz	Pass	PK	10.48056G	49.77	68.20	-18.43	3	Vertical	174	2.88
5240MHz	Pass	PK	15.71914G	50.68	74.00	-23.32	3	Vertical	260	2.50
5240MHz	Pass	AV	5G	52.41	54.00	-1.59	3	Horizontal	188	2.04
5240MHz	Pass	AV	15.71534G	37.76	54.00	-16.24	3	Horizontal	224	1.50
5240MHz	Pass	PK	5.00018G	61.30	74.00	-12.70	3	Horizontal	188	2.04
5240MHz	Pass	PK	10.48192G	51.93	68.20	-16.27	3	Horizontal	221	1.85
5240MHz	Pass	PK	15.72238G	51.45	74.00	-22.55	3	Horizontal	224	1.50
5260MHz	Pass	AV	5.1442G	49.65	54.00	-4.35	3	Vertical	192	1.89
5260MHz	Pass	AV	5.2582G	108.96	Inf	-Inf	3	Vertical	192	1.89



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	AV	5.35G	49.63	54.00	-4.37	3	Vertical	192	1.89
5260MHz	Pass	PK	5.1436G	63.59	74.00	-10.41	3	Vertical	192	1.89
5260MHz	Pass	PK	5.2666G	122.35	Inf	-Inf	3	Vertical	192	1.89
5260MHz	Pass	PK	5.3512G	63.54	74.00	-10.46	3	Vertical	192	1.89
5260MHz	Pass	AV	5.1466G	48.64	54.00	-5.36	3	Horizontal	187	2.06
5260MHz	Pass	AV	5.2636G	108.53	Inf	-Inf	3	Horizontal	187	2.06
5260MHz	Pass	AV	5.35G	49.53	54.00	-4.47	3	Horizontal	187	2.06
5260MHz	Pass	PK	5.1304G	62.18	74.00	-11.82	3	Horizontal	187	2.06
5260MHz	Pass	PK	5.254G	122.25	Inf	-Inf	3	Horizontal	187	2.06
5260MHz	Pass	PK	5.3776G	63.48	74.00	-10.52	3	Horizontal	187	2.06
5260MHz	Pass	AV	4.99996G	53.71	54.00	-0.29	3	Vertical	186	1.75
5260MHz	Pass	AV	15.77508G	37.16	54.00	-16.84	3	Vertical	264	1.90
5260MHz	Pass	PK	5.00016G	63.61	74.00	-10.39	3	Vertical	186	1.75
5260MHz	Pass	PK	10.52434G	51.19	68.20	-17.01	3	Vertical	178	2.86
5260MHz	Pass	PK	15.77772G	51.09	74.00	-22.91	3	Vertical	264	1.90
5260MHz	Pass	AV	4.99996G	53.75	54.00	-0.25	3	Horizontal	189	1.96
5260MHz	Pass	AV	15.77528G	37.26	54.00	-16.74	3	Horizontal	188	1.86
5260MHz	Pass	PK	4.99984G	65.02	74.00	-8.98	3	Horizontal	189	1.96
5260MHz	Pass	PK	10.5216G	50.63	68.20	-17.57	3	Horizontal	252	2.05
5260MHz	Pass	PK	15.77954G	51.10	74.00	-22.90	3	Horizontal	188	1.86
5300MHz	Pass	AV	5.2964G	108.52	Inf	-Inf	3	Vertical	184	1.56
5300MHz	Pass	AV	5.3532G	49.88	54.00	-4.12	3	Vertical	184	1.56
5300MHz	Pass	PK	5.3016G	122.98	Inf	-Inf	3	Vertical	184	1.56
5300MHz	Pass	PK	5.3764G	63.88	74.00	-10.12	3	Vertical	184	1.56
5300MHz	Pass	AV	5.298G	108.00	Inf	-Inf	3	Horizontal	181	1.90
5300MHz	Pass	AV	5.35G	49.56	54.00	-4.44	3	Horizontal	181	1.90
5300MHz	Pass	PK	5.2968G	121.37	Inf	-Inf	3	Horizontal	181	1.90
5300MHz	Pass	PK	5.3792G	64.27	74.00	-9.73	3	Horizontal	181	1.90
5300MHz	Pass	AV	4.99998G	52.44	54.00	-1.56	3	Vertical	188	1.68
5300MHz	Pass	AV	15.896G	37.46	54.00	-16.54	3	Vertical	278	2.56
5300MHz	Pass	PK	5.00008G	63.28	74.00	-10.72	3	Vertical	188	1.68
5300MHz	Pass	PK	10.59654G	50.50	68.20	-17.70	3	Vertical	187	1.50
5300MHz	Pass	PK	15.90156G	51.59	74.00	-22.41	3	Vertical	278	2.56
5300MHz	Pass	AV	5.00002G	53.82	54.00	-0.18	3	Horizontal	189	2.04
5300MHz	Pass	AV	15.89694G	37.82	54.00	-16.18	3	Horizontal	188	1.87
5300MHz	Pass	PK	5.0001G	65.04	74.00	-8.96	3	Horizontal	189	2.04
5300MHz	Pass	PK	10.60004G	50.88	74.00	-23.12	3	Horizontal	252	1.90
5300MHz	Pass	PK	15.89572G	52.70	74.00	-21.30	3	Horizontal	188	1.87
5320MHz	Pass	AV	5.3236G	108.08	Inf	-Inf	3	Vertical	186	1.68
5320MHz	Pass	AV	5.3506G	52.72	54.00	-1.28	3	Vertical	186	1.68
5320MHz	Pass	PK	5.318G	121.45	Inf	-Inf	3	Vertical	186	1.68
5320MHz	Pass	PK	5.3506G	66.54	74.00	-7.46	3	Vertical	186	1.68
5320MHz	Pass	AV	5.3236G	109.10	Inf	-Inf	3	Horizontal	187	2.00
5320MHz	Pass	AV	5.3506G	53.60	54.00	-0.40	3	Horizontal	187	2.00
5320MHz	Pass	PK	5.3228G	122.63	Inf	-Inf	3	Horizontal	187	2.00
5320MHz	Pass	PK	5.3508G	70.02	74.00	-3.98	3	Horizontal	187	2.00
5320MHz	Pass	AV	5.00004G	51.87	54.00	-2.13	3	Vertical	184	1.50
5320MHz	Pass	AV	10.64018G	38.38	54.00	-15.62	3	Vertical	176	3.00
5320MHz	Pass	AV	15.96036G	38.37	54.00	-15.63	3	Vertical	278	2.09
5320MHz	Pass	PK	4.99982G	61.98	74.00	-12.02	3	Vertical	184	1.50
5320MHz	Pass	PK	10.62998G	52.16	74.00	-21.84	3	Vertical	176	3.00
5320MHz	Pass	PK	15.95616G	52.28	74.00	-21.72	3	Vertical	278	2.09
5320MHz	Pass	AV	4.99996G	52.90	54.00	-1.10	3	Horizontal	190	2.13
5320MHz	Pass	AV	10.64126G	38.08	54.00	-15.92	3	Horizontal	190	1.89
5320MHz	Pass	AV	15.94698G	38.11	54.00	-15.89	3	Horizontal	16	3.00
5320MHz	Pass	PK	4.99994G	63.53	74.00	-10.47	3	Horizontal	190	2.13
5320MHz	Pass	PK	10.6364G	51.24	74.00	-22.76	3	Horizontal	190	1.89
5320MHz	Pass	PK	15.95604G	51.63	74.00	-22.37	3	Horizontal	16	3.00
5500MHz	Pass	AV	5.459G	48.86	54.00	-5.14	3	Vertical	185	1.71
5500MHz	Pass	AV	5.4962G	105.54	Inf	-Inf	3	Vertical	185	1.71
5500MHz	Pass	PK	5.453G	63.10	74.00	-10.90	3	Vertical	185	1.71
5500MHz	Pass	PK	5.4696G	65.12	68.20	-3.08	3	Vertical	185	1.71



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.5016G	120.15	Inf	-Inf	3	Vertical	185	1.71
5500MHz	Pass	AV	5.46G	47.46	54.00	-6.54	3	Horizontal	188	2.02
5500MHz	Pass	AV	5.5038G	104.41	Inf	-Inf	3	Horizontal	188	2.02
5500MHz	Pass	PK	5.4512G	60.26	74.00	-13.74	3	Horizontal	188	2.02
5500MHz	Pass	PK	5.4688G	61.50	68.20	-6.70	3	Horizontal	188	2.02
5500MHz	Pass	PK	5.4986G	117.35	Inf	-Inf	3	Horizontal	188	2.02
5500MHz	Pass	AV	4.99998G	52.87	54.00	-1.13	3	Vertical	186	1.73
5500MHz	Pass	AV	11.00312G	37.24	54.00	-16.76	3	Vertical	238	2.04
5500MHz	Pass	PK	5.00022G	59.13	74.00	-14.87	3	Vertical	186	1.73
5500MHz	Pass	PK	10.9959G	50.26	74.00	-23.74	3	Vertical	238	2.04
5500MHz	Pass	PK	16.50004G	50.48	68.20	-17.72	3	Vertical	201	1.98
5500MHz	Pass	AV	4.99998G	53.88	54.00	-0.12	3	Horizontal	190	2.11
5500MHz	Pass	AV	10.9954G	37.24	54.00	-16.76	3	Horizontal	299	1.36
5500MHz	Pass	PK	4.99998G	61.51	74.00	-12.49	3	Horizontal	190	2.11
5500MHz	Pass	PK	10.99614G	50.30	74.00	-23.70	3	Horizontal	299	1.36
5500MHz	Pass	PK	16.50408G	51.36	68.20	-16.84	3	Horizontal	52	2.36
5580MHz	Pass	AV	5.46G	51.84	54.00	-2.16	3	Vertical	184	1.74
5580MHz	Pass	AV	5.5836G	115.45	Inf	-Inf	3	Vertical	184	1.74
5580MHz	Pass	PK	5.451G	65.42	74.00	-8.58	3	Vertical	184	1.74
5580MHz	Pass	PK	5.4636G	65.56	68.20	-2.64	3	Vertical	184	1.74
5580MHz	Pass	PK	5.5746G	129.28	Inf	-Inf	3	Vertical	184	1.74
5580MHz	Pass	PK	5.7258G	65.13	68.20	-3.07	3	Vertical	184	1.74
5580MHz	Pass	AV	5.4558G	52.45	54.00	-1.55	3	Horizontal	181	1.84
5580MHz	Pass	AV	5.5782G	115.22	Inf	-Inf	3	Horizontal	181	1.84
5580MHz	Pass	PK	5.4486G	66.57	74.00	-7.43	3	Horizontal	181	1.84
5580MHz	Pass	PK	5.4642G	66.84	68.20	-1.36	3	Horizontal	181	1.84
5580MHz	Pass	PK	5.574G	128.07	Inf	-Inf	3	Horizontal	181	1.84
5580MHz	Pass	PK	5.7276G	66.38	68.20	-1.82	3	Horizontal	181	1.84
5580MHz	Pass	AV	5G	51.98	54.00	-2.02	3	Vertical	187	1.90
5580MHz	Pass	AV	11.1603G	40.62	54.00	-13.38	3	Vertical	190	1.32
5580MHz	Pass	PK	5.00008G	63.25	74.00	-10.75	3	Vertical	187	1.90
5580MHz	Pass	PK	11.16108G	53.94	74.00	-20.06	3	Vertical	190	1.32
5580MHz	Pass	PK	16.74702G	67.30	68.20	-0.90	3	Vertical	265	2.88
5580MHz	Pass	AV	5.00002G	52.12	54.00	-1.88	3	Horizontal	188	2.11
5580MHz	Pass	AV	11.15862G	41.49	54.00	-12.51	3	Horizontal	244	1.84
5580MHz	Pass	PK	4.99976G	63.69	74.00	-10.31	3	Horizontal	188	2.11
5580MHz	Pass	PK	11.14854G	56.65	74.00	-17.35	3	Horizontal	244	1.84
5580MHz	Pass	PK	16.74108G	64.79	68.20	-3.41	3	Horizontal	260	2.40
5700MHz	Pass	AV	5.6984G	104.54	Inf	-Inf	3	Vertical	187	1.62
5700MHz	Pass	PK	5.698G	117.86	Inf	-Inf	3	Vertical	187	1.62
5700MHz	Pass	PK	5.7268G	67.62	68.20	-0.58	3	Vertical	187	1.62
5700MHz	Pass	AV	5.6984G	105.29	Inf	-Inf	3	Horizontal	188	1.88
5700MHz	Pass	PK	5.7064G	118.67	Inf	-Inf	3	Horizontal	188	1.88
5700MHz	Pass	PK	5.7264G	66.21	68.20	-1.99	3	Horizontal	188	1.88
5700MHz	Pass	AV	5G	51.25	54.00	-2.75	3	Vertical	189	1.93
5700MHz	Pass	AV	11.4003G	39.28	54.00	-14.72	3	Vertical	190	3.00
5700MHz	Pass	PK	4.9999G	57.44	74.00	-16.56	3	Vertical	189	1.93
5700MHz	Pass	PK	11.40162G	52.33	74.00	-21.67	3	Vertical	190	3.00
5700MHz	Pass	PK	17.08992G	51.38	68.20	-16.82	3	Vertical	23	1.50
5700MHz	Pass	AV	5G	51.68	54.00	-2.32	3	Horizontal	190	2.17
5700MHz	Pass	AV	11.40276G	38.45	54.00	-15.55	3	Horizontal	138	1.50
5700MHz	Pass	PK	5.00002G	58.17	74.00	-15.83	3	Horizontal	190	2.17
5700MHz	Pass	PK	11.39508G	52.20	74.00	-21.80	3	Horizontal	138	1.50
5700MHz	Pass	PK	17.09142G	52.01	68.20	-16.19	3	Horizontal	355	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	50.40	54.00	-3.60	3	Vertical	187	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	115.83	Inf	-Inf	3	Vertical	187	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.432G	64.39	74.00	-9.61	3	Vertical	187	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	64.33	68.20	-3.87	3	Vertical	187	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	129.25	Inf	-Inf	3	Vertical	187	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	64.27	68.20	-3.93	3	Vertical	187	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4368G	50.46	54.00	-3.54	3	Horizontal	190	1.99
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	115.99	Inf	-Inf	3	Horizontal	190	1.99



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	65.17	74.00	-8.83	3	Horizontal	190	1.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	64.17	68.20	-4.03	3	Horizontal	190	1.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	129.29	Inf	-Inf	3	Horizontal	190	1.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	67.04	68.20	-1.16	3	Horizontal	190	1.99
5720MHz Straddle 5.47-5.725GHz	Pass	AV	4.99998G	47.08	54.00	-6.92	3	Vertical	181	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44018G	44.42	54.00	-9.58	3	Vertical	242	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.00016G	60.42	74.00	-13.58	3	Vertical	181	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43646G	58.15	74.00	-15.85	3	Vertical	242	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15952G	61.91	68.20	-6.29	3	Vertical	251	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	AV	4.99998G	46.99	54.00	-7.01	3	Horizontal	182	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44012G	42.71	54.00	-11.29	3	Horizontal	177	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.0001G	59.22	74.00	-14.78	3	Horizontal	182	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43454G	56.37	74.00	-17.63	3	Horizontal	177	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15538G	57.40	68.20	-10.80	3	Horizontal	266	1.89
5745MHz	Pass	AV	5.4534G	49.99	54.00	-4.01	3	Vertical	188	1.71
5745MHz	Pass	AV	5.7414G	114.13	Inf	-Inf	3	Vertical	188	1.71
5745MHz	Pass	PK	5.6286G	67.40	68.20	-0.80	3	Vertical	188	1.71
5745MHz	Pass	PK	5.7402G	128.49	Inf	-Inf	3	Vertical	188	1.71
5745MHz	Pass	PK	5.937G	63.36	68.20	-4.84	3	Vertical	188	1.71
5745MHz	Pass	AV	5.451G	50.67	54.00	-3.33	3	Horizontal	185	1.96
5745MHz	Pass	AV	5.7438G	114.56	Inf	-Inf	3	Horizontal	185	1.96
5745MHz	Pass	PK	5.6454G	67.55	68.20	-0.65	3	Horizontal	185	1.96
5745MHz	Pass	PK	5.7462G	127.76	Inf	-Inf	3	Horizontal	185	1.96
5745MHz	Pass	PK	6.0126G	65.48	68.20	-2.72	3	Horizontal	185	1.96
5745MHz	Pass	AV	5G	47.86	54.00	-6.14	3	Vertical	181	1.50
5745MHz	Pass	AV	11.48996G	43.82	54.00	-10.18	3	Vertical	192	2.30
5745MHz	Pass	PK	4.99748G	57.74	74.00	-16.26	3	Vertical	181	1.50
5745MHz	Pass	PK	11.48828G	60.35	74.00	-13.65	3	Vertical	192	2.30
5745MHz	Pass	PK	17.231G	51.69	68.20	-16.51	3	Vertical	252	1.95
5745MHz	Pass	AV	5G	48.83	54.00	-5.17	3	Horizontal	181	2.15
5745MHz	Pass	AV	11.49006G	44.16	54.00	-9.84	3	Horizontal	174	2.60
5745MHz	Pass	PK	4.99978G	58.18	74.00	-15.82	3	Horizontal	181	2.15
5745MHz	Pass	PK	11.49108G	59.33	74.00	-14.67	3	Horizontal	174	2.60
5745MHz	Pass	PK	17.2335G	56.13	68.20	-12.07	3	Horizontal	243	2.88
5785MHz	Pass	AV	5.7826G	114.03	Inf	-Inf	3	Vertical	189	1.50
5785MHz	Pass	PK	5.6494G	67.33	68.20	-0.87	3	Vertical	189	1.50
5785MHz	Pass	PK	5.7886G	126.92	Inf	-Inf	3	Vertical	189	1.50
5785MHz	Pass	PK	5.9434G	64.33	68.20	-3.87	3	Vertical	189	1.50
5785MHz	Pass	AV	5.7838G	115.85	Inf	-Inf	3	Horizontal	185	1.94
5785MHz	Pass	PK	5.6338G	66.49	68.20	-1.71	3	Horizontal	185	1.94
5785MHz	Pass	PK	5.779G	128.76	Inf	-Inf	3	Horizontal	185	1.94
5785MHz	Pass	PK	5.9254G	67.86	68.20	-0.34	3	Horizontal	185	1.94
5785MHz	Pass	AV	5.00006G	47.40	54.00	-6.60	3	Vertical	180	2.11
5785MHz	Pass	AV	11.56988G	48.11	54.00	-5.89	3	Vertical	189	2.38
5785MHz	Pass	PK	5.00006G	58.35	74.00	-15.65	3	Vertical	180	1.50
5785MHz	Pass	PK	11.56616G	62.38	74.00	-11.62	3	Vertical	189	2.38
5785MHz	Pass	PK	17.36754G	52.04	68.20	-16.16	3	Vertical	76	1.30
5785MHz	Pass	AV	4.99996G	48.90	54.00	-5.10	3	Horizontal	180	2.11
5785MHz	Pass	AV	11.57012G	46.13	54.00	-7.87	3	Horizontal	160	2.40
5785MHz	Pass	PK	4.99996G	59.34	74.00	-14.66	3	Horizontal	180	2.11
5785MHz	Pass	PK	11.57024G	59.38	74.00	-14.62	3	Horizontal	160	2.40
5785MHz	Pass	PK	17.35446G	58.15	68.20	-10.05	3	Horizontal	278	1.86
5825MHz	Pass	AV	5.8238G	114.38	Inf	-Inf	3	Vertical	188	1.68
5825MHz	Pass	PK	5.573G	66.68	68.20	-1.52	3	Vertical	188	1.68
5825MHz	Pass	PK	5.831G	126.91	Inf	-Inf	3	Vertical	188	1.68
5825MHz	Pass	PK	5.9282G	65.61	68.20	-2.59	3	Vertical	188	1.68
5825MHz	Pass	AV	5.8214G	114.61	Inf	-Inf	3	Horizontal	184	1.72
5825MHz	Pass	PK	5.6138G	66.14	68.20	-2.06	3	Horizontal	184	1.72
5825MHz	Pass	PK	5.8262G	127.36	Inf	-Inf	3	Horizontal	184	1.72
5825MHz	Pass	PK	5.939G	68.02	68.20	-0.18	3	Horizontal	184	1.72
5825MHz	Pass	AV	5.00002G	48.89	54.00	-5.11	3	Vertical	181	1.77
5825MHz	Pass	AV	11.65012G	45.51	54.00	-8.49	3	Vertical	191	2.42



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	4.9998G	59.56	74.00	-14.44	3	Vertical	181	1.77
5825MHz	Pass	PK	11.6464G	61.10	74.00	-12.90	3	Vertical	191	2.42
5825MHz	Pass	PK	17.47218G	57.61	68.20	-10.59	3	Vertical	275	2.53
5825MHz	Pass	AV	4.99998G	50.25	54.00	-3.75	3	Horizontal	181	2.02
5825MHz	Pass	AV	11.65018G	43.70	54.00	-10.30	3	Horizontal	176	2.14
5825MHz	Pass	PK	5.00008G	60.69	74.00	-13.31	3	Horizontal	181	2.02
5825MHz	Pass	PK	11.6443G	58.08	74.00	-15.92	3	Horizontal	176	2.14
5825MHz	Pass	PK	17.48148G	55.43	68.20	-12.77	3	Horizontal	240	1.93
802.11ax HEW40_Nss4_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.41	54.00	-2.59	3	Vertical	187	1.50
5190MHz	Pass	AV	5.1928G	100.53	Inf	-Inf	3	Vertical	187	1.50
5190MHz	Pass	PK	5.1496G	66.64	74.00	-7.36	3	Vertical	187	1.50
5190MHz	Pass	PK	5.1948G	114.98	Inf	-Inf	3	Vertical	187	1.50
5190MHz	Pass	AV	5.15G	53.61	54.00	-0.39	3	Horizontal	187	2.00
5190MHz	Pass	AV	5.196G	102.17	Inf	-Inf	3	Horizontal	187	2.00
5190MHz	Pass	PK	5.1496G	68.17	74.00	-5.83	3	Horizontal	187	2.00
5190MHz	Pass	PK	5.1832G	116.34	Inf	-Inf	3	Horizontal	187	2.00
5190MHz	Pass	AV	4.99998G	52.86	54.00	-1.14	3	Vertical	186	1.64
5190MHz	Pass	AV	15.54192G	38.26	54.00	-15.74	3	Vertical	0	1.50
5190MHz	Pass	PK	5.00004G	61.09	74.00	-12.91	3	Vertical	186	1.64
5190MHz	Pass	PK	10.38984G	51.35	68.20	-16.85	3	Vertical	339	1.88
5190MHz	Pass	PK	15.56496G	52.24	74.00	-21.76	3	Vertical	0	1.50
5190MHz	Pass	AV	4.99994G	53.43	54.00	-0.57	3	Horizontal	187	2.26
5190MHz	Pass	AV	15.56554G	38.11	54.00	-15.89	3	Horizontal	0	1.58
5190MHz	Pass	PK	5.00002G	62.36	74.00	-11.64	3	Horizontal	187	2.26
5190MHz	Pass	PK	10.38316G	49.61	68.20	-18.59	3	Horizontal	299	2.86
5190MHz	Pass	PK	15.57318G	51.54	74.00	-22.46	3	Horizontal	0	1.58
5230MHz	Pass	AV	5.15G	50.71	54.00	-3.29	3	Vertical	189	1.94
5230MHz	Pass	AV	5.2268G	105.37	Inf	-Inf	3	Vertical	189	1.94
5230MHz	Pass	PK	5.1464G	64.97	74.00	-9.03	3	Vertical	189	1.94
5230MHz	Pass	PK	5.228G	119.33	Inf	-Inf	3	Vertical	189	1.94
5230MHz	Pass	AV	5.1432G	49.76	54.00	-4.24	3	Horizontal	185	2.01
5230MHz	Pass	AV	5.2248G	104.86	Inf	-Inf	3	Horizontal	185	2.01
5230MHz	Pass	PK	5.1448G	64.09	74.00	-9.91	3	Horizontal	185	2.01
5230MHz	Pass	PK	5.2188G	119.35	Inf	-Inf	3	Horizontal	185	2.01
5230MHz	Pass	AV	5.00002G	53.20	54.00	-0.80	3	Vertical	186	1.63
5230MHz	Pass	AV	15.69576G	38.22	54.00	-15.78	3	Vertical	255	2.99
5230MHz	Pass	PK	5.00004G	62.94	74.00	-11.06	3	Vertical	186	1.63
5230MHz	Pass	PK	10.44812G	51.49	68.20	-16.71	3	Vertical	207	1.50
5230MHz	Pass	PK	15.68568G	51.90	74.00	-22.10	3	Vertical	255	2.99
5230MHz	Pass	AV	4.99996G	53.84	54.00	-0.16	3	Horizontal	190	2.10
5230MHz	Pass	AV	15.69498G	37.46	54.00	-16.54	3	Horizontal	226	1.43
5230MHz	Pass	PK	5.00016G	64.43	74.00	-9.57	3	Horizontal	190	2.10
5230MHz	Pass	PK	10.46102G	50.65	68.20	-17.55	3	Horizontal	246	1.89
5230MHz	Pass	PK	15.68856G	51.14	74.00	-22.86	3	Horizontal	226	1.43
5270MHz	Pass	AV	5.2728G	106.67	Inf	-Inf	3	Vertical	188	1.89
5270MHz	Pass	AV	5.3508G	51.12	54.00	-2.88	3	Vertical	188	1.89
5270MHz	Pass	PK	5.2676G	120.47	Inf	-Inf	3	Vertical	188	1.89
5270MHz	Pass	PK	5.3684G	65.33	74.00	-8.67	3	Vertical	188	1.89
5270MHz	Pass	AV	5.2656G	106.15	Inf	-Inf	3	Horizontal	187	2.01
5270MHz	Pass	AV	5.35G	50.42	54.00	-3.58	3	Horizontal	187	2.01
5270MHz	Pass	PK	5.2588G	120.61	Inf	-Inf	3	Horizontal	187	2.01
5270MHz	Pass	PK	5.352G	65.22	74.00	-8.78	3	Horizontal	187	2.01
5270MHz	Pass	AV	4.99996G	52.66	54.00	-1.34	3	Vertical	185	1.50
5270MHz	Pass	AV	15.8016G	37.73	54.00	-16.27	3	Vertical	280	1.50
5270MHz	Pass	PK	5.00004G	63.18	74.00	-10.82	3	Vertical	185	1.50
5270MHz	Pass	PK	10.54468G	54.11	68.20	-14.09	3	Vertical	188	2.60
5270MHz	Pass	PK	15.81144G	52.53	74.00	-21.47	3	Vertical	280	1.50
5270MHz	Pass	AV	4.99992G	53.75	54.00	-0.25	3	Horizontal	189	2.02
5270MHz	Pass	AV	15.80544G	37.25	54.00	-16.75	3	Horizontal	236	2.65
5270MHz	Pass	PK	4.99946G	64.47	74.00	-9.53	3	Horizontal	189	2.02
5270MHz	Pass	PK	10.54252G	49.63	68.20	-18.57	3	Horizontal	193	1.29



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	15.81194G	49.58	74.00	-24.42	3	Horizontal	236	2.65
5310MHz	Pass	AV	5.3072G	100.82	Inf	-Inf	3	Vertical	188	1.91
5310MHz	Pass	AV	5.35G	51.54	54.00	-2.46	3	Vertical	188	1.91
5310MHz	Pass	PK	5.3144G	115.27	Inf	-Inf	3	Vertical	188	1.91
5310MHz	Pass	PK	5.3516G	66.23	74.00	-7.77	3	Vertical	188	1.91
5310MHz	Pass	AV	5.3048G	102.01	Inf	-Inf	3	Horizontal	185	2.06
5310MHz	Pass	AV	5.35G	53.10	54.00	-0.90	3	Horizontal	185	2.06
5310MHz	Pass	PK	5.3032G	116.56	Inf	-Inf	3	Horizontal	185	2.06
5310MHz	Pass	PK	5.3508G	68.39	74.00	-5.61	3	Horizontal	185	2.06
5310MHz	Pass	AV	4.99998G	51.85	54.00	-2.15	3	Vertical	187	1.50
5310MHz	Pass	AV	10.62924G	37.28	54.00	-16.72	3	Vertical	225	1.50
5310MHz	Pass	AV	15.95052G	37.85	54.00	-16.15	3	Vertical	209	1.50
5310MHz	Pass	PK	4.99994G	60.08	74.00	-13.92	3	Vertical	187	1.50
5310MHz	Pass	PK	10.61556G	50.99	74.00	-23.01	3	Vertical	225	1.50
5310MHz	Pass	PK	15.9528G	51.81	74.00	-22.19	3	Vertical	209	1.50
5310MHz	Pass	AV	4.99998G	53.43	54.00	-0.57	3	Horizontal	189	2.13
5310MHz	Pass	AV	10.63584G	37.23	54.00	-16.77	3	Horizontal	150	1.50
5310MHz	Pass	AV	15.95196G	37.90	54.00	-16.10	3	Horizontal	140	1.50
5310MHz	Pass	PK	4.99996G	62.18	74.00	-11.82	3	Horizontal	189	2.13
5310MHz	Pass	PK	10.64784G	51.82	74.00	-22.18	3	Horizontal	150	1.50
5310MHz	Pass	PK	15.9186G	51.70	74.00	-22.30	3	Horizontal	140	1.50
5510MHz	Pass	AV	5.4588G	49.51	54.00	-4.49	3	Vertical	187	1.70
5510MHz	Pass	AV	5.518G	101.46	Inf	-Inf	3	Vertical	187	1.70
5510MHz	Pass	PK	5.4596G	63.37	74.00	-10.63	3	Vertical	187	1.70
5510MHz	Pass	PK	5.468G	67.98	68.20	-0.22	3	Vertical	187	1.70
5510MHz	Pass	PK	5.5232G	115.26	Inf	-Inf	3	Vertical	187	1.70
5510MHz	Pass	AV	5.4588G	50.07	54.00	-3.93	3	Horizontal	189	2.02
5510MHz	Pass	AV	5.516G	101.68	Inf	-Inf	3	Horizontal	189	2.02
5510MHz	Pass	PK	5.4592G	63.66	74.00	-10.34	3	Horizontal	189	2.02
5510MHz	Pass	PK	5.4684G	67.51	68.20	-0.69	3	Horizontal	189	2.02
5510MHz	Pass	PK	5.5112G	114.94	Inf	-Inf	3	Horizontal	189	2.02
5510MHz	Pass	PK	5.00028G	57.63	74.00	-16.37	3	Vertical	181	1.84
5510MHz	Pass	AV	4.99996G	49.62	54.00	-4.38	3	Vertical	181	1.84
5510MHz	Pass	PK	11.01612G	50.70	74.00	-23.30	3	Vertical	194	1.09
5510MHz	Pass	AV	11.01598G	37.23	54.00	-16.77	3	Vertical	194	1.09
5510MHz	Pass	PK	16.52994G	50.36	68.20	-17.84	3	Vertical	285	2.77
5510MHz	Pass	AV	4.99998G	53.41	54.00	-0.59	3	Horizontal	189	2.11
5510MHz	Pass	AV	11.0173G	37.23	54.00	-16.77	3	Horizontal	208	1.21
5510MHz	Pass	PK	4.9998G	62.59	74.00	-11.41	3	Horizontal	189	2.11
5510MHz	Pass	PK	11.01994G	50.28	74.00	-23.72	3	Horizontal	208	1.21
5510MHz	Pass	PK	16.52578G	50.81	68.20	-17.39	3	Horizontal	321	1.67
5550MHz	Pass	AV	5.458G	49.83	54.00	-4.17	3	Vertical	187	1.69
5550MHz	Pass	AV	5.558G	107.05	Inf	-Inf	3	Vertical	187	1.69
5550MHz	Pass	PK	5.4544G	63.64	74.00	-10.36	3	Vertical	187	1.69
5550MHz	Pass	PK	5.4672G	64.71	68.20	-3.49	3	Vertical	187	1.69
5550MHz	Pass	PK	5.5632G	120.90	Inf	-Inf	3	Vertical	187	1.69
5550MHz	Pass	AV	5.46G	52.16	54.00	-1.84	3	Horizontal	186	1.87
5550MHz	Pass	AV	5.556G	108.47	Inf	-Inf	3	Horizontal	186	1.87
5550MHz	Pass	PK	5.45G	66.03	74.00	-7.97	3	Horizontal	186	1.87
5550MHz	Pass	PK	5.4668G	67.89	68.20	-0.31	3	Horizontal	186	1.87
5550MHz	Pass	PK	5.5508G	122.25	Inf	-Inf	3	Horizontal	186	1.87
5550MHz	Pass	AV	5.00002G	52.22	54.00	-1.78	3	Vertical	181	1.50
5550MHz	Pass	AV	11.10274G	37.61	54.00	-16.39	3	Vertical	191	2.04
5550MHz	Pass	PK	5.00014G	62.00	74.00	-12.00	3	Vertical	181	1.50
5550MHz	Pass	PK	11.10008G	51.60	74.00	-22.40	3	Vertical	191	2.04
5550MHz	Pass	PK	16.6538G	51.62	68.20	-16.58	3	Vertical	312	2.87
5550MHz	Pass	AV	5G	53.30	54.00	-0.70	3	Horizontal	181	2.19
5550MHz	Pass	AV	11.09948G	37.22	54.00	-16.78	3	Horizontal	176	1.50
5550MHz	Pass	PK	5.00016G	61.22	74.00	-12.78	3	Horizontal	181	2.19
5550MHz	Pass	PK	11.10178G	50.43	74.00	-23.57	3	Horizontal	176	1.50
5550MHz	Pass	PK	16.64978G	53.12	68.20	-15.08	3	Horizontal	255	1.69
5670MHz	Pass	AV	5.6652G	104.45	Inf	-Inf	3	Vertical	187	1.64



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	5.6616G	119.09	Inf	-Inf	3	Vertical	187	1.64
5670MHz	Pass	PK	5.7252G	65.12	68.20	-3.08	3	Vertical	187	1.64
5670MHz	Pass	AV	5.6616G	105.35	Inf	-Inf	3	Horizontal	186	1.90
5670MHz	Pass	PK	5.6622G	118.43	Inf	-Inf	3	Horizontal	186	1.90
5670MHz	Pass	PK	5.7252G	67.19	68.20	-1.01	3	Horizontal	186	1.90
5670MHz	Pass	AV	5G	49.86	54.00	-4.14	3	Vertical	179	1.50
5670MHz	Pass	AV	11.34216G	38.48	54.00	-15.52	3	Vertical	133	1.50
5670MHz	Pass	PK	5.00002G	58.40	74.00	-15.60	3	Vertical	179	1.50
5670MHz	Pass	PK	11.3544G	53.61	74.00	-20.39	3	Vertical	133	1.50
5670MHz	Pass	PK	16.99164G	52.12	68.20	-16.08	3	Vertical	262	1.50
5670MHz	Pass	AV	4.99996G	51.33	54.00	-2.67	3	Horizontal	180	2.18
5670MHz	Pass	AV	11.35512G	38.44	54.00	-15.56	3	Horizontal	186	1.99
5670MHz	Pass	PK	4.99998G	57.97	74.00	-16.03	3	Horizontal	180	2.18
5670MHz	Pass	PK	11.34108G	52.21	74.00	-21.79	3	Horizontal	186	1.99
5670MHz	Pass	PK	17.01816G	52.05	68.20	-16.15	3	Horizontal	93	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	49.74	54.00	-4.26	3	Vertical	186	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	111.18	Inf	-Inf	3	Vertical	186	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4424G	64.35	74.00	-9.65	3	Vertical	186	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	63.58	68.20	-4.62	3	Vertical	186	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	125.77	Inf	-Inf	3	Vertical	186	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	64.47	68.20	-3.73	3	Vertical	186	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	50.80	54.00	-3.20	3	Horizontal	183	1.80
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7016G	111.45	Inf	-Inf	3	Horizontal	183	1.80
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4136G	64.79	74.00	-9.21	3	Horizontal	183	1.80
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	64.50	68.20	-3.70	3	Horizontal	183	1.80
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	125.00	Inf	-Inf	3	Horizontal	183	1.80
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	66.72	68.20	-1.48	3	Horizontal	183	1.80
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.00002G	49.49	54.00	-4.51	3	Vertical	180	1.85
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4223G	39.27	54.00	-14.73	3	Vertical	192	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.00002G	59.73	74.00	-14.27	3	Vertical	180	1.85
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41624G	53.45	74.00	-20.55	3	Vertical	192	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13072G	51.27	68.20	-16.93	3	Vertical	252	1.84
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5G	48.42	54.00	-5.58	3	Horizontal	182	1.85
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4191G	38.59	54.00	-15.41	3	Horizontal	176	2.61
5710MHz Straddle 5.47-5.725GHz	Pass	PK	4.99994G	58.49	74.00	-15.51	3	Horizontal	182	1.85
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4157G	51.98	74.00	-22.02	3	Horizontal	176	2.61
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13346G	50.95	68.20	-17.25	3	Horizontal	265	1.89
5755MHz	Pass	AV	5.455G	48.49	54.00	-5.51	3	Vertical	190	1.70
5755MHz	Pass	AV	5.7466G	106.96	Inf	-Inf	3	Vertical	190	1.70
5755MHz	Pass	PK	5.6458G	66.13	68.20	-2.07	3	Vertical	190	1.70
5755MHz	Pass	PK	5.7418G	120.78	Inf	-Inf	3	Vertical	190	1.70
5755MHz	Pass	PK	5.9338G	63.07	68.20	-5.13	3	Vertical	190	1.70
5755MHz	Pass	AV	5.455G	48.78	54.00	-5.22	3	Horizontal	189	2.06
5755MHz	Pass	AV	5.7466G	107.26	Inf	-Inf	3	Horizontal	189	2.06
5755MHz	Pass	PK	5.6458G	65.29	68.20	-2.91	3	Horizontal	189	2.06
5755MHz	Pass	PK	5.7646G	120.52	Inf	-Inf	3	Horizontal	189	2.06
5755MHz	Pass	PK	5.929G	63.71	68.20	-4.49	3	Horizontal	189	2.06
5755MHz	Pass	AV	4.99994G	48.86	54.00	-5.14	3	Vertical	179	1.50
5755MHz	Pass	AV	11.50988G	42.58	54.00	-11.42	3	Vertical	190	2.35
5755MHz	Pass	PK	4.99976G	57.50	74.00	-16.50	3	Vertical	179	1.50
5755MHz	Pass	PK	11.5148G	57.20	74.00	-16.80	3	Vertical	190	2.35
5755MHz	Pass	PK	17.25288G	54.54	68.20	-13.66	3	Vertical	251	1.92
5755MHz	Pass	AV	4.99996G	49.69	54.00	-4.31	3	Horizontal	182	2.18
5755MHz	Pass	AV	11.50856G	39.87	54.00	-14.13	3	Horizontal	165	1.81
5755MHz	Pass	PK	4.99998G	58.47	74.00	-15.53	3	Horizontal	182	2.18
5755MHz	Pass	PK	11.51144G	53.66	74.00	-20.34	3	Horizontal	165	1.81
5755MHz	Pass	PK	17.27004G	52.16	68.20	-16.04	3	Horizontal	185	1.50
5795MHz	Pass	AV	5.789G	108.66	Inf	-Inf	3	Vertical	189	1.78
5795MHz	Pass	PK	5.645G	66.74	68.20	-1.46	3	Vertical	189	1.78
5795MHz	Pass	PK	5.7842G	122.20	Inf	-Inf	3	Vertical	189	1.78
5795MHz	Pass	PK	5.921G	66.15	71.16	-5.01	3	Vertical	189	1.78
5795MHz	Pass	AV	5.801G	109.42	Inf	-Inf	3	Horizontal	191	1.76



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	5.6474G	65.75	68.20	-2.45	3	Horizontal	191	1.76
5795MHz	Pass	PK	5.7962G	123.79	Inf	-Inf	3	Horizontal	191	1.76
5795MHz	Pass	PK	5.9234G	68.59	69.38	-0.79	3	Horizontal	191	1.76
5795MHz	Pass	AV	4.99994G	48.91	54.00	-5.09	3	Vertical	194	1.83
5795MHz	Pass	AV	11.58856G	41.35	54.00	-12.65	3	Vertical	189	2.38
5795MHz	Pass	PK	5.00006G	58.34	74.00	-15.66	3	Vertical	194	1.83
5795MHz	Pass	PK	11.58664G	55.88	74.00	-18.12	3	Vertical	189	2.38
5795MHz	Pass	PK	17.39412G	53.49	68.20	-14.71	3	Vertical	251	1.78
5795MHz	Pass	AV	4.99996G	50.61	54.00	-3.39	3	Horizontal	182	1.69
5795MHz	Pass	AV	11.58148G	38.93	54.00	-15.07	3	Horizontal	177	2.54
5795MHz	Pass	PK	5G	58.68	74.00	-15.32	3	Horizontal	182	1.69
5795MHz	Pass	PK	11.58196G	52.66	74.00	-21.34	3	Horizontal	177	2.54
5795MHz	Pass	PK	17.38212G	53.54	68.20	-14.66	3	Horizontal	277	1.86
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5G	53.90	54.00	-0.10	3	Vertical	187	1.93
5210MHz	Pass	AV	5.2G	98.56	Inf	-Inf	3	Vertical	187	1.93
5210MHz	Pass	AV	5.352G	49.16	54.00	-4.84	3	Vertical	187	1.93
5210MHz	Pass	PK	5.15G	63.86	74.00	-10.14	3	Vertical	187	1.93
5210MHz	Pass	PK	5.233G	111.53	Inf	-Inf	3	Vertical	187	1.93
5210MHz	Pass	PK	5.439G	61.37	74.00	-12.63	3	Vertical	187	1.93
5210MHz	Pass	AV	5G	52.24	54.00	-1.76	3	Horizontal	183	1.93
5210MHz	Pass	AV	5.198G	98.92	Inf	-Inf	3	Horizontal	183	1.93
5210MHz	Pass	AV	5.351G	48.36	54.00	-5.64	3	Horizontal	183	1.93
5210MHz	Pass	PK	5.15G	64.14	74.00	-9.86	3	Horizontal	183	1.93
5210MHz	Pass	PK	5.228G	111.01	Inf	-Inf	3	Horizontal	183	1.93
5210MHz	Pass	PK	5.356G	60.36	74.00	-13.64	3	Horizontal	183	1.93
5210MHz	Pass	AV	4.99994G	53.51	54.00	-0.49	3	Vertical	184	1.50
5210MHz	Pass	AV	15.57672G	39.62	54.00	-14.38	3	Vertical	119	1.50
5210MHz	Pass	PK	5.00004G	60.65	74.00	-13.35	3	Vertical	184	1.50
5210MHz	Pass	PK	10.36504G	50.80	68.20	-17.40	3	Vertical	121	1.50
5210MHz	Pass	PK	15.684G	52.00	74.00	-22.00	3	Vertical	119	1.50
5210MHz	Pass	AV	5.00002G	53.71	54.00	-0.29	3	Horizontal	188	2.00
5210MHz	Pass	AV	15.5724G	39.71	54.00	-14.29	3	Horizontal	105	1.50
5210MHz	Pass	PK	4.9999G	61.55	74.00	-12.45	3	Horizontal	188	2.00
5210MHz	Pass	PK	10.44472G	50.81	68.20	-17.39	3	Horizontal	158	1.50
5210MHz	Pass	PK	15.57624G	53.11	74.00	-20.89	3	Horizontal	105	1.50
5290MHz	Pass	AV	5.145G	48.73	54.00	-5.27	3	Vertical	184	1.60
5290MHz	Pass	AV	5.303G	98.99	Inf	-Inf	3	Vertical	184	1.60
5290MHz	Pass	AV	5.351G	52.66	54.00	-1.34	3	Vertical	184	1.60
5290MHz	Pass	PK	5.138G	60.77	74.00	-13.23	3	Vertical	184	1.60
5290MHz	Pass	PK	5.312G	110.78	Inf	-Inf	3	Vertical	184	1.60
5290MHz	Pass	PK	5.351G	65.08	74.00	-8.92	3	Vertical	184	1.60
5290MHz	Pass	PK	5.489G	62.39	68.20	-5.81	3	Vertical	184	1.60
5290MHz	Pass	AV	5.149G	50.66	54.00	-3.34	3	Horizontal	184	1.94
5290MHz	Pass	AV	5.278G	100.11	Inf	-Inf	3	Horizontal	184	1.94
5290MHz	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	184	1.94
5290MHz	Pass	PK	5.149G	62.22	74.00	-11.78	3	Horizontal	184	1.94
5290MHz	Pass	PK	5.279G	112.73	Inf	-Inf	3	Horizontal	184	1.94
5290MHz	Pass	PK	5.35G	66.29	74.00	-7.71	3	Horizontal	184	1.94
5290MHz	Pass	PK	5.502G	61.91	68.20	-6.29	3	Horizontal	184	1.94
5290MHz	Pass	AV	4.99998G	53.76	54.00	-0.24	3	Vertical	186	1.68
5290MHz	Pass	AV	15.88632G	39.47	54.00	-14.53	3	Vertical	33	1.50
5290MHz	Pass	PK	4.99998G	61.06	74.00	-12.94	3	Vertical	186	1.68
5290MHz	Pass	PK	10.63088G	51.27	74.00	-22.73	3	Vertical	244	1.50
5290MHz	Pass	PK	15.8856G	51.81	74.00	-22.19	3	Vertical	33	1.50
5290MHz	Pass	AV	4.99996G	52.40	54.00	-1.60	3	Horizontal	190	1.68
5290MHz	Pass	AV	15.86626G	38.99	54.00	-15.01	3	Horizontal	137	1.56
5290MHz	Pass	PK	4.99986G	60.97	74.00	-13.03	3	Horizontal	190	1.68
5290MHz	Pass	PK	10.5833G	50.00	68.20	-18.20	3	Horizontal	22	1.31
5290MHz	Pass	PK	15.86714G	51.13	74.00	-22.87	3	Horizontal	137	1.56
5530MHz	Pass	AV	5.35G	47.50	54.00	-6.50	3	Vertical	187	1.57
5530MHz	Pass	AV	5.458G	52.60	54.00	-1.40	3	Vertical	187	1.57



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.517G	99.50	Inf	-Inf	3	Vertical	187	1.57
5530MHz	Pass	PK	5.34G	60.15	68.20	-8.05	3	Vertical	187	1.57
5530MHz	Pass	PK	5.46G	65.41	74.00	-8.59	3	Vertical	187	1.57
5530MHz	Pass	PK	5.469G	66.29	68.20	-1.91	3	Vertical	187	1.57
5530MHz	Pass	PK	5.528G	111.83	Inf	-Inf	3	Vertical	187	1.57
5530MHz	Pass	PK	5.727G	60.82	68.20	-7.38	3	Vertical	187	1.57
5530MHz	Pass	AV	5.35G	49.18	54.00	-4.82	3	Horizontal	187	2.06
5530MHz	Pass	AV	5.457G	53.74	54.00	-0.26	3	Horizontal	187	2.06
5530MHz	Pass	AV	5.518G	100.69	Inf	-Inf	3	Horizontal	187	2.06
5530MHz	Pass	PK	5.337G	63.20	68.20	-5.00	3	Horizontal	187	2.06
5530MHz	Pass	PK	5.459G	66.05	74.00	-7.95	3	Horizontal	187	2.06
5530MHz	Pass	PK	5.465G	67.78	68.20	-0.42	3	Horizontal	187	2.06
5530MHz	Pass	PK	5.55G	112.90	Inf	-Inf	3	Horizontal	187	2.06
5530MHz	Pass	PK	5.751G	61.83	68.20	-6.37	3	Horizontal	187	2.06
5530MHz	Pass	AV	4.99998G	51.42	54.00	-2.58	3	Vertical	178	1.50
5530MHz	Pass	AV	11.05906G	38.59	54.00	-15.41	3	Vertical	80	2.71
5530MHz	Pass	PK	5.00022G	59.33	74.00	-14.67	3	Vertical	178	1.50
5530MHz	Pass	PK	11.0598G	50.03	74.00	-23.97	3	Vertical	80	2.71
5530MHz	Pass	PK	16.58982G	51.58	68.20	-16.62	3	Vertical	90	2.13
5530MHz	Pass	AV	5.00006G	52.08	54.00	-1.92	3	Horizontal	182	2.25
5530MHz	Pass	AV	11.05988G	38.37	54.00	-15.63	3	Horizontal	248	2.53
5530MHz	Pass	PK	4.99998G	57.25	74.00	-16.75	3	Horizontal	182	2.25
5530MHz	Pass	PK	11.05922G	49.75	74.00	-24.25	3	Horizontal	248	2.53
5530MHz	Pass	PK	16.5858G	50.76	68.20	-17.44	3	Horizontal	82	2.23
5610MHz	Pass	AV	5.458G	50.56	54.00	-3.44	3	Vertical	187	1.65
5610MHz	Pass	AV	5.623G	104.10	Inf	-Inf	3	Vertical	187	1.65
5610MHz	Pass	PK	5.458G	62.74	74.00	-11.26	3	Vertical	187	1.65
5610MHz	Pass	PK	5.47G	63.44	68.20	-4.76	3	Vertical	187	1.65
5610MHz	Pass	PK	5.608G	116.70	Inf	-Inf	3	Vertical	187	1.65
5610MHz	Pass	PK	5.726G	63.98	68.20	-4.22	3	Vertical	187	1.65
5610MHz	Pass	AV	5.456G	52.56	54.00	-1.44	3	Horizontal	182	1.76
5610MHz	Pass	AV	5.598G	104.74	Inf	-Inf	3	Horizontal	182	1.76
5610MHz	Pass	PK	5.46G	64.30	74.00	-9.70	3	Horizontal	182	1.76
5610MHz	Pass	PK	5.469G	65.54	68.20	-2.66	3	Horizontal	182	1.76
5610MHz	Pass	PK	5.622G	117.04	Inf	-Inf	3	Horizontal	182	1.76
5610MHz	Pass	PK	5.725G	66.71	68.20	-1.49	3	Horizontal	182	1.76
5610MHz	Pass	PK	4.99998G	58.96	74.00	-15.04	3	Vertical	180	1.50
5610MHz	Pass	AV	4.99998G	52.08	54.00	-1.92	3	Vertical	180	1.50
5610MHz	Pass	PK	11.21892G	50.01	74.00	-23.99	3	Vertical	246	2.66
5610MHz	Pass	AV	11.22448G	38.79	54.00	-15.21	3	Vertical	246	2.66
5610MHz	Pass	PK	16.83472G	51.22	68.20	-16.98	3	Vertical	166	2.00
5610MHz	Pass	PK	4.99996G	59.32	74.00	-14.68	3	Horizontal	183	1.77
5610MHz	Pass	AV	5G	52.40	54.00	-1.60	3	Horizontal	183	1.77
5610MHz	Pass	PK	11.22336G	50.09	74.00	-23.91	3	Horizontal	354	2.07
5610MHz	Pass	AV	11.22158G	38.98	54.00	-15.02	3	Horizontal	354	2.07
5610MHz	Pass	PK	16.83122G	51.04	68.20	-17.16	3	Horizontal	350	2.57
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	50.57	54.00	-3.43	3	Vertical	187	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	107.06	Inf	-Inf	3	Vertical	187	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	62.29	74.00	-11.71	3	Vertical	187	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	62.56	68.20	-5.64	3	Vertical	187	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6876G	119.67	Inf	-Inf	3	Vertical	187	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	64.47	68.20	-3.73	3	Vertical	187	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	51.64	54.00	-2.36	3	Horizontal	189	1.69
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	107.09	Inf	-Inf	3	Horizontal	189	1.69
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4404G	63.68	74.00	-10.32	3	Horizontal	189	1.69
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	63.80	68.20	-4.40	3	Horizontal	189	1.69
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.708G	119.55	Inf	-Inf	3	Horizontal	189	1.69
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	67.10	68.20	-1.10	3	Horizontal	189	1.69
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5G	50.79	54.00	-3.21	3	Vertical	195	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3772G	39.96	54.00	-14.04	3	Vertical	37	2.38
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5G	58.47	74.00	-15.53	3	Vertical	195	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3825G	51.33	74.00	-22.67	3	Vertical	37	2.38



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.066G	50.16	68.20	-18.04	3	Vertical	234	1.90
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07492G	51.27	68.20	-16.93	3	Vertical	83	1.86
5690MHz Straddle 5.47-5.725GHz	Pass	AV	4.99986G	50.82	54.00	-3.18	3	Horizontal	180	2.11
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39704G	40.88	54.00	-13.12	3	Horizontal	192	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.00002G	57.58	74.00	-16.42	3	Horizontal	180	2.11
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37424G	52.61	74.00	-21.39	3	Horizontal	192	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06526G	51.68	68.20	-16.52	3	Horizontal	41	1.27
5775MHz	Pass	AV	5.757G	101.22	Inf	-Inf	3	Vertical	188	1.80
5775MHz	Pass	PK	5.6406G	66.36	68.20	-1.84	3	Vertical	188	1.80
5775MHz	Pass	PK	5.7726G	115.64	Inf	-Inf	3	Vertical	188	1.80
5775MHz	Pass	PK	5.9526G	62.24	68.20	-5.96	3	Vertical	188	1.80
5775MHz	Pass	AV	5.763G	102.46	Inf	-Inf	3	Horizontal	184	1.94
5775MHz	Pass	PK	5.643G	66.43	68.20	-1.77	3	Horizontal	184	1.94
5775MHz	Pass	PK	5.787G	116.93	Inf	-Inf	3	Horizontal	184	1.94
5775MHz	Pass	PK	5.9418G	64.30	68.20	-3.90	3	Horizontal	184	1.94
5775MHz	Pass	AV	4.99996G	48.69	54.00	-5.31	3	Vertical	179	1.50
5775MHz	Pass	AV	11.5524G	39.39	54.00	-14.61	3	Vertical	186	2.77
5775MHz	Pass	PK	5.0001G	56.92	74.00	-17.08	3	Vertical	179	1.50
5775MHz	Pass	PK	11.54256G	53.89	74.00	-20.11	3	Vertical	186	2.77
5775MHz	Pass	PK	17.30628G	51.88	68.20	-16.32	3	Vertical	327	1.50
5775MHz	Pass	AV	4.99992G	50.48	54.00	-3.52	3	Horizontal	180	2.10
5775MHz	Pass	AV	11.5284G	38.22	54.00	-15.78	3	Horizontal	112	1.50
5775MHz	Pass	PK	5.00004G	58.42	74.00	-15.58	3	Horizontal	180	2.10
5775MHz	Pass	PK	11.55912G	52.11	74.00	-21.89	3	Horizontal	112	1.50
5775MHz	Pass	PK	17.37852G	52.64	68.20	-15.56	3	Horizontal	14	2.70
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0004G	52.59	54.00	-1.41	3	Vertical	185	1.93
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.256G	96.51	Inf	-Inf	3	Vertical	185	1.93
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3988G	52.01	54.00	-1.99	3	Vertical	185	1.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1312G	65.61	74.00	-8.39	3	Vertical	185	1.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.226G	108.35	Inf	-Inf	3	Vertical	185	1.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.382G	67.38	74.00	-6.62	3	Vertical	185	1.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4816G	62.89	68.20	-5.31	3	Vertical	185	1.93
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.81	54.00	-0.19	3	Horizontal	188	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2308G	97.65	Inf	-Inf	3	Horizontal	188	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	53.09	54.00	-0.91	3	Horizontal	188	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1336G	68.71	74.00	-5.29	3	Horizontal	188	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.238G	108.96	Inf	-Inf	3	Horizontal	188	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.376G	66.75	74.00	-7.25	3	Horizontal	188	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4696G	62.85	68.20	-5.35	3	Horizontal	188	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	AV	4.99998G	53.04	54.00	-0.96	3	Vertical	189	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.65944G	39.31	54.00	-14.69	3	Vertical	355	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	4.99982G	62.01	74.00	-11.99	3	Vertical	189	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.61664G	50.81	74.00	-23.19	3	Vertical	269	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.63864G	51.83	74.00	-22.17	3	Vertical	355	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5G	53.78	54.00	-0.22	3	Horizontal	187	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.64728G	39.55	54.00	-14.45	3	Horizontal	183	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.00006G	63.05	74.00	-10.95	3	Horizontal	187	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4712G	50.79	68.20	-17.41	3	Horizontal	6	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.72312G	51.56	74.00	-22.44	3	Horizontal	183	1.50
5570MHz	Pass	AV	5.4584G	49.58	54.00	-4.42	3	Vertical	184	1.78
5570MHz	Pass	AV	5.5844G	94.72	Inf	-Inf	3	Vertical	184	1.78
5570MHz	Pass	PK	5.3288G	59.90	68.20	-8.30	3	Vertical	184	1.78
5570MHz	Pass	PK	5.438G	62.25	74.00	-11.75	3	Vertical	184	1.78
5570MHz	Pass	PK	5.4656G	61.07	68.20	-7.13	3	Vertical	184	1.78
5570MHz	Pass	PK	5.5976G	107.24	Inf	-Inf	3	Vertical	184	1.78
5570MHz	Pass	PK	5.744G	61.64	68.20	-6.56	3	Vertical	184	1.78
5570MHz	Pass	AV	5.4548G	50.14	54.00	-3.86	3	Horizontal	187	1.94
5570MHz	Pass	AV	5.5664G	95.01	Inf	-Inf	3	Horizontal	187	1.94
5570MHz	Pass	PK	5.3192G	60.73	68.20	-7.47	3	Horizontal	187	1.94
5570MHz	Pass	PK	5.4548G	64.00	74.00	-10.00	3	Horizontal	187	1.94
5570MHz	Pass	PK	5.4644G	62.47	68.20	-5.73	3	Horizontal	187	1.94




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.5388G	106.46	Inf	-Inf	3	Horizontal	187	1.94
5570MHz	Pass	PK	5.7632G	61.96	68.20	-6.24	3	Horizontal	187	1.94
5570MHz	Pass	PK	5G	58.51	74.00	-15.49	3	Vertical	188	1.80
5570MHz	Pass	AV	5.00006G	53.13	54.00	-0.87	3	Vertical	188	1.80
5570MHz	Pass	PK	11.13834G	50.43	74.00	-23.57	3	Vertical	239	2.81
5570MHz	Pass	AV	11.13712G	39.06	54.00	-14.94	3	Vertical	239	2.81
5570MHz	Pass	PK	16.7106G	52.06	68.20	-16.14	3	Vertical	36	1.45
5570MHz	Pass	PK	4.9999G	58.64	74.00	-15.36	3	Horizontal	189	2.04
5570MHz	Pass	AV	4.99998G	53.87	54.00	-0.13	3	Horizontal	189	2.04
5570MHz	Pass	PK	11.13956G	50.61	74.00	-23.39	3	Horizontal	247	2.28
5570MHz	Pass	AV	11.13956G	38.61	54.00	-15.39	3	Horizontal	247	2.28
5570MHz	Pass	PK	16.71252G	51.68	68.20	-16.52	3	Horizontal	148	1.41



5.15-5.25GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.50	54.00	-4.50	5.37	3	Vertical	191	1.86	44.13	33.10	6.41	34.14
AV	5.1782G	104.71	Inf	-Inf	5.39	3	Vertical	191	1.86	99.32	33.10	6.43	34.14
PK	5.149G	61.56	74.00	-12.44	5.37	3	Vertical	191	1.86	56.19	33.10	6.41	34.14
PK	5.1864G	117.91	Inf	-Inf	5.40	3	Vertical	191	1.86	112.51	33.10	6.44	34.14

5.15-5.25GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	48.56	54.00	-5.44	5.37	3	Horizontal	188	1.94	43.19	33.10	6.41	34.14
AV	5.1778G	103.99	Inf	-Inf	5.39	3	Horizontal	188	1.94	98.60	33.10	6.43	34.14
PK	5.1496G	62.03	74.00	-11.97	5.37	3	Horizontal	188	1.94	56.66	33.10	6.41	34.14
PK	5.1742G	117.72	Inf	-Inf	5.39	3	Horizontal	188	1.94	112.33	33.10	6.43	34.14



5.15-5.25GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	45.57	54.00	-8.43	5.38	3	Vertical	170	1.50	40.19	33.20	6.30	34.12
AV	15.53608G	37.97	54.00	-16.03	16.66	3	Vertical	335	1.96	21.31	38.83	12.15	34.32
PK	4.99988G	53.97	74.00	-20.03	5.38	3	Vertical	170	1.50	48.59	33.20	6.30	34.12
PK	10.35748G	49.56	68.20	-18.64	15.28	3	Vertical	335	2.46	34.28	38.90	11.01	34.63
PK	15.5438G	51.70	74.00	-22.30	16.65	3	Vertical	335	1.96	35.05	38.81	12.16	34.32

5.15-5.25GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.87	54.00	-0.13	5.38	3	Horizontal	189	2.11	48.49	33.20	6.30	34.12
AV	15.5355G	37.98	54.00	-16.02	16.66	3	Horizontal	49	2.02	21.32	38.83	12.15	34.32
PK	5.00004G	61.66	74.00	-12.34	5.38	3	Horizontal	189	2.11	56.28	33.20	6.30	34.12
PK	10.35988G	49.70	68.20	-18.50	15.28	3	Horizontal	334	2.32	34.42	38.90	11.01	34.63
PK	15.53514G	51.33	74.00	-22.67	16.66	3	Horizontal	49	2.02	34.67	38.83	12.15	34.32



5.15-5.25GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.54	54.00	-6.46	5.37	3	Vertical	191	2.00	42.17	33.10	6.41	34.14
AV	5.1984G	103.92	Inf	-Inf	5.41	3	Vertical	191	2.00	98.51	33.10	6.45	34.14
PK	5.1404G	61.46	74.00	-12.54	5.37	3	Vertical	191	2.00	56.09	33.10	6.41	34.14
PK	5.2064G	117.49	Inf	-Inf	5.40	3	Vertical	191	2.00	112.09	33.09	6.45	34.14

5.15-5.25GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.96	54.00	-7.04	5.37	3	Horizontal	187	1.94	41.59	33.10	6.41	34.14
AV	5.198G	103.54	Inf	-Inf	5.41	3	Horizontal	187	1.94	98.13	33.10	6.45	34.14
PK	5.1496G	60.84	74.00	-13.16	5.37	3	Horizontal	187	1.94	55.47	33.10	6.41	34.14
PK	5.1944G	117.73	Inf	-Inf	5.41	3	Horizontal	187	1.94	112.32	33.10	6.45	34.14



5.15-5.25GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.02	54.00	-0.98	5.38	3	Vertical	186	1.93	47.64	33.20	6.30	34.12
AV	15.58536G	38.97	54.00	-15.03	16.55	3	Vertical	188	2.02	22.42	38.73	12.18	34.36
PK	4.99996G	60.85	74.00	-13.15	5.38	3	Vertical	186	1.93	55.47	33.20	6.30	34.12
PK	10.39598G	53.31	68.20	-14.89	15.33	3	Vertical	202	1.87	37.98	38.90	11.03	34.60
PK	15.59712G	52.35	74.00	-21.65	16.53	3	Vertical	188	2.02	35.82	38.71	12.19	34.37

5.15-5.25GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.50	54.00	-1.50	5.38	3	Horizontal	188	2.02	47.12	33.20	6.30	34.12
AV	15.59626G	37.51	54.00	-16.49	16.53	3	Horizontal	132	1.44	20.98	38.71	12.19	34.37
PK	5.00008G	61.64	74.00	-12.36	5.38	3	Horizontal	188	2.02	56.26	33.20	6.30	34.12
PK	10.39988G	49.60	68.20	-18.60	15.34	3	Horizontal	281	2.98	34.26	38.90	11.03	34.59
PK	15.60354G	50.87	74.00	-23.13	16.51	3	Horizontal	132	1.44	34.36	38.69	12.19	34.37



5.15-5.25GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	47.17	54.00	-6.83	5.37	3	Vertical	190	1.57	41.80	33.10	6.41	34.14
AV	5.2382G	104.04	Inf	-Inf	5.35	3	Vertical	190	1.57	98.69	33.02	6.48	34.15
AV	5.354G	47.31	54.00	-6.69	5.30	3	Vertical	190	1.57	42.01	32.90	6.56	34.16
PK	5.1266G	61.14	74.00	-12.86	5.35	3	Vertical	190	1.57	55.79	33.10	6.39	34.14
PK	5.2466G	117.75	Inf	-Inf	5.34	3	Vertical	190	1.57	112.41	33.01	6.48	34.15
PK	5.3612G	61.11	74.00	-12.89	5.30	3	Vertical	190	1.57	55.81	32.90	6.56	34.16

5.15-5.25GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	46.59	54.00	-7.41	5.37	3	Horizontal	185	1.89	41.22	33.10	6.41	34.14
AV	5.2436G	103.51	Inf	-Inf	5.34	3	Horizontal	185	1.89	98.17	33.01	6.48	34.15
AV	5.3534G	47.16	54.00	-6.84	5.30	3	Horizontal	185	1.89	41.86	32.90	6.56	34.16
PK	5.1122G	61.25	74.00	-12.75	5.35	3	Horizontal	185	1.89	55.90	33.10	6.38	34.13
PK	5.2412G	117.43	Inf	-Inf	5.35	3	Horizontal	185	1.89	112.08	33.02	6.48	34.15
PK	5.3522G	61.40	74.00	-12.60	5.30	3	Horizontal	185	1.89	56.10	32.90	6.56	34.16



5.15-5.25GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.04	54.00	-0.96	5.38	3	Vertical	186	1.77	47.66	33.20	6.30	34.12
AV	15.71824G	37.65	54.00	-16.35	16.21	3	Vertical	260	2.50	21.44	38.40	12.27	34.46
PK	5G	61.47	74.00	-12.53	5.38	3	Vertical	186	1.77	56.09	33.20	6.30	34.12
PK	10.48056G	49.77	68.20	-18.43	15.43	3	Vertical	174	2.88	34.34	38.90	11.06	34.53
PK	15.71914G	50.68	74.00	-23.32	16.21	3	Vertical	260	2.50	34.47	38.40	12.27	34.46

5.15-5.25GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	52.41	54.00	-1.59	5.38	3	Horizontal	188	2.04	47.03	33.20	6.30	34.12
AV	15.71534G	37.76	54.00	-16.24	16.20	3	Horizontal	224	1.50	21.56	38.40	12.26	34.46
PK	5.00018G	61.30	74.00	-12.70	5.38	3	Horizontal	188	2.04	55.92	33.20	6.30	34.12
PK	10.48192G	51.93	68.20	-16.27	15.43	3	Horizontal	221	1.85	36.50	38.90	11.06	34.53
PK	15.72238G	51.45	74.00	-22.55	16.21	3	Horizontal	224	1.50	35.24	38.40	12.27	34.46



5.25-5.35GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1442G	49.65	54.00	-4.35	5.37	3	Vertical	192	1.89	44.28	33.10	6.41	34.14
AV	5.2582G	108.96	Inf	-Inf	5.34	3	Vertical	192	1.89	103.62	33.00	6.49	34.15
AV	5.35G	49.63	54.00	-4.37	5.29	3	Vertical	192	1.89	44.34	32.90	6.55	34.16
PK	5.1436G	63.59	74.00	-10.41	5.37	3	Vertical	192	1.89	58.22	33.10	6.41	34.14
PK	5.2666G	122.35	Inf	-Inf	5.35	3	Vertical	192	1.89	117.00	33.00	6.50	34.15
PK	5.3512G	63.54	74.00	-10.46	5.30	3	Vertical	192	1.89	58.24	32.90	6.56	34.16

5.25-5.35GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	48.64	54.00	-5.36	5.37	3	Horizontal	187	2.06	43.27	33.10	6.41	34.14
AV	5.2636G	108.53	Inf	-Inf	5.34	3	Horizontal	187	2.06	103.19	33.00	6.49	34.15
AV	5.35G	49.53	54.00	-4.47	5.29	3	Horizontal	187	2.06	44.24	32.90	6.55	34.16
PK	5.1304G	62.18	74.00	-11.82	5.36	3	Horizontal	187	2.06	56.82	33.10	6.40	34.14
PK	5.254G	122.25	Inf	-Inf	5.34	3	Horizontal	187	2.06	116.91	33.00	6.49	34.15
PK	5.3776G	63.48	74.00	-10.52	5.30	3	Horizontal	187	2.06	58.18	32.90	6.57	34.17



5.25-5.35GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	53.71	54.00	-0.29	5.38	3	Vertical	186	1.75	48.33	33.20	6.30	34.12
AV	15.77508G	37.16	54.00	-16.84	16.20	3	Vertical	264	1.90	20.96	38.40	12.30	34.50
PK	5.00016G	63.61	74.00	-10.39	5.38	3	Vertical	186	1.75	58.23	33.20	6.30	34.12
PK	10.52434G	51.19	68.20	-17.01	15.48	3	Vertical	178	2.86	35.71	38.90	11.07	34.49
PK	15.7772G	51.09	74.00	-22.91	16.19	3	Vertical	264	1.90	34.90	38.40	12.30	34.51

5.25-5.35GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	53.75	54.00	-0.25	5.38	3	Horizontal	189	1.96	48.37	33.20	6.30	34.12
AV	15.77528G	37.26	54.00	-16.74	16.20	3	Horizontal	188	1.86	21.06	38.40	12.30	34.50
PK	4.99984G	65.02	74.00	-8.98	5.38	3	Horizontal	189	1.96	59.64	33.20	6.30	34.12
PK	10.5216G	50.63	68.20	-17.57	15.48	3	Horizontal	252	2.05	35.15	38.90	11.07	34.49
PK	15.77954G	51.10	74.00	-22.90	16.19	3	Horizontal	188	1.86	34.91	38.40	12.30	34.51



5.25-5.35GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2964G	108.52	Inf	-Inf	5.36	3	Vertical	184	1.56	103.16	33.00	6.52	34.16
AV	5.3532G	49.88	54.00	-4.12	5.30	3	Vertical	184	1.56	44.58	32.90	6.56	34.16
PK	5.3016G	122.98	Inf	-Inf	5.36	3	Vertical	184	1.56	117.62	33.00	6.52	34.16
PK	5.3764G	63.88	74.00	-10.12	5.30	3	Vertical	184	1.56	58.58	32.90	6.57	34.17

5.25-5.35GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	108.00	Inf	-Inf	5.36	3	Horizontal	181	1.90	102.64	33.00	6.52	34.16
AV	5.35G	49.56	54.00	-4.44	5.29	3	Horizontal	181	1.90	44.27	32.90	6.55	34.16
PK	5.2968G	121.37	Inf	-Inf	5.36	3	Horizontal	181	1.90	116.01	33.00	6.52	34.16
PK	5.3792G	64.27	74.00	-9.73	5.31	3	Horizontal	181	1.90	58.96	32.90	6.58	34.17



5.25-5.35GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	52.44	54.00	-1.56	5.38	3	Vertical	188	1.68	47.06	33.20	6.30	34.12
AV	15.896G	37.46	54.00	-16.54	15.99	3	Vertical	278	2.56	21.47	38.21	12.38	34.60
PK	5.00008G	63.28	74.00	-10.72	5.38	3	Vertical	188	1.68	57.90	33.20	6.30	34.12
PK	10.59654G	50.50	68.20	-17.70	15.56	3	Vertical	187	1.50	34.94	38.90	11.10	34.44
PK	15.90156G	51.59	74.00	-22.41	15.98	3	Vertical	278	2.56	35.61	38.20	12.38	34.60

5.25-5.35GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	53.82	54.00	-0.18	5.38	3	Horizontal	189	2.04	48.44	33.20	6.30	34.12
AV	15.89694G	37.82	54.00	-16.18	15.99	3	Horizontal	188	1.87	21.83	38.21	12.38	34.60
PK	5.0001G	65.04	74.00	-8.96	5.38	3	Horizontal	189	2.04	59.66	33.20	6.30	34.12
PK	10.60004G	50.88	74.00	-23.12	15.56	3	Horizontal	252	1.90	35.32	38.90	11.10	34.44
PK	15.89572G	52.70	74.00	-21.30	15.99	3	Horizontal	188	1.87	36.71	38.21	12.38	34.60



5.25-5.35GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3236G	108.08	Inf	-Inf	5.33	3	Vertical	186	1.68	102.75	32.95	6.54	34.16
AV	5.3506G	52.72	54.00	-1.28	5.30	3	Vertical	186	1.68	47.42	32.90	6.56	34.16
PK	5.318G	121.45	Inf	-Inf	5.33	3	Vertical	186	1.68	116.12	32.96	6.53	34.16
PK	5.3506G	66.54	74.00	-7.46	5.30	3	Vertical	186	1.68	61.24	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3236G	109.10	Inf	-Inf	5.33	3	Horizontal	187	2.00	103.77	32.95	6.54	34.16
AV	5.3506G	53.60	54.00	-0.40	5.30	3	Horizontal	187	2.00	48.30	32.90	6.56	34.16
PK	5.3228G	122.63	Inf	-Inf	5.33	3	Horizontal	187	2.00	117.30	32.95	6.54	34.16
PK	5.3508G	70.02	74.00	-3.98	5.30	3	Horizontal	187	2.00	64.72	32.90	6.56	34.16



5.25-5.35GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00004G	51.87	54.00	-2.13	5.38	3	Vertical	184	1.50	46.49	33.20	6.30	34.12
AV	10.64018G	38.38	54.00	-15.62	15.73	3	Vertical	176	3.00	22.65	39.02	11.12	34.41
AV	15.96036G	38.37	54.00	-15.63	15.85	3	Vertical	278	2.09	22.52	38.08	12.42	34.65
PK	4.99982G	61.98	74.00	-12.02	5.38	3	Vertical	184	1.50	56.60	33.20	6.30	34.12
PK	10.62998G	52.16	74.00	-21.84	15.68	3	Vertical	176	3.00	36.48	38.99	11.11	34.42
PK	15.95616G	52.28	74.00	-21.72	15.85	3	Vertical	278	2.09	36.43	38.09	12.41	34.65

5.25-5.35GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.90	54.00	-1.10	5.38	3	Horizontal	190	2.13	47.52	33.20	6.30	34.12
AV	10.64126G	38.08	54.00	-15.92	15.73	3	Horizontal	190	1.89	22.35	39.02	11.12	34.41
AV	15.94698G	38.11	54.00	-15.89	15.88	3	Horizontal	16	3.00	22.23	38.11	12.41	34.64
PK	4.99994G	63.53	74.00	-10.47	5.38	3	Horizontal	190	2.13	58.15	33.20	6.30	34.12
PK	10.6364G	51.24	74.00	-22.76	15.72	3	Horizontal	190	1.89	35.52	39.01	11.12	34.41
PK	15.95604G	51.63	74.00	-22.37	15.85	3	Horizontal	16	3.00	35.78	38.09	12.41	34.65



5.47-5.725GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.86	54.00	-5.14	5.36	3	Vertical	185	1.71	43.50	32.90	6.64	34.18
AV	5.4962G	105.54	Inf	-Inf	5.40	3	Vertical	185	1.71	100.14	32.90	6.68	34.18
PK	5.453G	63.10	74.00	-10.90	5.37	3	Vertical	185	1.71	57.73	32.90	6.64	34.17
PK	5.4696G	65.12	68.20	-3.08	5.37	3	Vertical	185	1.71	59.75	32.90	6.65	34.18
PK	5.5016G	120.15	Inf	-Inf	5.40	3	Vertical	185	1.71	114.75	32.90	6.68	34.18

5.47-5.725GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.46	54.00	-6.54	5.36	3	Horizontal	188	2.02	42.10	32.90	6.64	34.18
AV	5.5038G	104.41	Inf	-Inf	5.40	3	Horizontal	188	2.02	99.01	32.90	6.68	34.18
PK	5.4512G	60.26	74.00	-13.74	5.37	3	Horizontal	188	2.02	54.89	32.90	6.64	34.17
PK	5.4688G	61.50	68.20	-6.70	5.37	3	Horizontal	188	2.02	56.13	32.90	6.65	34.18
PK	5.4986G	117.35	Inf	-Inf	5.40	3	Horizontal	188	2.02	111.95	32.90	6.68	34.18



5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	52.87	54.00	-1.13	5.38	3	Vertical	186	1.73	47.49	33.20	6.30	34.12
AV	11.00312G	37.24	54.00	-16.76	16.09	3	Vertical	238	2.04	21.15	39.00	11.25	34.16
PK	5.00022G	59.13	74.00	-14.87	5.38	3	Vertical	186	1.73	53.75	33.20	6.30	34.12
PK	10.9959G	50.26	74.00	-23.74	16.09	3	Vertical	238	2.04	34.17	39.00	11.25	34.16
PK	16.50004G	50.48	68.20	-17.72	16.87	3	Vertical	201	1.98	33.61	38.40	12.67	34.20

5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.88	54.00	-0.12	5.38	3	Horizontal	190	2.11	48.50	33.20	6.30	34.12
AV	10.9954G	37.24	54.00	-16.76	16.09	3	Horizontal	299	1.36	21.15	39.00	11.25	34.16
PK	4.99998G	61.51	74.00	-12.49	5.38	3	Horizontal	190	2.11	56.13	33.20	6.30	34.12
PK	10.99614G	50.30	74.00	-23.70	16.09	3	Horizontal	299	1.36	34.21	39.00	11.25	34.16
PK	16.50008G	51.36	68.20	-16.84	16.87	3	Horizontal	52	2.36	34.49	38.39	12.67	34.19



5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.84	54.00	-2.16	5.36	3	Vertical	184	1.74	46.48	32.90	6.64	34.18
AV	5.5836G	115.45	Inf	-Inf	5.54	3	Vertical	184	1.74	109.91	32.97	6.76	34.19
PK	5.451G	65.42	74.00	-8.58	5.37	3	Vertical	184	1.74	60.05	32.90	6.64	34.17
PK	5.4636G	65.56	68.20	-2.64	5.37	3	Vertical	184	1.74	60.19	32.90	6.65	34.18
PK	5.5746G	129.28	Inf	-Inf	5.51	3	Vertical	184	1.74	123.77	32.95	6.75	34.19
PK	5.7258G	65.13	68.20	-3.07	6.35	3	Vertical	184	1.74	58.78	33.70	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	52.45	54.00	-1.55	5.37	3	Horizontal	181	1.84	47.08	32.90	6.64	34.17
AV	5.5782G	115.22	Inf	-Inf	5.52	3	Horizontal	181	1.84	109.70	32.96	6.75	34.19
PK	5.4486G	66.57	74.00	-7.43	5.36	3	Horizontal	181	1.84	61.21	32.90	6.63	34.17
PK	5.4642G	66.84	68.20	-1.36	5.37	3	Horizontal	181	1.84	61.47	32.90	6.65	34.18
PK	5.574G	128.07	Inf	-Inf	5.51	3	Horizontal	181	1.84	122.56	32.95	6.75	34.19
PK	5.7276G	66.38	68.20	-1.82	6.36	3	Horizontal	181	1.84	60.02	33.71	6.85	34.20



5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.98	54.00	-2.02	5.38	3	Vertical	187	1.90	46.60	33.20	6.30	34.12
AV	11.1603G	40.62	54.00	-13.38	16.14	3	Vertical	190	1.32	24.48	38.96	11.31	34.13
PK	5.00008G	63.25	74.00	-10.75	5.38	3	Vertical	187	1.90	57.87	33.20	6.30	34.12
PK	11.16108G	53.94	74.00	-20.06	16.14	3	Vertical	190	1.32	37.80	38.96	11.31	34.13
PK	16.74702G	67.30	68.20	-0.90	17.37	3	Vertical	265	2.88	49.93	38.30	12.78	33.71

5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	52.12	54.00	-1.88	5.38	3	Horizontal	188	2.11	46.74	33.20	6.30	34.12
AV	11.15862G	41.49	54.00	-12.51	16.14	3	Horizontal	244	1.84	25.35	38.96	11.31	34.13
PK	4.99976G	63.69	74.00	-10.31	5.38	3	Horizontal	188	2.11	58.31	33.20	6.30	34.12
PK	11.14854G	56.65	74.00	-17.35	16.12	3	Horizontal	244	1.84	40.53	38.95	11.30	34.13
PK	16.74108G	64.79	68.20	-3.41	17.36	3	Horizontal	260	2.40	47.43	38.30	12.78	33.72



5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	104.54	Inf	-Inf	6.21	3	Vertical	187	1.62	98.33	33.58	6.83	34.20
PK	5.698G	117.86	Inf	-Inf	6.21	3	Vertical	187	1.62	111.65	33.58	6.83	34.20
PK	5.7268G	67.62	68.20	-0.58	6.36	3	Vertical	187	1.62	61.26	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	105.29	Inf	-Inf	6.21	3	Horizontal	188	1.88	99.08	33.58	6.83	34.20
PK	5.7064G	118.67	Inf	-Inf	6.27	3	Horizontal	188	1.88	112.40	33.63	6.84	34.20
PK	5.7264G	66.21	68.20	-1.99	6.36	3	Horizontal	188	1.88	59.85	33.71	6.85	34.20



5.47-5.725GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.25	54.00	-2.75	5.38	3	Vertical	189	1.93	45.87	33.20	6.30	34.12
AV	11.4003G	39.28	54.00	-14.72	16.52	3	Vertical	190	3.00	22.76	39.20	11.40	34.08
PK	4.9999G	57.44	74.00	-16.56	5.38	3	Vertical	189	1.93	52.06	33.20	6.30	34.12
PK	11.40162G	52.33	74.00	-21.67	16.52	3	Vertical	190	3.00	35.81	39.20	11.40	34.08
PK	17.08992G	51.38	68.20	-16.82	17.89	3	Vertical	23	1.50	33.49	38.19	12.94	33.24

5.47-5.725GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	51.68	54.00	-2.32	5.38	3	Horizontal	190	2.17	46.30	33.20	6.30	34.12
AV	11.40276G	38.45	54.00	-15.55	16.52	3	Horizontal	138	1.50	21.93	39.20	11.40	34.08
PK	5.00002G	58.17	74.00	-15.83	5.38	3	Horizontal	190	2.17	52.79	33.20	6.30	34.12
PK	11.39508G	52.20	74.00	-21.80	16.52	3	Horizontal	138	1.50	35.68	39.20	11.40	34.08
PK	17.09142G	52.01	68.20	-16.19	17.89	3	Horizontal	355	1.50	34.12	38.19	12.94	33.24



5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	50.40	54.00	-3.60	5.37	3	Vertical	187	1.59	45.03	32.90	6.64	34.17
AV	5.7128G	115.83	Inf	-Inf	6.29	3	Vertical	187	1.59	109.54	33.65	6.84	34.20
PK	5.432G	64.39	74.00	-9.61	5.35	3	Vertical	187	1.59	59.04	32.90	6.62	34.17
PK	5.4668G	64.33	68.20	-3.87	5.37	3	Vertical	187	1.59	58.96	32.90	6.65	34.18
PK	5.7128G	129.25	Inf	-Inf	6.29	3	Vertical	187	1.59	122.96	33.65	6.84	34.20
PK	5.8508G	64.27	68.20	-3.93	6.83	3	Vertical	187	1.59	57.44	34.10	6.94	34.21

5.47-5.725GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	50.46	54.00	-3.54	5.35	3	Horizontal	190	1.99	45.11	32.90	6.62	34.17
AV	5.7176G	115.99	Inf	-Inf	6.32	3	Horizontal	190	1.99	109.67	33.67	6.85	34.20
PK	5.4548G	65.17	74.00	-8.83	5.37	3	Horizontal	190	1.99	59.80	32.90	6.64	34.17
PK	5.4632G	64.17	68.20	-4.03	5.37	3	Horizontal	190	1.99	58.80	32.90	6.65	34.18
PK	5.7116G	129.29	Inf	-Inf	6.29	3	Horizontal	190	1.99	123.00	33.65	6.84	34.20
PK	5.8652G	67.04	68.20	-1.16	6.91	3	Horizontal	190	1.99	60.13	34.16	6.96	34.21



5.47-5.725GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	47.08	54.00	-6.92	5.38	3	Vertical	181	1.50	41.70	33.20	6.30	34.12
AV	11.44018G	44.42	54.00	-9.58	16.50	3	Vertical	242	1.50	27.92	39.16	11.41	34.07
PK	5.00016G	60.42	74.00	-13.58	5.38	3	Vertical	181	1.50	55.04	33.20	6.30	34.12
PK	11.43646G	58.15	74.00	-15.85	16.50	3	Vertical	242	1.50	41.65	39.16	11.41	34.07
PK	17.15952G	61.91	68.20	-6.29	17.91	3	Vertical	251	1.88	44.00	38.20	12.97	33.26

5.47-5.725GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	46.99	54.00	-7.01	5.38	3	Horizontal	182	1.50	41.61	33.20	6.30	34.12
AV	11.44012G	42.71	54.00	-11.29	16.50	3	Horizontal	177	2.04	26.21	39.16	11.41	34.07
PK	5.0001G	59.22	74.00	-14.78	5.38	3	Horizontal	182	1.50	53.84	33.20	6.30	34.12
PK	11.43454G	56.37	74.00	-17.63	16.51	3	Horizontal	177	2.04	39.86	39.17	11.41	34.07
PK	17.15538G	57.40	68.20	-10.80	17.91	3	Horizontal	266	1.89	39.49	38.20	12.97	33.26



5.725-5.85GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




21/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	49.99	54.00	-4.01	5.37	3	Vertical	188	1.71	44.62	32.90	6.64	34.17
AV	5.7414G	114.13	Inf	-Inf	6.43	3	Vertical	188	1.71	107.70	33.77	6.86	34.20
PK	5.6286G	67.40	68.20	-0.80	5.60	3	Vertical	188	1.71	61.80	33.00	6.79	34.19
PK	5.7402G	128.49	Inf	-Inf	6.42	3	Vertical	188	1.71	122.07	33.76	6.86	34.20
PK	5.937G	63.36	68.20	-4.84	7.04	3	Vertical	188	1.71	56.32	34.23	7.02	34.21

5.725-5.85GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




21/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	50.67	54.00	-3.33	5.37	3	Horizontal	185	1.96	45.30	32.90	6.64	34.17
AV	5.7438G	114.56	Inf	-Inf	6.44	3	Horizontal	185	1.96	108.12	33.78	6.86	34.20
PK	5.6454G	67.55	68.20	-0.65	5.61	3	Horizontal	185	1.96	61.94	33.00	6.80	34.19
PK	5.7462G	127.76	Inf	-Inf	6.45	3	Horizontal	185	1.96	121.31	33.78	6.87	34.20
PK	6.0126G	65.48	68.20	-2.72	6.96	3	Horizontal	185	1.96	58.52	34.10	7.08	34.22



5.725-5.85GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	47.86	54.00	-6.14	5.38	3	Vertical	181	1.50	42.48	33.20	6.30	34.12
AV	11.48996G	43.82	54.00	-10.18	16.48	3	Vertical	192	2.30	27.34	39.11	11.43	34.06
PK	4.99748G	57.74	74.00	-16.26	5.37	3	Vertical	181	1.50	52.37	33.19	6.30	34.12
PK	11.48828G	60.35	74.00	-13.65	16.48	3	Vertical	192	2.30	43.87	39.11	11.43	34.06
PK	17.231G	51.69	68.20	-16.51	17.95	3	Vertical	252	1.95	33.74	38.23	13.00	33.28

5.725-5.85GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	48.83	54.00	-5.17	5.38	3	Horizontal	181	2.15	43.45	33.20	6.30	34.12
AV	11.49006G	44.16	54.00	-9.84	16.48	3	Horizontal	174	2.60	27.68	39.11	11.43	34.06
PK	4.99978G	58.18	74.00	-15.82	5.38	3	Horizontal	181	2.15	52.80	33.20	6.30	34.12
PK	11.49108G	59.33	74.00	-14.67	16.48	3	Horizontal	174	2.60	42.85	39.11	11.43	34.06
PK	17.2335G	56.13	68.20	-12.07	17.95	3	Horizontal	243	2.88	38.18	38.23	13.00	33.28



5.725-5.85GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	114.03	Inf	-Inf	6.69	3	Vertical	189	1.50	107.34	34.00	6.89	34.20
PK	5.6494G	67.33	68.20	-0.87	5.61	3	Vertical	189	1.50	61.72	33.00	6.80	34.19
PK	5.7886G	126.92	Inf	-Inf	6.72	3	Vertical	189	1.50	120.20	34.03	6.89	34.20
PK	5.9434G	64.33	68.20	-3.87	7.01	3	Vertical	189	1.50	57.32	34.21	7.02	34.22

5.725-5.85GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	115.85	Inf	-Inf	6.69	3	Horizontal	185	1.94	109.16	34.00	6.89	34.20
PK	5.6338G	66.49	68.20	-1.71	5.60	3	Horizontal	185	1.94	60.89	33.00	6.79	34.19
PK	5.779G	128.76	Inf	-Inf	6.66	3	Horizontal	185	1.94	122.10	33.97	6.89	34.20
PK	5.9254G	67.86	68.20	-0.34	7.05	3	Horizontal	185	1.94	60.81	34.25	7.01	34.21



5.725-5.85GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00006G	47.40	54.00	-6.60	5.38	3	Vertical	180	2.11	42.02	33.20	6.30	34.12
AV	11.56988G	48.11	54.00	-5.89	16.18	3	Vertical	189	2.38	31.93	38.82	11.46	34.10
PK	5.00006G	58.35	74.00	-15.65	5.38	3	Vertical	180	1.50	52.97	33.20	6.30	34.12
PK	11.56616G	62.38	74.00	-11.62	16.20	3	Vertical	189	2.38	46.18	38.84	11.46	34.10
PK	17.36754G	52.04	68.20	-16.16	18.23	3	Vertical	76	1.30	33.81	38.50	13.06	33.33

5.725-5.85GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	48.90	54.00	-5.10	5.38	3	Horizontal	180	2.11	43.52	33.20	6.30	34.12
AV	11.57012G	46.13	54.00	-7.87	16.18	3	Horizontal	160	2.40	29.95	38.82	11.46	34.10
PK	4.99996G	59.34	74.00	-14.66	5.38	3	Horizontal	180	2.11	53.96	33.20	6.30	34.12
PK	11.57024G	59.38	74.00	-14.62	16.18	3	Horizontal	160	2.40	43.20	38.82	11.46	34.10
PK	17.35446G	58.15	68.20	-10.05	18.20	3	Horizontal	278	1.86	39.95	38.46	13.06	33.32



5.725-5.85GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




22/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	114.38	Inf	-Inf	6.81	3	Vertical	188	1.68	107.57	34.10	6.92	34.21
PK	5.573G	66.68	68.20	-1.52	5.51	3	Vertical	188	1.68	61.17	32.95	6.75	34.19
PK	5.831G	126.91	Inf	-Inf	6.82	3	Vertical	188	1.68	120.09	34.10	6.93	34.21
PK	5.9282G	65.61	68.20	-2.59	7.04	3	Vertical	188	1.68	58.57	34.24	7.01	34.21

5.725-5.85GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




21/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	114.61	Inf	-Inf	6.81	3	Horizontal	184	1.72	107.80	34.10	6.92	34.21
PK	5.6138G	66.14	68.20	-2.06	5.59	3	Horizontal	184	1.72	60.55	33.00	6.78	34.19
PK	5.8262G	127.36	Inf	-Inf	6.81	3	Horizontal	184	1.72	120.55	34.10	6.92	34.21
PK	5.939G	68.02	68.20	-0.18	7.02	3	Horizontal	184	1.72	61.00	34.22	7.02	34.22



5.725-5.85GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	48.89	54.00	-5.11	5.38	3	Vertical	181	1.77	43.51	33.20	6.30	34.12
AV	11.65012G	45.51	54.00	-8.49	16.04	3	Vertical	191	2.42	29.47	38.70	11.49	34.15
PK	4.9998G	59.56	74.00	-14.44	5.38	3	Vertical	181	1.77	54.18	33.20	6.30	34.12
PK	11.6464G	61.10	74.00	-12.90	16.04	3	Vertical	191	2.42	45.06	38.70	11.49	34.15
PK	17.47218G	57.61	68.20	-10.59	18.42	3	Vertical	275	2.53	39.19	38.67	13.11	33.36

5.725-5.85GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	50.25	54.00	-3.75	5.38	3	Horizontal	181	2.02	44.87	33.20	6.30	34.12
AV	11.65018G	43.70	54.00	-10.30	16.04	3	Horizontal	176	2.14	27.66	38.70	11.49	34.15
PK	5.00008G	60.69	74.00	-13.31	5.38	3	Horizontal	181	2.02	55.31	33.20	6.30	34.12
PK	11.6443G	58.08	74.00	-15.92	16.04	3	Horizontal	176	2.14	42.04	38.70	11.49	34.15
PK	17.48148G	55.43	68.20	-12.77	18.43	3	Horizontal	240	1.93	37.00	38.68	13.11	33.36



5.15-5.25GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.41	54.00	-2.59	5.37	3	Vertical	187	1.50	46.04	33.10	6.41	34.14
AV	5.1928G	100.53	Inf	-Inf	5.40	3	Vertical	187	1.50	95.13	33.10	6.44	34.14
PK	5.1496G	66.64	74.00	-7.36	5.37	3	Vertical	187	1.50	61.27	33.10	6.41	34.14
PK	5.1948G	114.98	Inf	-Inf	5.41	3	Vertical	187	1.50	109.57	33.10	6.45	34.14

5.15-5.25GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.61	54.00	-0.39	5.37	3	Horizontal	187	2.00	48.24	33.10	6.41	34.14
AV	5.196G	102.17	Inf	-Inf	5.41	3	Horizontal	187	2.00	96.76	33.10	6.45	34.14
PK	5.1496G	68.17	74.00	-5.83	5.37	3	Horizontal	187	2.00	62.80	33.10	6.41	34.14
PK	5.1832G	116.34	Inf	-Inf	5.40	3	Horizontal	187	2.00	110.94	33.10	6.44	34.14



5.15-5.25GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	52.86	54.00	-1.14	5.38	3	Vertical	186	1.64	47.48	33.20	6.30	34.12
AV	15.54192G	38.26	54.00	-15.74	16.66	3	Vertical	0	1.50	21.60	38.82	12.16	34.32
PK	5.00004G	61.09	74.00	-12.91	5.38	3	Vertical	186	1.64	55.71	33.20	6.30	34.12
PK	10.38984G	51.35	68.20	-16.85	15.32	3	Vertical	339	1.88	36.03	38.90	11.02	34.60
PK	15.56496G	52.24	74.00	-21.76	16.60	3	Vertical	0	1.50	35.64	38.77	12.17	34.34

5.15-5.25GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	53.43	54.00	-0.57	5.38	3	Horizontal	187	2.26	48.05	33.20	6.30	34.12
AV	15.56554G	38.11	54.00	-15.89	16.60	3	Horizontal	0	1.58	21.51	38.77	12.17	34.34
PK	5.00002G	62.36	74.00	-11.64	5.38	3	Horizontal	187	2.26	56.98	33.20	6.30	34.12
PK	10.38316G	49.61	68.20	-18.59	15.31	3	Horizontal	299	2.86	34.30	38.90	11.02	34.61
PK	15.57318G	51.54	74.00	-22.46	16.58	3	Horizontal	0	1.58	34.96	38.75	12.18	34.35



5.15-5.25GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.71	54.00	-3.29	5.37	3	Vertical	189	1.94	45.34	33.10	6.41	34.14
AV	5.2268G	105.37	Inf	-Inf	5.37	3	Vertical	189	1.94	100.00	33.05	6.47	34.15
PK	5.1464G	64.97	74.00	-9.03	5.37	3	Vertical	189	1.94	59.60	33.10	6.41	34.14
PK	5.228G	119.33	Inf	-Inf	5.36	3	Vertical	189	1.94	113.97	33.04	6.47	34.15

5.15-5.25GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	49.76	54.00	-4.24	5.37	3	Horizontal	185	2.01	44.39	33.10	6.41	34.14
AV	5.2248G	104.86	Inf	-Inf	5.37	3	Horizontal	185	2.01	99.49	33.05	6.47	34.15
PK	5.1448G	64.09	74.00	-9.91	5.37	3	Horizontal	185	2.01	58.72	33.10	6.41	34.14
PK	5.2188G	119.35	Inf	-Inf	5.37	3	Horizontal	185	2.01	113.98	33.06	6.46	34.15



5.15-5.25GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	53.20	54.00	-0.80	5.38	3	Vertical	186	1.63	47.82	33.20	6.30	34.12
AV	15.69576G	38.22	54.00	-15.78	16.22	3	Vertical	255	2.99	22.00	38.41	12.25	34.44
PK	5.00004G	62.94	74.00	-11.06	5.38	3	Vertical	186	1.63	57.56	33.20	6.30	34.12
PK	10.44812G	51.49	68.20	-16.71	15.40	3	Vertical	207	1.50	36.09	38.90	11.05	34.55
PK	15.68568G	51.90	74.00	-22.10	16.26	3	Vertical	255	2.99	35.64	38.44	12.25	34.43

5.15-5.25GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	53.84	54.00	-0.16	5.38	3	Horizontal	190	2.10	48.46	33.20	6.30	34.12
AV	15.69498G	37.46	54.00	-16.54	16.23	3	Horizontal	226	1.43	21.23	38.42	12.25	34.44
PK	5.00016G	64.43	74.00	-9.57	5.38	3	Horizontal	190	2.10	59.05	33.20	6.30	34.12
PK	10.46102G	50.65	68.20	-17.55	15.41	3	Horizontal	246	1.89	35.24	38.90	11.05	34.54
PK	15.68856G	51.14	74.00	-22.86	16.24	3	Horizontal	226	1.43	34.90	38.43	12.25	34.44



5.25-5.35GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2728G	106.67	Inf	-Inf	5.35	3	Vertical	188	1.89	101.32	33.00	6.50	34.15
AV	5.3508G	51.12	54.00	-2.88	5.30	3	Vertical	188	1.89	45.82	32.90	6.56	34.16
PK	5.2676G	120.47	Inf	-Inf	5.35	3	Vertical	188	1.89	115.12	33.00	6.50	34.15
PK	5.3684G	65.33	74.00	-8.67	5.31	3	Vertical	188	1.89	60.02	32.90	6.57	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2656G	106.15	Inf	-Inf	5.35	3	Horizontal	187	2.01	100.80	33.00	6.50	34.15
AV	5.35G	50.42	54.00	-3.58	5.29	3	Horizontal	187	2.01	45.13	32.90	6.55	34.16
PK	5.2588G	120.61	Inf	-Inf	5.34	3	Horizontal	187	2.01	115.27	33.00	6.49	34.15
PK	5.352G	65.22	74.00	-8.78	5.30	3	Horizontal	187	2.01	59.92	32.90	6.56	34.16



5.25-5.35GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.66	54.00	-1.34	5.38	3	Vertical	185	1.50	47.28	33.20	6.30	34.12
AV	15.8016G	37.73	54.00	-16.27	16.19	3	Vertical	280	1.50	21.54	38.40	12.32	34.53
PK	5.00004G	63.18	74.00	-10.82	5.38	3	Vertical	185	1.50	57.80	33.20	6.30	34.12
PK	10.54468G	54.11	68.20	-14.09	15.50	3	Vertical	188	2.60	38.61	38.90	11.08	34.48
PK	15.81144G	52.53	74.00	-21.47	16.17	3	Vertical	280	1.50	36.36	38.38	12.32	34.53

5.25-5.35GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	53.75	54.00	-0.25	5.38	3	Horizontal	189	2.02	48.37	33.20	6.30	34.12
AV	15.80544G	37.25	54.00	-16.75	16.18	3	Horizontal	236	2.65	21.07	38.39	12.32	34.53
PK	4.99946G	64.47	74.00	-9.53	5.38	3	Horizontal	189	2.02	59.09	33.20	6.30	34.12
PK	10.54252G	49.63	68.20	-18.57	15.50	3	Horizontal	193	1.29	34.13	38.90	11.08	34.48
PK	15.81194G	49.58	74.00	-24.42	16.17	3	Horizontal	236	2.65	33.41	38.38	12.32	34.53



5.25-5.35GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3072G	100.82	Inf	-Inf	5.36	3	Vertical	188	1.91	95.46	32.99	6.53	34.16
AV	5.35G	51.54	54.00	-2.46	5.29	3	Vertical	188	1.91	46.25	32.90	6.55	34.16
PK	5.3144G	115.27	Inf	-Inf	5.34	3	Vertical	188	1.91	109.93	32.97	6.53	34.16
PK	5.3516G	66.23	74.00	-7.77	5.30	3	Vertical	188	1.91	60.93	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3048G	102.01	Inf	-Inf	5.35	3	Horizontal	185	2.06	96.66	32.99	6.52	34.16
AV	5.35G	53.10	54.00	-0.90	5.29	3	Horizontal	185	2.06	47.81	32.90	6.55	34.16
PK	5.3032G	116.56	Inf	-Inf	5.35	3	Horizontal	185	2.06	111.21	32.99	6.52	34.16
PK	5.3508G	68.39	74.00	-5.61	5.30	3	Horizontal	185	2.06	63.09	32.90	6.56	34.16



5.25-5.35GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	51.85	54.00	-2.15	5.38	3	Vertical	187	1.50	46.47	33.20	6.30	34.12
AV	10.62924G	37.28	54.00	-16.72	15.68	3	Vertical	225	1.50	21.60	38.99	11.11	34.42
AV	15.95052G	37.85	54.00	-16.15	15.87	3	Vertical	209	1.50	21.98	38.10	12.41	34.64
PK	4.99994G	60.08	74.00	-13.92	5.38	3	Vertical	187	1.50	54.70	33.20	6.30	34.12
PK	10.61556G	50.99	74.00	-23.01	15.63	3	Vertical	225	1.50	35.36	38.95	11.11	34.43
PK	15.9528G	51.81	74.00	-22.19	15.86	3	Vertical	209	1.50	35.95	38.09	12.41	34.64

5.25-5.35GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.43	54.00	-0.57	5.38	3	Horizontal	189	2.13	48.05	33.20	6.30	34.12
AV	10.63584G	37.23	54.00	-16.77	15.72	3	Horizontal	150	1.50	21.51	39.01	11.12	34.41
AV	15.95196G	37.90	54.00	-16.10	15.87	3	Horizontal	140	1.50	22.03	38.10	12.41	34.64
PK	4.99996G	62.18	74.00	-11.82	5.38	3	Horizontal	189	2.13	56.80	33.20	6.30	34.12
PK	10.64784G	51.82	74.00	-22.18	15.75	3	Horizontal	150	1.50	36.07	39.04	11.12	34.41
PK	15.9186G	51.70	74.00	-22.30	15.93	3	Horizontal	140	1.50	35.77	38.16	12.39	34.62



5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.51	54.00	-4.49	5.36	3	Vertical	187	1.70	44.15	32.90	6.64	34.18
AV	5.518G	101.46	Inf	-Inf	5.42	3	Vertical	187	1.70	96.04	32.90	6.70	34.18
PK	5.4596G	63.37	74.00	-10.63	5.36	3	Vertical	187	1.70	58.01	32.90	6.64	34.18
PK	5.468G	67.98	68.20	-0.22	5.37	3	Vertical	187	1.70	62.61	32.90	6.65	34.18
PK	5.5232G	115.26	Inf	-Inf	5.42	3	Vertical	187	1.70	109.84	32.90	6.70	34.18

5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	50.07	54.00	-3.93	5.36	3	Horizontal	189	2.02	44.71	32.90	6.64	34.18
AV	5.516G	101.68	Inf	-Inf	5.41	3	Horizontal	189	2.02	96.27	32.90	6.69	34.18
PK	5.4592G	63.66	74.00	-10.34	5.36	3	Horizontal	189	2.02	58.30	32.90	6.64	34.18
PK	5.4684G	67.51	68.20	-0.69	5.37	3	Horizontal	189	2.02	62.14	32.90	6.65	34.18
PK	5.5112G	114.94	Inf	-Inf	5.41	3	Horizontal	189	2.02	109.53	32.90	6.69	34.18



5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.00028G	57.63	74.00	-16.37	5.38	3	Vertical	181	1.84	52.25	33.20	6.30	34.12
AV	4.99996G	49.62	54.00	-4.38	5.38	3	Vertical	181	1.84	44.24	33.20	6.30	34.12
PK	11.01612G	50.70	74.00	-23.30	16.08	3	Vertical	194	1.09	34.62	38.98	11.26	34.16
AV	11.01598G	37.23	54.00	-16.77	16.08	3	Vertical	194	1.09	21.15	38.98	11.26	34.16
PK	16.52994G	50.36	68.20	-17.84	16.85	3	Vertical	285	2.77	33.51	38.31	12.68	34.14

5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.41	54.00	-0.59	5.38	3	Horizontal	189	2.11	48.03	33.20	6.30	34.12
AV	11.0173G	37.23	54.00	-16.77	16.08	3	Horizontal	208	1.21	21.15	38.98	11.26	34.16
PK	4.9998G	62.59	74.00	-11.41	5.38	3	Horizontal	189	2.11	57.21	33.20	6.30	34.12
PK	11.01994G	50.28	74.00	-23.72	16.08	3	Horizontal	208	1.21	34.20	38.98	11.26	34.16
PK	16.52578G	50.81	68.20	-17.39	16.85	3	Horizontal	321	1.67	33.96	38.32	12.68	34.15

5.47-5.725GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	49.83	54.00	-4.17	5.37	3	Vertical	187	1.69	44.46	32.90	6.64	34.17
AV	5.558G	107.05	Inf	-Inf	5.47	3	Vertical	187	1.69	101.58	32.92	6.73	34.18
PK	5.4544G	63.64	74.00	-10.36	5.37	3	Vertical	187	1.69	58.27	32.90	6.64	34.17
PK	5.4672G	64.71	68.20	-3.49	5.37	3	Vertical	187	1.69	59.34	32.90	6.65	34.18
PK	5.5632G	120.90	Inf	-Inf	5.48	3	Vertical	187	1.69	115.42	32.93	6.74	34.19

5.47-5.725GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.16	54.00	-1.84	5.36	3	Horizontal	186	1.87	46.80	32.90	6.64	34.18
AV	5.556G	108.47	Inf	-Inf	5.46	3	Horizontal	186	1.87	103.01	32.91	6.73	34.18
PK	5.45G	66.03	74.00	-7.97	5.36	3	Horizontal	186	1.87	60.67	32.90	6.63	34.17
PK	5.4668G	67.89	68.20	-0.31	5.37	3	Horizontal	186	1.87	62.52	32.90	6.65	34.18
PK	5.5508G	122.25	Inf	-Inf	5.45	3	Horizontal	186	1.87	116.80	32.90	6.73	34.18



5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	52.22	54.00	-1.78	5.38	3	Vertical	181	1.50	46.84	33.20	6.30	34.12
AV	11.10274G	37.61	54.00	-16.39	16.05	3	Vertical	191	2.04	21.56	38.90	11.29	34.14
PK	5.00014G	62.00	74.00	-12.00	5.38	3	Vertical	181	1.50	56.62	33.20	6.30	34.12
PK	11.10008G	51.60	74.00	-22.40	16.05	3	Vertical	191	2.04	35.55	38.90	11.29	34.14
PK	16.6538G	51.62	68.20	-16.58	17.05	3	Vertical	312	2.87	34.57	38.21	12.74	33.90

5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.30	54.00	-0.70	5.38	3	Horizontal	181	2.19	47.92	33.20	6.30	34.12
AV	11.09948G	37.22	54.00	-16.78	16.05	3	Horizontal	176	1.50	21.17	38.90	11.29	34.14
PK	5.00016G	61.22	74.00	-12.78	5.38	3	Horizontal	181	2.19	55.84	33.20	6.30	34.12
PK	11.10178G	50.43	74.00	-23.57	16.05	3	Horizontal	176	1.50	34.38	38.90	11.29	34.14
PK	16.64978G	53.12	68.20	-15.08	17.04	3	Horizontal	255	1.69	36.08	38.20	12.74	33.90



5.47-5.725GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6652G	104.45	Inf	-Inf	5.80	3	Vertical	187	1.64	98.65	33.18	6.81	34.19
PK	5.6616G	119.09	Inf	-Inf	5.76	3	Vertical	187	1.64	113.33	33.14	6.81	34.19
PK	5.7252G	65.12	68.20	-3.08	6.35	3	Vertical	187	1.64	58.77	33.70	6.85	34.20

5.47-5.725GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6616G	105.35	Inf	-Inf	5.76	3	Horizontal	186	1.90	99.59	33.14	6.81	34.19
PK	5.6622G	118.43	Inf	-Inf	5.77	3	Horizontal	186	1.90	112.66	33.15	6.81	34.19
PK	5.7252G	67.19	68.20	-1.01	6.35	3	Horizontal	186	1.90	60.84	33.70	6.85	34.20



5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	49.86	54.00	-4.14	5.38	3	Vertical	179	1.50	44.48	33.20	6.30	34.12
AV	11.34216G	38.48	54.00	-15.52	16.43	3	Vertical	133	1.50	22.05	39.14	11.38	34.09
PK	5.00002G	58.40	74.00	-15.60	5.38	3	Vertical	179	1.50	53.02	33.20	6.30	34.12
PK	11.3544G	53.61	74.00	-20.39	16.44	3	Vertical	133	1.50	37.17	39.15	11.38	34.09
PK	16.99164G	52.12	68.20	-16.08	17.76	3	Vertical	262	1.50	34.36	38.10	12.89	33.23

5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	51.33	54.00	-2.67	5.38	3	Horizontal	180	2.18	45.95	33.20	6.30	34.12
AV	11.35512G	38.44	54.00	-15.56	16.45	3	Horizontal	186	1.99	21.99	39.16	11.38	34.09
PK	4.99998G	57.97	74.00	-16.03	5.38	3	Horizontal	180	2.18	52.59	33.20	6.30	34.12
PK	11.34108G	52.21	74.00	-21.79	16.43	3	Horizontal	186	1.99	35.78	39.14	11.38	34.09
PK	17.01816G	52.05	68.20	-16.15	17.80	3	Horizontal	93	1.50	34.25	38.12	12.90	33.22



5.47-5.725GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	49.74	54.00	-4.26	5.37	3	Vertical	186	1.78	44.37	32.90	6.64	34.17
AV	5.704G	111.18	Inf	-Inf	6.26	3	Vertical	186	1.78	104.92	33.62	6.84	34.20
PK	5.4424G	64.35	74.00	-9.65	5.36	3	Vertical	186	1.78	58.99	32.90	6.63	34.17
PK	5.4604G	63.58	68.20	-4.62	5.36	3	Vertical	186	1.78	58.22	32.90	6.64	34.18
PK	5.6992G	125.77	Inf	-Inf	6.22	3	Vertical	186	1.78	119.55	33.59	6.83	34.20
PK	5.8564G	64.47	68.20	-3.73	6.87	3	Vertical	186	1.78	57.60	34.13	6.95	34.21

5.47-5.725GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	50.80	54.00	-3.20	5.37	3	Horizontal	183	1.80	45.43	32.90	6.64	34.17
AV	5.7016G	111.45	Inf	-Inf	6.25	3	Horizontal	183	1.80	105.20	33.61	6.84	34.20
PK	5.4136G	64.79	74.00	-9.21	5.33	3	Horizontal	183	1.80	59.46	32.90	6.60	34.17
PK	5.47G	64.50	68.20	-3.70	5.37	3	Horizontal	183	1.80	59.13	32.90	6.65	34.18
PK	5.7184G	125.00	Inf	-Inf	6.32	3	Horizontal	183	1.80	118.68	33.67	6.85	34.20
PK	5.8504G	66.72	68.20	-1.48	6.83	3	Horizontal	183	1.80	59.89	34.10	6.94	34.21



5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	49.49	54.00	-4.51	5.38	3	Vertical	180	1.85	44.11	33.20	6.30	34.12
AV	11.4223G	39.27	54.00	-14.73	16.51	3	Vertical	192	1.50	22.76	39.18	11.41	34.08
PK	5.00002G	59.73	74.00	-14.27	5.38	3	Vertical	180	1.85	54.35	33.20	6.30	34.12
PK	11.41624G	53.45	74.00	-20.55	16.50	3	Vertical	192	1.50	36.95	39.18	11.40	34.08
PK	17.13072G	51.27	68.20	-16.93	17.90	3	Vertical	252	1.84	33.37	38.20	12.95	33.25

5.47-5.725GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	48.42	54.00	-5.58	5.38	3	Horizontal	182	1.85	43.04	33.20	6.30	34.12
AV	11.4191G	38.59	54.00	-15.41	16.51	3	Horizontal	176	2.61	22.08	39.18	11.41	34.08
PK	4.99994G	58.49	74.00	-15.51	5.38	3	Horizontal	182	1.85	53.11	33.20	6.30	34.12
PK	11.4157G	51.98	74.00	-22.02	16.50	3	Horizontal	176	2.61	35.48	39.18	11.40	34.08
PK	17.13346G	50.95	68.20	-17.25	17.91	3	Horizontal	265	1.89	33.04	38.20	12.96	33.25



5.725-5.85GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	48.49	54.00	-5.51	5.37	3	Vertical	190	1.70	43.12	32.90	6.64	34.17
AV	5.7466G	106.96	Inf	-Inf	6.46	3	Vertical	190	1.70	100.50	33.79	6.87	34.20
PK	5.6458G	66.13	68.20	-2.07	5.61	3	Vertical	190	1.70	60.52	33.00	6.80	34.19
PK	5.7418G	120.78	Inf	-Inf	6.43	3	Vertical	190	1.70	114.35	33.77	6.86	34.20
PK	5.9338G	63.07	68.20	-5.13	7.03	3	Vertical	190	1.70	56.04	34.23	7.01	34.21

5.725-5.85GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	48.78	54.00	-5.22	5.37	3	Horizontal	189	2.06	43.41	32.90	6.64	34.17
AV	5.7466G	107.26	Inf	-Inf	6.46	3	Horizontal	189	2.06	100.80	33.79	6.87	34.20
PK	5.6458G	65.29	68.20	-2.91	5.61	3	Horizontal	189	2.06	59.68	33.00	6.80	34.19
PK	5.7646G	120.52	Inf	-Inf	6.57	3	Horizontal	189	2.06	113.95	33.89	6.88	34.20
PK	5.929G	63.71	68.20	-4.49	7.04	3	Horizontal	189	2.06	56.67	34.24	7.01	34.21



5.725-5.85GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	48.86	54.00	-5.14	5.38	3	Vertical	179	1.50	43.48	33.20	6.30	34.12
AV	11.50988G	42.58	54.00	-11.42	16.43	3	Vertical	190	2.35	26.15	39.06	11.44	34.07
PK	4.99976G	57.50	74.00	-16.50	5.38	3	Vertical	179	1.50	52.12	33.20	6.30	34.12
PK	11.5148G	57.20	74.00	-16.80	16.41	3	Vertical	190	2.35	40.79	39.04	11.44	34.07
PK	17.25288G	54.54	68.20	-13.66	17.97	3	Vertical	251	1.92	36.57	38.25	13.01	33.29

5.725-5.85GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	49.69	54.00	-4.31	5.38	3	Horizontal	182	2.18	44.31	33.20	6.30	34.12
AV	11.50856G	39.87	54.00	-14.13	16.44	3	Horizontal	165	1.81	23.43	39.07	11.44	34.07
PK	4.99998G	58.47	74.00	-15.53	5.38	3	Horizontal	182	2.18	53.09	33.20	6.30	34.12
PK	11.51144G	53.66	74.00	-20.34	16.42	3	Horizontal	165	1.81	37.24	39.05	11.44	34.07
PK	17.27004G	52.16	68.20	-16.04	17.99	3	Horizontal	185	1.50	34.17	38.27	13.02	33.30



5.725-5.85GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	108.66	Inf	-Inf	6.72	3	Vertical	189	1.78	101.94	34.03	6.89	34.20
PK	5.645G	66.74	68.20	-1.46	5.61	3	Vertical	189	1.78	61.13	33.00	6.80	34.19
PK	5.7842G	122.20	Inf	-Inf	6.70	3	Vertical	189	1.78	115.50	34.01	6.89	34.20
PK	5.921G	66.15	71.16	-5.01	7.05	3	Vertical	189	1.78	59.10	34.26	7.00	34.21

5.725-5.85GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	109.42	Inf	-Inf	6.80	3	Horizontal	191	1.76	102.62	34.10	6.90	34.20
PK	5.6474G	65.75	68.20	-2.45	5.61	3	Horizontal	191	1.76	60.14	33.00	6.80	34.19
PK	5.7962G	123.79	Inf	-Inf	6.78	3	Horizontal	191	1.76	117.01	34.08	6.90	34.20
PK	5.9234G	68.59	69.38	-0.79	7.04	3	Horizontal	191	1.76	61.55	34.25	7.00	34.21



5.725-5.85GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	48.91	54.00	-5.09	5.38	3	Vertical	194	1.83	43.53	33.20	6.30	34.12
AV	11.58856G	41.35	54.00	-12.65	16.11	3	Vertical	189	2.38	25.24	38.75	11.47	34.11
PK	5.00006G	58.34	74.00	-15.66	5.38	3	Vertical	194	1.83	52.96	33.20	6.30	34.12
PK	11.58664G	55.88	74.00	-18.12	16.11	3	Vertical	189	2.38	39.77	38.75	11.47	34.11
PK	17.39412G	53.49	68.20	-14.71	18.31	3	Vertical	251	1.78	35.18	38.58	13.07	33.34

5.725-5.85GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	50.61	54.00	-3.39	5.38	3	Horizontal	182	1.69	45.23	33.20	6.30	34.12
AV	11.58148G	38.93	54.00	-15.07	16.13	3	Horizontal	177	2.54	22.80	38.77	11.47	34.11
PK	5G	58.68	74.00	-15.32	5.38	3	Horizontal	182	1.69	53.30	33.20	6.30	34.12
PK	11.58196G	52.66	74.00	-21.34	16.13	3	Horizontal	177	2.54	36.53	38.77	11.47	34.11
PK	17.38212G	53.54	68.20	-14.66	18.29	3	Horizontal	277	1.86	35.25	38.55	13.07	33.33



5.15-5.25GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.90	54.00	-0.10	5.38	3	Vertical	187	1.93	48.52	33.20	6.30	34.12
AV	5.2G	98.56	Inf	-Inf	5.41	3	Vertical	187	1.93	93.15	33.10	6.45	34.14
AV	5.352G	49.16	54.00	-4.84	5.30	3	Vertical	187	1.93	43.86	32.90	6.56	34.16
PK	5.15G	63.86	74.00	-10.14	5.37	3	Vertical	187	1.93	58.49	33.10	6.41	34.14
PK	5.233G	111.53	Inf	-Inf	5.35	3	Vertical	187	1.93	106.18	33.03	6.47	34.15
PK	5.439G	61.37	74.00	-12.63	5.36	3	Vertical	187	1.93	56.01	32.90	6.63	34.17

5.15-5.25GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	52.24	54.00	-1.76	5.38	3	Horizontal	183	1.93	46.86	33.20	6.30	34.12
AV	5.198G	98.92	Inf	-Inf	5.41	3	Horizontal	183	1.93	93.51	33.10	6.45	34.14
AV	5.351G	48.36	54.00	-5.64	5.30	3	Horizontal	183	1.93	43.06	32.90	6.56	34.16
PK	5.15G	64.14	74.00	-9.86	5.37	3	Horizontal	183	1.93	58.77	33.10	6.41	34.14
PK	5.228G	111.01	Inf	-Inf	5.36	3	Horizontal	183	1.93	105.65	33.04	6.47	34.15
PK	5.356G	60.36	74.00	-13.64	5.30	3	Horizontal	183	1.93	55.06	32.90	6.56	34.16



5.15-5.25GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99994G	53.51	54.00	-0.49	5.38	3	Vertical	184	1.50	48.13	33.20	6.30	34.12
AV	15.57672G	39.62	54.00	-14.38	16.58	3	Vertical	119	1.50	23.04	38.75	12.18	34.35
PK	5.00004G	60.65	74.00	-13.35	5.38	3	Vertical	184	1.50	55.27	33.20	6.30	34.12
PK	10.36504G	50.80	68.20	-17.40	15.30	3	Vertical	121	1.50	35.50	38.90	11.02	34.62
PK	15.684G	52.00	74.00	-22.00	16.26	3	Vertical	119	1.50	35.74	38.45	12.24	34.43

5.15-5.25GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00002G	53.71	54.00	-0.29	5.38	3	Horizontal	188	2.00	48.33	33.20	6.30	34.12
AV	15.5724G	39.71	54.00	-14.29	16.58	3	Horizontal	105	1.50	23.13	38.76	12.17	34.35
PK	4.9999G	61.55	74.00	-12.45	5.38	3	Horizontal	188	2.00	56.17	33.20	6.30	34.12
PK	10.44472G	50.81	68.20	-17.39	15.38	3	Horizontal	158	1.50	35.43	38.90	11.04	34.56
PK	15.57624G	53.11	74.00	-20.89	16.58	3	Horizontal	105	1.50	36.53	38.75	12.18	34.35



5.25-5.35GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	48.73	54.00	-5.27	5.37	3	Vertical	184	1.60	43.36	33.10	6.41	34.14
AV	5.303G	98.99	Inf	-Inf	5.35	3	Vertical	184	1.60	93.64	32.99	6.52	34.16
AV	5.351G	52.66	54.00	-1.34	5.30	3	Vertical	184	1.60	47.36	32.90	6.56	34.16
PK	5.138G	60.77	74.00	-13.23	5.36	3	Vertical	184	1.60	55.41	33.10	6.40	34.14
PK	5.312G	110.78	Inf	-Inf	5.35	3	Vertical	184	1.60	105.43	32.98	6.53	34.16
PK	5.351G	65.08	74.00	-8.92	5.30	3	Vertical	184	1.60	59.78	32.90	6.56	34.16
PK	5.489G	62.39	68.20	-5.81	5.39	3	Vertical	184	1.60	57.00	32.90	6.67	34.18

5.25-5.35GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.66	54.00	-3.34	5.37	3	Horizontal	184	1.94	45.29	33.10	6.41	34.14
AV	5.278G	100.11	Inf	-Inf	5.35	3	Horizontal	184	1.94	94.76	33.00	6.50	34.15
AV	5.35G	53.80	54.00	-0.20	5.29	3	Horizontal	184	1.94	48.51	32.90	6.55	34.16
PK	5.149G	62.22	74.00	-11.78	5.37	3	Horizontal	184	1.94	56.85	33.10	6.41	34.14
PK	5.279G	112.73	Inf	-Inf	5.36	3	Horizontal	184	1.94	107.37	33.00	6.51	34.15
PK	5.35G	66.29	74.00	-7.71	5.29	3	Horizontal	184	1.94	61.00	32.90	6.55	34.16
PK	5.502G	61.91	68.20	-6.29	5.40	3	Horizontal	184	1.94	56.51	32.90	6.68	34.18



5.25-5.35GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.76	54.00	-0.24	5.38	3	Vertical	186	1.68	48.38	33.20	6.30	34.12
AV	15.88632G	39.47	54.00	-14.53	16.01	3	Vertical	33	1.50	23.46	38.23	12.37	34.59
PK	4.99998G	61.06	74.00	-12.94	5.38	3	Vertical	186	1.68	55.68	33.20	6.30	34.12
PK	10.63088G	51.27	74.00	-22.73	15.68	3	Vertical	244	1.50	35.59	38.99	11.11	34.42
PK	15.8856G	51.81	74.00	-22.19	16.01	3	Vertical	33	1.50	35.80	38.23	12.37	34.59

5.25-5.35GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	52.40	54.00	-1.60	5.38	3	Horizontal	190	1.68	47.02	33.20	6.30	34.12
AV	15.86626G	38.99	54.00	-15.01	16.05	3	Horizontal	137	1.56	22.94	38.27	12.36	34.58
PK	4.99986G	60.97	74.00	-13.03	5.38	3	Horizontal	190	1.68	55.59	33.20	6.30	34.12
PK	10.5833G	50.00	68.20	-18.20	15.55	3	Horizontal	22	1.31	34.45	38.90	11.10	34.45
PK	15.86714G	51.13	74.00	-22.87	16.05	3	Horizontal	137	1.56	35.08	38.27	12.36	34.58



5.47-5.725GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.50	54.00	-6.50	5.29	3	Vertical	187	1.57	42.21	32.90	6.55	34.16
AV	5.458G	52.60	54.00	-1.40	5.37	3	Vertical	187	1.57	47.23	32.90	6.64	34.17
AV	5.517G	99.50	Inf	-Inf	5.42	3	Vertical	187	1.57	94.08	32.90	6.70	34.18
PK	5.34G	60.15	68.20	-8.05	5.31	3	Vertical	187	1.57	54.84	32.92	6.55	34.16
PK	5.46G	65.41	74.00	-8.59	5.36	3	Vertical	187	1.57	60.05	32.90	6.64	34.18
PK	5.469G	66.29	68.20	-1.91	5.37	3	Vertical	187	1.57	60.92	32.90	6.65	34.18
PK	5.528G	111.83	Inf	-Inf	5.43	3	Vertical	187	1.57	106.40	32.90	6.71	34.18
PK	5.727G	60.82	68.20	-7.38	6.36	3	Vertical	187	1.57	54.46	33.71	6.85	34.20

5.47-5.725GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.18	54.00	-4.82	5.29	3	Horizontal	187	2.06	43.89	32.90	6.55	34.16
AV	5.457G	53.74	54.00	-0.26	5.37	3	Horizontal	187	2.06	48.37	32.90	6.64	34.17
AV	5.518G	100.69	Inf	-Inf	5.42	3	Horizontal	187	2.06	95.27	32.90	6.70	34.18
PK	5.337G	63.20	68.20	-5.00	5.32	3	Horizontal	187	2.06	57.88	32.93	6.55	34.16
PK	5.459G	66.05	74.00	-7.95	5.36	3	Horizontal	187	2.06	60.69	32.90	6.64	34.18
PK	5.465G	67.78	68.20	-0.42	5.37	3	Horizontal	187	2.06	62.41	32.90	6.65	34.18
PK	5.55G	112.90	Inf	-Inf	5.44	3	Horizontal	187	2.06	107.46	32.90	6.72	34.18
PK	5.751G	61.83	68.20	-6.37	6.48	3	Horizontal	187	2.06	55.35	33.81	6.87	34.20



5.47-5.725GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	51.42	54.00	-2.58	5.38	3	Vertical	178	1.50	46.04	33.20	6.30	34.12
AV	11.05906G	38.59	54.00	-15.41	16.06	3	Vertical	80	2.71	22.53	38.94	11.27	34.15
PK	5.00022G	59.33	74.00	-14.67	5.38	3	Vertical	178	1.50	53.95	33.20	6.30	34.12
PK	11.0598G	50.03	74.00	-23.97	16.06	3	Vertical	80	2.71	33.97	38.94	11.27	34.15
PK	16.58982G	51.58	68.20	-16.62	16.82	3	Vertical	90	2.13	34.76	38.13	12.71	34.02

5.47-5.725GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.00006G	52.08	54.00	-1.92	5.38	3	Horizontal	182	2.25	46.70	33.20	6.30	34.12
AV	11.05988G	38.37	54.00	-15.63	16.06	3	Horizontal	248	2.53	22.31	38.94	11.27	34.15
PK	4.99998G	57.25	74.00	-16.75	5.38	3	Horizontal	182	2.25	51.87	33.20	6.30	34.12
PK	11.05922G	49.75	74.00	-24.25	16.06	3	Horizontal	248	2.53	33.69	38.94	11.27	34.15
PK	16.5858G	50.76	68.20	-17.44	16.82	3	Horizontal	82	2.23	33.94	38.14	12.71	34.03

5.47-5.725GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.56	54.00	-3.44	5.37	3	Vertical	187	1.65	45.19	32.90	6.64	34.17
AV	5.623G	104.10	Inf	-Inf	5.59	3	Vertical	187	1.65	98.51	33.00	6.78	34.19
PK	5.458G	62.74	74.00	-11.26	5.37	3	Vertical	187	1.65	57.37	32.90	6.64	34.17
PK	5.47G	63.44	68.20	-4.76	5.37	3	Vertical	187	1.65	58.07	32.90	6.65	34.18
PK	5.608G	116.70	Inf	-Inf	5.59	3	Vertical	187	1.65	111.11	33.00	6.78	34.19
PK	5.726G	63.98	68.20	-4.22	6.35	3	Vertical	187	1.65	57.63	33.70	6.85	34.20

5.47-5.725GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.56	54.00	-1.44	5.37	3	Horizontal	182	1.76	47.19	32.90	6.64	34.17
AV	5.598G	104.74	Inf	-Inf	5.58	3	Horizontal	182	1.76	99.16	33.00	6.77	34.19
PK	5.46G	64.30	74.00	-9.70	5.36	3	Horizontal	182	1.76	58.94	32.90	6.64	34.18
PK	5.469G	65.54	68.20	-2.66	5.37	3	Horizontal	182	1.76	60.17	32.90	6.65	34.18
PK	5.622G	117.04	Inf	-Inf	5.59	3	Horizontal	182	1.76	111.45	33.00	6.78	34.19
PK	5.725G	66.71	68.20	-1.49	6.35	3	Horizontal	182	1.76	60.36	33.70	6.85	34.20



5.47-5.725GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.99998G	58.96	74.00	-15.04	5.38	3	Vertical	180	1.50	53.58	33.20	6.30	34.12
AV	4.99998G	52.08	54.00	-1.92	5.38	3	Vertical	180	1.50	46.70	33.20	6.30	34.12
PK	11.21892G	50.01	74.00	-23.99	16.23	3	Vertical	246	2.66	33.78	39.02	11.33	34.12
AV	11.22448G	38.79	54.00	-15.21	16.23	3	Vertical	246	2.66	22.56	39.02	11.33	34.12
PK	16.83472G	51.22	68.20	-16.98	17.51	3	Vertical	166	2.00	33.71	38.23	12.82	33.54

5.47-5.725GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.99996G	59.32	74.00	-14.68	5.38	3	Horizontal	183	1.77	53.94	33.20	6.30	34.12
AV	5G	52.40	54.00	-1.60	5.38	3	Horizontal	183	1.77	47.02	33.20	6.30	34.12
PK	11.22336G	50.09	74.00	-23.91	16.23	3	Horizontal	354	2.07	33.86	39.02	11.33	34.12
AV	11.22158G	38.98	54.00	-15.02	16.23	3	Horizontal	354	2.07	22.75	39.02	11.33	34.12
PK	16.83122G	51.04	68.20	-17.16	17.52	3	Horizontal	350	2.57	33.52	38.24	12.82	33.54

5.47-5.725GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	50.57	54.00	-3.43	5.36	3	Vertical	187	1.73	45.21	32.90	6.63	34.17
AV	5.678G	107.06	Inf	-Inf	5.97	3	Vertical	187	1.73	101.09	33.34	6.82	34.19
PK	5.45G	62.29	74.00	-11.71	5.36	3	Vertical	187	1.73	56.93	32.90	6.63	34.17
PK	5.462G	62.56	68.20	-5.64	5.37	3	Vertical	187	1.73	57.19	32.90	6.65	34.18
PK	5.6876G	119.67	Inf	-Inf	6.08	3	Vertical	187	1.73	113.59	33.45	6.83	34.20
PK	5.8508G	64.47	68.20	-3.73	6.83	3	Vertical	187	1.73	57.64	34.10	6.94	34.21

5.47-5.725GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	51.64	54.00	-2.36	5.37	3	Horizontal	189	1.69	46.27	32.90	6.64	34.17
AV	5.7008G	107.09	Inf	-Inf	6.24	3	Horizontal	189	1.69	100.85	33.60	6.84	34.20
PK	5.4404G	63.68	74.00	-10.32	5.36	3	Horizontal	189	1.69	58.32	32.90	6.63	34.17
PK	5.4692G	63.80	68.20	-4.40	5.37	3	Horizontal	189	1.69	58.43	32.90	6.65	34.18
PK	5.708G	119.55	Inf	-Inf	6.27	3	Horizontal	189	1.69	113.28	33.63	6.84	34.20
PK	5.8736G	67.10	68.20	-1.10	6.94	3	Horizontal	189	1.69	60.16	34.19	6.96	34.21



5.47-5.725GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	50.79	54.00	-3.21	5.38	3	Vertical	195	1.83	45.41	33.20	6.30	34.12
AV	11.3772G	39.96	54.00	-14.04	16.49	3	Vertical	37	2.38	23.47	39.18	11.39	34.08
PK	5G	58.47	74.00	-15.53	5.38	3	Vertical	195	1.83	53.09	33.20	6.30	34.12
PK	11.3825G	51.33	74.00	-22.67	16.49	3	Vertical	37	2.38	34.84	39.18	11.39	34.08
PK	17.066G	50.16	68.20	-18.04	17.87	3	Vertical	234	1.90	32.29	38.17	12.93	33.23
PK	17.07492G	51.27	68.20	-16.93	17.87	3	Vertical	83	1.86	33.40	38.17	12.93	33.23

5.47-5.725GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99986G	50.82	54.00	-3.18	5.38	3	Horizontal	180	2.11	45.44	33.20	6.30	34.12
AV	11.39704G	40.88	54.00	-13.12	16.52	3	Horizontal	192	2.73	24.36	39.20	11.40	34.08
PK	5.00002G	57.58	74.00	-16.42	5.38	3	Horizontal	180	2.11	52.20	33.20	6.30	34.12
PK	11.37424G	52.61	74.00	-21.39	16.47	3	Horizontal	192	2.73	36.14	39.17	11.39	34.09
PK	17.06526G	51.68	68.20	-16.52	17.86	3	Horizontal	41	1.27	33.82	38.17	12.92	33.23



5.725-5.85GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	101.22	Inf	-Inf	6.51	3	Vertical	188	1.80	94.71	33.84	6.87	34.20
PK	5.6406G	66.36	68.20	-1.84	5.61	3	Vertical	188	1.80	60.75	33.00	6.80	34.19
PK	5.7726G	115.64	Inf	-Inf	6.62	3	Vertical	188	1.80	109.02	33.94	6.88	34.20
PK	5.9526G	62.24	68.20	-5.96	7.00	3	Vertical	188	1.80	55.24	34.19	7.03	34.22

5.725-5.85GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	102.46	Inf	-Inf	6.56	3	Horizontal	184	1.94	95.90	33.88	6.88	34.20
PK	5.643G	66.43	68.20	-1.77	5.61	3	Horizontal	184	1.94	60.82	33.00	6.80	34.19
PK	5.787G	116.93	Inf	-Inf	6.71	3	Horizontal	184	1.94	110.22	34.02	6.89	34.20
PK	5.9418G	64.30	68.20	-3.90	7.02	3	Horizontal	184	1.94	57.28	34.22	7.02	34.22



5.725-5.85GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99996G	48.69	54.00	-5.31	5.38	3	Vertical	179	1.50	43.31	33.20	6.30	34.12
AV	11.5524G	39.39	54.00	-14.61	16.25	3	Vertical	186	2.77	23.14	38.89	11.45	34.09
PK	5.0001G	56.92	74.00	-17.08	5.38	3	Vertical	179	1.50	51.54	33.20	6.30	34.12
PK	11.54256G	53.89	74.00	-20.11	16.29	3	Vertical	186	2.77	37.60	38.93	11.45	34.09
PK	17.30628G	51.88	68.20	-16.32	18.04	3	Vertical	327	1.50	33.84	38.32	13.03	33.31

5.725-5.85GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99992G	50.48	54.00	-3.52	5.38	3	Horizontal	180	2.10	45.10	33.20	6.30	34.12
AV	11.5284G	38.22	54.00	-15.78	16.36	3	Horizontal	112	1.50	21.86	38.99	11.45	34.08
PK	5.00004G	58.42	74.00	-15.58	5.38	3	Horizontal	180	2.10	53.04	33.20	6.30	34.12
PK	11.55912G	52.11	74.00	-21.89	16.22	3	Horizontal	112	1.50	35.89	38.86	11.46	34.10
PK	17.37852G	52.64	68.20	-15.56	18.28	3	Horizontal	14	2.70	34.36	38.54	13.07	33.33



5.25-5.35GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0004G	52.59	54.00	-1.41	5.38	3	Vertical	185	1.93	47.21	33.20	6.30	34.12
AV	5.256G	96.51	Inf	-Inf	5.34	3	Vertical	185	1.93	91.17	33.00	6.49	34.15
AV	5.3988G	52.01	54.00	-1.99	5.32	3	Vertical	185	1.93	46.69	32.90	6.59	34.17
PK	5.1312G	65.61	74.00	-8.39	5.36	3	Vertical	185	1.93	60.25	33.10	6.40	34.14
PK	5.226G	108.35	Inf	-Inf	5.37	3	Vertical	185	1.93	102.98	33.05	6.47	34.15
PK	5.382G	67.38	74.00	-6.62	5.31	3	Vertical	185	1.93	62.07	32.90	6.58	34.17
PK	5.4816G	62.89	68.20	-5.31	5.38	3	Vertical	185	1.93	57.51	32.90	6.66	34.18

5.25-5.35GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.81	54.00	-0.19	5.37	3	Horizontal	188	1.85	48.44	33.10	6.41	34.14
AV	5.2308G	97.65	Inf	-Inf	5.36	3	Horizontal	188	1.85	92.29	33.04	6.47	34.15
AV	5.352G	53.09	54.00	-0.91	5.30	3	Horizontal	188	1.85	47.79	32.90	6.56	34.16
PK	5.1336G	68.71	74.00	-5.29	5.36	3	Horizontal	188	1.85	63.35	33.10	6.40	34.14
PK	5.238G	108.96	Inf	-Inf	5.35	3	Horizontal	188	1.85	103.61	33.02	6.48	34.15
PK	5.376G	66.75	74.00	-7.25	5.30	3	Horizontal	188	1.85	61.45	32.90	6.57	34.17
PK	5.4696G	62.85	68.20	-5.35	5.37	3	Horizontal	188	1.85	57.48	32.90	6.65	34.18



5.25-5.35GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.99998G	53.04	54.00	-0.96	5.38	3	Vertical	189	1.50	47.66	33.20	6.30	34.12
AV	15.65944G	39.31	54.00	-14.69	16.34	3	Vertical	355	1.50	22.97	38.52	12.23	34.41
PK	4.99982G	62.01	74.00	-11.99	5.38	3	Vertical	189	1.50	56.63	33.20	6.30	34.12
PK	10.61664G	50.81	74.00	-23.19	15.63	3	Vertical	269	1.50	35.18	38.95	11.11	34.43
PK	15.63864G	51.83	74.00	-22.17	16.40	3	Vertical	355	1.50	35.43	38.58	12.22	34.40

5.25-5.35GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.78	54.00	-0.22	5.38	3	Horizontal	187	1.50	48.40	33.20	6.30	34.12
AV	15.64728G	39.55	54.00	-14.45	16.38	3	Horizontal	183	1.50	23.17	38.56	12.22	34.40
PK	5.00006G	63.05	74.00	-10.95	5.38	3	Horizontal	187	1.50	57.67	33.20	6.30	34.12
PK	10.4712G	50.79	68.20	-17.41	15.42	3	Horizontal	6	1.50	35.37	38.90	11.05	34.53
PK	15.72312G	51.56	74.00	-22.44	16.21	3	Horizontal	183	1.50	35.35	38.40	12.27	34.46



5.47-5.725GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.58	54.00	-4.42	5.36	3	Vertical	184	1.78	44.22	32.90	6.64	34.18
AV	5.5844G	94.72	Inf	-Inf	5.54	3	Vertical	184	1.78	89.18	32.97	6.76	34.19
PK	5.3288G	59.90	68.20	-8.30	5.32	3	Vertical	184	1.78	54.58	32.94	6.54	34.16
PK	5.438G	62.25	74.00	-11.75	5.35	3	Vertical	184	1.78	56.90	32.90	6.62	34.17
PK	5.4656G	61.07	68.20	-7.13	5.37	3	Vertical	184	1.78	55.70	32.90	6.65	34.18
PK	5.5976G	107.24	Inf	-Inf	5.58	3	Vertical	184	1.78	101.66	33.00	6.77	34.19
PK	5.744G	61.64	68.20	-6.56	6.44	3	Vertical	184	1.78	55.20	33.78	6.86	34.20

5.47-5.725GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	50.14	54.00	-3.86	5.37	3	Horizontal	187	1.94	44.77	32.90	6.64	34.17
AV	5.5664G	95.01	Inf	-Inf	5.48	3	Horizontal	187	1.94	89.53	32.93	6.74	34.19
PK	5.3192G	60.73	68.20	-7.47	5.33	3	Horizontal	187	1.94	55.40	32.96	6.53	34.16
PK	5.4548G	64.00	74.00	-10.00	5.37	3	Horizontal	187	1.94	58.63	32.90	6.64	34.17
PK	5.4644G	62.47	68.20	-5.73	5.37	3	Horizontal	187	1.94	57.10	32.90	6.65	34.18
PK	5.5388G	106.46	Inf	-Inf	5.43	3	Horizontal	187	1.94	101.03	32.90	6.71	34.18
PK	5.7632G	61.96	68.20	-6.24	6.56	3	Horizontal	187	1.94	55.40	33.88	6.88	34.20



5.47-5.725GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5G	58.51	74.00	-15.49	5.38	3	Vertical	188	1.80	53.13	33.20	6.30	34.12
AV	5.00006G	53.13	54.00	-0.87	5.38	3	Vertical	188	1.80	47.75	33.20	6.30	34.12
PK	11.13834G	50.43	74.00	-23.57	16.11	3	Vertical	239	2.81	34.32	38.94	11.30	34.13
AV	11.13712G	39.06	54.00	-14.94	16.11	3	Vertical	239	2.81	22.95	38.94	11.30	34.13
PK	16.7106G	52.06	68.20	-16.14	17.28	3	Vertical	36	1.45	34.78	38.30	12.76	33.78

5.47-5.725GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.9999G	58.64	74.00	-15.36	5.38	3	Horizontal	189	2.04	53.26	33.20	6.30	34.12
AV	4.99998G	53.87	54.00	-0.13	5.38	3	Horizontal	189	2.04	48.49	33.20	6.30	34.12
PK	11.13956G	50.61	74.00	-23.39	16.11	3	Horizontal	247	2.28	34.50	38.94	11.30	34.13
AV	11.13956G	38.61	54.00	-15.39	16.11	3	Horizontal	247	2.28	22.50	38.94	11.30	34.13
PK	16.71252G	51.68	68.20	-16.52	17.28	3	Horizontal	148	1.41	34.40	38.30	12.76	33.78



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.3115G	53.85	54.00	-0.15	Horizontal
Mode 2	Pass	AV	4.87398G	53.85	54.00	-0.15	Horizontal
Mode 3	Pass	AV	4.87397G	53.13	54.00	-0.87	Horizontal
Mode 4	Pass	AV	4.87394G	53.56	54.00	-0.44	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87397G	47.59	54.00	-6.41	5.31	3	Vertical	0	1.25	-
Mode 1	Pass	AV	4.95969G	46.61	54.00	-7.39	5.76	3	Vertical	350	1.50	-
Mode 1	Pass	AV	7.3115G	51.97	54.00	-2.03	10.58	3	Vertical	318	1.50	-
Mode 1	Pass	AV	10.45505G	43.40	68.20	-24.80	14.51	3	Vertical	129	1.50	-
Mode 1	Pass	AV	15.69958G	46.06	54.00	-7.94	16.80	3	Vertical	217	1.50	-
Mode 1	Pass	PK	4.87407G	51.25	74.00	-22.75	5.31	3	Vertical	0	1.25	-
Mode 1	Pass	PK	4.95285G	52.03	74.00	-21.97	5.74	3	Vertical	350	1.50	-
Mode 1	Pass	PK	7.30948G	57.54	74.00	-16.46	10.59	3	Vertical	318	1.50	-
Mode 1	Pass	PK	10.46172G	55.38	68.20	-12.82	14.52	3	Vertical	129	1.50	-
Mode 1	Pass	PK	15.69455G	57.93	74.00	-16.07	16.81	3	Vertical	217	1.50	-
Mode 1	Pass	AV	4.8739G	53.84	54.00	-0.16	5.31	3	Horizontal	0	1.72	-
Mode 1	Pass	AV	4.95965G	44.48	54.00	-9.52	5.76	3	Horizontal	354	1.60	-
Mode 1	Pass	AV	7.3115G	53.85	54.00	-0.15	10.58	3	Horizontal	0	1.77	-
Mode 1	Pass	AV	10.45637G	43.41	68.20	-24.79	14.52	3	Horizontal	72	1.50	-
Mode 1	Pass	AV	15.69531G	46.06	54.00	-7.94	16.81	3	Horizontal	218	1.50	-
Mode 1	Pass	PK	4.87402G	59.15	74.00	-14.85	5.31	3	Horizontal	0	1.72	-
Mode 1	Pass	PK	4.95965G	50.25	74.00	-23.75	5.76	3	Horizontal	354	1.60	-
Mode 1	Pass	PK	7.3115G	59.18	74.00	-14.82	10.58	3	Horizontal	0	1.77	-
Mode 1	Pass	PK	10.45385G	54.98	68.20	-13.22	14.51	3	Horizontal	72	1.50	-
Mode 1	Pass	PK	15.69579G	57.94	74.00	-16.06	16.81	3	Horizontal	218	1.50	-
Mode 2	Pass	AV	4.87397G	47.81	54.00	-6.19	5.31	3	Vertical	0	1.24	-
Mode 2	Pass	AV	4.88001G	43.19	54.00	-10.81	5.34	3	Vertical	355	1.50	-
Mode 2	Pass	AV	7.31164G	53.37	54.00	-0.63	10.58	3	Vertical	319	1.41	-
Mode 2	Pass	AV	10.45673G	43.41	68.20	-24.79	14.52	3	Vertical	73	1.00	-
Mode 2	Pass	AV	15.68948G	46.16	54.00	-7.84	16.82	3	Vertical	92	1.34	-
Mode 2	Pass	PK	4.87378G	55.91	74.00	-18.09	5.31	3	Vertical	0	1.24	-
Mode 2	Pass	PK	4.87959G	55.64	74.00	-18.36	5.34	3	Vertical	355	1.50	-
Mode 2	Pass	PK	7.31148G	59.00	74.00	-15.00	10.58	3	Vertical	319	1.41	-
Mode 2	Pass	PK	10.45613G	55.21	68.20	-12.99	14.52	3	Vertical	73	1.00	-
Mode 2	Pass	PK	15.69451G	58.09	74.00	-15.91	16.81	3	Vertical	92	1.34	-
Mode 2	Pass	AV	4.87398G	53.85	54.00	-0.15	5.31	3	Horizontal	0	1.00	-
Mode 2	Pass	AV	4.87971G	42.33	54.00	-11.67	5.34	3	Horizontal	360	2.00	-
Mode 2	Pass	AV	7.30972G	53.74	54.00	-0.26	10.59	3	Horizontal	0	1.79	-
Mode 2	Pass	AV	10.4515G	43.30	68.20	-24.90	14.51	3	Horizontal	329	1.50	-
Mode 2	Pass	AV	15.69283G	46.26	54.00	-7.74	16.81	3	Horizontal	237	1.50	-
Mode 2	Pass	PK	4.87391G	60.14	74.00	-13.86	5.31	3	Horizontal	0	1.00	-
Mode 2	Pass	PK	4.87957G	54.72	74.00	-19.28	5.34	3	Horizontal	360	2.00	-
Mode 2	Pass	PK	7.30936G	63.76	74.00	-10.24	10.59	3	Horizontal	0	1.79	-
Mode 2	Pass	PK	10.4503G	55.23	68.20	-12.97	14.51	3	Horizontal	329	1.50	-
Mode 2	Pass	PK	15.6924G	57.87	74.00	-16.13	16.81	3	Horizontal	237	1.50	-
Mode 3	Pass	AV	4.87396G	44.86	54.00	-9.14	5.31	3	Vertical	0	1.25	-
Mode 3	Pass	AV	4.95784G	43.15	54.00	-10.85	5.75	3	Vertical	357	1.50	-
Mode 3	Pass	AV	7.31272G	41.58	54.00	-12.42	10.58	3	Vertical	15	1.45	-
Mode 3	Pass	AV	10.4625G	43.20	68.20	-25.00	14.52	3	Vertical	48	1.50	-
Mode 3	Pass	AV	11.51101G	44.96	54.00	-9.04	15.48	3	Vertical	105	1.38	-
Mode 3	Pass	AV	15.69136G	46.03	54.00	-7.97	16.82	3	Vertical	206	1.02	-
Mode 3	Pass	AV	17.26605G	48.27	68.20	-19.93	19.30	3	Vertical	81	2.48	-
Mode 3	Pass	PK	4.87348G	54.56	74.00	-19.44	5.30	3	Vertical	0	1.25	-
Mode 3	Pass	PK	4.95766G	55.17	74.00	-18.83	5.75	3	Vertical	357	1.50	-
Mode 3	Pass	PK	7.31166G	52.25	74.00	-21.75	10.58	3	Vertical	15	1.45	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 3	Pass	PK	10.46079G	55.61	68.20	-12.59	14.52	3	Vertical	48	1.50	-
Mode 3	Pass	PK	11.51231G	56.87	74.00	-17.13	15.47	3	Vertical	105	1.38	-
Mode 3	Pass	PK	15.68921G	58.22	74.00	-15.78	16.82	3	Vertical	206	1.02	-
Mode 3	Pass	PK	17.26525G	60.63	68.20	-7.57	19.30	3	Vertical	81	2.48	-
Mode 3	Pass	AV	4.87397G	53.13	54.00	-0.87	5.31	3	Horizontal	337	1.80	-
Mode 3	Pass	AV	4.95784G	46.76	54.00	-7.24	5.75	3	Horizontal	353	1.66	-
Mode 3	Pass	AV	7.30966G	47.75	54.00	-6.25	10.59	3	Horizontal	23	1.52	-
Mode 3	Pass	AV	10.45869G	43.38	68.20	-24.82	14.52	3	Horizontal	88	2.46	-
Mode 3	Pass	AV	11.51111G	44.96	54.00	-9.04	15.48	3	Horizontal	199	2.07	-
Mode 3	Pass	AV	15.69219G	45.81	54.00	-8.19	16.81	3	Horizontal	153	1.81	-
Mode 3	Pass	AV	17.26368G	48.27	68.20	-19.93	19.28	3	Horizontal	315	2.13	-
Mode 3	Pass	PK	4.87399G	57.99	74.00	-16.01	5.31	3	Horizontal	337	1.80	-
Mode 3	Pass	PK	4.96096G	59.14	74.00	-14.86	5.76	3	Horizontal	353	1.66	-
Mode 3	Pass	PK	7.31256G	55.07	74.00	-18.93	10.58	3	Horizontal	23	1.52	-
Mode 3	Pass	PK	10.45795G	55.76	68.20	-12.44	14.52	3	Horizontal	88	2.46	-
Mode 3	Pass	PK	11.50831G	57.17	74.00	-16.83	15.49	3	Horizontal	199	2.07	-
Mode 3	Pass	PK	15.69176G	58.37	74.00	-15.63	16.81	3	Horizontal	153	1.81	-
Mode 3	Pass	PK	17.26698G	60.65	68.20	-7.55	19.30	3	Horizontal	315	2.13	-
Mode 4	Pass	AV	4.87391G	44.93	54.00	-9.07	5.31	3	Vertical	0	1.20	-
Mode 4	Pass	AV	4.87697G	43.43	54.00	-10.57	5.33	3	Vertical	236	1.97	-
Mode 4	Pass	AV	7.31266G	41.63	54.00	-12.37	10.58	3	Vertical	15	1.46	-
Mode 4	Pass	AV	10.46077G	43.19	68.20	-25.01	14.52	3	Vertical	227	1.76	-
Mode 4	Pass	AV	11.51129G	44.88	54.00	-9.12	15.47	3	Vertical	327	1.14	-
Mode 4	Pass	AV	15.68963G	46.13	54.00	-7.87	16.82	3	Vertical	318	1.69	-
Mode 4	Pass	AV	17.26584G	48.27	68.20	-19.93	19.30	3	Vertical	288	2.39	-
Mode 4	Pass	PK	4.87404G	54.71	74.00	-19.29	5.31	3	Vertical	0	1.20	-
Mode 4	Pass	PK	4.88373G	54.00	74.00	-20.00	5.35	3	Vertical	236	1.97	-
Mode 4	Pass	PK	7.31196G	52.37	74.00	-21.63	10.58	3	Vertical	15	1.46	-
Mode 4	Pass	PK	10.45982G	55.04	68.20	-13.16	14.52	3	Vertical	227	1.76	-
Mode 4	Pass	PK	11.51087G	57.08	74.00	-16.92	15.48	3	Vertical	327	1.14	-
Mode 4	Pass	PK	15.6881G	58.02	74.00	-15.98	16.83	3	Vertical	318	1.69	-
Mode 4	Pass	PK	17.26564G	59.99	68.20	-8.21	19.30	3	Vertical	288	2.39	-
Mode 4	Pass	AV	4.87394G	53.56	54.00	-0.44	5.31	3	Horizontal	0	1.70	-
Mode 4	Pass	AV	4.87691G	43.29	54.00	-10.71	5.33	3	Horizontal	113	1.40	-
Mode 4	Pass	AV	7.30962G	47.91	54.00	-6.09	10.59	3	Horizontal	10	1.52	-
Mode 4	Pass	AV	10.45857G	43.10	68.20	-25.10	14.52	3	Horizontal	14	1.64	-
Mode 4	Pass	AV	11.51128G	44.95	54.00	-9.05	15.47	3	Horizontal	95	1.65	-
Mode 4	Pass	AV	15.69184G	46.12	54.00	-7.88	16.81	3	Horizontal	247	1.09	-
Mode 4	Pass	AV	17.26739G	48.26	68.20	-19.94	19.30	3	Horizontal	204	2.09	-
Mode 4	Pass	PK	4.87383G	60.42	74.00	-13.58	5.31	3	Horizontal	0	1.70	-
Mode 4	Pass	PK	4.88046G	55.24	74.00	-18.76	5.34	3	Horizontal	113	1.40	-
Mode 4	Pass	PK	7.31202G	54.30	74.00	-19.70	10.58	3	Horizontal	10	1.52	-
Mode 4	Pass	PK	10.45985G	55.28	68.20	-12.92	14.52	3	Horizontal	14	1.64	-
Mode 4	Pass	PK	11.51041G	57.19	74.00	-16.81	15.48	3	Horizontal	95	1.65	-
Mode 4	Pass	PK	15.6887G	58.22	74.00	-15.78	16.82	3	Horizontal	247	1.09	-
Mode 4	Pass	PK	17.26399G	60.28	68.20	-7.92	19.28	3	Horizontal	204	2.09	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87397G	47.59	54.00	-6.41	5.31	3	Vertical	0	1.25	-	42.28	32.70	6.90	34.29
AV	4.95969G	46.61	54.00	-7.39	5.76	3	Vertical	350	1.50	-	40.85	33.12	6.91	34.27
AV	7.3115G	51.97	54.00	-2.03	10.58	3	Vertical	318	1.50	-	41.39	36.85	8.53	34.80
AV	10.45505G	43.40	68.20	-24.80	14.51	3	Vertical	129	1.50	-	28.89	39.00	10.37	34.86
AV	15.69958G	46.06	54.00	-7.94	16.80	3	Vertical	217	1.50	-	29.26	38.40	12.60	34.20
PK	4.87407G	51.25	74.00	-22.75	5.31	3	Vertical	0	1.25	-	45.94	32.70	6.90	34.29
PK	4.95285G	52.03	74.00	-21.97	5.74	3	Vertical	350	1.50	-	46.29	33.11	6.91	34.28
PK	7.30948G	57.54	74.00	-16.46	10.59	3	Vertical	318	1.50	-	46.95	36.86	8.53	34.80
PK	10.46172G	55.38	68.20	-12.82	14.52	3	Vertical	129	1.50	-	40.86	39.00	10.37	34.85
PK	15.69455G	57.93	74.00	-16.07	16.81	3	Vertical	217	1.50	-	41.12	38.42	12.59	34.20

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8739G	53.84	54.00	-0.16	5.31	3	Horizontal	0	1.72	-	48.53	32.70	6.90	34.29
AV	4.95965G	44.48	54.00	-9.52	5.76	3	Horizontal	354	1.60	-	38.72	33.12	6.91	34.27
AV	7.3115G	53.85	54.00	-0.15	10.58	3	Horizontal	0	1.77	-	43.27	36.85	8.53	34.80
AV	10.45637G	43.41	68.20	-24.79	14.52	3	Horizontal	72	1.50	-	28.89	39.00	10.37	34.85
AV	15.69531G	46.06	54.00	-7.94	16.81	3	Horizontal	218	1.50	-	29.25	38.41	12.60	34.20
PK	4.87402G	59.15	74.00	-14.85	5.31	3	Horizontal	0	1.72	-	53.84	32.70	6.90	34.29
PK	4.95965G	50.25	74.00	-23.75	5.76	3	Horizontal	354	1.60	-	44.49	33.12	6.91	34.27
PK	7.3115G	59.18	74.00	-14.82	10.58	3	Horizontal	0	1.77	-	48.60	36.85	8.53	34.80
PK	10.45385G	54.98	68.20	-13.22	14.51	3	Horizontal	72	1.50	-	40.47	39.00	10.37	34.86
PK	15.69579G	57.94	74.00	-16.06	16.81	3	Horizontal	218	1.50	-	41.13	38.41	12.60	34.20

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87397G	47.81	54.00	-6.19	5.31	3	Vertical	0	1.24	-	42.50	32.70	6.90	34.29
AV	4.88001G	43.19	54.00	-10.81	5.34	3	Vertical	355	1.50	-	37.85	32.72	6.90	34.28
AV	7.31164G	53.37	54.00	-0.63	10.58	3	Vertical	319	1.41	-	42.79	36.85	8.53	34.80
AV	10.45673G	43.41	68.20	-24.79	14.52	3	Vertical	73	1.00	-	28.89	39.00	10.37	34.85
AV	15.68948G	46.16	54.00	-7.84	16.82	3	Vertical	92	1.34	-	29.34	38.43	12.59	34.20
PK	4.87378G	55.91	74.00	-18.09	5.31	3	Vertical	0	1.24	-	50.60	32.70	6.90	34.29
PK	4.87959G	55.64	74.00	-18.36	5.34	3	Vertical	355	1.50	-	50.30	32.72	6.90	34.28
PK	7.31148G	59.00	74.00	-15.00	10.58	3	Vertical	319	1.41	-	48.42	36.85	8.53	34.80
PK	10.45613G	55.21	68.20	-12.99	14.52	3	Vertical	73	1.00	-	40.69	39.00	10.37	34.85
PK	15.69451G	58.09	74.00	-15.91	16.81	3	Vertical	92	1.34	-	41.28	38.42	12.59	34.20

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87398G	53.85	54.00	-0.15	5.31	3	Horizontal	0	1.00	-	48.54	32.70	6.90	34.29
AV	4.87971G	42.33	54.00	-11.67	5.34	3	Horizontal	360	2.00	-	36.99	32.72	6.90	34.28
AV	7.30972G	53.74	54.00	-0.26	10.59	3	Horizontal	0	1.79	-	43.15	36.86	8.53	34.80
AV	10.4515G	43.30	68.20	-24.90	14.51	3	Horizontal	329	1.50	-	28.79	39.00	10.37	34.86
AV	15.69283G	46.26	54.00	-7.74	16.81	3	Horizontal	237	1.50	-	29.45	38.42	12.59	34.20
PK	4.87391G	60.14	74.00	-13.86	5.31	3	Horizontal	0	1.00	-	54.83	32.70	6.90	34.29
PK	4.87957G	54.72	74.00	-19.28	5.34	3	Horizontal	360	2.00	-	49.38	32.72	6.90	34.28
PK	7.30936G	63.76	74.00	-10.24	10.59	3	Horizontal	0	1.79	-	53.17	36.86	8.53	34.80
PK	10.4503G	55.23	68.20	-12.97	14.51	3	Horizontal	329	1.50	-	40.72	39.00	10.37	34.86
PK	15.6924G	57.87	74.00	-16.13	16.81	3	Horizontal	237	1.50	-	41.06	38.42	12.59	34.20

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87396G	44.86	54.00	-9.14	5.31	3	Vertical	0	1.25	-	39.55	32.70	6.90	34.29
AV	4.95784G	43.15	54.00	-10.85	5.75	3	Vertical	357	1.50	-	37.40	33.12	6.91	34.28
AV	7.31272G	41.58	54.00	-12.42	10.58	3	Vertical	15	1.45	-	31.00	36.85	8.53	34.80
AV	10.4625G	43.20	68.20	-25.00	14.52	3	Vertical	48	1.50	-	28.68	39.00	10.37	34.85
AV	11.51101G	44.96	54.00	-9.04	15.48	3	Vertical	105	1.38	-	29.48	39.16	10.81	34.49
AV	15.69136G	46.03	54.00	-7.97	16.82	3	Vertical	206	1.02	-	29.21	38.43	12.59	34.20
AV	17.26605G	48.27	68.20	-19.93	19.30	3	Vertical	81	2.48	-	28.97	38.37	14.06	33.13
PK	4.87348G	54.56	74.00	-19.44	5.30	3	Vertical	0	1.25	-	49.26	32.69	6.90	34.29
PK	4.95766G	55.17	74.00	-18.83	5.75	3	Vertical	357	1.50	-	49.42	33.12	6.91	34.28
PK	7.31166G	52.25	74.00	-21.75	10.58	3	Vertical	15	1.45	-	41.67	36.85	8.53	34.80
PK	10.46079G	55.61	68.20	-12.59	14.52	3	Vertical	48	1.50	-	41.09	39.00	10.37	34.85
PK	11.51231G	56.87	74.00	-17.13	15.47	3	Vertical	105	1.38	-	41.40	39.15	10.81	34.49
PK	15.68921G	58.22	74.00	-15.78	16.82	3	Vertical	206	1.02	-	41.40	38.43	12.59	34.20
PK	17.26525G	60.63	68.20	-7.57	19.30	3	Vertical	81	2.48	-	41.33	38.37	14.06	33.13

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87397G	53.13	54.00	-0.87	5.31	3	Horizontal	337	1.80	-	47.82	32.70	6.90	34.29
AV	4.95784G	46.76	54.00	-7.24	5.75	3	Horizontal	353	1.66	-	41.01	33.12	6.91	34.28
AV	7.30966G	47.75	54.00	-6.25	10.59	3	Horizontal	23	1.52	-	37.16	36.86	8.53	34.80
AV	10.45869G	43.38	68.20	-24.82	14.52	3	Horizontal	88	2.46	-	28.86	39.00	10.37	34.85
AV	11.51111G	44.96	54.00	-9.04	15.48	3	Horizontal	199	2.07	-	29.48	39.16	10.81	34.49
AV	15.69219G	45.81	54.00	-8.19	16.81	3	Horizontal	153	1.81	-	29.00	38.42	12.59	34.20
AV	17.26368G	48.27	68.20	-19.93	19.28	3	Horizontal	315	2.13	-	28.99	38.36	14.05	33.13
PK	4.87399G	57.99	74.00	-16.01	5.31	3	Horizontal	337	1.80	-	52.68	32.70	6.90	34.29
PK	4.96096G	59.14	74.00	-14.86	5.76	3	Horizontal	353	1.66	-	53.38	33.12	6.91	34.27
PK	7.31256G	55.07	74.00	-18.93	10.58	3	Horizontal	23	1.52	-	44.49	36.85	8.53	34.80
PK	10.45795G	55.76	68.20	-12.44	14.52	3	Horizontal	88	2.46	-	41.24	39.00	10.37	34.85
PK	11.50831G	57.17	74.00	-16.83	15.49	3	Horizontal	199	2.07	-	41.68	39.17	10.81	34.49
PK	15.69176G	58.37	74.00	-15.63	16.81	3	Horizontal	153	1.81	-	41.56	38.42	12.59	34.20
PK	17.26698G	60.65	68.20	-7.55	19.30	3	Horizontal	315	2.13	-	41.35	38.37	14.06	33.13

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87391G	44.93	54.00	-9.07	5.31	3	Vertical	0	1.20	-	39.62	32.70	6.90	34.29
AV	4.87697G	43.43	54.00	-10.57	5.33	3	Vertical	236	1.97	-	38.10	32.71	6.90	34.28
AV	7.31266G	41.63	54.00	-12.37	10.58	3	Vertical	15	1.46	-	31.05	36.85	8.53	34.80
AV	10.46077G	43.19	68.20	-25.01	14.52	3	Vertical	227	1.76	-	28.67	39.00	10.37	34.85
AV	11.51129G	44.88	54.00	-9.12	15.47	3	Vertical	327	1.14	-	29.41	39.15	10.81	34.49
AV	15.68963G	46.13	54.00	-7.87	16.82	3	Vertical	318	1.69	-	29.31	38.43	12.59	34.20
AV	17.26584G	48.27	68.20	-19.93	19.30	3	Vertical	288	2.39	-	28.97	38.37	14.06	33.13
PK	4.87404G	54.71	74.00	-19.29	5.31	3	Vertical	0	1.20	-	49.40	32.70	6.90	34.29
PK	4.88373G	54.00	74.00	-20.00	5.35	3	Vertical	236	1.97	-	48.65	32.73	6.90	34.28
PK	7.31196G	52.37	74.00	-21.63	10.58	3	Vertical	15	1.46	-	41.79	36.85	8.53	34.80
PK	10.45982G	55.04	68.20	-13.16	14.52	3	Vertical	227	1.76	-	40.52	39.00	10.37	34.85
PK	11.51087G	57.08	74.00	-16.92	15.48	3	Vertical	327	1.14	-	41.60	39.16	10.81	34.49
PK	15.6881G	58.02	74.00	-15.98	16.83	3	Vertical	318	1.69	-	41.19	38.44	12.59	34.20
PK	17.26564G	59.99	68.20	-8.21	19.30	3	Vertical	288	2.39	-	40.69	38.37	14.06	33.13

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87394G	53.56	54.00	-0.44	5.31	3	Horizontal	0	1.70	-	48.25	32.70	6.90	34.29
AV	4.87691G	43.29	54.00	-10.71	5.33	3	Horizontal	113	1.40	-	37.96	32.71	6.90	34.28
AV	7.30962G	47.91	54.00	-6.09	10.59	3	Horizontal	10	1.52	-	37.32	36.86	8.53	34.80
AV	10.45857G	43.10	68.20	-25.10	14.52	3	Horizontal	14	1.64	-	28.58	39.00	10.37	34.85
AV	11.51128G	44.95	54.00	-9.05	15.47	3	Horizontal	95	1.65	-	29.48	39.15	10.81	34.49
AV	15.69184G	46.12	54.00	-7.88	16.81	3	Horizontal	247	1.09	-	29.31	38.42	12.59	34.20
AV	17.26739G	48.26	68.20	-19.94	19.30	3	Horizontal	204	2.09	-	28.96	38.37	14.06	33.13
PK	4.87383G	60.42	74.00	-13.58	5.31	3	Horizontal	0	1.70	-	55.11	32.70	6.90	34.29
PK	4.88046G	55.24	74.00	-18.76	5.34	3	Horizontal	113	1.40	-	49.90	32.72	6.90	34.28
PK	7.31202G	54.30	74.00	-19.70	10.58	3	Horizontal	10	1.52	-	43.72	36.85	8.53	34.80
PK	10.45985G	55.28	68.20	-12.92	14.52	3	Horizontal	14	1.64	-	40.76	39.00	10.37	34.85
PK	11.51041G	57.19	74.00	-16.81	15.48	3	Horizontal	95	1.65	-	41.71	39.16	10.81	34.49
PK	15.6887G	58.22	74.00	-15.78	16.82	3	Horizontal	247	1.09	-	41.40	38.43	12.59	34.20
PK	17.26399G	60.28	68.20	-7.92	19.28	3	Horizontal	204	2.09	-	41.00	38.36	14.05	33.13