


Appendix 1: 2.4GHz Radiated spurious emission


Radio 1:

Profile: 19A2144R	Page No.: 25
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.829	36.266	-33.171	74.000	4.563	PK
2		7236.000	42.422	34.274	-31.578	74.000	8.147	PK
3	*	9648.000	43.481	33.810	-30.519	74.000	9.671	PK

Profile: 19A2144R	Page No.: 26
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	39.590	35.027	-34.410	74.000	4.563	PK
2		7236.000	41.489	33.341	-32.511	74.000	8.147	PK
3	*	9648.000	42.292	32.621	-31.708	74.000	9.671	PK

Profile: 19A2144R	Page No.: 27
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2437MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.613	35.766	-33.387	74.000	4.846	PK
2		7311.000	41.298	33.307	-32.702	74.000	7.991	PK
3	*	9748.000	42.524	32.819	-31.476	74.000	9.705	PK

Profile: 19A2144R	Page No.: 28
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2437MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.709	35.862	-33.291	74.000	4.846	PK
2		7311.000	41.135	33.144	-32.865	74.000	7.991	PK
3	*	9748.000	42.997	33.292	-31.003	74.000	9.705	PK

Profile: 19A2144R	Page No.: 29
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.367	35.725	-33.633	74.000	4.641	PK
2	*	7386.000	42.707	34.557	-31.293	74.000	8.149	PK
3		9848.000	42.626	32.967	-31.374	74.000	9.660	PK

Profile: 19A2144R	Page No.: 30
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.221	35.579	-33.779	74.000	4.641	PK
2		7386.000	41.818	33.668	-32.182	74.000	8.149	PK
3	*	9848.000	43.697	34.038	-30.303	74.000	9.660	PK

Profile: 19A2144R	Page No.: 31
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	41.043	36.480	-32.957	74.000	4.563	PK
2		7236.000	41.592	33.444	-32.408	74.000	8.147	PK
3	*	9648.000	42.943	33.272	-31.057	74.000	9.671	PK

Profile: 19A2144R	Page No.: 32
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.065	35.502	-33.935	74.000	4.563	PK
2		7236.000	42.557	34.409	-31.443	74.000	8.147	PK
3	*	9648.000	42.915	33.244	-31.085	74.000	9.671	PK

Profile: 19A2144R	Page No.: 33
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2437MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.155	36.308	-32.845	74.000	4.846	PK
2		7311.000	41.076	33.085	-32.924	74.000	7.991	PK
3	*	9748.000	43.348	33.643	-30.652	74.000	9.705	PK

Profile: 19A2144R	Page No.: 34
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2437MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.744	35.897	-33.256	74.000	4.846	PK
2	*	7311.000	42.692	34.701	-31.308	74.000	7.991	PK
3		9748.000	41.981	32.276	-32.019	74.000	9.705	PK

Profile: 19A2144R	Page No.: 35
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.947	36.305	-33.053	74.000	4.641	PK
2	*	7386.000	42.810	34.660	-31.190	74.000	8.149	PK
3		9848.000	41.948	32.289	-32.052	74.000	9.660	PK

Profile: 19A2144R	Page No.: 36
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.675	35.033	-34.325	74.000	4.641	PK
2		7386.000	41.803	33.653	-32.197	74.000	8.149	PK
3	*	9848.000	42.875	33.216	-31.125	74.000	9.660	PK

Profile: 19A2144R	Page No.: 37
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	41.394	36.831	-32.606	74.000	4.563	PK
2		7236.000	42.369	34.221	-31.631	74.000	8.147	PK
3	*	9648.000	42.811	33.140	-31.189	74.000	9.671	PK

Profile: 19A2144R	Page No.: 38
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.789	36.226	-33.211	74.000	4.563	PK
2		7236.000	42.363	34.215	-31.637	74.000	8.147	PK
3	*	9648.000	43.396	33.725	-30.604	74.000	9.671	PK

Profile: 19A2144R	Page No.: 39
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.583	35.736	-33.417	74.000	4.846	PK
2		7311.000	41.458	33.467	-32.542	74.000	7.991	PK
3	*	9748.000	42.028	32.323	-31.972	74.000	9.705	PK

Profile: 19A2144R	Page No.: 40
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.991	36.144	-33.009	74.000	4.846	PK
2		7311.000	41.167	33.176	-32.833	74.000	7.991	PK
3	*	9748.000	43.025	33.320	-30.975	74.000	9.705	PK

Profile: 19A2144R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.142	35.500	-33.858	74.000	4.641	PK
2		7386.000	41.364	33.214	-32.636	74.000	8.149	PK
3	*	9848.000	42.093	32.434	-31.907	74.000	9.660	PK

Profile: 19A2144R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	41.052	36.410	-32.948	74.000	4.641	PK
2		7386.000	41.920	33.770	-32.080	74.000	8.149	PK
3	*	9848.000	42.243	32.584	-31.757	74.000	9.660	PK

Profile: 19A2144R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	41.058	36.495	-32.942	74.000	4.563	PK
2		7236.000	42.441	34.293	-31.559	74.000	8.147	PK
3	*	9648.000	42.542	32.871	-31.458	74.000	9.671	PK

Profile: 19A2144R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.186	35.623	-33.814	74.000	4.563	PK
2	*	7236.000	42.426	34.278	-31.574	74.000	8.147	PK
3		9648.000	42.245	32.574	-31.755	74.000	9.671	PK

Profile: 19A2144R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.661	36.814	-32.339	74.000	4.846	PK
2		7311.000	41.745	33.754	-32.255	74.000	7.991	PK
3	*	9748.000	41.793	32.088	-32.207	74.000	9.705	PK

Profile: 19A2144R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.613	36.766	-32.387	74.000	4.846	PK
2		7311.000	41.111	33.120	-32.889	74.000	7.991	PK
3	*	9748.000	42.093	32.388	-31.907	74.000	9.705	PK

Profile: 19A2144R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.368	35.726	-33.632	74.000	4.641	PK
2		7386.000	42.215	34.065	-31.785	74.000	8.149	PK
3	*	9848.000	44.276	34.617	-29.724	74.000	9.660	PK


Profile: 19A2144R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.610	35.968	-33.390	74.000	4.641	PK
2		7386.000	42.392	34.242	-31.608	74.000	8.149	PK
3	*	9848.000	45.284	35.625	-28.716	74.000	9.660	PK


Radio 2:

Profile: 19A2144R	Page No.: 25
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.280	35.717	-33.720	74.000	4.563	PK
2		7236.000	40.938	32.790	-33.062	74.000	8.147	PK
3	*	9648.000	43.021	33.350	-30.979	74.000	9.671	PK

Profile: 19A2144R	Page No.: 26
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.472	37.909	-31.528	74.000	4.563	PK
2		7236.000	43.529	35.381	-30.471	74.000	8.147	PK
3	*	9648.000	44.193	34.522	-29.807	74.000	9.671	PK

Profile: 19A2144R	Page No.: 27
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2437MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.364	36.517	-32.636	74.000	4.846	PK
2		7311.000	41.341	33.350	-32.659	74.000	7.991	PK
3	*	9748.000	43.117	33.412	-30.883	74.000	9.705	PK

Profile: 19A2144R	Page No.: 28
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2437MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.704	34.857	-34.296	74.000	4.846	PK
2		7311.000	41.418	33.427	-32.582	74.000	7.991	PK
3	*	9748.000	41.841	32.136	-32.159	74.000	9.705	PK

Profile: 19A2144R	Page No.: 29
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.597	35.955	-33.403	74.000	4.641	PK
2		7386.000	43.016	34.866	-30.984	74.000	8.149	PK
3	*	9848.000	43.757	34.098	-30.243	74.000	9.660	PK

Profile: 19A2144R	Page No.: 30
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.490	35.848	-33.510	74.000	4.641	PK
2		7386.000	42.309	34.159	-31.691	74.000	8.149	PK
3	*	9848.000	43.044	33.385	-30.956	74.000	9.660	PK

Profile: 19A2144R	Page No.: 31
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.909	36.346	-33.091	74.000	4.563	PK
2		7236.000	42.106	33.958	-31.894	74.000	8.147	PK
3	*	9648.000	43.116	33.445	-30.884	74.000	9.671	PK

Profile: 19A2144R	Page No.: 32
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	39.830	35.267	-34.170	74.000	4.563	PK
2		7236.000	41.841	33.693	-32.159	74.000	8.147	PK
3	*	9648.000	42.585	32.914	-31.415	74.000	9.671	PK

Profile: 19A2144R	Page No.: 33
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2437MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.342	35.495	-33.658	74.000	4.846	PK
2		7311.000	41.921	33.930	-32.079	74.000	7.991	PK
3	*	9748.000	42.585	32.880	-31.415	74.000	9.705	PK

Profile: 19A2144R	Page No.: 34
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2437MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.642	35.795	-33.358	74.000	4.846	PK
2		7311.000	41.431	33.440	-32.569	74.000	7.991	PK
3	*	9748.000	43.014	33.309	-30.986	74.000	9.705	PK

Profile: 19A2144R	Page No.: 35
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.057	35.415	-33.943	74.000	4.641	PK
2		7386.000	42.262	34.112	-31.738	74.000	8.149	PK
3	*	9848.000	43.620	33.961	-30.380	74.000	9.660	PK

Profile: 19A2144R	Page No.: 36
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.373	35.731	-33.627	74.000	4.641	PK
2		7386.000	42.035	33.885	-31.965	74.000	8.149	PK
3	*	9848.000	43.002	33.343	-30.998	74.000	9.660	PK

Profile: 19A2144R	Page No.: 37
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	41.339	36.776	-32.661	74.000	4.563	PK
2		7236.000	41.641	33.493	-32.359	74.000	8.147	PK
3	*	9648.000	42.815	33.144	-31.185	74.000	9.671	PK

Profile: 19A2144R	Page No.: 38
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	41.655	37.092	-32.345	74.000	4.563	PK
2		7236.000	42.309	34.161	-31.691	74.000	8.147	PK
3	*	9648.000	42.403	32.732	-31.597	74.000	9.671	PK

Profile: 19A2144R	Page No.: 39
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.036	36.189	-32.964	74.000	4.846	PK
2		7311.000	40.984	32.993	-33.016	74.000	7.991	PK
3	*	9748.000	42.879	33.174	-31.121	74.000	9.705	PK

Profile: 19A2144R	Page No.: 40
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.383	35.536	-33.617	74.000	4.846	PK
2		7311.000	41.253	33.262	-32.747	74.000	7.991	PK
3	*	9748.000	41.970	32.265	-32.030	74.000	9.705	PK

Profile: 19A2144R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.517	35.875	-33.483	74.000	4.641	PK
2		7386.000	42.532	34.382	-31.468	74.000	8.149	PK
3	*	9848.000	43.185	33.526	-30.815	74.000	9.660	PK

Profile: 19A2144R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.786	36.144	-33.214	74.000	4.641	PK
2		7386.000	42.996	34.846	-31.004	74.000	8.149	PK
3	*	9848.000	43.250	33.591	-30.750	74.000	9.660	PK

Profile: 19A2144R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	41.539	36.976	-32.461	74.000	4.563	PK
2		7236.000	41.512	33.364	-32.488	74.000	8.147	PK
3	*	9648.000	41.838	32.167	-32.162	74.000	9.671	PK

Profile: 19A2144R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.282	35.719	-33.718	74.000	4.563	PK
2		7236.000	41.677	33.529	-32.323	74.000	8.147	PK
3	*	9648.000	43.134	33.463	-30.866	74.000	9.671	PK

Profile: 19A2144R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.766	34.919	-34.234	74.000	4.846	PK
2		7311.000	41.651	33.660	-32.349	74.000	7.991	PK
3	*	9748.000	42.837	33.132	-31.163	74.000	9.705	PK

Profile: 19A2144R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.509	36.662	-32.491	74.000	4.846	PK
2		7311.000	41.184	33.193	-32.816	74.000	7.991	PK
3	*	9748.000	42.757	33.052	-31.243	74.000	9.705	PK

Profile: 19A2144R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.976	36.334	-33.024	74.000	4.641	PK
2		7386.000	41.676	33.526	-32.324	74.000	8.149	PK
3	*	9848.000	42.958	33.299	-31.042	74.000	9.660	PK

Profile: 19A2144R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.925	35.283	-34.075	74.000	4.641	PK
2		7386.000	42.465	34.315	-31.535	74.000	8.149	PK
3	*	9848.000	43.698	34.039	-30.302	74.000	9.660	PK

Profile: 19A2144R	Page No.: 13
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	39.810	35.247	-34.190	74.000	4.563	PK
2		7236.000	42.315	34.167	-31.685	74.000	8.147	PK
3	*	9648.000	42.891	33.220	-31.109	74.000	9.671	PK

Profile: 19A2144R	Page No.: 14
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.935	36.372	-33.065	74.000	4.563	PK
2		7236.000	42.347	34.199	-31.653	74.000	8.147	PK
3	*	9648.000	42.814	33.143	-31.186	74.000	9.671	PK

Profile: 19A2144R	Page No.: 15
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.370	36.523	-32.630	74.000	4.846	PK
2		7311.000	41.193	33.202	-32.807	74.000	7.991	PK
3	*	9748.000	42.538	32.833	-31.462	74.000	9.705	PK

Profile: 19A2144R	Page No.: 16
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.708	35.861	-33.292	74.000	4.846	PK
2		7311.000	42.354	34.363	-31.646	74.000	7.991	PK
3	*	9748.000	42.494	32.789	-31.506	74.000	9.705	PK

Profile: 19A2144R	Page No.: 17
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.734	36.092	-33.266	74.000	4.641	PK
2		7386.000	41.874	33.724	-32.126	74.000	8.149	PK
3	*	9848.000	42.316	32.657	-31.684	74.000	9.660	PK

Profile: 19A2144R	Page No.: 18
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.619	34.977	-34.381	74.000	4.641	PK
2	*	7386.000	43.219	35.069	-30.781	74.000	8.149	PK
3		9848.000	42.847	33.188	-31.153	74.000	9.660	PK

Profile: 19A2144R	Page No.: 19
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.422	35.859	-33.578	74.000	4.563	PK
2		7236.000	41.995	33.847	-32.005	74.000	8.147	PK
3	*	9648.000	42.536	32.865	-31.464	74.000	9.671	PK

Profile: 19A2144R	Page No.: 20
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.843	38.280	-31.157	74.000	4.563	PK
2		7236.000	42.592	34.444	-31.408	74.000	8.147	PK
3	*	9648.000	43.095	33.424	-30.905	74.000	9.671	PK

Profile: 19A2144R	Page No.: 21
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.137	36.290	-32.863	74.000	4.846	PK
2		7311.000	42.291	34.300	-31.709	74.000	7.991	PK
3	*	9748.000	42.951	33.246	-31.049	74.000	9.705	PK

Profile: 19A2144R	Page No.: 22
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz) by beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.886	37.039	-32.114	74.000	4.846	PK
2		7311.000	41.954	33.963	-32.046	74.000	7.991	PK
3	*	9748.000	42.520	32.815	-31.480	74.000	9.705	PK

Profile: 19A2144R	Page No.: 23
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz) by beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.369	35.727	-33.631	74.000	4.641	PK
2		7386.000	42.176	34.026	-31.824	74.000	8.149	PK
3	*	9848.000	43.035	33.376	-30.965	74.000	9.660	PK

Profile: 19A2144R	Page No.: 24
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz) by beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.191	35.549	-33.809	74.000	4.641	PK
2		7386.000	42.157	34.007	-31.843	74.000	8.149	PK
3	*	9848.000	42.706	33.047	-31.294	74.000	9.660	PK