


Appendix 3: 5GHz Radiated spurious emission


Radio 1:

Profile: 19A2144R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.605	33.847	-28.395	74.000	11.757	PK
2	*	15540.000	51.232	33.761	-22.768	74.000	17.471	PK

Profile: 19A2144R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.002	33.244	-28.998	74.000	11.757	PK
2	*	15540.000	51.077	33.606	-22.923	74.000	17.471	PK

Profile: 19A2144R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.670	32.319	-29.330	74.000	12.351	PK
2	*	15660.000	49.372	31.845	-24.628	74.000	17.527	PK

Profile: 19A2144R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.957	31.606	-30.043	74.000	12.351	PK
2	*	15660.000	49.230	31.703	-24.770	74.000	17.527	PK

Profile: 19A2144R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.465	32.398	-29.535	74.000	12.068	PK
2	*	15720.000	49.765	31.614	-24.235	74.000	18.152	PK

Profile: 19A2144R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.549	31.482	-30.451	74.000	12.068	PK
2	*	15720.000	49.954	31.803	-24.046	74.000	18.152	PK

Profile: 19A2144R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.097	32.166	-27.903	74.000	13.931	PK
2	*	17235.000	52.588	32.307	-21.412	74.000	20.281	PK

Profile: 19A2144R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.329	32.398	-27.671	74.000	13.931	PK
2	*	17235.000	51.964	31.683	-22.036	74.000	20.281	PK

Profile: 19A2144R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.104	31.890	-27.896	74.000	14.214	PK
2	*	17355.000	51.732	31.969	-22.268	74.000	19.762	PK

Profile: 19A2144R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.782	32.568	-27.218	74.000	14.214	PK
2	*	17355.000	52.008	32.245	-21.992	74.000	19.762	PK

Profile: 19A2144R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.261	32.684	-26.739	74.000	14.577	PK
2	*	17475.000	51.489	31.580	-22.511	74.000	19.909	PK

Profile: 19A2144R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.694	33.117	-26.306	74.000	14.577	PK
2	*	17475.000	52.286	32.377	-21.714	74.000	19.909	PK

Profile: 19A2144R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.857	33.099	-29.143	74.000	11.757	PK
2	*	15540.000	51.064	33.593	-22.936	74.000	17.471	PK

Profile: 19A2144R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.207	33.449	-28.793	74.000	11.757	PK
2	*	15540.000	50.686	33.215	-23.314	74.000	17.471	PK

Profile: 19A2144R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.212	32.861	-28.788	74.000	12.351	PK
2	*	15660.000	51.193	33.666	-22.807	74.000	17.527	PK

Profile: 19A2144R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.935	31.584	-30.065	74.000	12.351	PK
2	*	15660.000	51.127	33.600	-22.873	74.000	17.527	PK

Profile: 19A2144R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.039	31.972	-29.961	74.000	12.068	PK
2	*	15720.000	49.451	31.300	-24.549	74.000	18.152	PK

Profile: 19A2144R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.325	33.258	-28.675	74.000	12.068	PK
2	*	15720.000	51.906	33.755	-22.094	74.000	18.152	PK

Profile: 19A2144R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.131	32.200	-27.869	74.000	13.931	PK
2	*	17235.000	53.091	32.810	-20.909	74.000	20.281	PK

Profile: 19A2144R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.697	31.766	-28.303	74.000	13.931	PK
2	*	17235.000	52.645	32.364	-21.355	74.000	20.281	PK

Profile: 19A2144R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.069	32.855	-26.931	74.000	14.214	PK
2	*	17355.000	50.697	30.934	-23.303	74.000	19.762	PK

Profile: 19A2144R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.245	32.031	-27.755	74.000	14.214	PK
2	*	17355.000	50.094	30.331	-23.906	74.000	19.762	PK

Profile: 19A2144R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.641	31.064	-28.359	74.000	14.577	PK
2	*	17475.000	51.249	31.340	-22.751	74.000	19.909	PK

Profile: 19A2144R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.150	32.573	-26.850	74.000	14.577	PK
2	*	17475.000	52.141	32.232	-21.859	74.000	19.909	PK

Profile: 19A2144R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.995	33.212	-29.005	74.000	11.783	PK
2	*	15570.000	50.832	32.820	-23.168	74.000	18.012	PK

Profile: 19A2144R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.353	32.570	-29.647	74.000	11.783	PK
2	*	15570.000	50.675	32.663	-23.325	74.000	18.012	PK

Profile: 19A2144R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.607	31.750	-30.393	74.000	11.857	PK
2	*	15690.000	50.723	32.369	-23.277	74.000	18.354	PK

Profile: 19A2144R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.162	32.305	-29.838	74.000	11.857	PK
2	*	15690.000	49.887	31.533	-24.113	74.000	18.354	PK

Profile: 19A2144R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.330	31.840	-27.670	74.000	14.490	PK
2	*	17265.000	51.101	30.501	-22.899	74.000	20.600	PK

Profile: 19A2144R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.444	31.954	-27.556	74.000	14.490	PK
2	*	17265.000	51.107	30.507	-22.893	74.000	20.600	PK

Profile: 19A2144R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.028	31.983	-26.972	74.000	15.045	PK
2	*	17385.000	50.621	30.705	-23.379	74.000	19.916	PK

Profile: 19A2144R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.064	31.019	-27.936	74.000	15.045	PK
2	*	17385.000	52.256	32.340	-21.744	74.000	19.916	PK

Profile: 19A2144R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.109	33.351	-28.891	74.000	11.757	PK
2	*	15540.000	51.403	33.932	-22.597	74.000	17.471	PK

Profile: 19A2144R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.353	33.595	-28.647	74.000	11.757	PK
2	*	15540.000	51.310	33.839	-22.690	74.000	17.471	PK

Profile: 19A2144R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.196	31.845	-29.804	74.000	12.351	PK
2	*	15660.000	49.294	31.767	-24.706	74.000	17.527	PK

Profile: 19A2144R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.078	32.727	-28.922	74.000	12.351	PK
2	*	15660.000	50.842	33.315	-23.158	74.000	17.527	PK

Profile: 19A2144R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.576	32.509	-29.424	74.000	12.068	PK
2	*	15720.000	49.892	31.741	-24.108	74.000	18.152	PK

Profile: 19A2144R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.338	31.271	-30.662	74.000	12.068	PK
2	*	15720.000	49.845	31.694	-24.155	74.000	18.152	PK

Profile: 19A2144R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.264	32.333	-27.736	74.000	13.931	PK
2	*	17235.000	53.683	33.402	-20.317	74.000	20.281	PK

Profile: 19A2144R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.346	31.415	-28.654	74.000	13.931	PK
2	*	17235.000	50.543	30.262	-23.457	74.000	20.281	PK

Profile: 19A2144R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.613	31.399	-28.387	74.000	14.214	PK
2	*	17355.000	49.197	29.434	-24.803	74.000	19.762	PK

Profile: 19A2144R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.359	32.145	-27.641	74.000	14.214	PK
2	*	17355.000	50.074	30.311	-23.926	74.000	19.762	PK

Profile: 19A2144R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.617	32.040	-27.383	74.000	14.577	PK
2	*	17475.000	51.742	31.833	-22.258	74.000	19.909	PK

Profile: 19A2144R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.767	31.190	-28.233	74.000	14.577	PK
2	*	17475.000	51.406	31.497	-22.594	74.000	19.909	PK

Profile: 19A2144R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.448	32.665	-29.552	74.000	11.783	PK
2	*	15570.000	51.382	33.370	-22.618	74.000	18.012	PK

Profile: 19A2144R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.399	32.616	-29.601	74.000	11.783	PK
2	*	15570.000	50.892	32.880	-23.108	74.000	18.012	PK

Profile: 19A2144R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.575	32.718	-29.425	74.000	11.857	PK
2	*	15690.000	50.612	32.258	-23.388	74.000	18.354	PK

Profile: 19A2144R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.171	31.314	-30.829	74.000	11.857	PK
2	*	15690.000	51.828	33.474	-22.172	74.000	18.354	PK

Profile: 19A2144R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.356	31.866	-27.644	74.000	14.490	PK
2	*	17265.000	51.024	30.424	-22.976	74.000	20.600	PK

Profile: 19A2144R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.654	32.164	-27.346	74.000	14.490	PK
2	*	17265.000	51.028	30.428	-22.972	74.000	20.600	PK

Profile: 19A2144R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.415	32.370	-26.585	74.000	15.045	PK
2	*	17385.000	51.487	31.571	-22.513	74.000	19.916	PK

Profile: 19A2144R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.472	32.427	-26.528	74.000	15.045	PK
2	*	17385.000	50.994	31.078	-23.006	74.000	19.916	PK

Profile: 19A2144R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.935	33.156	-29.065	74.000	11.780	PK
2	*	15630.000	50.434	32.572	-23.566	74.000	17.862	PK

Profile: 19A2144R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.709	32.930	-29.291	74.000	11.780	PK
2	*	15630.000	50.037	32.175	-23.963	74.000	17.862	PK

Profile: 19A2144R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.855	33.445	-26.145	74.000	14.409	PK
2	*	17325.000	49.774	29.209	-24.226	74.000	20.565	PK

Profile: 19A2144R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.176	31.766	-27.824	74.000	14.409	PK
2	*	17325.000	49.422	28.857	-24.578	74.000	20.565	PK

Profile: 19A2144R	Page No.: 137
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.160	33.402	-28.840	74.000	11.757	PK
2	*	15540.000	51.011	33.540	-22.989	74.000	17.471	PK

Profile: 19A2144R	Page No.: 138
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.332	32.574	-29.668	74.000	11.757	PK
2	*	15540.000	51.070	33.599	-22.930	74.000	17.471	PK

Profile: 19A2144R	Page No.: 139
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.010	32.659	-28.990	74.000	12.351	PK
2	*	15660.000	49.198	31.671	-24.802	74.000	17.527	PK

Profile: 19A2144R	Page No.: 140
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.838	32.487	-29.162	74.000	12.351	PK
2	*	15660.000	50.962	33.435	-23.038	74.000	17.527	PK

Profile: 19A2144R	Page No.: 141
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.501	32.434	-29.499	74.000	12.068	PK
2	*	15720.000	49.862	31.711	-24.138	74.000	18.152	PK

Profile: 19A2144R	Page No.: 142
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.829	32.762	-29.171	74.000	12.068	PK
2	*	15720.000	50.565	32.414	-23.435	74.000	18.152	PK

Profile: 19A2144R	Page No.: 143
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.672	31.741	-28.328	74.000	13.931	PK
2	*	17235.000	52.133	31.852	-21.867	74.000	20.281	PK

Profile: 19A2144R	Page No.: 144
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.028	32.097	-27.972	74.000	13.931	PK
2	*	17235.000	51.492	31.211	-22.508	74.000	20.281	PK

Profile: 19A2144R	Page No.: 145
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.256	31.042	-28.744	74.000	14.214	PK
2	*	17355.000	49.605	29.842	-24.395	74.000	19.762	PK

Profile: 19A2144R	Page No.: 146
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.693	31.479	-28.307	74.000	14.214	PK
2	*	17355.000	51.235	31.472	-22.765	74.000	19.762	PK

Profile: 19A2144R	Page No.: 147
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.718	32.141	-27.282	74.000	14.577	PK
2	*	17475.000	51.180	31.271	-22.820	74.000	19.909	PK

Profile: 19A2144R	Page No.: 148
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.781	32.204	-27.219	74.000	14.577	PK
2	*	17475.000	51.152	31.243	-22.848	74.000	19.909	PK

Profile: 19A2144R	Page No.: 149
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.449	32.666	-29.551	74.000	11.783	PK
2	*	15570.000	50.624	32.612	-23.376	74.000	18.012	PK

Profile: 19A2144R	Page No.: 150
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.937	33.154	-29.063	74.000	11.783	PK
2	*	15570.000	50.976	32.964	-23.024	74.000	18.012	PK

Profile: 19A2144R	Page No.: 151
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.969	32.112	-30.031	74.000	11.857	PK
2	*	15690.000	50.541	32.187	-23.459	74.000	18.354	PK

Profile: 19A2144R	Page No.: 152
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.554	31.697	-30.446	74.000	11.857	PK
2	*	15690.000	49.783	31.429	-24.217	74.000	18.354	PK

Profile: 19A2144R	Page No.: 153
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.790	32.300	-27.210	74.000	14.490	PK
2	*	17265.000	52.221	31.621	-21.779	74.000	20.600	PK

Profile: 19A2144R	Page No.: 154
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.535	33.045	-26.465	74.000	14.490	PK
2	*	17265.000	52.136	31.536	-21.864	74.000	20.600	PK

Profile: 19A2144R	Page No.: 155
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.112	32.067	-26.888	74.000	15.045	PK
2	*	17385.000	51.489	31.573	-22.511	74.000	19.916	PK

Profile: 19A2144R	Page No.: 156
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.763	32.718	-26.237	74.000	15.045	PK
2	*	17385.000	51.827	31.911	-22.173	74.000	19.916	PK

Profile: 19A2144R	Page No.: 157
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.622	32.843	-29.378	74.000	11.780	PK
2	*	15630.000	49.292	31.430	-24.708	74.000	17.862	PK

Profile: 19A2144R	Page No.: 158
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.710	31.931	-30.290	74.000	11.780	PK
2	*	15630.000	50.432	32.570	-23.568	74.000	17.862	PK

Profile: 19A2144R	Page No.: 159
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.859	32.449	-27.141	74.000	14.409	PK
2	*	17235.000	50.848	30.567	-23.152	74.000	20.281	PK

Profile: 19A2144R	Page No.: 160
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.983	31.573	-28.017	74.000	14.409	PK
2	*	17325.000	48.971	28.406	-25.029	74.000	20.565	PK

Radio 2:


SISO:

Profile: 19A2144R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.213	32.455	-29.787	74.000	11.757	PK
2	*	15540.000	49.580	32.109	-24.420	74.000	17.471	PK

Profile: 19A2144R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.785	33.027	-29.215	74.000	11.757	PK
2	*	15540.000	50.903	33.432	-23.097	74.000	17.471	PK

Profile: 19A2144R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.746	31.395	-30.254	74.000	12.351	PK
2	*	15660.000	49.417	31.890	-24.583	74.000	17.527	PK

Profile: 19A2144R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.145	31.794	-29.855	74.000	12.351	PK
2	*	15660.000	50.286	32.759	-23.714	74.000	17.527	PK

Profile: 19A2144R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.402	32.335	-29.598	74.000	12.068	PK
2	*	15720.000	50.347	32.196	-23.653	74.000	18.152	PK

Profile: 19A2144R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.916	31.849	-30.084	74.000	12.068	PK
2	*	15720.000	49.634	31.483	-24.366	74.000	18.152	PK

Profile: 19A2144R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.660	31.729	-28.340	74.000	13.931	PK
2	*	17235.000	51.220	30.939	-22.780	74.000	20.281	PK

Profile: 19A2144R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.237	31.306	-28.763	74.000	13.931	PK
2	*	17235.000	53.275	32.994	-20.725	74.000	20.281	PK

Profile: 19A2144R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.584	31.370	-28.416	74.000	14.214	PK
2	*	17355.000	49.538	29.775	-24.462	74.000	19.762	PK

Profile: 19A2144R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.597	32.383	-27.403	74.000	14.214	PK
2	*	17355.000	48.956	29.193	-25.044	74.000	19.762	PK

Profile: 19A2144R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.365	32.788	-26.635	74.000	14.577	PK
2	*	17475.000	53.030	33.121	-20.970	74.000	19.909	PK

Profile: 19A2144R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.654	32.077	-27.346	74.000	14.577	PK
2	*	17475.000	52.317	32.408	-21.683	74.000	19.909	PK

Profile: 19A2144R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.931	34.173	-28.069	74.000	11.757	PK
2	*	15540.000	49.809	32.338	-24.191	74.000	17.471	PK

Profile: 19A2144R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.379	32.621	-29.621	74.000	11.757	PK
2	*	15540.000	50.610	33.139	-23.390	74.000	17.471	PK

Profile: 19A2144R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.254	31.903	-29.746	74.000	12.351	PK
2	*	15660.000	49.745	32.218	-24.255	74.000	17.527	PK

Profile: 19A2144R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.362	32.011	-29.638	74.000	12.351	PK
2	*	15660.000	49.495	31.968	-24.505	74.000	17.527	PK

Profile: 19A2144R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.941	32.874	-29.059	74.000	12.068	PK
2	*	15720.000	50.175	32.024	-23.825	74.000	18.152	PK

Profile: 19A2144R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.073	32.006	-29.927	74.000	12.068	PK
2	*	15720.000	50.738	32.587	-23.262	74.000	18.152	PK

Profile: 19A2144R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.017	32.086	-27.983	74.000	13.931	PK
2	*	17235.000	51.559	31.278	-22.441	74.000	20.281	PK

Profile: 19A2144R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.569	32.638	-27.431	74.000	13.931	PK
2	*	17235.000	52.227	31.946	-21.773	74.000	20.281	PK

Profile: 19A2144R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.050	32.836	-26.950	74.000	14.214	PK
2	*	17355.000	50.649	30.886	-23.351	74.000	19.762	PK

Profile: 19A2144R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.548	31.334	-28.452	74.000	14.214	PK
2	*	17355.000	50.306	30.543	-23.694	74.000	19.762	PK

Profile: 19A2144R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.768	32.191	-27.232	74.000	14.577	PK
2	*	17475.000	50.028	30.119	-23.972	74.000	19.909	PK

Profile: 19A2144R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.263	32.686	-26.737	74.000	14.577	PK
2	*	17475.000	52.420	32.511	-21.580	74.000	19.909	PK

Profile: 19A2144R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.139	32.356	-29.861	74.000	11.783	PK
2	*	15570.000	51.784	33.772	-22.216	74.000	18.012	PK

Profile: 19A2144R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.134	33.351	-28.866	74.000	11.783	PK
2	*	15570.000	51.028	33.016	-22.972	74.000	18.012	PK

Profile: 19A2144R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.323	33.466	-28.677	74.000	11.857	PK
2	*	15690.000	51.322	32.968	-22.678	74.000	18.354	PK

Profile: 19A2144R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.208	31.351	-30.792	74.000	11.857	PK
2	*	15690.000	49.735	31.381	-24.265	74.000	18.354	PK

Profile: 19A2144R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.098	31.608	-27.902	74.000	14.490	PK
2	*	17265.000	51.611	31.011	-22.389	74.000	20.600	PK

Profile: 19A2144R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.907	32.417	-27.093	74.000	14.490	PK
2	*	17265.000	51.552	30.952	-22.448	74.000	20.600	PK

Profile: 19A2144R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.072	32.027	-26.928	74.000	15.045	PK
2	*	17385.000	51.307	31.391	-22.693	74.000	19.916	PK

Profile: 19A2144R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.725	31.680	-27.275	74.000	15.045	PK
2	*	17385.000	51.745	31.829	-22.255	74.000	19.916	PK

Profile: 19A2144R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.013	33.255	-28.987	74.000	11.757	PK
2	*	15540.000	50.265	32.794	-23.735	74.000	17.471	PK

Profile: 19A2144R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.547	32.789	-29.453	74.000	11.757	PK
2	*	15540.000	50.640	33.169	-23.360	74.000	17.471	PK

Profile: 19A2144R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.270	32.919	-28.730	74.000	12.351	PK
2	*	15660.000	50.287	32.760	-23.713	74.000	17.527	PK

Profile: 19A2144R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.424	32.073	-29.576	74.000	12.351	PK
2	*	15660.000	49.904	32.377	-24.096	74.000	17.527	PK

Profile: 19A2144R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.969	32.902	-29.031	74.000	12.068	PK
2	*	15720.000	50.554	32.403	-23.446	74.000	18.152	PK

Profile: 19A2144R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.570	32.503	-29.430	74.000	12.068	PK
2	*	15720.000	50.482	32.331	-23.518	74.000	18.152	PK

Profile: 19A2144R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.957	32.026	-28.043	74.000	13.931	PK
2	*	17235.000	50.581	30.300	-23.419	74.000	20.281	PK

Profile: 19A2144R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.755	32.824	-27.245	74.000	13.931	PK
2	*	17235.000	51.063	30.782	-22.937	74.000	20.281	PK

Profile: 19A2144R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.443	32.229	-27.557	74.000	14.214	PK
2	*	17355.000	51.388	31.625	-22.612	74.000	19.762	PK

Profile: 19A2144R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.436	32.222	-27.564	74.000	14.214	PK
2	*	17355.000	49.963	30.200	-24.037	74.000	19.762	PK

Profile: 19A2144R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.038	31.461	-27.962	74.000	14.577	PK
2	*	17475.000	51.759	31.850	-22.241	74.000	19.909	PK

Profile: 19A2144R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.406	30.829	-28.594	74.000	14.577	PK
2	*	17475.000	50.852	30.943	-23.148	74.000	19.909	PK

Profile: 19A2144R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.489	32.706	-29.511	74.000	11.783	PK
2	*	15570.000	51.872	33.860	-22.128	74.000	18.012	PK

Profile: 19A2144R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.712	32.929	-29.288	74.000	11.783	PK
2	*	15570.000	50.847	32.835	-23.153	74.000	18.012	PK

Profile: 19A2144R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.204	32.347	-29.796	74.000	11.857	PK
2	*	15690.000	50.850	32.496	-23.150	74.000	18.354	PK

Profile: 19A2144R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.053	32.196	-29.947	74.000	11.857	PK
2	*	15690.000	50.723	32.369	-23.277	74.000	18.354	PK

Profile: 19A2144R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.007	31.517	-27.993	74.000	14.490	PK
2	*	17265.000	51.222	30.622	-22.778	74.000	20.600	PK

Profile: 19A2144R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.554	32.064	-27.446	74.000	14.490	PK
2	*	17265.000	50.454	29.854	-23.546	74.000	20.600	PK

Profile: 19A2144R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.365	32.320	-26.635	74.000	15.045	PK
2	*	17385.000	51.825	31.909	-22.175	74.000	19.916	PK

Profile: 19A2144R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.126	32.081	-26.874	74.000	15.045	PK
2	*	17385.000	51.982	32.066	-22.018	74.000	19.916	PK

Profile: 19A2144R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.611	32.832	-29.389	74.000	11.780	PK
2	*	15630.000	51.557	33.695	-22.443	74.000	17.862	PK

Profile: 19A2144R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.792	32.013	-30.208	74.000	11.780	PK
2	*	15630.000	49.520	31.658	-24.480	74.000	17.862	PK

Profile: 19A2144R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.160	31.750	-27.840	74.000	14.409	PK
2	*	17325.000	49.220	28.655	-24.780	74.000	20.565	PK

Profile: 19A2144R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.603	31.193	-28.397	74.000	14.409	PK
2	*	17325.000	50.717	30.152	-23.283	74.000	20.565	PK

Profile: 19A2144R	Page No.: 137
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.109	34.351	-27.891	74.000	11.757	PK
2	*	15540.000	50.805	33.334	-23.195	74.000	17.471	PK

Profile: 19A2144R	Page No.: 138
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.327	33.569	-28.673	74.000	11.757	PK
2	*	15540.000	51.032	33.561	-22.968	74.000	17.471	PK

Profile: 19A2144R	Page No.: 139
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.407	32.056	-29.593	74.000	12.351	PK
2	*	15660.000	49.636	32.109	-24.364	74.000	17.527	PK

Profile: 19A2144R	Page No.: 140
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.583	32.232	-29.417	74.000	12.351	PK
2	*	15660.000	49.904	32.377	-24.096	74.000	17.527	PK

Profile: 19A2144R	Page No.: 141
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.358	32.291	-29.642	74.000	12.068	PK
2	*	15720.000	50.043	31.892	-23.957	74.000	18.152	PK

Profile: 19A2144R	Page No.: 142
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.078	33.011	-28.922	74.000	12.068	PK
2	*	15720.000	49.570	31.419	-24.430	74.000	18.152	PK

Profile: 19A2144R	Page No.: 143
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.393	31.462	-28.607	74.000	13.931	PK
2	*	17235.000	51.163	30.882	-22.837	74.000	20.281	PK

Profile: 19A2144R	Page No.: 144
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.699	32.768	-27.301	74.000	13.931	PK
2	*	17235.000	52.232	31.951	-21.768	74.000	20.281	PK

Profile: 19A2144R	Page No.: 145
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.923	31.709	-28.077	74.000	14.214	PK
2	*	17355.000	52.288	32.525	-21.712	74.000	19.762	PK

Profile: 19A2144R	Page No.: 146
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.342	31.128	-28.658	74.000	14.214	PK
2	*	17355.000	51.097	31.334	-22.903	74.000	19.762	PK

Profile: 19A2144R	Page No.: 147
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.262	32.685	-26.738	74.000	14.577	PK
2	*	17475.000	51.609	31.700	-22.391	74.000	19.909	PK

Profile: 19A2144R	Page No.: 148
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.867	32.290	-27.133	74.000	14.577	PK
2	*	17475.000	52.489	32.580	-21.511	74.000	19.909	PK

Profile: 19A2144R	Page No.: 149
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.088	33.305	-28.912	74.000	11.783	PK
2	*	15570.000	50.635	32.623	-23.365	74.000	18.012	PK

Profile: 19A2144R	Page No.: 150
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.493	32.710	-29.507	74.000	11.783	PK
2	*	15570.000	50.821	32.809	-23.179	74.000	18.012	PK

Profile: 19A2144R	Page No.: 151
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.446	32.589	-29.554	74.000	11.857	PK
2	*	15690.000	52.322	33.968	-21.678	74.000	18.354	PK

Profile: 19A2144R	Page No.: 152
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.424	31.567	-30.576	74.000	11.857	PK
2	*	15690.000	49.463	31.109	-24.537	74.000	18.354	PK

Profile: 19A2144R	Page No.: 153
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.819	32.329	-27.181	74.000	14.490	PK
2	*	17265.000	51.093	30.493	-22.907	74.000	20.600	PK

Profile: 19A2144R	Page No.: 154
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.927	32.437	-27.073	74.000	14.490	PK
2	*	17265.000	51.094	30.494	-22.906	74.000	20.600	PK

Profile: 19A2144R	Page No.: 155
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.180	31.135	-27.820	74.000	15.045	PK
2	*	17385.000	51.896	31.980	-22.104	74.000	19.916	PK

Profile: 19A2144R	Page No.: 156
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.810	31.765	-27.190	74.000	15.045	PK
2	*	17385.000	52.594	32.678	-21.406	74.000	19.916	PK

Profile: 19A2144R	Page No.: 157
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.479	32.700	-29.521	74.000	11.780	PK
2	*	15630.000	49.548	31.686	-24.452	74.000	17.862	PK

Profile: 19A2144R	Page No.: 158
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.296	32.517	-29.704	74.000	11.780	PK
2	*	15630.000	49.891	32.029	-24.109	74.000	17.862	PK

Profile: 19A2144R	Page No.: 159
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.590	31.180	-28.410	74.000	14.409	PK
2	*	17325.000	50.021	29.456	-23.979	74.000	20.565	PK


Profile: 19A2144R	Page No.: 160
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.142	31.732	-27.858	74.000	14.409	PK
2	*	17325.000	49.494	28.929	-24.506	74.000	20.565	PK


CDD:

Profile: 19A2144R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.516	34.758	-27.484	74.000	11.757	PK
2	*	15540.000	50.291	32.820	-23.709	74.000	17.471	PK

Profile: 19A2144R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.768	34.010	-28.232	74.000	11.757	PK
2	*	15540.000	50.124	32.653	-23.876	74.000	17.471	PK

Profile: 19A2144R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.696	32.345	-29.304	74.000	12.351	PK
2	*	15660.000	50.571	33.044	-23.429	74.000	17.527	PK

Profile: 19A2144R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.215	32.864	-28.785	74.000	12.351	PK
2	*	15660.000	49.135	31.608	-24.865	74.000	17.527	PK

Profile: 19A2144R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.364	34.297	-27.636	74.000	12.068	PK
2	*	15720.000	52.722	34.571	-21.278	74.000	18.152	PK

Profile: 19A2144R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.644	32.577	-29.356	74.000	12.068	PK
2	*	15720.000	50.996	32.845	-23.004	74.000	18.152	PK

Profile: 19A2144R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.290	32.359	-27.710	74.000	13.931	PK
2	*	17235.000	52.265	31.984	-21.735	74.000	20.281	PK

Profile: 19A2144R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.540	32.609	-27.460	74.000	13.931	PK
2	*	17235.000	53.228	32.947	-20.772	74.000	20.281	PK

Profile: 19A2144R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.080	31.866	-27.920	74.000	14.214	PK
2	*	17355.000	51.560	31.797	-22.440	74.000	19.762	PK

Profile: 19A2144R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.739	31.525	-28.261	74.000	14.214	PK
2	*	17355.000	50.254	30.491	-23.746	74.000	19.762	PK

Profile: 19A2144R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.113	32.536	-26.887	74.000	14.577	PK
2	*	17475.000	52.256	32.347	-21.744	74.000	19.909	PK

Profile: 19A2144R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.798	31.221	-28.202	74.000	14.577	PK
2	*	17475.000	51.712	31.803	-22.288	74.000	19.909	PK

Profile: 19A2144R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.734	32.976	-29.266	74.000	11.757	PK
2	*	15540.000	51.055	33.584	-22.945	74.000	17.471	PK

Profile: 19A2144R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.744	33.986	-28.256	74.000	11.757	PK
2	*	15540.000	50.692	33.221	-23.308	74.000	17.471	PK

Profile: 19A2144R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.945	32.594	-29.055	74.000	12.351	PK
2	*	15660.000	48.940	31.413	-25.060	74.000	17.527	PK

Profile: 19A2144R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.098	31.747	-29.902	74.000	12.351	PK
2	*	15660.000	50.331	32.804	-23.669	74.000	17.527	PK

Profile: 19A2144R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.787	32.720	-29.213	74.000	12.068	PK
2	*	15720.000	50.454	32.303	-23.546	74.000	18.152	PK

Profile: 19A2144R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.054	31.987	-29.946	74.000	12.068	PK
2	*	15720.000	50.951	32.800	-23.049	74.000	18.152	PK

Profile: 19A2144R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.397	31.466	-28.603	74.000	13.931	PK
2	*	17235.000	50.660	30.379	-23.340	74.000	20.281	PK

Profile: 19A2144R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	47.306	33.375	-26.694	74.000	13.931	PK
2	*	17235.000	52.012	31.731	-21.988	74.000	20.281	PK

Profile: 19A2144R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.493	32.279	-27.507	74.000	14.214	PK
2	*	17355.000	49.930	30.167	-24.070	74.000	19.762	PK

Profile: 19A2144R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.314	30.100	-29.686	74.000	14.214	PK
2	*	17355.000	50.181	30.418	-23.819	74.000	19.762	PK

Profile: 19A2144R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.743	32.166	-27.257	74.000	14.577	PK
2	*	17474.000	51.797	31.847	-22.203	74.000	19.950	PK

Profile: 19A2144R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.031	32.454	-26.969	74.000	14.577	PK
2	*	17475.000	52.502	32.593	-21.498	74.000	19.909	PK

Profile: 19A2144R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.291	33.508	-28.709	74.000	11.783	PK
2	*	15570.000	50.813	32.801	-23.187	74.000	18.012	PK

Profile: 19A2144R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.779	32.996	-29.221	74.000	11.783	PK
2	*	15570.000	50.092	32.080	-23.908	74.000	18.012	PK

Profile: 19A2144R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.149	31.292	-30.851	74.000	11.857	PK
2	*	15690.000	50.479	32.125	-23.521	74.000	18.354	PK

Profile: 19A2144R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.828	31.971	-30.172	74.000	11.857	PK
2	*	15690.000	50.474	32.120	-23.526	74.000	18.354	PK