



Profile: 19A2144R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.281	30.791	-28.719	74.000	14.490	PK
2	*	17265.000	51.801	31.201	-22.199	74.000	20.600	PK

Profile: 19A2144R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.855	33.365	-26.145	74.000	14.490	PK
2	*	17265.000	52.584	31.984	-21.416	74.000	20.600	PK

Profile: 19A2144R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.887	31.842	-27.113	74.000	15.045	PK
2	*	17385.000	52.156	32.240	-21.844	74.000	19.916	PK

Profile: 19A2144R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.768	31.723	-27.232	74.000	15.045	PK
2	*	17385.000	50.675	30.759	-23.325	74.000	19.916	PK

Profile: 19A2144R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.845	32.087	-30.155	74.000	11.757	PK
2	*	15540.000	50.759	33.288	-23.241	74.000	17.471	PK

Profile: 19A2144R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.308	33.550	-28.692	74.000	11.757	PK
2	*	15540.000	50.854	33.383	-23.146	74.000	17.471	PK

Profile: 19A2144R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	46.196	33.845	-27.804	74.000	12.351	PK
2	*	15660.000	51.985	34.458	-22.015	74.000	17.527	PK

Profile: 19A2144R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.661	32.310	-29.339	74.000	12.351	PK
2	*	15660.000	49.384	31.857	-24.616	74.000	17.527	PK

Profile: 19A2144R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.693	31.626	-30.307	74.000	12.068	PK
2	*	15720.000	49.692	31.541	-24.308	74.000	18.152	PK

Profile: 19A2144R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.929	32.862	-29.071	74.000	12.068	PK
2	*	15720.000	50.596	32.445	-23.404	74.000	18.152	PK

Profile: 19A2144R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.955	32.024	-28.045	74.000	13.931	PK
2	*	17235.000	52.215	31.934	-21.785	74.000	20.281	PK

Profile: 19A2144R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.090	31.159	-28.910	74.000	13.931	PK
2	*	17235.000	51.198	30.917	-22.802	74.000	20.281	PK

Profile: 19A2144R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.209	31.995	-27.791	74.000	14.214	PK
2	*	17355.000	49.803	30.040	-24.197	74.000	19.762	PK

Profile: 19A2144R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.759	31.545	-28.241	74.000	14.214	PK
2	*	17355.000	49.861	30.098	-24.139	74.000	19.762	PK

Profile: 19A2144R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.251	30.674	-28.749	74.000	14.577	PK
2	*	17475.000	52.520	32.611	-21.480	74.000	19.909	PK

Profile: 19A2144R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.113	31.536	-27.887	74.000	14.577	PK
2	*	17475.000	52.160	32.251	-21.840	74.000	19.909	PK

Profile: 19A2144R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.851	33.068	-29.149	74.000	11.783	PK
2	*	15570.000	50.336	32.324	-23.664	74.000	18.012	PK

Profile: 19A2144R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.309	33.526	-28.691	74.000	11.783	PK
2	*	15570.000	50.946	32.934	-23.054	74.000	18.012	PK

Profile: 19A2144R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.639	31.782	-30.361	74.000	11.857	PK
2	*	15690.000	50.008	31.654	-23.992	74.000	18.354	PK

Profile: 19A2144R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.211	32.354	-29.789	74.000	11.857	PK
2	*	15690.000	50.168	31.814	-23.832	74.000	18.354	PK

Profile: 19A2144R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.913	31.423	-28.087	74.000	14.490	PK
2	*	17265.000	51.038	30.438	-22.962	74.000	20.600	PK

Profile: 19A2144R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.811	31.321	-28.189	74.000	14.490	PK
2	*	17265.000	51.851	31.251	-22.149	74.000	20.600	PK

Profile: 19A2144R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.985	32.940	-26.015	74.000	15.045	PK
2	*	17385.000	52.148	32.232	-21.852	74.000	19.916	PK

Profile: 19A2144R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.189	31.144	-27.811	74.000	15.045	PK
2	*	17385.000	51.623	31.707	-22.377	74.000	19.916	PK

Profile: 19A2144R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.268	32.489	-29.732	74.000	11.780	PK
2	*	15630.000	50.718	32.856	-23.282	74.000	17.862	PK

Profile: 19A2144R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.069	32.290	-29.931	74.000	11.780	PK
2	*	15630.000	50.480	32.618	-23.520	74.000	17.862	PK

Profile: 19A2144R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.617	30.207	-29.383	74.000	14.409	PK
2	*	17325.000	48.864	28.299	-25.136	74.000	20.565	PK

Profile: 19A2144R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.101	30.691	-28.899	74.000	14.409	PK
2	*	17325.000	49.718	29.153	-24.282	74.000	20.565	PK

Profile: 19A2144R	Page No.: 137
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.943	33.185	-29.057	74.000	11.757	PK
2	*	15540.000	49.650	32.179	-24.350	74.000	17.471	PK

Profile: 19A2144R	Page No.: 138
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.382	34.624	-27.618	74.000	11.757	PK
2	*	15540.000	50.191	32.720	-23.809	74.000	17.471	PK

Profile: 19A2144R	Page No.: 139
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.584	31.233	-30.416	74.000	12.351	PK
2	*	15660.000	49.273	31.746	-24.727	74.000	17.527	PK

Profile: 19A2144R	Page No.: 140
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.500	31.149	-30.500	74.000	12.351	PK
2	*	15660.000	50.131	32.604	-23.869	74.000	17.527	PK

Profile: 19A2144R	Page No.: 141
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.881	32.814	-29.119	74.000	12.068	PK
2	*	15720.000	49.948	31.797	-24.052	74.000	18.152	PK

Profile: 19A2144R	Page No.: 142
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.558	32.491	-29.442	74.000	12.068	PK
2	*	15720.000	50.190	32.039	-23.810	74.000	18.152	PK

Profile: 19A2144R	Page No.: 143
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.420	32.489	-27.580	74.000	13.931	PK
2	*	17235.000	51.659	31.378	-22.341	74.000	20.281	PK

Profile: 19A2144R	Page No.: 144
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.222	32.291	-27.778	74.000	13.931	PK
2	*	17235.000	50.691	30.410	-23.309	74.000	20.281	PK

Profile: 19A2144R	Page No.: 145
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.182	31.968	-27.818	74.000	14.214	PK
2	*	17355.000	51.159	31.396	-22.841	74.000	19.762	PK

Profile: 19A2144R	Page No.: 146
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.189	31.975	-27.811	74.000	14.214	PK
2	*	17355.000	50.674	30.911	-23.326	74.000	19.762	PK

Profile: 19A2144R	Page No.: 147
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.257	32.680	-26.743	74.000	14.577	PK
2	*	17475.000	51.397	31.488	-22.603	74.000	19.909	PK

Profile: 19A2144R	Page No.: 148
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.306	32.729	-26.694	74.000	14.577	PK
2	*	17475.000	52.843	32.934	-21.157	74.000	19.909	PK

Profile: 19A2144R	Page No.: 149
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.645	33.862	-28.355	74.000	11.783	PK
2	*	15570.000	50.281	32.269	-23.719	74.000	18.012	PK

Profile: 19A2144R	Page No.: 150
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.028	33.245	-28.972	74.000	11.783	PK
2	*	15570.000	50.951	32.939	-23.049	74.000	18.012	PK

Profile: 19A2144R	Page No.: 151
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.690	32.833	-29.310	74.000	11.857	PK
2	*	15690.000	49.972	31.618	-24.028	74.000	18.354	PK

Profile: 19A2144R	Page No.: 152
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.487	31.630	-30.513	74.000	11.857	PK
2	*	15690.000	50.356	32.002	-23.644	74.000	18.354	PK

Profile: 19A2144R	Page No.: 153
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.895	32.405	-27.105	74.000	14.490	PK
2	*	17265.000	51.206	30.606	-22.794	74.000	20.600	PK

Profile: 19A2144R	Page No.: 154
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.206	31.716	-27.794	74.000	14.490	PK
2	*	17265.000	51.399	30.799	-22.601	74.000	20.600	PK

Profile: 19A2144R	Page No.: 155
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.883	30.838	-28.117	74.000	15.045	PK
2	*	17385.000	52.653	32.737	-21.347	74.000	19.916	PK

Profile: 19A2144R	Page No.: 156
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.862	31.817	-27.138	74.000	15.045	PK
2	*	17385.000	51.408	31.492	-22.592	74.000	19.916	PK

Profile: 19A2144R	Page No.: 157
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.382	32.603	-29.618	74.000	11.780	PK
2	*	15630.000	50.536	32.674	-23.464	74.000	17.862	PK

Profile: 19A2144R	Page No.: 158
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.084	32.305	-29.916	74.000	11.780	PK
2	*	15630.000	50.305	32.443	-23.695	74.000	17.862	PK

Profile: 19A2144R	Page No.: 159
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.995	32.585	-27.005	74.000	14.409	PK
2	*	17325.000	49.579	29.014	-24.421	74.000	20.565	PK


Profile: 19A2144R	Page No.: 160
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.860	33.450	-26.140	74.000	14.409	PK
2	*	17325.000	50.597	30.032	-23.403	74.000	20.565	PK


Beamforming:

Profile: 19A2144R	Page No.: 69
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.152	32.394	-29.848	74.000	11.757	PK
2	*	15540.000	50.902	33.431	-23.098	74.000	17.471	PK

Profile: 19A2144R	Page No.: 70
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.098	32.340	-29.902	74.000	11.757	PK
2	*	15540.000	50.932	33.461	-23.068	74.000	17.471	PK

Profile: 19A2144R	Page No.: 71
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.621	32.270	-29.379	74.000	12.351	PK
2	*	15660.000	49.342	31.815	-24.658	74.000	17.527	PK

Profile: 19A2144R	Page No.: 72
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.681	32.330	-29.319	74.000	12.351	PK
2	*	15660.000	49.649	32.122	-24.351	74.000	17.527	PK

Profile: 19A2144R	Page No.: 73
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.831	32.764	-29.169	74.000	12.068	PK
2	*	15720.000	50.118	31.967	-23.882	74.000	18.152	PK

Profile: 19A2144R	Page No.: 74
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.631	33.564	-28.369	74.000	12.068	PK
2	*	15720.000	49.442	31.291	-24.558	74.000	18.152	PK

Profile: 19A2144R	Page No.: 75
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.938	33.007	-27.062	74.000	13.931	PK
2	*	17235.000	51.466	31.185	-22.534	74.000	20.281	PK

Profile: 19A2144R	Page No.: 76
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.686	32.755	-27.314	74.000	13.931	PK
2	*	17235.000	50.631	30.350	-23.369	74.000	20.281	PK

Profile: 19A2144R	Page No.: 77
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.479	31.265	-28.521	74.000	14.214	PK
2	*	17355.000	50.843	31.080	-23.157	74.000	19.762	PK

Profile: 19A2144R	Page No.: 78
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.274	32.060	-27.726	74.000	14.214	PK
2	*	17355.000	49.529	29.766	-24.471	74.000	19.762	PK

Profile: 19A2144R	Page No.: 79
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.666	32.089	-27.334	74.000	14.577	PK
2	*	17475.000	51.679	31.770	-22.321	74.000	19.909	PK

Profile: 19A2144R	Page No.: 80
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.594	32.017	-27.406	74.000	14.577	PK
2	*	17475.000	52.356	32.447	-21.644	74.000	19.909	PK

Profile: 19A2144R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.155	32.372	-29.845	74.000	11.783	PK
2	*	15570.000	51.920	33.908	-22.080	74.000	18.012	PK

Profile: 19A2144R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.364	32.581	-29.636	74.000	11.783	PK
2	*	15570.000	51.052	33.040	-22.948	74.000	18.012	PK

Profile: 19A2144R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.595	31.738	-30.405	74.000	11.857	PK
2	*	15690.000	51.285	32.931	-22.715	74.000	18.354	PK

Profile: 19A2144R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.969	31.112	-31.031	74.000	11.857	PK
2	*	15690.000	51.137	32.783	-22.863	74.000	18.354	PK

Profile: 19A2144R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.904	31.414	-28.096	74.000	14.490	PK
2	*	17265.000	52.513	31.913	-21.487	74.000	20.600	PK

Profile: 19A2144R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.596	32.106	-27.404	74.000	14.490	PK
2	*	17265.000	50.649	30.049	-23.351	74.000	20.600	PK

Profile: 19A2144R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.668	32.623	-26.332	74.000	15.045	PK
2	*	17385.000	51.928	32.012	-22.072	74.000	19.916	PK

Profile: 19A2144R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.814	32.769	-26.186	74.000	15.045	PK
2	*	17385.000	51.278	31.362	-22.722	74.000	19.916	PK

Profile: 19A2144R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.177	33.419	-28.823	74.000	11.757	PK
2	*	15540.000	51.054	33.583	-22.946	74.000	17.471	PK

Profile: 19A2144R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.618	32.860	-29.382	74.000	11.757	PK
2	*	15540.000	50.657	33.186	-23.343	74.000	17.471	PK

Profile: 19A2144R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.868	33.517	-28.132	74.000	12.351	PK
2	*	15660.000	48.952	31.425	-25.048	74.000	17.527	PK

Profile: 19A2144R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.877	31.526	-30.123	74.000	12.351	PK
2	*	15660.000	49.094	31.567	-24.906	74.000	17.527	PK

Profile: 19A2144R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.923	32.856	-29.077	74.000	12.068	PK
2	*	15720.000	49.654	31.503	-24.346	74.000	18.152	PK

Profile: 19A2144R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.013	32.946	-28.987	74.000	12.068	PK
2	*	15720.000	50.223	32.072	-23.777	74.000	18.152	PK

Profile: 19A2144R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.215	31.284	-28.785	74.000	13.931	PK
2	*	17235.000	51.685	31.404	-22.315	74.000	20.281	PK

Profile: 19A2144R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.103	32.172	-27.897	74.000	13.931	PK
2	*	17235.000	50.857	30.576	-23.143	74.000	20.281	PK

Profile: 19A2144R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.346	31.132	-28.654	74.000	14.214	PK
2	*	17355.000	49.784	30.021	-24.216	74.000	19.762	PK

Profile: 19A2144R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.228	32.014	-27.772	74.000	14.214	PK
2	*	17355.000	50.028	30.265	-23.972	74.000	19.762	PK

Profile: 19A2144R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.676	31.099	-28.324	74.000	14.577	PK
2	*	17475.000	51.590	31.681	-22.410	74.000	19.909	PK

Profile: 19A2144R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.293	30.716	-28.707	74.000	14.577	PK
2	*	17475.000	52.764	32.855	-21.236	74.000	19.909	PK

Profile: 19A2144R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.453	33.670	-28.547	74.000	11.783	PK
2	*	15570.000	50.837	32.825	-23.163	74.000	18.012	PK

Profile: 19A2144R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.594	32.811	-29.406	74.000	11.783	PK
2	*	15570.000	51.142	33.130	-22.858	74.000	18.012	PK

Profile: 19A2144R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.060	31.203	-30.940	74.000	11.857	PK
2	*	15690.000	49.598	31.244	-24.402	74.000	18.354	PK

Profile: 19A2144R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.788	31.931	-30.212	74.000	11.857	PK
2	*	15690.000	50.062	31.708	-23.938	74.000	18.354	PK

Profile: 19A2144R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.664	31.174	-28.336	74.000	14.490	PK
2	*	17265.000	50.778	30.178	-23.222	74.000	20.600	PK

Profile: 19A2144R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.934	32.444	-27.066	74.000	14.490	PK
2	*	17265.000	51.044	30.444	-22.956	74.000	20.600	PK

Profile: 19A2144R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.101	31.056	-27.899	74.000	15.045	PK
2	*	17385.000	50.865	30.949	-23.135	74.000	19.916	PK

Profile: 19A2144R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.893	31.848	-27.107	74.000	15.045	PK
2	*	17385.000	51.501	31.585	-22.499	74.000	19.916	PK

Profile: 19A2144R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.626	32.847	-29.374	74.000	11.780	PK
2	*	15630.000	50.341	32.479	-23.659	74.000	17.862	PK

Profile: 19A2144R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.209	32.430	-29.791	74.000	11.780	PK
2	*	15630.000	49.682	31.820	-24.318	74.000	17.862	PK

Profile: 19A2144R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.222	32.812	-26.778	74.000	14.409	PK
2	*	17325.000	49.727	29.162	-24.273	74.000	20.565	PK

Profile: 19A2144R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.469	31.059	-28.531	74.000	14.409	PK
2	*	17325.000	49.592	29.027	-24.408	74.000	20.565	PK

Profile: 19A2144R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.548	32.790	-29.452	74.000	11.757	PK
2	*	15540.000	49.308	31.837	-24.692	74.000	17.471	PK

Profile: 19A2144R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.892	34.134	-28.108	74.000	11.757	PK
2	*	15540.000	50.754	33.283	-23.246	74.000	17.471	PK

Profile: 19A2144R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.424	32.073	-29.576	74.000	12.351	PK
2	*	15660.000	49.712	32.185	-24.288	74.000	17.527	PK

Profile: 19A2144R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.421	32.070	-29.579	74.000	12.351	PK
2	*	15660.000	48.860	31.333	-25.140	74.000	17.527	PK

Profile: 19A2144R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.792	31.725	-30.208	74.000	12.068	PK
2	*	15720.000	50.208	32.057	-23.792	74.000	18.152	PK

Profile: 19A2144R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.657	32.590	-29.343	74.000	12.068	PK
2	*	15720.000	50.544	32.393	-23.456	74.000	18.152	PK

Profile: 19A2144R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.605	31.674	-28.395	74.000	13.931	PK
2	*	17235.000	53.870	33.589	-20.130	74.000	20.281	PK

Profile: 19A2144R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.081	32.150	-27.919	74.000	13.931	PK
2	*	17235.000	52.645	32.364	-21.355	74.000	20.281	PK

Profile: 19A2144R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.531	31.317	-28.469	74.000	14.214	PK
2	*	17355.000	50.170	30.407	-23.830	74.000	19.762	PK

Profile: 19A2144R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.742	30.528	-29.258	74.000	14.214	PK
2	*	17355.000	49.409	29.646	-24.591	74.000	19.762	PK

Profile: 19A2144R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.742	31.165	-28.258	74.000	14.577	PK
2	*	17475.000	52.292	32.383	-21.708	74.000	19.909	PK

Profile: 19A2144R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.552	31.975	-27.448	74.000	14.577	PK
2	*	17475.000	51.936	32.027	-22.064	74.000	19.909	PK

Profile: 19A2144R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.589	32.806	-29.411	74.000	11.783	PK
2	*	15570.000	51.482	33.470	-22.518	74.000	18.012	PK

Profile: 19A2144R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.642	33.859	-28.358	74.000	11.783	PK
2	*	15570.000	51.390	33.378	-22.610	74.000	18.012	PK

Profile: 19A2144R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.568	31.711	-30.432	74.000	11.857	PK
2	*	15690.000	50.808	32.454	-23.192	74.000	18.354	PK

Profile: 19A2144R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.618	31.761	-30.382	74.000	11.857	PK
2	*	15690.000	49.536	31.182	-24.464	74.000	18.354	PK

Profile: 19A2144R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.754	31.264	-28.246	74.000	14.490	PK
2	*	17265.000	50.344	29.744	-23.656	74.000	20.600	PK

Profile: 19A2144R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.501	32.011	-27.499	74.000	14.490	PK
2	*	17265.000	51.832	31.232	-22.168	74.000	20.600	PK

Profile: 19A2144R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.103	32.058	-26.897	74.000	15.045	PK
2	*	17385.000	52.485	32.569	-21.515	74.000	19.916	PK

Profile: 19A2144R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.801	32.756	-26.199	74.000	15.045	PK
2	*	17385.000	51.610	31.694	-22.390	74.000	19.916	PK

Profile: 19A2144R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.109	32.330	-29.891	74.000	11.780	PK
2	*	15630.000	50.338	32.476	-23.662	74.000	17.862	PK

Profile: 19A2144R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.895	33.116	-29.105	74.000	11.780	PK
2	*	15630.000	50.280	32.418	-23.720	74.000	17.862	PK

Profile: 19A2144R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.373	30.963	-28.627	74.000	14.409	PK
2	*	17325.000	49.600	29.035	-24.400	74.000	20.565	PK


Profile: 19A2144R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/12/18 - 16:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.544	33.134	-26.456	74.000	14.409	PK
2	*	17325.000	49.594	29.029	-24.406	74.000	20.565	PK


Radio 3:
5GHz Full Band
2*2 CDD:

Profile: 19A2144R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.912	34.154	-28.088	74.000	11.757	PK
2	*	15540.000	49.446	31.975	-24.554	74.000	17.471	PK

Profile: 19A2144R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.893	34.135	-28.107	74.000	11.757	PK
2	*	15540.000	51.074	33.603	-22.926	74.000	17.471	PK

Profile: 19A2144R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.679	32.328	-29.321	74.000	12.351	PK
2	*	15660.000	48.189	30.662	-25.811	74.000	17.527	PK

Profile: 19A2144R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	46.026	33.675	-27.974	74.000	12.351	PK
2	*	15660.000	48.743	31.216	-25.257	74.000	17.527	PK

Profile: 19A2144R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.445	33.378	-28.555	74.000	12.068	PK
2	*	15720.000	50.776	32.625	-23.224	74.000	18.152	PK

Profile: 19A2144R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.979	32.912	-29.021	74.000	12.068	PK
2	*	15720.000	50.064	31.913	-23.936	74.000	18.152	PK

Profile: 19A2144R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.764	31.833	-28.236	74.000	13.931	PK
2	*	17235.000	51.477	31.196	-22.523	74.000	20.281	PK

Profile: 19A2144R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.921	30.990	-29.079	74.000	13.931	PK
2	*	17235.000	50.747	30.466	-23.253	74.000	20.281	PK

Profile: 19A2144R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.184	32.970	-26.816	74.000	14.214	PK
2	*	17355.000	51.723	31.960	-22.277	74.000	19.762	PK

Profile: 19A2144R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.749	31.535	-28.251	74.000	14.214	PK
2	*	17355.000	50.885	31.122	-23.115	74.000	19.762	PK

Profile: 19A2144R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.757	32.180	-27.243	74.000	14.577	PK
2	*	17475.000	52.028	32.119	-21.972	74.000	19.909	PK

Profile: 19A2144R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.221	31.644	-27.779	74.000	14.577	PK
2	*	17475.000	51.901	31.992	-22.099	74.000	19.909	PK

Profile: 19A2144R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	47.420	35.662	-26.580	74.000	11.757	PK
2	*	15540.000	50.874	33.403	-23.126	74.000	17.471	PK

Profile: 19A2144R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.433	33.675	-28.567	74.000	11.757	PK
2	*	15540.000	51.377	33.906	-22.623	74.000	17.471	PK

Profile: 19A2144R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.091	32.740	-28.909	74.000	12.351	PK
2	*	15660.000	49.537	32.010	-24.463	74.000	17.527	PK

Profile: 19A2144R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.632	32.281	-29.368	74.000	12.351	PK
2	*	15660.000	50.203	32.676	-23.797	74.000	17.527	PK

Profile: 19A2144R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.035	31.968	-29.965	74.000	12.068	PK
2	*	15720.000	51.523	33.372	-22.477	74.000	18.152	PK

Profile: 19A2144R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.120	33.053	-28.880	74.000	12.068	PK
2	*	15720.000	50.424	32.273	-23.576	74.000	18.152	PK

Profile: 19A2144R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.418	31.487	-28.582	74.000	13.931	PK
2	*	17235.000	51.497	31.216	-22.503	74.000	20.281	PK

Profile: 19A2144R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.271	31.340	-28.729	74.000	13.931	PK
2	*	17235.000	51.242	30.961	-22.758	74.000	20.281	PK

Profile: 19A2144R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.249	32.035	-27.751	74.000	14.214	PK
2	*	17355.000	52.936	33.173	-21.064	74.000	19.762	PK

Profile: 19A2144R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.141	31.927	-27.859	74.000	14.214	PK
2	*	17355.000	51.176	31.413	-22.824	74.000	19.762	PK

Profile: 19A2144R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.592	32.015	-27.408	74.000	14.577	PK
2	*	17475.000	52.434	32.525	-21.566	74.000	19.909	PK

Profile: 19A2144R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.410	32.833	-26.590	74.000	14.577	PK
2	*	17475.000	51.276	31.367	-22.724	74.000	19.909	PK

Profile: 19A2144R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.426	33.643	-28.574	74.000	11.783	PK
2	*	15570.000	50.677	32.665	-23.323	74.000	18.012	PK

Profile: 19A2144R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.254	32.471	-29.746	74.000	11.783	PK
2	*	15570.000	50.505	32.493	-23.495	74.000	18.012	PK

Profile: 19A2144R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.473	32.616	-29.527	74.000	11.857	PK
2	*	15690.000	49.966	31.612	-24.034	74.000	18.354	PK

Profile: 19A2144R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.334	33.477	-28.666	74.000	11.857	PK
2	*	15690.000	50.531	32.177	-23.469	74.000	18.354	PK

Profile: 19A2144R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.268	32.778	-26.732	74.000	14.490	PK
2	*	17265.000	50.893	30.293	-23.107	74.000	20.600	PK

Profile: 19A2144R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.207	31.717	-27.793	74.000	14.490	PK
2	*	17265.000	51.924	31.324	-22.076	74.000	20.600	PK

Profile: 19A2144R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.347	30.302	-28.653	74.000	15.045	PK
2	*	17385.000	51.274	31.358	-22.726	74.000	19.916	PK

Profile: 19A2144R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.276	32.231	-26.724	74.000	15.045	PK
2	*	17385.000	50.916	31.000	-23.084	74.000	19.916	PK

Profile: 19A2144R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.400	33.642	-28.600	74.000	11.757	PK
2	*	15540.000	50.186	32.715	-23.814	74.000	17.471	PK

Profile: 19A2144R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.778	34.020	-28.222	74.000	11.757	PK
2	*	15540.000	49.751	32.280	-24.249	74.000	17.471	PK

Profile: 19A2144R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.509	32.158	-29.491	74.000	12.351	PK
2	*	15660.000	50.648	33.121	-23.352	74.000	17.527	PK

Profile: 19A2144R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.129	32.778	-28.871	74.000	12.351	PK
2	*	15660.000	49.365	31.838	-24.635	74.000	17.527	PK

Profile: 19A2144R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.336	32.269	-29.664	74.000	12.068	PK
2	*	15720.000	50.100	31.949	-23.900	74.000	18.152	PK

Profile: 19A2144R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.304	32.237	-29.696	74.000	12.068	PK
2	*	15720.000	50.292	32.141	-23.708	74.000	18.152	PK

Profile: 19A2144R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.846	31.915	-28.154	74.000	13.931	PK
2	*	17235.000	51.913	31.632	-22.087	74.000	20.281	PK

Profile: 19A2144R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.521	31.590	-28.479	74.000	13.931	PK
2	*	17235.000	51.744	31.463	-22.256	74.000	20.281	PK

Profile: 19A2144R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.678	31.464	-28.322	74.000	14.214	PK
2	*	17355.000	51.548	31.785	-22.452	74.000	19.762	PK

Profile: 19A2144R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.192	31.978	-27.808	74.000	14.214	PK
2	*	17355.000	51.120	31.357	-22.880	74.000	19.762	PK

Profile: 19A2144R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.342	31.765	-27.658	74.000	14.577	PK
2	*	17475.000	52.315	32.406	-21.685	74.000	19.909	PK

Profile: 19A2144R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.897	31.320	-28.103	74.000	14.577	PK
2	*	17475.000	53.162	33.253	-20.838	74.000	19.909	PK

Profile: 19A2144R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.910	33.127	-29.090	74.000	11.783	PK
2	*	15570.000	50.449	32.437	-23.551	74.000	18.012	PK

Profile: 19A2144R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.367	32.584	-29.633	74.000	11.783	PK
2	*	15570.000	51.417	33.405	-22.583	74.000	18.012	PK

Profile: 19A2144R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.670	31.813	-30.330	74.000	11.857	PK
2	*	15690.000	49.362	31.008	-24.638	74.000	18.354	PK

Profile: 19A2144R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.476	31.619	-30.524	74.000	11.857	PK
2	*	15690.000	49.549	31.195	-24.451	74.000	18.354	PK

Profile: 19A2144R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.152	30.662	-28.848	74.000	14.490	PK
2	*	17265.000	50.322	29.722	-23.678	74.000	20.600	PK

Profile: 19A2144R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.857	31.367	-28.143	74.000	14.490	PK
2	*	17265.000	51.840	31.240	-22.160	74.000	20.600	PK

Profile: 19A2144R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.676	30.631	-28.324	74.000	15.045	PK
2	*	17385.000	51.791	31.875	-22.209	74.000	19.916	PK

Profile: 19A2144R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.740	31.695	-27.260	74.000	15.045	PK
2	*	17385.000	51.310	31.394	-22.690	74.000	19.916	PK

Profile: 19A2144R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.761	32.982	-29.239	74.000	11.780	PK
2	*	15630.000	49.417	31.555	-24.583	74.000	17.862	PK

Profile: 19A2144R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.907	32.128	-30.093	74.000	11.780	PK
2	*	15630.000	49.932	32.070	-24.068	74.000	17.862	PK

Profile: 19A2144R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.542	31.132	-28.458	74.000	14.409	PK
2	*	17325.000	48.743	28.178	-25.257	74.000	20.565	PK

Profile: 19A2144R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.464	32.054	-27.536	74.000	14.409	PK
2	*	17325.000	49.438	28.873	-24.562	74.000	20.565	PK

Profile: 19A2144R	Page No.: 137
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.673	32.915	-29.327	74.000	11.757	PK
2	*	15540.000	50.047	32.576	-23.953	74.000	17.471	PK

Profile: 19A2144R	Page No.: 138
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.693	32.935	-29.307	74.000	11.757	PK
2	*	15540.000	49.992	32.521	-24.008	74.000	17.471	PK

Profile: 19A2144R	Page No.: 139
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.094	31.743	-29.906	74.000	12.351	PK
2	*	15660.000	48.840	31.313	-25.160	74.000	17.527	PK

Profile: 19A2144R	Page No.: 140
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.039	31.688	-29.961	74.000	12.351	PK
2	*	15660.000	48.907	31.380	-25.093	74.000	17.527	PK

Profile: 19A2144R	Page No.: 141
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.649	32.582	-29.351	74.000	12.068	PK
2	*	15720.000	50.503	32.352	-23.497	74.000	18.152	PK

Profile: 19A2144R	Page No.: 142
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.696	32.629	-29.304	74.000	12.068	PK
2	*	15720.000	50.288	32.137	-23.712	74.000	18.152	PK

Profile: 19A2144R	Page No.: 143
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.738	31.807	-28.262	74.000	13.931	PK
2	*	17235.000	52.062	31.781	-21.938	74.000	20.281	PK

Profile: 19A2144R	Page No.: 144
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.064	31.133	-28.936	74.000	13.931	PK
2	*	17235.000	50.194	29.913	-23.806	74.000	20.281	PK

Profile: 19A2144R	Page No.: 145
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.040	32.826	-26.960	74.000	14.214	PK
2	*	17355.000	50.365	30.602	-23.635	74.000	19.762	PK

Profile: 19A2144R	Page No.: 146
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.682	31.468	-28.318	74.000	14.214	PK
2	*	17355.000	49.667	29.904	-24.333	74.000	19.762	PK

Profile: 19A2144R	Page No.: 147
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.639	32.062	-27.361	74.000	14.577	PK
2	*	17475.000	52.002	32.093	-21.998	74.000	19.909	PK

Profile: 19A2144R	Page No.: 148
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.877	31.300	-28.123	74.000	14.577	PK
2	*	17475.000	50.765	30.856	-23.235	74.000	19.909	PK