



Profile: 19A2144R	Page No.: 149
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.437	32.654	-29.563	74.000	11.783	PK
2	*	15570.000	50.160	32.148	-23.840	74.000	18.012	PK

Profile: 19A2144R	Page No.: 150
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.482	32.699	-29.518	74.000	11.783	PK
2	*	15570.000	49.639	31.627	-24.361	74.000	18.012	PK

Profile: 19A2144R	Page No.: 151
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.491	31.634	-30.509	74.000	11.857	PK
2	*	15690.000	51.873	33.519	-22.127	74.000	18.354	PK

Profile: 19A2144R	Page No.: 152
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.278	32.421	-29.722	74.000	11.857	PK
2	*	15690.000	52.367	34.013	-21.633	74.000	18.354	PK

Profile: 19A2144R	Page No.: 153
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.251	31.761	-27.749	74.000	14.490	PK
2	*	17265.000	50.528	29.928	-23.472	74.000	20.600	PK

Profile: 19A2144R	Page No.: 154
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.691	31.201	-28.309	74.000	14.490	PK
2	*	17265.000	50.741	30.141	-23.259	74.000	20.600	PK

Profile: 19A2144R	Page No.: 155
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.232	31.187	-27.768	74.000	15.045	PK
2	*	17385.000	50.111	30.195	-23.889	74.000	19.916	PK


Profile: 19A2144R	Page No.: 156
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.654	32.609	-26.346	74.000	15.045	PK
2	*	17385.000	51.702	31.786	-22.298	74.000	19.916	PK




Profile: 19A2144R	Page No.: 157
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.583	32.804	-29.417	74.000	11.780	PK
2	*	15630.000	50.002	32.140	-23.998	74.000	17.862	PK

Profile: 19A2144R	Page No.: 158
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.235	32.456	-29.765	74.000	11.780	PK
2	*	15630.000	50.416	32.554	-23.584	74.000	17.862	PK

Profile: 19A2144R	Page No.: 159
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.705	31.295	-28.295	74.000	14.409	PK
2	*	17325.000	49.695	29.130	-24.305	74.000	20.565	PK


Profile: 19A2144R	Page No.: 160
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.702	32.292	-27.298	74.000	14.409	PK
2	*	17325.000	49.252	28.687	-24.748	74.000	20.565	PK


**2\*2 Beamforming:**

Profile: 19A2144R	Page No.: 69
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.517	32.759	-29.483	74.000	11.757	PK
2	*	15540.000	49.973	32.502	-24.027	74.000	17.471	PK

Profile: 19A2144R	Page No.: 70
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.009	33.251	-28.991	74.000	11.757	PK
2	*	15540.000	48.964	31.493	-25.036	74.000	17.471	PK

Profile: 19A2144R	Page No.: 71
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.030	32.679	-28.970	74.000	12.351	PK
2	*	15660.000	48.527	31.000	-25.473	74.000	17.527	PK


Profile: 19A2144R	Page No.: 72
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.215	31.864	-29.785	74.000	12.351	PK
2	*	15660.000	48.975	31.448	-25.025	74.000	17.527	PK




Profile: 19A2144R	Page No.: 73
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.586	31.519	-30.414	74.000	12.068	PK
2	*	15720.000	50.613	32.462	-23.387	74.000	18.152	PK

Profile: 19A2144R	Page No.: 74
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.675	32.608	-29.325	74.000	12.068	PK
2	*	15720.000	51.096	32.945	-22.904	74.000	18.152	PK

Profile: 19A2144R	Page No.: 75
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.447	31.516	-28.553	74.000	13.931	PK
2	*	17235.000	51.061	30.780	-22.939	74.000	20.281	PK

Profile: 19A2144R	Page No.: 76
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.954	32.023	-28.046	74.000	13.931	PK
2	*	17235.000	50.536	30.255	-23.464	74.000	20.281	PK

Profile: 19A2144R	Page No.: 77
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.891	30.677	-29.109	74.000	14.214	PK
2	*	17355.000	49.353	29.590	-24.647	74.000	19.762	PK

Profile: 19A2144R	Page No.: 78
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.249	32.035	-27.751	74.000	14.214	PK
2	*	17355.000	49.992	30.229	-24.008	74.000	19.762	PK

Profile: 19A2144R	Page No.: 79
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.154	31.577	-27.846	74.000	14.577	PK
2	*	17475.000	52.430	32.521	-21.570	74.000	19.909	PK


Profile: 19A2144R	Page No.: 80
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.162	31.585	-27.838	74.000	14.577	PK
2	*	17475.000	51.921	32.012	-22.079	74.000	19.909	PK




Profile: 19A2144R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.768	33.985	-28.232	74.000	11.783	PK
2	*	15570.000	52.092	34.080	-21.908	74.000	18.012	PK

Profile: 19A2144R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.751	32.968	-29.249	74.000	11.783	PK
2	*	15570.000	51.847	33.835	-22.153	74.000	18.012	PK

Profile: 19A2144R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.262	32.405	-29.738	74.000	11.857	PK
2	*	15690.000	49.871	31.517	-24.129	74.000	18.354	PK

Profile: 19A2144R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.879	32.022	-30.121	74.000	11.857	PK
2	*	15690.000	50.214	31.860	-23.786	74.000	18.354	PK

Profile: 19A2144R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.179	31.689	-27.821	74.000	14.490	PK
2	*	17265.000	51.228	30.628	-22.772	74.000	20.600	PK

Profile: 19A2144R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.390	31.900	-27.610	74.000	14.490	PK
2	*	17265.000	50.282	29.682	-23.718	74.000	20.600	PK

Profile: 19A2144R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.208	32.163	-26.792	74.000	15.045	PK
2	*	17385.000	50.753	30.837	-23.247	74.000	19.916	PK


Profile: 19A2144R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.760	31.715	-27.240	74.000	15.045	PK
2	*	17385.000	51.492	31.576	-22.508	74.000	19.916	PK




Profile: 19A2144R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.426	33.668	-28.574	74.000	11.757	PK
2	*	15540.000	51.149	33.678	-22.851	74.000	17.471	PK

Profile: 19A2144R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.023	33.265	-28.977	74.000	11.757	PK
2	*	15540.000	50.269	32.798	-23.731	74.000	17.471	PK

Profile: 19A2144R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.566	33.215	-28.434	74.000	12.351	PK
2	*	15660.000	49.138	31.611	-24.862	74.000	17.527	PK

Profile: 19A2144R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.418	33.067	-28.582	74.000	12.351	PK
2	*	15660.000	49.495	31.968	-24.505	74.000	17.527	PK

Profile: 19A2144R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.911	31.844	-30.089	74.000	12.068	PK
2	*	15720.000	50.508	32.357	-23.492	74.000	18.152	PK

Profile: 19A2144R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.854	32.787	-29.146	74.000	12.068	PK
2	*	15720.000	50.759	32.608	-23.241	74.000	18.152	PK

Profile: 19A2144R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.935	32.004	-28.065	74.000	13.931	PK
2	*	17235.000	52.379	32.098	-21.621	74.000	20.281	PK


Profile: 19A2144R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.641	31.710	-28.359	74.000	13.931	PK
2	*	17235.000	52.212	31.931	-21.788	74.000	20.281	PK




Profile: 19A2144R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.730	31.516	-28.270	74.000	14.214	PK
2	*	17355.000	50.162	30.399	-23.838	74.000	19.762	PK

Profile: 19A2144R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.135	31.921	-27.865	74.000	14.214	PK
2	*	17355.000	49.585	29.822	-24.415	74.000	19.762	PK

Profile: 19A2144R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.254	31.677	-27.746	74.000	14.577	PK
2	*	17475.000	51.930	32.021	-22.070	74.000	19.909	PK

Profile: 19A2144R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.501	31.924	-27.499	74.000	14.577	PK
2	*	17475.000	52.378	32.469	-21.622	74.000	19.909	PK

Profile: 19A2144R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.193	33.410	-28.807	74.000	11.783	PK
2	*	15570.000	50.062	32.050	-23.938	74.000	18.012	PK

Profile: 19A2144R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.943	32.160	-30.057	74.000	11.783	PK
2	*	15570.000	50.343	32.331	-23.657	74.000	18.012	PK

Profile: 19A2144R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.587	31.730	-30.413	74.000	11.857	PK
2	*	15690.000	50.708	32.354	-23.292	74.000	18.354	PK


Profile: 19A2144R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.903	31.046	-31.097	74.000	11.857	PK
2	*	15690.000	51.278	32.924	-22.722	74.000	18.354	PK




Profile: 19A2144R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.951	31.461	-28.049	74.000	14.490	PK
2	*	17265.000	50.817	30.217	-23.183	74.000	20.600	PK

Profile: 19A2144R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.457	30.967	-28.543	74.000	14.490	PK
2	*	17265.000	50.671	30.071	-23.329	74.000	20.600	PK

Profile: 19A2144R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.786	30.741	-28.214	74.000	15.045	PK
2	*	17385.000	50.644	30.728	-23.356	74.000	19.916	PK

Profile: 19A2144R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.288	32.243	-26.712	74.000	15.045	PK
2	*	17385.000	51.928	32.012	-22.072	74.000	19.916	PK

Profile: 19A2144R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.410	32.631	-29.590	74.000	11.780	PK
2	*	15630.000	49.191	31.329	-24.809	74.000	17.862	PK

Profile: 19A2144R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.955	34.176	-28.045	74.000	11.780	PK
2	*	15630.000	50.065	32.203	-23.935	74.000	17.862	PK

Profile: 19A2144R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.209	30.799	-28.791	74.000	14.409	PK
2	*	17325.000	50.478	29.913	-23.522	74.000	20.565	PK


Profile: 19A2144R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.322	30.912	-28.678	74.000	14.409	PK
2	*	17325.000	49.338	28.773	-24.662	74.000	20.565	PK




Profile: 19A2144R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.190	33.432	-28.810	74.000	11.757	PK
2	*	15540.000	51.067	33.596	-22.933	74.000	17.471	PK

Profile: 19A2144R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.269	33.511	-28.731	74.000	11.757	PK
2	*	15540.000	50.495	33.024	-23.505	74.000	17.471	PK

Profile: 19A2144R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.148	32.797	-28.852	74.000	12.351	PK
2	*	15660.000	49.037	31.510	-24.963	74.000	17.527	PK

Profile: 19A2144R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.058	32.707	-28.942	74.000	12.351	PK
2	*	15660.000	49.322	31.795	-24.678	74.000	17.527	PK

Profile: 19A2144R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.764	33.697	-28.236	74.000	12.068	PK
2	*	15720.000	51.328	33.177	-22.672	74.000	18.152	PK

Profile: 19A2144R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.262	32.195	-29.738	74.000	12.068	PK
2	*	15720.000	51.084	32.933	-22.916	74.000	18.152	PK

Profile: 19A2144R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.781	30.850	-29.219	74.000	13.931	PK
2	*	17235.000	54.021	33.740	-19.979	74.000	20.281	PK


Profile: 19A2144R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.623	30.692	-29.377	74.000	13.931	PK
2	*	17235.000	50.462	30.181	-23.538	74.000	20.281	PK




Profile: 19A2144R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.460	31.246	-28.540	74.000	14.214	PK
2	*	17355.000	50.384	30.621	-23.616	74.000	19.762	PK

Profile: 19A2144R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.766	31.552	-28.234	74.000	14.214	PK
2	*	17355.000	49.858	30.095	-24.142	74.000	19.762	PK

Profile: 19A2144R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.298	31.721	-27.702	74.000	14.577	PK
2	*	17475.000	51.846	31.937	-22.154	74.000	19.909	PK

Profile: 19A2144R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.473	31.896	-27.527	74.000	14.577	PK
2	*	17475.000	51.129	31.220	-22.871	74.000	19.909	PK

Profile: 19A2144R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.385	32.602	-29.615	74.000	11.783	PK
2	*	15570.000	50.982	32.970	-23.018	74.000	18.012	PK

Profile: 19A2144R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.853	33.070	-29.147	74.000	11.783	PK
2	*	15570.000	50.430	32.418	-23.570	74.000	18.012	PK

Profile: 19A2144R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.608	31.751	-30.392	74.000	11.857	PK
2	*	15690.000	49.454	31.100	-24.546	74.000	18.354	PK


Profile: 19A2144R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.519	31.662	-30.481	74.000	11.857	PK
2	*	15690.000	50.597	32.243	-23.403	74.000	18.354	PK




Profile: 19A2144R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.620	32.130	-27.380	74.000	14.490	PK
2	*	17265.000	49.705	29.105	-24.295	74.000	20.600	PK

Profile: 19A2144R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.419	31.929	-27.581	74.000	14.490	PK
2	*	17265.000	51.153	30.553	-22.847	74.000	20.600	PK

Profile: 19A2144R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.799	30.754	-28.201	74.000	15.045	PK
2	*	17385.000	51.571	31.655	-22.429	74.000	19.916	PK

Profile: 19A2144R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.107	32.062	-26.893	74.000	15.045	PK
2	*	17385.000	52.174	32.258	-21.826	74.000	19.916	PK

Profile: 19A2144R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.955	33.176	-29.045	74.000	11.780	PK
2	*	15630.000	50.339	32.477	-23.661	74.000	17.862	PK

Profile: 19A2144R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.220	33.441	-28.780	74.000	11.780	PK
2	*	15630.000	50.459	32.597	-23.541	74.000	17.862	PK

Profile: 19A2144R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.222	30.812	-28.778	74.000	14.409	PK
2	*	17325.000	49.992	29.427	-24.008	74.000	20.565	PK

Profile: 19A2144R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.237	31.827	-27.763	74.000	14.409	PK
2	*	17325.000	49.259	28.694	-24.741	74.000	20.565	PK




**4\*4 CDD:**

Profile: 19A2144R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.276	34.518	-27.724	74.000	11.757	PK
2	*	15540.000	50.825	33.354	-23.175	74.000	17.471	PK

Profile: 19A2144R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.035	32.277	-29.965	74.000	11.757	PK
2	*	15540.000	50.447	32.976	-23.553	74.000	17.471	PK

Profile: 19A2144R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.889	32.538	-29.111	74.000	12.351	PK
2	*	15660.000	49.844	32.317	-24.156	74.000	17.527	PK

Profile: 19A2144R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.529	33.178	-28.471	74.000	12.351	PK
2	*	15660.000	49.784	32.257	-24.216	74.000	17.527	PK

Profile: 19A2144R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.533	32.466	-29.467	74.000	12.068	PK
2	*	15720.000	50.171	32.020	-23.829	74.000	18.152	PK

Profile: 19A2144R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.086	33.019	-28.914	74.000	12.068	PK
2	*	15720.000	50.375	32.224	-23.625	74.000	18.152	PK

Profile: 19A2144R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.832	31.901	-28.168	74.000	13.931	PK
2	*	17235.000	52.454	32.173	-21.546	74.000	20.281	PK


Profile: 19A2144R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.981	33.050	-27.019	74.000	13.931	PK
2	*	17235.000	51.309	31.028	-22.691	74.000	20.281	PK




Profile: 19A2144R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.839	31.625	-28.161	74.000	14.214	PK
2	*	17355.000	51.567	31.804	-22.433	74.000	19.762	PK

Profile: 19A2144R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.815	31.601	-28.185	74.000	14.214	PK
2	*	17355.000	51.103	31.340	-22.897	74.000	19.762	PK

Profile: 19A2144R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.511	30.934	-28.489	74.000	14.577	PK
2	*	17475.000	52.017	32.108	-21.983	74.000	19.909	PK

Profile: 19A2144R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.414	32.837	-26.586	74.000	14.577	PK
2	*	17475.000	52.380	32.471	-21.620	74.000	19.909	PK

Profile: 19A2144R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.388	32.630	-29.612	74.000	11.757	PK
2	*	15540.000	49.667	32.196	-24.333	74.000	17.471	PK

Profile: 19A2144R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.143	33.385	-28.857	74.000	11.757	PK
2	*	15540.000	51.075	33.604	-22.925	74.000	17.471	PK

Profile: 19A2144R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.225	31.874	-29.775	74.000	12.351	PK
2	*	15660.000	50.673	33.146	-23.327	74.000	17.527	PK


Profile: 19A2144R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.900	32.549	-29.100	74.000	12.351	PK
2	*	15660.000	49.856	32.329	-24.144	74.000	17.527	PK




Profile: 19A2144R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.700	32.633	-29.300	74.000	12.068	PK
2	*	15720.000	50.570	32.419	-23.430	74.000	18.152	PK

Profile: 19A2144R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.516	32.449	-29.484	74.000	12.068	PK
2	*	15720.000	49.808	31.657	-24.192	74.000	18.152	PK

Profile: 19A2144R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.478	31.547	-28.522	74.000	13.931	PK
2	*	17235.000	50.863	30.582	-23.137	74.000	20.281	PK

Profile: 19A2144R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.516	31.585	-28.484	74.000	13.931	PK
2	*	17235.000	51.537	31.256	-22.463	74.000	20.281	PK

Profile: 19A2144R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.790	30.576	-29.210	74.000	14.214	PK
2	*	17355.000	50.148	30.385	-23.852	74.000	19.762	PK

Profile: 19A2144R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.970	31.756	-28.030	74.000	14.214	PK
2	*	17355.000	50.583	30.820	-23.417	74.000	19.762	PK

Profile: 19A2144R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.988	31.411	-28.012	74.000	14.577	PK
2	*	17475.000	52.581	32.672	-21.419	74.000	19.909	PK


Profile: 19A2144R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.570	31.993	-27.430	74.000	14.577	PK
2	*	17475.000	52.317	32.408	-21.683	74.000	19.909	PK




Profile: 19A2144R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.386	33.603	-28.614	74.000	11.783	PK
2	*	15570.000	51.568	33.556	-22.432	74.000	18.012	PK

Profile: 19A2144R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.246	32.463	-29.754	74.000	11.783	PK
2	*	15570.000	50.976	32.964	-23.024	74.000	18.012	PK

Profile: 19A2144R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.229	31.372	-30.771	74.000	11.857	PK
2	*	15690.000	50.206	31.852	-23.794	74.000	18.354	PK

Profile: 19A2144R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.886	32.029	-30.114	74.000	11.857	PK
2	*	15690.000	50.184	31.830	-23.816	74.000	18.354	PK

Profile: 19A2144R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.819	31.329	-28.181	74.000	14.490	PK
2	*	17265.000	52.097	31.497	-21.903	74.000	20.600	PK

Profile: 19A2144R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.807	31.317	-28.193	74.000	14.490	PK
2	*	17265.000	50.924	30.324	-23.076	74.000	20.600	PK

Profile: 19A2144R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.782	31.737	-27.218	74.000	15.045	PK
2	*	17385.000	51.351	31.435	-22.649	74.000	19.916	PK


Profile: 19A2144R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.505	32.460	-26.495	74.000	15.045	PK
2	*	17385.000	51.891	31.975	-22.109	74.000	19.916	PK




Profile: 19A2144R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.533	32.775	-29.467	74.000	11.757	PK
2	*	15540.000	50.318	32.847	-23.682	74.000	17.471	PK

Profile: 19A2144R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.265	32.507	-29.735	74.000	11.757	PK
2	*	15540.000	49.815	32.344	-24.185	74.000	17.471	PK

Profile: 19A2144R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.514	33.163	-28.486	74.000	12.351	PK
2	*	15660.000	50.136	32.609	-23.864	74.000	17.527	PK

Profile: 19A2144R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.403	32.052	-29.597	74.000	12.351	PK
2	*	15660.000	50.076	32.549	-23.924	74.000	17.527	PK

Profile: 19A2144R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.180	32.113	-29.820	74.000	12.068	PK
2	*	15720.000	49.646	31.495	-24.354	74.000	18.152	PK

Profile: 19A2144R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.506	33.439	-28.494	74.000	12.068	PK
2	*	15720.000	50.584	32.433	-23.416	74.000	18.152	PK

Profile: 19A2144R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.680	31.749	-28.320	74.000	13.931	PK
2	*	17235.000	50.931	30.650	-23.069	74.000	20.281	PK


Profile: 19A2144R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.861	31.930	-28.139	74.000	13.931	PK
2	*	17235.000	51.438	31.157	-22.562	74.000	20.281	PK




Profile: 19A2144R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.394	32.180	-27.606	74.000	14.214	PK
2	*	17355.000	50.698	30.935	-23.302	74.000	19.762	PK

Profile: 19A2144R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.750	30.536	-29.250	74.000	14.214	PK
2	*	17355.000	50.858	31.095	-23.142	74.000	19.762	PK

Profile: 19A2144R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.009	31.432	-27.991	74.000	14.577	PK
2	*	17475.000	51.217	31.308	-22.783	74.000	19.909	PK

Profile: 19A2144R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.225	31.648	-27.775	74.000	14.577	PK
2	*	17475.000	51.633	31.724	-22.367	74.000	19.909	PK

Profile: 19A2144R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.673	32.890	-29.327	74.000	11.783	PK
2	*	15570.000	50.229	32.217	-23.771	74.000	18.012	PK

Profile: 19A2144R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.155	33.372	-28.845	74.000	11.783	PK
2	*	15570.000	51.385	33.373	-22.615	74.000	18.012	PK

Profile: 19A2144R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.128	32.271	-29.872	74.000	11.857	PK
2	*	15690.000	50.145	31.791	-23.855	74.000	18.354	PK


Profile: 19A2144R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.773	31.916	-30.227	74.000	11.857	PK
2	*	15690.000	50.211	31.857	-23.789	74.000	18.354	PK




Profile: 19A2144R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.016	31.526	-27.984	74.000	14.490	PK
2	*	17265.000	50.999	30.399	-23.001	74.000	20.600	PK

Profile: 19A2144R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.004	31.514	-27.996	74.000	14.490	PK
2	*	17265.000	50.442	29.842	-23.558	74.000	20.600	PK

Profile: 19A2144R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.667	32.622	-26.333	74.000	15.045	PK
2	*	17385.000	51.228	31.312	-22.772	74.000	19.916	PK

Profile: 19A2144R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.414	32.369	-26.586	74.000	15.045	PK
2	*	17385.000	52.667	32.751	-21.333	74.000	19.916	PK

Profile: 19A2144R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.613	33.834	-28.387	74.000	11.780	PK
2	*	15630.000	50.839	32.977	-23.161	74.000	17.862	PK

Profile: 19A2144R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.494	32.715	-29.506	74.000	11.780	PK
2	*	15630.000	50.150	32.288	-23.850	74.000	17.862	PK

Profile: 19A2144R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.093	32.683	-26.907	74.000	14.409	PK
2	*	17325.000	50.502	29.937	-23.498	74.000	20.565	PK


Profile: 19A2144R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.219	31.809	-27.781	74.000	14.409	PK
2	*	17325.000	50.233	29.668	-23.767	74.000	20.565	PK




Profile: 19A2144R	Page No.: 137
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.420	32.662	-29.580	74.000	11.757	PK
2	*	15540.000	50.358	32.887	-23.642	74.000	17.471	PK

Profile: 19A2144R	Page No.: 138
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.888	33.130	-29.112	74.000	11.757	PK
2	*	15540.000	50.178	32.707	-23.822	74.000	17.471	PK

Profile: 19A2144R	Page No.: 139
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.796	31.445	-30.204	74.000	12.351	PK
2	*	15660.000	50.427	32.900	-23.573	74.000	17.527	PK

Profile: 19A2144R	Page No.: 140
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.362	32.011	-29.638	74.000	12.351	PK
2	*	15660.000	49.218	31.691	-24.782	74.000	17.527	PK

Profile: 19A2144R	Page No.: 141
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.201	33.134	-28.799	74.000	12.068	PK
2	*	15720.000	49.791	31.640	-24.209	74.000	18.152	PK

Profile: 19A2144R	Page No.: 142
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.416	32.349	-29.584	74.000	12.068	PK
2	*	15720.000	51.225	33.074	-22.775	74.000	18.152	PK

Profile: 19A2144R	Page No.: 143
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.009	31.078	-28.991	74.000	13.931	PK
2	*	17235.000	52.387	32.106	-21.613	74.000	20.281	PK


Profile: 19A2144R	Page No.: 144
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.884	32.953	-27.116	74.000	13.931	PK
2	*	17235.000	52.325	32.044	-21.675	74.000	20.281	PK




Profile: 19A2144R	Page No.: 145
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.295	31.081	-28.705	74.000	14.214	PK
2	*	17355.000	50.100	30.337	-23.900	74.000	19.762	PK

Profile: 19A2144R	Page No.: 146
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.110	31.896	-27.890	74.000	14.214	PK
2	*	17355.000	50.888	31.125	-23.112	74.000	19.762	PK

Profile: 19A2144R	Page No.: 147
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.354	32.777	-26.646	74.000	14.577	PK
2	*	17475.000	51.787	31.878	-22.213	74.000	19.909	PK

Profile: 19A2144R	Page No.: 148
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.913	31.336	-28.087	74.000	14.577	PK
2	*	17475.000	51.880	31.971	-22.120	74.000	19.909	PK

Profile: 19A2144R	Page No.: 149
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.259	33.476	-28.741	74.000	11.783	PK
2	*	15570.000	51.233	33.221	-22.767	74.000	18.012	PK

Profile: 19A2144R	Page No.: 150
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.582	32.799	-29.418	74.000	11.783	PK
2	*	15570.000	51.704	33.692	-22.296	74.000	18.012	PK

Profile: 19A2144R	Page No.: 151
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.352	31.495	-30.648	74.000	11.857	PK
2	*	15690.000	49.950	31.596	-24.050	74.000	18.354	PK


Profile: 19A2144R	Page No.: 152
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.098	32.241	-29.902	74.000	11.857	PK
2	*	15690.000	49.391	31.037	-24.609	74.000	18.354	PK




Profile: 19A2144R	Page No.: 153
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.880	32.390	-27.120	74.000	14.490	PK
2	*	17265.000	52.533	31.933	-21.467	74.000	20.600	PK

Profile: 19A2144R	Page No.: 154
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.939	31.449	-28.061	74.000	14.490	PK
2	*	17265.000	50.977	30.377	-23.023	74.000	20.600	PK

Profile: 19A2144R	Page No.: 155
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.244	32.199	-26.756	74.000	15.045	PK
2	*	17385.000	53.688	33.772	-20.312	74.000	19.916	PK

Profile: 19A2144R	Page No.: 156
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.707	32.662	-26.293	74.000	15.045	PK
2	*	17385.000	51.610	31.694	-22.390	74.000	19.916	PK

Profile: 19A2144R	Page No.: 157
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.096	32.317	-29.904	74.000	11.780	PK
2	*	15630.000	50.098	32.236	-23.902	74.000	17.862	PK

Profile: 19A2144R	Page No.: 158
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.428	32.649	-29.572	74.000	11.780	PK
2	*	15630.000	51.275	33.413	-22.725	74.000	17.862	PK

Profile: 19A2144R	Page No.: 159
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.478	32.068	-27.522	74.000	14.409	PK
2	*	17325.000	49.509	28.944	-24.491	74.000	20.565	PK

Profile: 19A2144R	Page No.: 160
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.784	31.374	-28.216	74.000	14.409	PK
2	*	17325.000	50.077	29.512	-23.923	74.000	20.565	PK




**4\*4 Beamforming:**

Profile: 19A2144R	Page No.: 69
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.609	33.851	-28.391	74.000	11.757	PK
2	*	15540.000	50.853	33.382	-23.147	74.000	17.471	PK

Profile: 19A2144R	Page No.: 70
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.353	33.595	-28.647	74.000	11.757	PK
2	*	15540.000	50.266	32.795	-23.734	74.000	17.471	PK

Profile: 19A2144R	Page No.: 71
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.201	32.850	-28.799	74.000	12.351	PK
2	*	15660.000	50.066	32.539	-23.934	74.000	17.527	PK

Profile: 19A2144R	Page No.: 72
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.847	31.496	-30.153	74.000	12.351	PK
2	*	15660.000	49.780	32.253	-24.220	74.000	17.527	PK

Profile: 19A2144R	Page No.: 73
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.486	33.419	-28.514	74.000	12.068	PK
2	*	15720.000	50.012	31.861	-23.988	74.000	18.152	PK

Profile: 19A2144R	Page No.: 74
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.086	32.019	-29.914	74.000	12.068	PK
2	*	15720.000	49.461	31.310	-24.539	74.000	18.152	PK

Profile: 19A2144R	Page No.: 75
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.200	31.269	-28.800	74.000	13.931	PK
2	*	17235.000	53.674	33.393	-20.326	74.000	20.281	PK


Profile: 19A2144R	Page No.: 76
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.264	31.333	-28.736	74.000	13.931	PK
2	*	17235.000	51.327	31.046	-22.673	74.000	20.281	PK




Profile: 19A2144R	Page No.: 77
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.501	32.287	-27.499	74.000	14.214	PK
2	*	17355.000	49.511	29.748	-24.489	74.000	19.762	PK

Profile: 19A2144R	Page No.: 78
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.773	31.559	-28.227	74.000	14.214	PK
2	*	17355.000	50.186	30.423	-23.814	74.000	19.762	PK

Profile: 19A2144R	Page No.: 79
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.495	30.918	-28.505	74.000	14.577	PK
2	*	17475.000	51.768	31.859	-22.232	74.000	19.909	PK

Profile: 19A2144R	Page No.: 80
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.093	31.516	-27.907	74.000	14.577	PK
2	*	17475.000	51.831	31.922	-22.169	74.000	19.909	PK

Profile: 19A2144R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.423	32.640	-29.577	74.000	11.783	PK
2	*	15570.000	51.922	33.910	-22.078	74.000	18.012	PK

Profile: 19A2144R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.083	32.300	-29.917	74.000	11.783	PK
2	*	15570.000	50.975	32.963	-23.025	74.000	18.012	PK

Profile: 19A2144R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.347	31.490	-30.653	74.000	11.857	PK
2	*	15690.000	50.696	32.342	-23.304	74.000	18.354	PK


Profile: 19A2144R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.372	32.515	-29.628	74.000	11.857	PK
2	*	15690.000	50.036	31.682	-23.964	74.000	18.354	PK




Profile: 19A2144R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.511	32.021	-27.489	74.000	14.490	PK
2	*	17265.000	50.644	30.044	-23.356	74.000	20.600	PK

Profile: 19A2144R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.314	31.824	-27.686	74.000	14.490	PK
2	*	17265.000	51.820	31.220	-22.180	74.000	20.600	PK

Profile: 19A2144R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.786	31.741	-27.214	74.000	15.045	PK
2	*	17385.000	51.353	31.437	-22.647	74.000	19.916	PK

Profile: 19A2144R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.914	30.869	-28.086	74.000	15.045	PK
2	*	17385.000	51.887	31.971	-22.113	74.000	19.916	PK

Profile: 19A2144R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.421	32.663	-29.579	74.000	11.757	PK
2	*	15540.000	50.094	32.623	-23.906	74.000	17.471	PK

Profile: 19A2144R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.323	32.565	-29.677	74.000	11.757	PK
2	*	15540.000	50.151	32.680	-23.849	74.000	17.471	PK

Profile: 19A2144R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.877	32.526	-29.123	74.000	12.351	PK
2	*	15660.000	49.663	32.136	-24.337	74.000	17.527	PK


Profile: 19A2144R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.520	32.169	-29.480	74.000	12.351	PK
2	*	15660.000	49.952	32.425	-24.048	74.000	17.527	PK




Profile: 19A2144R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.800	32.733	-29.200	74.000	12.068	PK
2	*	15720.000	50.677	32.526	-23.323	74.000	18.152	PK

Profile: 19A2144R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.902	33.835	-28.098	74.000	12.068	PK
2	*	15720.000	50.452	32.301	-23.548	74.000	18.152	PK

Profile: 19A2144R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.093	32.162	-27.907	74.000	13.931	PK
2	*	17235.000	52.375	32.094	-21.625	74.000	20.281	PK

Profile: 19A2144R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.397	31.466	-28.603	74.000	13.931	PK
2	*	17235.000	50.798	30.517	-23.202	74.000	20.281	PK