

From (25 °C)	Vnom (120V)	157	5765	21.64	21.59	22.11	21.41	27.68	30.00	Pass	110	110	110	110
		159	5765	21.64	21.62	22.16	21.61	27.76	30.00	Pass	110	110	110	110
Mode:	802.11a(20MHz)	Data Rate:	MCSONS1	Conducted power MMO Mode(4T4R)										
Test Conditions	Channel	Ant3		Ant5		Ant7		Total Power	Limit	Power Index				
		Frequency (MHz)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)				Avg. (dBm) (Ant 3+5+7)	Avg. (dBm)	Pass/Fail	Ant 3
From (25 °C)	Vnom (120V)	151	5765	21.64	22.06	22.56	22.29	28.12	30.00	Pass	110	110	110	110
		159	5765	21.61	22.40	23.13	21.63	27.79	30.00	Pass	110	110	110	110

From (25 °C)	Vnom (120V)	155 <th>5775 <th>17.66</th> <th>17.52</th> <th>17.43</th> <th>17.59 <th>23.67</th> <th>30.00</th> <th>Pass</th> <th>81</th> <th>81</th> <th>81</th> <th>81</th> </th></th>	5775 <th>17.66</th> <th>17.52</th> <th>17.43</th> <th>17.59 <th>23.67</th> <th>30.00</th> <th>Pass</th> <th>81</th> <th>81</th> <th>81</th> <th>81</th> </th>	17.66	17.52	17.43	17.59 <th>23.67</th> <th>30.00</th> <th>Pass</th> <th>81</th> <th>81</th> <th>81</th> <th>81</th>	23.67	30.00	Pass	81	81	81	81
Mode:	802.11a(20MHz)	Data Rate:	HEONS1	Conducted power MMO Mode(4T4R)										
Test Conditions	Channel	Ant3		Ant5		Ant7		Total Power	Limit	Power Index				
		Frequency (MHz)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)				Avg. (dBm) (Ant 3+5+7)	Avg. (dBm)	Pass/Fail	Ant 3
From (25 °C)	Vnom (120V)	149	5745	21.59	21.70	22.22	21.64	27.12	30.00	Pass	110	110	110	110
		157	5765	21.63	22.19	22.17	21.57	27.76	30.00	Pass	110	110	110	110
		159	5765	21.63	21.80	22.30	21.56	27.74	30.00	Pass	110	110	110	110

From (25 °C)	Vnom (120V)	151 <th>5765 <th>21.69 <th>21.80 <th>22.68</th> <th>21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th></th></th>	5765 <th>21.69 <th>21.80 <th>22.68</th> <th>21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th></th>	21.69 <th>21.80 <th>22.68</th> <th>21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th>	21.80 <th>22.68</th> <th>21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th>	22.68	21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th>	28.09	30.00	Pass	110	110	110	110
Mode:	802.11a(20MHz)	Data Rate:	HEONS1	Conducted power MMO Mode(4T4R)										
Test Conditions	Channel	Ant3		Ant5		Ant7		Total Power	Limit	Power Index				
		Frequency (MHz)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)				Avg. (dBm) (Ant 3+5+7)	Avg. (dBm)	Pass/Fail	Ant 3
From (25 °C)	Vnom (120V)	151	5765	21.69	21.80	22.68	21.93	28.09	30.00	Pass	110	110	110	110
		159	5765	21.61	21.82	22.10	21.93	27.69	30.00	Pass	110	110	110	110

From (25 °C)	Vnom (120V)	151 <th>5765 <th>21.69 <th>21.80 <th>22.68</th> <th>21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th></th></th>	5765 <th>21.69 <th>21.80 <th>22.68</th> <th>21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th></th>	21.69 <th>21.80 <th>22.68</th> <th>21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th>	21.80 <th>22.68</th> <th>21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th>	22.68	21.93 <th>28.09</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th>	28.09	30.00	Pass	110	110	110	110
Mode:	802.11a(20MHz)	Data Rate:	MC50	Beamforming 2*2 Conducted power MMO Mode(4T4R)										
Test Conditions	Channel	Ant3		Ant5		Ant7		Total Power	Limit	Power Index				
		Frequency (MHz)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)				Avg. (dBm) (Ant 3+5+7)	Avg. (dBm)	Pass/Fail	Ant 3
From (25 °C)	Vnom (120V)	149	5745	21.62	21.84	22.45	21.49	28.19	30.00	Pass	110	110	110	110
		157	5765	21.69	21.49	24.45	21.49	28.78	30.00	Pass	110	110	110	110
		159	5825	21.69	21.49	24.71	21.49	28.78	30.00	Pass	110	110	110	110

From (25 °C)	Vnom (120V)	151 <th>5765 <th>21.62 <th>21.68 <th>22.08 <th>21.84 <th>24.87</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th></th></th></th>	5765 <th>21.62 <th>21.68 <th>22.08 <th>21.84 <th>24.87</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th></th></th>	21.62 <th>21.68 <th>22.08 <th>21.84 <th>24.87</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th></th>	21.68 <th>22.08 <th>21.84 <th>24.87</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th></th>	22.08 <th>21.84 <th>24.87</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th> </th>	21.84 <th>24.87</th> <th>30.00</th> <th>Pass</th> <th>110</th> <th>110</th> <th>110</th> <th>110</th>	24.87	30.00	Pass	110	110	110	110
Mode:	802.11a(20MHz)	Data Rate:	MC50	Beamforming 4*4 Conducted power MMO Mode(4T4R)										
Test Conditions	Channel	Ant3		Ant5		Ant7		Total Power	Limit	Power Index				
		Frequency (MHz)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)	Reading Level (dBm)				Avg. (dBm) (Ant 3+5+7)	Avg. (dBm)	Pass/Fail	Ant 3
From (25 °C)	Vnom (120V)	149	5745	21.62	21.68	22.08	21.84	24.87	30.00	Pass	110	110	110	110
		157	5765	21.69	21.49	24.45	21.49	28.78	30.00	Pass	110	110	110	110
		159	5825	21.69	21.49	24.71	21.49	28.78	30.00	Pass	110	110	110	110