



Profile: 19A2144R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.189	30.975	-28.811	74.000	14.214	PK
2	*	17355.000	50.536	30.773	-23.464	74.000	19.762	PK

Profile: 19A2144R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.976	31.762	-28.024	74.000	14.214	PK
2	*	17355.000	50.667	30.904	-23.333	74.000	19.762	PK

Profile: 19A2144R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.577	32.000	-27.423	74.000	14.577	PK
2	*	17475.000	51.979	32.070	-22.021	74.000	19.909	PK

Profile: 19A2144R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.936	31.359	-28.064	74.000	14.577	PK
2	*	17475.000	52.577	32.668	-21.423	74.000	19.909	PK

Profile: 19A2144R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.383	33.600	-28.617	74.000	11.783	PK
2	*	15570.000	50.791	32.779	-23.209	74.000	18.012	PK

Profile: 19A2144R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.197	33.414	-28.803	74.000	11.783	PK
2	*	15570.000	50.468	32.456	-23.532	74.000	18.012	PK

Profile: 19A2144R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.835	32.978	-29.165	74.000	11.857	PK
2	*	15690.000	51.694	33.340	-22.306	74.000	18.354	PK

Profile: 19A2144R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.546	31.689	-30.454	74.000	11.857	PK
2	*	15690.000	50.654	32.300	-23.346	74.000	18.354	PK

Profile: 19A2144R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.782	31.292	-28.218	74.000	14.490	PK
2	*	17265.000	51.358	30.758	-22.642	74.000	20.600	PK

Profile: 19A2144R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.982	32.492	-27.018	74.000	14.490	PK
2	*	17265.000	52.172	31.572	-21.828	74.000	20.600	PK

Profile: 19A2144R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.830	32.785	-26.170	74.000	15.045	PK
2	*	17385.000	50.788	30.872	-23.212	74.000	19.916	PK

Profile: 19A2144R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.249	32.204	-26.751	74.000	15.045	PK
2	*	17385.000	51.216	31.300	-22.784	74.000	19.916	PK

Profile: 19A2144R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.810	33.031	-29.190	74.000	11.780	PK
2	*	15630.000	50.348	32.486	-23.652	74.000	17.862	PK

Profile: 19A2144R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.456	32.677	-29.544	74.000	11.780	PK
2	*	15630.000	50.372	32.510	-23.628	74.000	17.862	PK

Profile: 19A2144R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.034	31.624	-27.966	74.000	14.409	PK
2	*	17325.000	50.310	29.745	-23.690	74.000	20.565	PK

Profile: 19A2144R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.389	31.979	-27.611	74.000	14.409	PK
2	*	17325.000	49.892	29.327	-24.108	74.000	20.565	PK

Profile: 19A2144R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.398	34.640	-27.602	74.000	11.757	PK
2	*	15540.000	50.339	32.868	-23.661	74.000	17.471	PK

Profile: 19A2144R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.399	33.641	-28.601	74.000	11.757	PK
2	*	15540.000	51.033	33.562	-22.967	74.000	17.471	PK

Profile: 19A2144R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.458	33.107	-28.542	74.000	12.351	PK
2	*	15660.000	49.702	32.175	-24.298	74.000	17.527	PK

Profile: 19A2144R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.602	32.251	-29.398	74.000	12.351	PK
2	*	15660.000	49.789	32.262	-24.211	74.000	17.527	PK

Profile: 19A2144R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.018	31.951	-29.982	74.000	12.068	PK
2	*	15720.000	50.375	32.224	-23.625	74.000	18.152	PK

Profile: 19A2144R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.793	32.726	-29.207	74.000	12.068	PK
2	*	15720.000	50.194	32.043	-23.806	74.000	18.152	PK

Profile: 19A2144R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.629	32.698	-27.371	74.000	13.931	PK
2	*	17235.000	51.299	31.018	-22.701	74.000	20.281	PK

Profile: 19A2144R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.642	31.711	-28.358	74.000	13.931	PK
2	*	17235.000	51.614	31.333	-22.386	74.000	20.281	PK

Profile: 19A2144R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.491	31.277	-28.509	74.000	14.214	PK
2	*	17355.000	50.325	30.562	-23.675	74.000	19.762	PK

Profile: 19A2144R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.658	31.444	-28.342	74.000	14.214	PK
2	*	17355.000	50.342	30.579	-23.658	74.000	19.762	PK

Profile: 19A2144R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.056	31.479	-27.944	74.000	14.577	PK
2	*	17475.000	51.977	32.068	-22.023	74.000	19.909	PK

Profile: 19A2144R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.533	32.956	-26.467	74.000	14.577	PK
2	*	17475.000	52.231	32.322	-21.769	74.000	19.909	PK

Profile: 19A2144R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.217	33.434	-28.783	74.000	11.783	PK
2	*	15570.000	50.288	32.276	-23.712	74.000	18.012	PK

Profile: 19A2144R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	46.562	34.779	-27.438	74.000	11.783	PK
2	*	15570.000	50.640	32.628	-23.360	74.000	18.012	PK

Profile: 19A2144R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.116	32.259	-29.884	74.000	11.857	PK
2	*	15690.000	50.989	32.635	-23.011	74.000	18.354	PK

Profile: 19A2144R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.479	31.622	-30.521	74.000	11.857	PK
2	*	15690.000	50.080	31.726	-23.920	74.000	18.354	PK

Profile: 19A2144R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.745	31.255	-28.255	74.000	14.490	PK
2	*	17265.000	50.881	30.281	-23.119	74.000	20.600	PK

Profile: 19A2144R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.850	31.360	-28.150	74.000	14.490	PK
2	*	17265.000	51.198	30.598	-22.802	74.000	20.600	PK

Profile: 19A2144R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.525	31.480	-27.475	74.000	15.045	PK
2	*	17385.000	51.902	31.986	-22.098	74.000	19.916	PK

Profile: 19A2144R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.623	32.578	-26.377	74.000	15.045	PK
2	*	17385.000	51.605	31.689	-22.395	74.000	19.916	PK

Profile: 19A2144R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.215	33.436	-28.785	74.000	11.780	PK
2	*	15630.000	51.407	33.545	-22.593	74.000	17.862	PK

Profile: 19A2144R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.834	33.055	-29.166	74.000	11.780	PK
2	*	15630.000	51.892	34.030	-22.108	74.000	17.862	PK

Profile: 19A2144R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.134	31.724	-27.866	74.000	14.409	PK
2	*	17325.000	48.658	28.093	-25.342	74.000	20.565	PK

Profile: 19A2144R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.933	31.523	-28.067	74.000	14.409	PK
2	*	17325.000	50.188	29.623	-23.812	74.000	20.565	PK

Radio 3:

5GHz High Band Only


2*2 CDD:

Profile: 19A2144R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.769	32.838	-27.231	74.000	13.931	PK
2	*	17235.000	50.168	29.887	-23.832	74.000	20.281	PK

Profile: 19A2144R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.948	32.017	-28.052	74.000	13.931	PK
2	*	17235.000	50.562	30.281	-23.438	74.000	20.281	PK

Profile: 19A2144R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.955	31.741	-28.045	74.000	14.214	PK
2	*	17355.000	50.722	30.959	-23.278	74.000	19.762	PK

Profile: 19A2144R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.492	31.278	-28.508	74.000	14.214	PK
2	*	17355.000	50.204	30.441	-23.796	74.000	19.762	PK

Profile: 19A2144R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.421	31.844	-27.579	74.000	14.577	PK
2	*	17475.000	51.716	31.807	-22.284	74.000	19.909	PK

Profile: 19A2144R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.818	32.241	-27.182	74.000	14.577	PK
2	*	17475.000	51.973	32.064	-22.027	74.000	19.909	PK

Profile: 19A2144R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.665	31.734	-28.335	74.000	13.931	PK
2	*	17235.000	51.145	30.864	-22.855	74.000	20.281	PK

Profile: 19A2144R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.991	32.060	-28.009	74.000	13.931	PK
2	*	17235.000	51.069	30.788	-22.931	74.000	20.281	PK

Profile: 19A2144R	Page No.: 49
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.180	31.966	-27.820	74.000	14.214	PK
2	*	17355.000	51.436	31.673	-22.564	74.000	19.762	PK

Profile: 19A2144R	Page No.: 50
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.772	32.558	-27.228	74.000	14.214	PK
2	*	17355.000	49.697	29.934	-24.303	74.000	19.762	PK

Profile: 19A2144R	Page No.: 51
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.483	30.906	-28.517	74.000	14.577	PK
2	*	17475.000	51.742	31.833	-22.258	74.000	19.909	PK

Profile: 19A2144R	Page No.: 52
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.744	32.167	-27.256	74.000	14.577	PK
2	*	17475.000	50.616	30.707	-23.384	74.000	19.909	PK

Profile: 19A2144R	Page No.: 53
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.949	32.459	-27.051	74.000	14.490	PK
2	*	17265.000	50.729	30.129	-23.271	74.000	20.600	PK

Profile: 19A2144R	Page No.: 54
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.484	31.994	-27.516	74.000	14.490	PK
2	*	17265.000	50.621	30.021	-23.379	74.000	20.600	PK

Profile: 19A2144R	Page No.: 55
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.750	30.705	-28.250	74.000	15.045	PK
2	*	17385.000	51.194	31.278	-22.806	74.000	19.916	PK

Profile: 19A2144R	Page No.: 56
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.348	30.303	-28.652	74.000	15.045	PK
2	*	17385.000	50.865	30.949	-23.135	74.000	19.916	PK

Profile: 19A2144R	Page No.: 57
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.319	31.388	-28.681	74.000	13.931	PK
2	*	17235.000	51.917	31.636	-22.083	74.000	20.281	PK

Profile: 19A2144R	Page No.: 58
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	47.510	33.579	-26.490	74.000	13.931	PK
2	*	17235.000	51.629	31.348	-22.371	74.000	20.281	PK

Profile: 19A2144R	Page No.: 59
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.439	31.225	-28.561	74.000	14.214	PK
2	*	17355.000	50.054	30.291	-23.946	74.000	19.762	PK

Profile: 19A2144R	Page No.: 60
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.244	31.030	-28.756	74.000	14.214	PK
2	*	17355.000	50.792	31.029	-23.208	74.000	19.762	PK

Profile: 19A2144R	Page No.: 61
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.519	30.942	-28.481	74.000	14.577	PK
2	*	17475.000	50.906	30.997	-23.094	74.000	19.909	PK

Profile: 19A2144R	Page No.: 62
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.281	31.704	-27.719	74.000	14.577	PK
2	*	17475.000	50.856	30.947	-23.144	74.000	19.909	PK

Profile: 19A2144R	Page No.: 63
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.304	31.814	-27.696	74.000	14.490	PK
2	*	17265.000	50.883	30.283	-23.117	74.000	20.600	PK

Profile: 19A2144R	Page No.: 64
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.895	32.405	-27.105	74.000	14.490	PK
2	*	17265.000	51.572	30.972	-22.428	74.000	20.600	PK

Profile: 19A2144R	Page No.: 65
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.459	32.414	-26.541	74.000	15.045	PK
2	*	17385.000	51.506	31.590	-22.494	74.000	19.916	PK

Profile: 19A2144R	Page No.: 66
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.275	32.230	-26.725	74.000	15.045	PK
2	*	17385.000	50.697	30.781	-23.303	74.000	19.916	PK

Profile: 19A2144R	Page No.: 67
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.627	31.217	-28.373	74.000	14.409	PK
2	*	17325.000	49.453	28.888	-24.547	74.000	20.565	PK

Profile: 19A2144R	Page No.: 68
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.449	33.039	-26.551	74.000	14.409	PK
2	*	17325.000	49.705	29.140	-24.295	74.000	20.565	PK

Profile: 19A2144R	Page No.: 69
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.720	29.789	-30.280	74.000	13.931	PK
2	*	17235.000	51.309	31.028	-22.691	74.000	20.281	PK

Profile: 19A2144R	Page No.: 70
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.158	31.227	-28.842	74.000	13.931	PK
2	*	17235.000	51.515	31.234	-22.485	74.000	20.281	PK

Profile: 19A2144R	Page No.: 71
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.388	32.174	-27.612	74.000	14.214	PK
2	*	17355.000	51.200	31.437	-22.800	74.000	19.762	PK

Profile: 19A2144R	Page No.: 72
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.676	32.462	-27.324	74.000	14.214	PK
2	*	17355.000	50.743	30.980	-23.257	74.000	19.762	PK

Profile: 19A2144R	Page No.: 73
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.811	32.234	-27.189	74.000	14.577	PK
2	*	17475.000	52.505	32.596	-21.495	74.000	19.909	PK

Profile: 19A2144R	Page No.: 74
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.286	31.709	-27.714	74.000	14.577	PK
2	*	17475.000	51.419	31.510	-22.581	74.000	19.909	PK

Profile: 19A2144R	Page No.: 75
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.630	31.140	-28.370	74.000	14.490	PK
2	*	17265.000	51.573	30.973	-22.427	74.000	20.600	PK

Profile: 19A2144R	Page No.: 76
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.998	31.508	-28.002	74.000	14.490	PK
2	*	17265.000	50.726	30.126	-23.274	74.000	20.600	PK

Profile: 19A2144R	Page No.: 77
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.750	31.705	-27.250	74.000	15.045	PK
2	*	17385.000	51.866	31.950	-22.134	74.000	19.916	PK

Profile: 19A2144R	Page No.: 78
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.458	30.413	-28.542	74.000	15.045	PK
2	*	17385.000	52.353	32.437	-21.647	74.000	19.916	PK

Profile: 19A2144R	Page No.: 79
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.309	31.899	-27.691	74.000	14.409	PK
2	*	17325.000	49.685	29.120	-24.315	74.000	20.565	PK


Profile: 19A2144R	Page No.: 80
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.669	33.259	-26.331	74.000	14.409	PK
2	*	17325.000	50.054	29.489	-23.946	74.000	20.565	PK


2*2 Beamforming:

Profile: 19A2144R	Page No.: 35
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.602	31.671	-28.398	74.000	13.931	PK
2	*	17235.000	51.581	31.300	-22.419	74.000	20.281	PK

Profile: 19A2144R	Page No.: 36
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.734	31.803	-28.266	74.000	13.931	PK
2	*	17235.000	52.126	31.845	-21.874	74.000	20.281	PK

Profile: 19A2144R	Page No.: 37
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.971	31.757	-28.029	74.000	14.214	PK
2	*	17355.000	51.238	31.475	-22.762	74.000	19.762	PK

Profile: 19A2144R	Page No.: 38
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.566	31.352	-28.434	74.000	14.214	PK
2	*	17355.000	49.588	29.825	-24.412	74.000	19.762	PK

Profile: 19A2144R	Page No.: 39
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.268	31.691	-27.732	74.000	14.577	PK
2	*	17475.000	51.913	32.004	-22.087	74.000	19.909	PK

Profile: 19A2144R	Page No.: 40
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.703	32.126	-27.297	74.000	14.577	PK
2	*	17475.000	52.587	32.678	-21.413	74.000	19.909	PK

Profile: 19A2144R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.370	31.880	-27.630	74.000	14.490	PK
2	*	17265.000	50.486	29.886	-23.514	74.000	20.600	PK

Profile: 19A2144R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.375	31.885	-27.625	74.000	14.490	PK
2	*	17265.000	51.025	30.425	-22.975	74.000	20.600	PK

Profile: 19A2144R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.727	31.682	-27.273	74.000	15.045	PK
2	*	17385.000	51.281	31.365	-22.719	74.000	19.916	PK

Profile: 19A2144R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.968	31.923	-27.032	74.000	15.045	PK
2	*	17385.000	51.201	31.285	-22.799	74.000	19.916	PK

Profile: 19A2144R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.627	30.696	-29.373	74.000	13.931	PK
2	*	17235.000	51.026	30.745	-22.974	74.000	20.281	PK

Profile: 19A2144R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.914	31.983	-28.086	74.000	13.931	PK
2	*	17235.000	50.882	30.601	-23.118	74.000	20.281	PK

Profile: 19A2144R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.317	31.103	-28.683	74.000	14.214	PK
2	*	17355.000	49.983	30.220	-24.017	74.000	19.762	PK

Profile: 19A2144R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.877	31.663	-28.123	74.000	14.214	PK
2	*	17355.000	50.072	30.309	-23.928	74.000	19.762	PK

Profile: 19A2144R	Page No.: 49
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.662	33.085	-26.338	74.000	14.577	PK
2	*	17475.000	51.857	31.948	-22.143	74.000	19.909	PK

Profile: 19A2144R	Page No.: 50
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.313	30.736	-28.687	74.000	14.577	PK
2	*	17475.000	51.178	31.269	-22.822	74.000	19.909	PK

Profile: 19A2144R	Page No.: 51
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.244	31.754	-27.756	74.000	14.490	PK
2	*	17265.000	52.077	31.477	-21.923	74.000	20.600	PK

Profile: 19A2144R	Page No.: 52
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.993	31.503	-28.007	74.000	14.490	PK
2	*	17265.000	52.031	31.431	-21.969	74.000	20.600	PK

Profile: 19A2144R	Page No.: 53
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.026	30.981	-27.974	74.000	15.045	PK
2	*	17385.000	50.370	30.454	-23.630	74.000	19.916	PK

Profile: 19A2144R	Page No.: 54
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.235	32.190	-26.765	74.000	15.045	PK
2	*	17385.000	51.048	31.132	-22.952	74.000	19.916	PK

Profile: 19A2144R	Page No.: 55
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.868	32.458	-27.132	74.000	14.409	PK
2	*	17325.000	50.168	29.603	-23.832	74.000	20.565	PK

Profile: 19A2144R	Page No.: 56
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.413	31.003	-28.587	74.000	14.409	PK
2	*	17325.000	49.656	29.091	-24.344	74.000	20.565	PK

Profile: 19A2144R	Page No.: 57
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.911	31.980	-28.089	74.000	13.931	PK
2	*	17235.000	51.867	31.586	-22.133	74.000	20.281	PK

Profile: 19A2144R	Page No.: 58
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.520	31.589	-28.480	74.000	13.931	PK
2	*	17235.000	51.412	31.131	-22.588	74.000	20.281	PK

Profile: 19A2144R	Page No.: 59
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.867	32.653	-27.133	74.000	14.214	PK
2	*	17355.000	50.783	31.020	-23.217	74.000	19.762	PK

Profile: 19A2144R	Page No.: 60
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.040	32.826	-26.960	74.000	14.214	PK
2	*	17355.000	49.910	30.147	-24.090	74.000	19.762	PK

Profile: 19A2144R	Page No.: 61
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.494	31.917	-27.506	74.000	14.577	PK
2	*	17475.000	51.757	31.848	-22.243	74.000	19.909	PK

Profile: 19A2144R	Page No.: 62
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.452	31.875	-27.548	74.000	14.577	PK
2	*	17475.000	52.049	32.140	-21.951	74.000	19.909	PK

Profile: 19A2144R	Page No.: 63
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.262	31.772	-27.738	74.000	14.490	PK
2	*	17265.000	50.578	29.978	-23.422	74.000	20.600	PK

Profile: 19A2144R	Page No.: 64
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.597	32.107	-27.403	74.000	14.490	PK
2	*	17265.000	51.629	31.029	-22.371	74.000	20.600	PK

Profile: 19A2144R	Page No.: 65
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.082	32.037	-26.918	74.000	15.045	PK
2	*	17385.000	51.704	31.788	-22.296	74.000	19.916	PK

Profile: 19A2144R	Page No.: 66
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.472	32.427	-26.528	74.000	15.045	PK
2	*	17385.000	52.626	32.710	-21.374	74.000	19.916	PK

Profile: 19A2144R	Page No.: 67
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.096	31.686	-27.904	74.000	14.409	PK
2	*	17325.000	50.111	29.546	-23.889	74.000	20.565	PK


Profile: 19A2144R	Page No.: 68
Engineer: YULIU	
Site: AC5	Time: 2019/12/19 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.116	30.706	-28.884	74.000	14.409	PK
2	*	17325.000	50.339	29.774	-23.661	74.000	20.565	PK


4*4 CDD:

Profile: 19A2144R	Page No.: 1
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 22:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.594	32.353	-28.406	74.000	13.241	PK
2	*	17235.000	52.557	32.358	-21.443	74.000	20.199	PK

Profile: 19A2144R	Page No.: 2
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.505	32.264	-28.495	74.000	13.241	PK
2	*	17235.000	52.322	32.123	-21.678	74.000	20.199	PK

Profile: 19A2144R	Page No.: 3
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 22:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.996	32.469	-28.004	74.000	13.528	PK
2	*	17355.000	51.889	32.353	-22.111	74.000	19.536	PK

Profile: 19A2144R	Page No.: 4
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 22:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.631	32.104	-28.369	74.000	13.528	PK
2	*	17355.000	52.001	32.465	-21.999	74.000	19.536	PK

Profile: 19A2144R	Page No.: 5
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 22:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.258	32.351	-27.742	74.000	13.907	PK
2	*	17475.000	51.928	32.389	-22.072	74.000	19.539	PK

Profile: 19A2144R	Page No.: 6
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 22:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.022	32.115	-27.978	74.000	13.907	PK
2	*	17475.000	51.744	32.205	-22.256	74.000	19.539	PK

Profile: 19A2144R	Page No.: 7
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5745.000	38.291	32.206	-35.709	74.000	6.085	PK
2	*	17235.000	52.602	32.403	-21.398	74.000	20.199	PK

Profile: 19A2144R	Page No.: 8
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 22:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.733	32.492	-28.267	74.000	13.241	PK
2	*	17235.000	52.506	32.307	-21.494	74.000	20.199	PK

Profile: 19A2144R	Page No.: 9
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.994	32.467	-28.006	74.000	13.528	PK
2	*	17355.000	51.622	32.086	-22.378	74.000	19.536	PK

Profile: 19A2144R	Page No.: 10
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.879	32.352	-28.121	74.000	13.528	PK
2	*	17355.000	51.609	32.073	-22.391	74.000	19.536	PK

Profile: 19A2144R	Page No.: 11
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.128	32.221	-27.872	74.000	13.907	PK
2	*	17475.000	51.912	32.373	-22.088	74.000	19.539	PK

Profile: 19A2144R	Page No.: 12
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.168	32.261	-27.832	74.000	13.907	PK
2	*	17475.000	51.693	32.154	-22.307	74.000	19.539	PK

Profile: 19A2144R	Page No.: 13
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.254	32.462	-27.746	74.000	13.792	PK
2	*	17265.000	52.863	32.381	-21.137	74.000	20.482	PK

Profile: 19A2144R	Page No.: 14
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.060	32.268	-27.940	74.000	13.792	PK
2	*	17265.000	52.863	32.381	-21.137	74.000	20.482	PK

Profile: 19A2144R	Page No.: 15
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.700	32.336	-27.300	74.000	14.363	PK
2	*	17385.000	51.910	32.256	-22.090	74.000	19.654	PK

Profile: 19A2144R	Page No.: 16
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.470	32.106	-27.530	74.000	14.363	PK
2	*	17385.000	51.796	32.142	-22.204	74.000	19.654	PK

Profile: 19A2144R	Page No.: 17
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.386	32.145	-28.614	74.000	13.241	PK
2	*	17235.000	52.467	32.268	-21.533	74.000	20.199	PK

Profile: 19A2144R	Page No.: 18
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.653	32.412	-28.347	74.000	13.241	PK
2	*	17235.000	52.591	32.392	-21.409	74.000	20.199	PK

Profile: 19A2144R	Page No.: 19
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.022	32.495	-27.978	74.000	13.528	PK
2	*	17355.000	51.669	32.133	-22.331	74.000	19.536	PK

Profile: 19A2144R	Page No.: 20
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.014	32.487	-27.986	74.000	13.528	PK
2	*	17355.000	51.670	32.134	-22.330	74.000	19.536	PK

Profile: 19A2144R	Page No.: 21
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.036	32.129	-27.964	74.000	13.907	PK
2	*	17475.000	51.791	32.252	-22.209	74.000	19.539	PK

Profile: 19A2144R	Page No.: 22
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.918	32.011	-28.082	74.000	13.907	PK
2	*	17475.000	51.564	32.025	-22.436	74.000	19.539	PK

Profile: 19A2144R	Page No.: 23
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.008	32.216	-27.992	74.000	13.792	PK
2	*	17265.000	52.841	32.359	-21.159	74.000	20.482	PK

Profile: 19A2144R	Page No.: 24
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.111	32.319	-27.889	74.000	13.792	PK
2	*	17265.000	52.747	32.265	-21.253	74.000	20.482	PK

Profile: 19A2144R	Page No.: 25
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.594	32.230	-27.406	74.000	14.363	PK
2	*	17385.000	51.779	32.125	-22.221	74.000	19.654	PK

Profile: 19A2144R	Page No.: 26
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.713	32.349	-27.287	74.000	14.363	PK
2	*	17385.000	51.719	32.065	-22.281	74.000	19.654	PK

Profile: 19A2144R	Page No.: 27
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.013	32.293	-27.987	74.000	13.719	PK
2	*	17325.000	52.746	32.370	-21.254	74.000	20.375	PK

Profile: 19A2144R	Page No.: 28
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.179	32.459	-27.821	74.000	13.719	PK
2	*	17325.000	52.706	32.330	-21.294	74.000	20.375	PK

Profile: 19A2144R	Page No.: 29
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.557	32.316	-28.443	74.000	13.241	PK
2	*	17235.000	52.686	32.487	-21.314	74.000	20.199	PK

Profile: 19A2144R	Page No.: 30
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.545	32.304	-28.455	74.000	13.241	PK
2	*	17235.000	52.510	32.311	-21.490	74.000	20.199	PK

Profile: 19A2144R	Page No.: 31
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.908	32.381	-28.092	74.000	13.528	PK
2	*	17355.000	51.875	32.339	-22.125	74.000	19.536	PK

Profile: 19A2144R	Page No.: 32
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.683	32.156	-28.317	74.000	13.528	PK
2	*	17355.000	51.811	32.275	-22.189	74.000	19.536	PK

Profile: 19A2144R	Page No.: 33
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.104	32.197	-27.896	74.000	13.907	PK
2	*	17475.000	51.990	32.451	-22.010	74.000	19.539	PK

Profile: 19A2144R	Page No.: 34
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.377	32.470	-27.623	74.000	13.907	PK
2	*	17475.000	51.980	32.441	-22.020	74.000	19.539	PK

Profile: 19A2144R	Page No.: 35
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.033	32.241	-27.967	74.000	13.792	PK
2	*	17265.000	52.504	32.022	-21.496	74.000	20.482	PK

Profile: 19A2144R	Page No.: 36
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.897	32.105	-28.103	74.000	13.792	PK
2	*	17265.000	52.928	32.446	-21.072	74.000	20.482	PK

Profile: 19A2144R	Page No.: 37
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.488	32.124	-27.512	74.000	14.363	PK
2	*	17385.000	52.148	32.494	-21.852	74.000	19.654	PK

Profile: 19A2144R	Page No.: 38
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.420	32.056	-27.580	74.000	14.363	PK
2	*	17385.000	51.801	32.147	-22.199	74.000	19.654	PK

Profile: 19A2144R	Page No.: 39
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.743	32.023	-28.257	74.000	13.719	PK
2	*	17325.000	52.779	32.403	-21.221	74.000	20.375	PK


Profile: 19A2144R	Page No.: 40
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.833	32.113	-28.167	74.000	13.719	PK
2	*	17325.000	52.504	32.128	-21.496	74.000	20.375	PK


4*4 Beamforming:

Profile: 19A2144R	Page No.: 1
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 22:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11(n20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.422	32.181	-28.578	74.000	13.241	PK
2	*	17235.000	52.612	32.413	-21.388	74.000	20.199	PK

Profile: 19A2144R	Page No.: 2
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11(n20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.675	32.434	-28.325	74.000	13.241	PK
2	*	17235.000	52.242	32.043	-21.758	74.000	20.199	PK

Profile: 19A2144R	Page No.: 3
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11(n20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.729	32.202	-28.271	74.000	13.528	PK
2	*	17355.000	51.640	32.104	-22.360	74.000	19.536	PK

Profile: 19A2144R	Page No.: 4
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11(n20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.922	32.395	-28.078	74.000	13.528	PK
2	*	17355.000	51.632	32.096	-22.368	74.000	19.536	PK

Profile: 19A2144R	Page No.: 5
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11(n20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.168	32.261	-27.832	74.000	13.907	PK
2	*	17475.000	51.921	32.382	-22.079	74.000	19.539	PK

Profile: 19A2144R	Page No.: 6
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11(n20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.301	32.394	-27.699	74.000	13.907	PK
2	*	17475.000	51.827	32.288	-22.173	74.000	19.539	PK

Profile: 19A2144R	Page No.: 7
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11(n40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.077	32.285	-27.923	74.000	13.792	PK
2	*	17365.000	51.646	32.048	-22.354	74.000	19.598	PK

Profile: 19A2144R	Page No.: 8
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11(n40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.933	32.141	-28.067	74.000	13.792	PK
2	*	17265.000	52.961	32.479	-21.039	74.000	20.482	PK

Profile: 19A2144R	Page No.: 9
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11(n40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.499	32.135	-27.501	74.000	14.363	PK
2	*	17385.000	51.898	32.244	-22.102	74.000	19.654	PK

Profile: 19A2144R	Page No.: 10
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11(n40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.448	32.084	-27.552	74.000	14.363	PK
2	*	17385.000	51.983	32.329	-22.017	74.000	19.654	PK

Profile: 19A2144R	Page No.: 11
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11(ac20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.506	32.265	-28.494	74.000	13.241	PK
2	*	17235.000	52.437	32.238	-21.563	74.000	20.199	PK

Profile: 19A2144R	Page No.: 12
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11(ac20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.492	32.251	-28.508	74.000	13.241	PK
2	*	17235.000	52.419	32.220	-21.581	74.000	20.199	PK

Profile: 19A2144R	Page No.: 13
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11(ac20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.859	32.332	-28.141	74.000	13.528	PK
2	*	17355.000	51.619	32.083	-22.381	74.000	19.536	PK

Profile: 19A2144R	Page No.: 14
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11(ac20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.761	32.234	-28.239	74.000	13.528	PK
2	*	17355.000	51.693	32.157	-22.307	74.000	19.536	PK

Profile: 19A2144R	Page No.: 15
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11(ac20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.204	32.297	-27.796	74.000	13.907	PK
2	*	17475.000	51.552	32.013	-22.448	74.000	19.539	PK

Profile: 19A2144R	Page No.: 16
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11(ac20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.278	32.371	-27.722	74.000	13.907	PK
2	*	17475.000	51.561	32.022	-22.439	74.000	19.539	PK

Profile: 19A2144R	Page No.: 17
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11(ac40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.230	32.438	-27.770	74.000	13.792	PK
2	*	17265.000	52.622	32.140	-21.378	74.000	20.482	PK

Profile: 19A2144R	Page No.: 18
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11(ac40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.230	32.438	-27.770	74.000	13.792	PK
2	*	17265.000	52.622	32.140	-21.378	74.000	20.482	PK

Profile: 19A2144R	Page No.: 19
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11(ac40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.769	32.405	-27.231	74.000	14.363	PK
2	*	17385.000	52.096	32.442	-21.904	74.000	19.654	PK

Profile: 19A2144R	Page No.: 20
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11(ac40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.771	32.407	-27.229	74.000	14.363	PK
2	*	17385.000	51.858	32.204	-22.142	74.000	19.654	PK

Profile: 19A2144R	Page No.: 21
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11(ac80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.086	32.366	-27.914	74.000	13.719	PK
2	*	17325.000	52.785	32.409	-21.215	74.000	20.375	PK

Profile: 19A2144R	Page No.: 22
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11(ac80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.216	32.496	-27.784	74.000	13.719	PK
2	*	17325.000	52.875	32.499	-21.125	74.000	20.375	PK

Profile: 19A2144R	Page No.: 23
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11(ax20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.251	32.010	-28.749	74.000	13.241	PK
2	*	17235.000	52.333	32.134	-21.667	74.000	20.199	PK

Profile: 19A2144R	Page No.: 24
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11(ax20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.501	32.260	-28.499	74.000	13.241	PK
2	*	17235.000	52.224	32.025	-21.776	74.000	20.199	PK

Profile: 19A2144R	Page No.: 25
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11(ax20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.804	32.277	-28.196	74.000	13.528	PK
2	*	17355.000	51.590	32.054	-22.410	74.000	19.536	PK

Profile: 19A2144R	Page No.: 26
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11(ax20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.878	32.351	-28.122	74.000	13.528	PK
2	*	17355.000	51.821	32.285	-22.179	74.000	19.536	PK

Profile: 19A2144R	Page No.: 27
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11(ax20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.943	32.036	-28.057	74.000	13.907	PK
2	*	17475.000	51.922	32.383	-22.078	74.000	19.539	PK

Profile: 19A2144R	Page No.: 28
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/18 - 23:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11(ax20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.315	32.408	-27.685	74.000	13.907	PK
2	*	17475.000	51.875	32.336	-22.125	74.000	19.539	PK

Profile: 19A2144R	Page No.: 29
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/19 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11(ax40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.131	32.339	-27.869	74.000	13.792	PK
2	*	17265.000	52.571	32.089	-21.429	74.000	20.482	PK

Profile: 19A2144R	Page No.: 30
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/19 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11(ax40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.013	32.221	-27.987	74.000	13.792	PK
2	*	17265.000	52.580	32.098	-21.420	74.000	20.482	PK

Profile: 19A2144R	Page No.: 31
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/19 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11(ax40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.471	32.107	-27.529	74.000	14.363	PK
2	*	17385.000	51.849	32.195	-22.151	74.000	19.654	PK

Profile: 19A2144R	Page No.: 32
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/19 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11(ax40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.741	32.377	-27.259	74.000	14.363	PK
2	*	17385.000	52.105	32.451	-21.895	74.000	19.654	PK

Profile: 19A2144R	Page No.: 33
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/19 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11(ax80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.205	32.485	-27.795	74.000	13.719	PK
2	*	17325.000	52.636	32.260	-21.364	74.000	20.375	PK

Profile: 19A2144R	Page No.: 34
Engineer: Yu Liu	
Site: AC5	Time: 2019/12/19 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11(ax80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.925	32.205	-28.075	74.000	13.719	PK
2	*	17325.000	52.646	32.270	-21.354	74.000	20.375	PK