


### Appendix 3: 5GHz Radiated spurious emission


#### Radio 1:

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.075	35.150	-27.925	74.000	10.925	PK
2	*	15780.000	51.869	34.553	-22.131	74.000	17.316	PK

Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.894	34.969	-28.106	74.000	10.925	PK
2	*	15780.000	51.658	34.342	-22.342	74.000	17.316	PK

Profile: 19A2144R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.046	34.387	-28.954	74.000	10.658	PK
2	*	15900.000	49.797	32.642	-24.203	74.000	17.155	PK

Profile: 19A2144R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.788	34.129	-29.212	74.000	10.658	PK
2	*	15900.000	50.759	33.604	-23.241	74.000	17.155	PK

Profile: 19A2144R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.624	34.199	-29.376	74.000	10.425	PK
2	*	15960.000	52.793	35.199	-21.207	74.000	17.594	PK

Profile: 19A2144R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.234	33.809	-29.766	74.000	10.425	PK
2	*	15960.000	50.744	33.150	-23.256	74.000	17.594	PK

Profile: 19A2144R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.398	33.003	-29.602	74.000	11.394	PK
2	*	16500.000	52.448	33.488	-21.552	74.000	18.960	PK


Profile: 19A2144R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.560	34.165	-28.440	74.000	11.394	PK
2	*	16500.000	53.009	34.049	-20.991	74.000	18.960	PK




Profile: 19A2144R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.634	33.256	-29.366	74.000	11.378	PK
2	*	16560.000	53.035	34.117	-20.965	74.000	18.918	PK

Profile: 19A2144R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.040	33.662	-28.960	74.000	11.378	PK
2	*	16560.000	53.325	34.407	-20.675	74.000	18.918	PK

Profile: 19A2144R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.201	33.202	-28.799	74.000	11.999	PK
2	*	16740.000	52.605	34.000	-21.395	74.000	18.605	PK

Profile: 19A2144R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.333	33.334	-28.667	74.000	11.999	PK
2	*	16740.000	53.092	34.487	-20.908	74.000	18.605	PK

Profile: 19A2144R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.215	31.360	-30.785	74.000	11.855	PK
2	*	17100.000	53.279	33.229	-20.721	74.000	20.050	PK

Profile: 19A2144R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.934	32.079	-30.066	74.000	11.855	PK
2	*	17100.000	52.510	32.460	-21.490	74.000	20.050	PK

Profile: 19A2144R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.831	35.906	-27.169	74.000	10.925	PK
2	*	15780.000	51.366	34.050	-22.634	74.000	17.316	PK


Profile: 19A2144R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.419	34.494	-28.581	74.000	10.925	PK
2	*	15780.000	50.363	33.047	-23.637	74.000	17.316	PK




Profile: 19A2144R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.379	34.720	-28.621	74.000	10.658	PK
2	*	15900.000	51.359	34.204	-22.641	74.000	17.155	PK

Profile: 19A2144R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.717	35.058	-28.283	74.000	10.658	PK
2	*	15900.000	50.990	33.835	-23.010	74.000	17.155	PK

Profile: 19A2144R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.225	34.800	-28.775	74.000	10.425	PK
2	*	15960.000	51.309	33.715	-22.691	74.000	17.594	PK

Profile: 19A2144R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.463	35.038	-28.537	74.000	10.425	PK
2	*	15960.000	52.257	34.663	-21.743	74.000	17.594	PK

Profile: 19A2144R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.634	33.239	-29.366	74.000	11.394	PK
2	*	16500.000	53.129	34.169	-20.871	74.000	18.960	PK

Profile: 19A2144R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.884	33.489	-29.116	74.000	11.394	PK
2	*	16500.000	52.456	33.496	-21.544	74.000	18.960	PK

Profile: 19A2144R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.077	33.699	-28.923	74.000	11.378	PK
2	*	16560.000	53.222	34.304	-20.778	74.000	18.918	PK


Profile: 19A2144R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.785	33.407	-29.215	74.000	11.378	PK
2	*	16560.000	52.243	33.325	-21.757	74.000	18.918	PK




Profile: 19A2144R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.550	33.551	-28.450	74.000	11.999	PK
2	*	16740.000	52.491	33.886	-21.509	74.000	18.605	PK

Profile: 19A2144R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.654	33.655	-28.346	74.000	11.999	PK
2	*	16740.000	53.015	34.410	-20.985	74.000	18.605	PK

Profile: 19A2144R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.459	31.604	-30.541	74.000	11.855	PK
2	*	17100.000	53.269	33.219	-20.731	74.000	20.050	PK

Profile: 19A2144R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.166	31.311	-30.834	74.000	11.855	PK
2	*	17100.000	52.311	32.261	-21.689	74.000	20.050	PK

Profile: 19A2144R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.649	33.500	-29.351	74.000	11.149	PK
2	*	15810.000	49.807	32.274	-24.193	74.000	17.533	PK

Profile: 19A2144R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.924	34.775	-28.076	74.000	11.149	PK
2	*	15810.000	51.455	33.922	-22.545	74.000	17.533	PK

Profile: 19A2144R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.155	33.723	-28.845	74.000	11.433	PK
2	*	15930.000	51.192	33.094	-22.808	74.000	18.099	PK


Profile: 19A2144R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.339	33.907	-28.661	74.000	11.433	PK
2	*	15930.000	52.316	34.218	-21.684	74.000	18.099	PK




Profile: 19A2144R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.505	33.375	-29.495	74.000	11.130	PK
2	*	16530.000	52.448	33.920	-21.552	74.000	18.529	PK

Profile: 19A2144R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.972	33.842	-29.028	74.000	11.130	PK
2	*	16530.000	51.514	32.986	-22.486	74.000	18.529	PK

Profile: 19A2144R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.533	33.097	-29.467	74.000	11.436	PK
2	*	16650.000	52.791	33.571	-21.209	74.000	19.221	PK

Profile: 19A2144R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.364	33.928	-28.636	74.000	11.436	PK
2	*	16650.000	53.148	33.928	-20.852	74.000	19.221	PK

Profile: 19A2144R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.444	33.437	-28.556	74.000	12.007	PK
2	*	17010.000	53.383	33.733	-20.617	74.000	19.650	PK

Profile: 19A2144R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.828	33.821	-28.172	74.000	12.007	PK
2	*	17010.000	52.616	32.966	-21.384	74.000	19.650	PK

Profile: 19A2144R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.979	35.054	-28.021	74.000	10.925	PK
2	*	15780.000	50.615	33.299	-23.385	74.000	17.316	PK


Profile: 19A2144R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.345	33.420	-29.655	74.000	10.925	PK
2	*	15780.000	49.946	32.630	-24.054	74.000	17.316	PK




Profile: 19A2144R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.639	33.980	-29.361	74.000	10.658	PK
2	*	15900.000	51.403	34.248	-22.597	74.000	17.155	PK

Profile: 19A2144R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.275	34.616	-28.725	74.000	10.658	PK
2	*	15900.000	51.910	34.755	-22.090	74.000	17.155	PK

Profile: 19A2144R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.041	35.616	-27.959	74.000	10.425	PK
2	*	15960.000	51.001	33.407	-22.999	74.000	17.594	PK

Profile: 19A2144R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.022	34.597	-28.978	74.000	10.425	PK
2	*	15960.000	52.055	34.461	-21.945	74.000	17.594	PK

Profile: 19A2144R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.347	32.952	-29.653	74.000	11.394	PK
2	*	16500.000	53.348	34.388	-20.652	74.000	18.960	PK

Profile: 19A2144R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.234	31.839	-30.766	74.000	11.394	PK
2	*	16500.000	52.275	33.315	-21.725	74.000	18.960	PK

Profile: 19A2144R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.596	33.218	-29.404	74.000	11.378	PK
2	*	16560.000	53.283	34.365	-20.717	74.000	18.918	PK


Profile: 19A2144R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.119	32.741	-29.881	74.000	11.378	PK
2	*	16560.000	52.804	33.886	-21.196	74.000	18.918	PK




Profile: 19A2144R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.138	33.139	-28.862	74.000	11.999	PK
2	*	16740.000	52.585	33.980	-21.415	74.000	18.605	PK

Profile: 19A2144R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.442	32.443	-29.558	74.000	11.999	PK
2	*	16740.000	52.220	33.615	-21.780	74.000	18.605	PK

Profile: 19A2144R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.583	31.728	-30.417	74.000	11.855	PK
2	*	17100.000	52.736	32.686	-21.264	74.000	20.050	PK

Profile: 19A2144R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.986	31.131	-31.014	74.000	11.855	PK
2	*	17100.000	51.375	31.325	-22.625	74.000	20.050	PK

Profile: 19A2144R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.467	34.318	-28.533	74.000	11.149	PK
2	*	15810.000	50.624	33.091	-23.376	74.000	17.533	PK

Profile: 19A2144R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.686	34.537	-28.314	74.000	11.149	PK
2	*	15810.000	51.610	34.077	-22.390	74.000	17.533	PK

Profile: 19A2144R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.191	34.759	-27.809	74.000	11.433	PK
2	*	15930.000	52.086	33.988	-21.914	74.000	18.099	PK


Profile: 19A2144R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.651	35.219	-27.349	74.000	11.433	PK
2	*	15930.000	51.738	33.640	-22.262	74.000	18.099	PK




Profile: 19A2144R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.145	33.015	-29.855	74.000	11.130	PK
2	*	16530.000	51.698	33.170	-22.302	74.000	18.529	PK

Profile: 19A2144R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.096	32.966	-29.904	74.000	11.130	PK
2	*	16530.000	52.680	34.152	-21.320	74.000	18.529	PK

Profile: 19A2144R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.417	32.981	-29.583	74.000	11.436	PK
2	*	16650.000	52.870	33.650	-21.130	74.000	19.221	PK

Profile: 19A2144R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.266	32.830	-29.734	74.000	11.436	PK
2	*	16650.000	53.449	34.229	-20.551	74.000	19.221	PK

Profile: 19A2144R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.298	32.291	-29.702	74.000	12.007	PK
2	*	17010.000	52.696	33.046	-21.304	74.000	19.650	PK

Profile: 19A2144R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.927	32.920	-29.073	74.000	12.007	PK
2	*	17010.000	53.262	33.612	-20.738	74.000	19.650	PK

Profile: 19A2144R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.439	32.884	-30.561	74.000	10.555	PK
2	*	15870.000	51.333	33.711	-22.667	74.000	17.622	PK


Profile: 19A2144R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.750	35.195	-28.250	74.000	10.555	PK
2	*	15870.000	52.867	35.245	-21.133	74.000	17.622	PK




Profile: 19A2144R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.209	33.076	-29.791	74.000	11.134	PK
2	*	16590.000	52.304	33.765	-21.696	74.000	18.539	PK

Profile: 19A2144R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.906	32.773	-30.094	74.000	11.134	PK
2	*	16590.000	53.109	34.570	-20.891	74.000	18.539	PK

Profile: 19A2144R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.662	32.989	-29.338	74.000	11.673	PK
2	*	16830.000	52.546	33.131	-21.454	74.000	19.415	PK

Profile: 19A2144R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.126	33.453	-28.874	74.000	11.673	PK
2	*	16830.000	53.098	33.683	-20.902	74.000	19.415	PK

Profile: 19A2144R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.268	35.343	-27.732	74.000	10.925	PK
2	*	15780.000	51.640	34.324	-22.360	74.000	17.316	PK

Profile: 19A2144R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.533	35.608	-27.467	74.000	10.925	PK
2	*	15780.000	50.588	33.272	-23.412	74.000	17.316	PK

Profile: 19A2144R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.528	33.869	-29.472	74.000	10.658	PK
2	*	15900.000	50.522	33.367	-23.478	74.000	17.155	PK


Profile: 19A2144R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.641	33.982	-29.359	74.000	10.658	PK
2	*	15900.000	52.273	35.118	-21.727	74.000	17.155	PK




Profile: 19A2144R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.278	34.853	-28.722	74.000	10.425	PK
2	*	15960.000	51.444	33.850	-22.556	74.000	17.594	PK

Profile: 19A2144R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.473	34.048	-29.527	74.000	10.425	PK
2	*	15960.000	50.901	33.307	-23.099	74.000	17.594	PK

Profile: 19A2144R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.857	33.462	-29.143	74.000	11.394	PK
2	*	16500.000	52.310	33.350	-21.690	74.000	18.960	PK

Profile: 19A2144R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.031	33.636	-28.969	74.000	11.394	PK
2	*	16500.000	53.436	34.476	-20.564	74.000	18.960	PK

Profile: 19A2144R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.280	33.902	-28.720	74.000	11.378	PK
2	*	16560.000	53.097	34.179	-20.903	74.000	18.918	PK

Profile: 19A2144R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	46.793	35.415	-27.207	74.000	11.378	PK
2	*	16560.000	52.208	33.290	-21.792	74.000	18.918	PK

Profile: 19A2144R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.862	32.863	-29.138	74.000	11.999	PK
2	*	16740.000	52.901	34.296	-21.099	74.000	18.605	PK


Profile: 19A2144R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.311	33.312	-28.689	74.000	11.999	PK
2	*	16740.000	52.273	33.668	-21.727	74.000	18.605	PK




Profile: 19A2144R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.715	30.860	-31.285	74.000	11.855	PK
2	*	17100.000	53.040	32.990	-20.960	74.000	20.050	PK

Profile: 19A2144R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.560	31.705	-30.440	74.000	11.855	PK
2	*	17100.000	53.139	33.089	-20.861	74.000	20.050	PK

Profile: 19A2144R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.006	33.857	-28.994	74.000	11.149	PK
2	*	15810.000	50.932	33.399	-23.068	74.000	17.533	PK

Profile: 19A2144R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.591	35.442	-27.409	74.000	11.149	PK
2	*	15810.000	51.670	34.137	-22.330	74.000	17.533	PK

Profile: 19A2144R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.189	33.757	-28.811	74.000	11.433	PK
2	*	15930.000	51.788	33.690	-22.212	74.000	18.099	PK

Profile: 19A2144R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.948	34.516	-28.052	74.000	11.433	PK
2	*	15930.000	52.872	34.774	-21.128	74.000	18.099	PK

Profile: 19A2144R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.629	32.499	-30.371	74.000	11.130	PK
2	*	16530.000	52.751	34.223	-21.249	74.000	18.529	PK


Profile: 19A2144R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.139	33.009	-29.861	74.000	11.130	PK
2	*	16530.000	51.753	33.225	-22.247	74.000	18.529	PK




Profile: 19A2144R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.947	33.511	-29.053	74.000	11.436	PK
2	*	16650.000	53.299	34.079	-20.701	74.000	19.221	PK

Profile: 19A2144R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.645	33.209	-29.355	74.000	11.436	PK
2	*	16650.000	52.296	33.076	-21.704	74.000	19.221	PK

Profile: 19A2144R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.571	32.564	-29.429	74.000	12.007	PK
2	*	17010.000	53.017	33.367	-20.983	74.000	19.650	PK

Profile: 19A2144R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.397	32.390	-29.603	74.000	12.007	PK
2	*	17010.000	52.264	32.614	-21.736	74.000	19.650	PK

Profile: 19A2144R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.236	33.681	-29.764	74.000	10.555	PK
2	*	15870.000	51.677	34.055	-22.323	74.000	17.622	PK

Profile: 19A2144R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.593	35.038	-28.407	74.000	10.555	PK
2	*	15870.000	52.624	35.002	-21.376	74.000	17.622	PK

Profile: 19A2144R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.149	34.016	-28.851	74.000	11.134	PK
2	*	16590.000	53.445	34.906	-20.555	74.000	18.539	PK


Profile: 19A2144R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.152	33.019	-29.848	74.000	11.134	PK
2	*	16590.000	52.013	33.474	-21.987	74.000	18.539	PK




Profile: 19A2144R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.741	33.068	-29.259	74.000	11.673	PK
2	*	16830.000	52.174	32.759	-21.826	74.000	19.415	PK

Profile: 19A2144R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.538	31.865	-30.462	74.000	11.673	PK
2	*	16830.000	53.323	33.908	-20.677	74.000	19.415	PK

Profile: 19A2144R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.230	34.510	-28.770	74.000	10.720	PK
2	*	15750.000	49.861	32.952	-24.139	74.000	16.909	PK

Profile: 19A2144R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.961	35.241	-28.039	74.000	10.720	PK
2	*	15750.000	50.893	33.984	-23.107	74.000	16.909	PK

Profile: 19A2144R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.487	32.697	-29.513	74.000	11.791	PK
2	*	16710.000	53.059	33.432	-20.941	74.000	19.627	PK

Profile: 19A2144R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	43.987	32.197	-30.013	74.000	11.791	PK
2	*	16710.000	52.947	33.320	-21.053	74.000	19.627	PK

**Radio 2:**


**SISO:**

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.703	36.778	-26.297	74.000	10.925	PK
2	*	15780.000	50.756	33.440	-23.244	74.000	17.316	PK


Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.508	35.583	-27.492	74.000	10.925	PK
2	*	15780.000	50.541	33.225	-23.459	74.000	17.316	PK




Profile: 19A2144R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.175	33.516	-29.825	74.000	10.658	PK
2	*	15900.000	50.560	33.405	-23.440	74.000	17.155	PK

Profile: 19A2144R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.879	34.220	-29.121	74.000	10.658	PK
2	*	15900.000	51.275	34.120	-22.725	74.000	17.155	PK

Profile: 19A2144R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.440	34.015	-29.560	74.000	10.425	PK
2	*	15960.000	51.364	33.770	-22.636	74.000	17.594	PK

Profile: 19A2144R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.999	34.574	-29.001	74.000	10.425	PK
2	*	15960.000	51.602	34.008	-22.398	74.000	17.594	PK

Profile: 19A2144R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.641	33.246	-29.359	74.000	11.394	PK
2	*	16500.000	53.287	34.327	-20.713	74.000	18.960	PK

Profile: 19A2144R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.028	33.633	-28.972	74.000	11.394	PK
2	*	16500.000	52.490	33.530	-21.510	74.000	18.960	PK

Profile: 19A2144R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.434	34.056	-28.566	74.000	11.378	PK
2	*	16560.000	52.966	34.048	-21.034	74.000	18.918	PK


Profile: 19A2144R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.496	33.118	-29.504	74.000	11.378	PK
2	*	16560.000	53.118	34.200	-20.882	74.000	18.918	PK




Profile: 19A2144R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.465	33.466	-28.535	74.000	11.999	PK
2	*	16740.000	53.049	34.444	-20.951	74.000	18.605	PK

Profile: 19A2144R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.984	33.985	-28.016	74.000	11.999	PK
2	*	16740.000	52.377	33.772	-21.623	74.000	18.605	PK

Profile: 19A2144R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.827	30.972	-31.173	74.000	11.855	PK
2	*	17100.000	52.991	32.941	-21.009	74.000	20.050	PK

Profile: 19A2144R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.349	32.494	-29.651	74.000	11.855	PK
2	*	17100.000	53.268	33.218	-20.732	74.000	20.050	PK

Profile: 19A2144R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.060	36.135	-26.940	74.000	10.925	PK
2	*	15780.000	50.327	33.011	-23.673	74.000	17.316	PK

Profile: 19A2144R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.049	34.124	-28.951	74.000	10.925	PK
2	*	15780.000	50.099	32.783	-23.901	74.000	17.316	PK

Profile: 19A2144R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.910	34.251	-29.090	74.000	10.658	PK
2	*	15900.000	50.588	33.433	-23.412	74.000	17.155	PK


Profile: 19A2144R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.409	32.750	-30.591	74.000	10.658	PK
2	*	15900.000	51.912	34.757	-22.088	74.000	17.155	PK




Profile: 19A2144R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.702	34.277	-29.298	74.000	10.425	PK
2	*	15960.000	50.725	33.131	-23.275	74.000	17.594	PK

Profile: 19A2144R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.200	33.775	-29.800	74.000	10.425	PK
2	*	15960.000	52.639	35.045	-21.361	74.000	17.594	PK

Profile: 19A2144R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.819	33.424	-29.181	74.000	11.394	PK
2	*	16500.000	53.473	34.513	-20.527	74.000	18.960	PK

Profile: 19A2144R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.149	33.754	-28.851	74.000	11.394	PK
2	*	16500.000	52.563	33.603	-21.437	74.000	18.960	PK

Profile: 19A2144R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.671	34.293	-28.329	74.000	11.378	PK
2	*	16560.000	53.246	34.328	-20.754	74.000	18.918	PK

Profile: 19A2144R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.759	33.381	-29.241	74.000	11.378	PK
2	*	16560.000	52.511	33.593	-21.489	74.000	18.918	PK

Profile: 19A2144R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.565	33.566	-28.435	74.000	11.999	PK
2	*	16740.000	52.736	34.131	-21.264	74.000	18.605	PK


Profile: 19A2144R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.007	34.008	-27.993	74.000	11.999	PK
2	*	16740.000	53.176	34.571	-20.824	74.000	18.605	PK




Profile: 19A2144R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.465	31.610	-30.535	74.000	11.855	PK
2	*	17100.000	52.403	32.353	-21.597	74.000	20.050	PK

Profile: 19A2144R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.896	31.041	-31.104	74.000	11.855	PK
2	*	17100.000	53.379	33.329	-20.621	74.000	20.050	PK

Profile: 19A2144R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.486	34.337	-28.514	74.000	11.149	PK
2	*	15810.000	50.478	32.945	-23.522	74.000	17.533	PK

Profile: 19A2144R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.080	34.931	-27.920	74.000	11.149	PK
2	*	15810.000	52.110	34.577	-21.890	74.000	17.533	PK

Profile: 19A2144R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.472	34.040	-28.528	74.000	11.433	PK
2	*	15930.000	51.313	33.215	-22.687	74.000	18.099	PK

Profile: 19A2144R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.702	35.270	-27.298	74.000	11.433	PK
2	*	15930.000	52.575	34.477	-21.425	74.000	18.099	PK

Profile: 19A2144R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.618	34.488	-28.382	74.000	11.130	PK
2	*	16530.000	52.129	33.601	-21.871	74.000	18.529	PK


Profile: 19A2144R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.525	33.395	-29.475	74.000	11.130	PK
2	*	16530.000	53.206	34.678	-20.794	74.000	18.529	PK




Profile: 19A2144R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.754	32.318	-30.246	74.000	11.436	PK
2	*	16650.000	53.475	34.255	-20.525	74.000	19.221	PK

Profile: 19A2144R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.471	34.035	-28.529	74.000	11.436	PK
2	*	16650.000	52.281	33.061	-21.719	74.000	19.221	PK

Profile: 19A2144R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.116	32.109	-29.884	74.000	12.007	PK
2	*	17010.000	53.028	33.378	-20.972	74.000	19.650	PK

Profile: 19A2144R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.405	33.398	-28.595	74.000	12.007	PK
2	*	17010.000	52.587	32.937	-21.413	74.000	19.650	PK

Profile: 19A2144R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.159	36.234	-26.841	74.000	10.925	PK
2	*	15780.000	51.155	33.839	-22.845	74.000	17.316	PK

Profile: 19A2144R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.413	36.488	-26.587	74.000	10.925	PK
2	*	15780.000	50.738	33.422	-23.262	74.000	17.316	PK

Profile: 19A2144R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.002	34.343	-28.998	74.000	10.658	PK
2	*	15900.000	52.148	34.993	-21.852	74.000	17.155	PK


Profile: 19A2144R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.462	33.803	-29.538	74.000	10.658	PK
2	*	15900.000	51.641	34.486	-22.359	74.000	17.155	PK




Profile: 19A2144R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.272	33.847	-29.728	74.000	10.425	PK
2	*	15960.000	51.147	33.553	-22.853	74.000	17.594	PK

Profile: 19A2144R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.182	34.757	-28.818	74.000	10.425	PK
2	*	15960.000	51.544	33.950	-22.456	74.000	17.594	PK

Profile: 19A2144R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.666	33.271	-29.334	74.000	11.394	PK
2	*	16500.000	52.584	33.624	-21.416	74.000	18.960	PK

Profile: 19A2144R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.013	34.618	-27.987	74.000	11.394	PK
2	*	16500.000	53.162	34.202	-20.838	74.000	18.960	PK

Profile: 19A2144R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.115	33.737	-28.885	74.000	11.378	PK
2	*	16560.000	53.164	34.246	-20.836	74.000	18.918	PK

Profile: 19A2144R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.862	33.484	-29.138	74.000	11.378	PK
2	*	16560.000	52.037	33.119	-21.963	74.000	18.918	PK

Profile: 19A2144R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.310	33.311	-28.690	74.000	11.999	PK
2	*	16740.000	53.054	34.449	-20.946	74.000	18.605	PK


Profile: 19A2144R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.836	32.837	-29.164	74.000	11.999	PK
2	*	16740.000	52.450	33.845	-21.550	74.000	18.605	PK




Profile: 19A2144R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.179	31.324	-30.821	74.000	11.855	PK
2	*	17100.000	53.168	33.118	-20.832	74.000	20.050	PK

Profile: 19A2144R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.102	32.247	-29.898	74.000	11.855	PK
2	*	17100.000	52.367	32.317	-21.633	74.000	20.050	PK

Profile: 19A2144R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.758	34.609	-28.242	74.000	11.149	PK
2	*	15810.000	51.098	33.565	-22.902	74.000	17.533	PK

Profile: 19A2144R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.601	33.452	-29.399	74.000	11.149	PK
2	*	15810.000	52.478	34.945	-21.522	74.000	17.533	PK

Profile: 19A2144R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.243	32.811	-29.757	74.000	11.433	PK
2	*	15930.000	51.234	33.136	-22.766	74.000	18.099	PK

Profile: 19A2144R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.286	33.854	-28.714	74.000	11.433	PK
2	*	15930.000	51.941	33.843	-22.059	74.000	18.099	PK

Profile: 19A2144R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.970	33.840	-29.030	74.000	11.130	PK
2	*	16530.000	51.139	32.611	-22.861	74.000	18.529	PK


Profile: 19A2144R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.440	33.310	-29.560	74.000	11.130	PK
2	*	16530.000	52.471	33.943	-21.529	74.000	18.529	PK




Profile: 19A2144R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.135	32.699	-29.865	74.000	11.436	PK
2	*	16650.000	53.279	34.059	-20.721	74.000	19.221	PK

Profile: 19A2144R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.765	33.329	-29.235	74.000	11.436	PK
2	*	16650.000	52.496	33.276	-21.504	74.000	19.221	PK

Profile: 19A2144R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.077	32.070	-29.923	74.000	12.007	PK
2	*	17010.000	53.270	33.620	-20.730	74.000	19.650	PK

Profile: 19A2144R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.626	32.619	-29.374	74.000	12.007	PK
2	*	17010.000	52.597	32.947	-21.403	74.000	19.650	PK

Profile: 19A2144R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.276	34.721	-28.724	74.000	10.555	PK
2	*	15870.000	51.801	34.179	-22.199	74.000	17.622	PK