



Profile: 19A2144R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.901	34.346	-29.099	74.000	10.555	PK
2	*	15870.000	52.869	35.247	-21.131	74.000	17.622	PK

Profile: 19A2144R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.178	34.045	-28.822	74.000	11.134	PK
2	*	16590.000	53.034	34.495	-20.966	74.000	18.539	PK

Profile: 19A2144R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.955	32.822	-30.045	74.000	11.134	PK
2	*	16590.000	52.433	33.894	-21.567	74.000	18.539	PK

Profile: 19A2144R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.326	32.653	-29.674	74.000	11.673	PK
2	*	16830.000	53.288	33.873	-20.712	74.000	19.415	PK

Profile: 19A2144R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.867	33.194	-29.133	74.000	11.673	PK
2	*	16830.000	52.462	33.047	-21.538	74.000	19.415	PK

Profile: 19A2144R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.268	35.343	-27.732	74.000	10.925	PK
2	*	15780.000	51.508	34.192	-22.492	74.000	17.316	PK

Profile: 19A2144R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.319	36.394	-26.681	74.000	10.925	PK
2	*	15780.000	52.280	34.964	-21.720	74.000	17.316	PK

Profile: 19A2144R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.133	34.474	-28.867	74.000	10.658	PK
2	*	15900.000	50.793	33.638	-23.207	74.000	17.155	PK

Profile: 19A2144R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.664	35.005	-28.336	74.000	10.658	PK
2	*	15900.000	51.435	34.280	-22.565	74.000	17.155	PK

Profile: 19A2144R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.570	34.145	-29.430	74.000	10.425	PK
2	*	15960.000	50.601	33.007	-23.399	74.000	17.594	PK

Profile: 19A2144R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.969	33.544	-30.031	74.000	10.425	PK
2	*	15960.000	52.796	35.202	-21.204	74.000	17.594	PK

Profile: 19A2144R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.127	33.732	-28.873	74.000	11.394	PK
2	*	16500.000	53.125	34.165	-20.875	74.000	18.960	PK

Profile: 19A2144R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.988	34.593	-28.012	74.000	11.394	PK
2	*	16500.000	52.697	33.737	-21.303	74.000	18.960	PK

Profile: 19A2144R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.342	33.964	-28.658	74.000	11.378	PK
2	*	16560.000	53.235	34.317	-20.765	74.000	18.918	PK

Profile: 19A2144R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.404	33.026	-29.596	74.000	11.378	PK
2	*	16560.000	52.336	33.418	-21.664	74.000	18.918	PK

Profile: 19A2144R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.114	33.115	-28.886	74.000	11.999	PK
2	*	16740.000	52.955	34.350	-21.045	74.000	18.605	PK

Profile: 19A2144R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.764	32.765	-29.236	74.000	11.999	PK
2	*	16740.000	51.673	33.068	-22.327	74.000	18.605	PK

Profile: 19A2144R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.154	31.299	-30.846	74.000	11.855	PK
2	*	17100.000	53.450	33.400	-20.550	74.000	20.050	PK

Profile: 19A2144R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.667	30.812	-31.333	74.000	11.855	PK
2	*	17100.000	52.125	32.075	-21.875	74.000	20.050	PK

Profile: 19A2144R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.820	34.671	-28.180	74.000	11.149	PK
2	*	15810.000	50.544	33.011	-23.456	74.000	17.533	PK

Profile: 19A2144R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.845	35.696	-27.155	74.000	11.149	PK
2	*	15810.000	51.785	34.252	-22.215	74.000	17.533	PK

Profile: 19A2144R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.971	34.539	-28.029	74.000	11.433	PK
2	*	15930.000	52.146	34.048	-21.854	74.000	18.099	PK

Profile: 19A2144R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.153	34.721	-27.847	74.000	11.433	PK
2	*	15930.000	51.802	33.704	-22.198	74.000	18.099	PK

Profile: 19A2144R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.444	33.314	-29.556	74.000	11.130	PK
2	*	16530.000	51.684	33.156	-22.316	74.000	18.529	PK

Profile: 19A2144R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.541	34.411	-28.459	74.000	11.130	PK
2	*	16530.000	52.544	34.016	-21.456	74.000	18.529	PK

Profile: 19A2144R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.932	32.496	-30.068	74.000	11.436	PK
2	*	16650.000	53.216	33.996	-20.784	74.000	19.221	PK

Profile: 19A2144R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.416	32.980	-29.584	74.000	11.436	PK
2	*	16650.000	52.448	33.228	-21.552	74.000	19.221	PK

Profile: 19A2144R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.434	32.427	-29.566	74.000	12.007	PK
2	*	17010.000	53.162	33.512	-20.838	74.000	19.650	PK

Profile: 19A2144R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.544	33.537	-28.456	74.000	12.007	PK
2	*	17010.000	52.438	32.788	-21.562	74.000	19.650	PK

Profile: 19A2144R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.721	34.166	-29.279	74.000	10.555	PK
2	*	15870.000	51.261	33.639	-22.739	74.000	17.622	PK

Profile: 19A2144R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.073	34.518	-28.927	74.000	10.555	PK
2	*	15870.000	52.354	34.732	-21.646	74.000	17.622	PK

Profile: 19A2144R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.066	32.933	-29.934	74.000	11.134	PK
2	*	16590.000	53.215	34.676	-20.785	74.000	18.539	PK

Profile: 19A2144R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.678	33.545	-29.322	74.000	11.134	PK
2	*	16590.000	52.463	33.924	-21.537	74.000	18.539	PK

Profile: 19A2144R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.838	32.165	-30.162	74.000	11.673	PK
2	*	16830.000	52.884	33.469	-21.116	74.000	19.415	PK

Profile: 19A2144R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.559	32.886	-29.441	74.000	11.673	PK
2	*	16830.000	53.436	34.021	-20.564	74.000	19.415	PK

Profile: 19A2144R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	46.196	35.476	-27.804	74.000	10.720	PK
2	*	15750.000	51.925	35.016	-22.075	74.000	16.909	PK

Profile: 19A2144R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.805	34.085	-29.195	74.000	10.720	PK
2	*	15750.000	50.428	33.519	-23.572	74.000	16.909	PK

Profile: 19A2144R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.908	33.118	-29.092	74.000	11.791	PK
2	*	16710.000	53.230	33.603	-20.770	74.000	19.627	PK


Profile: 19A2144R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.504	33.714	-28.496	74.000	11.791	PK
2	*	16710.000	52.410	32.783	-21.590	74.000	19.627	PK


CDD:

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.587	34.662	-28.413	74.000	10.925	PK
2	*	15780.000	51.156	33.840	-22.844	74.000	17.316	PK

Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.562	35.637	-27.438	74.000	10.925	PK
2	*	15780.000	50.677	33.361	-23.323	74.000	17.316	PK

Profile: 19A2144R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.529	33.870	-29.471	74.000	10.658	PK
2	*	15900.000	50.756	33.601	-23.244	74.000	17.155	PK

Profile: 19A2144R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.635	33.976	-29.365	74.000	10.658	PK
2	*	15900.000	51.221	34.066	-22.779	74.000	17.155	PK

Profile: 19A2144R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.828	34.403	-29.172	74.000	10.425	PK
2	*	15960.000	52.441	34.847	-21.559	74.000	17.594	PK

Profile: 19A2144R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.621	34.196	-29.379	74.000	10.425	PK
2	*	15960.000	51.984	34.390	-22.016	74.000	17.594	PK

Profile: 19A2144R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.864	33.469	-29.136	74.000	11.394	PK
2	*	16500.000	52.906	33.946	-21.094	74.000	18.960	PK

Profile: 19A2144R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.585	34.190	-28.415	74.000	11.394	PK
2	*	16500.000	53.164	34.204	-20.836	74.000	18.960	PK

Profile: 19A2144R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.233	33.855	-28.767	74.000	11.378	PK
2	*	16560.000	53.247	34.329	-20.753	74.000	18.918	PK

Profile: 19A2144R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.191	33.813	-28.809	74.000	11.378	PK
2	*	16560.000	52.914	33.996	-21.086	74.000	18.918	PK

Profile: 19A2144R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.153	33.154	-28.847	74.000	11.999	PK
2	*	16740.000	52.705	34.100	-21.295	74.000	18.605	PK

Profile: 19A2144R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.661	34.662	-27.339	74.000	11.999	PK
2	*	16740.000	52.255	33.650	-21.745	74.000	18.605	PK

Profile: 19A2144R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.070	31.215	-30.930	74.000	11.855	PK
2	*	17100.000	52.715	32.665	-21.285	74.000	20.050	PK

Profile: 19A2144R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.971	32.116	-30.029	74.000	11.855	PK
2	*	17100.000	53.137	33.087	-20.863	74.000	20.050	PK

Profile: 19A2144R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.770	35.845	-27.230	74.000	10.925	PK
2	*	15780.000	50.507	33.191	-23.493	74.000	17.316	PK

Profile: 19A2144R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.974	35.049	-28.026	74.000	10.925	PK
2	*	15780.000	51.071	33.755	-22.929	74.000	17.316	PK

Profile: 19A2144R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.564	33.905	-29.436	74.000	10.658	PK
2	*	15900.000	52.309	35.154	-21.691	74.000	17.155	PK

Profile: 19A2144R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.593	32.934	-30.407	74.000	10.658	PK
2	*	15900.000	50.678	33.523	-23.322	74.000	17.155	PK

Profile: 19A2144R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.143	33.718	-29.857	74.000	10.425	PK
2	*	15960.000	51.352	33.758	-22.648	74.000	17.594	PK

Profile: 19A2144R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.597	35.172	-28.403	74.000	10.425	PK
2	*	15960.000	51.909	34.315	-22.091	74.000	17.594	PK

Profile: 19A2144R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.770	32.375	-30.230	74.000	11.394	PK
2	*	16500.000	52.844	33.884	-21.156	74.000	18.960	PK

Profile: 19A2144R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.691	33.296	-29.309	74.000	11.394	PK
2	*	16500.000	53.146	34.186	-20.854	74.000	18.960	PK

Profile: 19A2144R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	46.320	34.942	-27.680	74.000	11.378	PK
2	*	16560.000	52.249	33.331	-21.751	74.000	18.918	PK

Profile: 19A2144R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.359	32.981	-29.641	74.000	11.378	PK
2	*	16560.000	52.913	33.995	-21.087	74.000	18.918	PK

Profile: 19A2144R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.277	33.278	-28.723	74.000	11.999	PK
2	*	16740.000	52.809	34.204	-21.191	74.000	18.605	PK

Profile: 19A2144R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.992	32.993	-29.008	74.000	11.999	PK
2	*	16740.000	52.047	33.442	-21.953	74.000	18.605	PK

Profile: 19A2144R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.132	31.277	-30.868	74.000	11.855	PK
2	*	17100.000	52.566	32.516	-21.434	74.000	20.050	PK

Profile: 19A2144R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.206	31.351	-30.794	74.000	11.855	PK
2	*	17100.000	53.221	33.171	-20.779	74.000	20.050	PK

Profile: 19A2144R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.024	33.875	-28.976	74.000	11.149	PK
2	*	15810.000	50.800	33.267	-23.200	74.000	17.533	PK

Profile: 19A2144R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.153	35.004	-27.847	74.000	11.149	PK
2	*	15810.000	51.576	34.043	-22.424	74.000	17.533	PK

Profile: 19A2144R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.363	33.931	-28.637	74.000	11.433	PK
2	*	15930.000	51.466	33.368	-22.534	74.000	18.099	PK

Profile: 19A2144R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.324	34.892	-27.676	74.000	11.433	PK
2	*	15930.000	52.613	34.515	-21.387	74.000	18.099	PK

Profile: 19A2144R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.111	33.981	-28.889	74.000	11.130	PK
2	*	16530.000	53.379	34.851	-20.621	74.000	18.529	PK

Profile: 19A2144R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.486	33.356	-29.514	74.000	11.130	PK
2	*	16530.000	52.827	34.299	-21.173	74.000	18.529	PK

Profile: 19A2144R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.731	33.295	-29.269	74.000	11.436	PK
2	*	16650.000	53.313	34.093	-20.687	74.000	19.221	PK

Profile: 19A2144R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.629	34.193	-28.371	74.000	11.436	PK
2	*	16650.000	52.697	33.477	-21.303	74.000	19.221	PK

Profile: 19A2144R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.502	33.495	-28.498	74.000	12.007	PK
2	*	17010.000	53.133	33.483	-20.867	74.000	19.650	PK

Profile: 19A2144R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.921	32.914	-29.079	74.000	12.007	PK
2	*	17010.000	52.378	32.728	-21.622	74.000	19.650	PK

Profile: 19A2144R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.565	35.640	-27.435	74.000	10.925	PK
2	*	15780.000	50.650	33.334	-23.350	74.000	17.316	PK

Profile: 19A2144R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.632	34.707	-28.368	74.000	10.925	PK
2	*	15780.000	51.145	33.829	-22.855	74.000	17.316	PK

Profile: 19A2144R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.154	34.495	-28.846	74.000	10.658	PK
2	*	15900.000	50.231	33.076	-23.769	74.000	17.155	PK

Profile: 19A2144R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.655	34.996	-28.345	74.000	10.658	PK
2	*	15900.000	51.092	33.937	-22.908	74.000	17.155	PK

Profile: 19A2144R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.768	34.343	-29.232	74.000	10.425	PK
2	*	15960.000	52.558	34.964	-21.442	74.000	17.594	PK

Profile: 19A2144R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.093	33.668	-29.907	74.000	10.425	PK
2	*	15960.000	50.942	33.348	-23.058	74.000	17.594	PK

Profile: 19A2144R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.302	32.907	-29.698	74.000	11.394	PK
2	*	16500.000	53.009	34.049	-20.991	74.000	18.960	PK

Profile: 19A2144R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.025	33.630	-28.975	74.000	11.394	PK
2	*	16500.000	52.344	33.384	-21.656	74.000	18.960	PK

Profile: 19A2144R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.431	33.053	-29.569	74.000	11.378	PK
2	*	16560.000	53.363	34.445	-20.637	74.000	18.918	PK

Profile: 19A2144R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.688	33.310	-29.312	74.000	11.378	PK
2	*	16560.000	52.205	33.287	-21.795	74.000	18.918	PK

Profile: 19A2144R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.937	33.938	-28.063	74.000	11.999	PK
2	*	16740.000	52.407	33.802	-21.593	74.000	18.605	PK

Profile: 19A2144R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.798	32.799	-29.202	74.000	11.999	PK
2	*	16740.000	52.992	34.387	-21.008	74.000	18.605	PK

Profile: 19A2144R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.821	30.966	-31.179	74.000	11.855	PK
2	*	17100.000	53.378	33.328	-20.622	74.000	20.050	PK

Profile: 19A2144R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.965	32.110	-30.035	74.000	11.855	PK
2	*	17100.000	52.721	32.671	-21.279	74.000	20.050	PK

Profile: 19A2144R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.944	34.795	-28.056	74.000	11.149	PK
2	*	15810.000	51.024	33.491	-22.976	74.000	17.533	PK

Profile: 19A2144R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.604	34.455	-28.396	74.000	11.149	PK
2	*	15810.000	50.697	33.164	-23.303	74.000	17.533	PK

Profile: 19A2144R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.600	34.168	-28.400	74.000	11.433	PK
2	*	15930.000	51.751	33.653	-22.249	74.000	18.099	PK

Profile: 19A2144R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.983	34.551	-28.017	74.000	11.433	PK
2	*	15930.000	52.708	34.610	-21.292	74.000	18.099	PK

Profile: 19A2144R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.847	33.717	-29.153	74.000	11.130	PK
2	*	16530.000	52.696	34.168	-21.304	74.000	18.529	PK

Profile: 19A2144R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.535	34.405	-28.465	74.000	11.130	PK
2	*	16530.000	53.029	34.501	-20.971	74.000	18.529	PK

Profile: 19A2144R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.052	33.616	-28.948	74.000	11.436	PK
2	*	16650.000	52.727	33.507	-21.273	74.000	19.221	PK

Profile: 19A2144R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.486	33.050	-29.514	74.000	11.436	PK
2	*	16650.000	52.007	32.787	-21.993	74.000	19.221	PK

Profile: 19A2144R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.796	32.789	-29.204	74.000	12.007	PK
2	*	17010.000	53.222	33.572	-20.778	74.000	19.650	PK

Profile: 19A2144R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.259	32.252	-29.741	74.000	12.007	PK
2	*	17010.000	52.545	32.895	-21.455	74.000	19.650	PK

Profile: 19A2144R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.559	34.004	-29.441	74.000	10.555	PK
2	*	15870.000	51.698	34.076	-22.302	74.000	17.622	PK

Profile: 19A2144R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.100	33.545	-29.900	74.000	10.555	PK
2	*	15870.000	51.030	33.408	-22.970	74.000	17.622	PK

Profile: 19A2144R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.646	33.513	-29.354	74.000	11.134	PK
2	*	16590.000	52.036	33.497	-21.964	74.000	18.539	PK

Profile: 19A2144R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.738	34.605	-28.262	74.000	11.134	PK
2	*	16590.000	52.663	34.124	-21.337	74.000	18.539	PK

Profile: 19A2144R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.097	32.424	-29.903	74.000	11.673	PK
2	*	16830.000	53.233	33.818	-20.767	74.000	19.415	PK

Profile: 19A2144R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.700	32.027	-30.300	74.000	11.673	PK
2	*	16830.000	52.493	33.078	-21.507	74.000	19.415	PK

Profile: 19A2144R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.367	34.442	-28.633	74.000	10.925	PK
2	*	15780.000	50.620	33.304	-23.380	74.000	17.316	PK

Profile: 19A2144R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.683	34.758	-28.317	74.000	10.925	PK
2	*	15780.000	51.646	34.330	-22.354	74.000	17.316	PK

Profile: 19A2144R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.620	33.961	-29.380	74.000	10.658	PK
2	*	15900.000	51.199	34.044	-22.801	74.000	17.155	PK

Profile: 19A2144R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.266	34.607	-28.734	74.000	10.658	PK
2	*	15900.000	50.923	33.768	-23.077	74.000	17.155	PK

Profile: 19A2144R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.776	33.351	-30.224	74.000	10.425	PK
2	*	15960.000	51.518	33.924	-22.482	74.000	17.594	PK

Profile: 19A2144R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.092	34.667	-28.908	74.000	10.425	PK
2	*	15960.000	51.390	33.796	-22.610	74.000	17.594	PK

Profile: 19A2144R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.972	33.577	-29.028	74.000	11.394	PK
2	*	16500.000	53.293	34.333	-20.707	74.000	18.960	PK

Profile: 19A2144R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.749	34.354	-28.251	74.000	11.394	PK
2	*	16500.000	52.305	33.345	-21.695	74.000	18.960	PK

Profile: 19A2144R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.616	34.238	-28.384	74.000	11.378	PK
2	*	16560.000	53.437	34.519	-20.563	74.000	18.918	PK

Profile: 19A2144R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.492	33.114	-29.508	74.000	11.378	PK
2	*	16560.000	52.529	33.611	-21.471	74.000	18.918	PK

Profile: 19A2144R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.501	33.502	-28.499	74.000	11.999	PK
2	*	16740.000	53.176	34.571	-20.824	74.000	18.605	PK

Profile: 19A2144R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.049	33.050	-28.951	74.000	11.999	PK
2	*	16740.000	52.887	34.282	-21.113	74.000	18.605	PK

Profile: 19A2144R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.942	32.087	-30.058	74.000	11.855	PK
2	*	17100.000	53.107	33.057	-20.893	74.000	20.050	PK

Profile: 19A2144R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.674	31.819	-30.326	74.000	11.855	PK
2	*	17100.000	52.840	32.790	-21.160	74.000	20.050	PK

Profile: 19A2144R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.305	34.156	-28.695	74.000	11.149	PK
2	*	15810.000	50.784	33.251	-23.216	74.000	17.533	PK

Profile: 19A2144R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.857	34.708	-28.143	74.000	11.149	PK
2	*	15810.000	51.504	33.971	-22.496	74.000	17.533	PK

Profile: 19A2144R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.938	33.506	-29.062	74.000	11.433	PK
2	*	15930.000	51.607	33.509	-22.393	74.000	18.099	PK

Profile: 19A2144R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.477	34.045	-28.523	74.000	11.433	PK
2	*	15930.000	51.209	33.111	-22.791	74.000	18.099	PK

Profile: 19A2144R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.202	34.072	-28.798	74.000	11.130	PK
2	*	16530.000	51.370	32.842	-22.630	74.000	18.529	PK

Profile: 19A2144R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.762	34.632	-28.238	74.000	11.130	PK
2	*	16530.000	51.926	33.398	-22.074	74.000	18.529	PK

Profile: 19A2144R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.268	32.832	-29.732	74.000	11.436	PK
2	*	16650.000	53.224	34.004	-20.776	74.000	19.221	PK

Profile: 19A2144R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.781	33.345	-29.219	74.000	11.436	PK
2	*	16650.000	53.002	33.782	-20.998	74.000	19.221	PK

Profile: 19A2144R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.510	33.503	-28.490	74.000	12.007	PK
2	*	17010.000	52.212	32.562	-21.788	74.000	19.650	PK

Profile: 19A2144R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.957	31.950	-30.043	74.000	12.007	PK
2	*	17010.000	51.420	31.770	-22.580	74.000	19.650	PK

Profile: 19A2144R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.347	34.792	-28.653	74.000	10.555	PK
2	*	15870.000	51.851	34.229	-22.149	74.000	17.622	PK

Profile: 19A2144R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.475	33.920	-29.525	74.000	10.555	PK
2	*	15870.000	52.405	34.783	-21.595	74.000	17.622	PK

Profile: 19A2144R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.072	32.939	-29.928	74.000	11.134	PK
2	*	16590.000	53.233	34.694	-20.767	74.000	18.539	PK

Profile: 19A2144R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.280	34.147	-28.720	74.000	11.134	PK
2	*	16590.000	52.459	33.920	-21.541	74.000	18.539	PK

Profile: 19A2144R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.289	31.616	-30.711	74.000	11.673	PK
2	*	16830.000	53.270	33.855	-20.730	74.000	19.415	PK

Profile: 19A2144R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.625	32.952	-29.375	74.000	11.673	PK
2	*	16830.000	52.897	33.482	-21.103	74.000	19.415	PK

Profile: 19A2144R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.642	33.922	-29.358	74.000	10.720	PK
2	*	15750.000	50.656	33.747	-23.344	74.000	16.909	PK

Profile: 19A2144R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.365	34.645	-28.635	74.000	10.720	PK
2	*	15750.000	50.848	33.939	-23.152	74.000	16.909	PK

Profile: 19A2144R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.666	32.876	-29.334	74.000	11.791	PK
2	*	16710.000	53.128	33.501	-20.872	74.000	19.627	PK


Profile: 19A2144R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.791	33.001	-29.209	74.000	11.791	PK
2	*	16710.000	52.621	32.994	-21.379	74.000	19.627	PK


Beamforming:

Profile: 19A2144R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.190	35.265	-27.810	74.000	10.925	PK
2	*	15780.000	51.398	34.082	-22.602	74.000	17.316	PK

Profile: 19A2144R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.500	35.575	-27.500	74.000	10.925	PK
2	*	15780.000	50.744	33.428	-23.256	74.000	17.316	PK

Profile: 19A2144R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.585	33.926	-29.415	74.000	10.658	PK
2	*	15900.000	51.659	34.504	-22.341	74.000	17.155	PK

Profile: 19A2144R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.402	34.743	-28.598	74.000	10.658	PK
2	*	15900.000	52.705	35.550	-21.295	74.000	17.155	PK

Profile: 19A2144R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.086	34.661	-28.914	74.000	10.425	PK
2	*	15960.000	50.970	33.376	-23.030	74.000	17.594	PK

Profile: 19A2144R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.248	35.823	-27.752	74.000	10.425	PK
2	*	15960.000	51.728	34.134	-22.272	74.000	17.594	PK

Profile: 19A2144R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.558	33.163	-29.442	74.000	11.394	PK
2	*	16500.000	53.217	34.257	-20.783	74.000	18.960	PK

Profile: 19A2144R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.205	33.810	-28.795	74.000	11.394	PK
2	*	16500.000	52.444	33.484	-21.556	74.000	18.960	PK

Profile: 19A2144R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	46.299	34.921	-27.701	74.000	11.378	PK
2	*	16560.000	53.399	34.481	-20.601	74.000	18.918	PK

Profile: 19A2144R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.170	33.792	-28.830	74.000	11.378	PK
2	*	16560.000	52.325	33.407	-21.675	74.000	18.918	PK

Profile: 19A2144R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.160	33.161	-28.840	74.000	11.999	PK
2	*	16740.000	52.376	33.771	-21.624	74.000	18.605	PK

Profile: 19A2144R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.613	33.614	-28.387	74.000	11.999	PK
2	*	16740.000	53.412	34.807	-20.588	74.000	18.605	PK

Profile: 19A2144R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.331	31.476	-30.669	74.000	11.855	PK
2	*	17100.000	52.929	32.879	-21.071	74.000	20.050	PK

Profile: 19A2144R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.761	32.906	-29.239	74.000	11.855	PK
2	*	17100.000	51.426	31.376	-22.574	74.000	20.050	PK

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.890	34.741	-28.110	74.000	11.149	PK
2	*	15810.000	50.754	33.221	-23.246	74.000	17.533	PK

Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.869	35.720	-27.131	74.000	11.149	PK
2	*	15810.000	51.734	34.201	-22.266	74.000	17.533	PK

Profile: 19A2144R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.476	34.044	-28.524	74.000	11.433	PK
2	*	15930.000	50.686	32.588	-23.314	74.000	18.099	PK

Profile: 19A2144R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.146	34.714	-27.854	74.000	11.433	PK
2	*	15930.000	52.088	33.990	-21.912	74.000	18.099	PK

Profile: 19A2144R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.017	33.887	-28.983	74.000	11.130	PK
2	*	16530.000	51.779	33.251	-22.221	74.000	18.529	PK

Profile: 19A2144R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.332	33.202	-29.668	74.000	11.130	PK
2	*	16530.000	52.459	33.931	-21.541	74.000	18.529	PK

Profile: 19A2144R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.972	32.536	-30.028	74.000	11.436	PK
2	*	16650.000	53.212	33.992	-20.788	74.000	19.221	PK

Profile: 19A2144R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.118	33.682	-28.882	74.000	11.436	PK
2	*	16650.000	52.652	33.432	-21.348	74.000	19.221	PK

Profile: 19A2144R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/05/11 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.237	33.230	-28.763	74.000	12.007	PK
2	*	17010.000	53.209	33.559	-20.791	74.000	19.650	PK