



| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 110 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5500MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 43.829 | 32.434 | -30.171 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.536 | 33.576 | -21.464 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 111 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5520MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 43.420 | 32.042 | -30.580 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 51.694 | 32.776 | -22.306 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 112 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5520MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.335 | 32.957 | -29.665 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.455 | 33.537 | -21.545 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 113 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5580MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 42.990 | 30.991 | -31.010 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 51.169 | 32.564 | -22.831 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 114 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5580MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 43.961 | 31.962 | -30.039 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.039 | 33.434 | -21.961 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 115 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5700MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.065 | 30.210 | -31.935 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.630 | 32.580 | -21.370 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 116 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 1:Transmit at 5700MHz by 802.11a | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 44.615 | 32.760 | -29.385 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 53.146 | 33.096 | -20.854 | 74.000 | 20.050 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 117 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 43.765 | 32.840 | -30.235 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 49.710 | 32.394 | -24.290 | 74.000 | 17.316 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 118 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 44.947 | 34.022 | -29.053 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.151 | 32.835 | -23.849 | 74.000 | 17.316 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 119 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 43.661 | 33.002 | -30.339 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 49.769 | 32.614 | -24.231 | 74.000 | 17.155 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 120 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.501 | 33.842 | -29.499 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 50.378 | 33.223 | -23.622 | 74.000 | 17.155 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 121 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 43.047 | 32.622 | -30.953 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 49.668 | 32.074 | -24.332 | 74.000 | 17.594 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 122 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.163 | 33.738 | -29.837 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 50.154 | 32.560 | -23.846 | 74.000 | 17.594 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 123 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 43.335 | 31.940 | -30.665 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 51.430 | 32.470 | -22.570 | 74.000 | 18.960 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 124 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.376 | 32.981 | -29.624 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.375 | 33.415 | -21.625 | 74.000 | 18.960 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 125 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 43.328 | 31.950 | -30.672 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 51.483 | 32.565 | -22.517 | 74.000 | 18.918 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 126 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 45.103 | 33.725 | -28.897 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.697 | 33.779 | -21.303 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 127 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 44.714 | 32.715 | -29.286 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 51.192 | 32.587 | -22.808 | 74.000 | 18.605 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 128 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.521 | 33.522 | -28.479 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.286 | 33.681 | -21.714 | 74.000 | 18.605 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 129 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 44.824 | 32.969 | -29.176 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.258 | 32.208 | -21.742 | 74.000 | 20.050 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 130 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.962 | 32.107 | -30.038 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 53.246 | 33.196 | -20.754 | 74.000 | 20.050 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 131 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 44.623 | 33.474 | -29.377 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 50.992 | 33.459 | -23.008 | 74.000 | 17.533 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 132 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 43.469 | 32.320 | -30.531 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 52.031 | 34.498 | -21.969 | 74.000 | 17.533 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 133 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 44.182 | 32.750 | -29.818 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 50.313 | 32.215 | -23.687 | 74.000 | 18.099 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 134 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.187 | 33.755 | -28.813 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.430 | 33.332 | -22.570 | 74.000 | 18.099 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 135 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 43.171 | 32.041 | -30.829 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 49.879 | 31.351 | -24.121 | 74.000 | 18.529 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 136 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 45.368 | 34.238 | -28.632 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 50.187 | 31.659 | -23.813 | 74.000 | 18.529 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 137 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 43.392 | 31.956 | -30.608 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 51.784 | 32.564 | -22.216 | 74.000 | 19.221 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 138 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.460 | 33.024 | -29.540 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 51.333 | 32.113 | -22.667 | 74.000 | 19.221 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 139 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 43.261 | 31.254 | -30.739 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.421 | 32.771 | -21.579 | 74.000 | 19.650 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 140 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 42.502 | 30.495 | -31.498 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 53.371 | 33.721 | -20.629 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 141 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 43.984 | 33.059 | -30.016 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 49.998 | 32.682 | -24.002 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 142 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 44.837 | 33.912 | -29.163 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 49.377 | 32.061 | -24.623 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 143 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 43.374 | 32.715 | -30.626 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 49.120 | 31.965 | -24.880 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 144 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.598 | 33.939 | -29.402 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 48.905 | 31.750 | -25.095 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 145 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 42.612 | 32.187 | -31.388 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 49.467 | 31.873 | -24.533 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 146 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 43.459 | 33.034 | -30.541 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.583 | 33.989 | -22.417 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 147 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 43.727 | 32.332 | -30.273 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 51.919 | 32.959 | -22.081 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 148 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.833 | 33.438 | -29.167 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.981 | 34.021 | -21.019 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 149 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 45.270 | 33.892 | -28.730 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.360 | 33.442 | -21.640 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 150 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 42.685 | 31.307 | -31.315 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 50.960 | 32.042 | -23.040 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 151 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 43.507 | 31.508 | -30.493 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 50.757 | 32.152 | -23.243 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 152 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 43.957 | 31.958 | -30.043 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.277 | 33.672 | -21.723 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 153 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.082 | 30.227 | -31.918 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 51.269 | 31.219 | -22.731 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 154 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 44.370 | 32.515 | -29.630 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.470 | 32.420 | -21.530 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 155 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 43.870 | 32.721 | -30.130 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 49.311 | 31.778 | -24.689 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 156 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 44.628 | 33.479 | -29.372 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 50.138 | 32.605 | -23.862 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 157 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 43.824 | 32.392 | -30.176 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 50.943 | 32.845 | -23.057 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 158 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 44.637 | 33.205 | -29.363 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 49.996 | 31.898 | -24.004 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 159 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 45.117 | 33.987 | -28.883 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 52.575 | 34.047 | -21.425 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 160 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.837 | 33.707 | -29.163 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 50.361 | 31.833 | -23.639 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 161 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 43.006 | 31.570 | -30.994 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 52.529 | 33.309 | -21.471 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 162 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 42.549 | 31.113 | -31.451 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 51.733 | 32.513 | -22.267 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 163 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 43.233 | 31.226 | -30.767 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.292 | 32.642 | -21.708 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 164 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 44.684 | 32.677 | -29.316 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 53.364 | 33.714 | -20.636 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 165 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 45.018 | 34.463 | -28.982 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 52.547 | 34.925 | -21.453 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 166 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 44.206 | 33.651 | -29.794 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 51.486 | 33.864 | -22.514 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 167 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 44.299 | 33.166 | -29.701 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 53.450 | 34.911 | -20.550 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 168 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 43.105 | 31.972 | -30.895 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 51.918 | 33.379 | -22.082 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 169 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 43.465 | 31.792 | -30.535 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 53.393 | 33.978 | -20.607 | 74.000 | 19.415 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 170 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 44.201 | 32.528 | -29.799 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 52.864 | 33.449 | -21.136 | 74.000 | 19.415 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 171 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 44.563 | 33.638 | -29.437 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.127 | 32.811 | -23.873 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 172 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.339 | 35.414 | -27.661 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.645 | 34.329 | -22.355 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 173 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.775 | 35.116 | -28.225 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.960 | 34.805 | -22.040 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 174 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.034 | 33.375 | -29.966 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 52.485 | 35.330 | -21.515 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 175 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 43.906 | 33.481 | -30.094 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.233 | 33.639 | -22.767 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 176 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.850 | 34.425 | -29.150 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 52.304 | 34.710 | -21.696 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 177 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.855 | 33.460 | -29.145 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.710 | 33.750 | -21.290 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 178 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 45.084 | 33.689 | -28.916 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 53.244 | 34.284 | -20.756 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 179 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 43.982 | 32.604 | -30.018 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.963 | 34.045 | -21.037 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 180 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.431 | 33.053 | -29.569 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.423 | 33.505 | -21.577 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 181 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.334 | 33.335 | -28.666 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 53.107 | 34.502 | -20.893 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 182 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 44.678 | 32.679 | -29.322 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.510 | 33.905 | -21.490 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 183 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.453 | 31.598 | -30.547 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.833 | 32.783 | -21.167 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 184 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 44.594 | 32.739 | -29.406 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 53.238 | 33.188 | -20.762 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 185 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 45.405 | 34.256 | -28.595 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 50.893 | 33.360 | -23.107 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 186 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 46.004 | 34.855 | -27.996 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 51.184 | 33.651 | -22.816 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 187 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 46.056 | 34.624 | -27.944 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.485 | 33.387 | -22.515 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 188 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.188 | 33.756 | -28.812 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 52.409 | 34.311 | -21.591 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 189 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 45.074 | 33.944 | -28.926 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 53.497 | 34.969 | -20.503 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 190 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.152 | 33.022 | -29.848 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 52.117 | 33.589 | -21.883 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 191 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 43.854 | 32.418 | -30.146 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 52.544 | 33.324 | -21.456 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 192 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.621 | 33.185 | -29.379 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 53.357 | 34.137 | -20.643 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 193 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 45.587 | 33.580 | -28.413 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 53.029 | 33.379 | -20.971 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 194 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 44.206 | 32.199 | -29.794 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.634 | 32.984 | -21.366 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 195 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 44.383 | 33.828 | -29.617 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 52.099 | 34.477 | -21.901 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 196 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 45.674 | 35.119 | -28.326 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 53.131 | 35.509 | -20.869 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 197 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 44.101 | 32.968 | -29.899 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 52.701 | 34.162 | -21.299 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 198 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 45.121 | 33.988 | -28.879 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 51.861 | 33.322 | -22.139 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 199 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 44.118 | 32.445 | -29.882 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 53.312 | 33.897 | -20.688 | 74.000 | 19.415 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 200 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 45.651 | 33.978 | -28.349 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 52.565 | 33.150 | -21.435 | 74.000 | 19.415 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 201 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10500.000 | 45.420 | 34.700 | -28.580 | 74.000 | 10.720 | PK |
| 2 | * | 15750.000 | 50.669 | 33.760 | -23.331 | 74.000 | 16.909 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 202 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10500.000 | 45.158 | 34.438 | -28.842 | 74.000 | 10.720 | PK |
| 2 | * | 15750.000 | 51.552 | 34.643 | -22.448 | 74.000 | 16.909 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 203 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11140.000 | 45.354 | 33.564 | -28.646 | 74.000 | 11.791 | PK |
| 2 | * | 16710.000 | 52.784 | 33.157 | -21.216 | 74.000 | 19.627 | PK |


| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 204 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/14 - 14:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11140.000 | 44.918 | 33.128 | -29.082 | 74.000 | 11.791 | PK |
| 2 | * | 16710.000 | 53.068 | 33.441 | -20.932 | 74.000 | 19.627 | PK |


2*2 Beamforming:

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 89 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 45.851 | 34.926 | -28.149 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 50.557 | 33.241 | -23.443 | 74.000 | 17.316 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 90 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.712 | 35.787 | -27.288 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 52.182 | 34.866 | -21.818 | 74.000 | 17.316 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 91 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.631 | 34.972 | -28.369 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.595 | 34.440 | -22.405 | 74.000 | 17.155 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 92 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.422 | 34.763 | -28.578 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 50.896 | 33.741 | -23.104 | 74.000 | 17.155 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 93 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 45.530 | 35.105 | -28.470 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.686 | 34.092 | -22.314 | 74.000 | 17.594 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 94 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.822 | 34.397 | -29.178 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 52.562 | 34.968 | -21.438 | 74.000 | 17.594 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 95 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.622 | 33.227 | -29.378 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 53.160 | 34.200 | -20.840 | 74.000 | 18.960 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 96 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 45.219 | 33.824 | -28.781 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.373 | 33.413 | -21.627 | 74.000 | 18.960 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 97 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 44.693 | 33.315 | -29.307 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 53.329 | 34.411 | -20.671 | 74.000 | 18.918 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 98 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 45.041 | 33.663 | -28.959 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.560 | 33.642 | -21.440 | 74.000 | 18.918 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 99 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 44.742 | 32.743 | -29.258 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 53.288 | 34.683 | -20.712 | 74.000 | 18.605 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 100 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.387 | 33.388 | -28.613 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.613 | 34.008 | -21.387 | 74.000 | 18.605 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 101 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.100 | 31.245 | -30.900 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 53.037 | 32.987 | -20.963 | 74.000 | 20.050 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 102 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 44.920 | 33.065 | -29.080 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.621 | 32.571 | -21.379 | 74.000 | 20.050 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 103 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 46.096 | 34.947 | -27.904 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 50.688 | 33.155 | -23.312 | 74.000 | 17.533 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 104 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 45.675 | 34.526 | -28.325 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 52.129 | 34.596 | -21.871 | 74.000 | 17.533 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 105 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.853 | 34.421 | -28.147 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 52.354 | 34.256 | -21.646 | 74.000 | 18.099 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 106 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.808 | 34.376 | -28.192 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.839 | 33.741 | -22.161 | 74.000 | 18.099 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 107 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.675 | 33.545 | -29.325 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 52.624 | 34.096 | -21.376 | 74.000 | 18.529 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 108 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.423 | 33.293 | -29.577 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 53.156 | 34.628 | -20.844 | 74.000 | 18.529 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 109 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.935 | 33.499 | -29.065 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 53.339 | 34.119 | -20.661 | 74.000 | 19.221 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 110 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.536 | 33.100 | -29.464 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 52.622 | 33.402 | -21.378 | 74.000 | 19.221 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 111 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 44.640 | 32.633 | -29.360 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 53.017 | 33.367 | -20.983 | 74.000 | 19.650 | PK |

| | |
|--|--------------------------|
| Profile: 19A2144R | Page No.: 112 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 45.030 | 33.023 | -28.970 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.738 | 33.088 | -21.262 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 113 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.441 | 35.516 | -27.559 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.286 | 33.970 | -22.714 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 114 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 45.776 | 34.851 | -28.224 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.094 | 33.778 | -22.906 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 115 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.774 | 35.115 | -28.226 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 50.546 | 33.391 | -23.454 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 116 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 45.043 | 34.384 | -28.957 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.745 | 34.590 | -22.255 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 117 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 45.010 | 34.585 | -28.990 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.861 | 34.267 | -22.139 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 118 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 45.915 | 35.490 | -28.085 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 52.573 | 34.979 | -21.427 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 119 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 45.632 | 34.237 | -28.368 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 53.002 | 34.042 | -20.998 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 120 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 45.049 | 33.654 | -28.951 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.381 | 33.421 | -21.619 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 121 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 45.013 | 33.635 | -28.987 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 52.512 | 33.594 | -21.488 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 122 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11040.000 | 46.093 | 34.715 | -27.907 | 74.000 | 11.378 | PK |
| 2 | * | 16560.000 | 53.415 | 34.497 | -20.585 | 74.000 | 18.918 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 123 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 46.070 | 34.071 | -27.930 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 53.312 | 34.707 | -20.688 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 124 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 45.439 | 33.440 | -28.561 | 74.000 | 11.999 | PK |
| 2 | * | 16740.000 | 52.526 | 33.921 | -21.474 | 74.000 | 18.605 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 125 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.790 | 31.935 | -30.210 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 52.753 | 32.703 | -21.247 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 126 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 44.523 | 32.668 | -29.477 | 74.000 | 11.855 | PK |
| 2 | * | 17100.000 | 53.204 | 33.154 | -20.796 | 74.000 | 20.050 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 127 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 45.352 | 34.203 | -28.648 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 51.161 | 33.628 | -22.839 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 128 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10540.000 | 44.745 | 33.596 | -29.255 | 74.000 | 11.149 | PK |
| 2 | * | 15810.000 | 50.581 | 33.048 | -23.419 | 74.000 | 17.533 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 129 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 45.407 | 33.975 | -28.593 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 51.839 | 33.741 | -22.161 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 130 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10620.000 | 46.086 | 34.654 | -27.914 | 74.000 | 11.433 | PK |
| 2 | * | 15930.000 | 52.568 | 34.470 | -21.432 | 74.000 | 18.099 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 131 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 45.172 | 34.042 | -28.828 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 52.820 | 34.292 | -21.180 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 132 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11020.000 | 44.820 | 33.690 | -29.180 | 74.000 | 11.130 | PK |
| 2 | * | 16530.000 | 51.967 | 33.439 | -22.033 | 74.000 | 18.529 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 133 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 45.181 | 33.745 | -28.819 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 53.347 | 34.127 | -20.653 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 134 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11100.000 | 44.681 | 33.245 | -29.319 | 74.000 | 11.436 | PK |
| 2 | * | 16650.000 | 52.612 | 33.392 | -21.388 | 74.000 | 19.221 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 135 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 46.028 | 34.021 | -27.972 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.967 | 33.317 | -21.033 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 136 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11340.000 | 44.589 | 32.582 | -29.411 | 74.000 | 12.007 | PK |
| 2 | * | 17010.000 | 52.216 | 32.566 | -21.784 | 74.000 | 19.650 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 137 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 45.452 | 34.897 | -28.548 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 51.233 | 33.611 | -22.767 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 138 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10580.000 | 44.479 | 33.924 | -29.521 | 74.000 | 10.555 | PK |
| 2 | * | 15870.000 | 52.239 | 34.617 | -21.761 | 74.000 | 17.622 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 139 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 45.002 | 33.869 | -28.998 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 51.956 | 33.417 | -22.044 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 140 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11060.000 | 44.883 | 33.750 | -29.117 | 74.000 | 11.134 | PK |
| 2 | * | 16590.000 | 52.687 | 34.148 | -21.313 | 74.000 | 18.539 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 141 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 44.535 | 32.862 | -29.465 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 53.231 | 33.816 | -20.769 | 74.000 | 19.415 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 142 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11220.000 | 45.508 | 33.835 | -28.492 | 74.000 | 11.673 | PK |
| 2 | * | 16830.000 | 53.304 | 33.889 | -20.696 | 74.000 | 19.415 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 143 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.405 | 35.480 | -27.595 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 51.350 | 34.034 | -22.650 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 144 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.513 | 35.588 | -27.487 | 74.000 | 10.925 | PK |
| 2 | * | 15780.000 | 52.380 | 35.064 | -21.620 | 74.000 | 17.316 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 145 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 46.034 | 35.375 | -27.966 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 51.299 | 34.144 | -22.701 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 146 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.611 | 33.952 | -29.389 | 74.000 | 10.658 | PK |
| 2 | * | 15900.000 | 50.649 | 33.494 | -23.351 | 74.000 | 17.155 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 147 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 44.315 | 33.890 | -29.685 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.813 | 34.219 | -22.187 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 148 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz) | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 43.931 | 33.506 | -30.069 | 74.000 | 10.425 | PK |
| 2 | * | 15960.000 | 51.329 | 33.735 | -22.671 | 74.000 | 17.594 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 149 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 45.573 | 34.178 | -28.427 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 53.336 | 34.376 | -20.664 | 74.000 | 18.960 | PK |

| | |
|---|--------------------------|
| Profile: 19A2144R | Page No.: 150 |
| Engineer: Simon | |
| Site: AC5 | Time: 2020/05/13 - 21:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: AP460C | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz) | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 46.430 | 35.035 | -27.570 | 74.000 | 11.394 | PK |
| 2 | * | 16500.000 | 52.588 | 33.628 | -21.412 | 74.000 | 18.960 | PK |