



Profile: 19A2144R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.958	32.828	-30.042	74.000	11.130	PK
2	*	16530.000	51.712	33.184	-22.288	74.000	18.529	PK

Profile: 19A2144R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.679	33.243	-29.321	74.000	11.436	PK
2	*	16650.000	52.389	33.169	-21.611	74.000	19.221	PK

Profile: 19A2144R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.451	32.015	-30.549	74.000	11.436	PK
2	*	16650.000	52.623	33.403	-21.377	74.000	19.221	PK

Profile: 19A2144R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.013	32.006	-29.987	74.000	12.007	PK
2	*	17010.000	53.125	33.475	-20.875	74.000	19.650	PK

Profile: 19A2144R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.664	31.657	-30.336	74.000	12.007	PK
2	*	17010.000	52.707	33.057	-21.293	74.000	19.650	PK

Profile: 19A2144R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.968	32.835	-30.032	74.000	11.134	PK
2	*	16590.000	53.054	34.515	-20.946	74.000	18.539	PK

Profile: 19A2144R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.228	33.095	-29.772	74.000	11.134	PK
2	*	16590.000	52.470	33.931	-21.530	74.000	18.539	PK


Profile: 19A2144R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	42.792	31.119	-31.208	74.000	11.673	PK
2	*	16830.000	52.913	33.498	-21.087	74.000	19.415	PK




Profile: 19A2144R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.184	32.511	-29.816	74.000	11.673	PK
2	*	16830.000	52.591	33.176	-21.409	74.000	19.415	PK

Profile: 19A2144R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.441	32.651	-29.559	74.000	11.791	PK
2	*	16710.000	52.930	33.303	-21.070	74.000	19.627	PK


Profile: 19A2144R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.877	34.087	-28.123	74.000	11.791	PK
2	*	16710.000	52.252	32.625	-21.748	74.000	19.627	PK


4\*4 CDD:

Profile: 19A2144R	Page No.: 61
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.403	34.008	-28.597	74.000	11.394	PK
2	*	16500.000	52.604	33.644	-21.396	74.000	18.960	PK

Profile: 19A2144R	Page No.: 62
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.477	33.082	-29.523	74.000	11.394	PK
2	*	16500.000	51.820	32.860	-22.180	74.000	18.960	PK

Profile: 19A2144R	Page No.: 63
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.859	33.481	-29.141	74.000	11.378	PK
2	*	16560.000	53.068	34.150	-20.932	74.000	18.918	PK

Profile: 19A2144R	Page No.: 64
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.376	33.998	-28.624	74.000	11.378	PK
2	*	16560.000	52.652	33.734	-21.348	74.000	18.918	PK


Profile: 19A2144R	Page No.: 65
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.956	32.957	-29.044	74.000	11.999	PK
2	*	16740.000	52.883	34.278	-21.117	74.000	18.605	PK




Profile: 19A2144R	Page No.: 66
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.099	34.100	-27.901	74.000	11.999	PK
2	*	16740.000	53.077	34.472	-20.923	74.000	18.605	PK

Profile: 19A2144R	Page No.: 67
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.258	32.403	-29.742	74.000	11.855	PK
2	*	17100.000	53.315	33.265	-20.685	74.000	20.050	PK

Profile: 19A2144R	Page No.: 68
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.661	31.806	-30.339	74.000	11.855	PK
2	*	17100.000	52.323	32.273	-21.677	74.000	20.050	PK

Profile: 19A2144R	Page No.: 69
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.921	33.526	-29.079	74.000	11.394	PK
2	*	16500.000	53.334	34.374	-20.666	74.000	18.960	PK

Profile: 19A2144R	Page No.: 70
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.752	33.357	-29.248	74.000	11.394	PK
2	*	16500.000	53.078	34.118	-20.922	74.000	18.960	PK

Profile: 19A2144R	Page No.: 71
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.497	34.119	-28.503	74.000	11.378	PK
2	*	16560.000	53.040	34.122	-20.960	74.000	18.918	PK

Profile: 19A2144R	Page No.: 72
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.020	33.642	-28.980	74.000	11.378	PK
2	*	16560.000	52.591	33.673	-21.409	74.000	18.918	PK


Profile: 19A2144R	Page No.: 73
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.054	33.055	-28.946	74.000	11.999	PK
2	*	16740.000	52.615	34.010	-21.385	74.000	18.605	PK




Profile: 19A2144R	Page No.: 74
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.641	32.642	-29.359	74.000	11.999	PK
2	*	16740.000	53.321	34.716	-20.679	74.000	18.605	PK

Profile: 19A2144R	Page No.: 75
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.969	32.114	-30.031	74.000	11.855	PK
2	*	17100.000	52.924	32.874	-21.076	74.000	20.050	PK

Profile: 19A2144R	Page No.: 76
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.215	32.360	-29.785	74.000	11.855	PK
2	*	17100.000	52.315	32.265	-21.685	74.000	20.050	PK

Profile: 19A2144R	Page No.: 77
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.456	34.326	-28.544	74.000	11.130	PK
2	*	16530.000	52.813	34.285	-21.187	74.000	18.529	PK

Profile: 19A2144R	Page No.: 78
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.528	33.398	-29.472	74.000	11.130	PK
2	*	16530.000	51.757	33.229	-22.243	74.000	18.529	PK

Profile: 19A2144R	Page No.: 79
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.127	32.691	-29.873	74.000	11.436	PK
2	*	16650.000	53.207	33.987	-20.793	74.000	19.221	PK

Profile: 19A2144R	Page No.: 80
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.517	32.081	-30.483	74.000	11.436	PK
2	*	16650.000	53.446	34.226	-20.554	74.000	19.221	PK


Profile: 19A2144R	Page No.: 81
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.292	33.285	-28.708	74.000	12.007	PK
2	*	17010.000	52.417	32.767	-21.583	74.000	19.650	PK




Profile: 19A2144R	Page No.: 82
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.699	32.692	-29.301	74.000	12.007	PK
2	*	17010.000	53.033	33.383	-20.967	74.000	19.650	PK

Profile: 19A2144R	Page No.: 83
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.709	33.314	-29.291	74.000	11.394	PK
2	*	16500.000	53.519	34.559	-20.481	74.000	18.960	PK

Profile: 19A2144R	Page No.: 84
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.229	32.834	-29.771	74.000	11.394	PK
2	*	16500.000	53.083	34.123	-20.917	74.000	18.960	PK

Profile: 19A2144R	Page No.: 85
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.334	33.956	-28.666	74.000	11.378	PK
2	*	16560.000	53.381	34.463	-20.619	74.000	18.918	PK

Profile: 19A2144R	Page No.: 86
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.781	33.403	-29.219	74.000	11.378	PK
2	*	16560.000	52.038	33.120	-21.962	74.000	18.918	PK

Profile: 19A2144R	Page No.: 87
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.720	32.721	-29.280	74.000	11.999	PK
2	*	16740.000	52.587	33.982	-21.413	74.000	18.605	PK

Profile: 19A2144R	Page No.: 88
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.152	33.153	-28.848	74.000	11.999	PK
2	*	16740.000	53.105	34.500	-20.895	74.000	18.605	PK


Profile: 19A2144R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.358	31.503	-30.642	74.000	11.855	PK
2	*	17100.000	52.997	32.947	-21.003	74.000	20.050	PK




Profile: 19A2144R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.804	30.949	-31.196	74.000	11.855	PK
2	*	17100.000	52.034	31.984	-21.966	74.000	20.050	PK

Profile: 19A2144R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.578	33.448	-29.422	74.000	11.130	PK
2	*	16530.000	51.868	33.340	-22.132	74.000	18.529	PK

Profile: 19A2144R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.028	33.898	-28.972	74.000	11.130	PK
2	*	16530.000	52.131	33.603	-21.869	74.000	18.529	PK

Profile: 19A2144R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.375	32.939	-29.625	74.000	11.436	PK
2	*	16650.000	52.738	33.518	-21.262	74.000	19.221	PK

Profile: 19A2144R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.257	33.821	-28.743	74.000	11.436	PK
2	*	16650.000	53.331	34.111	-20.669	74.000	19.221	PK

Profile: 19A2144R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.900	32.893	-29.100	74.000	12.007	PK
2	*	17010.000	53.297	33.647	-20.703	74.000	19.650	PK

Profile: 19A2144R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.584	32.577	-29.416	74.000	12.007	PK
2	*	17010.000	52.884	33.234	-21.116	74.000	19.650	PK


Profile: 19A2144R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.966	33.833	-29.034	74.000	11.134	PK
2	*	16590.000	52.662	34.123	-21.338	74.000	18.539	PK




Profile: 19A2144R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.508	32.375	-30.492	74.000	11.134	PK
2	*	16590.000	51.874	33.335	-22.126	74.000	18.539	PK

Profile: 19A2144R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.907	33.234	-29.093	74.000	11.673	PK
2	*	16830.000	53.232	33.817	-20.768	74.000	19.415	PK

Profile: 19A2144R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.131	33.458	-28.869	74.000	11.673	PK
2	*	16830.000	52.161	32.746	-21.839	74.000	19.415	PK

Profile: 19A2144R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.308	33.913	-28.692	74.000	11.394	PK
2	*	16500.000	52.412	33.452	-21.588	74.000	18.960	PK

Profile: 19A2144R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.581	34.186	-28.419	74.000	11.394	PK
2	*	16500.000	53.300	34.340	-20.700	74.000	18.960	PK

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.973	32.595	-30.027	74.000	11.378	PK
2	*	16560.000	53.417	34.499	-20.583	74.000	18.918	PK

Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.350	32.972	-29.650	74.000	11.378	PK
2	*	16560.000	52.180	33.262	-21.820	74.000	18.918	PK


Profile: 19A2144R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.216	33.217	-28.784	74.000	11.999	PK
2	*	16740.000	52.750	34.145	-21.250	74.000	18.605	PK




Profile: 19A2144R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.057	32.058	-29.943	74.000	11.999	PK
2	*	16740.000	51.580	32.975	-22.420	74.000	18.605	PK

Profile: 19A2144R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.180	31.325	-30.820	74.000	11.855	PK
2	*	17100.000	52.572	32.522	-21.428	74.000	20.050	PK

Profile: 19A2144R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.139	31.284	-30.861	74.000	11.855	PK
2	*	17100.000	53.524	33.474	-20.476	74.000	20.050	PK

Profile: 19A2144R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.012	32.882	-29.988	74.000	11.130	PK
2	*	16530.000	52.310	33.782	-21.690	74.000	18.529	PK

Profile: 19A2144R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.818	33.688	-29.182	74.000	11.130	PK
2	*	16530.000	53.052	34.524	-20.948	74.000	18.529	PK

Profile: 19A2144R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.966	32.530	-30.034	74.000	11.436	PK
2	*	16650.000	53.187	33.967	-20.813	74.000	19.221	PK

Profile: 19A2144R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.256	33.820	-28.744	74.000	11.436	PK
2	*	16650.000	52.817	33.597	-21.183	74.000	19.221	PK


Profile: 19A2144R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.464	32.457	-29.536	74.000	12.007	PK
2	*	17010.000	53.183	33.533	-20.817	74.000	19.650	PK




Profile: 19A2144R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.650	32.643	-29.350	74.000	12.007	PK
2	*	17010.000	52.128	32.478	-21.872	74.000	19.650	PK

Profile: 19A2144R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.904	33.771	-29.096	74.000	11.134	PK
2	*	16590.000	52.272	33.733	-21.728	74.000	18.539	PK

Profile: 19A2144R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.458	33.325	-29.542	74.000	11.134	PK
2	*	16590.000	53.147	34.608	-20.853	74.000	18.539	PK

Profile: 19A2144R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.318	32.645	-29.682	74.000	11.673	PK
2	*	16830.000	52.792	33.377	-21.208	74.000	19.415	PK

Profile: 19A2144R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.138	32.465	-29.862	74.000	11.673	PK
2	*	16830.000	52.084	32.669	-21.916	74.000	19.415	PK

Profile: 19A2144R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ac(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.643	33.853	-28.357	74.000	11.791	PK
2	*	16710.000	52.318	32.691	-21.682	74.000	19.627	PK


Profile: 19A2144R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ac(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.159	33.369	-28.841	74.000	11.791	PK
2	*	16710.000	51.154	31.527	-22.846	74.000	19.627	PK

**2\*2 Beamforming:**


Profile: 19A2144R	Page No.: 53
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.424	33.029	-29.576	74.000	11.394	PK
2	*	16500.000	53.162	34.202	-20.838	74.000	18.960	PK




Profile: 19A2144R	Page No.: 54
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.570	34.175	-28.430	74.000	11.394	PK
2	*	16500.000	52.783	33.823	-21.217	74.000	18.960	PK

Profile: 19A2144R	Page No.: 55
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.738	33.360	-29.262	74.000	11.378	PK
2	*	16560.000	53.283	34.365	-20.717	74.000	18.918	PK

Profile: 19A2144R	Page No.: 56
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.529	34.151	-28.471	74.000	11.378	PK
2	*	16560.000	52.070	33.152	-21.930	74.000	18.918	PK

Profile: 19A2144R	Page No.: 57
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.664	32.665	-29.336	74.000	11.999	PK
2	*	16740.000	53.030	34.425	-20.970	74.000	18.605	PK

Profile: 19A2144R	Page No.: 58
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.120	33.121	-28.880	74.000	11.999	PK
2	*	16740.000	51.730	33.125	-22.270	74.000	18.605	PK

Profile: 19A2144R	Page No.: 59
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.415	31.560	-30.585	74.000	11.855	PK
2	*	17100.000	52.838	32.788	-21.162	74.000	20.050	PK

Profile: 19A2144R	Page No.: 60
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.777	30.922	-31.223	74.000	11.855	PK
2	*	17100.000	51.813	31.763	-22.187	74.000	20.050	PK


Profile: 19A2144R	Page No.: 61
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.654	33.524	-29.346	74.000	11.130	PK
2	*	16530.000	52.469	33.941	-21.531	74.000	18.529	PK




Profile: 19A2144R	Page No.: 62
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.966	34.836	-28.034	74.000	11.130	PK
2	*	16530.000	53.084	34.556	-20.916	74.000	18.529	PK

Profile: 19A2144R	Page No.: 63
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.779	32.343	-30.221	74.000	11.436	PK
2	*	16650.000	52.132	32.912	-21.868	74.000	19.221	PK

Profile: 19A2144R	Page No.: 64
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.589	34.153	-28.411	74.000	11.436	PK
2	*	16650.000	53.049	33.829	-20.951	74.000	19.221	PK

Profile: 19A2144R	Page No.: 65
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.119	32.112	-29.881	74.000	12.007	PK
2	*	17010.000	53.234	33.584	-20.766	74.000	19.650	PK

Profile: 19A2144R	Page No.: 66
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.001	32.994	-28.999	74.000	12.007	PK
2	*	17010.000	51.891	32.241	-22.109	74.000	19.650	PK

Profile: 19A2144R	Page No.: 67
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.227	32.832	-29.773	74.000	11.394	PK
2	*	16500.000	53.250	34.290	-20.750	74.000	18.960	PK

Profile: 19A2144R	Page No.: 68
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.544	34.149	-28.456	74.000	11.394	PK
2	*	16500.000	52.413	33.453	-21.587	74.000	18.960	PK


Profile: 19A2144R	Page No.: 69
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.983	33.605	-29.017	74.000	11.378	PK
2	*	16560.000	53.101	34.183	-20.899	74.000	18.918	PK




Profile: 19A2144R	Page No.: 70
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.484	34.106	-28.516	74.000	11.378	PK
2	*	16560.000	52.615	33.697	-21.385	74.000	18.918	PK

Profile: 19A2144R	Page No.: 71
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.229	33.230	-28.771	74.000	11.999	PK
2	*	16740.000	53.443	34.838	-20.557	74.000	18.605	PK

Profile: 19A2144R	Page No.: 72
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.167	33.168	-28.833	74.000	11.999	PK
2	*	16740.000	52.498	33.893	-21.502	74.000	18.605	PK

Profile: 19A2144R	Page No.: 73
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.395	31.540	-30.605	74.000	11.855	PK
2	*	17100.000	52.218	32.168	-21.782	74.000	20.050	PK

Profile: 19A2144R	Page No.: 74
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.560	30.705	-31.440	74.000	11.855	PK
2	*	17100.000	53.162	33.112	-20.838	74.000	20.050	PK

Profile: 19A2144R	Page No.: 75
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.854	33.724	-29.146	74.000	11.130	PK
2	*	16530.000	51.536	33.008	-22.464	74.000	18.529	PK

Profile: 19A2144R	Page No.: 76
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.689	33.559	-29.311	74.000	11.130	PK
2	*	16530.000	52.807	34.279	-21.193	74.000	18.529	PK


Profile: 19A2144R	Page No.: 77
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.104	32.668	-29.896	74.000	11.436	PK
2	*	16650.000	52.775	33.555	-21.225	74.000	19.221	PK




Profile: 19A2144R	Page No.: 78
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.847	32.411	-30.153	74.000	11.436	PK
2	*	16650.000	53.134	33.914	-20.866	74.000	19.221	PK

Profile: 19A2144R	Page No.: 79
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.548	32.541	-29.452	74.000	12.007	PK
2	*	17010.000	53.201	33.551	-20.799	74.000	19.650	PK

Profile: 19A2144R	Page No.: 80
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.406	33.399	-28.594	74.000	12.007	PK
2	*	17010.000	52.063	32.413	-21.937	74.000	19.650	PK

Profile: 19A2144R	Page No.: 81
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.270	34.137	-28.730	74.000	11.134	PK
2	*	16590.000	52.429	33.890	-21.571	74.000	18.539	PK

Profile: 19A2144R	Page No.: 82
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.522	33.389	-29.478	74.000	11.134	PK
2	*	16590.000	52.044	33.505	-21.956	74.000	18.539	PK

Profile: 19A2144R	Page No.: 83
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.027	32.354	-29.973	74.000	11.673	PK
2	*	16830.000	53.397	33.982	-20.603	74.000	19.415	PK

Profile: 19A2144R	Page No.: 84
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.237	33.564	-28.763	74.000	11.673	PK
2	*	16830.000	52.212	32.797	-21.788	74.000	19.415	PK


Profile: 19A2144R	Page No.: 85
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.804	34.409	-28.196	74.000	11.394	PK
2	*	16500.000	53.385	34.425	-20.615	74.000	18.960	PK




Profile: 19A2144R	Page No.: 86
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.706	33.311	-29.294	74.000	11.394	PK
2	*	16500.000	52.559	33.599	-21.441	74.000	18.960	PK

Profile: 19A2144R	Page No.: 87
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.039	33.661	-28.961	74.000	11.378	PK
2	*	16560.000	52.943	34.025	-21.057	74.000	18.918	PK

Profile: 19A2144R	Page No.: 88
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.681	34.303	-28.319	74.000	11.378	PK
2	*	16560.000	53.382	34.464	-20.618	74.000	18.918	PK

Profile: 19A2144R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.181	33.182	-28.819	74.000	11.999	PK
2	*	16740.000	53.021	34.416	-20.979	74.000	18.605	PK

Profile: 19A2144R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.785	33.786	-28.215	74.000	11.999	PK
2	*	16740.000	52.588	33.983	-21.412	74.000	18.605	PK

Profile: 19A2144R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.093	31.238	-30.907	74.000	11.855	PK
2	*	17100.000	53.164	33.114	-20.836	74.000	20.050	PK

Profile: 19A2144R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.803	31.948	-30.197	74.000	11.855	PK
2	*	17100.000	51.546	31.496	-22.454	74.000	20.050	PK


Profile: 19A2144R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.657	33.527	-29.343	74.000	11.130	PK
2	*	16530.000	51.348	32.820	-22.652	74.000	18.529	PK




Profile: 19A2144R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.879	34.749	-28.121	74.000	11.130	PK
2	*	16530.000	52.391	33.863	-21.609	74.000	18.529	PK

Profile: 19A2144R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.083	32.647	-29.917	74.000	11.436	PK
2	*	16650.000	52.736	33.516	-21.264	74.000	19.221	PK

Profile: 19A2144R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.926	33.490	-29.074	74.000	11.436	PK
2	*	16650.000	53.354	34.134	-20.646	74.000	19.221	PK

Profile: 19A2144R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.191	32.184	-29.809	74.000	12.007	PK
2	*	17010.000	52.475	32.825	-21.525	74.000	19.650	PK

Profile: 19A2144R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.590	32.583	-29.410	74.000	12.007	PK
2	*	17010.000	52.034	32.384	-21.966	74.000	19.650	PK

Profile: 19A2144R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.145	33.012	-29.855	74.000	11.134	PK
2	*	16590.000	53.094	34.555	-20.906	74.000	18.539	PK

Profile: 19A2144R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.275	33.142	-29.725	74.000	11.134	PK
2	*	16590.000	52.247	33.708	-21.753	74.000	18.539	PK


Profile: 19A2144R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.215	32.542	-29.785	74.000	11.673	PK
2	*	16830.000	52.443	33.028	-21.557	74.000	19.415	PK




Profile: 19A2144R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.700	33.027	-29.300	74.000	11.673	PK
2	*	16830.000	53.201	33.786	-20.799	74.000	19.415	PK

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	43.675	31.885	-30.325	74.000	11.791	PK
2	*	16710.000	52.647	33.020	-21.353	74.000	19.627	PK


Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.442	33.652	-28.558	74.000	11.791	PK
2	*	16710.000	53.171	33.544	-20.829	74.000	19.627	PK


**4\*4 Beamforming:**

Profile: 19A2144R	Page No.: 53
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.747	34.352	-28.253	74.000	11.394	PK
2	*	16500.000	53.286	34.326	-20.714	74.000	18.960	PK

Profile: 19A2144R	Page No.: 54
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.142	33.747	-28.858	74.000	11.394	PK
2	*	16500.000	52.165	33.205	-21.835	74.000	18.960	PK

Profile: 19A2144R	Page No.: 55
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.432	33.054	-29.568	74.000	11.378	PK
2	*	16560.000	52.860	33.942	-21.140	74.000	18.918	PK

Profile: 19A2144R	Page No.: 56
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.616	32.238	-30.384	74.000	11.378	PK
2	*	16560.000	51.779	32.861	-22.221	74.000	18.918	PK


Profile: 19A2144R	Page No.: 57
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.331	33.332	-28.669	74.000	11.999	PK
2	*	16740.000	52.380	33.775	-21.620	74.000	18.605	PK




Profile: 19A2144R	Page No.: 58
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.632	33.633	-28.368	74.000	11.999	PK
2	*	16740.000	53.108	34.503	-20.892	74.000	18.605	PK

Profile: 19A2144R	Page No.: 59
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.813	31.958	-30.187	74.000	11.855	PK
2	*	17100.000	52.397	32.347	-21.603	74.000	20.050	PK

Profile: 19A2144R	Page No.: 60
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.228	31.373	-30.772	74.000	11.855	PK
2	*	17100.000	53.133	33.083	-20.867	74.000	20.050	PK

Profile: 19A2144R	Page No.: 61
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.429	33.299	-29.571	74.000	11.130	PK
2	*	16530.000	51.866	33.338	-22.134	74.000	18.529	PK

Profile: 19A2144R	Page No.: 62
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.142	34.012	-28.858	74.000	11.130	PK
2	*	16530.000	52.551	34.023	-21.449	74.000	18.529	PK

Profile: 19A2144R	Page No.: 63
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.553	32.117	-30.447	74.000	11.436	PK
2	*	16650.000	53.287	34.067	-20.713	74.000	19.221	PK

Profile: 19A2144R	Page No.: 64
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.050	32.614	-29.950	74.000	11.436	PK
2	*	16650.000	52.741	33.521	-21.259	74.000	19.221	PK


Profile: 19A2144R	Page No.: 65
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.366	32.359	-29.634	74.000	12.007	PK
2	*	17010.000	53.348	33.698	-20.652	74.000	19.650	PK




Profile: 19A2144R	Page No.: 66
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.813	31.806	-30.187	74.000	12.007	PK
2	*	17010.000	51.152	31.502	-22.848	74.000	19.650	PK

Profile: 19A2144R	Page No.: 67
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.452	34.057	-28.548	74.000	11.394	PK
2	*	16500.000	52.771	33.811	-21.229	74.000	18.960	PK

Profile: 19A2144R	Page No.: 68
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.954	34.559	-28.046	74.000	11.394	PK
2	*	16500.000	52.325	33.365	-21.675	74.000	18.960	PK

Profile: 19A2144R	Page No.: 69
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.445	34.067	-28.555	74.000	11.378	PK
2	*	16560.000	53.000	34.082	-21.000	74.000	18.918	PK

Profile: 19A2144R	Page No.: 70
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.790	33.412	-29.210	74.000	11.378	PK
2	*	16560.000	52.314	33.396	-21.686	74.000	18.918	PK

Profile: 19A2144R	Page No.: 71
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.761	32.762	-29.239	74.000	11.999	PK
2	*	16740.000	52.471	33.866	-21.529	74.000	18.605	PK

Profile: 19A2144R	Page No.: 72
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.736	33.737	-28.264	74.000	11.999	PK
2	*	16740.000	53.111	34.506	-20.889	74.000	18.605	PK


Profile: 19A2144R	Page No.: 73
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.959	31.104	-31.041	74.000	11.855	PK
2	*	17100.000	53.235	33.185	-20.765	74.000	20.050	PK




Profile: 19A2144R	Page No.: 74
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.411	31.556	-30.589	74.000	11.855	PK
2	*	17100.000	52.758	32.708	-21.242	74.000	20.050	PK

Profile: 19A2144R	Page No.: 75
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.992	32.862	-30.008	74.000	11.130	PK
2	*	16530.000	51.728	33.200	-22.272	74.000	18.529	PK

Profile: 19A2144R	Page No.: 76
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.214	33.084	-29.786	74.000	11.130	PK
2	*	16530.000	52.487	33.959	-21.513	74.000	18.529	PK

Profile: 19A2144R	Page No.: 77
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.154	32.718	-29.846	74.000	11.436	PK
2	*	16650.000	53.210	33.990	-20.790	74.000	19.221	PK

Profile: 19A2144R	Page No.: 78
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.320	33.884	-28.680	74.000	11.436	PK
2	*	16650.000	52.372	33.152	-21.628	74.000	19.221	PK

Profile: 19A2144R	Page No.: 79
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.018	33.011	-28.982	74.000	12.007	PK
2	*	17010.000	52.519	32.869	-21.481	74.000	19.650	PK

Profile: 19A2144R	Page No.: 80
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.602	32.595	-29.398	74.000	12.007	PK
2	*	17010.000	51.543	31.893	-22.457	74.000	19.650	PK


Profile: 19A2144R	Page No.: 81
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.392	34.259	-28.608	74.000	11.134	PK
2	*	16590.000	52.044	33.505	-21.956	74.000	18.539	PK




Profile: 19A2144R	Page No.: 82
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.123	32.990	-29.877	74.000	11.134	PK
2	*	16590.000	52.594	34.055	-21.406	74.000	18.539	PK

Profile: 19A2144R	Page No.: 83
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.196	32.523	-29.804	74.000	11.673	PK
2	*	16830.000	52.490	33.075	-21.510	74.000	19.415	PK

Profile: 19A2144R	Page No.: 84
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.691	32.018	-30.309	74.000	11.673	PK
2	*	16830.000	52.896	33.481	-21.104	74.000	19.415	PK

Profile: 19A2144R	Page No.: 85
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.831	32.436	-30.169	74.000	11.394	PK
2	*	16500.000	52.935	33.975	-21.065	74.000	18.960	PK

Profile: 19A2144R	Page No.: 86
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.026	32.631	-29.974	74.000	11.394	PK
2	*	16500.000	53.215	34.255	-20.785	74.000	18.960	PK

Profile: 19A2144R	Page No.: 87
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.161	33.783	-28.839	74.000	11.378	PK
2	*	16560.000	52.699	33.781	-21.301	74.000	18.918	PK

Profile: 19A2144R	Page No.: 88
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.538	33.160	-29.462	74.000	11.378	PK
2	*	16560.000	53.080	34.162	-20.920	74.000	18.918	PK


Profile: 19A2144R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.829	32.830	-29.171	74.000	11.999	PK
2	*	16740.000	52.803	34.198	-21.197	74.000	18.605	PK




Profile: 19A2144R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.739	33.740	-28.261	74.000	11.999	PK
2	*	16740.000	53.370	34.765	-20.630	74.000	18.605	PK

Profile: 19A2144R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.092	32.237	-29.908	74.000	11.855	PK
2	*	17100.000	53.124	33.074	-20.876	74.000	20.050	PK

Profile: 19A2144R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.307	32.452	-29.693	74.000	11.855	PK
2	*	17100.000	53.328	33.278	-20.672	74.000	20.050	PK

Profile: 19A2144R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.717	33.587	-29.283	74.000	11.130	PK
2	*	16530.000	51.759	33.231	-22.241	74.000	18.529	PK

Profile: 19A2144R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	46.155	35.025	-27.845	74.000	11.130	PK
2	*	16530.000	52.699	34.171	-21.301	74.000	18.529	PK

Profile: 19A2144R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.238	32.802	-29.762	74.000	11.436	PK
2	*	16650.000	53.257	34.037	-20.743	74.000	19.221	PK

Profile: 19A2144R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.320	33.884	-28.680	74.000	11.436	PK
2	*	16650.000	52.094	32.874	-21.906	74.000	19.221	PK


Profile: 19A2144R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.684	32.677	-29.316	74.000	12.007	PK
2	*	17010.000	52.274	32.624	-21.726	74.000	19.650	PK




Profile: 19A2144R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.478	32.471	-29.522	74.000	12.007	PK
2	*	17010.000	53.396	33.746	-20.604	74.000	19.650	PK

Profile: 19A2144R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.967	33.834	-29.033	74.000	11.134	PK
2	*	16590.000	52.705	34.166	-21.295	74.000	18.539	PK

Profile: 19A2144R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 12:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.093	32.960	-29.907	74.000	11.134	PK
2	*	16590.000	51.870	33.331	-22.130	74.000	18.539	PK

Profile: 19A2144R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 12:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.869	32.196	-30.131	74.000	11.673	PK
2	*	16830.000	52.523	33.108	-21.477	74.000	19.415	PK

Profile: 19A2144R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 12:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.479	31.806	-30.521	74.000	11.673	PK
2	*	16830.000	53.064	33.649	-20.936	74.000	19.415	PK

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 12:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.734	32.944	-29.266	74.000	11.791	PK
2	*	16710.000	52.076	32.449	-21.924	74.000	19.627	PK

Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 12:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.983	34.193	-28.017	74.000	11.791	PK
2	*	16710.000	53.151	33.524	-20.849	74.000	19.627	PK