


802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5700MHz_TX




EUT X_4TX
Setting 79
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	110.62	Inf	-Inf	105.20	3	Vertical	353	2.85	-	31.78	5.10	31.46
AV	5.696G	99.19	Inf	-Inf	93.77	3	Vertical	353	2.85	-	31.78	5.10	31.46
PK	5.7256G	64.14	68.20	-4.06	58.68	3	Vertical	353	2.85	-	31.85	5.07	31.46

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5700MHz_TX




EUT X_4TX
Setting 79
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6934G	116.98	Inf	-Inf	111.56	3	Horizontal	66	1.61	-	31.77	5.11	31.46
AV	5.7018G	104.28	Inf	-Inf	98.84	3	Horizontal	66	1.61	-	31.80	5.10	31.46
PK	5.7256G	68.07	68.20	-0.13	62.61	3	Horizontal	66	1.61	-	31.85	5.07	31.46

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5700MHz_TX




EUT X_4TX
Setting 79
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39142G	53.37	74.00	-20.63	38.39	3	Vertical	199	2.62	-	40.28	7.59	32.89
AV	11.41134G	41.47	54.00	-12.53	26.48	3	Vertical	199	2.62	-	40.30	7.59	32.90

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5700MHz_TX




EUT X_4TX
Setting 79
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3982G	54.50	74.00	-19.50	39.51	3	Horizontal	8	1.61	-	40.30	7.59	32.90
AV	11.39304G	41.93	54.00	-12.07	26.94	3	Horizontal	8	1.61	-	40.29	7.59	32.89

802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 120
 02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	118.61	Inf	-Inf	111.25	3	Vertical	1	2.96	-	33.74	5.08	31.46
AV	5.7176G	106.79	Inf	-Inf	99.43	3	Vertical	1	2.96	-	33.74	5.08	31.46
PK	5.85G	61.44	68.20	-6.76	53.95	3	Vertical	1	2.96	-	33.80	5.15	31.46

802.11ax HEW20_Nss4,(MCS0)_4TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	126.74	Inf	-Inf	119.39	3	Horizontal	66	1.78	-	33.73	5.08	31.46
AV	5.724G	113.27	Inf	-Inf	105.90	3	Horizontal	66	1.78	-	33.75	5.08	31.46
PK	5.852G	67.14	68.20	-1.06	59.63	3	Horizontal	66	1.78	-	33.81	5.16	31.46

802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 120
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43951G	53.14	74.00	-20.86	39.57	3	Vertical	182	1.24	-	38.88	7.60	32.91
AV	11.44083G	40.43	54.00	-13.57	26.86	3	Vertical	182	1.24	-	38.88	7.60	32.91

802.11ax HEW20_Nss4,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 120
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43963G	52.83	74.00	-21.17	39.26	3	Horizontal	334	1.92	-	38.88	7.60	32.91
AV	11.43903G	40.25	54.00	-13.75	26.68	3	Horizontal	334	1.92	-	38.88	7.60	32.91

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5745MHz_TX




EUT X_4TX
Setting 116
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.95	68.20	-3.25	59.66	3	Vertical	8	1.68	-	31.60	5.15	31.46
PK	5.741G	116.78	Inf	-Inf	111.30	3	Vertical	8	1.68	-	31.88	5.06	31.46
AV	5.751G	106.25	Inf	-Inf	100.76	3	Vertical	8	1.68	-	31.90	5.05	31.46
PK	5.933G	57.37	68.20	-10.83	51.19	3	Vertical	8	1.68	-	32.23	5.40	31.45

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5745MHz_TX




EUT X_4TX
Setting 116
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.85	68.20	-0.35	62.56	3	Horizontal	65	1.77	-	31.60	5.15	31.46
PK	5.741G	125.64	Inf	-Inf	120.16	3	Horizontal	65	1.77	-	31.88	5.06	31.46
AV	5.747G	111.66	Inf	-Inf	106.18	3	Horizontal	65	1.77	-	31.89	5.05	31.46
PK	5.929G	60.00	68.20	-8.20	53.84	3	Horizontal	65	1.77	-	32.22	5.39	31.45

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5745MHz_TX




EUT X_4TX
Setting 116
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47782G	53.38	74.00	-20.62	38.38	3	Vertical	103	1.20	-	40.30	7.62	32.92
AV	11.48052G	41.32	54.00	-12.68	26.32	3	Vertical	103	1.20	-	40.30	7.62	32.92

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5745MHz_TX




EUT X_4TX
Setting 116
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49438G	53.69	74.00	-20.31	38.70	3	Horizontal	114	2.51	-	40.30	7.62	32.93
AV	11.48532G	41.17	54.00	-12.83	26.18	3	Horizontal	114	2.51	-	40.30	7.62	32.93

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.16	68.20	-10.04	52.87	3	Vertical	0	2.66	-	31.60	5.15	31.46
PK	5.79G	119.28	Inf	-Inf	113.83	3	Vertical	0	2.66	-	31.90	5.01	31.46
AV	5.783G	106.77	Inf	-Inf	101.31	3	Vertical	0	2.66	-	31.90	5.02	31.46
PK	5.929G	58.52	68.20	-9.68	52.36	3	Vertical	0	2.66	-	32.22	5.39	31.45

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	62.11	68.20	-6.09	56.81	3	Horizontal	67	1.83	-	31.60	5.16	31.46
PK	5.78G	125.38	Inf	-Inf	119.92	3	Horizontal	67	1.83	-	31.90	5.02	31.46
AV	5.787G	111.45	Inf	-Inf	106.00	3	Horizontal	67	1.83	-	31.90	5.01	31.46
PK	5.93G	61.37	68.20	-6.83	55.21	3	Horizontal	67	1.83	-	32.22	5.39	31.45

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56766G	53.02	74.00	-20.98	38.20	3	Vertical	167	2.62	-	40.10	7.65	32.93
AV	11.5826G	40.78	54.00	-13.22	26.01	3	Vertical	167	2.62	-	40.05	7.65	32.93

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57108G	53.11	74.00	-20.89	38.30	3	Horizontal	72	1.17	-	40.09	7.65	32.93
AV	11.56862G	41.00	54.00	-13.00	26.19	3	Horizontal	72	1.17	-	40.09	7.65	32.93

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5825MHz_TX




EUT X_4TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	57.18	68.20	-11.02	51.88	3	Vertical	328	2.75	-	31.60	5.16	31.46
PK	5.832G	117.60	Inf	-Inf	111.93	3	Vertical	328	2.75	-	32.03	5.10	31.46
AV	5.826G	106.10	Inf	-Inf	100.48	3	Vertical	328	2.75	-	32.00	5.08	31.46
PK	5.928G	61.36	68.20	-6.84	55.22	3	Vertical	328	2.75	-	32.21	5.38	31.45

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5825MHz_TX




EUT X_4TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	59.52	68.20	-8.68	54.20	3	Horizontal	66	1.01	-	31.60	5.19	31.47
PK	5.819G	124.27	Inf	-Inf	118.69	3	Horizontal	66	1.01	-	31.98	5.06	31.46
AV	5.821G	111.73	Inf	-Inf	106.15	3	Horizontal	66	1.01	-	31.98	5.06	31.46
PK	5.925G	66.67	68.20	-1.53	60.54	3	Horizontal	66	1.01	-	32.20	5.38	31.45

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5825MHz_TX




EUT X_4TX
Setting 120
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65672G	53.61	74.00	-20.39	39.26	3	Vertical	5	1.05	-	39.60	7.68	32.93
AV	11.65396G	41.41	54.00	-12.59	27.04	3	Vertical	5	1.05	-	39.62	7.68	32.93

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5825MHz_TX




EUT X_4TX
Setting 120
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64652G	54.32	74.00	-19.68	39.90	3	Horizontal	54	1.37	-	39.67	7.68	32.93
AV	11.64226G	41.45	54.00	-12.55	27.01	3	Horizontal	54	1.37	-	39.70	7.67	32.93

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5190MHz_TX




EUT X_4TX
Setting 69
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	58.51	74.00	-15.49	53.44	3	Vertical	294	1.80	-	31.80	5.00	31.73
AV	5.1492G	48.59	54.00	-5.41	43.52	3	Vertical	294	1.80	-	31.80	5.00	31.73
PK	5.1864G	105.26	Inf	-Inf	100.24	3	Vertical	294	1.80	-	31.65	5.07	31.70
AV	5.1784G	93.52	Inf	-Inf	88.48	3	Vertical	294	1.80	-	31.69	5.06	31.71

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5190MHz_TX




EUT X_4TX
Setting 69
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.09	74.00	-9.91	59.02	3	Horizontal	290	1.71	-	31.80	5.00	31.73
AV	5.15G	53.98	54.00	-0.02	48.91	3	Horizontal	290	1.71	-	31.80	5.00	31.73
PK	5.1936G	110.81	Inf	-Inf	105.79	3	Horizontal	290	1.71	-	31.63	5.09	31.70
AV	5.1912G	100.87	Inf	-Inf	95.85	3	Horizontal	290	1.71	-	31.64	5.08	31.70

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5190MHz_TX




EUT X_4TX
Setting 69
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56148G	53.06	74.00	-20.94	39.06	3	Vertical	71	1.19	-	37.79	9.05	32.84
AV	15.56124G	42.80	54.00	-11.20	28.80	3	Vertical	71	1.19	-	37.79	9.05	32.84

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5190MHz_TX




EUT X_4TX
Setting 69
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5676G	52.54	74.00	-21.46	38.58	3	Horizontal	14	1.23	-	37.76	9.05	32.85
AV	15.55758G	41.88	54.00	-12.12	27.86	3	Horizontal	14	1.23	-	37.81	9.05	32.84

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5230MHz_TX




EUT X_4TX
Setting 99
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	60.44	74.00	-13.56	55.36	3	Vertical	357	1.25	-	31.81	5.00	31.73
AV	5.15G	48.97	54.00	-5.03	43.90	3	Vertical	357	1.25	-	31.80	5.00	31.73
PK	5.2192G	109.92	Inf	-Inf	104.99	3	Vertical	357	1.25	-	31.52	5.09	31.68
AV	5.2348G	100.04	Inf	-Inf	95.17	3	Vertical	357	1.25	-	31.46	5.08	31.67
PK	5.35G	56.78	74.00	-17.22	52.03	3	Vertical	357	1.25	-	31.30	5.03	31.58
AV	5.3578G	45.88	54.00	-8.12	41.08	3	Vertical	357	1.25	-	31.36	5.02	31.58

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5230MHz_TX




EUT X_4TX
Setting 99
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.83	74.00	-9.17	59.75	3	Horizontal	290	1.80	-	31.81	5.00	31.73
AV	5.15G	53.76	54.00	-0.24	48.69	3	Horizontal	290	1.80	-	31.80	5.00	31.73
PK	5.2336G	118.32	Inf	-Inf	113.44	3	Horizontal	290	1.80	-	31.47	5.08	31.67
AV	5.2312G	108.13	Inf	-Inf	103.24	3	Horizontal	290	1.80	-	31.48	5.08	31.67
PK	5.3524G	62.61	74.00	-11.39	57.85	3	Horizontal	290	1.80	-	31.32	5.02	31.58
AV	5.3554G	51.56	54.00	-2.44	46.78	3	Horizontal	290	1.80	-	31.34	5.02	31.58

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5230MHz_TX




EUT X_4TX
Setting 99
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.67518G	52.13	74.00	-21.87	38.29	3	Vertical	127	1.33	-	37.60	9.09	32.85
AV	15.68424G	41.85	54.00	-12.15	28.01	3	Vertical	127	1.33	-	37.60	9.09	32.85

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5230MHz_TX




EUT X_4TX
Setting 99
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.678G	52.16	74.00	-21.84	38.32	3	Horizontal	208	2.94	-	37.60	9.09	32.85
AV	15.7011G	42.15	54.00	-11.85	28.31	3	Horizontal	208	2.94	-	37.60	9.10	32.86

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5270MHz_TX




EUT X_4TX
Setting 95
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1266G	56.41	74.00	-17.59	51.32	3	Vertical	0	1.80	-	31.89	4.95	31.75
AV	5.144G	45.95	54.00	-8.05	40.87	3	Vertical	0	1.80	-	31.82	4.99	31.73
PK	5.2658G	111.26	Inf	-Inf	106.46	3	Vertical	0	1.80	-	31.37	5.07	31.64
AV	5.273G	100.80	Inf	-Inf	96.03	3	Vertical	0	1.80	-	31.35	5.06	31.64
PK	5.3552G	62.30	74.00	-11.70	57.52	3	Vertical	0	1.80	-	31.34	5.02	31.58
AV	5.35G	48.17	54.00	-5.83	43.43	3	Vertical	0	1.80	-	31.30	5.02	31.58

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5270MHz_TX




EUT X_4TX
Setting 95
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	60.21	74.00	-13.79	55.14	3	Horizontal	291	1.98	-	31.81	4.99	31.73
AV	5.15G	48.97	54.00	-5.03	43.90	3	Horizontal	291	1.98	-	31.80	5.00	31.73
PK	5.2736G	118.32	Inf	-Inf	113.55	3	Horizontal	291	1.98	-	31.35	5.06	31.64
AV	5.273G	106.91	Inf	-Inf	102.14	3	Horizontal	291	1.98	-	31.35	5.06	31.64
PK	5.3534G	65.20	74.00	-8.80	60.43	3	Horizontal	291	1.98	-	31.33	5.02	31.58
AV	5.3522G	53.87	54.00	-0.13	49.11	3	Horizontal	291	1.98	-	31.32	5.02	31.58

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5270MHz_TX




EUT X_4TX
Setting 95
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79518G	52.92	74.00	-21.08	39.34	3	Vertical	104	2.22	-	37.31	9.13	32.86
AV	15.80328G	41.77	54.00	-12.23	28.21	3	Vertical	104	2.22	-	37.29	9.13	32.86

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5270MHz_TX




EUT X_4TX
Setting 95
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80136G	53.35	74.00	-20.65	39.78	3	Horizontal	253	1.81	-	37.30	9.13	32.86
AV	15.79944G	41.61	54.00	-12.39	28.04	3	Horizontal	253	1.81	-	37.30	9.13	32.86

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5310MHz_TX




EUT X_4TX
Setting 74
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	107.34	Inf	-Inf	102.61	3	Vertical	38	2.73	-	31.30	5.04	31.61
AV	5.3164G	96.77	Inf	-Inf	92.04	3	Vertical	38	2.73	-	31.30	5.04	31.61
PK	5.35G	59.91	74.00	-14.09	55.16	3	Vertical	38	2.73	-	31.30	5.03	31.58
AV	5.3528G	48.43	54.00	-5.57	43.67	3	Vertical	38	2.73	-	31.32	5.02	31.58

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5310MHz_TX




EUT X_4TX
Setting 74
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	112.83	Inf	-Inf	108.10	3	Horizontal	291	1.95	-	31.30	5.04	31.61
AV	5.3108G	101.45	Inf	-Inf	96.72	3	Horizontal	291	1.95	-	31.30	5.04	31.61
PK	5.3508G	67.81	74.00	-6.19	63.06	3	Horizontal	291	1.95	-	31.31	5.02	31.58
AV	5.35G	53.95	54.00	-0.05	49.20	3	Horizontal	291	1.95	-	31.30	5.03	31.58

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5310MHz_TX




EUT X_4TX
Setting 74
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63494G	52.73	74.00	-21.27	38.29	3	Vertical	340	1.21	-	39.73	7.32	32.61
AV	10.61034G	41.97	54.00	-12.03	27.55	3	Vertical	340	1.21	-	39.71	7.31	32.60
PK	15.91572G	52.01	74.00	-21.99	38.56	3	Vertical	220	2.73	-	37.15	9.17	32.87
AV	15.92712G	41.58	54.00	-12.42	28.10	3	Vertical	220	2.73	-	37.18	9.17	32.87

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5310MHz_TX




EUT X_4TX
Setting 74
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62762G	53.12	74.00	-20.88	38.67	3	Horizontal	259	1.01	-	39.73	7.32	32.60
AV	10.61514G	42.26	54.00	-11.74	27.82	3	Horizontal	259	1.01	-	39.72	7.32	32.60
PK	15.93708G	51.85	74.00	-22.15	38.33	3	Horizontal	207	2.10	-	37.21	9.18	32.87
AV	15.91836G	42.13	54.00	-11.87	28.67	3	Horizontal	207	2.10	-	37.16	9.17	32.87

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5510MHz_TX




EUT X_4TX
Setting 80
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	56.46	74.00	-17.54	51.25	3	Vertical	354	2.73	-	31.70	5.03	31.52
AV	5.4116G	45.83	54.00	-8.17	40.66	3	Vertical	354	2.73	-	31.70	5.01	31.54
PK	5.4696G	60.75	68.20	-7.45	55.47	3	Vertical	354	2.73	-	31.70	5.07	31.49
PK	5.5188G	110.43	Inf	-Inf	105.12	3	Vertical	354	2.73	-	31.66	5.12	31.47
AV	5.5224G	99.37	Inf	-Inf	94.06	3	Vertical	354	2.73	-	31.66	5.12	31.47

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5510MHz_TX




EUT X_4TX
Setting 80
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	63.67	74.00	-10.33	58.41	3	Horizontal	296	2.03	-	31.70	5.06	31.50
AV	5.4588G	51.94	54.00	-2.06	46.68	3	Horizontal	296	2.03	-	31.70	5.06	31.50
PK	5.4648G	67.97	68.20	-0.23	62.71	3	Horizontal	296	2.03	-	31.70	5.06	31.50
PK	5.5136G	115.73	Inf	-Inf	110.42	3	Horizontal	296	2.03	-	31.67	5.11	31.47
AV	5.5092G	103.23	Inf	-Inf	97.91	3	Horizontal	296	2.03	-	31.68	5.11	31.47

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5510MHz_TX




EUT X_4TX
Setting 80
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01682G	54.28	74.00	-19.72	39.06	3	Vertical	200	1.28	-	40.53	7.46	32.77
AV	11.03284G	43.93	54.00	-10.07	28.77	3	Vertical	200	1.28	-	40.47	7.46	32.77

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5510MHz_TX




EUT X_4TX
Setting 80
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02648G	53.89	74.00	-20.11	38.71	3	Horizontal	195	2.70	-	40.49	7.46	32.77
AV	11.01304G	43.70	54.00	-10.30	28.46	3	Horizontal	195	2.70	-	40.55	7.45	32.76

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5550MHz_TX




EUT X_4TX
Setting 98
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	60.21	74.00	-13.79	54.96	3	Vertical	52	2.51	-	31.70	5.05	31.50
AV	5.454G	48.46	54.00	-5.54	43.21	3	Vertical	52	2.51	-	31.70	5.05	31.50
PK	5.4692G	63.07	68.20	-5.13	57.79	3	Vertical	52	2.51	-	31.70	5.07	31.49
PK	5.5372G	111.74	Inf	-Inf	106.44	3	Vertical	52	2.51	-	31.63	5.14	31.47
AV	5.5532G	101.48	Inf	-Inf	96.20	3	Vertical	52	2.51	-	31.60	5.15	31.47
PK	5.7292G	56.97	68.20	-11.23	51.50	3	Vertical	52	2.51	-	31.86	5.07	31.46

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5550MHz_TX




EUT X_4TX
Setting 98
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.46	74.00	-8.54	60.20	3	Horizontal	293	2.32	-	31.70	5.06	31.50
AV	5.4572G	53.75	54.00	-0.25	48.49	3	Horizontal	293	2.32	-	31.70	5.06	31.50
PK	5.47G	67.12	68.20	-1.08	61.84	3	Horizontal	293	2.32	-	31.70	5.07	31.49
PK	5.5556G	120.23	Inf	-Inf	114.94	3	Horizontal	293	2.32	-	31.60	5.16	31.47
AV	5.5572G	108.14	Inf	-Inf	102.85	3	Horizontal	293	2.32	-	31.60	5.16	31.47
PK	5.7284G	59.48	68.20	-8.72	54.01	3	Horizontal	293	2.32	-	31.86	5.07	31.46

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5550MHz_TX




EUT X_4TX
Setting 98
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09676G	53.85	74.00	-20.15	38.95	3	Vertical	228	1.64	-	40.21	7.48	32.79
AV	11.10738G	43.16	54.00	-10.84	28.28	3	Vertical	228	1.64	-	40.19	7.49	32.80

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5550MHz_TX




EUT X_4TX
Setting 98
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09214G	54.30	74.00	-19.70	39.38	3	Horizontal	302	1.40	-	40.23	7.48	32.79
AV	11.09508G	43.09	54.00	-10.91	28.18	3	Horizontal	302	1.40	-	40.22	7.48	32.79

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5670MHz_TX




EUT X_4TX
Setting 86
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6588G	108.71	Inf	-Inf	103.39	3	Vertical	53	1.98	-	31.64	5.14	31.46
AV	5.6588G	98.35	Inf	-Inf	93.03	3	Vertical	53	1.98	-	31.64	5.14	31.46

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5670MHz_TX




EUT X_4TX
Setting 86
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.664G	116.17	Inf	-Inf	110.83	3	Horizontal	71	1.79	-	31.66	5.14	31.46
AV	5.6564G	105.07	Inf	-Inf	99.76	3	Horizontal	71	1.79	-	31.63	5.14	31.46
PK	5.7252G	68.12	68.20	-0.08	62.66	3	Horizontal	71	1.79	-	31.85	5.07	31.46

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5670MHz_TX




EUT X_4TX
Setting 86
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33154G	53.86	74.00	-20.14	39.00	3	Vertical	352	1.21	-	40.16	7.57	32.87
AV	11.35428G	42.61	54.00	-11.39	27.71	3	Vertical	352	1.21	-	40.21	7.57	32.88

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5670MHz_TX




EUT X_4TX
Setting 86
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3475G	54.18	74.00	-19.82	39.29	3	Horizontal	253	1.11	-	40.20	7.57	32.88
AV	11.35062G	42.17	54.00	-11.83	27.28	3	Horizontal	253	1.11	-	40.20	7.57	32.88

802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

09/06/2021




EUT X_4TX
Setting 108
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	112.14	Inf	-Inf	104.80	3	Vertical	54	1.79	-	33.70	5.10	31.46
AV	5.7036G	102.12	Inf	-Inf	94.77	3	Vertical	54	1.79	-	33.71	5.10	31.46
PK	5.8516G	60.90	68.20	-7.30	53.40	3	Vertical	54	1.79	-	33.81	5.15	31.46

802.11ax HEW40_Nss4,(MCS0)_4TX

09/06/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 108
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	121.47	Inf	-Inf	114.13	3	Horizontal	65	1.80	-	33.71	5.09	31.46
AV	5.7044G	109.42	Inf	-Inf	102.07	3	Horizontal	65	1.80	-	33.71	5.10	31.46
PK	5.8532G	67.98	68.20	-0.22	60.47	3	Horizontal	65	1.80	-	33.81	5.16	31.46

802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

09/06/2021




EUT X_4TX
 Setting 108
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42071G	52.42	74.00	-21.58	38.88	3	Vertical	334	2.66	-	38.84	7.60	32.90
AV	11.42001G	41.55	54.00	-12.45	28.01	3	Vertical	334	2.66	-	38.84	7.60	32.90

802.11ax HEW40_Nss4,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

09/06/2021




EUT X_4TX
 Setting 108
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42073G	53.04	74.00	-20.96	39.50	3	Horizontal	309	2.00	-	38.84	7.60	32.90
AV	11.42026G	41.67	54.00	-12.33	28.13	3	Horizontal	309	2.00	-	38.84	7.60	32.90

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5755MHz_TX




EUT X_4TX
Setting 102
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.17	68.20	-5.03	57.88	3	Vertical	55	1.78	-	31.60	5.15	31.46
PK	5.742G	111.21	Inf	-Inf	105.73	3	Vertical	55	1.78	-	31.88	5.06	31.46
AV	5.76G	101.31	Inf	-Inf	95.83	3	Vertical	55	1.78	-	31.90	5.04	31.46
PK	5.942G	57.85	68.20	-10.35	51.60	3	Vertical	55	1.78	-	32.27	5.43	31.45

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5755MHz_TX




EUT X_4TX
Setting 102
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.87	68.20	-0.33	62.57	3	Horizontal	66	1.78	-	31.60	5.16	31.46
PK	5.75G	119.36	Inf	-Inf	113.87	3	Horizontal	66	1.78	-	31.90	5.05	31.46
AV	5.753G	107.65	Inf	-Inf	102.16	3	Horizontal	66	1.78	-	31.90	5.05	31.46
PK	5.942G	61.08	68.20	-7.12	54.83	3	Horizontal	66	1.78	-	32.27	5.43	31.45

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5755MHz_TX




EUT X_4TX
Setting 102
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50844G	52.98	74.00	-21.02	38.01	3	Vertical	309	2.27	-	40.27	7.63	32.93
AV	11.5028G	42.64	54.00	-11.36	27.65	3	Vertical	309	2.27	-	40.29	7.63	32.93

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5755MHz_TX




EUT X_4TX
Setting 102
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49962G	54.09	74.00	-19.91	39.10	3	Horizontal	12	1.07	-	40.30	7.62	32.93
AV	11.50556G	42.82	54.00	-11.18	27.84	3	Horizontal	12	1.07	-	40.28	7.63	32.93

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5795MHz_TX




EUT X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	62.29	68.20	-5.91	57.00	3	Vertical	346	2.66	-	31.60	5.15	31.46
PK	5.786G	114.24	Inf	-Inf	108.79	3	Vertical	346	2.66	-	31.90	5.01	31.46
AV	5.784G	103.56	Inf	-Inf	98.10	3	Vertical	346	2.66	-	31.90	5.02	31.46
PK	5.926G	63.91	68.20	-4.29	57.78	3	Vertical	346	2.66	-	32.20	5.38	31.45

802.11ax HEW40_Nss4,(MCS0)_4TX

25/04/2021

5795MHz_TX




EUT X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	64.31	68.20	-3.89	59.02	3	Horizontal	65	1.04	-	31.60	5.15	31.46
PK	5.807G	119.70	Inf	-Inf	114.21	3	Horizontal	65	1.04	-	31.93	5.02	31.46
AV	5.792G	108.33	Inf	-Inf	102.88	3	Horizontal	65	1.04	-	31.90	5.01	31.46
PK	5.923G	69.09	69.68	-0.59	62.98	3	Horizontal	65	1.04	-	32.19	5.37	31.45

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5795MHz_TX




EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.587G	53.27	74.00	-20.73	38.50	3	Vertical	335	2.79	-	40.04	7.66	32.93
AV	11.58976G	42.55	54.00	-11.45	27.79	3	Vertical	335	2.79	-	40.03	7.66	32.93

802.11ax HEW40_Nss4,(MCS0)_4TX

26/04/2021

5795MHz_TX




EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60422G	53.46	74.00	-20.54	38.76	3	Horizontal	266	2.68	-	39.97	7.66	32.93
AV	11.59594G	42.59	54.00	-11.41	27.85	3	Horizontal	266	2.68	-	40.01	7.66	32.93

802.11ax HEW80_Nss4,(MCS0)_4TX

25/04/2021

5210MHz_TX




EUT X_4TX
Setting 69
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	58.23	74.00	-15.77	53.15	3	Vertical	12	1.92	-	31.83	4.98	31.73
AV	5.1452G	48.11	54.00	-5.89	43.03	3	Vertical	12	1.92	-	31.82	4.99	31.73
PK	5.2172G	100.44	Inf	-Inf	95.50	3	Vertical	12	1.92	-	31.53	5.09	31.68
AV	5.222G	90.99	Inf	-Inf	86.07	3	Vertical	12	1.92	-	31.51	5.09	31.68
PK	5.3556G	55.00	74.00	-19.00	50.22	3	Vertical	12	1.92	-	31.34	5.02	31.58
AV	5.3844G	45.32	54.00	-8.68	40.29	3	Vertical	12	1.92	-	31.58	5.01	31.56

802.11ax HEW80_Nss4,(MCS0)_4TX

25/04/2021

5210MHz_TX




EUT X_4TX
Setting 69
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1124G	65.45	74.00	-8.55	60.34	3	Horizontal	292	1.80	-	31.95	4.92	31.76
AV	5.1484G	53.77	54.00	-0.23	48.69	3	Horizontal	292	1.80	-	31.81	5.00	31.73
PK	5.2124G	108.98	Inf	-Inf	104.02	3	Horizontal	292	1.80	-	31.55	5.09	31.68
AV	5.2196G	98.28	Inf	-Inf	93.35	3	Horizontal	292	1.80	-	31.52	5.09	31.68
PK	5.3572G	58.28	74.00	-15.72	53.48	3	Horizontal	292	1.80	-	31.36	5.02	31.58
AV	5.3524G	48.12	54.00	-5.88	43.36	3	Horizontal	292	1.80	-	31.32	5.02	31.58

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5210MHz_TX




EUT X_4TX
Setting 69
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61806G	52.37	74.00	-21.63	38.55	3	Vertical	86	2.97	-	37.60	9.07	32.85
AV	15.6375G	41.64	54.00	-12.36	27.82	3	Vertical	86	2.97	-	37.60	9.07	32.85

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5210MHz_TX




EUT X_4TX
Setting 69
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62514G	52.91	74.00	-21.09	39.09	3	Horizontal	30	2.74	-	37.60	9.07	32.85
AV	15.62034G	41.60	54.00	-12.40	27.78	3	Horizontal	30	2.74	-	37.60	9.07	32.85

802.11ax HEW80_Nss4,(MCS0)_4TX

25/04/2021

5290MHz_TX




EUT X_4TX
Setting 73
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	56.27	74.00	-17.73	51.19	3	Vertical	352	1.80	-	31.85	4.97	31.74
AV	5.1092G	45.37	54.00	-8.63	40.25	3	Vertical	352	1.80	-	31.96	4.92	31.76
PK	5.2884G	103.52	Inf	-Inf	98.77	3	Vertical	352	1.80	-	31.32	5.06	31.63
AV	5.2924G	93.00	Inf	-Inf	88.25	3	Vertical	352	1.80	-	31.32	5.05	31.62
PK	5.35G	62.26	74.00	-11.74	57.51	3	Vertical	352	1.80	-	31.30	5.03	31.58
AV	5.35G	48.09	54.00	-5.91	43.34	3	Vertical	352	1.80	-	31.30	5.03	31.58
PK	5.4772G	55.90	68.20	-12.30	50.61	3	Vertical	352	1.80	-	31.70	5.08	31.49

802.11ax HEW80_Nss4,(MCS0)_4TX

25/04/2021

5290MHz_TX




EUT X_4TX
Setting 73
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	58.31	74.00	-15.69	53.23	3	Horizontal	290	1.59	-	31.81	5.00	31.73
AV	5.1492G	47.92	54.00	-6.08	42.85	3	Horizontal	290	1.59	-	31.80	5.00	31.73
PK	5.2924G	109.37	Inf	-Inf	104.62	3	Horizontal	290	1.59	-	31.32	5.05	31.62
AV	5.2828G	98.56	Inf	-Inf	93.80	3	Horizontal	290	1.59	-	31.33	5.06	31.63
PK	5.3732G	69.14	74.00	-4.86	64.20	3	Horizontal	290	1.59	-	31.49	5.01	31.56
AV	5.3532G	53.62	54.00	-0.38	48.85	3	Horizontal	290	1.59	-	31.33	5.02	31.58
PK	5.47G	58.10	68.20	-10.10	52.82	3	Horizontal	290	1.59	-	31.70	5.07	31.49

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5290MHz_TX




EUT X_4TX
Setting 73
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85776G	52.27	74.00	-21.73	38.81	3	Vertical	199	2.07	-	37.18	9.15	32.87
AV	15.85806G	41.59	54.00	-12.41	28.13	3	Vertical	199	2.07	-	37.18	9.15	32.87

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5290MHz_TX




EUT X_4TX
Setting 73
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86826G	52.77	74.00	-21.23	39.33	3	Horizontal	18	1.54	-	37.16	9.15	32.87
AV	15.86778G	41.60	54.00	-12.40	28.16	3	Horizontal	18	1.54	-	37.16	9.15	32.87

802.11ax HEW80_Nss4,(MCS0)_4TX

25/04/2021

5530MHz_TX




EUT X_4TX
Setting 73
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.289G	55.19	68.20	-13.01	50.44	3	Vertical	357	2.83	-	31.32	5.06	31.63
PK	5.419G	59.11	74.00	-14.89	53.92	3	Vertical	357	2.83	-	31.70	5.02	31.53
PK	5.462G	57.91	68.20	-10.29	52.65	3	Vertical	357	2.83	-	31.70	5.06	31.50
AV	5.441G	47.02	54.00	-6.98	41.79	3	Vertical	357	2.83	-	31.70	5.04	31.51
PK	5.539G	106.36	Inf	-Inf	101.07	3	Vertical	357	2.83	-	31.62	5.14	31.47
AV	5.553G	94.51	Inf	-Inf	89.23	3	Vertical	357	2.83	-	31.60	5.15	31.47
PK	5.764G	56.19	68.20	-12.01	50.71	3	Vertical	357	2.83	-	31.90	5.04	31.46

802.11ax HEW80_Nss4,(MCS0)_4TX

25/04/2021

5530MHz_TX




EUT X_4TX
Setting 73
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	57.79	68.20	-10.41	53.06	3	Horizontal	295	2.35	-	31.30	5.05	31.62
PK	5.456G	67.35	74.00	-6.65	62.09	3	Horizontal	295	2.35	-	31.70	5.06	31.50
AV	5.456G	53.43	54.00	-0.57	48.17	3	Horizontal	295	2.35	-	31.70	5.06	31.50
PK	5.463G	67.68	68.20	-0.52	62.42	3	Horizontal	295	2.35	-	31.70	5.06	31.50
PK	5.536G	111.61	Inf	-Inf	106.31	3	Horizontal	295	2.35	-	31.63	5.14	31.47
AV	5.54G	99.30	Inf	-Inf	94.01	3	Horizontal	295	2.35	-	31.62	5.14	31.47
PK	5.75G	58.27	68.20	-9.93	52.78	3	Horizontal	295	2.35	-	31.90	5.05	31.46

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5530MHz_TX




EUT X_4TX
Setting 73
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06822G	53.95	74.00	-20.05	38.93	3	Vertical	269	1.42	-	40.33	7.47	32.78
AV	11.04536G	42.89	54.00	-11.11	27.78	3	Vertical	269	1.42	-	40.42	7.47	32.78

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5530MHz_TX




EUT X_4TX
Setting 73
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0462G	53.46	74.00	-20.54	38.35	3	Horizontal	176	2.02	-	40.42	7.47	32.78
AV	11.05052G	42.91	54.00	-11.09	27.82	3	Horizontal	176	2.02	-	40.40	7.47	32.78

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5610MHz_TX




EUT X_4TX
Setting 89
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	56.96	68.20	-11.24	52.21	3	Vertical	289	1.86	-	31.30	5.03	31.58
PK	5.454G	60.78	74.00	-13.22	55.53	3	Vertical	289	1.86	-	31.70	5.05	31.50
AV	5.4564G	48.30	54.00	-5.70	43.04	3	Vertical	289	1.86	-	31.70	5.06	31.50
PK	5.4648G	59.48	68.20	-8.72	54.22	3	Vertical	289	1.86	-	31.70	5.06	31.50
PK	5.6136G	106.03	Inf	-Inf	100.71	3	Vertical	289	1.86	-	31.60	5.19	31.47
AV	5.6016G	94.85	Inf	-Inf	89.52	3	Vertical	289	1.86	-	31.60	5.20	31.47
PK	5.7348G	60.70	68.20	-7.50	55.22	3	Vertical	289	1.86	-	31.87	5.07	31.46

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5610MHz_TX




EUT X_4TX
Setting 89
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	57.14	68.20	-11.06	52.39	3	Horizontal	66	1.78	-	31.30	5.03	31.58
PK	5.4564G	66.48	74.00	-7.52	61.22	3	Horizontal	66	1.78	-	31.70	5.06	31.50
AV	5.4564G	51.73	54.00	-2.27	46.47	3	Horizontal	66	1.78	-	31.70	5.06	31.50
PK	5.4636G	65.95	68.20	-2.25	60.69	3	Horizontal	66	1.78	-	31.70	5.06	31.50
PK	5.6028G	114.36	Inf	-Inf	109.03	3	Horizontal	66	1.78	-	31.60	5.20	31.47
AV	5.6256G	101.82	Inf	-Inf	96.51	3	Horizontal	66	1.78	-	31.60	5.17	31.46
PK	5.7252G	67.92	68.20	-0.28	62.46	3	Horizontal	66	1.78	-	31.85	5.07	31.46

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5610MHz_TX




EUT X_4TX
Setting 89
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2299G	53.92	74.00	-20.08	39.20	3	Vertical	168	2.83	-	40.03	7.53	32.84
AV	11.22828G	42.98	54.00	-11.02	28.26	3	Vertical	168	2.83	-	40.03	7.53	32.84

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5610MHz_TX




EUT X_4TX
Setting 89
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23158G	53.71	74.00	-20.29	38.99	3	Horizontal	328	1.80	-	40.03	7.53	32.84
AV	11.21088G	43.29	54.00	-10.71	28.59	3	Horizontal	328	1.80	-	40.01	7.52	32.83

802.11ax HEW80_Nss4,(MCS0)_4TX

09/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 99
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	58.46	74.00	-15.54	51.01	3	Vertical	55	1.81	-	33.90	5.05	31.50
AV	5.453G	47.39	54.00	-6.61	39.94	3	Vertical	55	1.81	-	33.90	5.05	31.50
PK	5.467G	59.18	68.20	-9.02	51.70	3	Vertical	55	1.81	-	33.90	5.07	31.49
PK	5.688G	108.78	Inf	-Inf	101.41	3	Vertical	55	1.81	-	33.72	5.11	31.46
AV	5.701G	98.13	Inf	-Inf	90.79	3	Vertical	55	1.81	-	33.70	5.10	31.46
PK	5.85G	63.11	68.20	-5.09	55.62	3	Vertical	55	1.81	-	33.80	5.15	31.46

802.11ax HEW80_Nss4,(MCS0)_4TX

09/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 99
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	63.17	74.00	-10.83	55.73	3	Horizontal	67	1.80	-	33.90	5.05	31.51
PK	5.469G	66.90	68.20	-1.30	59.42	3	Horizontal	67	1.80	-	33.90	5.07	31.49
AV	5.46G	50.45	54.00	-3.55	42.99	3	Horizontal	67	1.80	-	33.90	5.06	31.50
PK	5.687G	117.05	Inf	-Inf	109.67	3	Horizontal	67	1.80	-	33.73	5.11	31.46
AV	5.694G	105.25	Inf	-Inf	97.89	3	Horizontal	67	1.80	-	33.71	5.11	31.46
PK	5.854G	67.97	68.20	-0.23	60.45	3	Horizontal	67	1.80	-	33.82	5.16	31.46

802.11ax HEW80_Nss4,(MCS0)_4TX

09/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 99
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3805G	52.72	74.00	-21.28	39.25	3	Vertical	332	1.95	-	38.78	7.58	32.89
AV	11.38038G	42.02	54.00	-11.98	28.55	3	Vertical	332	1.95	-	38.78	7.58	32.89

802.11ax HEW80_Nss4,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

09/06/2021




EUT X_4TX
 Setting 99
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3794G	53.36	74.00	-20.64	39.89	3	Horizontal	172	1.11	-	38.78	7.58	32.89
AV	11.37919G	42.23	54.00	-11.77	28.76	3	Horizontal	172	1.11	-	38.78	7.58	32.89

802.11ax HEW80_Nss4,(MCS0)_4TX

25/04/2021

5775MHz_TX




EUT X_4TX
Setting 86
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	64.48	68.20	-3.72	59.16	3	Vertical	346	2.67	-	31.60	5.19	31.47
PK	5.764G	108.81	Inf	-Inf	103.33	3	Vertical	346	2.67	-	31.90	5.04	31.46
AV	5.767G	96.74	Inf	-Inf	91.27	3	Vertical	346	2.67	-	31.90	5.03	31.46
PK	5.944G	62.47	68.20	-5.73	56.21	3	Vertical	346	2.67	-	32.28	5.43	31.45

802.11ax HEW80_Nss4,(MCS0)_4TX

25/04/2021

5775MHz_TX




EUT X_4TX
Setting 86
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	68.11	68.20	-0.09	62.80	3	Horizontal	65	1.04	-	31.60	5.17	31.46
PK	5.767G	113.33	Inf	-Inf	107.86	3	Horizontal	65	1.04	-	31.90	5.03	31.46
AV	5.767G	100.98	Inf	-Inf	95.51	3	Horizontal	65	1.04	-	31.90	5.03	31.46
PK	5.949G	64.58	68.20	-3.62	58.28	3	Horizontal	65	1.04	-	32.30	5.45	31.45

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5775MHz_TX




EUT X_4TX
Setting 86
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55366G	53.49	74.00	-20.51	38.64	3	Vertical	162	1.35	-	40.14	7.64	32.93
AV	11.5614G	42.34	54.00	-11.66	27.50	3	Vertical	162	1.35	-	40.12	7.65	32.93

802.11ax HEW80_Nss4,(MCS0)_4TX

26/04/2021

5775MHz_TX




EUT X_4TX
Setting 86
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54436G	52.87	74.00	-21.13	37.99	3	Horizontal	92	2.49	-	40.17	7.64	32.93
AV	11.54436G	42.71	54.00	-11.29	27.83	3	Horizontal	92	2.49	-	40.17	7.64	32.93

802.11ax HEW160_Nss4,(MCS0)_4TX

27/04/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 66
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	57.58	74.00	-16.42	52.51	3	Vertical	348	1.72	-	31.80	5.00	31.73
AV	5.1476G	48.25	54.00	-5.75	43.17	3	Vertical	348	1.72	-	31.81	5.00	31.73
PK	5.2676G	100.74	Inf	-Inf	95.95	3	Vertical	348	1.72	-	31.36	5.07	31.64
AV	5.2692G	88.20	Inf	-Inf	83.41	3	Vertical	348	1.72	-	31.36	5.07	31.64
PK	5.4404G	56.20	74.00	-17.80	50.97	3	Vertical	348	1.72	-	31.70	5.04	31.51
AV	5.41G	46.19	54.00	-7.81	41.02	3	Vertical	348	1.72	-	31.70	5.01	31.54
PK	5.562G	55.71	68.20	-12.49	50.42	3	Vertical	348	1.72	-	31.60	5.16	31.47

802.11ax HEW160_Nss4,(MCS0)_4TX

27/04/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 66
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	64.41	74.00	-9.59	59.32	3	Horizontal	290	2.91	-	31.85	4.98	31.74
AV	5.138G	53.93	54.00	-0.07	48.84	3	Horizontal	290	2.91	-	31.85	4.98	31.74
PK	5.258G	105.39	Inf	-Inf	100.59	3	Horizontal	290	2.91	-	31.38	5.07	31.65
AV	5.2596G	94.66	Inf	-Inf	89.86	3	Horizontal	290	2.91	-	31.38	5.07	31.65
PK	5.354G	58.95	74.00	-15.05	54.18	3	Horizontal	290	2.91	-	31.33	5.02	31.58
AV	5.3508G	48.91	54.00	-5.09	44.16	3	Horizontal	290	2.91	-	31.31	5.02	31.58
PK	5.5108G	56.92	68.20	-11.28	51.60	3	Horizontal	290	2.91	-	31.68	5.11	31.47

802.11ax HEW160_Nss4,(MCS0)_4TX

27/04/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 66
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74864G	53.23	74.00	-20.77	39.53	3	Vertical	311	1.73	-	37.45	9.11	32.86
AV	15.7486G	41.98	54.00	-12.02	28.28	3	Vertical	311	1.73	-	37.45	9.11	32.86

802.11ax HEW160_Nss4,(MCS0)_4TX

27/04/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 66
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75504G	53.12	74.00	-20.88	39.44	3	Horizontal	252	2.14	-	37.43	9.11	32.86
AV	15.75736G	42.48	54.00	-11.52	28.79	3	Horizontal	252	2.14	-	37.43	9.12	32.86

802.11ax HEW160_Nss4,(MCS0)_4TX

27/04/2021

5570MHz_TX




EUT X_4TX
Setting 75
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	55.78	68.20	-12.42	51.04	3	Vertical	51	1.79	-	31.30	5.04	31.60
PK	5.458G	60.88	74.00	-13.12	55.62	3	Vertical	51	1.79	-	31.70	5.06	31.50
AV	5.458G	51.18	54.00	-2.82	45.92	3	Vertical	51	1.79	-	31.70	5.06	31.50
PK	5.466G	61.87	68.20	-6.33	56.60	3	Vertical	51	1.79	-	31.70	5.07	31.50
PK	5.578G	100.41	Inf	-Inf	95.10	3	Vertical	51	1.79	-	31.60	5.18	31.47
AV	5.5844G	90.01	Inf	-Inf	84.70	3	Vertical	51	1.79	-	31.60	5.18	31.47
PK	5.746G	57.96	68.20	-10.24	52.48	3	Vertical	51	1.79	-	31.89	5.05	31.46

802.11ax HEW160_Nss4,(MCS0)_4TX

27/04/2021

5570MHz_TX




EUT X_4TX
Setting 75
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3108G	58.26	68.20	-9.94	53.53	3	Horizontal	70	1.37	-	31.30	5.04	31.61
PK	5.442G	65.06	74.00	-8.94	59.83	3	Horizontal	70	1.37	-	31.70	5.04	31.51
AV	5.4436G	53.84	54.00	-0.16	48.61	3	Horizontal	70	1.37	-	31.70	5.04	31.51
PK	5.4628G	67.33	68.20	-0.87	62.07	3	Horizontal	70	1.37	-	31.70	5.06	31.50
PK	5.5636G	107.84	Inf	-Inf	102.55	3	Horizontal	70	1.37	-	31.60	5.16	31.47
AV	5.562G	95.85	Inf	-Inf	90.56	3	Horizontal	70	1.37	-	31.60	5.16	31.47
PK	5.7348G	60.44	68.20	-7.76	54.96	3	Horizontal	70	1.37	-	31.87	5.07	31.46

802.11ax HEW160_Nss4,(MCS0)_4TX

27/04/2021

5570MHz_TX




EUT X_4TX
Setting 75
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14484G	54.47	74.00	-19.53	39.67	3	Vertical	337	1.69	-	40.11	7.50	32.81
AV	11.14544G	43.21	54.00	-10.79	28.41	3	Vertical	337	1.69	-	40.11	7.50	32.81

802.11ax HEW160_Nss4,(MCS0)_4TX

27/04/2021

5570MHz_TX



EUT X_4TX
Setting 75
02-B-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13776G	54.07	74.00	-19.93	39.26	3	Horizontal	245	2.06	-	40.12	7.50	32.81
AV	11.14652G	43.63	54.00	-10.37	28.83	3	Horizontal	245	2.06	-	40.11	7.50	32.81



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.23341G	22.11	54.00	-31.89	Vertical

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.23022G	34.04	74.00	-39.96	-9.28	3	Vertical	92	1.17	-	43.32	25.22	2.83	37.33
AV	1.23341G	22.11	54.00	-31.89	-9.27	3	Vertical	92	1.17	"Worst"	31.38	25.23	2.83	37.33

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.23278G	33.86	74.00	-40.14	-9.27	3	Horizontal	24	1.05	-	43.13	25.23	2.83	37.33
AV	1.23272G	22.02	54.00	-31.98	-9.27	3	Horizontal	24	1.05	"Worst"	31.29	25.23	2.83	37.33

1. Photographs of Conducted Emissions Test Configuration

Test Mode: Mode 1

FRONT VIEW



REAR VIEW




2. Photographs of Radiated Emissions Test Configuration

Test Configuration: 30MHz~1GHz

Test Mode: Mode 5

FRONT VIEW




REAR VIEW



Test Configuration: Above 1GHz

Test Mode: Mode 1~Mode 2

FRONT VIEW




REAR VIEW



Test Mode: Mode 3~Mode 9

FRONT VIEW



REAR VIEW



————THE END————