


802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5320MHz_TX




EUT X_2TX
Setting 101
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96042G	53.03	74.00	-20.97	39.44	3	Horizontal	287	1.34	-	37.28	9.19	32.88
AV	15.955G	40.06	54.00	-13.94	26.49	3	Horizontal	287	1.34	-	37.27	9.18	32.88

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5500MHz_TX




EUT X_2TX
Setting 93
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	59.31	74.00	-14.69	54.05	3	Vertical	360	2.63	-	31.70	5.06	31.50
AV	5.4588G	43.47	54.00	-10.53	38.21	3	Vertical	360	2.63	-	31.70	5.06	31.50
PK	5.47G	62.15	68.20	-6.05	56.87	3	Vertical	360	2.63	-	31.70	5.07	31.49
PK	5.497G	112.16	Inf	-Inf	106.83	3	Vertical	360	2.63	-	31.70	5.10	31.47
AV	5.502G	102.79	Inf	-Inf	97.46	3	Vertical	360	2.63	-	31.70	5.10	31.47

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5500MHz_TX




EUT X_2TX
Setting 93
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	66.46	74.00	-7.54	61.20	3	Horizontal	285	2.64	-	31.70	5.06	31.50
AV	5.46G	47.03	54.00	-6.97	41.77	3	Horizontal	285	2.64	-	31.70	5.06	31.50
PK	5.47G	67.97	68.20	-0.23	62.69	3	Horizontal	285	2.64	-	31.70	5.07	31.49
PK	5.4968G	116.65	Inf	-Inf	111.32	3	Horizontal	285	2.64	-	31.70	5.10	31.47
AV	5.4966G	107.09	Inf	-Inf	101.76	3	Horizontal	285	2.64	-	31.70	5.10	31.47

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5500MHz_TX




EUT X_2TX
Setting 93
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00204G	54.13	74.00	-19.87	38.85	3	Vertical	335	1.96	-	40.59	7.45	32.76
AV	11.00036G	40.70	54.00	-13.30	25.41	3	Vertical	335	1.96	-	40.60	7.45	32.76

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5500MHz_TX




EUT X_2TX
Setting 93
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99512G	53.44	74.00	-20.56	38.15	3	Horizontal	344	1.99	-	40.60	7.45	32.76
AV	11.00252G	41.76	54.00	-12.24	26.48	3	Horizontal	344	1.99	-	40.59	7.45	32.76

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5580MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	62.64	74.00	-11.36	57.39	3	Vertical	0	2.81	-	31.70	5.05	31.50
AV	5.46G	46.42	54.00	-7.58	41.16	3	Vertical	0	2.81	-	31.70	5.06	31.50
PK	5.4696G	64.48	68.20	-3.72	59.20	3	Vertical	0	2.81	-	31.70	5.07	31.49
PK	5.5776G	117.96	Inf	-Inf	112.65	3	Vertical	0	2.81	-	31.60	5.18	31.47
AV	5.5824G	108.02	Inf	-Inf	102.71	3	Vertical	0	2.81	-	31.60	5.18	31.47
PK	5.74G	58.99	68.20	-9.21	53.51	3	Vertical	0	2.81	-	31.88	5.06	31.46

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5580MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	64.72	74.00	-9.28	59.46	3	Horizontal	286	2.48	-	31.70	5.06	31.50
AV	5.46G	48.65	54.00	-5.35	43.39	3	Horizontal	286	2.48	-	31.70	5.06	31.50
PK	5.4696G	67.24	68.20	-0.96	61.96	3	Horizontal	286	2.48	-	31.70	5.07	31.49
PK	5.5872G	123.07	Inf	-Inf	117.75	3	Horizontal	286	2.48	-	31.60	5.19	31.47
AV	5.5768G	112.76	Inf	-Inf	107.45	3	Horizontal	286	2.48	-	31.60	5.18	31.47
PK	5.7256G	61.37	68.20	-6.83	55.91	3	Horizontal	286	2.48	-	31.85	5.07	31.46

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5580MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16368G	54.74	74.00	-19.26	39.98	3	Vertical	0	2.47	-	40.07	7.51	32.82
AV	11.16324G	40.86	54.00	-13.14	26.10	3	Vertical	0	2.47	-	40.07	7.51	32.82

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5580MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15762G	56.09	74.00	-17.91	41.31	3	Horizontal	64	1.48	-	40.08	7.51	32.81
AV	11.16128G	42.01	54.00	-11.99	27.23	3	Horizontal	64	1.48	-	40.08	7.51	32.81

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5700MHz_TX




EUT X_2TX
Setting 85
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	110.27	Inf	-Inf	104.83	3	Vertical	4	1.66	-	31.80	5.10	31.46
AV	5.6964G	100.85	Inf	-Inf	95.42	3	Vertical	4	1.66	-	31.79	5.10	31.46
PK	5.7266G	67.11	68.20	-1.09	61.65	3	Vertical	4	1.66	-	31.85	5.07	31.46

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5700MHz_TX




EUT X_2TX
Setting 85
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	113.18	Inf	-Inf	107.73	3	Horizontal	65	1.64	-	31.81	5.10	31.46
AV	5.704G	103.69	Inf	-Inf	98.24	3	Horizontal	65	1.64	-	31.81	5.10	31.46
PK	5.7294G	67.99	68.20	-0.21	62.52	3	Horizontal	65	1.64	-	31.86	5.07	31.46

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5700MHz_TX




EUT X_2TX
Setting 85
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40368G	53.77	74.00	-20.23	38.78	3	Vertical	207	2.27	-	40.30	7.59	32.90
AV	11.39586G	41.53	54.00	-12.47	26.54	3	Vertical	207	2.27	-	40.29	7.59	32.89

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5700MHz_TX




EUT X_2TX
Setting 85
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.402G	53.81	74.00	-20.19	38.82	3	Horizontal	318	2.12	-	40.30	7.59	32.90
AV	11.3997G	40.46	54.00	-13.54	25.47	3	Horizontal	318	2.12	-	40.30	7.59	32.90

802.11a_Nss1,(6Mbps)_2TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 120
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	118.76	Inf	-Inf	111.40	3	Vertical	341	2.84	-	33.74	5.08	31.46
AV	5.7224G	108.83	Inf	-Inf	101.47	3	Vertical	341	2.84	-	33.74	5.08	31.46
PK	5.852G	61.96	68.20	-6.24	54.45	3	Vertical	341	2.84	-	33.81	5.16	31.46

802.11a_Nss1,(6Mbps)_2TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 120
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	121.46	Inf	-Inf	114.10	3	Horizontal	62	1.77	-	33.74	5.08	31.46
AV	5.724G	111.42	Inf	-Inf	104.05	3	Horizontal	62	1.77	-	33.75	5.08	31.46
PK	5.8624G	61.21	68.20	-6.99	53.63	3	Horizontal	62	1.77	-	33.85	5.19	31.46

802.11a_Nss1,(6Mbps)_2TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 120
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44116G	52.90	74.00	-21.10	39.33	3	Vertical	324	2.42	-	38.88	7.60	32.91
AV	11.4362G	39.62	54.00	-14.38	26.06	3	Vertical	324	2.42	-	38.87	7.60	32.91

802.11a_Nss1,(6Mbps)_2TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 120
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4433G	53.41	74.00	-20.59	39.82	3	Horizontal	318	1.86	-	38.89	7.61	32.91
AV	11.43628G	39.63	54.00	-14.37	26.07	3	Horizontal	318	1.86	-	38.87	7.60	32.91

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5745MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.31	68.20	-1.89	61.02	3	Vertical	4	1.64	-	31.60	5.15	31.46
PK	5.752G	118.43	Inf	-Inf	112.94	3	Vertical	4	1.64	-	31.90	5.05	31.46
AV	5.747G	108.43	Inf	-Inf	102.95	3	Vertical	4	1.64	-	31.89	5.05	31.46
PK	5.956G	57.42	68.20	-10.78	51.11	3	Vertical	4	1.64	-	32.29	5.47	31.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5745MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.39	68.20	-0.81	62.10	3	Horizontal	64	1.62	-	31.60	5.15	31.46
PK	5.749G	121.70	Inf	-Inf	116.21	3	Horizontal	64	1.62	-	31.90	5.05	31.46
AV	5.749G	111.16	Inf	-Inf	105.67	3	Horizontal	64	1.62	-	31.90	5.05	31.46
PK	5.927G	57.86	68.20	-10.34	51.72	3	Horizontal	64	1.62	-	32.21	5.38	31.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5745MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48626G	54.43	74.00	-19.57	39.44	3	Vertical	0	1.00	-	40.30	7.62	32.93
AV	11.48552G	41.03	54.00	-12.97	26.04	3	Vertical	0	1.00	-	40.30	7.62	32.93

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5745MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49112G	54.64	74.00	-19.36	39.65	3	Horizontal	267	1.00	-	40.30	7.62	32.93
AV	11.48662G	40.83	54.00	-13.17	25.84	3	Horizontal	267	1.00	-	40.30	7.62	32.93

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5785MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.22	68.20	-7.98	54.92	3	Vertical	2	1.60	-	31.60	5.16	31.46
PK	5.792G	118.22	Inf	-Inf	112.77	3	Vertical	2	1.60	-	31.90	5.01	31.46
AV	5.792G	107.80	Inf	-Inf	102.35	3	Vertical	2	1.60	-	31.90	5.01	31.46
PK	5.927G	60.53	68.20	-7.67	54.39	3	Vertical	2	1.60	-	32.21	5.38	31.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5785MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.69	68.20	-8.51	54.40	3	Horizontal	306	1.84	-	31.60	5.15	31.46
PK	5.783G	121.96	Inf	-Inf	116.50	3	Horizontal	306	1.84	-	31.90	5.02	31.46
AV	5.788G	111.77	Inf	-Inf	106.32	3	Horizontal	306	1.84	-	31.90	5.01	31.46
PK	5.947G	60.88	68.20	-7.32	54.60	3	Horizontal	306	1.84	-	32.29	5.44	31.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5785MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5749G	54.07	74.00	-19.93	39.27	3	Vertical	360	1.00	-	40.08	7.65	32.93
AV	11.57038G	40.94	54.00	-13.06	26.13	3	Vertical	360	1.00	-	40.09	7.65	32.93

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5785MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57202G	55.76	74.00	-18.24	40.96	3	Horizontal	56	1.42	-	40.08	7.65	32.93
AV	11.57076G	41.41	54.00	-12.59	26.60	3	Horizontal	56	1.42	-	40.09	7.65	32.93

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5825MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	58.03	68.20	-10.17	52.74	3	Vertical	0	1.59	-	31.60	5.15	31.46
PK	5.827G	117.32	Inf	-Inf	111.69	3	Vertical	0	1.59	-	32.01	5.08	31.46
AV	5.822G	107.62	Inf	-Inf	102.02	3	Vertical	0	1.59	-	31.99	5.07	31.46
PK	5.924G	64.57	68.94	-4.37	58.45	3	Vertical	0	1.59	-	32.20	5.37	31.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5825MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.80	68.20	-9.40	53.50	3	Horizontal	307	1.80	-	31.60	5.16	31.46
PK	5.828G	122.42	Inf	-Inf	116.79	3	Horizontal	307	1.80	-	32.01	5.08	31.46
AV	5.828G	112.40	Inf	-Inf	106.77	3	Horizontal	307	1.80	-	32.01	5.08	31.46
PK	5.925G	65.71	68.20	-2.49	59.58	3	Horizontal	307	1.80	-	32.20	5.38	31.45

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5825MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65028G	53.84	74.00	-20.16	39.44	3	Vertical	360	1.00	-	39.65	7.68	32.93
AV	11.65082G	40.29	54.00	-13.71	25.90	3	Vertical	360	1.00	-	39.64	7.68	32.93

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5825MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65206G	53.91	74.00	-20.09	39.52	3	Horizontal	329	1.53	-	39.64	7.68	32.93
AV	11.6513G	41.66	54.00	-12.34	27.27	3	Horizontal	329	1.53	-	39.64	7.68	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5180MHz_TX




EUT X_2TX
Setting 97
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.02	74.00	-5.98	62.95	3	Vertical	52	2.59	-	31.80	5.00	31.73
AV	5.1492G	51.91	54.00	-2.09	46.84	3	Vertical	52	2.59	-	31.80	5.00	31.73
PK	5.1828G	114.29	Inf	-Inf	109.25	3	Vertical	52	2.59	-	31.67	5.07	31.70
AV	5.1816G	101.94	Inf	-Inf	96.92	3	Vertical	52	2.59	-	31.67	5.06	31.71

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5180MHz_TX




EUT X_2TX
Setting 97
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.62	74.00	-6.38	62.55	3	Horizontal	288	1.49	-	31.80	5.00	31.73
AV	5.1484G	53.91	54.00	-0.09	48.83	3	Horizontal	288	1.49	-	31.81	5.00	31.73
PK	5.1756G	117.45	Inf	-Inf	112.41	3	Horizontal	288	1.49	-	31.70	5.05	31.71
AV	5.1752G	105.14	Inf	-Inf	100.10	3	Horizontal	288	1.49	-	31.70	5.05	31.71

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5180MHz_TX




EUT X_2TX
Setting 97
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53826G	52.74	74.00	-21.26	38.63	3	Vertical	229	2.71	-	37.91	9.04	32.84
AV	15.5387G	40.62	54.00	-13.38	26.51	3	Vertical	229	2.71	-	37.91	9.04	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5180MHz_TX




EUT X_2TX
Setting 97
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5392G	53.03	74.00	-20.97	38.93	3	Horizontal	302	2.06	-	37.90	9.04	32.84
AV	15.54478G	40.51	54.00	-13.49	26.43	3	Horizontal	302	2.06	-	37.88	9.04	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5200MHz_TX




EUT X_2TX
Setting 114
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	65.16	74.00	-8.84	60.09	3	Vertical	39	2.58	-	31.81	4.99	31.73
AV	5.15G	51.70	54.00	-2.30	46.63	3	Vertical	39	2.58	-	31.80	5.00	31.73
PK	5.2052G	117.06	Inf	-Inf	112.07	3	Vertical	39	2.58	-	31.58	5.10	31.69
AV	5.2076G	105.22	Inf	-Inf	100.24	3	Vertical	39	2.58	-	31.57	5.10	31.69

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5200MHz_TX




EUT X_2TX
Setting 114
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.72	74.00	-6.28	62.65	3	Horizontal	288	2.84	-	31.80	5.00	31.73
AV	5.15G	53.75	54.00	-0.25	48.68	3	Horizontal	288	2.84	-	31.80	5.00	31.73
PK	5.2024G	119.95	Inf	-Inf	114.95	3	Horizontal	288	2.84	-	31.59	5.10	31.69
AV	5.2076G	107.98	Inf	-Inf	103.00	3	Horizontal	288	2.84	-	31.57	5.10	31.69

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5200MHz_TX




EUT X_2TX
Setting 114
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59734G	52.48	74.00	-21.52	38.66	3	Vertical	79	2.24	-	37.61	9.06	32.85
AV	15.59622G	40.29	54.00	-13.71	26.46	3	Vertical	79	2.24	-	37.62	9.06	32.85

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5200MHz_TX




EUT X_2TX
Setting 114
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60394G	52.93	74.00	-21.07	39.12	3	Horizontal	275	1.56	-	37.60	9.06	32.85
AV	15.60318G	40.39	54.00	-13.61	26.58	3	Horizontal	275	1.56	-	37.60	9.06	32.85

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5240MHz_TX




EUT X_2TX
Setting 120
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.62	74.00	-4.38	64.55	3	Vertical	39	2.55	-	31.80	5.00	31.73
AV	5.1456G	53.10	54.00	-0.90	48.02	3	Vertical	39	2.55	-	31.82	4.99	31.73
PK	5.2392G	118.83	Inf	-Inf	113.97	3	Vertical	39	2.55	-	31.44	5.08	31.66
AV	5.2416G	107.72	Inf	-Inf	102.87	3	Vertical	39	2.55	-	31.43	5.08	31.66
PK	5.3512G	65.94	74.00	-8.06	61.19	3	Vertical	39	2.55	-	31.31	5.02	31.58
AV	5.35G	51.67	54.00	-2.33	46.93	3	Vertical	39	2.55	-	31.30	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5240MHz_TX




EUT X_2TX
Setting 120
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.45	74.00	-6.55	62.38	3	Horizontal	288	2.72	-	31.80	5.00	31.73
AV	5.1496G	53.08	54.00	-0.92	48.01	3	Horizontal	288	2.72	-	31.80	5.00	31.73
PK	5.2392G	122.17	Inf	-Inf	117.31	3	Horizontal	288	2.72	-	31.44	5.08	31.66
AV	5.2416G	110.49	Inf	-Inf	105.64	3	Horizontal	288	2.72	-	31.43	5.08	31.66
PK	5.3504G	66.54	74.00	-7.46	61.80	3	Horizontal	288	2.72	-	31.30	5.02	31.58
AV	5.35G	52.43	54.00	-1.57	47.69	3	Horizontal	288	2.72	-	31.30	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5240MHz_TX




EUT X_2TX
Setting 120
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71808G	52.71	74.00	-21.29	38.92	3	Vertical	157	2.25	-	37.55	9.10	32.86
AV	15.7224G	40.28	54.00	-13.72	26.51	3	Vertical	157	2.25	-	37.53	9.10	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5240MHz_TX




EUT X_2TX
Setting 120
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72102G	52.67	74.00	-21.33	38.89	3	Horizontal	234	2.38	-	37.54	9.10	32.86
AV	15.7243G	40.20	54.00	-13.80	26.43	3	Horizontal	234	2.38	-	37.53	9.10	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5260MHz_TX




EUT X_2TX
Setting 117
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	62.18	74.00	-11.82	57.10	3	Vertical	354	1.71	-	31.84	4.98	31.74
AV	5.149G	47.21	54.00	-6.79	42.14	3	Vertical	354	1.71	-	31.80	5.00	31.73
PK	5.2534G	119.24	Inf	-Inf	114.43	3	Vertical	354	1.71	-	31.39	5.07	31.65
AV	5.2654G	107.30	Inf	-Inf	102.50	3	Vertical	354	1.71	-	31.37	5.07	31.64
PK	5.3524G	66.98	74.00	-7.02	62.22	3	Vertical	354	1.71	-	31.32	5.02	31.58
AV	5.35G	52.73	54.00	-1.27	47.98	3	Vertical	354	1.71	-	31.30	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5260MHz_TX




EUT X_2TX
Setting 117
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1166G	60.77	74.00	-13.23	55.66	3	Horizontal	285	1.61	-	31.93	4.93	31.75
AV	5.1472G	47.64	54.00	-6.36	42.57	3	Horizontal	285	1.61	-	31.81	4.99	31.73
PK	5.2552G	121.67	Inf	-Inf	116.86	3	Horizontal	285	1.61	-	31.39	5.07	31.65
AV	5.2618G	110.06	Inf	-Inf	105.26	3	Horizontal	285	1.61	-	31.38	5.07	31.65
PK	5.3512G	65.42	74.00	-8.58	60.67	3	Horizontal	285	1.61	-	31.31	5.02	31.58
AV	5.3506G	50.73	54.00	-3.27	45.99	3	Horizontal	285	1.61	-	31.30	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5260MHz_TX




EUT X_2TX
Setting 117
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77634G	53.12	74.00	-20.88	39.49	3	Vertical	300	1.44	-	37.37	9.12	32.86
AV	15.77924G	40.66	54.00	-13.34	27.04	3	Vertical	300	1.44	-	37.36	9.12	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5260MHz_TX




EUT X_2TX
Setting 117
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77544G	52.75	74.00	-21.25	39.12	3	Horizontal	115	1.37	-	37.37	9.12	32.86
AV	15.77904G	40.44	54.00	-13.56	26.82	3	Horizontal	115	1.37	-	37.36	9.12	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5300MHz_TX




EUT X_2TX
Setting 110
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	115.91	Inf	-Inf	111.17	3	Vertical	349	1.71	-	31.31	5.05	31.62
AV	5.296G	104.34	Inf	-Inf	99.60	3	Vertical	349	1.71	-	31.31	5.05	31.62
PK	5.3532G	67.69	74.00	-6.31	62.92	3	Vertical	349	1.71	-	31.33	5.02	31.58
AV	5.35G	52.32	54.00	-1.68	47.57	3	Vertical	349	1.71	-	31.30	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5300MHz_TX




EUT X_2TX
Setting 110
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	119.97	Inf	-Inf	115.24	3	Horizontal	293	2.68	-	31.30	5.05	31.62
AV	5.2972G	108.39	Inf	-Inf	103.65	3	Horizontal	293	2.68	-	31.31	5.05	31.62
PK	5.35G	68.68	74.00	-5.32	63.93	3	Horizontal	293	2.68	-	31.30	5.03	31.58
AV	5.35G	53.83	54.00	-0.17	49.08	3	Horizontal	293	2.68	-	31.30	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5300MHz_TX




EUT X_2TX
Setting 110
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90174G	52.41	74.00	-21.59	39.00	3	Vertical	219	1.44	-	37.11	9.17	32.87
AV	15.90426G	40.06	54.00	-13.94	26.65	3	Vertical	219	1.44	-	37.11	9.17	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5300MHz_TX




EUT X_2TX
Setting 110
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90406G	53.07	74.00	-20.93	39.66	3	Horizontal	170	2.55	-	37.11	9.17	32.87
AV	15.90422G	40.43	54.00	-13.57	27.02	3	Horizontal	170	2.55	-	37.11	9.17	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5320MHz_TX




EUT X_2TX
Setting 95
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3138G	113.71	Inf	-Inf	108.98	3	Vertical	349	1.80	-	31.30	5.04	31.61
AV	5.3158G	101.63	Inf	-Inf	96.90	3	Vertical	349	1.80	-	31.30	5.04	31.61
PK	5.3504G	67.08	74.00	-6.92	62.34	3	Vertical	349	1.80	-	31.30	5.02	31.58
AV	5.35G	52.10	54.00	-1.90	47.35	3	Vertical	349	1.80	-	31.30	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5320MHz_TX




EUT X_2TX
Setting 95
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	118.52	Inf	-Inf	113.78	3	Horizontal	292	2.67	-	31.30	5.04	31.60
AV	5.322G	105.41	Inf	-Inf	100.67	3	Horizontal	292	2.67	-	31.30	5.04	31.60
PK	5.351G	67.83	74.00	-6.17	63.08	3	Horizontal	292	2.67	-	31.31	5.02	31.58
AV	5.35G	53.78	54.00	-0.22	49.03	3	Horizontal	292	2.67	-	31.30	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5320MHz_TX




EUT X_2TX
Setting 95
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96164G	52.25	74.00	-21.75	38.66	3	Vertical	266	2.95	-	37.28	9.19	32.88
AV	15.96272G	40.17	54.00	-13.83	26.57	3	Vertical	266	2.95	-	37.29	9.19	32.88

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5320MHz_TX




EUT X_2TX
Setting 95
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95788G	52.53	74.00	-21.47	38.95	3	Horizontal	55	1.92	-	37.27	9.19	32.88
AV	15.95516G	40.05	54.00	-13.95	26.48	3	Horizontal	55	1.92	-	37.27	9.18	32.88

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5500MHz_TX




EUT X_2TX
Setting 88
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	58.05	74.00	-15.95	52.79	3	Vertical	42	2.07	-	31.70	5.06	31.50
AV	5.46G	45.10	54.00	-8.90	39.84	3	Vertical	42	2.07	-	31.70	5.06	31.50
PK	5.4694G	66.04	68.20	-2.16	60.76	3	Vertical	42	2.07	-	31.70	5.07	31.49
PK	5.5022G	113.60	Inf	-Inf	108.27	3	Vertical	42	2.07	-	31.70	5.10	31.47
AV	5.503G	101.10	Inf	-Inf	95.78	3	Vertical	42	2.07	-	31.69	5.10	31.47

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5500MHz_TX




EUT X_2TX
Setting 88
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	60.84	74.00	-13.16	55.58	3	Horizontal	285	2.63	-	31.70	5.06	31.50
AV	5.4582G	46.86	54.00	-7.14	41.60	3	Horizontal	285	2.63	-	31.70	5.06	31.50
PK	5.4692G	68.02	68.20	-0.18	62.74	3	Horizontal	285	2.63	-	31.70	5.07	31.49
PK	5.4992G	116.08	Inf	-Inf	110.75	3	Horizontal	285	2.63	-	31.70	5.10	31.47
AV	5.502G	104.14	Inf	-Inf	98.81	3	Horizontal	285	2.63	-	31.70	5.10	31.47

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5500MHz_TX




EUT X_2TX
Setting 88
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00262G	54.62	74.00	-19.38	39.34	3	Vertical	96	2.58	-	40.59	7.45	32.76
AV	11.0042G	41.67	54.00	-12.33	26.40	3	Vertical	96	2.58	-	40.58	7.45	32.76

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5500MHz_TX




EUT X_2TX
Setting 88
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0036G	54.58	74.00	-19.42	39.30	3	Horizontal	42	1.59	-	40.59	7.45	32.76
AV	11.00278G	41.69	54.00	-12.31	26.41	3	Horizontal	42	1.59	-	40.59	7.45	32.76

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5580MHz_TX




EUT X_2TX
Setting 120
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.46	74.00	-8.54	60.20	3	Vertical	49	2.48	-	31.70	5.06	31.50
AV	5.4584G	51.10	54.00	-2.90	45.84	3	Vertical	49	2.48	-	31.70	5.06	31.50
PK	5.4648G	67.66	68.20	-0.54	62.40	3	Vertical	49	2.48	-	31.70	5.06	31.50
PK	5.5736G	118.23	Inf	-Inf	112.93	3	Vertical	49	2.48	-	31.60	5.17	31.47
AV	5.5816G	106.75	Inf	-Inf	101.44	3	Vertical	49	2.48	-	31.60	5.18	31.47
PK	5.7352G	61.78	68.20	-6.42	56.31	3	Vertical	49	2.48	-	31.87	5.06	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5580MHz_TX




EUT X_2TX
Setting 120
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.57	74.00	-11.43	57.31	3	Horizontal	67	2.90	-	31.70	5.06	31.50
AV	5.4568G	49.09	54.00	-4.91	43.83	3	Horizontal	67	2.90	-	31.70	5.06	31.50
PK	5.4672G	62.84	68.20	-5.36	57.56	3	Horizontal	67	2.90	-	31.70	5.07	31.49
PK	5.5752G	119.51	Inf	-Inf	114.20	3	Horizontal	67	2.90	-	31.60	5.18	31.47
AV	5.5816G	107.89	Inf	-Inf	102.58	3	Horizontal	67	2.90	-	31.60	5.18	31.47
PK	5.7264G	60.11	68.20	-8.09	54.65	3	Horizontal	67	2.90	-	31.85	5.07	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5580MHz_TX




EUT X_2TX
Setting 120
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16464G	53.78	74.00	-20.22	39.02	3	Vertical	38	2.74	-	40.07	7.51	32.82
AV	11.16418G	41.77	54.00	-12.23	27.01	3	Vertical	38	2.74	-	40.07	7.51	32.82

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5580MHz_TX




EUT X_2TX
Setting 120
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15826G	55.59	74.00	-18.41	40.81	3	Horizontal	63	1.51	-	40.08	7.51	32.81
AV	11.15888G	41.50	54.00	-12.50	26.72	3	Horizontal	63	1.51	-	40.08	7.51	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5700MHz_TX




EUT X_2TX
Setting 84
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	110.70	Inf	-Inf	105.25	3	Vertical	57	1.80	-	31.81	5.10	31.46
AV	5.6954G	98.36	Inf	-Inf	92.94	3	Vertical	57	1.80	-	31.78	5.10	31.46
PK	5.725G	68.14	68.20	-0.06	62.67	3	Vertical	57	1.80	-	31.85	5.08	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5700MHz_TX




EUT X_2TX
Setting 84
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	114.02	Inf	-Inf	108.58	3	Horizontal	69	1.62	-	31.80	5.10	31.46
AV	5.6954G	101.65	Inf	-Inf	96.23	3	Horizontal	69	1.62	-	31.78	5.10	31.46
PK	5.726G	67.97	68.20	-0.23	62.51	3	Horizontal	69	1.62	-	31.85	5.07	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5700MHz_TX




EUT X_2TX
Setting 84
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39558G	53.57	74.00	-20.43	38.58	3	Vertical	212	2.37	-	40.29	7.59	32.89
AV	11.39846G	41.26	54.00	-12.74	26.27	3	Vertical	212	2.37	-	40.30	7.59	32.90

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5700MHz_TX




EUT X_2TX
Setting 84
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40348G	54.22	74.00	-19.78	39.23	3	Horizontal	168	1.54	-	40.30	7.59	32.90
AV	11.40424G	41.35	54.00	-12.65	26.36	3	Horizontal	168	1.54	-	40.30	7.59	32.90

802.11ax HEW20_Nss2,(MCS0)_2TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 120
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	116.10	Inf	-Inf	108.74	3	Vertical	3	2.92	-	33.74	5.08	31.46
AV	5.7152G	104.66	Inf	-Inf	97.31	3	Vertical	3	2.92	-	33.73	5.08	31.46
PK	5.896G	61.27	68.20	-6.93	53.45	3	Vertical	3	2.92	-	33.98	5.29	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 120
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	123.14	Inf	-Inf	115.78	3	Horizontal	65	1.78	-	33.74	5.08	31.46
AV	5.724G	111.03	Inf	-Inf	103.66	3	Horizontal	65	1.78	-	33.75	5.08	31.46
PK	5.8752G	65.59	68.20	-2.61	57.91	3	Horizontal	65	1.78	-	33.90	5.23	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_2TX
 Setting 120
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44026G	53.43	74.00	-20.57	39.86	3	Vertical	209	2.72	-	38.88	7.60	32.91
AV	11.44015G	40.78	54.00	-13.22	27.21	3	Vertical	209	2.72	-	38.88	7.60	32.91

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_2TX
Setting 120
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43953G	52.99	74.00	-21.01	39.42	3	Horizontal	144	1.98	-	38.88	7.60	32.91
AV	11.44043G	40.38	54.00	-13.62	26.81	3	Horizontal	144	1.98	-	38.88	7.60	32.91

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5745MHz_TX




EUT X_2TX
Setting 119
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.13	68.20	-0.07	62.84	3	Vertical	53	1.69	-	31.60	5.15	31.46
PK	5.744G	118.22	Inf	-Inf	112.73	3	Vertical	53	1.69	-	31.89	5.06	31.46
AV	5.744G	107.08	Inf	-Inf	101.59	3	Vertical	53	1.69	-	31.89	5.06	31.46
PK	5.933G	60.60	68.20	-7.60	54.42	3	Vertical	53	1.69	-	32.23	5.40	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5745MHz_TX




EUT X_2TX
Setting 119
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.25	68.20	-0.95	61.96	3	Horizontal	71	1.80	-	31.60	5.15	31.46
PK	5.739G	120.72	Inf	-Inf	115.24	3	Horizontal	71	1.80	-	31.88	5.06	31.46
AV	5.742G	109.11	Inf	-Inf	103.63	3	Horizontal	71	1.80	-	31.88	5.06	31.46
PK	5.929G	58.75	68.20	-9.45	52.59	3	Horizontal	71	1.80	-	32.22	5.39	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5745MHz_TX




EUT X_2TX
Setting 119
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48594G	54.60	74.00	-19.40	39.61	3	Vertical	164	2.07	-	40.30	7.62	32.93
AV	11.48972G	41.78	54.00	-12.22	26.79	3	Vertical	164	2.07	-	40.30	7.62	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5745MHz_TX




EUT X_2TX
Setting 119
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49406G	53.86	74.00	-20.14	38.87	3	Horizontal	94	1.74	-	40.30	7.62	32.93
AV	11.49496G	41.69	54.00	-12.31	26.70	3	Horizontal	94	1.74	-	40.30	7.62	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5785MHz_TX




EUT X_2TX
Setting 120
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	65.67	68.20	-2.53	60.37	3	Vertical	46	1.78	-	31.60	5.16	31.46
PK	5.779G	118.19	Inf	-Inf	112.73	3	Vertical	46	1.78	-	31.90	5.02	31.46
AV	5.787G	106.88	Inf	-Inf	101.43	3	Vertical	46	1.78	-	31.90	5.01	31.46
PK	5.926G	63.11	68.20	-5.09	56.98	3	Vertical	46	1.78	-	32.20	5.38	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5785MHz_TX




EUT X_2TX
Setting 120
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.79	68.20	-6.41	56.50	3	Horizontal	311	1.91	-	31.60	5.15	31.46
PK	5.787G	121.60	Inf	-Inf	116.15	3	Horizontal	311	1.91	-	31.90	5.01	31.46
AV	5.787G	110.28	Inf	-Inf	104.83	3	Horizontal	311	1.91	-	31.90	5.01	31.46
PK	5.926G	63.56	68.20	-4.64	57.43	3	Horizontal	311	1.91	-	32.20	5.38	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5785MHz_TX




EUT X_2TX
Setting 120
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5709G	53.43	74.00	-20.57	38.62	3	Vertical	157	2.19	-	40.09	7.65	32.93
AV	11.57284G	41.41	54.00	-12.59	26.61	3	Vertical	157	2.19	-	40.08	7.65	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5785MHz_TX




EUT X_2TX
Setting 120
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57468G	53.94	74.00	-20.06	39.14	3	Horizontal	293	1.56	-	40.08	7.65	32.93
AV	11.57316G	41.40	54.00	-12.60	26.60	3	Horizontal	293	1.56	-	40.08	7.65	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5825MHz_TX




EUT X_2TX
Setting 119
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.15	68.20	-9.05	53.86	3	Vertical	3	1.55	-	31.60	5.15	31.46
PK	5.832G	118.75	Inf	-Inf	113.08	3	Vertical	3	1.55	-	32.03	5.10	31.46
AV	5.823G	106.95	Inf	-Inf	101.35	3	Vertical	3	1.55	-	31.99	5.07	31.46
PK	5.927G	66.98	68.20	-1.22	60.84	3	Vertical	3	1.55	-	32.21	5.38	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5825MHz_TX




EUT X_2TX
Setting 119
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	59.54	68.20	-8.66	54.24	3	Horizontal	305	1.99	-	31.60	5.16	31.46
PK	5.828G	121.95	Inf	-Inf	116.32	3	Horizontal	305	1.99	-	32.01	5.08	31.46
AV	5.826G	110.56	Inf	-Inf	104.94	3	Horizontal	305	1.99	-	32.00	5.08	31.46
PK	5.929G	68.02	68.20	-0.18	61.86	3	Horizontal	305	1.99	-	32.22	5.39	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5825MHz_TX




EUT X_2TX
Setting 119
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64974G	53.01	74.00	-20.99	38.61	3	Vertical	16	2.77	-	39.65	7.68	32.93
AV	11.64982G	41.03	54.00	-12.97	26.63	3	Vertical	16	2.77	-	39.65	7.68	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

29/04/2021

5825MHz_TX




EUT X_2TX
Setting 119
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64758G	55.08	74.00	-18.92	40.66	3	Horizontal	66	1.80	-	39.67	7.68	32.93
AV	11.65406G	41.88	54.00	-12.12	27.51	3	Horizontal	66	1.80	-	39.62	7.68	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5190MHz_TX




EUT X_2TX
Setting 85
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	72.03	74.00	-1.97	66.95	3	Vertical	40	2.48	-	31.81	5.00	31.73
AV	5.1496G	51.98	54.00	-2.02	46.91	3	Vertical	40	2.48	-	31.80	5.00	31.73
PK	5.1868G	109.21	Inf	-Inf	104.19	3	Vertical	40	2.48	-	31.65	5.07	31.70
AV	5.1844G	96.53	Inf	-Inf	91.50	3	Vertical	40	2.48	-	31.66	5.07	31.70

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5190MHz_TX




EUT X_2TX
Setting 85
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	73.19	74.00	-0.81	68.11	3	Horizontal	59	1.77	-	31.81	5.00	31.73
AV	5.15G	53.51	54.00	-0.49	48.44	3	Horizontal	59	1.77	-	31.80	5.00	31.73
PK	5.194G	109.59	Inf	-Inf	104.58	3	Horizontal	59	1.77	-	31.62	5.09	31.70
AV	5.1956G	97.60	Inf	-Inf	92.59	3	Horizontal	59	1.77	-	31.62	5.09	31.70

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5190MHz_TX




EUT X_2TX
Setting 85
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56798G	52.95	74.00	-21.05	38.99	3	Vertical	130	2.17	-	37.76	9.05	32.85
AV	15.56958G	40.24	54.00	-13.76	26.29	3	Vertical	130	2.17	-	37.75	9.05	32.85

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5190MHz_TX




EUT X_2TX
Setting 85
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5685G	52.26	74.00	-21.74	38.30	3	Horizontal	298	1.43	-	37.76	9.05	32.85
AV	15.5739G	40.07	54.00	-13.93	26.14	3	Horizontal	298	1.43	-	37.73	9.05	32.85

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5230MHz_TX




EUT X_2TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	69.68	74.00	-4.32	64.60	3	Vertical	37	2.46	-	31.81	5.00	31.73
AV	5.149G	53.01	54.00	-0.99	47.94	3	Vertical	37	2.46	-	31.80	5.00	31.73
PK	5.2264G	114.14	Inf	-Inf	109.23	3	Vertical	37	2.46	-	31.49	5.09	31.67
AV	5.2246G	102.06	Inf	-Inf	97.14	3	Vertical	37	2.46	-	31.50	5.09	31.67
PK	5.368G	63.01	74.00	-10.99	58.12	3	Vertical	37	2.46	-	31.44	5.02	31.57
AV	5.3506G	47.74	54.00	-6.26	43.00	3	Vertical	37	2.46	-	31.30	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5230MHz_TX




EUT X_2TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	70.09	74.00	-3.91	65.01	3	Horizontal	292	2.72	-	31.81	5.00	31.73
AV	5.1496G	53.93	54.00	-0.07	48.86	3	Horizontal	292	2.72	-	31.80	5.00	31.73
PK	5.2348G	117.13	Inf	-Inf	112.26	3	Horizontal	292	2.72	-	31.46	5.08	31.67
AV	5.2348G	105.37	Inf	-Inf	100.50	3	Horizontal	292	2.72	-	31.46	5.08	31.67
PK	5.3656G	63.10	74.00	-10.90	58.23	3	Horizontal	292	2.72	-	31.42	5.02	31.57
AV	5.35G	48.83	54.00	-5.17	44.08	3	Horizontal	292	2.72	-	31.30	5.03	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5230MHz_TX




EUT X_2TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69484G	52.39	74.00	-21.61	38.56	3	Vertical	306	1.07	-	37.60	9.09	32.86
AV	15.69254G	40.34	54.00	-13.66	26.51	3	Vertical	306	1.07	-	37.60	9.09	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5230MHz_TX




EUT X_2TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69366G	52.98	74.00	-21.02	39.15	3	Horizontal	69	1.98	-	37.60	9.09	32.86
AV	15.6851G	40.14	54.00	-13.86	26.30	3	Horizontal	69	1.98	-	37.60	9.09	32.85

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5270MHz_TX




EUT X_2TX
Setting 104
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	60.60	74.00	-13.40	55.52	3	Vertical	51	2.41	-	31.82	4.99	31.73
AV	5.1494G	46.35	54.00	-7.65	41.28	3	Vertical	51	2.41	-	31.80	5.00	31.73
PK	5.2646G	114.02	Inf	-Inf	109.22	3	Vertical	51	2.41	-	31.37	5.07	31.64
AV	5.2646G	101.84	Inf	-Inf	97.04	3	Vertical	51	2.41	-	31.37	5.07	31.64
PK	5.3516G	67.30	74.00	-6.70	62.55	3	Vertical	51	2.41	-	31.31	5.02	31.58
AV	5.351G	52.88	54.00	-1.12	48.13	3	Vertical	51	2.41	-	31.31	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5270MHz_TX




EUT X_2TX
Setting 104
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	60.60	74.00	-13.40	55.52	3	Horizontal	292	2.71	-	31.82	4.99	31.73
AV	5.15G	46.50	54.00	-7.50	41.43	3	Horizontal	292	2.71	-	31.80	5.00	31.73
PK	5.2742G	116.76	Inf	-Inf	111.99	3	Horizontal	292	2.71	-	31.35	5.06	31.64
AV	5.2748G	104.99	Inf	-Inf	100.22	3	Horizontal	292	2.71	-	31.35	5.06	31.64
PK	5.357G	67.94	74.00	-6.06	63.14	3	Horizontal	292	2.71	-	31.36	5.02	31.58
AV	5.3516G	53.91	54.00	-0.09	49.16	3	Horizontal	292	2.71	-	31.31	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5270MHz_TX




EUT X_2TX
Setting 104
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81256G	53.72	74.00	-20.28	40.19	3	Vertical	6	1.90	-	37.27	9.13	32.87
AV	15.80516G	40.29	54.00	-13.71	26.73	3	Vertical	6	1.90	-	37.29	9.13	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5270MHz_TX




EUT X_2TX
Setting 104
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8139G	54.13	74.00	-19.87	40.60	3	Horizontal	72	1.87	-	37.27	9.13	32.87
AV	15.81074G	40.15	54.00	-13.85	26.60	3	Horizontal	72	1.87	-	37.28	9.13	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5310MHz_TX




EUT X_2TX
Setting 82
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	109.26	Inf	-Inf	104.52	3	Vertical	37	1.93	-	31.30	5.05	31.61
AV	5.3044G	96.52	Inf	-Inf	91.78	3	Vertical	37	1.93	-	31.30	5.05	31.61
PK	5.35G	70.11	74.00	-3.89	65.36	3	Vertical	37	1.93	-	31.30	5.03	31.58
AV	5.35G	49.58	54.00	-4.42	44.83	3	Vertical	37	1.93	-	31.30	5.03	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5310MHz_TX




EUT X_2TX
Setting B2
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	111.24	Inf	-Inf	106.51	3	Horizontal	286	2.66	-	31.30	5.04	31.61
AV	5.3148G	99.28	Inf	-Inf	94.55	3	Horizontal	286	2.66	-	31.30	5.04	31.61
PK	5.3516G	73.55	74.00	-0.45	68.80	3	Horizontal	286	2.66	-	31.31	5.02	31.58
AV	5.35G	52.87	54.00	-1.13	48.12	3	Horizontal	286	2.66	-	31.30	5.03	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5310MHz_TX




EUT X_2TX
Setting 82
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93342G	52.44	74.00	-21.56	38.93	3	Vertical	30	2.20	-	37.20	9.18	32.87
AV	15.93494G	40.17	54.00	-13.83	26.66	3	Vertical	30	2.20	-	37.20	9.18	32.87

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5310MHz_TX




EUT X_2TX
Setting 82
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92502G	52.34	74.00	-21.66	38.86	3	Horizontal	348	2.99	-	37.18	9.17	32.87
AV	15.93078G	40.11	54.00	-13.89	26.61	3	Horizontal	348	2.99	-	37.19	9.18	32.87

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5510MHz_TX




EUT X_2TX
Setting 79
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	61.61	74.00	-12.39	56.35	3	Vertical	47	2.08	-	31.70	5.06	31.50
AV	5.4588G	45.76	54.00	-8.24	40.50	3	Vertical	47	2.08	-	31.70	5.06	31.50
PK	5.47G	68.15	68.20	-0.05	62.87	3	Vertical	47	2.08	-	31.70	5.07	31.49
PK	5.5064G	108.82	Inf	-Inf	103.49	3	Vertical	47	2.08	-	31.69	5.11	31.47
AV	5.5032G	96.08	Inf	-Inf	90.76	3	Vertical	47	2.08	-	31.69	5.10	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5510MHz_TX




EUT X_2TX
Setting 79
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	61.50	74.00	-12.50	56.24	3	Horizontal	47	1.82	-	31.70	5.06	31.50
AV	5.458G	45.94	54.00	-8.06	40.68	3	Horizontal	47	1.82	-	31.70	5.06	31.50
PK	5.4684G	67.65	68.20	-0.55	62.37	3	Horizontal	47	1.82	-	31.70	5.07	31.49
PK	5.5052G	108.15	Inf	-Inf	102.82	3	Horizontal	47	1.82	-	31.69	5.11	31.47
AV	5.5036G	96.29	Inf	-Inf	90.97	3	Horizontal	47	1.82	-	31.69	5.10	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5510MHz_TX




EUT X_2TX
Setting 79
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01728G	54.13	74.00	-19.87	38.91	3	Vertical	157	2.56	-	40.53	7.46	32.77
AV	11.01914G	41.85	54.00	-12.15	26.64	3	Vertical	157	2.56	-	40.52	7.46	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5510MHz_TX




EUT X_2TX
Setting 79
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02362G	54.56	74.00	-19.44	39.36	3	Horizontal	179	2.07	-	40.51	7.46	32.77
AV	11.01786G	41.95	54.00	-12.05	26.73	3	Horizontal	179	2.07	-	40.53	7.46	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5550MHz_TX




EUT X_2TX
Setting 103
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	65.27	74.00	-8.73	60.02	3	Vertical	37	2.19	-	31.70	5.05	31.50
AV	5.46G	49.70	54.00	-4.30	44.44	3	Vertical	37	2.19	-	31.70	5.06	31.50
PK	5.4696G	66.32	68.20	-1.88	61.04	3	Vertical	37	2.19	-	31.70	5.07	31.49
PK	5.5464G	113.08	Inf	-Inf	107.79	3	Vertical	37	2.19	-	31.61	5.15	31.47
AV	5.547G	100.71	Inf	-Inf	95.42	3	Vertical	37	2.19	-	31.61	5.15	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5550MHz_TX




EUT X_2TX
Setting 103
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	66.60	74.00	-7.40	61.35	3	Horizontal	283	2.51	-	31.70	5.05	31.50
PK	5.4636G	67.83	68.20	-0.37	62.57	3	Horizontal	283	2.51	-	31.70	5.06	31.50
AV	5.46G	50.67	54.00	-3.33	45.41	3	Horizontal	283	2.51	-	31.70	5.06	31.50
PK	5.5548G	115.38	Inf	-Inf	110.10	3	Horizontal	283	2.51	-	31.60	5.15	31.47
AV	5.5458G	103.77	Inf	-Inf	98.48	3	Horizontal	283	2.51	-	31.61	5.15	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5550MHz_TX




EUT X_2TX
Setting 103
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09568G	53.77	74.00	-20.23	38.86	3	Vertical	73	1.73	-	40.22	7.48	32.79
AV	11.10404G	41.44	54.00	-12.56	26.56	3	Vertical	73	1.73	-	40.19	7.49	32.80

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5550MHz_TX




EUT X_2TX
Setting 103
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0979G	54.47	74.00	-19.53	39.57	3	Horizontal	241	2.11	-	40.21	7.48	32.79
AV	11.10292G	41.26	54.00	-12.74	26.37	3	Horizontal	241	2.11	-	40.19	7.49	32.79

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5670MHz_TX




EUT X_2TX
Setting 91
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6664G	111.11	Inf	-Inf	105.77	3	Vertical	47	1.76	-	31.67	5.13	31.46
AV	5.6668G	98.28	Inf	-Inf	92.94	3	Vertical	47	1.76	-	31.67	5.13	31.46
PK	5.7256G	66.23	68.20	-1.97	60.77	3	Vertical	47	1.76	-	31.85	5.07	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5670MHz_TX




EUT X_2TX
Setting 91
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6568G	113.28	Inf	-Inf	107.97	3	Horizontal	73	1.78	-	31.63	5.14	31.46
AV	5.6692G	101.10	Inf	-Inf	95.75	3	Horizontal	73	1.78	-	31.68	5.13	31.46
PK	5.7292G	68.11	68.20	-0.09	62.64	3	Horizontal	73	1.78	-	31.86	5.07	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5670MHz_TX




EUT X_2TX
Setting 91
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33812G	52.95	74.00	-21.05	38.07	3	Vertical	73	1.24	-	40.18	7.57	32.87
AV	11.33826G	40.70	54.00	-13.30	25.83	3	Vertical	73	1.24	-	40.18	7.57	32.88

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5670MHz_TX




EUT X_2TX
Setting 91
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34204G	53.70	74.00	-20.30	38.83	3	Horizontal	11	1.43	-	40.18	7.57	32.88
AV	11.34114G	40.56	54.00	-13.44	25.69	3	Horizontal	11	1.43	-	40.18	7.57	32.88

802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_2TX
Setting 114
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	113.79	Inf	-Inf	106.45	3	Vertical	53	1.80	-	33.71	5.09	31.46
AV	5.702G	101.78	Inf	-Inf	94.44	3	Vertical	53	1.80	-	33.70	5.10	31.46
PK	5.8788G	65.31	68.20	-2.89	57.60	3	Vertical	53	1.80	-	33.92	5.24	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

08/06/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 114
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	116.09	Inf	-Inf	108.74	3	Horizontal	64	1.60	-	33.72	5.09	31.46
AV	5.702G	105.44	Inf	-Inf	98.10	3	Horizontal	64	1.60	-	33.70	5.10	31.46
PK	5.8532G	68.03	68.20	-0.17	60.52	3	Horizontal	64	1.60	-	33.81	5.16	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

08/06/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 114
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42052G	52.25	74.00	-21.75	38.71	3	Vertical	107	1.52	-	38.84	7.60	32.90
AV	11.41988G	40.28	54.00	-13.72	26.74	3	Vertical	107	1.52	-	38.84	7.60	32.90

802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_2TX
Setting 114
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41963G	53.02	74.00	-20.98	39.48	3	Horizontal	218	1.35	-	38.84	7.60	32.90
AV	11.42016G	40.40	54.00	-13.60	26.86	3	Horizontal	218	1.35	-	38.84	7.60	32.90

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5755MHz_TX




EUT X_2TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.78	68.20	-0.42	62.49	3	Vertical	51	1.80	-	31.60	5.15	31.46
PK	5.741G	113.68	Inf	-Inf	108.20	3	Vertical	51	1.80	-	31.88	5.06	31.46
AV	5.761G	101.29	Inf	-Inf	95.81	3	Vertical	51	1.80	-	31.90	5.04	31.46
PK	5.938G	59.68	68.20	-8.52	53.47	3	Vertical	51	1.80	-	32.25	5.41	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5755MHz_TX




EUT X_2TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	66.08	68.20	-2.12	60.79	3	Horizontal	308	1.93	-	31.60	5.15	31.46
PK	5.761G	116.16	Inf	-Inf	110.68	3	Horizontal	308	1.93	-	31.90	5.04	31.46
AV	5.761G	104.47	Inf	-Inf	98.99	3	Horizontal	308	1.93	-	31.90	5.04	31.46
PK	5.939G	61.36	68.20	-6.84	55.13	3	Horizontal	308	1.93	-	32.26	5.42	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5755MHz_TX




EUT X_2TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50672G	53.83	74.00	-20.17	38.85	3	Vertical	175	1.20	-	40.28	7.63	32.93
AV	11.51054G	41.29	54.00	-12.71	26.32	3	Vertical	175	1.20	-	40.27	7.63	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5755MHz_TX




EUT X_2TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51002G	53.60	74.00	-20.40	38.63	3	Horizontal	353	2.12	-	40.27	7.63	32.93
AV	11.50664G	41.59	54.00	-12.41	26.61	3	Horizontal	353	2.12	-	40.28	7.63	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5795MHz_TX




EUT X_2TX
Setting 113
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.51	68.20	-3.69	59.22	3	Vertical	43	1.70	-	31.60	5.15	31.46
PK	5.791G	114.49	Inf	-Inf	109.04	3	Vertical	43	1.70	-	31.90	5.01	31.46
AV	5.792G	102.21	Inf	-Inf	96.76	3	Vertical	43	1.70	-	31.90	5.01	31.46
PK	5.933G	66.04	68.20	-2.16	59.86	3	Vertical	43	1.70	-	32.23	5.40	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5795MHz_TX




EUT X_2TX
Setting 113
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.63	68.20	-4.57	58.34	3	Horizontal	307	1.83	-	31.60	5.15	31.46
PK	5.806G	117.13	Inf	-Inf	111.65	3	Horizontal	307	1.83	-	31.92	5.02	31.46
AV	5.794G	105.58	Inf	-Inf	100.13	3	Horizontal	307	1.83	-	31.90	5.01	31.46
PK	5.926G	67.96	68.20	-0.24	61.83	3	Horizontal	307	1.83	-	32.20	5.38	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5795MHz_TX




EUT X_2TX
Setting 113
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58784G	53.02	74.00	-20.98	38.25	3	Vertical	127	1.31	-	40.04	7.66	32.93
AV	11.58574G	40.88	54.00	-13.12	26.11	3	Vertical	127	1.31	-	40.04	7.66	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

01/05/2021

5795MHz_TX




EUT X_2TX
Setting 113
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59088G	53.14	74.00	-20.86	38.38	3	Horizontal	303	1.86	-	40.03	7.66	32.93
AV	11.58878G	40.76	54.00	-13.24	26.00	3	Horizontal	303	1.86	-	40.03	7.66	32.93

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5210MHz_TX




EUT X_2TX
Setting 77
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	63.01	74.00	-10.99	57.93	3	Vertical	35	2.46	-	31.82	4.99	31.73
AV	5.15G	49.75	54.00	-4.25	44.68	3	Vertical	35	2.46	-	31.80	5.00	31.73
PK	5.23G	104.59	Inf	-Inf	99.70	3	Vertical	35	2.46	-	31.48	5.08	31.67
AV	5.225G	93.46	Inf	-Inf	88.54	3	Vertical	35	2.46	-	31.50	5.09	31.67
PK	5.375G	56.06	74.00	-17.94	51.11	3	Vertical	35	2.46	-	31.50	5.01	31.56
AV	5.36G	45.75	54.00	-8.25	40.92	3	Vertical	35	2.46	-	31.38	5.02	31.57

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5210MHz_TX




EUT X_2TX
Setting 77
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.89	74.00	-9.11	59.82	3	Horizontal	285	1.63	-	31.80	5.00	31.73
AV	5.148G	53.88	54.00	-0.12	48.80	3	Horizontal	285	1.63	-	31.81	5.00	31.73
PK	5.213G	106.03	Inf	-Inf	101.07	3	Horizontal	285	1.63	-	31.55	5.09	31.68
AV	5.224G	96.11	Inf	-Inf	91.19	3	Horizontal	285	1.63	-	31.50	5.09	31.67
PK	5.36G	56.88	74.00	-17.12	52.05	3	Horizontal	285	1.63	-	31.38	5.02	31.57
AV	5.361G	47.38	54.00	-6.62	42.54	3	Horizontal	285	1.63	-	31.39	5.02	31.57

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5210MHz_TX




EUT X_2TX
Setting 77
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62962G	52.46	74.00	-21.54	38.64	3	Vertical	233	1.57	-	37.60	9.07	32.85
AV	15.62962G	42.13	54.00	-11.87	28.31	3	Vertical	233	1.57	-	37.60	9.07	32.85

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5210MHz_TX




EUT X_2TX
Setting 77
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62562G	51.86	74.00	-22.14	38.04	3	Horizontal	106	2.64	-	37.60	9.07	32.85
AV	15.62504G	41.92	54.00	-12.08	28.10	3	Horizontal	106	2.64	-	37.60	9.07	32.85

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5290MHz_TX




EUT X_2TX
Setting 81
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	57.10	74.00	-16.90	52.02	3	Vertical	45	2.23	-	31.82	4.99	31.73
AV	5.15G	46.08	54.00	-7.92	41.01	3	Vertical	45	2.23	-	31.80	5.00	31.73
PK	5.277G	105.38	Inf	-Inf	100.61	3	Vertical	45	2.23	-	31.35	5.06	31.64
AV	5.299G	94.20	Inf	-Inf	89.47	3	Vertical	45	2.23	-	31.30	5.05	31.62
PK	5.35G	67.55	74.00	-6.45	62.80	3	Vertical	45	2.23	-	31.30	5.03	31.58
AV	5.354G	50.67	54.00	-3.33	45.90	3	Vertical	45	2.23	-	31.33	5.02	31.58
PK	5.489G	55.83	68.20	-12.37	50.52	3	Vertical	45	2.23	-	31.70	5.09	31.48

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5290MHz_TX




EUT X_2TX
Setting 81
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.121G	57.10	74.00	-16.90	51.99	3	Horizontal	291	2.69	-	31.92	4.94	31.75
AV	5.143G	46.78	54.00	-7.22	41.69	3	Horizontal	291	2.69	-	31.83	4.99	31.73
PK	5.277G	107.93	Inf	-Inf	103.16	3	Horizontal	291	2.69	-	31.35	5.06	31.64
AV	5.275G	98.13	Inf	-Inf	93.36	3	Horizontal	291	2.69	-	31.35	5.06	31.64
PK	5.354G	67.01	74.00	-6.99	62.24	3	Horizontal	291	2.69	-	31.33	5.02	31.58
AV	5.351G	53.79	54.00	-0.21	49.04	3	Horizontal	291	2.69	-	31.31	5.02	31.58
PK	5.462G	56.86	68.20	-11.34	51.60	3	Horizontal	291	2.69	-	31.70	5.06	31.50

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5290MHz_TX




EUT X_2TX
Setting 81
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87282G	52.49	74.00	-21.51	39.05	3	Vertical	83	1.42	-	37.15	9.16	32.87
AV	15.8673G	41.97	54.00	-12.03	28.52	3	Vertical	83	1.42	-	37.17	9.15	32.87

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5290MHz_TX




EUT X_2TX
Setting 81
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8721G	52.51	74.00	-21.49	39.06	3	Horizontal	45	2.61	-	37.16	9.16	32.87
AV	15.86708G	41.74	54.00	-12.26	28.29	3	Horizontal	45	2.61	-	37.17	9.15	32.87

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5530MHz_TX




EUT X_2TX
Setting 79
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.28G	55.59	68.20	-12.61	50.82	3	Vertical	41	2.08	-	31.34	5.06	31.63
PK	5.457G	63.41	74.00	-10.59	58.15	3	Vertical	41	2.08	-	31.70	5.06	31.50
AV	5.46G	48.96	54.00	-5.04	43.70	3	Vertical	41	2.08	-	31.70	5.06	31.50
PK	5.47G	67.81	68.20	-0.39	62.53	3	Vertical	41	2.08	-	31.70	5.07	31.49
PK	5.534G	105.84	Inf	-Inf	100.55	3	Vertical	41	2.08	-	31.63	5.13	31.47
AV	5.518G	93.75	Inf	-Inf	88.44	3	Vertical	41	2.08	-	31.66	5.12	31.47
PK	5.747G	54.89	68.20	-13.31	49.41	3	Vertical	41	2.08	-	31.89	5.05	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5530MHz_TX




EUT X_2TX
Setting 79
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	56.29	68.20	-11.91	51.56	3	Horizontal	285	2.62	-	31.30	5.05	31.62
PK	5.457G	63.27	74.00	-10.73	58.01	3	Horizontal	285	2.62	-	31.70	5.06	31.50
AV	5.46G	50.88	54.00	-3.12	45.62	3	Horizontal	285	2.62	-	31.70	5.06	31.50
PK	5.466G	67.90	68.20	-0.30	62.63	3	Horizontal	285	2.62	-	31.70	5.07	31.50
PK	5.517G	107.11	Inf	-Inf	101.79	3	Horizontal	285	2.62	-	31.67	5.12	31.47
AV	5.52G	97.00	Inf	-Inf	91.69	3	Horizontal	285	2.62	-	31.66	5.12	31.47
PK	5.759G	55.78	68.20	-12.42	50.30	3	Horizontal	285	2.62	-	31.90	5.04	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5530MHz_TX




EUT X_2TX
Setting 79
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0602G	54.11	74.00	-19.89	39.06	3	Vertical	35	1.57	-	40.36	7.47	32.78
AV	11.05672G	43.14	54.00	-10.86	28.08	3	Vertical	35	1.57	-	40.37	7.47	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5530MHz_TX




EUT X_2TX
Setting 79
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06234G	54.10	74.00	-19.90	39.06	3	Horizontal	43	1.42	-	40.35	7.47	32.78
AV	11.05554G	43.17	54.00	-10.83	28.10	3	Horizontal	43	1.42	-	40.38	7.47	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

12/05/2021

5610MHz_TX




EUT X_2TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	54.88	68.20	-13.32	50.14	3	Vertical	286	1.87	-	31.30	5.04	31.60
PK	5.4372G	61.87	74.00	-12.13	56.65	3	Vertical	286	1.87	-	31.70	5.04	31.52
PK	5.4612G	62.48	68.20	-5.72	57.22	3	Vertical	286	1.87	-	31.70	5.06	31.50
AV	5.4552G	50.50	54.00	-3.50	45.24	3	Vertical	286	1.87	-	31.70	5.06	31.50
PK	5.6016G	106.42	Inf	-Inf	101.09	3	Vertical	286	1.87	-	31.60	5.20	31.47
AV	5.6004G	95.51	Inf	-Inf	90.18	3	Vertical	286	1.87	-	31.60	5.20	31.47
PK	5.7324G	62.60	68.20	-5.60	57.13	3	Vertical	286	1.87	-	31.86	5.07	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

12/05/2021

5610MHz_TX




EUT X_2TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3412G	57.19	68.20	-11.01	52.45	3	Horizontal	287	2.54	-	31.30	5.03	31.59
PK	5.4516G	65.17	74.00	-8.83	59.93	3	Horizontal	287	2.54	-	31.70	5.05	31.51
PK	5.4672G	65.90	68.20	-2.30	60.62	3	Horizontal	287	2.54	-	31.70	5.07	31.49
AV	5.46G	53.65	54.00	-0.35	48.39	3	Horizontal	287	2.54	-	31.70	5.06	31.50
PK	5.6016G	110.52	Inf	-Inf	105.19	3	Horizontal	287	2.54	-	31.60	5.20	31.47
AV	5.6088G	100.84	Inf	-Inf	95.52	3	Horizontal	287	2.54	-	31.60	5.19	31.47
PK	5.7252G	66.45	68.20	-1.75	60.99	3	Horizontal	287	2.54	-	31.85	5.07	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

12/05/2021

5610MHz_TX




EUT X_2TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2281G	53.45	74.00	-20.55	38.73	3	Vertical	152	1.80	-	40.03	7.53	32.84
AV	11.2227G	42.88	54.00	-11.12	28.17	3	Vertical	152	1.80	-	40.02	7.53	32.84

802.11ax HEW80_Nss2,(MCS0)_2TX

12/05/2021

5610MHz_TX




EUT X_2TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22678G	53.68	74.00	-20.32	38.96	3	Horizontal	360	1.80	-	40.03	7.53	32.84
AV	11.2287G	43.10	54.00	-10.90	28.38	3	Horizontal	360	1.80	-	40.03	7.53	32.84

802.11ax HEW80_Nss2,(MCS0)_2TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 99
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.07	74.00	-15.93	50.61	3	Vertical	54	1.79	-	33.90	5.06	31.50
AV	5.457G	47.70	54.00	-6.30	40.24	3	Vertical	54	1.79	-	33.90	5.06	31.50
PK	5.47G	58.94	68.20	-9.26	51.46	3	Vertical	54	1.79	-	33.90	5.07	31.49
PK	5.698G	107.34	Inf	-Inf	100.00	3	Vertical	54	1.79	-	33.70	5.10	31.46
AV	5.702G	97.16	Inf	-Inf	89.82	3	Vertical	54	1.79	-	33.70	5.10	31.46
PK	5.85G	61.96	68.20	-6.24	54.47	3	Vertical	54	1.79	-	33.80	5.15	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 99
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	61.55	74.00	-12.45	54.09	3	Horizontal	289	2.51	-	33.90	5.06	31.50
AV	5.454G	49.92	54.00	-4.08	42.47	3	Horizontal	289	2.51	-	33.90	5.05	31.50
PK	5.463G	63.86	68.20	-4.34	56.40	3	Horizontal	289	2.51	-	33.90	5.06	31.50
PK	5.682G	113.56	Inf	-Inf	106.16	3	Horizontal	289	2.51	-	33.74	5.12	31.46
AV	5.675G	103.48	Inf	-Inf	96.07	3	Horizontal	289	2.51	-	33.75	5.12	31.46
PK	5.85G	67.99	68.20	-0.21	60.50	3	Horizontal	289	2.51	-	33.80	5.15	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 99
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37985G	53.02	74.00	-20.98	39.55	3	Vertical	31	1.53	-	38.78	7.58	32.89
AV	11.38016G	42.42	54.00	-11.58	28.95	3	Vertical	31	1.53	-	38.78	7.58	32.89

802.11ax HEW80_Nss2,(MCS0)_2TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 99
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37998G	52.22	74.00	-21.78	38.75	3	Horizontal	68	2.21	-	38.78	7.58	32.89
AV	11.37974G	41.64	54.00	-12.36	28.17	3	Horizontal	68	2.21	-	38.78	7.58	32.89

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5775MHz_TX




EUT X_2TX
Setting 99
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.94	68.20	-0.26	62.65	3	Vertical	50	1.58	-	31.60	5.15	31.46
PK	5.769G	107.85	Inf	-Inf	102.38	3	Vertical	50	1.58	-	31.90	5.03	31.46
AV	5.768G	97.06	Inf	-Inf	91.59	3	Vertical	50	1.58	-	31.90	5.03	31.46
PK	5.928G	63.26	68.20	-4.94	57.12	3	Vertical	50	1.58	-	32.21	5.38	31.45

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5775MHz_TX




EUT X_2TX
Setting 99
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	67.98	68.20	-0.22	62.68	3	Horizontal	63	1.70	-	31.60	5.16	31.46
PK	5.76G	111.45	Inf	-Inf	105.97	3	Horizontal	63	1.70	-	31.90	5.04	31.46
AV	5.76G	100.04	Inf	-Inf	94.56	3	Horizontal	63	1.70	-	31.90	5.04	31.46
PK	5.926G	62.67	68.20	-5.53	56.54	3	Horizontal	63	1.70	-	32.20	5.38	31.45

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5775MHz_TX




EUT X_2TX
Setting 99
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54898G	53.42	74.00	-20.58	38.56	3	Vertical	268	1.66	-	40.15	7.64	32.93
AV	11.55026G	42.86	54.00	-11.14	28.00	3	Vertical	268	1.66	-	40.15	7.64	32.93

802.11ax HEW80_Nss2,(MCS0)_2TX

01/05/2021

5775MHz_TX




EUT X_2TX
Setting 99
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54968G	53.44	74.00	-20.56	38.58	3	Horizontal	187	2.59	-	40.15	7.64	32.93
AV	11.5459G	42.79	54.00	-11.21	27.92	3	Horizontal	187	2.59	-	40.16	7.64	32.93

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_2TX
Setting 75
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	65.13	74.00	-8.87	60.02	3	Vertical	41	2.47	-	31.89	4.96	31.74
AV	5.1316G	51.68	54.00	-2.32	46.59	3	Vertical	41	2.47	-	31.87	4.96	31.74
PK	5.234G	98.74	Inf	-Inf	93.87	3	Vertical	41	2.47	-	31.46	5.08	31.67
AV	5.2292G	89.27	Inf	-Inf	84.37	3	Vertical	41	2.47	-	31.48	5.09	31.67
PK	5.4084G	64.87	74.00	-9.13	59.70	3	Vertical	41	2.47	-	31.70	5.01	31.54
AV	5.3652G	48.35	54.00	-5.65	43.48	3	Vertical	41	2.47	-	31.42	5.02	31.57
PK	5.4612G	58.96	68.20	-9.24	53.70	3	Vertical	41	2.47	-	31.70	5.06	31.50

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_2TX
Setting 75
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1156G	67.47	74.00	-6.53	62.35	3	Horizontal	294	2.71	-	31.94	4.93	31.75
AV	5.146G	53.92	54.00	-0.08	48.84	3	Horizontal	294	2.71	-	31.82	4.99	31.73
PK	5.282G	102.79	Inf	-Inf	98.02	3	Horizontal	294	2.71	-	31.34	5.06	31.63
AV	5.2788G	93.13	Inf	-Inf	88.36	3	Horizontal	294	2.71	-	31.34	5.06	31.63
PK	5.4084G	68.60	74.00	-5.40	63.43	3	Horizontal	294	2.71	-	31.70	5.01	31.54
AV	5.4132G	50.24	54.00	-3.76	45.06	3	Horizontal	294	2.71	-	31.70	5.01	31.53
PK	5.4676G	58.99	68.20	-9.21	53.71	3	Horizontal	294	2.71	-	31.70	5.07	31.49

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_2TX
Setting 75
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7517G	52.60	74.00	-21.40	38.91	3	Vertical	253	2.35	-	37.44	9.11	32.86
AV	15.74964G	42.24	54.00	-11.76	28.54	3	Vertical	253	2.35	-	37.45	9.11	32.86

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_2TX
Setting 75
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74968G	52.41	74.00	-21.59	38.71	3	Horizontal	4	2.51	-	37.45	9.11	32.86
AV	15.74502G	41.70	54.00	-12.30	27.99	3	Horizontal	4	2.51	-	37.46	9.11	32.86

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5570MHz_TX




EUT X_2TX
Setting 76
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.46	68.20	-8.74	54.71	3	Vertical	47	2.15	-	31.30	5.03	31.58
PK	5.434G	66.64	74.00	-7.36	61.43	3	Vertical	47	2.15	-	31.70	5.03	31.52
PK	5.4612G	62.25	68.20	-5.95	56.99	3	Vertical	47	2.15	-	31.70	5.06	31.50
AV	5.4532G	51.16	54.00	-2.84	45.91	3	Vertical	47	2.15	-	31.70	5.05	31.50
PK	5.578G	99.74	Inf	-Inf	94.43	3	Vertical	47	2.15	-	31.60	5.18	31.47
AV	5.5588G	89.66	Inf	-Inf	84.37	3	Vertical	47	2.15	-	31.60	5.16	31.47
PK	5.7284G	65.41	68.20	-2.79	59.94	3	Vertical	47	2.15	-	31.86	5.07	31.46

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5570MHz_TX




EUT X_2TX
Setting 76
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3444G	60.59	68.20	-7.61	55.85	3	Horizontal	285	2.49	-	31.30	5.03	31.59
PK	5.4324G	69.10	74.00	-4.90	63.89	3	Horizontal	285	2.49	-	31.70	5.03	31.52
PK	5.4676G	64.16	68.20	-4.04	58.88	3	Horizontal	285	2.49	-	31.70	5.07	31.49
AV	5.4532G	53.50	54.00	-0.50	48.25	3	Horizontal	285	2.49	-	31.70	5.05	31.50
PK	5.5572G	103.35	Inf	-Inf	98.06	3	Horizontal	285	2.49	-	31.60	5.16	31.47
AV	5.5588G	93.45	Inf	-Inf	88.16	3	Horizontal	285	2.49	-	31.60	5.16	31.47
PK	5.7268G	68.18	68.20	-0.02	62.72	3	Horizontal	285	2.49	-	31.85	5.07	31.46

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5570MHz_TX




EUT X_2TX
Setting 76
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14386G	53.42	74.00	-20.58	38.62	3	Vertical	117	1.92	-	40.11	7.50	32.81
AV	11.13546G	43.33	54.00	-10.67	28.51	3	Vertical	117	1.92	-	40.13	7.50	32.81

802.11ax HEW160_Nss2,(MCS0)_2TX

01/05/2021

5570MHz_TX



EUT X_2TX
Setting 76
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13598G	53.25	74.00	-20.75	38.43	3	Horizontal	19	2.49	-	40.13	7.50	32.81
AV	11.1402G	43.14	54.00	-10.86	28.33	3	Horizontal	19	2.49	-	40.12	7.50	32.81




For Radio 3 / 4T1S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.3508G	53.97	54.00	-0.03	3	Horizontal	284	1.67	-

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5180MHz_TX




EUT X_4TX
Setting 91
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	59.72	74.00	-14.28	56.40	3	Vertical	354	3.00	-	32.60	5.17	34.45
AV	5.1464G	46.87	54.00	-7.13	43.55	3	Vertical	354	3.00	-	32.60	5.17	34.45
PK	5.1824G	111.05	Inf	-Inf	107.65	3	Vertical	354	3.00	-	32.66	5.19	34.45
AV	5.1816G	102.13	Inf	-Inf	98.73	3	Vertical	354	3.00	-	32.66	5.19	34.45

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5180MHz_TX




EUT X_4TX
Setting 91
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	73.10	74.00	-0.90	69.78	3	Horizontal	292	1.77	-	32.60	5.17	34.45
AV	5.148G	53.51	54.00	-0.49	50.19	3	Horizontal	292	1.77	-	32.60	5.17	34.45
PK	5.1874G	120.19	Inf	-Inf	116.78	3	Horizontal	292	1.77	-	32.67	5.19	34.45
AV	5.1876G	110.93	Inf	-Inf	107.51	3	Horizontal	292	1.77	-	32.68	5.19	34.45

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5180MHz_TX




EUT X_4TX
Setting 91
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54472G	57.82	74.00	-16.18	44.79	3	Vertical	359	1.80	-	38.19	9.21	34.37
AV	15.53736G	44.67	54.00	-9.33	31.66	3	Vertical	359	1.80	-	38.17	9.21	34.37

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5180MHz_TX




EUT X_4TX
Setting 91
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53956G	58.05	74.00	-15.95	45.03	3	Horizontal	155	1.01	-	38.18	9.21	34.37
AV	15.54684G	44.51	54.00	-9.49	31.49	3	Horizontal	155	1.01	-	38.19	9.21	34.38

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5200MHz_TX




EUT X_4TX
Setting 110
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	59.47	74.00	-14.53	56.15	3	Vertical	350	3.00	-	32.60	5.17	34.45
AV	5.1492G	46.95	54.00	-7.05	43.63	3	Vertical	350	3.00	-	32.60	5.17	34.45
PK	5.2024G	117.16	Inf	-Inf	113.71	3	Vertical	350	3.00	-	32.70	5.20	34.45
AV	5.202G	107.23	Inf	-Inf	103.78	3	Vertical	350	3.00	-	32.70	5.20	34.45

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5200MHz_TX




EUT X_4TX
Setting 110
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	72.65	74.00	-1.35	69.33	3	Horizontal	291	1.74	-	32.60	5.17	34.45
AV	5.15G	53.88	54.00	-0.12	50.56	3	Horizontal	291	1.74	-	32.60	5.17	34.45
PK	5.2076G	124.50	Inf	-Inf	121.02	3	Horizontal	291	1.74	-	32.72	5.21	34.45
AV	5.208G	114.83	Inf	-Inf	111.35	3	Horizontal	291	1.74	-	32.72	5.21	34.45

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5200MHz_TX




EUT X_4TX
Setting 110
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59252G	55.40	74.00	-18.60	42.31	3	Vertical	0	1.70	-	38.29	9.22	34.42
AV	15.60032G	42.22	54.00	-11.78	29.13	3	Vertical	0	1.70	-	38.30	9.22	34.43

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5200MHz_TX




EUT X_4TX
Setting 110
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59488G	57.84	74.00	-16.16	44.75	3	Horizontal	62	1.37	-	38.29	9.22	34.42
AV	15.59744G	44.35	54.00	-9.65	31.27	3	Horizontal	62	1.37	-	38.29	9.22	34.43

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5240MHz_TX




EUT X_4TX
Setting 119
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.05	74.00	-10.95	59.73	3	Vertical	315	2.65	-	32.60	5.17	34.45
AV	5.15G	49.07	54.00	-4.93	45.75	3	Vertical	315	2.65	-	32.60	5.17	34.45
PK	5.2382G	116.67	Inf	-Inf	113.09	3	Vertical	315	2.65	-	32.78	5.24	34.44
AV	5.2376G	107.11	Inf	-Inf	103.53	3	Vertical	315	2.65	-	32.78	5.24	34.44
PK	5.3504G	59.65	74.00	-14.35	55.83	3	Vertical	315	2.65	-	32.90	5.35	34.43
AV	5.3516G	47.42	54.00	-6.58	43.59	3	Vertical	315	2.65	-	32.91	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5240MHz_TX




EUT X_4TX
Setting 119
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	70.80	74.00	-3.20	67.48	3	Horizontal	293	1.80	-	32.60	5.17	34.45
AV	5.144G	53.82	54.00	-0.18	50.50	3	Horizontal	293	1.80	-	32.60	5.17	34.45
PK	5.2478G	125.92	Inf	-Inf	122.31	3	Horizontal	293	1.80	-	32.80	5.25	34.44
AV	5.2472G	116.52	Inf	-Inf	112.92	3	Horizontal	293	1.80	-	32.79	5.25	34.44
PK	5.3528G	67.15	74.00	-6.85	63.31	3	Horizontal	293	1.80	-	32.92	5.35	34.43
AV	5.3528G	51.40	54.00	-2.60	47.56	3	Horizontal	293	1.80	-	32.92	5.35	34.43

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5240MHz_TX




EUT X_4TX
Setting 119
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72948G	56.04	74.00	-17.96	42.95	3	Vertical	132	2.99	-	38.40	9.25	34.56
AV	15.7198G	42.53	54.00	-11.47	29.44	3	Vertical	132	2.99	-	38.40	9.24	34.55

802.11a_Nss1,(6Mbps)_4TX

29/03/2021

5240MHz_TX




EUT X_4TX
Setting 119
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72932G	55.86	74.00	-18.14	42.77	3	Horizontal	283	1.82	-	38.40	9.25	34.56
AV	15.71848G	42.71	54.00	-11.29	29.62	3	Horizontal	283	1.82	-	38.40	9.24	34.55

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5260MHz_TX




EUT X_4TX
Setting 119
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	61.44	74.00	-12.56	56.36	3	Vertical	353	1.83	-	31.82	4.99	31.73
AV	5.1466G	45.93	54.00	-8.07	40.86	3	Vertical	353	1.83	-	31.81	4.99	31.73
PK	5.2588G	122.24	Inf	-Inf	117.44	3	Vertical	353	1.83	-	31.38	5.07	31.65
AV	5.2582G	111.86	Inf	-Inf	107.06	3	Vertical	353	1.83	-	31.38	5.07	31.65
PK	5.3506G	67.73	74.00	-6.27	62.99	3	Vertical	353	1.83	-	31.30	5.02	31.58
AV	5.35G	50.91	54.00	-3.09	46.16	3	Vertical	353	1.83	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5260MHz_TX




EUT X_4TX
Setting 119
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	66.20	74.00	-7.80	61.12	3	Horizontal	287	1.71	-	31.82	4.99	31.73
AV	5.1442G	49.39	54.00	-4.61	44.31	3	Horizontal	287	1.71	-	31.82	4.99	31.73
PK	5.2624G	126.82	Inf	-Inf	122.02	3	Horizontal	287	1.71	-	31.38	5.07	31.65
AV	5.2624G	117.61	Inf	-Inf	112.81	3	Horizontal	287	1.71	-	31.38	5.07	31.65
PK	5.352G	70.74	74.00	-3.26	65.99	3	Horizontal	287	1.71	-	31.30	5.03	31.58
AV	5.3524G	53.94	54.00	-0.06	49.18	3	Horizontal	287	1.71	-	31.32	5.02	31.58

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5260MHz_TX




EUT X_4TX
Setting 119
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78788G	52.75	74.00	-21.25	39.14	3	Vertical	91	1.53	-	37.34	9.13	32.86
AV	15.78124G	39.72	54.00	-14.28	26.10	3	Vertical	91	1.53	-	37.36	9.12	32.86

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5260MHz_TX




EUT X_4TX
Setting 119
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78764G	53.71	74.00	-20.29	40.10	3	Horizontal	51	1.83	-	37.34	9.13	32.86
AV	15.78628G	41.05	54.00	-12.95	27.44	3	Horizontal	51	1.83	-	37.34	9.13	32.86

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5300MHz_TX




EUT X_4TX
Setting 107
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	118.54	Inf	-Inf	113.81	3	Vertical	347	1.90	-	31.30	5.05	31.62
AV	5.298G	109.16	Inf	-Inf	104.43	3	Vertical	347	1.90	-	31.30	5.05	31.62
PK	5.36G	64.11	74.00	-9.89	59.28	3	Vertical	347	1.90	-	31.38	5.02	31.57
AV	5.35G	46.24	54.00	-7.76	41.49	3	Vertical	347	1.90	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5300MHz_TX




EUT X_4TX
Setting 107
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	124.46	Inf	-Inf	119.73	3	Horizontal	286	1.86	-	31.30	5.05	31.62
AV	5.3024G	114.77	Inf	-Inf	110.04	3	Horizontal	286	1.86	-	31.30	5.05	31.62
PK	5.3528G	72.00	74.00	-2.00	67.24	3	Horizontal	286	1.86	-	31.32	5.02	31.58
AV	5.3524G	53.93	54.00	-0.07	49.17	3	Horizontal	286	1.86	-	31.32	5.02	31.58

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5300MHz_TX




EUT X_4TX
Setting 107
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59116G	53.16	68.20	-15.04	38.75	3	Vertical	67	2.03	-	39.69	7.31	32.59
AV	10.60248G	40.14	54.00	-13.86	25.72	3	Vertical	67	2.03	-	39.70	7.31	32.59
PK	15.90512G	53.49	74.00	-20.51	40.07	3	Vertical	51	1.83	-	37.12	9.17	32.87
AV	15.90948G	39.27	54.00	-14.73	25.84	3	Vertical	51	1.83	-	37.13	9.17	32.87

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5300MHz_TX




EUT X_4TX
Setting 107
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60112G	52.78	74.00	-21.22	38.36	3	Horizontal	74	2.71	-	39.70	7.31	32.59
AV	10.60992G	39.90	54.00	-14.10	25.48	3	Horizontal	74	2.71	-	39.71	7.31	32.60
PK	15.89388G	51.88	74.00	-22.12	38.48	3	Horizontal	211	1.77	-	37.11	9.16	32.87
AV	15.9096G	39.29	54.00	-14.71	25.86	3	Horizontal	211	1.77	-	37.13	9.17	32.87

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5320MHz_TX




EUT X_4TX
Setting 92
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	115.47	Inf	-Inf	110.73	3	Vertical	345	1.99	-	31.30	5.04	31.60
AV	5.3178G	106.30	Inf	-Inf	101.56	3	Vertical	345	1.99	-	31.30	5.04	31.60
PK	5.3514G	65.48	74.00	-8.52	60.73	3	Vertical	345	1.99	-	31.31	5.02	31.58
AV	5.351G	47.49	54.00	-6.51	42.74	3	Vertical	345	1.99	-	31.31	5.02	31.58

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5320MHz_TX




EUT X_4TX
Setting 92
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	120.89	Inf	-Inf	116.15	3	Horizontal	287	1.76	-	31.30	5.04	31.60
AV	5.3224G	111.37	Inf	-Inf	106.63	3	Horizontal	287	1.76	-	31.30	5.04	31.60
PK	5.351G	70.60	74.00	-3.40	65.85	3	Horizontal	287	1.76	-	31.31	5.02	31.58
AV	5.3524G	52.70	54.00	-1.30	47.94	3	Horizontal	287	1.76	-	31.32	5.02	31.58

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5320MHz_TX




EUT X_4TX
Setting 92
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6398G	52.57	74.00	-21.43	38.12	3	Vertical	14	1.59	-	39.74	7.32	32.61
AV	10.63544G	39.50	54.00	-14.50	25.05	3	Vertical	14	1.59	-	39.74	7.32	32.61
PK	15.96416G	52.02	74.00	-21.98	38.42	3	Vertical	194	2.27	-	37.29	9.19	32.88
AV	15.96856G	39.24	54.00	-14.76	25.62	3	Vertical	194	2.27	-	37.31	9.19	32.88

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5320MHz_TX




EUT X_4TX
Setting 92
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6444G	52.73	74.00	-21.27	38.27	3	Horizontal	279	2.28	-	39.74	7.33	32.61
AV	10.63808G	39.60	54.00	-14.40	25.15	3	Horizontal	279	2.28	-	39.74	7.32	32.61
PK	15.9696G	51.89	74.00	-22.11	38.27	3	Horizontal	332	2.59	-	37.31	9.19	32.88
AV	15.96256G	39.34	54.00	-14.66	25.74	3	Horizontal	332	2.59	-	37.29	9.19	32.88

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5500MHz_TX




EUT X_4TX
Setting 90
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	61.60	74.00	-12.40	56.35	3	Vertical	343	2.73	-	31.70	5.05	31.50
AV	5.4576G	44.52	54.00	-9.48	39.26	3	Vertical	343	2.73	-	31.70	5.06	31.50
PK	5.4692G	63.40	68.20	-4.80	58.12	3	Vertical	343	2.73	-	31.70	5.07	31.49
PK	5.5014G	114.48	Inf	-Inf	109.15	3	Vertical	343	2.73	-	31.70	5.10	31.47
AV	5.5016G	105.44	Inf	-Inf	100.11	3	Vertical	343	2.73	-	31.70	5.10	31.47

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5500MHz_TX




EUT X_4TX
Setting 90
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	67.74	74.00	-6.26	62.49	3	Horizontal	67	1.80	-	31.70	5.05	31.50
AV	5.46G	47.35	54.00	-6.65	42.09	3	Horizontal	67	1.80	-	31.70	5.06	31.50
PK	5.47G	68.11	68.20	-0.09	62.83	3	Horizontal	67	1.80	-	31.70	5.07	31.49
PK	5.4944G	120.00	Inf	-Inf	114.68	3	Horizontal	67	1.80	-	31.70	5.09	31.47
AV	5.494G	110.37	Inf	-Inf	105.05	3	Horizontal	67	1.80	-	31.70	5.09	31.47

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5500MHz_TX




EUT X_4TX
Setting 90
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00732G	53.48	74.00	-20.52	38.22	3	Vertical	95	2.70	-	40.57	7.45	32.76
AV	11.00416G	40.60	54.00	-13.40	25.33	3	Vertical	95	2.70	-	40.58	7.45	32.76

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5500MHz_TX




EUT X_4TX
Setting 90
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00428G	53.28	74.00	-20.72	38.01	3	Horizontal	221	1.87	-	40.58	7.45	32.76
AV	11.0066G	40.51	54.00	-13.49	25.25	3	Horizontal	221	1.87	-	40.57	7.45	32.76

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	58.11	74.00	-15.89	52.87	3	Vertical	295	1.89	-	31.70	5.05	31.51
PK	5.4664G	61.42	68.20	-6.78	56.14	3	Vertical	295	1.89	-	31.70	5.07	31.49
AV	5.46G	44.96	54.00	-9.04	39.70	3	Vertical	295	1.89	-	31.70	5.06	31.50
PK	5.584G	121.34	Inf	-Inf	116.03	3	Vertical	295	1.89	-	31.60	5.18	31.47
AV	5.5824G	110.43	Inf	-Inf	105.12	3	Vertical	295	1.89	-	31.60	5.18	31.47
PK	5.7424G	55.91	68.20	-12.29	50.43	3	Vertical	295	1.89	-	31.88	5.06	31.46

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4504G	63.57	74.00	-10.43	58.33	3	Horizontal	68	1.73	-	31.70	5.05	31.51
AV	5.4448G	48.94	54.00	-5.06	43.71	3	Horizontal	68	1.73	-	31.70	5.04	31.51
PK	5.4696G	66.82	68.20	-1.38	61.54	3	Horizontal	68	1.73	-	31.70	5.07	31.49
PK	5.5744G	126.99	Inf	-Inf	121.69	3	Horizontal	68	1.73	-	31.60	5.17	31.47
AV	5.5744G	117.62	Inf	-Inf	112.32	3	Horizontal	68	1.73	-	31.60	5.17	31.47
PK	5.7392G	62.48	68.20	-5.72	57.00	3	Horizontal	68	1.73	-	31.88	5.06	31.46

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16584G	53.15	74.00	-20.85	38.39	3	Vertical	47	1.87	-	40.07	7.51	32.82
AV	11.16164G	40.15	54.00	-13.85	25.37	3	Vertical	47	1.87	-	40.08	7.51	32.81

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16724G	53.02	74.00	-20.98	38.26	3	Horizontal	83	1.37	-	40.07	7.51	32.82
AV	11.15104G	40.24	54.00	-13.76	25.45	3	Horizontal	83	1.37	-	40.10	7.50	32.81

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5700MHz_TX




EUT X_4TX
Setting 80
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	112.09	Inf	-Inf	106.64	3	Vertical	0	2.86	-	31.81	5.10	31.46
AV	5.704G	103.02	Inf	-Inf	97.57	3	Vertical	0	2.86	-	31.81	5.10	31.46
PK	5.7254G	63.09	68.20	-5.11	57.63	3	Vertical	0	2.86	-	31.85	5.07	31.46

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5700MHz_TX




EUT X_4TX
Setting 80
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	119.06	Inf	-Inf	113.64	3	Horizontal	61	1.86	-	31.78	5.10	31.46
AV	5.695G	109.59	Inf	-Inf	104.17	3	Horizontal	61	1.86	-	31.78	5.10	31.46
PK	5.7318G	67.84	68.20	-0.36	62.37	3	Horizontal	61	1.86	-	31.86	5.07	31.46

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5700MHz_TX




EUT X_4TX
Setting 80
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3918G	53.58	74.00	-20.42	38.60	3	Vertical	150	2.59	-	40.28	7.59	32.89
AV	11.39268G	40.21	54.00	-13.79	25.22	3	Vertical	150	2.59	-	40.29	7.59	32.89

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5700MHz_TX




EUT X_4TX
Setting 80
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40528G	53.16	74.00	-20.84	38.17	3	Horizontal	31	1.26	-	40.30	7.59	32.90
AV	11.40956G	40.28	54.00	-13.72	25.29	3	Horizontal	31	1.26	-	40.30	7.59	32.90

802.11a_Nss1,(6Mbps)_4TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	120.76	Inf	-Inf	113.39	3	Vertical	0	2.97	-	33.75	5.08	31.46
AV	5.724G	110.40	Inf	-Inf	103.03	3	Vertical	0	2.97	-	33.75	5.08	31.46
PK	5.8616G	64.24	68.20	-3.96	56.67	3	Vertical	0	2.97	-	33.85	5.18	31.46

802.11a_Nss1,(6Mbps)_4TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	127.27	Inf	-Inf	119.91	3	Horizontal	56	2.24	-	33.74	5.08	31.46
AV	5.7176G	117.07	Inf	-Inf	109.71	3	Horizontal	56	2.24	-	33.74	5.08	31.46
PK	5.8616G	65.92	68.20	-2.28	58.35	3	Horizontal	56	2.24	-	33.85	5.18	31.46

802.11a_Nss1,(6Mbps)_4TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43852G	53.25	74.00	-20.75	39.68	3	Vertical	61	1.43	-	38.88	7.60	32.91
AV	11.43792G	39.78	54.00	-14.22	26.21	3	Vertical	61	1.43	-	38.88	7.60	32.91

802.11a_Nss1,(6Mbps)_4TX

08/06/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 120
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43728G	52.68	74.00	-21.32	39.12	3	Horizontal	6	2.06	-	38.87	7.60	32.91
AV	11.44316G	39.87	54.00	-14.13	26.28	3	Horizontal	6	2.06	-	38.89	7.61	32.91

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5745MHz_TX




EUT X_4TX
Setting 112
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	58.71	68.20	-9.49	53.42	3	Vertical	0	2.04	-	31.60	5.15	31.46
PK	5.751G	119.34	Inf	-Inf	113.85	3	Vertical	0	2.04	-	31.90	5.05	31.46
AV	5.752G	109.50	Inf	-Inf	104.01	3	Vertical	0	2.04	-	31.90	5.05	31.46
PK	5.954G	57.43	68.20	-10.77	51.13	3	Vertical	0	2.04	-	32.29	5.46	31.45

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5745MHz_TX




EUT X_4TX
Setting 112
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.55	68.20	-0.65	62.26	3	Horizontal	58	1.80	-	31.60	5.15	31.46
PK	5.741G	126.33	Inf	-Inf	120.85	3	Horizontal	58	1.80	-	31.88	5.06	31.46
AV	5.74G	116.89	Inf	-Inf	111.41	3	Horizontal	58	1.80	-	31.88	5.06	31.46
PK	5.968G	60.17	68.20	-8.03	53.86	3	Horizontal	58	1.80	-	32.26	5.50	31.45

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5745MHz_TX




EUT X_4TX
Setting 112
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48716G	53.16	74.00	-20.84	38.17	3	Vertical	191	2.26	-	40.30	7.62	32.93
AV	11.48588G	40.29	54.00	-13.71	25.30	3	Vertical	191	2.26	-	40.30	7.62	32.93

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5745MHz_TX




EUT X_4TX
Setting 112
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.482G	53.55	74.00	-20.45	38.55	3	Horizontal	216	2.69	-	40.30	7.62	32.92
AV	11.48604G	40.23	54.00	-13.77	25.24	3	Horizontal	216	2.69	-	40.30	7.62	32.93

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	58.20	68.20	-10.00	52.89	3	Vertical	0	1.93	-	31.60	5.17	31.46
PK	5.791G	121.53	Inf	-Inf	116.08	3	Vertical	0	1.93	-	31.90	5.01	31.46
AV	5.792G	111.00	Inf	-Inf	105.55	3	Vertical	0	1.93	-	31.90	5.01	31.46
PK	5.949G	58.09	68.20	-10.11	51.79	3	Vertical	0	1.93	-	32.30	5.45	31.45

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	64.77	68.94	-4.17	59.48	3	Horizontal	62	1.84	-	31.60	5.15	31.46
PK	5.779G	127.07	Inf	-Inf	121.61	3	Horizontal	62	1.84	-	31.90	5.02	31.46
AV	5.78G	117.32	Inf	-Inf	111.86	3	Horizontal	62	1.84	-	31.90	5.02	31.46
PK	5.937G	61.99	68.20	-6.21	55.78	3	Horizontal	62	1.84	-	32.25	5.41	31.45

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56872G	53.24	74.00	-20.76	38.43	3	Vertical	258	2.89	-	40.09	7.65	32.93
AV	11.56912G	39.99	54.00	-14.01	25.18	3	Vertical	258	2.89	-	40.09	7.65	32.93

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5704G	52.81	74.00	-21.19	38.00	3	Horizontal	186	2.82	-	40.09	7.65	32.93
AV	11.56912G	39.95	54.00	-14.05	25.14	3	Horizontal	186	2.82	-	40.09	7.65	32.93

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5825MHz_TX




EUT X_4TX
Setting 118
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	56.48	68.20	-11.72	51.15	3	Vertical	0	3.00	-	31.60	5.20	31.47
PK	5.831G	120.27	Inf	-Inf	114.62	3	Vertical	0	3.00	-	32.02	5.09	31.46
AV	5.83G	109.61	Inf	-Inf	103.96	3	Vertical	0	3.00	-	32.02	5.09	31.46
PK	5.934G	64.09	68.20	-4.11	57.90	3	Vertical	0	3.00	-	32.24	5.40	31.45

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5825MHz_TX




EUT X_4TX
Setting 118
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	59.08	68.20	-9.12	53.79	3	Horizontal	54	2.40	-	31.60	5.15	31.46
PK	5.823G	126.38	Inf	-Inf	120.78	3	Horizontal	54	2.40	-	31.99	5.07	31.46
AV	5.823G	116.63	Inf	-Inf	111.03	3	Horizontal	54	2.40	-	31.99	5.07	31.46
PK	5.934G	68.07	68.20	-0.13	61.88	3	Horizontal	54	2.40	-	32.24	5.40	31.45

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5825MHz_TX




EUT X_4TX
Setting 118
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64288G	52.89	74.00	-21.11	38.44	3	Vertical	93	1.39	-	39.70	7.68	32.93
AV	11.65596G	39.38	54.00	-14.62	25.02	3	Vertical	93	1.39	-	39.61	7.68	32.93

802.11a_Nss1,(6Mbps)_4TX

24/04/2021

5825MHz_TX




EUT X_4TX
Setting 118
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65648G	52.58	74.00	-21.42	38.23	3	Horizontal	145	1.37	-	39.60	7.68	32.93
AV	11.64328G	39.50	54.00	-14.50	25.05	3	Horizontal	145	1.37	-	39.70	7.68	32.93

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5180MHz_TX




EUT X_4TX
Setting 87
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	61.60	74.00	-12.40	58.28	3	Vertical	338	3.00	-	32.60	5.17	34.45
AV	5.15G	46.72	54.00	-7.28	43.40	3	Vertical	338	3.00	-	32.60	5.17	34.45
PK	5.1772G	111.45	Inf	-Inf	108.06	3	Vertical	338	3.00	-	32.65	5.19	34.45
AV	5.1826G	99.11	Inf	-Inf	95.70	3	Vertical	338	3.00	-	32.67	5.19	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5180MHz_TX




EUT X_4TX
Setting 87
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	72.98	74.00	-1.02	69.66	3	Horizontal	61	1.71	-	32.60	5.17	34.45
AV	5.1486G	53.93	54.00	-0.07	50.61	3	Horizontal	61	1.71	-	32.60	5.17	34.45
PK	5.1842G	121.93	Inf	-Inf	118.52	3	Horizontal	61	1.71	-	32.67	5.19	34.45
AV	5.179G	109.43	Inf	-Inf	106.03	3	Horizontal	61	1.71	-	32.66	5.19	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5180MHz_TX




EUT X_4TX
Setting 87
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54156G	56.81	74.00	-17.19	43.79	3	Vertical	58	2.22	-	38.18	9.21	34.37
AV	15.53124G	43.13	54.00	-10.87	30.12	3	Vertical	58	2.22	-	38.16	9.21	34.36

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5180MHz_TX




EUT X_4TX
Setting 87
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53356G	57.38	74.00	-16.62	44.36	3	Horizontal	8	1.98	-	38.17	9.21	34.36
AV	15.53116G	43.22	54.00	-10.78	30.21	3	Horizontal	8	1.98	-	38.16	9.21	34.36

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5200MHz_TX




EUT X_4TX
Setting 103
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	59.14	74.00	-14.86	55.83	3	Vertical	338	3.00	-	32.60	5.16	34.45
AV	5.1468G	46.68	54.00	-7.32	43.36	3	Vertical	338	3.00	-	32.60	5.17	34.45
PK	5.1924G	115.27	Inf	-Inf	111.84	3	Vertical	338	3.00	-	32.68	5.20	34.45
AV	5.2024G	103.32	Inf	-Inf	99.87	3	Vertical	338	3.00	-	32.70	5.20	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5200MHz_TX




EUT X_4TX
Setting 103
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	69.70	74.00	-4.30	66.38	3	Horizontal	60	1.68	-	32.60	5.17	34.45
AV	5.1488G	53.35	54.00	-0.65	50.03	3	Horizontal	60	1.68	-	32.60	5.17	34.45
PK	5.2044G	125.18	Inf	-Inf	121.72	3	Horizontal	60	1.68	-	32.71	5.20	34.45
AV	5.1992G	112.93	Inf	-Inf	109.48	3	Horizontal	60	1.68	-	32.70	5.20	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5200MHz_TX




EUT X_4TX
Setting 103
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5988G	57.40	74.00	-16.60	44.31	3	Vertical	239	2.90	-	38.30	9.22	34.43
AV	15.5936G	43.77	54.00	-10.23	30.68	3	Vertical	239	2.90	-	38.29	9.22	34.42

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5200MHz_TX




EUT X_4TX
Setting 103
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59028G	57.05	74.00	-16.95	43.97	3	Horizontal	2	1.80	-	38.28	9.22	34.42
AV	15.592G	42.73	54.00	-11.27	29.65	3	Horizontal	2	1.80	-	38.28	9.22	34.42

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5240MHz_TX




EUT X_4TX
Setting 115
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1092G	59.26	74.00	-14.74	55.97	3	Vertical	339	2.96	-	32.60	5.15	34.46
AV	5.1476G	46.56	54.00	-7.44	43.24	3	Vertical	339	2.96	-	32.60	5.17	34.45
PK	5.2322G	117.25	Inf	-Inf	113.70	3	Vertical	339	2.96	-	32.76	5.23	34.44
AV	5.2424G	105.48	Inf	-Inf	101.90	3	Vertical	339	2.96	-	32.78	5.24	34.44
PK	5.3576G	59.41	74.00	-14.59	55.53	3	Vertical	339	2.96	-	32.95	5.36	34.43
AV	5.3786G	46.73	54.00	-7.27	42.70	3	Vertical	339	2.96	-	33.07	5.38	34.42

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5240MHz_TX




EUT X_4TX
Setting 115
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.72	74.00	-6.28	64.40	3	Horizontal	61	1.65	-	32.60	5.17	34.45
AV	5.15G	51.94	54.00	-2.06	48.62	3	Horizontal	61	1.65	-	32.60	5.17	34.45
PK	5.2394G	126.92	Inf	-Inf	123.34	3	Horizontal	61	1.65	-	32.78	5.24	34.44
AV	5.234G	115.09	Inf	-Inf	111.53	3	Horizontal	61	1.65	-	32.77	5.23	34.44
PK	5.3534G	65.71	74.00	-8.29	61.87	3	Horizontal	61	1.65	-	32.92	5.35	34.43
AV	5.35G	50.61	54.00	-3.39	46.79	3	Horizontal	61	1.65	-	32.90	5.35	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5240MHz_TX




EUT X_4TX
Setting 115
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7174G	55.75	74.00	-18.25	42.66	3	Vertical	17	1.80	-	38.40	9.24	34.55
AV	15.7114G	42.38	54.00	-11.62	29.28	3	Vertical	17	1.80	-	38.40	9.24	34.54

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5240MHz_TX




EUT X_4TX
Setting 115
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71448G	57.38	74.00	-16.62	44.28	3	Horizontal	53	1.80	-	38.40	9.24	34.54
AV	15.71468G	43.82	54.00	-10.18	30.72	3	Horizontal	53	1.80	-	38.40	9.24	34.54

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5260MHz_TX




EUT X_4TX
Setting 115
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	59.34	74.00	-14.66	54.26	3	Vertical	352	1.82	-	31.82	4.99	31.73
AV	5.15G	44.53	54.00	-9.47	39.46	3	Vertical	352	1.82	-	31.80	5.00	31.73
PK	5.2648G	122.56	Inf	-Inf	117.76	3	Vertical	352	1.82	-	31.37	5.07	31.64
AV	5.2642G	109.53	Inf	-Inf	104.73	3	Vertical	352	1.82	-	31.37	5.07	31.64
PK	5.3512G	64.65	74.00	-9.35	59.90	3	Vertical	352	1.82	-	31.31	5.02	31.58
AV	5.35G	48.32	54.00	-5.68	43.57	3	Vertical	352	1.82	-	31.30	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5260MHz_TX




EUT X_4TX
Setting 115
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.35	74.00	-10.65	58.28	3	Horizontal	285	1.61	-	31.80	5.00	31.73
AV	5.15G	48.24	54.00	-5.76	43.17	3	Horizontal	285	1.61	-	31.80	5.00	31.73
PK	5.266G	126.59	Inf	-Inf	121.79	3	Horizontal	285	1.61	-	31.37	5.07	31.64
AV	5.2606G	115.03	Inf	-Inf	110.23	3	Horizontal	285	1.61	-	31.38	5.07	31.65
PK	5.3506G	68.60	74.00	-5.40	63.86	3	Horizontal	285	1.61	-	31.30	5.02	31.58
AV	5.3512G	53.33	54.00	-0.67	48.58	3	Horizontal	285	1.61	-	31.31	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5260MHz_TX




EUT X_4TX
Setting 115
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78828G	52.55	74.00	-21.45	38.94	3	Vertical	345	2.01	-	37.34	9.13	32.86
AV	15.77484G	38.70	54.00	-15.30	25.06	3	Vertical	345	2.01	-	37.38	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5260MHz_TX




EUT X_4TX
Setting 115
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77764G	82.45	74.00	-21.55	38.82	3	Horizontal	235	2.60	-	37.37	9.12	32.86
AV	15.7786G	38.67	54.00	-15.33	25.05	3	Horizontal	235	2.60	-	37.36	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5300MHz_TX




EUT X_4TX
Setting 104
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	119.39	Inf	-Inf	114.65	3	Vertical	348	1.90	-	31.30	5.05	31.61
AV	5.3044G	106.26	Inf	-Inf	101.52	3	Vertical	348	1.90	-	31.30	5.05	31.61
PK	5.3516G	65.22	74.00	-8.78	60.47	3	Vertical	348	1.90	-	31.31	5.02	31.58
AV	5.35G	48.37	54.00	-5.63	43.62	3	Vertical	348	1.90	-	31.30	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5300MHz_TX




EUT X_4TX
Setting 104
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	125.09	Inf	-Inf	120.36	3	Horizontal	282	1.87	-	31.30	5.05	31.62
AV	5.3008G	112.18	Inf	-Inf	107.45	3	Horizontal	282	1.87	-	31.30	5.05	31.62
PK	5.3528G	71.25	74.00	-2.75	66.49	3	Horizontal	282	1.87	-	31.32	5.02	31.58
AV	5.3508G	53.51	54.00	-0.49	48.76	3	Horizontal	282	1.87	-	31.31	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5300MHz_TX




EUT X_4TX
Setting 104
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90164G	52.26	74.00	-21.74	38.86	3	Vertical	277	1.83	-	37.10	9.17	32.87
AV	15.89048G	38.27	54.00	-15.73	24.86	3	Vertical	277	1.83	-	37.12	9.16	32.87

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5300MHz_TX




EUT X_4TX
Setting 104
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9054G	51.73	74.00	-22.27	38.31	3	Horizontal	187	2.94	-	37.12	9.17	32.87
AV	15.8908G	38.28	54.00	-15.72	24.87	3	Horizontal	187	2.94	-	37.12	9.16	32.87

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5320MHz_TX




EUT X_4TX
Setting 86
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	115.00	Inf	-Inf	110.26	3	Vertical	350	1.90	-	31.30	5.04	31.60
AV	5.3146G	102.45	Inf	-Inf	97.72	3	Vertical	350	1.90	-	31.30	5.04	31.61
PK	5.35G	66.62	74.00	-7.38	61.87	3	Vertical	350	1.90	-	31.30	5.03	31.58
AV	5.3502G	46.65	54.00	-7.35	41.91	3	Vertical	350	1.90	-	31.30	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5320MHz_TX




EUT X_4TX
Setting 86
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	121.37	Inf	-Inf	116.63	3	Horizontal	285	1.66	-	31.30	5.04	31.60
AV	5.3208G	108.10	Inf	-Inf	103.36	3	Horizontal	285	1.66	-	31.30	5.04	31.60
PK	5.351G	73.86	74.00	-0.14	69.11	3	Horizontal	285	1.66	-	31.31	5.02	31.58
AV	5.3506G	53.27	54.00	-0.73	48.53	3	Horizontal	285	1.66	-	31.30	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5320MHz_TX




EUT X_4TX
Setting 86
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63476G	52.60	74.00	-21.40	38.16	3	Vertical	175	2.88	-	39.73	7.32	32.61
AV	10.64324G	38.76	54.00	-15.24	24.30	3	Vertical	175	2.88	-	39.74	7.33	32.61
PK	15.96204G	51.85	74.00	-22.15	38.25	3	Vertical	136	1.99	-	37.29	9.19	32.88
AV	15.95236G	38.39	54.00	-15.61	24.83	3	Vertical	136	1.99	-	37.26	9.18	32.88

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5320MHz_TX




EUT X_4TX
Setting 86
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63948G	53.30	74.00	-20.70	38.85	3	Horizontal	348	1.14	-	39.74	7.32	32.61
AV	10.64104G	38.73	54.00	-15.27	24.28	3	Horizontal	348	1.14	-	39.74	7.32	32.61
PK	15.95156G	52.60	74.00	-21.40	39.05	3	Horizontal	258	2.86	-	37.25	9.18	32.88
AV	15.95332G	38.37	54.00	-15.63	24.81	3	Horizontal	258	2.86	-	37.26	9.18	32.88

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5500MHz_TX




EUT X_4TX
Setting 85
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.12	74.00	-12.88	55.86	3	Vertical	352	1.90	-	31.70	5.06	31.50
AV	5.4592G	45.07	54.00	-8.93	39.81	3	Vertical	352	1.90	-	31.70	5.06	31.50
PK	5.4694G	67.87	68.20	-0.33	62.59	3	Vertical	352	1.90	-	31.70	5.07	31.49
PK	5.4946G	115.99	Inf	-Inf	110.67	3	Vertical	352	1.90	-	31.70	5.09	31.47
AV	5.4944G	102.58	Inf	-Inf	97.26	3	Vertical	352	1.90	-	31.70	5.09	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5500MHz_TX




EUT X_4TX
Setting 85
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	61.82	74.00	-12.18	56.56	3	Horizontal	64	1.80	-	31.70	5.06	31.50
AV	5.4564G	46.35	54.00	-7.65	41.09	3	Horizontal	64	1.80	-	31.70	5.06	31.50
PK	5.467G	67.92	68.20	-0.28	62.64	3	Horizontal	64	1.80	-	31.70	5.07	31.49
PK	5.497G	121.38	Inf	-Inf	116.05	3	Horizontal	64	1.80	-	31.70	5.10	31.47
AV	5.5018G	107.06	Inf	-Inf	101.73	3	Horizontal	64	1.80	-	31.70	5.10	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5500MHz_TX




EUT X_4TX
Setting 85
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99648G	53.26	74.00	-20.74	37.97	3	Vertical	307	1.23	-	40.60	7.45	32.76
AV	11.00528G	39.71	54.00	-14.29	24.44	3	Vertical	307	1.23	-	40.58	7.45	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

29/03/2021

5500MHz_TX




EUT X_4TX
Setting 85
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00612G	53.01	74.00	-20.99	37.74	3	Horizontal	264	2.66	-	40.58	7.45	32.76
AV	11.00908G	39.75	54.00	-14.25	24.50	3	Horizontal	264	2.66	-	40.56	7.45	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.53	74.00	-11.47	57.27	3	Vertical	51	2.72	-	31.70	5.06	31.50
AV	5.4592G	47.11	54.00	-6.89	41.85	3	Vertical	51	2.72	-	31.70	5.06	31.50
PK	5.4672G	62.42	68.20	-5.78	57.14	3	Vertical	51	2.72	-	31.70	5.07	31.49
PK	5.5768G	122.29	Inf	-Inf	116.98	3	Vertical	51	2.72	-	31.60	5.18	31.47
AV	5.5824G	108.60	Inf	-Inf	103.29	3	Vertical	51	2.72	-	31.60	5.18	31.47
PK	5.7296G	58.35	68.20	-9.85	52.88	3	Vertical	51	2.72	-	31.86	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	63.93	74.00	-10.07	58.68	3	Horizontal	66	1.69	-	31.70	5.05	31.50
AV	5.4584G	49.35	54.00	-4.65	44.09	3	Horizontal	66	1.69	-	31.70	5.06	31.50
PK	5.468G	67.65	68.20	-0.55	62.37	3	Horizontal	66	1.69	-	31.70	5.07	31.49
PK	5.5816G	126.53	Inf	-Inf	121.22	3	Horizontal	66	1.69	-	31.60	5.18	31.47
AV	5.5816G	114.67	Inf	-Inf	109.36	3	Horizontal	66	1.69	-	31.60	5.18	31.47
PK	5.7416G	61.86	68.20	-6.34	56.38	3	Horizontal	66	1.69	-	31.88	5.06	31.46

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16424G	53.12	74.00	-20.88	38.36	3	Vertical	162	2.88	-	40.07	7.51	32.82
AV	11.16048G	39.37	54.00	-14.63	24.59	3	Vertical	162	2.88	-	40.08	7.51	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16936G	52.92	74.00	-21.08	38.17	3	Horizontal	137	2.79	-	40.06	7.51	32.82
AV	11.16512G	39.36	54.00	-14.64	24.60	3	Horizontal	137	2.79	-	40.07	7.51	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5700MHz_TX




EUT X_4TX
Setting 67
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	109.45	Inf	-Inf	104.03	3	Vertical	1	2.86	-	31.77	5.11	31.46
AV	5.7026G	97.73	Inf	-Inf	92.28	3	Vertical	1	2.86	-	31.81	5.10	31.46
PK	5.728G	60.56	68.20	-7.64	55.09	3	Vertical	1	2.86	-	31.86	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5700MHz_TX




EUT X_4TX
Setting 67
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	117.56	Inf	-Inf	112.13	3	Horizontal	65	1.70	-	31.79	5.10	31.46
AV	5.7018G	103.18	Inf	-Inf	97.74	3	Horizontal	65	1.70	-	31.80	5.10	31.46
PK	5.7266G	67.78	68.20	-0.42	62.32	3	Horizontal	65	1.70	-	31.85	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5700MHz_TX




EUT X_4TX
Setting 67
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40796G	52.96	74.00	-21.04	37.97	3	Vertical	203	1.73	-	40.30	7.59	32.90
AV	11.39352G	39.44	54.00	-14.56	24.45	3	Vertical	203	1.73	-	40.29	7.59	32.89

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5700MHz_TX




EUT X_4TX
Setting 67
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39944G	53.80	74.00	-20.20	38.81	3	Horizontal	171	1.07	-	40.30	7.59	32.90
AV	11.39332G	39.50	54.00	-14.50	24.51	3	Horizontal	171	1.07	-	40.29	7.59	32.89

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
Setting 120
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7128G	122.66	Inf	-Inf	115.30	3	Vertical	0	2.99	-	33.73	5.09	31.46
AV	5.7176G	108.19	Inf	-Inf	100.83	3	Vertical	0	2.99	-	33.74	5.08	31.46
PK	5.8576G	61.74	68.20	-6.46	54.20	3	Vertical	0	2.99	-	33.83	5.17	31.46

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 120
 02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	127.92	Inf	-Inf	120.57	3	Horizontal	58	1.41	-	33.73	5.08	31.46
AV	5.7216G	114.01	Inf	-Inf	106.65	3	Horizontal	58	1.41	-	33.74	5.08	31.46
PK	5.8512G	67.12	68.20	-1.08	59.63	3	Horizontal	58	1.41	-	33.80	5.15	31.46

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 120
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44068G	52.66	74.00	-21.34	39.09	3	Vertical	175	1.35	-	38.88	7.60	32.91
AV	11.44034G	39.04	54.00	-14.96	25.47	3	Vertical	175	1.35	-	38.88	7.60	32.91

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 120
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44008G	53.67	74.00	-20.33	40.10	3	Horizontal	334	1.98	-	38.88	7.60	32.91
AV	11.43951G	39.07	54.00	-14.93	25.50	3	Horizontal	334	1.98	-	38.88	7.60	32.91

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5745MHz_TX




EUT X_4TX
Setting 111
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	60.61	68.94	-8.33	55.32	3	Vertical	1	2.05	-	31.60	5.15	31.46
PK	5.738G	119.09	Inf	-Inf	113.61	3	Vertical	1	2.05	-	31.88	5.06	31.46
AV	5.743G	107.25	Inf	-Inf	101.76	3	Vertical	1	2.05	-	31.89	5.06	31.46
PK	5.946G	56.67	68.20	-11.53	50.40	3	Vertical	1	2.05	-	32.28	5.44	31.45

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5745MHz_TX




EUT X_4TX
Setting 111
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.655G	71.47	71.90	-0.43	66.16	3	Horizontal	56	1.80	-	31.62	5.15	31.46
PK	5.742G	126.83	Inf	-Inf	121.35	3	Horizontal	56	1.80	-	31.88	5.06	31.46
AV	5.742G	112.60	Inf	-Inf	107.12	3	Horizontal	56	1.80	-	31.88	5.06	31.46
PK	5.963G	59.34	68.20	-8.86	53.03	3	Horizontal	56	1.80	-	32.27	5.49	31.45

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5745MHz_TX




EUT X_4TX
Setting 111
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48548G	52.96	74.00	-21.04	37.97	3	Vertical	105	1.45	-	40.30	7.62	32.93
AV	11.481G	39.53	54.00	-14.47	24.53	3	Vertical	105	1.45	-	40.30	7.62	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5745MHz_TX




EUT X_4TX
Setting 111
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48836G	53.30	74.00	-20.70	38.31	3	Horizontal	36	1.85	-	40.30	7.62	32.93
AV	11.48684G	39.53	54.00	-14.47	24.54	3	Horizontal	36	1.85	-	40.30	7.62	32.93

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	57.67	68.20	-10.53	52.37	3	Vertical	0	2.68	-	31.60	5.16	31.46
PK	5.778G	120.96	Inf	-Inf	115.50	3	Vertical	0	2.68	-	31.90	5.02	31.46
AV	5.783G	108.04	Inf	-Inf	102.58	3	Vertical	0	2.68	-	31.90	5.02	31.46
PK	5.925G	57.64	68.20	-10.56	51.51	3	Vertical	0	2.68	-	32.20	5.38	31.45

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	65.70	68.94	-3.24	60.41	3	Horizontal	61	1.05	-	31.60	5.15	31.46
PK	5.782G	126.76	Inf	-Inf	121.30	3	Horizontal	61	1.05	-	31.90	5.02	31.46
AV	5.787G	113.56	Inf	-Inf	108.11	3	Horizontal	61	1.05	-	31.90	5.01	31.46
PK	5.927G	62.38	68.20	-5.82	56.24	3	Horizontal	61	1.05	-	32.21	5.38	31.45

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56728G	52.79	74.00	-21.21	37.97	3	Vertical	106	1.90	-	40.10	7.65	32.93
AV	11.5728G	39.19	54.00	-14.81	24.39	3	Vertical	106	1.90	-	40.08	7.65	32.93

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5785MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5666G	52.80	74.00	-21.20	37.98	3	Horizontal	1	1.98	-	40.10	7.65	32.93
AV	11.56876G	39.18	54.00	-14.82	24.37	3	Horizontal	1	1.98	-	40.09	7.65	32.93

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5825MHz_TX




EUT X_4TX
Setting 117
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	57.11	68.20	-11.09	51.82	3	Vertical	0	3.00	-	31.60	5.15	31.46
PK	5.833G	118.93	Inf	-Inf	113.26	3	Vertical	0	3.00	-	32.03	5.10	31.46
AV	5.828G	107.56	Inf	-Inf	101.93	3	Vertical	0	3.00	-	32.01	5.08	31.46
PK	5.929G	65.05	68.20	-3.15	58.89	3	Vertical	0	3.00	-	32.22	5.39	31.45

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5825MHz_TX




EUT X_4TX
Setting 117
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	58.77	68.20	-9.43	53.48	3	Horizontal	60	1.00	-	31.60	5.15	31.46
PK	5.827G	125.86	Inf	-Inf	120.23	3	Horizontal	60	1.00	-	32.01	5.08	31.46
AV	5.827G	113.48	Inf	-Inf	107.85	3	Horizontal	60	1.00	-	32.01	5.08	31.46
PK	5.923G	69.56	69.68	-0.12	63.45	3	Horizontal	60	1.00	-	32.19	5.37	31.45

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5825MHz_TX




EUT X_4TX
Setting 117
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65332G	53.89	74.00	-20.11	39.51	3	Vertical	217	2.85	-	39.63	7.68	32.93
AV	11.64176G	38.70	54.00	-15.30	24.25	3	Vertical	217	2.85	-	39.71	7.67	32.93

802.11ax HEW20_Nss1,(MCS0)_4TX

24/04/2021

5825MHz_TX




EUT X_4TX
Setting 117
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64248G	52.40	74.00	-21.60	37.96	3	Horizontal	258	2.63	-	39.70	7.67	32.93
AV	11.6406G	38.66	54.00	-15.34	24.20	3	Horizontal	258	2.63	-	39.72	7.67	32.93

802.11ax HEW40_Nss1,(MCS0)_4TX

29/03/2021

5190MHz_TX




EUT X_4TX
Setting 69
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	58.99	74.00	-15.01	55.67	3	Vertical	341	3.00	-	32.60	5.17	34.45
AV	5.15G	46.48	54.00	-7.52	43.16	3	Vertical	341	3.00	-	32.60	5.17	34.45
PK	5.1976G	105.47	Inf	-Inf	102.02	3	Vertical	341	3.00	-	32.70	5.20	34.45
AV	5.1976G	91.42	Inf	-Inf	87.97	3	Vertical	341	3.00	-	32.70	5.20	34.45

802.11ax HEW40_Nss1,(MCS0)_4TX

29/03/2021

5190MHz_TX




EUT X_4TX
Setting 69
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.71	74.00	-7.29	63.39	3	Horizontal	62	1.72	-	32.60	5.17	34.45
AV	5.1492G	53.80	54.00	-0.20	50.48	3	Horizontal	62	1.72	-	32.60	5.17	34.45
PK	5.1892G	115.94	Inf	-Inf	112.52	3	Horizontal	62	1.72	-	32.68	5.19	34.45
AV	5.1992G	101.34	Inf	-Inf	97.89	3	Horizontal	62	1.72	-	32.70	5.20	34.45

802.11ax HEW40_Nss1,(MCS0)_4TX

29/03/2021

5190MHz_TX




EUT X_4TX
Setting 69
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57016G	55.37	74.00	-18.63	42.32	3	Vertical	297	1.80	-	38.24	9.21	34.40
AV	15.56152G	41.88	54.00	-12.12	28.84	3	Vertical	297	1.80	-	38.22	9.21	34.39

802.11ax HEW40_Nss1,(MCS0)_4TX

29/03/2021

5190MHz_TX




EUT X_4TX
Setting 69
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57644G	58.06	74.00	-15.94	45.00	3	Horizontal	287	1.80	-	38.25	9.22	34.41
AV	15.56676G	44.29	54.00	-9.71	31.25	3	Horizontal	287	1.80	-	38.23	9.21	34.40

802.11ax HEW40_Nss1,(MCS0)_4TX

29/03/2021

5230MHz_TX




EUT X_4TX
Setting 96
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	58.80	74.00	-15.20	55.48	3	Vertical	34	3.00	-	32.60	5.17	34.45
AV	5.1448G	47.79	54.00	-6.21	44.47	3	Vertical	34	3.00	-	32.60	5.17	34.45
PK	5.2408G	113.56	Inf	-Inf	109.98	3	Vertical	34	3.00	-	32.78	5.24	34.44
AV	5.2352G	102.11	Inf	-Inf	98.54	3	Vertical	34	3.00	-	32.77	5.24	34.44

802.11ax HEW40_Nss1,(MCS0)_4TX

29/03/2021

5230MHz_TX




EUT X_4TX
Setting 96
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.31	74.00	-7.69	62.99	3	Horizontal	60	1.67	-	32.60	5.17	34.45
AV	5.1488G	53.63	54.00	-0.37	50.31	3	Horizontal	60	1.67	-	32.60	5.17	34.45
PK	5.224G	122.31	Inf	-Inf	118.78	3	Horizontal	60	1.67	-	32.75	5.22	34.44
AV	5.224G	111.07	Inf	-Inf	107.54	3	Horizontal	60	1.67	-	32.75	5.22	34.44

802.11ax HEW40_Nss1,(MCS0)_4TX

29/03/2021

5230MHz_TX




EUT X_4TX
Setting 96
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69436G	56.53	74.00	-17.47	43.42	3	Vertical	244	3.00	-	38.39	9.24	34.52
AV	15.6994G	43.49	54.00	-10.51	30.38	3	Vertical	244	3.00	-	38.40	9.24	34.53

802.11ax HEW40_Nss1,(MCS0)_4TX

29/03/2021

5230MHz_TX




EUT X_4TX
Setting 96
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68384G	55.38	74.00	-18.62	42.27	3	Horizontal	128	2.78	-	38.38	9.24	34.51
AV	15.69216G	43.40	54.00	-10.60	30.29	3	Horizontal	128	2.78	-	38.39	9.24	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5270MHz_TX




EUT X_4TX
Setting 95
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1276G	56.22	74.00	-17.78	51.12	3	Vertical	351	2.01	-	31.89	4.96	31.75
AV	5.098G	44.70	54.00	-9.30	39.57	3	Vertical	351	2.01	-	32.00	4.90	31.77
PK	5.2796G	114.66	Inf	-Inf	109.89	3	Vertical	351	2.01	-	31.34	5.06	31.63
AV	5.2748G	103.67	Inf	-Inf	98.90	3	Vertical	351	2.01	-	31.35	5.06	31.64
PK	5.35G	62.86	74.00	-11.14	58.11	3	Vertical	351	2.01	-	31.30	5.03	31.58
AV	5.3508G	47.45	54.00	-6.55	42.70	3	Vertical	351	2.01	-	31.31	5.02	31.58
PK	5.4692G	55.58	68.20	-12.62	50.30	3	Vertical	351	2.01	-	31.70	5.07	31.49

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5270MHz_TX




EUT X_4TX
Setting 95
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.32	74.00	-14.68	54.25	3	Horizontal	284	1.61	-	31.80	5.00	31.73
AV	5.15G	47.43	54.00	-6.57	42.36	3	Horizontal	284	1.61	-	31.80	5.00	31.73
PK	5.286G	121.00	Inf	-Inf	116.24	3	Horizontal	284	1.61	-	31.33	5.06	31.63
AV	5.266G	109.51	Inf	-Inf	104.71	3	Horizontal	284	1.61	-	31.37	5.07	31.64
PK	5.3508G	68.87	74.00	-5.13	64.12	3	Horizontal	284	1.61	-	31.31	5.02	31.58
AV	5.3516G	53.77	54.00	-0.23	49.02	3	Horizontal	284	1.61	-	31.31	5.02	31.58
PK	5.462G	58.54	68.20	-9.66	53.28	3	Horizontal	284	1.61	-	31.70	5.06	31.50

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5270MHz_TX




EUT X_4TX
Setting 95
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8024G	52.91	74.00	-21.09	39.34	3	Vertical	344	1.44	-	37.30	9.13	32.86
AV	15.8114G	39.83	54.00	-14.17	26.28	3	Vertical	344	1.44	-	37.28	9.13	32.86

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5270MHz_TX




EUT X_4TX
Setting 95
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81908G	51.98	74.00	-22.02	38.45	3	Horizontal	11	1.97	-	37.26	9.14	32.87
AV	15.81284G	39.85	54.00	-14.15	26.32	3	Horizontal	11	1.97	-	37.27	9.13	32.87

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5310MHz_TX




EUT X_4TX
Setting 71
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2948G	109.02	Inf	-Inf	104.28	3	Vertical	348	1.90	-	31.31	5.05	31.62
AV	5.3148G	97.52	Inf	-Inf	92.79	3	Vertical	348	1.90	-	31.30	5.04	31.61
PK	5.35G	61.54	74.00	-12.46	56.79	3	Vertical	348	1.90	-	31.30	5.03	31.58
AV	5.35G	47.39	54.00	-6.61	42.64	3	Vertical	348	1.90	-	31.30	5.03	31.58

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5310MHz_TX




EUT X_4TX
Setting 71
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	115.25	Inf	-Inf	110.51	3	Horizontal	284	1.67	-	31.30	5.04	31.60
AV	5.3056G	103.45	Inf	-Inf	98.71	3	Horizontal	284	1.67	-	31.30	5.05	31.61
PK	5.3508G	67.04	74.00	-6.96	62.29	3	Horizontal	284	1.67	-	31.31	5.02	31.58
AV	5.3508G	53.97	54.00	-0.03	49.22	3	Horizontal	284	1.67	-	31.31	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5310MHz_TX




EUT X_4TX
Setting 71
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61G	52.64	74.00	-21.36	38.22	3	Vertical	52	2.44	-	39.71	7.31	32.60
AV	10.62428G	40.32	54.00	-13.68	25.88	3	Vertical	52	2.44	-	39.72	7.32	32.60
PK	15.94G	52.17	74.00	-21.83	38.65	3	Vertical	31	1.80	-	37.22	9.18	32.88
AV	15.93752G	39.77	54.00	-14.23	26.26	3	Vertical	31	1.80	-	37.21	9.18	32.88

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5310MHz_TX




EUT X_4TX
Setting 71
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6184G	52.75	74.00	-21.25	38.31	3	Horizontal	38	1.94	-	39.72	7.32	32.60
AV	10.61692G	40.48	54.00	-13.52	26.04	3	Horizontal	38	1.94	-	39.72	7.32	32.60
PK	15.93996G	52.53	74.00	-21.47	39.01	3	Horizontal	188	1.44	-	37.22	9.18	32.88
AV	15.92824G	39.90	54.00	-14.10	26.42	3	Horizontal	188	1.44	-	37.18	9.17	32.87

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5510MHz_TX




EUT X_4TX
Setting 77
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.00	74.00	-16.00	52.74	3	Vertical	339	2.90	-	31.70	5.06	31.50
AV	5.46G	45.95	54.00	-8.05	40.69	3	Vertical	339	2.90	-	31.70	5.06	31.50
PK	5.47G	62.13	68.20	-6.07	56.85	3	Vertical	339	2.90	-	31.70	5.07	31.49
PK	5.5208G	111.15	Inf	-Inf	105.84	3	Vertical	339	2.90	-	31.66	5.12	31.47
AV	5.5056G	99.91	Inf	-Inf	94.58	3	Vertical	339	2.90	-	31.69	5.11	31.47

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5510MHz_TX




EUT X_4TX
Setting 77
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	63.82	74.00	-10.18	58.56	3	Horizontal	286	2.60	-	31.70	5.06	31.50
AV	5.4588G	50.50	54.00	-3.50	45.24	3	Horizontal	286	2.60	-	31.70	5.06	31.50
PK	5.4688G	67.84	68.20	-0.36	62.56	3	Horizontal	286	2.60	-	31.70	5.07	31.49
PK	5.518G	115.95	Inf	-Inf	110.64	3	Horizontal	286	2.60	-	31.66	5.12	31.47
AV	5.5032G	104.50	Inf	-Inf	99.18	3	Horizontal	286	2.60	-	31.69	5.10	31.47

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5510MHz_TX




EUT X_4TX
Setting 77
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0154G	54.07	74.00	-19.93	38.84	3	Vertical	264	1.71	-	40.54	7.46	32.77
AV	11.0238G	41.56	54.00	-12.44	26.37	3	Vertical	264	1.71	-	40.50	7.46	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5510MHz_TX




EUT X_4TX
Setting 77
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02666G	53.59	74.00	-20.41	38.41	3	Horizontal	88	1.37	-	40.49	7.46	32.77
AV	11.02768G	41.29	54.00	-12.71	26.11	3	Horizontal	88	1.37	-	40.49	7.46	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5550MHz_TX




EUT X_4TX
Setting 100
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4388G	60.40	74.00	-13.60	55.18	3	Vertical	340	2.86	-	31.70	5.04	31.52
PK	5.466G	62.11	68.20	-6.09	56.84	3	Vertical	340	2.86	-	31.70	5.07	31.50
AV	5.4588G	47.57	54.00	-6.43	42.31	3	Vertical	340	2.86	-	31.70	5.06	31.50
PK	5.5404G	115.63	Inf	-Inf	110.34	3	Vertical	340	2.86	-	31.62	5.14	31.47
AV	5.546G	104.91	Inf	-Inf	99.62	3	Vertical	340	2.86	-	31.61	5.15	31.47
PK	5.7364G	56.02	68.20	-12.18	50.55	3	Vertical	340	2.86	-	31.87	5.06	31.46

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5550MHz_TX




EUT X_4TX
Setting 100
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	65.20	74.00	-8.80	59.94	3	Horizontal	66	1.70	-	31.70	5.06	31.50
AV	5.4596G	51.67	54.00	-2.33	46.41	3	Horizontal	66	1.70	-	31.70	5.06	31.50
PK	5.4692G	67.92	68.20	-0.28	62.64	3	Horizontal	66	1.70	-	31.70	5.07	31.49
PK	5.5516G	121.49	Inf	-Inf	116.21	3	Horizontal	66	1.70	-	31.60	5.15	31.47
AV	5.5564G	110.09	Inf	-Inf	104.80	3	Horizontal	66	1.70	-	31.60	5.16	31.47
PK	5.726G	59.28	68.20	-8.92	53.82	3	Horizontal	66	1.70	-	31.85	5.07	31.46

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5550MHz_TX




EUT X_4TX
Setting 100
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1076G	52.80	74.00	-21.20	37.93	3	Vertical	27	1.10	-	40.18	7.49	32.80
AV	11.09848G	40.92	54.00	-13.08	26.02	3	Vertical	27	1.10	-	40.21	7.48	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5550MHz_TX




EUT X_4TX
Setting 100
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10104G	53.53	74.00	-20.47	38.63	3	Horizontal	289	2.24	-	40.20	7.49	32.79
AV	11.10452G	40.94	54.00	-13.06	26.06	3	Horizontal	289	2.24	-	40.19	7.49	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5670MHz_TX




EUT X_4TX
Setting 84
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.658G	109.88	Inf	-Inf	104.57	3	Vertical	7	2.00	-	31.63	5.14	31.46
AV	5.6628G	99.03	Inf	-Inf	93.70	3	Vertical	7	2.00	-	31.65	5.14	31.46
PK	5.7328G	59.34	68.20	-8.86	53.86	3	Vertical	7	2.00	-	31.87	5.07	31.46

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5670MHz_TX




EUT X_4TX
Setting 84
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	118.40	Inf	-Inf	113.04	3	Horizontal	63	1.83	-	31.69	5.13	31.46
AV	5.672G	106.97	Inf	-Inf	101.61	3	Horizontal	63	1.83	-	31.69	5.13	31.46
PK	5.7324G	67.26	68.20	-0.94	61.79	3	Horizontal	63	1.83	-	31.86	5.07	31.46

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5670MHz_TX




EUT X_4TX
Setting 84
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33176G	53.49	74.00	-20.51	38.63	3	Vertical	256	2.75	-	40.16	7.57	32.87
AV	11.34312G	40.25	54.00	-13.75	25.37	3	Vertical	256	2.75	-	40.19	7.57	32.88

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5670MHz_TX




EUT X_4TX
Setting 84
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3472G	53.04	74.00	-20.96	38.16	3	Horizontal	207	2.38	-	40.19	7.57	32.88
AV	11.33424G	40.12	54.00	-13.88	25.25	3	Horizontal	207	2.38	-	40.17	7.57	32.87

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 108
 02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	116.92	Inf	-Inf	109.57	3	Vertical	0	3.00	-	33.71	5.10	31.46
AV	5.7028G	105.43	Inf	-Inf	98.08	3	Vertical	0	3.00	-	33.71	5.10	31.46
PK	5.8548G	61.64	68.20	-6.56	54.12	3	Vertical	0	3.00	-	33.82	5.16	31.46

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 108
 02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	124.10	Inf	-Inf	116.76	3	Horizontal	57	1.60	-	33.70	5.10	31.46
AV	5.702G	111.73	Inf	-Inf	104.39	3	Horizontal	57	1.60	-	33.70	5.10	31.46
PK	5.8572G	68.08	68.20	-0.12	60.54	3	Horizontal	57	1.60	-	33.83	5.17	31.46

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 108
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42041G	52.73	74.00	-21.27	39.19	3	Vertical	321	1.17	-	38.84	7.60	32.90
AV	11.41933G	40.41	54.00	-13.59	26.87	3	Vertical	321	1.17	-	38.84	7.60	32.90

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 108
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41969G	52.34	74.00	-21.66	38.80	3	Horizontal	79	2.81	-	38.84	7.60	32.90
AV	11.41933G	40.56	54.00	-13.44	27.02	3	Horizontal	79	2.81	-	38.84	7.60	32.90

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5755MHz_TX




EUT X_4TX
Setting 105
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	61.47	68.20	-6.73	56.17	3	Vertical	0	2.92	-	31.60	5.16	31.46
PK	5.768G	115.26	Inf	-Inf	109.79	3	Vertical	0	2.92	-	31.90	5.03	31.46
AV	5.768G	104.46	Inf	-Inf	98.99	3	Vertical	0	2.92	-	31.90	5.03	31.46
PK	5.942G	56.96	68.20	-11.24	50.71	3	Vertical	0	2.92	-	32.27	5.43	31.45

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5755MHz_TX




EUT X_4TX
Setting 105
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.25	68.20	-0.95	61.96	3	Horizontal	59	1.09	-	31.60	5.15	31.46
PK	5.751G	121.47	Inf	-Inf	115.98	3	Horizontal	59	1.09	-	31.90	5.05	31.46
AV	5.752G	110.41	Inf	-Inf	104.92	3	Horizontal	59	1.09	-	31.90	5.05	31.46
PK	5.924G	60.89	68.94	-8.05	54.77	3	Horizontal	59	1.09	-	32.20	5.37	31.45

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5755MHz_TX




EUT X_4TX
Setting 105
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5166G	53.17	74.00	-20.83	38.22	3	Vertical	259	2.05	-	40.25	7.63	32.93
AV	11.51264G	40.90	54.00	-13.10	25.94	3	Vertical	259	2.05	-	40.26	7.63	32.93

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5755MHz_TX




EUT X_4TX
Setting 105
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50652G	52.96	74.00	-21.04	37.98	3	Horizontal	78	2.37	-	40.28	7.63	32.93
AV	11.5086G	40.84	54.00	-13.16	25.87	3	Horizontal	78	2.37	-	40.27	7.63	32.93

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5795MHz_TX




EUT X_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	61.30	68.20	-6.90	56.01	3	Vertical	0	2.90	-	31.60	5.15	31.46
PK	5.788G	116.74	Inf	-Inf	111.29	3	Vertical	0	2.90	-	31.90	5.01	31.46
AV	5.793G	105.77	Inf	-Inf	100.32	3	Vertical	0	2.90	-	31.90	5.01	31.46
PK	5.928G	63.20	68.20	-5.00	57.06	3	Vertical	0	2.90	-	32.21	5.38	31.45

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5795MHz_TX




EUT X_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.08	68.20	-4.12	58.79	3	Horizontal	60	1.03	-	31.60	5.15	31.46
PK	5.787G	122.51	Inf	-Inf	117.06	3	Horizontal	60	1.03	-	31.90	5.01	31.46
AV	5.802G	112.25	Inf	-Inf	106.79	3	Horizontal	60	1.03	-	31.91	5.01	31.46
PK	5.926G	67.87	68.20	-0.33	61.74	3	Horizontal	60	1.03	-	32.20	5.38	31.45

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5795MHz_TX




EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59508G	52.27	74.00	-21.73	37.53	3	Vertical	26	2.40	-	40.01	7.66	32.93
AV	11.58456G	40.60	54.00	-13.40	25.83	3	Vertical	26	2.40	-	40.05	7.65	32.93

802.11ax HEW40_Nss1,(MCS0)_4TX

24/04/2021

5795MHz_TX




EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59016G	52.53	74.00	-21.47	37.77	3	Horizontal	126	1.99	-	40.03	7.66	32.93
AV	11.59972G	40.65	54.00	-13.35	25.92	3	Horizontal	126	1.99	-	40.00	7.66	32.93

802.11ax HEW80_Nss1,(MCS0)_4TX

29/03/2021

5210MHz_TX




EUT X_4TX
Setting 61
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.44	74.00	-13.56	57.12	3	Vertical	341	2.97	-	32.60	5.17	34.45
AV	5.1476G	47.63	54.00	-6.37	44.31	3	Vertical	341	2.97	-	32.60	5.17	34.45
PK	5.2028G	99.39	Inf	-Inf	95.93	3	Vertical	341	2.97	-	32.71	5.20	34.45
AV	5.2228G	88.76	Inf	-Inf	85.23	3	Vertical	341	2.97	-	32.75	5.22	34.44
PK	5.3852G	58.88	74.00	-15.12	54.80	3	Vertical	341	2.97	-	33.11	5.39	34.42
AV	5.3948G	47.73	54.00	-6.27	43.59	3	Vertical	341	2.97	-	33.17	5.39	34.42

802.11ax HEW80_Nss1,(MCS0)_4TX

29/03/2021

5210MHz_TX




EUT X_4TX
Setting 61
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	64.41	74.00	-9.59	61.09	3	Horizontal	61	1.71	-	32.60	5.17	34.45
AV	5.1492G	53.57	54.00	-0.43	50.25	3	Horizontal	61	1.71	-	32.60	5.17	34.45
PK	5.2396G	109.47	Inf	-Inf	105.89	3	Horizontal	61	1.71	-	32.78	5.24	34.44
AV	5.214G	99.60	Inf	-Inf	96.10	3	Horizontal	61	1.71	-	32.73	5.21	34.44
PK	5.3628G	59.61	74.00	-14.39	55.70	3	Horizontal	61	1.71	-	32.98	5.36	34.43
AV	5.3572G	48.32	54.00	-5.68	44.45	3	Horizontal	61	1.71	-	32.94	5.36	34.43

802.11ax HEW80_Nss1,(MCS0)_4TX

29/03/2021

5210MHz_TX




EUT X_4TX
Setting 61
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6322G	56.16	74.00	-17.84	43.06	3	Vertical	127	1.22	-	38.33	9.23	34.46
AV	15.63224G	44.05	54.00	-9.95	30.95	3	Vertical	127	1.22	-	38.33	9.23	34.46

802.11ax HEW80_Nss1,(MCS0)_4TX

29/03/2021

5210MHz_TX




EUT X_4TX
Setting 61
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63508G	57.62	74.00	-16.38	44.52	3	Horizontal	288	1.73	-	38.34	9.23	34.47
AV	15.62948G	44.12	54.00	-9.88	31.02	3	Horizontal	288	1.73	-	38.33	9.23	34.46

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5290MHz_TX




EUT X_4TX
Setting 69
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	56.03	74.00	-17.97	50.93	3	Vertical	141	1.80	-	31.89	4.96	31.75
AV	5.123G	43.90	54.00	-10.10	38.79	3	Vertical	141	1.80	-	31.91	4.95	31.75
PK	5.285G	105.08	Inf	-Inf	100.32	3	Vertical	141	1.80	-	31.33	5.06	31.63
AV	5.28G	94.72	Inf	-Inf	89.95	3	Vertical	141	1.80	-	31.34	5.06	31.63
PK	5.355G	57.14	74.00	-16.86	52.36	3	Vertical	141	1.80	-	31.34	5.02	31.58
AV	5.35G	46.54	54.00	-7.46	41.79	3	Vertical	141	1.80	-	31.30	5.03	31.58
PK	5.461G	54.97	68.20	-13.23	49.71	3	Vertical	141	1.80	-	31.70	5.06	31.50

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5290MHz_TX




EUT X_4TX
Setting 69
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	57.52	74.00	-16.48	52.44	3	Horizontal	76	1.58	-	31.83	4.98	31.73
AV	5.145G	45.85	54.00	-8.15	40.77	3	Horizontal	76	1.58	-	31.82	4.99	31.73
PK	5.305G	111.98	Inf	-Inf	107.24	3	Horizontal	76	1.58	-	31.30	5.05	31.61
AV	5.276G	100.43	Inf	-Inf	95.66	3	Horizontal	76	1.58	-	31.35	5.06	31.64
PK	5.351G	64.25	74.00	-9.75	59.50	3	Horizontal	76	1.58	-	31.31	5.02	31.58
AV	5.351G	53.76	54.00	-0.24	49.01	3	Horizontal	76	1.58	-	31.31	5.02	31.58
PK	5.467G	56.16	68.20	-12.04	50.88	3	Horizontal	76	1.58	-	31.70	5.07	31.49

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5290MHz_TX




EUT X_4TX
Setting 69
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.873G	52.54	74.00	-21.46	39.10	3	Vertical	184	1.08	-	37.15	9.16	32.87
AV	15.87672G	39.80	54.00	-14.20	26.36	3	Vertical	184	1.08	-	37.15	9.16	32.87

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5290MHz_TX




EUT X_4TX
Setting 69
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87636G	52.15	74.00	-21.85	38.71	3	Horizontal	85	2.03	-	37.15	9.16	32.87
AV	15.87872G	39.66	54.00	-14.34	26.23	3	Horizontal	85	2.03	-	37.14	9.16	32.87

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5530MHz_TX




EUT X_4TX
Setting 75
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	55.09	68.20	-13.11	50.35	3	Vertical	142	2.86	-	31.31	5.05	31.62
PK	5.439G	59.27	74.00	-14.73	54.05	3	Vertical	142	2.86	-	31.70	5.04	31.52
PK	5.465G	60.47	68.20	-7.73	55.21	3	Vertical	142	2.86	-	31.70	5.06	31.50
AV	5.46G	47.30	54.00	-6.70	42.04	3	Vertical	142	2.86	-	31.70	5.06	31.50
PK	5.529G	108.08	Inf	-Inf	102.78	3	Vertical	142	2.86	-	31.64	5.13	31.47
AV	5.541G	97.24	Inf	-Inf	91.95	3	Vertical	142	2.86	-	31.62	5.14	31.47
PK	5.737G	55.95	68.20	-12.25	50.48	3	Vertical	142	2.86	-	31.87	5.06	31.46

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5530MHz_TX




EUT X_4TX
Setting 75
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	57.85	68.20	-10.35	53.12	3	Horizontal	77	2.56	-	31.30	5.04	31.61
PK	5.456G	67.88	74.00	-6.12	62.62	3	Horizontal	77	2.56	-	31.70	5.06	31.50
AV	5.456G	53.59	54.00	-0.41	48.33	3	Horizontal	77	2.56	-	31.70	5.06	31.50
PK	5.464G	68.11	68.20	-0.09	62.85	3	Horizontal	77	2.56	-	31.70	5.06	31.50
PK	5.543G	113.68	Inf	-Inf	108.40	3	Horizontal	77	2.56	-	31.61	5.14	31.47
AV	5.543G	102.12	Inf	-Inf	96.84	3	Horizontal	77	2.56	-	31.61	5.14	31.47
PK	5.736G	57.91	68.20	-10.29	52.44	3	Horizontal	77	2.56	-	31.87	5.06	31.46

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5530MHz_TX




EUT X_4TX
Setting 75
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06784G	53.96	74.00	-20.04	38.94	3	Vertical	201	2.98	-	40.33	7.47	32.78
AV	11.06648G	41.35	54.00	-12.65	26.33	3	Vertical	201	2.98	-	40.33	7.47	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5530MHz_TX




EUT X_4TX
Setting 75
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05252G	53.92	74.00	-20.08	38.84	3	Horizontal	347	1.40	-	40.39	7.47	32.78
AV	11.05052G	41.26	54.00	-12.74	26.17	3	Horizontal	347	1.40	-	40.40	7.47	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

12/05/2021

5610MHz_TX




EUT X_4TX
Setting 84
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	54.93	68.20	-13.27	50.18	3	Vertical	0	2.90	-	31.30	5.03	31.58
PK	5.4588G	58.07	74.00	-15.93	52.81	3	Vertical	0	2.90	-	31.70	5.06	31.50
AV	5.4576G	45.49	54.00	-8.51	40.23	3	Vertical	0	2.90	-	31.70	5.06	31.50
PK	5.4672G	58.47	68.20	-9.73	53.19	3	Vertical	0	2.90	-	31.70	5.07	31.49
PK	5.5884G	109.64	Inf	-Inf	104.32	3	Vertical	0	2.90	-	31.60	5.19	31.47
AV	5.5992G	98.43	Inf	-Inf	93.10	3	Vertical	0	2.90	-	31.60	5.20	31.47
PK	5.7468G	61.19	68.20	-7.01	55.71	3	Vertical	0	2.90	-	31.89	5.05	31.46

802.11ax HEW80_Nss1,(MCS0)_4TX

12/05/2021

5610MHz_TX




EUT X_4TX
Setting 84
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3316G	56.94	68.20	-11.26	52.20	3	Horizontal	62	1.68	-	31.30	5.03	31.59
PK	5.4576G	60.10	74.00	-13.90	54.84	3	Horizontal	62	1.68	-	31.70	5.06	31.50
AV	5.4564G	48.55	54.00	-5.45	43.29	3	Horizontal	62	1.68	-	31.70	5.06	31.50
PK	5.4624G	62.08	68.20	-6.12	56.82	3	Horizontal	62	1.68	-	31.70	5.06	31.50
PK	5.6016G	115.18	Inf	-Inf	109.85	3	Horizontal	62	1.68	-	31.60	5.20	31.47
AV	5.6016G	104.05	Inf	-Inf	98.72	3	Horizontal	62	1.68	-	31.60	5.20	31.47
PK	5.7276G	67.90	68.20	-0.30	62.43	3	Horizontal	62	1.68	-	31.86	5.07	31.46

802.11ax HEW80_Nss1,(MCS0)_4TX

12/05/2021

5610MHz_TX




EUT X_4TX
Setting 84
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22642G	54.28	74.00	-19.72	39.56	3	Vertical	319	1.15	-	40.03	7.53	32.84
AV	11.21928G	41.81	54.00	-12.19	27.09	3	Vertical	319	1.15	-	40.02	7.53	32.83

802.11ax HEW80_Nss1,(MCS0)_4TX

12/05/2021

5610MHz_TX




EUT X_4TX
Setting 84
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2071G	55.01	74.00	-18.99	40.31	3	Horizontal	360	1.80	-	40.01	7.52	32.83
AV	11.21694G	41.66	54.00	-12.34	26.94	3	Horizontal	360	1.80	-	40.02	7.53	32.83

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 95
 02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	57.98	74.00	-16.02	50.54	3	Vertical	360	2.96	-	33.90	5.05	31.51
PK	5.469G	58.84	68.20	-9.36	51.36	3	Vertical	360	2.96	-	33.90	5.07	31.49
AV	5.46G	46.35	54.00	-7.65	38.89	3	Vertical	360	2.96	-	33.90	5.06	31.50
AV	5.46G	46.35	54.00	-7.65	38.89	3	Vertical	360	2.96	-	33.90	5.06	31.50
PK	5.669G	111.11	Inf	-Inf	103.68	3	Vertical	360	2.96	-	33.76	5.13	31.46
AV	5.679G	101.02	Inf	-Inf	93.62	3	Vertical	360	2.96	-	33.74	5.12	31.46
PK	5.867G	67.00	68.20	-1.20	59.39	3	Vertical	360	2.96	-	33.87	5.20	31.46

802.11ax HEW80_Nss1,(MCS0)_4TX

08/06/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 95
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	59.87	74.00	-14.13	52.42	3	Horizontal	56	1.62	-	33.90	5.05	31.50
AV	5.46G	47.83	54.00	-6.17	40.37	3	Horizontal	56	1.62	-	33.90	5.06	31.50
PK	5.469G	62.22	68.20	-5.98	54.74	3	Horizontal	56	1.62	-	33.90	5.07	31.49
PK	5.685G	117.52	Inf	-Inf	110.13	3	Horizontal	56	1.62	-	33.73	5.12	31.46
AV	5.682G	107.03	Inf	-Inf	99.63	3	Horizontal	56	1.62	-	33.74	5.12	31.46
PK	5.854G	67.99	68.20	-0.21	60.47	3	Horizontal	56	1.62	-	33.82	5.16	31.46

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
 Setting 95
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37901G	52.48	74.00	-21.52	39.01	3	Vertical	358	2.69	-	38.78	7.58	32.89
AV	11.38074G	40.19	54.00	-13.81	26.72	3	Vertical	358	2.69	-	38.78	7.58	32.89

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

08/06/2021




EUT X_4TX
Setting 95
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38014G	52.52	74.00	-21.48	39.05	3	Horizontal	312	2.37	-	38.78	7.58	32.89
AV	11.37982G	39.96	54.00	-14.04	26.49	3	Horizontal	312	2.37	-	38.78	7.58	32.89

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5775MHz_TX




EUT X_4TX
Setting 86
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	61.05	68.20	-7.15	55.75	3	Vertical	151	2.82	-	31.60	5.16	31.46
PK	5.753G	108.78	Inf	-Inf	103.29	3	Vertical	151	2.82	-	31.90	5.05	31.46
AV	5.748G	97.35	Inf	-Inf	91.86	3	Vertical	151	2.82	-	31.90	5.05	31.46
PK	5.922G	60.04	70.42	-10.38	53.93	3	Vertical	151	2.82	-	32.19	5.37	31.45

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5775MHz_TX




EUT X_4TX
Setting 86
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.97	68.20	-0.23	62.68	3	Horizontal	207	1.00	-	31.60	5.15	31.46
PK	5.782G	114.89	Inf	-Inf	109.43	3	Horizontal	207	1.00	-	31.90	5.02	31.46
AV	5.767G	103.78	Inf	-Inf	98.31	3	Horizontal	207	1.00	-	31.90	5.03	31.46
PK	5.932G	64.36	68.20	-3.84	58.18	3	Horizontal	207	1.00	-	32.23	5.40	31.45

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5775MHz_TX




EUT X_4TX
Setting 86
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55108G	53.28	74.00	-20.72	38.42	3	Vertical	64	1.54	-	40.15	7.64	32.93
AV	11.55024G	40.55	54.00	-13.45	25.69	3	Vertical	64	1.54	-	40.15	7.64	32.93

802.11ax HEW80_Nss1,(MCS0)_4TX

25/04/2021

5775MHz_TX




EUT X_4TX
Setting 86
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55492G	52.95	74.00	-21.05	38.10	3	Horizontal	299	2.70	-	40.14	7.64	32.93
AV	11.55364G	40.66	54.00	-13.34	25.81	3	Horizontal	299	2.70	-	40.14	7.64	32.93

802.11ax HEW160_Nss1,(MCS0)_4TX

25/04/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 63
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	57.38	74.00	-16.62	52.30	3	Vertical	31	2.68	-	31.84	4.98	31.74
AV	5.1428G	47.31	54.00	-6.69	42.22	3	Vertical	31	2.68	-	31.83	4.99	31.73
PK	5.2404G	102.18	Inf	-Inf	97.32	3	Vertical	31	2.68	-	31.44	5.08	31.66
AV	5.242G	91.39	Inf	-Inf	86.54	3	Vertical	31	2.68	-	31.43	5.08	31.66
PK	5.3828G	56.81	74.00	-17.19	51.80	3	Vertical	31	2.68	-	31.56	5.01	31.56
AV	5.3876G	46.42	54.00	-7.58	41.36	3	Vertical	31	2.68	-	31.60	5.01	31.55
PK	5.554G	56.28	68.20	-11.92	51.00	3	Vertical	31	2.68	-	31.60	5.15	31.47

802.11ax HEW160_Nss1,(MCS0)_4TX

25/04/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 63
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	64.61	74.00	-9.39	59.53	3	Horizontal	288	2.75	-	31.85	4.97	31.74
AV	5.1364G	53.76	54.00	-0.24	48.68	3	Horizontal	288	2.75	-	31.85	4.97	31.74
PK	5.234G	109.06	Inf	-Inf	104.19	3	Horizontal	288	2.75	-	31.46	5.08	31.67
AV	5.2532G	97.32	Inf	-Inf	92.51	3	Horizontal	288	2.75	-	31.39	5.07	31.65
PK	5.3876G	60.00	74.00	-14.00	54.94	3	Horizontal	288	2.75	-	31.60	5.01	31.55
AV	5.35G	49.11	54.00	-4.89	44.37	3	Horizontal	288	2.75	-	31.30	5.02	31.58
PK	5.5252G	56.99	68.20	-11.21	51.68	3	Horizontal	288	2.75	-	31.65	5.13	31.47

802.11ax HEW160_Nss1,(MCS0)_4TX

25/04/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 63
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75044G	53.30	74.00	-20.70	39.60	3	Vertical	319	1.14	-	37.45	9.11	32.86
AV	15.75068G	42.26	54.00	-11.74	28.56	3	Vertical	319	1.14	-	37.45	9.11	32.86

802.11ax HEW160_Nss1,(MCS0)_4TX

25/04/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 63
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75232G	53.72	74.00	-20.28	40.03	3	Horizontal	21	2.42	-	37.44	9.11	32.86
AV	15.75476G	42.36	54.00	-11.64	28.67	3	Horizontal	21	2.42	-	37.44	9.11	32.86

802.11ax HEW160_Nss1,(MCS0)_4TX

27/04/2021

5570MHz_TX




EUT X_4TX
Setting 75
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2868G	55.70	68.20	-12.50	50.94	3	Vertical	2	2.82	-	31.33	5.06	31.63
PK	5.442G	59.72	74.00	-14.28	54.49	3	Vertical	2	2.82	-	31.70	5.04	31.51
AV	5.4196G	50.32	54.00	-3.68	45.13	3	Vertical	2	2.82	-	31.70	5.02	31.53
PK	5.466G	58.28	68.20	-9.92	53.01	3	Vertical	2	2.82	-	31.70	5.07	31.50
PK	5.5444G	105.02	Inf	-Inf	99.74	3	Vertical	2	2.82	-	31.61	5.14	31.47
AV	5.5492G	95.41	Inf	-Inf	90.13	3	Vertical	2	2.82	-	31.60	5.15	31.47
PK	5.7396G	57.97	68.20	-10.23	52.49	3	Vertical	2	2.82	-	31.88	5.06	31.46

802.11ax HEW160_Nss1,(MCS0)_4TX

27/04/2021

5570MHz_TX




EUT X_4TX
Setting 75
02-B-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2484G	57.90	68.20	-10.30	53.07	3	Horizontal	59	1.68	-	31.41	5.08	31.66
PK	5.458G	64.70	74.00	-9.30	59.44	3	Horizontal	59	1.68	-	31.70	5.06	31.50
AV	5.4372G	53.82	54.00	-0.18	48.60	3	Horizontal	59	1.68	-	31.70	5.04	31.52
PK	5.4676G	65.89	68.20	-2.31	60.61	3	Horizontal	59	1.68	-	31.70	5.07	31.49
PK	5.602G	109.70	Inf	-Inf	104.37	3	Horizontal	59	1.68	-	31.60	5.20	31.47
AV	5.578G	99.79	Inf	-Inf	94.48	3	Horizontal	59	1.68	-	31.60	5.18	31.47
PK	5.7284G	62.73	68.20	-5.47	57.26	3	Horizontal	59	1.68	-	31.86	5.07	31.46

802.11ax HEW160_Nss1,(MCS0)_4TX

27/04/2021

5570MHz_TX




EUT X_4TX
Setting 75
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14396G	53.21	74.00	-20.79	38.41	3	Vertical	285	2.82	-	40.11	7.50	32.81
AV	11.14364G	43.14	54.00	-10.86	28.34	3	Vertical	285	2.82	-	40.11	7.50	32.81

802.11ax HEW160_Nss1,(MCS0)_4TX

27/04/2021

5570MHz_TX



EUT X_4TX
Setting 75
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14464G	55.03	74.00	-18.97	40.23	3	Horizontal	224	2.15	-	40.11	7.50	32.81
AV	11.144G	43.67	54.00	-10.33	28.87	3	Horizontal	224	2.15	-	40.11	7.50	32.81



For Radio 3 / 4T4S
Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.98	54.00	-0.02	3	Horizontal	290	1.71	-



802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5180MHz_TX




EUT X_4TX
Setting 92
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.18	74.00	-7.82	61.11	3	Vertical	294	2.40	-	31.80	5.00	31.73
AV	5.1498G	50.57	54.00	-3.43	45.50	3	Vertical	294	2.40	-	31.80	5.00	31.73
PK	5.1778G	112.20	Inf	-Inf	107.16	3	Vertical	294	2.40	-	31.69	5.06	31.71
AV	5.1758G	101.25	Inf	-Inf	96.21	3	Vertical	294	2.40	-	31.70	5.05	31.71

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5180MHz_TX




EUT X_4TX
Setting 92
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	69.19	74.00	-4.81	64.12	3	Horizontal	287	1.83	-	31.80	5.00	31.73
AV	5.1498G	53.96	54.00	-0.04	48.89	3	Horizontal	287	1.83	-	31.80	5.00	31.73
PK	5.1824G	120.15	Inf	-Inf	115.13	3	Horizontal	287	1.83	-	31.67	5.06	31.71
AV	5.176G	107.19	Inf	-Inf	102.15	3	Horizontal	287	1.83	-	31.70	5.05	31.71

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5180MHz_TX




EUT X_4TX
Setting 92
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5544G	52.53	74.00	-21.47	38.50	3	Vertical	63	2.58	-	37.83	9.04	32.84
AV	15.5337G	40.54	54.00	-13.46	26.41	3	Vertical	63	2.58	-	37.93	9.04	32.84

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5180MHz_TX




EUT X_4TX
Setting 92
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53184G	52.50	74.00	-21.50	38.36	3	Horizontal	154	1.87	-	37.94	9.04	32.84
AV	15.5328G	40.46	54.00	-13.54	26.32	3	Horizontal	154	1.87	-	37.94	9.04	32.84

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5200MHz_TX




EUT X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	62.05	74.00	-11.95	56.98	3	Vertical	295	1.99	-	31.81	4.99	31.73
AV	5.15G	48.93	54.00	-5.07	43.86	3	Vertical	295	1.99	-	31.80	5.00	31.73
PK	5.1988G	117.14	Inf	-Inf	112.13	3	Vertical	295	1.99	-	31.60	5.10	31.69
AV	5.1976G	103.75	Inf	-Inf	98.73	3	Vertical	295	1.99	-	31.61	5.10	31.69

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5200MHz_TX




EUT X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.56	74.00	-5.44	63.49	3	Horizontal	288	1.82	-	31.80	5.00	31.73
AV	5.15G	53.86	54.00	-0.14	48.79	3	Horizontal	288	1.82	-	31.80	5.00	31.73
PK	5.2024G	123.87	Inf	-Inf	118.87	3	Horizontal	288	1.82	-	31.59	5.10	31.69
AV	5.196G	110.50	Inf	-Inf	105.48	3	Horizontal	288	1.82	-	31.62	5.09	31.69

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5200MHz_TX




EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61128G	52.06	74.00	-21.94	38.25	3	Vertical	343	1.49	-	37.60	9.06	32.85
AV	15.6108G	40.28	54.00	-13.72	26.47	3	Vertical	343	1.49	-	37.60	9.06	32.85

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5200MHz_TX




EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59004G	52.47	74.00	-21.53	38.61	3	Horizontal	86	1.00	-	37.65	9.06	32.85
AV	15.59004G	40.45	54.00	-13.55	26.59	3	Horizontal	86	1.00	-	37.65	9.06	32.85

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5240MHz_TX




EUT X_4TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.22	74.00	-8.78	60.15	3	Vertical	356	1.69	-	31.80	5.00	31.73
AV	5.1494G	52.24	54.00	-1.76	47.17	3	Vertical	356	1.69	-	31.80	5.00	31.73
PK	5.2388G	117.94	Inf	-Inf	113.08	3	Vertical	356	1.69	-	31.44	5.08	31.66
AV	5.2466G	106.59	Inf	-Inf	101.76	3	Vertical	356	1.69	-	31.41	5.08	31.66
PK	5.3528G	63.25	74.00	-10.75	58.49	3	Vertical	356	1.69	-	31.32	5.02	31.58
AV	5.3504G	50.82	54.00	-3.18	46.08	3	Vertical	356	1.69	-	31.30	5.02	31.58

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5240MHz_TX




EUT X_4TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	64.91	74.00	-9.09	59.84	3	Horizontal	287	1.80	-	31.81	4.99	31.73
AV	5.15G	52.35	54.00	-1.65	47.28	3	Horizontal	287	1.80	-	31.80	5.00	31.73
PK	5.2424G	125.39	Inf	-Inf	120.54	3	Horizontal	287	1.80	-	31.43	5.08	31.66
AV	5.2364G	112.63	Inf	-Inf	107.77	3	Horizontal	287	1.80	-	31.45	5.08	31.67
PK	5.3522G	64.57	74.00	-9.43	59.81	3	Horizontal	287	1.80	-	31.32	5.02	31.58
AV	5.35G	51.55	54.00	-2.45	46.81	3	Horizontal	287	1.80	-	31.30	5.02	31.58

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5240MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7299G	53.20	74.00	-20.80	39.44	3	Vertical	43	1.76	-	37.51	9.11	32.86
AV	15.72072G	41.04	54.00	-12.96	27.26	3	Vertical	43	1.76	-	37.54	9.10	32.86

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5240MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70668G	53.73	74.00	-20.27	39.91	3	Horizontal	55	1.80	-	37.58	9.10	32.86
AV	15.71838G	41.30	54.00	-12.70	27.52	3	Horizontal	55	1.80	-	37.54	9.10	32.86

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5260MHz_TX




EUT X_4TX
Setting 113
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	57.22	74.00	-16.78	52.14	3	Vertical	353	2.61	-	31.81	5.00	31.73
AV	5.1472G	45.29	54.00	-8.71	40.22	3	Vertical	353	2.61	-	31.81	4.99	31.73
PK	5.2624G	118.22	Inf	-Inf	113.42	3	Vertical	353	2.61	-	31.38	5.07	31.65
AV	5.2624G	105.70	Inf	-Inf	100.90	3	Vertical	353	2.61	-	31.38	5.07	31.65
PK	5.3836G	59.01	74.00	-14.99	53.99	3	Vertical	353	2.61	-	31.57	5.01	31.56
AV	5.371G	46.48	54.00	-7.52	41.57	3	Vertical	353	2.61	-	31.47	5.01	31.57

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5260MHz_TX




EUT X_4TX
Setting 113
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	61.90	74.00	-12.10	56.82	3	Horizontal	289	1.88	-	31.82	4.99	31.73
AV	5.15G	48.45	54.00	-5.55	43.38	3	Horizontal	289	1.88	-	31.80	5.00	31.73
PK	5.2636G	123.55	Inf	-Inf	118.75	3	Horizontal	289	1.88	-	31.37	5.07	31.64
AV	5.2564G	111.07	Inf	-Inf	106.26	3	Horizontal	289	1.88	-	31.39	5.07	31.65
PK	5.3506G	67.67	74.00	-6.33	62.93	3	Horizontal	289	1.88	-	31.30	5.02	31.58
AV	5.35G	53.18	54.00	-0.82	48.43	3	Horizontal	289	1.88	-	31.30	5.03	31.58

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5260MHz_TX




EUT X_4TX
Setting 113
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78828G	53.09	74.00	-20.91	39.48	3	Vertical	278	2.87	-	37.34	9.13	32.86
AV	15.7893G	40.74	54.00	-13.26	27.14	3	Vertical	278	2.87	-	37.33	9.13	32.86

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5260MHz_TX




EUT X_4TX
Setting 113
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76602G	51.89	74.00	-22.11	38.23	3	Horizontal	328	2.82	-	37.40	9.12	32.86
AV	15.77046G	40.36	54.00	-13.64	26.71	3	Horizontal	328	2.82	-	37.39	9.12	32.86

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5300MHz_TX




EUT X_4TX
Setting 103
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	116.98	Inf	-Inf	112.25	3	Vertical	339	2.56	-	31.30	5.05	31.62
AV	5.3036G	104.20	Inf	-Inf	99.47	3	Vertical	339	2.56	-	31.30	5.05	31.62
PK	5.3504G	62.31	74.00	-11.69	57.57	3	Vertical	339	2.56	-	31.30	5.02	31.58
AV	5.35G	49.14	54.00	-4.86	44.39	3	Vertical	339	2.56	-	31.30	5.03	31.58

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5300MHz_TX




EUT X_4TX
Setting 103
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	122.66	Inf	-Inf	117.93	3	Horizontal	290	1.70	-	31.30	5.05	31.62
AV	5.2968G	109.62	Inf	-Inf	104.88	3	Horizontal	290	1.70	-	31.31	5.05	31.62
PK	5.3524G	68.26	74.00	-5.74	63.50	3	Horizontal	290	1.70	-	31.32	5.02	31.58
AV	5.3504G	53.95	54.00	-0.05	49.21	3	Horizontal	290	1.70	-	31.30	5.02	31.58

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5300MHz_TX




EUT X_4TX
Setting 103
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90942G	52.54	74.00	-21.46	39.11	3	Vertical	22	1.97	-	37.13	9.17	32.87
AV	15.88968G	39.54	54.00	-14.46	26.13	3	Vertical	22	1.97	-	37.12	9.16	32.87

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5300MHz_TX




EUT X_4TX
Setting 103
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.91368G	52.49	74.00	-21.51	39.05	3	Horizontal	300	1.40	-	37.14	9.17	32.87
AV	15.89706G	39.47	54.00	-14.53	26.07	3	Horizontal	300	1.40	-	37.11	9.16	32.87

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5320MHz_TX




EUT X_4TX
Setting 89
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	111.76	Inf	-Inf	107.02	3	Vertical	360	1.85	-	31.30	5.04	31.60
AV	5.3206G	100.12	Inf	-Inf	95.38	3	Vertical	360	1.85	-	31.30	5.04	31.60
PK	5.35G	63.10	74.00	-10.90	58.35	3	Vertical	360	1.85	-	31.30	5.03	31.58
AV	5.3502G	48.40	54.00	-5.60	43.66	3	Vertical	360	1.85	-	31.30	5.02	31.58

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5320MHz_TX




EUT X_4TX
Setting 89
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	119.05	Inf	-Inf	114.31	3	Horizontal	284	1.86	-	31.30	5.04	31.60
AV	5.3162G	106.88	Inf	-Inf	102.15	3	Horizontal	284	1.86	-	31.30	5.04	31.61
PK	5.35G	67.19	74.00	-6.81	62.44	3	Horizontal	284	1.86	-	31.30	5.03	31.58
AV	5.35G	53.77	54.00	-0.23	49.02	3	Horizontal	284	1.86	-	31.30	5.03	31.58

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5320MHz_TX




EUT X_4TX
Setting 89
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63976G	52.53	74.00	-21.47	38.08	3	Vertical	290	2.50	-	39.74	7.32	32.61
AV	10.6313G	40.59	54.00	-13.41	26.15	3	Vertical	290	2.50	-	39.73	7.32	32.61
PK	15.95778G	52.34	74.00	-21.66	38.76	3	Vertical	138	2.67	-	37.27	9.19	32.88
AV	15.96468G	39.89	54.00	-14.11	26.29	3	Vertical	138	2.67	-	37.29	9.19	32.88

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5320MHz_TX




EUT X_4TX
Setting 89
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6424G	53.16	74.00	-20.84	38.71	3	Horizontal	197	1.43	-	39.74	7.32	32.61
AV	10.62584G	40.63	54.00	-13.37	26.18	3	Horizontal	197	1.43	-	39.73	7.32	32.60
PK	15.94548G	52.24	74.00	-21.76	38.70	3	Horizontal	286	1.70	-	37.24	9.18	32.88
AV	15.945G	39.95	54.00	-14.05	26.42	3	Horizontal	286	1.70	-	37.23	9.18	32.88

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5500MHz_TX




EUT X_4TX
Setting 85
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4332G	56.46	74.00	-17.54	51.25	3	Vertical	25	1.79	-	31.70	5.03	31.52
PK	5.47G	59.41	68.20	-8.79	54.13	3	Vertical	25	1.79	-	31.70	5.07	31.49
AV	5.4576G	45.17	54.00	-8.83	39.91	3	Vertical	25	1.79	-	31.70	5.06	31.50
PK	5.4988G	112.93	Inf	-Inf	107.60	3	Vertical	25	1.79	-	31.70	5.10	31.47
AV	5.4964G	100.15	Inf	-Inf	94.82	3	Vertical	25	1.79	-	31.70	5.10	31.47

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5500MHz_TX




EUT X_4TX
Setting 85
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	60.22	74.00	-13.78	54.96	3	Horizontal	289	2.34	-	31.70	5.06	31.50
AV	5.4596G	48.31	54.00	-5.69	43.05	3	Horizontal	289	2.34	-	31.70	5.06	31.50
PK	5.4696G	67.98	68.20	-0.22	62.70	3	Horizontal	289	2.34	-	31.70	5.07	31.49
PK	5.5036G	119.37	Inf	-Inf	114.05	3	Horizontal	289	2.34	-	31.69	5.10	31.47
AV	5.4984G	106.60	Inf	-Inf	101.27	3	Horizontal	289	2.34	-	31.70	5.10	31.47

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5500MHz_TX




EUT X_4TX
Setting 85
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9931G	54.76	74.00	-19.24	39.48	3	Vertical	202	2.39	-	40.59	7.45	32.76
AV	11.00474G	41.72	54.00	-12.28	26.45	3	Vertical	202	2.39	-	40.58	7.45	32.76

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5500MHz_TX




EUT X_4TX
Setting 85
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0054G	54.68	74.00	-19.32	39.41	3	Horizontal	90	1.66	-	40.58	7.45	32.76
AV	11.00822G	41.95	54.00	-12.05	26.69	3	Horizontal	90	1.66	-	40.57	7.45	32.76

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.39	74.00	-10.61	58.13	3	Vertical	54	2.71	-	31.70	5.06	31.50
AV	5.46G	49.90	54.00	-4.10	44.64	3	Vertical	54	2.71	-	31.70	5.06	31.50
PK	5.4696G	65.90	68.20	-2.30	60.62	3	Vertical	54	2.71	-	31.70	5.07	31.49
PK	5.5752G	119.14	Inf	-Inf	113.83	3	Vertical	54	2.71	-	31.60	5.18	31.47
AV	5.5816G	107.51	Inf	-Inf	102.20	3	Vertical	54	2.71	-	31.60	5.18	31.47
PK	5.7256G	59.10	68.20	-9.10	53.64	3	Vertical	54	2.71	-	31.85	5.07	31.46

802.11ax HEW20_Nss4,(MCS0)_4TX

25/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	64.37	74.00	-9.63	59.12	3	Horizontal	64	1.69	-	31.70	5.05	31.50
AV	5.4592G	50.56	54.00	-3.44	45.30	3	Horizontal	64	1.69	-	31.70	5.06	31.50
PK	5.468G	65.71	68.20	-2.49	60.43	3	Horizontal	64	1.69	-	31.70	5.07	31.49
PK	5.5752G	124.73	Inf	-Inf	119.42	3	Horizontal	64	1.69	-	31.60	5.18	31.47
AV	5.5816G	112.62	Inf	-Inf	107.31	3	Horizontal	64	1.69	-	31.60	5.18	31.47
PK	5.7272G	61.83	68.20	-6.37	56.37	3	Horizontal	64	1.69	-	31.85	5.07	31.46

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5580MHz_TX




EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14752G	53.97	74.00	-20.03	39.18	3	Vertical	68	1.71	-	40.10	7.50	32.81
AV	11.16696G	41.39	54.00	-12.61	26.63	3	Vertical	68	1.71	-	40.07	7.51	32.82

802.11ax HEW20_Nss4,(MCS0)_4TX

26/04/2021

5580MHz_TX



EUT X_4TX
Setting 120
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15742G	53.86	74.00	-20.14	39.07	3	Horizontal	239	2.41	-	40.09	7.51	32.81
AV	11.16042G	41.21	54.00	-12.79	26.43	3	Horizontal	239	2.41	-	40.08	7.51	32.81