



**For Radio 3 / 4T1S / Non beamforming mode
Summary**

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.37
802.11ax HEW20_Nss1,(MCS0)_4TX	3.63
802.11ax HEW40_Nss1,(MCS0)_4TX	1.07
802.11ax HEW80_Nss1,(MCS0)_4TX	-1.85
802.11ax HEW160_Nss1,(MCS0)_4TX	-1.69
5.25-5.35GHz	-
802.11ax HEW160_Nss1,(MCS0)_4TX	-1.41

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.43	-1.45	-2.01	-2.17	-1.31	4.18	15.57
5200MHz	Pass	7.43	-1.73	-2.19	-2.27	-1.55	4.00	15.57
5240MHz	Pass	7.43	-1.48	-1.84	-1.98	-1.30	4.37	15.57
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.43	-2.13	-2.59	-2.71	-1.96	3.63	15.57
5200MHz	Pass	7.43	-2.17	-2.62	-2.68	-1.93	3.58	15.57
5240MHz	Pass	7.43	-2.15	-2.59	-2.65	-2.00	3.58	15.57
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.43	-4.74	-5.15	-5.23	-4.58	1.04	15.57
5230MHz	Pass	7.43	-4.69	-5.08	-5.08	-4.57	1.07	15.57
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.43	-7.69	-7.85	-7.92	-7.63	-1.85	15.57
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.43	-7.37	-8.16	-7.93	-7.04	-1.69	15.57
5250MHz Straddle 5.25-5.35GHz	Pass	7.58	-7.20	-7.61	-7.62	-6.80	-1.41	9.42

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

11/05/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.18	4.18	-1.45	-2.01	-2.17	-1.31

802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

11/05/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.00	4.00	-1.73	-2.19	-2.27	-1.55

802.11a_Nss1,(6Mbps)_4TX




PSD

5240MHz

11/05/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.37	4.37	-1.48	-1.84	-1.98	-1.30




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5190MHz

11/05/2021

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.04	1.04	-4.74	-5.15	-5.23	-4.58


802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5230MHz

11/05/2021

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.07	1.07	-4.69	-5.08	-5.08	-4.57


802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5210MHz

11/05/2021

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.85	-1.85	-7.69	-7.85	-7.92	-7.63

802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

11/05/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.69	-1.69	-7.37	-8.16	-7.93	-7.04

802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

11/05/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.41	-1.41	-7.20	-7.61	-7.62	-6.80

**For Radio 3 / 4T1S / Beamforming mode
Summary**

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	1.34
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-1.29
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-4.19
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-3.89
5.25-5.35GHz	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-3.53

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.43	-4.74	-5.13	-5.08	-4.48	1.11	15.57
5200MHz	Pass	7.43	-4.48	-4.84	-4.85	-4.34	1.29	15.57
5240MHz	Pass	7.43	-4.51	-4.69	-4.87	-4.35	1.34	15.57
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.43	-7.09	-7.47	-7.48	-7.01	-1.29	15.57
5230MHz	Pass	7.43	-7.27	-7.28	-7.49	-7.07	-1.34	15.57
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.43	-10.09	-10.15	-10.38	-9.90	-4.19	15.57
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.43	-9.56	-10.12	-9.91	-9.52	-3.89	15.57
5250MHz Straddle 5.25-5.35GHz	Pass	7.58	-9.42	-9.73	-9.66	-9.28	-3.53	9.42

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5180MHz

12/05/2021

CF
5.18GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.11	1.11	-4.74	-5.13	-5.08	-4.48


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5200MHz

12/05/2021

CF
5.2GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.29	1.29	-4.48	-4.84	-4.85	-4.34


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5240MHz




12/05/2021

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.34	1.34	-4.51	-4.69	-4.87	-4.35




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

12/05/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.89	-3.89	-9.56	-10.12	-9.91	-9.52

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

12/05/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.53	-3.53	-9.42	-9.73	-9.66	-9.28

**For Radio 3 / 4T4S
Summary**

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20_Nss4,(MCS0)_4TX	4.62
802.11ax HEW40_Nss4,(MCS0)_4TX	2.10
802.11ax HEW80_Nss4,(MCS0)_4TX	-0.46
802.11ax HEW160_Nss4,(MCS0)_4TX	-1.27
5.25-5.35GHz	-
802.11ax HEW160_Nss4,(MCS0)_4TX	-0.19




RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.24	-1.52	-1.95	-1.74	-1.09	4.33	17.00
5200MHz	Pass	3.24	-1.46	-1.92	-1.90	-1.15	4.30	17.00
5240MHz	Pass	3.24	-1.12	-1.66	-1.53	-0.87	4.62	17.00
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.24	-3.84	-4.09	-4.08	-3.62	1.99	17.00
5230MHz	Pass	3.24	-3.61	-3.90	-3.91	-3.64	2.10	17.00
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.24	-6.21	-6.50	-6.44	-5.99	-0.46	17.00
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.24	-7.31	-7.77	-7.30	-6.65	-1.27	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.46	-6.08	-6.34	-6.14	-5.60	-0.19	11.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;




802.11ax HEW40_Nss4,(MCS0)_4TX

PSD

5190MHz

19/05/2021

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.99	1.99	-3.84	-4.09	-4.08	-3.62


802.11ax HEW40_Nss4,(MCS0)_4TX

PSD

5230MHz

19/05/2021

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.10	2.10	-3.61	-3.90	-3.91	-3.64


802.11ax HEW80_Nss4,(MCS0)_4TX

PSD

5210MHz

19/05/2021

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.46	-0.46	-6.21	-6.50	-6.44	-5.99

802.11ax HEW160_Nss4,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

07/05/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
-1.27	-1.27	-7.31	-7.77	-7.30	-6.65

802.11ax HEW160_Nss4,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

07/05/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
-0.19	-0.19	-6.08	-6.34	-6.14	-5.60



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 5	Pass	QP	35.82M	36.11	40.00	-3.89	Vertical

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	35.82M	36.11	40.00	-3.89	-10.09	3	Vertical	262	1.00	"Worst"	46.20	20.99	0.52	31.60
PK	48.43M	31.61	40.00	-8.39	-16.62	3	Vertical	70	1.00	-	48.23	14.53	0.60	31.75
PK	67.83M	28.26	40.00	-11.74	-19.03	3	Vertical	306	1.25	-	47.29	12.05	0.80	31.88
PK	438.37M	33.96	46.00	-12.04	-7.07	3	Vertical	360	1.25	-	41.03	22.51	2.68	32.26
PK	90.14M	27.00	43.50	-16.50	-16.22	3	Vertical	315	1.50	-	43.22	14.68	1.00	31.90
PK	146.4M	24.26	43.50	-19.24	-14.20	3	Vertical	155	1.00	-	38.46	16.43	1.33	31.96

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	33.88M	28.28	40.00	-11.72	-8.98	3	Horizontal	263	2.00	-	37.26	22.11	0.48	31.57
PK	83.35M	29.05	40.00	-10.95	-17.63	3	Horizontal	262	1.50	-	46.68	13.32	0.97	31.92
PK	99.84M	24.45	43.50	-19.05	-14.15	3	Horizontal	246	2.00	-	38.60	16.62	1.10	31.87
PK	443.22M	35.17	46.00	-10.83	-7.00	3	Horizontal	0	1.00	"Worst"	42.17	22.58	2.69	32.27
PK	711.91M	30.34	46.00	-15.66	-4.55	3	Horizontal	147	1.25	-	34.89	24.59	3.52	32.66
PK	893.3M	34.38	46.00	-11.62	-2.18	3	Horizontal	0	1.50	-	36.56	26.22	4.25	32.65




For Radio 1 / 1T1S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.4676G	68.18	68.20	-0.02	3	Vertical	302	2.07	-

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5180MHz_TX




EUT Z_1TX
Setting 86
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	72.16	74.00	-1.84	65.39	3	Vertical	49	2.59	-	33.50	5.00	31.73
AV	5.1492G	53.11	54.00	-0.89	46.34	3	Vertical	49	2.59	-	33.50	5.00	31.73
PK	5.1824G	111.93	Inf	-Inf	105.08	3	Vertical	49	2.59	-	33.50	5.06	31.71
AV	5.1842G	101.87	Inf	-Inf	95.00	3	Vertical	49	2.59	-	33.50	5.07	31.70

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5180MHz_TX




EUT Z_1TX
Setting 86
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	70.40	74.00	-3.60	63.63	3	Horizontal	356	2.90	-	33.50	5.00	31.73
AV	5.1498G	51.68	54.00	-2.32	44.91	3	Horizontal	356	2.90	-	33.50	5.00	31.73
PK	5.1824G	111.16	Inf	-Inf	104.31	3	Horizontal	356	2.90	-	33.50	5.06	31.71
AV	5.1818G	100.96	Inf	-Inf	94.11	3	Horizontal	356	2.90	-	33.50	5.06	31.71

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5180MHz_TX




EUT Z_1TX
Setting 86
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54G	53.43	74.00	-20.57	39.33	3	Vertical	77	2.55	-	37.90	9.04	32.84
AV	15.5392G	39.68	54.00	-14.32	25.58	3	Vertical	77	2.55	-	37.90	9.04	32.84

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5180MHz_TX




EUT Z_1TX
Setting 86
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54078G	53.03	74.00	-20.97	38.93	3	Horizontal	261	1.07	-	37.90	9.04	32.84
AV	15.54026G	39.79	54.00	-14.21	25.69	3	Horizontal	261	1.07	-	37.90	9.04	32.84

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5200MHz_TX




EUT Z_1TX
Setting 97
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.21	74.00	-3.79	63.44	3	Vertical	45	2.63	-	33.50	5.00	31.73
AV	5.15G	52.90	54.00	-1.10	46.13	3	Vertical	45	2.63	-	33.50	5.00	31.73
PK	5.2024G	113.52	Inf	-Inf	106.61	3	Vertical	45	2.63	-	33.50	5.10	31.69
AV	5.202G	103.42	Inf	-Inf	96.51	3	Vertical	45	2.63	-	33.50	5.10	31.69

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5200MHz_TX




EUT Z_1TX
Setting 97
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	68.61	74.00	-5.39	61.84	3	Horizontal	355	2.63	-	33.50	5.00	31.73
AV	5.15G	51.89	54.00	-2.11	45.12	3	Horizontal	355	2.63	-	33.50	5.00	31.73
PK	5.1952G	113.31	Inf	-Inf	106.42	3	Horizontal	355	2.63	-	33.50	5.09	31.70
AV	5.198G	103.23	Inf	-Inf	96.32	3	Horizontal	355	2.63	-	33.50	5.10	31.69

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5200MHz_TX




EUT Z_1TX
Setting 97
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59208G	52.58	74.00	-21.42	38.73	3	Vertical	197	2.60	-	37.64	9.06	32.85
AV	15.59406G	39.64	54.00	-14.36	25.80	3	Vertical	197	2.60	-	37.63	9.06	32.85

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5200MHz_TX




EUT Z_1TX
Setting 97
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59929G	52.61	74.00	-21.39	38.80	3	Horizontal	231	2.40	-	37.60	9.06	32.85
AV	15.59985G	39.57	54.00	-14.43	25.76	3	Horizontal	231	2.40	-	37.60	9.06	32.85

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5240MHz_TX




EUT Z_1TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.06	74.00	-4.94	62.29	3	Vertical	299	2.43	-	33.50	5.00	31.73
AV	5.1488G	52.17	54.00	-1.83	45.40	3	Vertical	299	2.43	-	33.50	5.00	31.73
PK	5.2436G	116.54	Inf	-Inf	109.53	3	Vertical	299	2.43	-	33.59	5.08	31.66
AV	5.2376G	105.43	Inf	-Inf	98.43	3	Vertical	299	2.43	-	33.58	5.08	31.66
PK	5.3546G	70.20	74.00	-3.80	62.96	3	Vertical	299	2.43	-	33.80	5.02	31.58
AV	5.351G	51.97	54.00	-2.03	44.73	3	Vertical	299	2.43	-	33.80	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5240MHz_TX




EUT Z_1TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.05	74.00	-3.95	63.28	3	Horizontal	354	2.72	-	33.50	5.00	31.73
AV	5.1494G	52.77	54.00	-1.23	46.00	3	Horizontal	354	2.72	-	33.50	5.00	31.73
PK	5.2436G	116.20	Inf	-Inf	109.19	3	Horizontal	354	2.72	-	33.59	5.08	31.66
AV	5.2424G	104.79	Inf	-Inf	97.79	3	Horizontal	354	2.72	-	33.58	5.08	31.66
PK	5.3546G	67.83	74.00	-6.17	60.59	3	Horizontal	354	2.72	-	33.80	5.02	31.58
AV	5.35G	51.06	54.00	-2.94	43.82	3	Horizontal	354	2.72	-	33.80	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5240MHz_TX




EUT Z_1TX
Setting 120
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47124G	54.51	68.20	-13.69	40.17	3	Vertical	341	1.80	-	39.63	7.26	32.55
PK	15.72264G	52.98	74.00	-21.02	39.21	3	Vertical	93	2.30	-	37.53	9.10	32.86
AV	15.72386G	39.57	54.00	-14.43	25.80	3	Vertical	93	2.30	-	37.53	9.10	32.86

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5240MHz_TX




EUT Z_1TX
Setting 120
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47799G	54.12	68.20	-14.08	39.78	3	Horizontal	233	1.80	-	39.62	7.27	32.55
PK	15.72284G	53.33	74.00	-20.67	39.56	3	Horizontal	167	1.80	-	37.53	9.10	32.86
AV	15.72428G	39.56	54.00	-14.44	25.79	3	Horizontal	167	1.80	-	37.53	9.10	32.86

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5260MHz_TX




EUT Z_1TX
Setting 102
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.84	74.00	-14.16	53.07	3	Vertical	297	2.35	-	33.50	5.00	31.73
AV	5.1496G	46.20	54.00	-7.80	39.43	3	Vertical	297	2.35	-	33.50	5.00	31.73
PK	5.2588G	116.59	Inf	-Inf	109.55	3	Vertical	297	2.35	-	33.62	5.07	31.65
AV	5.2624G	106.43	Inf	-Inf	99.39	3	Vertical	297	2.35	-	33.62	5.07	31.65
PK	5.3506G	67.29	74.00	-6.71	60.05	3	Vertical	297	2.35	-	33.80	5.02	31.58
AV	5.3524G	50.52	54.00	-3.48	43.28	3	Vertical	297	2.35	-	33.80	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5260MHz_TX




EUT Z_1TX
Setting 102
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	59.32	74.00	-14.68	52.57	3	Horizontal	358	2.69	-	33.49	4.99	31.73
AV	5.1448G	46.24	54.00	-7.76	39.49	3	Horizontal	358	2.69	-	33.49	4.99	31.73
PK	5.2594G	115.01	Inf	-Inf	107.97	3	Horizontal	358	2.69	-	33.62	5.07	31.65
AV	5.257G	104.79	Inf	-Inf	97.76	3	Horizontal	358	2.69	-	33.61	5.07	31.65
PK	5.35G	66.09	74.00	-7.91	58.84	3	Horizontal	358	2.69	-	33.80	5.03	31.58
AV	5.3536G	48.64	54.00	-5.36	41.40	3	Horizontal	358	2.69	-	33.80	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5260MHz_TX




EUT Z_1TX
Setting 102
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78044G	52.83	74.00	-21.17	39.21	3	Vertical	217	2.00	-	37.36	9.12	32.86
AV	15.77936G	39.60	54.00	-14.40	25.98	3	Vertical	217	2.00	-	37.36	9.12	32.86

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5260MHz_TX




EUT Z_1TX
Setting 102
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77946G	53.28	74.00	-20.72	39.66	3	Horizontal	46	2.37	-	37.36	9.12	32.86
AV	15.78016G	39.59	54.00	-14.41	25.97	3	Horizontal	46	2.37	-	37.36	9.12	32.86

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5300MHz_TX




EUT Z_1TX
Setting 96
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	114.10	Inf	-Inf	106.97	3	Vertical	298	2.17	-	33.70	5.05	31.62
AV	5.2976G	104.51	Inf	-Inf	97.38	3	Vertical	298	2.17	-	33.70	5.05	31.62
PK	5.35G	71.91	74.00	-2.09	64.66	3	Vertical	298	2.17	-	33.80	5.03	31.58
AV	5.3504G	53.25	54.00	-0.75	46.01	3	Vertical	298	2.17	-	33.80	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5300MHz_TX




EUT Z_1TX
Setting 96
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	113.03	Inf	-Inf	105.90	3	Horizontal	354	2.79	-	33.70	5.05	31.62
AV	5.3024G	103.25	Inf	-Inf	96.12	3	Horizontal	354	2.79	-	33.70	5.05	31.62
PK	5.35G	69.14	74.00	-4.86	61.89	3	Horizontal	354	2.79	-	33.80	5.03	31.58
AV	5.3504G	50.90	54.00	-3.10	43.66	3	Horizontal	354	2.79	-	33.80	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5300MHz_TX




EUT Z_1TX
Setting 96
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89905G	53.01	74.00	-20.99	39.62	3	Vertical	29	1.49	-	37.10	9.16	32.87
AV	15.90074G	39.17	54.00	-14.83	25.77	3	Vertical	29	1.49	-	37.10	9.17	32.87

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5300MHz_TX




EUT Z_1TX
Setting 96
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90071G	52.76	74.00	-21.24	39.36	3	Horizontal	305	1.73	-	37.10	9.17	32.87
AV	15.90017G	39.24	54.00	-14.76	25.84	3	Horizontal	305	1.73	-	37.10	9.17	32.87

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5320MHz_TX




EUT_Z_1TX
Setting 87
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	111.69	Inf	-Inf	104.51	3	Vertical	299	1.99	-	33.74	5.04	31.60
AV	5.3242G	101.54	Inf	-Inf	94.35	3	Vertical	299	1.99	-	33.75	5.04	31.60
PK	5.354G	71.45	74.00	-2.55	64.21	3	Vertical	299	1.99	-	33.80	5.02	31.58
AV	5.3502G	52.67	54.00	-1.33	45.43	3	Vertical	299	1.99	-	33.80	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5320MHz_TX




EUT_Z_1TX
Setting 87
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	111.02	Inf	-Inf	103.84	3	Horizontal	355	2.90	-	33.74	5.04	31.60
AV	5.3218G	100.77	Inf	-Inf	93.59	3	Horizontal	355	2.90	-	33.74	5.04	31.60
PK	5.3516G	70.74	74.00	-3.26	63.50	3	Horizontal	355	2.90	-	33.80	5.02	31.58
AV	5.3506G	52.01	54.00	-1.99	44.77	3	Horizontal	355	2.90	-	33.80	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5320MHz_TX




EUT Z_1TX
Setting 87
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95966G	52.41	74.00	-21.59	38.82	3	Vertical	330	2.27	-	37.28	9.19	32.88
AV	15.95924G	39.57	54.00	-14.43	25.98	3	Vertical	330	2.27	-	37.28	9.19	32.88

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5320MHz_TX




EUT Z_1TX
Setting 87
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95939G	53.31	74.00	-20.69	39.72	3	Horizontal	12	1.10	-	37.28	9.19	32.88
AV	15.96098G	39.39	54.00	-14.61	25.80	3	Horizontal	12	1.10	-	37.28	9.19	32.88

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5500MHz_TX




EUT Z_1TX
Setting 86
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	67.15	74.00	-6.85	59.61	3	Vertical	302	2.07	-	33.98	5.06	31.50
AV	5.4596G	47.00	54.00	-7.00	39.46	3	Vertical	302	2.07	-	33.98	5.06	31.50
PK	5.4676G	68.18	68.20	-0.02	60.64	3	Vertical	302	2.07	-	33.96	5.07	31.49
PK	5.5024G	111.93	Inf	-Inf	104.40	3	Vertical	302	2.07	-	33.90	5.10	31.47
AV	5.502G	101.80	Inf	-Inf	94.27	3	Vertical	302	2.07	-	33.90	5.10	31.47

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5500MHz_TX




EUT Z_1TX
Setting 86
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	62.30	74.00	-11.70	54.76	3	Horizontal	356	2.88	-	33.98	5.06	31.50
AV	5.4592G	45.87	54.00	-8.13	38.33	3	Horizontal	356	2.88	-	33.98	5.06	31.50
PK	5.4684G	67.00	68.20	-1.20	59.46	3	Horizontal	356	2.88	-	33.96	5.07	31.49
PK	5.4936G	110.05	Inf	-Inf	102.52	3	Horizontal	356	2.88	-	33.91	5.09	31.47
AV	5.4952G	99.97	Inf	-Inf	92.43	3	Horizontal	356	2.88	-	33.91	5.10	31.47

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5500MHz_TX




EUT Z_1TX
Setting 86
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99964G	53.66	74.00	-20.34	38.37	3	Vertical	227	2.58	-	40.60	7.45	32.76
AV	10.99998G	40.73	54.00	-13.27	25.44	3	Vertical	227	2.58	-	40.60	7.45	32.76

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5500MHz_TX




EUT Z_1TX
Setting 86
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99923G	54.62	74.00	-19.38	39.33	3	Horizontal	55	2.39	-	40.60	7.45	32.76
AV	11.00001G	40.74	54.00	-13.26	25.45	3	Horizontal	55	2.39	-	40.60	7.45	32.76

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5580MHz_TX




EUT Z_1TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	67.30	74.00	-6.70	59.76	3	Vertical	58	2.23	-	33.99	5.05	31.50
PK	5.4608G	66.68	68.20	-1.52	59.14	3	Vertical	58	2.23	-	33.98	5.06	31.50
AV	5.46G	50.14	54.00	-3.86	42.60	3	Vertical	58	2.23	-	33.98	5.06	31.50
PK	5.5824G	117.78	Inf	-Inf	110.16	3	Vertical	58	2.23	-	33.90	5.19	31.47
AV	5.5824G	106.61	Inf	-Inf	99.00	3	Vertical	58	2.23	-	33.90	5.18	31.47
PK	5.7328G	63.16	68.20	-5.04	55.75	3	Vertical	58	2.23	-	33.80	5.07	31.46

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5580MHz_TX




EUT Z_1TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.03	74.00	-9.97	56.49	3	Horizontal	353	2.68	-	33.98	5.06	31.50
AV	5.4592G	49.12	54.00	-4.88	41.58	3	Horizontal	353	2.68	-	33.98	5.06	31.50
PK	5.464G	67.18	68.20	-1.02	59.65	3	Horizontal	353	2.68	-	33.97	5.06	31.50
PK	5.5752G	114.45	Inf	-Inf	106.84	3	Horizontal	353	2.68	-	33.90	5.18	31.47
AV	5.5776G	103.63	Inf	-Inf	96.02	3	Horizontal	353	2.68	-	33.90	5.18	31.47
PK	5.728G	60.08	68.20	-8.12	52.67	3	Horizontal	353	2.68	-	33.80	5.07	31.46

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5580MHz_TX




EUT Z_1TX
Setting 120
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15978G	53.79	74.00	-20.21	39.01	3	Vertical	76	1.09	-	40.08	7.51	32.81
AV	11.16015G	40.34	54.00	-13.66	25.56	3	Vertical	76	1.09	-	40.08	7.51	32.81

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5580MHz_TX




EUT Z_1TX
Setting 120
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16057G	54.62	74.00	-19.38	39.84	3	Horizontal	127	2.26	-	40.08	7.51	32.81
AV	11.15983G	40.35	54.00	-13.65	25.57	3	Horizontal	127	2.26	-	40.08	7.51	32.81

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5700MHz_TX




EUT Z_1TX
Setting 79
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	111.44	Inf	-Inf	104.00	3	Vertical	53	2.11	-	33.80	5.10	31.46
AV	5.6972G	101.17	Inf	-Inf	93.72	3	Vertical	53	2.11	-	33.81	5.10	31.46
PK	5.7262G	67.95	68.20	-0.25	60.54	3	Vertical	53	2.11	-	33.80	5.07	31.46

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5700MHz_TX




EUT Z_1TX
Setting 79
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	107.38	Inf	-Inf	99.94	3	Horizontal	352	2.41	-	33.80	5.10	31.46
AV	5.7022G	97.11	Inf	-Inf	89.67	3	Horizontal	352	2.41	-	33.80	5.10	31.46
PK	5.7258G	63.10	68.20	-5.10	55.69	3	Horizontal	352	2.41	-	33.80	5.07	31.46

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5700MHz_TX



EUT Z_1TX
Setting 79
02-B-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39919G	53.57	74.00	-20.43	38.58	3	Vertical	123	2.96	-	40.30	7.59	32.90
AV	11.40011G	40.42	54.00	-13.58	25.43	3	Vertical	123	2.96	-	40.30	7.59	32.90



802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5700MHz_TX




EUT Z_1TX
Setting 79
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39942G	53.25	74.00	-20.75	38.26	3	Horizontal	339	1.81	-	40.30	7.59	32.90
AV	11.40077G	40.32	54.00	-13.68	25.33	3	Horizontal	339	1.81	-	40.30	7.59	32.90

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 112
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	118.29	Inf	-Inf	110.92	3	Vertical	44	2.40	-	33.75	5.08	31.46
AV	5.7224G	106.61	Inf	-Inf	99.25	3	Vertical	44	2.40	-	33.74	5.08	31.46
PK	5.872G	68.06	68.20	-0.14	60.41	3	Vertical	44	2.40	-	33.89	5.22	31.46

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 112
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	111.21	Inf	-Inf	103.84	3	Horizontal	133	2.90	-	33.75	5.08	31.46
AV	5.7176G	99.92	Inf	-Inf	92.56	3	Horizontal	133	2.90	-	33.74	5.08	31.46
PK	5.8584G	62.41	68.20	-5.79	54.86	3	Horizontal	133	2.90	-	33.83	5.18	31.46

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 112
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43957G	53.93	74.00	-20.07	40.36	3	Vertical	352	2.97	-	38.88	7.60	32.91
AV	11.44033G	40.41	54.00	-13.59	26.84	3	Vertical	352	2.97	-	38.88	7.60	32.91

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 112
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44058G	53.59	74.00	-20.41	40.02	3	Horizontal	229	1.82	-	38.88	7.60	32.91
AV	11.44029G	40.45	54.00	-13.55	26.88	3	Horizontal	229	1.82	-	38.88	7.60	32.91

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5745MHz_TX




EUT Z_1TX
Setting 98
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.00	68.20	-6.20	54.41	3	Vertical	41	2.05	-	33.90	5.15	31.46
PK	5.75G	115.69	Inf	-Inf	108.30	3	Vertical	41	2.05	-	33.80	5.05	31.46
AV	5.747G	105.17	Inf	-Inf	97.78	3	Vertical	41	2.05	-	33.80	5.05	31.46
PK	5.971G	58.87	68.20	-9.33	50.67	3	Vertical	41	2.05	-	34.14	5.51	31.45

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5745MHz_TX




EUT Z_1TX
Setting 98
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.03	68.20	-9.17	51.44	3	Horizontal	352	2.55	-	33.90	5.15	31.46
PK	5.748G	110.77	Inf	-Inf	103.38	3	Horizontal	352	2.55	-	33.80	5.05	31.46
AV	5.747G	100.90	Inf	-Inf	93.51	3	Horizontal	352	2.55	-	33.80	5.05	31.46
PK	5.927G	57.33	68.20	-10.87	49.30	3	Horizontal	352	2.55	-	34.10	5.38	31.45

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5745MHz_TX




EUT Z_1TX
Setting 98
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48944G	53.56	74.00	-20.44	38.57	3	Vertical	239	2.72	-	40.30	7.62	32.93
AV	11.49025G	40.75	54.00	-13.25	25.76	3	Vertical	239	2.72	-	40.30	7.62	32.93

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5745MHz_TX




EUT Z_1TX
Setting 98
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48928G	54.02	74.00	-19.98	39.03	3	Horizontal	291	2.90	-	40.30	7.62	32.93
AV	11.49017G	40.53	54.00	-13.47	25.54	3	Horizontal	291	2.90	-	40.30	7.62	32.93

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5785MHz_TX




EUT Z_1TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.04	68.20	-1.16	59.45	3	Vertical	41	2.27	-	33.90	5.15	31.46
PK	5.787G	116.92	Inf	-Inf	109.57	3	Vertical	41	2.27	-	33.80	5.01	31.46
AV	5.782G	105.89	Inf	-Inf	98.53	3	Vertical	41	2.27	-	33.80	5.02	31.46
PK	5.94G	66.97	68.20	-1.23	58.90	3	Vertical	41	2.27	-	34.10	5.42	31.45

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5785MHz_TX




EUT Z_1TX
Setting 120
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	60.24	68.20	-7.96	52.61	3	Horizontal	193	2.08	-	33.90	5.20	31.47
PK	5.78G	110.83	Inf	-Inf	103.47	3	Horizontal	193	2.08	-	33.80	5.02	31.46
AV	5.783G	100.05	Inf	-Inf	92.69	3	Horizontal	193	2.08	-	33.80	5.02	31.46
PK	5.94G	62.51	68.20	-5.69	54.44	3	Horizontal	193	2.08	-	34.10	5.42	31.45

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5785MHz_TX




EUT Z_1TX
Setting 120
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57012G	53.57	74.00	-20.43	38.76	3	Vertical	16	2.47	-	40.09	7.65	32.93
AV	11.56932G	40.45	54.00	-13.55	25.64	3	Vertical	16	2.47	-	40.09	7.65	32.93

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5785MHz_TX




EUT Z_1TX
Setting 120
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56916G	53.88	74.00	-20.12	39.07	3	Horizontal	37	1.62	-	40.09	7.65	32.93
AV	11.57014G	40.34	54.00	-13.66	25.53	3	Horizontal	37	1.62	-	40.09	7.65	32.93

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5825MHz_TX




EUT_Z_1TX
Setting 99
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.89	68.20	-9.31	51.29	3	Vertical	42	2.22	-	33.90	5.16	31.46
PK	5.828G	116.49	Inf	-Inf	109.01	3	Vertical	42	2.22	-	33.86	5.08	31.46
AV	5.823G	106.14	Inf	-Inf	98.68	3	Vertical	42	2.22	-	33.85	5.07	31.46
PK	5.925G	62.22	68.20	-5.98	54.19	3	Vertical	42	2.22	-	34.10	5.38	31.45

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5825MHz_TX




EUT Z_1TX
Setting 99
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	59.35	68.20	-8.85	51.74	3	Horizontal	194	2.13	-	33.90	5.17	31.46
PK	5.824G	112.08	Inf	-Inf	104.62	3	Horizontal	194	2.13	-	33.85	5.07	31.46
AV	5.827G	101.21	Inf	-Inf	93.74	3	Horizontal	194	2.13	-	33.85	5.08	31.46
PK	5.925G	64.61	68.20	-3.59	56.58	3	Horizontal	194	2.13	-	34.10	5.38	31.45

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5825MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65049G	52.99	74.00	-21.01	38.59	3	Vertical	248	2.13	-	39.65	7.68	32.93
AV	11.64932G	39.74	54.00	-14.26	25.34	3	Vertical	248	2.13	-	39.65	7.68	32.93

802.11a_Nss1,(6Mbps)_1TX

19/04/2021

5825MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64937G	53.47	74.00	-20.53	39.07	3	Horizontal	271	1.38	-	39.65	7.68	32.93
AV	11.65019G	39.86	54.00	-14.14	25.46	3	Horizontal	271	1.38	-	39.65	7.68	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5180MHz_TX




EUT Z_1TX
Setting 82
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.78	74.00	-1.22	66.01	3	Vertical	45	2.75	-	33.50	5.00	31.73
AV	5.15G	53.62	54.00	-0.38	46.85	3	Vertical	45	2.75	-	33.50	5.00	31.73
PK	5.177G	113.71	Inf	-Inf	106.87	3	Vertical	45	2.75	-	33.50	5.05	31.71
AV	5.1784G	100.72	Inf	-Inf	93.87	3	Vertical	45	2.75	-	33.50	5.06	31.71

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5180MHz_TX




EUT Z_1TX
Setting 82
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.46	74.00	-3.54	63.69	3	Horizontal	356	2.89	-	33.50	5.00	31.73
AV	5.1496G	51.91	54.00	-2.09	45.14	3	Horizontal	356	2.89	-	33.50	5.00	31.73
PK	5.177G	112.71	Inf	-Inf	105.87	3	Horizontal	356	2.89	-	33.50	5.05	31.71
AV	5.1828G	99.87	Inf	-Inf	93.00	3	Horizontal	356	2.89	-	33.50	5.07	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5180MHz_TX




EUT Z_1TX
Setting 82
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54032G	52.68	74.00	-21.32	38.58	3	Vertical	176	2.52	-	37.90	9.04	32.84
AV	15.53927G	39.71	54.00	-14.29	25.61	3	Vertical	176	2.52	-	37.90	9.04	32.84

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5180MHz_TX




EUT Z_1TX
Setting 82
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54065G	53.53	74.00	-20.47	39.43	3	Horizontal	70	1.82	-	37.90	9.04	32.84
AV	15.53958G	39.58	54.00	-14.42	25.48	3	Horizontal	70	1.82	-	37.90	9.04	32.84

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5200MHz_TX




EUT Z_1TX
Setting 82
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	70.89	74.00	-3.11	64.14	3	Vertical	47	2.64	-	33.49	4.99	31.73
AV	5.15G	53.66	54.00	-0.34	46.89	3	Vertical	47	2.64	-	33.50	5.00	31.73
PK	5.1968G	116.09	Inf	-Inf	109.19	3	Vertical	47	2.64	-	33.50	5.09	31.69
AV	5.1932G	103.21	Inf	-Inf	96.32	3	Vertical	47	2.64	-	33.50	5.09	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5200MHz_TX




EUT Z_1TX
Setting B2
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.15	74.00	-3.85	63.38	3	Horizontal	355	2.63	-	33.50	5.00	31.73
AV	5.15G	52.16	54.00	-1.84	45.39	3	Horizontal	355	2.63	-	33.50	5.00	31.73
PK	5.1968G	115.55	Inf	-Inf	108.65	3	Horizontal	355	2.63	-	33.50	5.09	31.69
AV	5.1944G	102.39	Inf	-Inf	95.50	3	Horizontal	355	2.63	-	33.50	5.09	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5200MHz_TX




EUT Z_1TX
Setting 82
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60029G	52.69	74.00	-21.31	38.88	3	Vertical	72	2.71	-	37.60	9.06	32.85
AV	15.60069G	39.58	54.00	-14.42	25.77	3	Vertical	72	2.71	-	37.60	9.06	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5200MHz_TX




EUT Z_1TX
Setting 82
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59978G	52.95	74.00	-21.05	39.14	3	Horizontal	9	2.15	-	37.60	9.06	32.85
AV	15.60038G	39.41	54.00	-14.59	25.60	3	Horizontal	9	2.15	-	37.60	9.06	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5240MHz_TX




EUT Z_1TX
Setting 101
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.38	74.00	-8.62	58.61	3	Vertical	298	2.33	-	33.50	5.00	31.73
AV	5.1488G	48.42	54.00	-5.58	41.65	3	Vertical	298	2.33	-	33.50	5.00	31.73
PK	5.2412G	117.19	Inf	-Inf	110.19	3	Vertical	298	2.33	-	33.58	5.08	31.66
AV	5.243G	104.93	Inf	-Inf	97.92	3	Vertical	298	2.33	-	33.59	5.08	31.66
PK	5.3546G	63.31	74.00	-10.69	56.07	3	Vertical	298	2.33	-	33.80	5.02	31.58
AV	5.35G	49.01	54.00	-4.99	41.77	3	Vertical	298	2.33	-	33.80	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5240MHz_TX




EUT Z_1TX
Setting 101
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.60	74.00	-11.40	55.83	3	Horizontal	355	2.73	-	33.50	5.00	31.73
AV	5.1488G	48.26	54.00	-5.74	41.49	3	Horizontal	355	2.73	-	33.50	5.00	31.73
PK	5.237G	116.21	Inf	-Inf	109.22	3	Horizontal	355	2.73	-	33.57	5.08	31.66
AV	5.243G	103.76	Inf	-Inf	96.75	3	Horizontal	355	2.73	-	33.59	5.08	31.66
PK	5.3588G	60.85	74.00	-13.15	53.60	3	Horizontal	355	2.73	-	33.80	5.02	31.57
AV	5.35G	47.61	54.00	-6.39	40.37	3	Horizontal	355	2.73	-	33.80	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5240MHz_TX




EUT Z_1TX
Setting 101
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71965G	52.47	74.00	-21.53	38.69	3	Vertical	277	1.74	-	37.54	9.10	32.86
AV	15.72039G	39.37	54.00	-14.63	25.59	3	Vertical	277	1.74	-	37.54	9.10	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5240MHz_TX




EUT Z_1TX
Setting 101
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71976G	52.82	74.00	-21.18	39.04	3	Horizontal	298	2.61	-	37.54	9.10	32.86
AV	15.71918G	39.37	54.00	-14.63	25.59	3	Horizontal	298	2.61	-	37.54	9.10	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5260MHz_TX




EUT Z_1TX
Setting 102
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	61.98	74.00	-12.02	56.90	3	Vertical	254	2.40	-	31.82	4.99	31.73
AV	5.15G	46.86	54.00	-7.14	41.79	3	Vertical	254	2.40	-	31.80	5.00	31.73
PK	5.257G	118.45	Inf	-Inf	113.64	3	Vertical	254	2.40	-	31.39	5.07	31.65
AV	5.2654G	105.59	Inf	-Inf	100.79	3	Vertical	254	2.40	-	31.37	5.07	31.64
PK	5.35G	68.35	74.00	-5.65	63.60	3	Vertical	254	2.40	-	31.30	5.03	31.58
AV	5.35G	51.23	54.00	-2.77	46.48	3	Vertical	254	2.40	-	31.30	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5260MHz_TX



EUT Z_1TX
Setting 102
02-B-B-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	61.45	74.00	-12.55	56.38	3	Horizontal	311	2.70	-	31.80	5.00	31.73
AV	5.15G	47.20	54.00	-6.80	42.13	3	Horizontal	311	2.70	-	31.80	5.00	31.73
PK	5.257G	117.28	Inf	-Inf	112.47	3	Horizontal	311	2.70	-	31.39	5.07	31.65
AV	5.263G	104.35	Inf	-Inf	99.56	3	Horizontal	311	2.70	-	31.37	5.07	31.65
PK	5.3506G	64.78	74.00	-9.22	60.04	3	Horizontal	311	2.70	-	31.30	5.02	31.58
AV	5.3512G	49.62	54.00	-4.38	44.87	3	Horizontal	311	2.70	-	31.31	5.02	31.58



802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5260MHz_TX




EUT Z_1TX
Setting 102
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77944G	53.06	74.00	-20.94	39.44	3	Vertical	262	1.41	-	37.36	9.12	32.86
AV	15.77986G	39.53	54.00	-14.47	25.91	3	Vertical	262	1.41	-	37.36	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5260MHz_TX




EUT Z_1TX
Setting 102
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77942G	52.55	74.00	-21.45	38.93	3	Horizontal	213	2.12	-	37.36	9.12	32.86
AV	15.78033G	39.43	54.00	-14.57	25.81	3	Horizontal	213	2.12	-	37.36	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5300MHz_TX




EUT Z_1TX
Setting 95
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	117.10	Inf	-Inf	112.36	3	Vertical	360	2.65	-	31.31	5.05	31.62
AV	5.2984G	103.87	Inf	-Inf	99.14	3	Vertical	360	2.65	-	31.30	5.05	31.62
PK	5.3544G	71.02	74.00	-2.98	66.24	3	Vertical	360	2.65	-	31.34	5.02	31.58
AV	5.35G	53.96	54.00	-0.04	49.21	3	Vertical	360	2.65	-	31.30	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5300MHz_TX




EUT_Z_1TX
Setting 95
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	115.33	Inf	-Inf	110.59	3	Horizontal	312	2.68	-	31.31	5.05	31.62
AV	5.2984G	102.19	Inf	-Inf	97.46	3	Horizontal	312	2.68	-	31.30	5.05	31.62
PK	5.352G	68.45	74.00	-5.55	63.69	3	Horizontal	312	2.68	-	31.32	5.02	31.58
AV	5.3504G	50.95	54.00	-3.05	46.21	3	Horizontal	312	2.68	-	31.30	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5300MHz_TX




EUT Z_1TX
Setting 95
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89925G	52.71	74.00	-21.29	39.32	3	Vertical	58	2.86	-	37.10	9.16	32.87
AV	15.90005G	39.32	54.00	-14.68	25.92	3	Vertical	58	2.86	-	37.10	9.17	32.87

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5300MHz_TX




EUT Z_1TX
Setting 95
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89998G	53.37	74.00	-20.63	39.98	3	Horizontal	148	2.79	-	37.10	9.16	32.87
AV	15.90073G	39.32	54.00	-14.68	25.92	3	Horizontal	148	2.79	-	37.10	9.17	32.87

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5320MHz_TX




EUT Z_1TX
Setting 82
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	113.58	Inf	-Inf	108.85	3	Vertical	0	2.64	-	31.30	5.04	31.61
AV	5.3248G	100.56	Inf	-Inf	95.82	3	Vertical	0	2.64	-	31.30	5.04	31.60
PK	5.35G	73.79	74.00	-0.21	69.04	3	Vertical	0	2.64	-	31.30	5.03	31.58
AV	5.3504G	51.85	54.00	-2.15	47.11	3	Vertical	0	2.64	-	31.30	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5320MHz_TX




EUT Z_1TX
Setting 82
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	111.69	Inf	-Inf	106.96	3	Horizontal	309	2.64	-	31.30	5.04	31.61
AV	5.318G	98.42	Inf	-Inf	93.68	3	Horizontal	309	2.64	-	31.30	5.04	31.60
PK	5.35G	71.81	74.00	-2.19	67.06	3	Horizontal	309	2.64	-	31.30	5.03	31.58
AV	5.3508G	49.77	54.00	-4.23	45.02	3	Horizontal	309	2.64	-	31.31	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5320MHz_TX




EUT Z_1TX
Setting 82
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9601G	52.96	74.00	-21.04	39.37	3	Vertical	224	2.39	-	37.28	9.19	32.88
AV	15.95982G	39.39	54.00	-14.61	25.80	3	Vertical	224	2.39	-	37.28	9.19	32.88

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5320MHz_TX




EUT Z_1TX
Setting 82
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9602G	53.21	74.00	-20.79	39.62	3	Horizontal	242	1.52	-	37.28	9.19	32.88
AV	15.95908G	39.43	54.00	-14.57	25.84	3	Horizontal	242	1.52	-	37.28	9.19	32.88

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5500MHz_TX




EUT Z_1TX
Setting 79
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	59.09	74.00	-14.91	53.84	3	Vertical	360	2.87	-	31.70	5.05	31.50
AV	5.4588G	44.65	54.00	-9.35	39.39	3	Vertical	360	2.87	-	31.70	5.06	31.50
PK	5.4696G	68.05	68.20	-0.15	62.77	3	Vertical	360	2.87	-	31.70	5.07	31.49
PK	5.4968G	113.36	Inf	-Inf	108.03	3	Vertical	360	2.87	-	31.70	5.10	31.47
AV	5.4984G	100.27	Inf	-Inf	94.94	3	Vertical	360	2.87	-	31.70	5.10	31.47

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5500MHz_TX



EUT Z_1TX
Setting 79
02-B-B-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	58.38	74.00	-15.62	53.12	3	Horizontal	308	2.62	-	31.70	5.06	31.50
AV	5.4588G	43.82	54.00	-10.18	38.56	3	Horizontal	308	2.62	-	31.70	5.06	31.50
PK	5.47G	65.05	68.20	-3.15	59.77	3	Horizontal	308	2.62	-	31.70	5.07	31.49
PK	5.4968G	110.12	Inf	-Inf	104.79	3	Horizontal	308	2.62	-	31.70	5.10	31.47
AV	5.5028G	97.15	Inf	-Inf	91.83	3	Horizontal	308	2.62	-	31.69	5.10	31.47



802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5500MHz_TX




EUT Z_1TX
Setting 79
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99999G	53.82	74.00	-20.18	38.53	3	Vertical	345	3.00	-	40.60	7.45	32.76
AV	11.00025G	40.67	54.00	-13.33	25.38	3	Vertical	345	3.00	-	40.60	7.45	32.76

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5500MHz_TX




EUT Z_1TX
Setting 79
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00047G	54.06	74.00	-19.94	38.77	3	Horizontal	332	1.09	-	40.60	7.45	32.76
AV	10.99921G	40.73	54.00	-13.27	25.44	3	Horizontal	332	1.09	-	40.60	7.45	32.76

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5580MHz_TX




EUT Z_1TX
Setting 102
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.08	74.00	-15.92	52.82	3	Vertical	358	2.66	-	31.70	5.06	31.50
AV	5.4584G	45.01	54.00	-8.99	39.75	3	Vertical	358	2.66	-	31.70	5.06	31.50
PK	5.4632G	59.56	68.20	-8.64	54.30	3	Vertical	358	2.66	-	31.70	5.06	31.50
PK	5.5768G	119.23	Inf	-Inf	113.92	3	Vertical	358	2.66	-	31.60	5.18	31.47
AV	5.5832G	106.24	Inf	-Inf	100.93	3	Vertical	358	2.66	-	31.60	5.18	31.47
PK	5.7552G	57.19	68.20	-11.01	51.71	3	Vertical	358	2.66	-	31.90	5.04	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5580MHz_TX




EUT Z_1TX
Setting 102
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	57.35	74.00	-16.65	52.09	3	Horizontal	307	2.79	-	31.70	5.06	31.50
AV	5.46G	44.01	54.00	-9.99	38.75	3	Horizontal	307	2.79	-	31.70	5.06	31.50
PK	5.4632G	57.30	68.20	-10.90	52.04	3	Horizontal	307	2.79	-	31.70	5.06	31.50
PK	5.5768G	114.99	Inf	-Inf	109.68	3	Horizontal	307	2.79	-	31.60	5.18	31.47
AV	5.5808G	102.70	Inf	-Inf	97.39	3	Horizontal	307	2.79	-	31.60	5.18	31.47
PK	5.78G	56.18	68.20	-12.02	50.72	3	Horizontal	307	2.79	-	31.90	5.02	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5580MHz_TX




EUT Z_1TX
Setting 102
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15933G	53.40	74.00	-20.60	38.62	3	Vertical	268	1.88	-	40.08	7.51	32.81
AV	11.15935G	40.23	54.00	-13.77	25.45	3	Vertical	268	1.88	-	40.08	7.51	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5580MHz_TX




EUT Z_1TX
Setting 102
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16012G	54.20	74.00	-19.80	39.42	3	Horizontal	304	2.56	-	40.08	7.51	32.81
AV	11.15997G	40.32	54.00	-13.68	25.54	3	Horizontal	304	2.56	-	40.08	7.51	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5700MHz_TX




EUT Z_1TX
Setting 72
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	112.39	Inf	-Inf	106.96	3	Vertical	357	2.30	-	31.79	5.10	31.46
AV	5.698G	99.16	Inf	-Inf	93.73	3	Vertical	357	2.30	-	31.79	5.10	31.46
PK	5.7256G	68.15	68.20	-0.05	62.69	3	Vertical	357	2.30	-	31.85	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5700MHz_TX




EUT Z_1TX
Setting 72
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	108.15	Inf	-Inf	102.72	3	Horizontal	305	2.71	-	31.79	5.10	31.46
AV	5.6928G	94.82	Inf	-Inf	89.40	3	Horizontal	305	2.71	-	31.77	5.11	31.46
PK	5.7256G	63.09	68.20	-5.11	57.63	3	Horizontal	305	2.71	-	31.85	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5700MHz_TX




EUT Z_1TX
Setting 72
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39915G	53.91	74.00	-20.09	38.92	3	Vertical	217	1.54	-	40.30	7.59	32.90
AV	11.40035G	40.30	54.00	-13.70	25.31	3	Vertical	217	1.54	-	40.30	7.59	32.90

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5700MHz_TX




EUT Z_1TX
Setting 72
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40075G	53.50	74.00	-20.50	38.51	3	Horizontal	114	1.49	-	40.30	7.59	32.90
AV	11.40067G	40.35	54.00	-13.65	25.36	3	Horizontal	114	1.49	-	40.30	7.59	32.90

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 120
02-B-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	110.42	Inf	-Inf	103.05	3	Vertical	354	2.17	-	33.76	5.07	31.46
AV	5.723G	97.66	Inf	-Inf	90.29	3	Vertical	354	2.17	-	33.75	5.08	31.46
PK	5.858G	63.23	68.20	-4.97	55.69	3	Vertical	354	2.17	-	33.83	5.17	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

19/04/2021




EUT Z_1TX
 Setting 120
 02-B-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	105.28	Inf	-Inf	97.91	3	Horizontal	305	2.80	-	33.75	5.08	31.46
AV	5.725G	92.61	Inf	-Inf	85.24	3	Horizontal	305	2.80	-	33.75	5.08	31.46
PK	5.86G	60.94	68.20	-7.26	53.38	3	Horizontal	305	2.80	-	33.84	5.18	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

19/04/2021




EUT Z_1TX
 Setting 120
 02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4493G	54.08	74.00	-19.92	40.48	3	Vertical	70	1.71	-	38.90	7.61	32.91
AV	11.4454G	40.95	54.00	-13.05	27.36	3	Vertical	70	1.71	-	38.89	7.61	32.91

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

19/04/2021




EUT Z_1TX
 Setting 120
 02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43949G	54.87	74.00	-19.13	41.30	3	Horizontal	325	1.25	-	38.88	7.60	32.91
AV	11.4404G	40.48	54.00	-13.52	26.91	3	Horizontal	325	1.25	-	38.88	7.60	32.91

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5745MHz_TX




EUT_Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	65.29	68.20	-2.91	59.99	3	Vertical	360	2.25	-	31.60	5.16	31.46
PK	5.742G	117.98	Inf	-Inf	112.50	3	Vertical	360	2.25	-	31.88	5.06	31.46
AV	5.746G	105.22	Inf	-Inf	99.74	3	Vertical	360	2.25	-	31.89	5.05	31.46
PK	5.93G	58.90	68.20	-9.30	52.74	3	Vertical	360	2.25	-	32.22	5.39	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5745MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	61.56	68.20	-6.64	56.25	3	Horizontal	306	2.08	-	31.60	5.17	31.46
PK	5.742G	113.04	Inf	-Inf	107.56	3	Horizontal	306	2.08	-	31.88	5.06	31.46
AV	5.748G	100.31	Inf	-Inf	94.82	3	Horizontal	306	2.08	-	31.90	5.05	31.46
PK	5.964G	56.49	68.20	-11.71	50.18	3	Horizontal	306	2.08	-	32.27	5.49	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5745MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48906G	54.29	74.00	-19.71	39.30	3	Vertical	61	2.61	-	40.30	7.62	32.93
AV	11.49082G	40.57	54.00	-13.43	25.58	3	Vertical	61	2.61	-	40.30	7.62	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5745MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48979G	53.72	74.00	-20.28	38.73	3	Horizontal	192	2.79	-	40.30	7.62	32.93
AV	11.48945G	40.60	54.00	-13.40	25.61	3	Horizontal	192	2.79	-	40.30	7.62	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5785MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.75	68.20	-8.45	54.45	3	Vertical	357	2.27	-	31.60	5.16	31.46
PK	5.782G	117.95	Inf	-Inf	112.49	3	Vertical	357	2.27	-	31.90	5.02	31.46
AV	5.788G	105.02	Inf	-Inf	99.57	3	Vertical	357	2.27	-	31.90	5.01	31.46
PK	5.925G	59.10	68.20	-9.10	52.97	3	Vertical	357	2.27	-	32.20	5.38	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5785MHz_TX




EUT_Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	55.54	68.20	-12.66	50.24	3	Horizontal	150	2.03	-	31.60	5.16	31.46
PK	5.782G	111.38	Inf	-Inf	105.92	3	Horizontal	150	2.03	-	31.90	5.02	31.46
AV	5.79G	98.89	Inf	-Inf	93.44	3	Horizontal	150	2.03	-	31.90	5.01	31.46
PK	5.979G	57.16	68.20	-11.04	50.83	3	Horizontal	150	2.03	-	32.24	5.54	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5785MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57051G	53.98	74.00	-20.02	39.17	3	Vertical	10	2.15	-	40.09	7.65	32.93
AV	11.57089G	40.25	54.00	-13.75	25.44	3	Vertical	10	2.15	-	40.09	7.65	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5785MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57003G	54.25	74.00	-19.75	39.44	3	Horizontal	349	2.39	-	40.09	7.65	32.93
AV	11.56958G	40.31	54.00	-13.69	25.50	3	Horizontal	349	2.39	-	40.09	7.65	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5825MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	57.60	68.20	-10.60	52.29	3	Vertical	356	2.32	-	31.60	5.18	31.47
PK	5.826G	117.77	Inf	-Inf	112.15	3	Vertical	356	2.32	-	32.00	5.08	31.46
AV	5.828G	105.76	Inf	-Inf	100.13	3	Vertical	356	2.32	-	32.01	5.08	31.46
PK	5.936G	61.98	68.20	-6.22	55.78	3	Vertical	356	2.32	-	32.24	5.41	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5825MHz_TX




EUT_Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	55.57	68.20	-12.63	50.24	3	Horizontal	149	2.13	-	31.60	5.20	31.47
PK	5.822G	113.35	Inf	-Inf	107.75	3	Horizontal	149	2.13	-	31.99	5.07	31.46
AV	5.823G	100.32	Inf	-Inf	94.72	3	Horizontal	149	2.13	-	31.99	5.07	31.46
PK	5.926G	59.01	68.20	-9.19	52.88	3	Horizontal	149	2.13	-	32.20	5.38	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5825MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6495G	52.67	74.00	-21.33	38.27	3	Vertical	239	2.62	-	39.65	7.68	32.93
AV	11.64976G	39.71	54.00	-14.29	25.31	3	Vertical	239	2.62	-	39.65	7.68	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

19/04/2021

5825MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64999G	53.52	74.00	-20.48	39.12	3	Horizontal	7	2.69	-	39.65	7.68	32.93
AV	11.64991G	39.78	54.00	-14.22	25.38	3	Horizontal	7	2.69	-	39.65	7.68	32.93

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5190MHz_TX




EUT Z_1TX
Setting 77
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.15	74.00	-0.85	68.08	3	Vertical	360	2.49	-	31.80	5.00	31.73
AV	5.1496G	53.80	54.00	-0.20	48.73	3	Vertical	360	2.49	-	31.80	5.00	31.73
PK	5.1824G	109.36	Inf	-Inf	104.34	3	Vertical	360	2.49	-	31.67	5.06	31.71
AV	5.1852G	96.54	Inf	-Inf	91.51	3	Vertical	360	2.49	-	31.66	5.07	31.70

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5190MHz_TX




EUT Z_1TX
Setting 77
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	72.67	74.00	-1.33	67.60	3	Horizontal	311	2.52	-	31.80	5.00	31.73
AV	5.1492G	53.07	54.00	-0.93	48.00	3	Horizontal	311	2.52	-	31.80	5.00	31.73
PK	5.1824G	108.47	Inf	-Inf	103.45	3	Horizontal	311	2.52	-	31.67	5.06	31.71
AV	5.1852G	95.71	Inf	-Inf	90.68	3	Horizontal	311	2.52	-	31.66	5.07	31.70

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5190MHz_TX




EUT Z_1TX
Setting 77
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5692G	52.66	74.00	-21.34	38.71	3	Vertical	173	1.44	-	37.75	9.05	32.85
AV	15.56957G	40.80	54.00	-13.20	26.85	3	Vertical	173	1.44	-	37.75	9.05	32.85

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5190MHz_TX




EUT Z_1TX
Setting 77
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57037G	52.74	74.00	-21.26	38.79	3	Horizontal	107	2.73	-	37.75	9.05	32.85
AV	15.56928G	40.48	54.00	-13.52	26.53	3	Horizontal	107	2.73	-	37.75	9.05	32.85

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5230MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	68.72	74.00	-5.28	63.65	3	Vertical	360	2.52	-	31.80	5.00	31.73
AV	5.15G	53.78	54.00	-0.22	48.71	3	Vertical	360	2.52	-	31.80	5.00	31.73
PK	5.2472G	112.38	Inf	-Inf	107.55	3	Vertical	360	2.52	-	31.41	5.08	31.66
AV	5.2344G	99.78	Inf	-Inf	94.91	3	Vertical	360	2.52	-	31.46	5.08	31.67

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5230MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	67.14	74.00	-6.86	62.07	3	Horizontal	313	2.60	-	31.81	4.99	31.73
AV	5.15G	52.24	54.00	-1.76	47.17	3	Horizontal	313	2.60	-	31.80	5.00	31.73
PK	5.2332G	111.40	Inf	-Inf	106.52	3	Horizontal	313	2.60	-	31.47	5.08	31.67
AV	5.2344G	99.18	Inf	-Inf	94.31	3	Horizontal	313	2.60	-	31.46	5.08	31.67

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5230MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68918G	52.63	74.00	-21.37	38.80	3	Vertical	16	2.96	-	37.60	9.09	32.86
AV	15.69099G	40.58	54.00	-13.42	26.75	3	Vertical	16	2.96	-	37.60	9.09	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5230MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68994G	53.36	74.00	-20.64	39.53	3	Horizontal	65	2.23	-	37.60	9.09	32.86
AV	15.68962G	40.33	54.00	-13.67	26.50	3	Horizontal	65	2.23	-	37.60	9.09	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5270MHz_TX




EUT Z_1TX
Setting 91
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2776G	112.43	Inf	-Inf	107.66	3	Vertical	0	2.27	-	31.34	5.06	31.63
AV	5.2744G	100.33	Inf	-Inf	95.56	3	Vertical	0	2.27	-	31.35	5.06	31.64
PK	5.3572G	69.11	74.00	-4.89	64.31	3	Vertical	0	2.27	-	31.36	5.02	31.58
AV	5.35G	53.97	54.00	-0.03	49.22	3	Vertical	0	2.27	-	31.30	5.03	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5270MHz_TX




EUT Z_1TX
Setting 91
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2756G	111.34	Inf	-Inf	106.57	3	Horizontal	312	2.70	-	31.35	5.06	31.64
AV	5.2744G	98.96	Inf	-Inf	94.19	3	Horizontal	312	2.70	-	31.35	5.06	31.64
PK	5.352G	67.12	74.00	-6.88	62.36	3	Horizontal	312	2.70	-	31.32	5.02	31.58
AV	5.3512G	51.20	54.00	-2.80	46.45	3	Horizontal	312	2.70	-	31.31	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5270MHz_TX




EUT Z_1TX
Setting 91
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81027G	52.51	74.00	-21.49	38.96	3	Vertical	295	1.99	-	37.28	9.13	32.86
AV	15.81048G	40.60	54.00	-13.40	27.05	3	Vertical	295	1.99	-	37.28	9.13	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5270MHz_TX




EUT Z_1TX
Setting 91
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80985G	53.24	74.00	-20.76	39.69	3	Horizontal	354	2.64	-	37.28	9.13	32.86
AV	15.80924G	40.34	54.00	-13.66	26.79	3	Horizontal	354	2.64	-	37.28	9.13	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5310MHz_TX




EUT Z_1TX
Setting 76
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	109.59	Inf	-Inf	104.86	3	Vertical	360	2.63	-	31.30	5.05	31.62
AV	5.3144G	97.09	Inf	-Inf	92.36	3	Vertical	360	2.63	-	31.30	5.04	31.61
PK	5.3512G	73.75	74.00	-0.25	69.00	3	Vertical	360	2.63	-	31.31	5.02	31.58
AV	5.3504G	53.98	54.00	-0.02	49.24	3	Vertical	360	2.63	-	31.30	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5310MHz_TX




EUT Z_1TX
Setting 76
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	108.67	Inf	-Inf	103.93	3	Horizontal	308	2.65	-	31.30	5.04	31.60
AV	5.314G	95.98	Inf	-Inf	91.25	3	Horizontal	308	2.65	-	31.30	5.04	31.61
PK	5.3512G	72.30	74.00	-1.70	67.55	3	Horizontal	308	2.65	-	31.31	5.02	31.58
AV	5.35G	52.32	54.00	-1.68	47.57	3	Horizontal	308	2.65	-	31.30	5.03	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5310MHz_TX




EUT Z_1TX
Setting 76
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93068G	53.14	74.00	-20.86	39.64	3	Vertical	205	1.88	-	37.19	9.18	32.87
AV	15.92967G	40.49	54.00	-13.51	26.99	3	Vertical	205	1.88	-	37.19	9.18	32.87

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5310MHz_TX




EUT Z_1TX
Setting 76
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93081G	52.57	74.00	-21.43	39.07	3	Horizontal	7	2.00	-	37.19	9.18	32.87
AV	15.92934G	40.48	54.00	-13.52	26.98	3	Horizontal	7	2.00	-	37.19	9.18	32.87

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5510MHz_TX




EUT Z_1TX
Setting 73
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.13	74.00	-12.87	55.87	3	Vertical	360	2.43	-	31.70	5.06	31.50
AV	5.4592G	47.78	54.00	-6.22	42.52	3	Vertical	360	2.43	-	31.70	5.06	31.50
PK	5.4696G	68.15	68.20	-0.05	62.87	3	Vertical	360	2.43	-	31.70	5.07	31.49
PK	5.502G	108.68	Inf	-Inf	103.35	3	Vertical	360	2.43	-	31.70	5.10	31.47
AV	5.516G	96.55	Inf	-Inf	91.23	3	Vertical	360	2.43	-	31.67	5.12	31.47

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5510MHz_TX




EUT Z_1TX
Setting 73
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.86	74.00	-13.14	55.60	3	Horizontal	307	2.74	-	31.70	5.06	31.50
AV	5.4592G	45.72	54.00	-8.28	40.46	3	Horizontal	307	2.74	-	31.70	5.06	31.50
PK	5.4656G	64.99	68.20	-3.21	59.72	3	Horizontal	307	2.74	-	31.70	5.07	31.50
PK	5.5024G	106.06	Inf	-Inf	100.73	3	Horizontal	307	2.74	-	31.70	5.10	31.47
AV	5.5052G	93.53	Inf	-Inf	88.20	3	Horizontal	307	2.74	-	31.69	5.11	31.47

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5510MHz_TX




EUT Z_1TX
Setting 73
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02006G	53.78	74.00	-20.22	38.57	3	Vertical	231	1.68	-	40.52	7.46	32.77
AV	11.0202G	41.88	54.00	-12.12	26.67	3	Vertical	231	1.68	-	40.52	7.46	32.77

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5510MHz_TX




EUT Z_1TX
Setting 73
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0207G	54.05	74.00	-19.95	38.84	3	Horizontal	283	1.78	-	40.52	7.46	32.77
AV	11.02075G	42.08	54.00	-11.92	26.87	3	Horizontal	283	1.78	-	40.52	7.46	32.77

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5550MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	66.54	74.00	-7.46	61.28	3	Vertical	360	2.19	-	31.70	5.06	31.50
AV	5.46G	52.28	54.00	-1.72	47.02	3	Vertical	360	2.19	-	31.70	5.06	31.50
PK	5.47G	68.07	68.20	-0.13	62.79	3	Vertical	360	2.19	-	31.70	5.07	31.49
PK	5.535G	114.28	Inf	-Inf	108.98	3	Vertical	360	2.19	-	31.63	5.14	31.47
AV	5.5524G	102.20	Inf	-Inf	96.92	3	Vertical	360	2.19	-	31.60	5.15	31.47

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5550MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.33	74.00	-8.67	60.07	3	Horizontal	308	2.37	-	31.70	5.06	31.50
AV	5.4588G	51.07	54.00	-2.93	45.81	3	Horizontal	308	2.37	-	31.70	5.06	31.50
PK	5.47G	67.09	68.20	-1.11	61.81	3	Horizontal	308	2.37	-	31.70	5.07	31.49
PK	5.5422G	110.97	Inf	-Inf	105.68	3	Horizontal	308	2.37	-	31.62	5.14	31.47
AV	5.5542G	98.76	Inf	-Inf	93.48	3	Horizontal	308	2.37	-	31.60	5.15	31.47

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5550MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10046G	54.21	74.00	-19.79	39.31	3	Vertical	2	2.35	-	40.20	7.49	32.79
AV	11.10095G	41.35	54.00	-12.65	26.45	3	Vertical	2	2.35	-	40.20	7.49	32.79

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5550MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09936G	53.58	74.00	-20.42	38.69	3	Horizontal	117	1.21	-	40.20	7.48	32.79
AV	11.1004G	41.37	54.00	-12.63	26.47	3	Horizontal	117	1.21	-	40.20	7.49	32.79

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5670MHz_TX




EUT Z_1TX
Setting 87
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	112.35	Inf	-Inf	107.02	3	Vertical	357	2.57	-	31.65	5.14	31.46
AV	5.6652G	100.25	Inf	-Inf	94.92	3	Vertical	357	2.57	-	31.66	5.13	31.46
PK	5.726G	67.95	68.20	-0.25	62.49	3	Vertical	357	2.57	-	31.85	5.07	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5670MHz_TX




EUT Z_1TX
Setting 87
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	107.79	Inf	-Inf	102.46	3	Horizontal	305	2.72	-	31.65	5.14	31.46
AV	5.666G	95.69	Inf	-Inf	90.36	3	Horizontal	305	2.72	-	31.66	5.13	31.46
PK	5.726G	62.29	68.20	-5.91	56.83	3	Horizontal	305	2.72	-	31.85	5.07	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5670MHz_TX




EUT Z_1TX
Setting 87
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33943G	53.41	74.00	-20.59	38.54	3	Vertical	305	1.61	-	40.18	7.57	32.88
AV	11.33988G	40.53	54.00	-13.47	25.66	3	Vertical	305	1.61	-	40.18	7.57	32.88

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5670MHz_TX




EUT Z_1TX
Setting 87
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.339G	53.39	74.00	-20.61	38.52	3	Horizontal	290	2.04	-	40.18	7.57	32.88
AV	11.3409G	40.77	54.00	-13.23	25.90	3	Horizontal	290	2.04	-	40.18	7.57	32.88

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 106
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	115.81	Inf	-Inf	108.45	3	Vertical	43	2.27	-	33.75	5.07	31.46
AV	5.706G	103.61	Inf	-Inf	96.27	3	Vertical	43	2.27	-	33.71	5.09	31.46
PK	5.85G	67.82	68.20	-0.38	60.33	3	Vertical	43	2.27	-	33.80	5.15	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 106
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	110.98	Inf	-Inf	103.62	3	Horizontal	135	2.89	-	33.75	5.07	31.46
AV	5.714G	98.93	Inf	-Inf	91.57	3	Horizontal	135	2.89	-	33.73	5.09	31.46
PK	5.8588G	63.19	68.20	-5.01	55.63	3	Horizontal	135	2.89	-	33.84	5.18	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 106
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42039G	53.70	74.00	-20.30	40.16	3	Vertical	283	1.71	-	38.84	7.60	32.90
AV	11.42073G	41.52	54.00	-12.48	27.98	3	Vertical	283	1.71	-	38.84	7.60	32.90

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

19/04/2021




EUT Z_1TX
 Setting 106
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42004G	54.47	74.00	-19.53	40.93	3	Horizontal	60	2.75	-	38.84	7.60	32.90
AV	11.42054G	41.55	54.00	-12.45	28.01	3	Horizontal	60	2.75	-	38.84	7.60	32.90

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5755MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	68.16	68.20	-0.04	62.86	3	Vertical	357	2.28	-	31.60	5.16	31.46
PK	5.771G	114.99	Inf	-Inf	109.52	3	Vertical	357	2.28	-	31.90	5.03	31.46
AV	5.759G	102.66	Inf	-Inf	97.18	3	Vertical	357	2.28	-	31.90	5.04	31.46
PK	5.933G	59.12	68.20	-9.08	52.94	3	Vertical	357	2.28	-	32.23	5.40	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5755MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	63.90	68.20	-4.30	58.61	3	Horizontal	306	2.08	-	31.60	5.15	31.46
PK	5.74G	109.06	Inf	-Inf	103.58	3	Horizontal	306	2.08	-	31.88	5.06	31.46
AV	5.759G	97.37	Inf	-Inf	91.89	3	Horizontal	306	2.08	-	31.90	5.04	31.46
PK	5.931G	57.33	68.20	-10.87	51.17	3	Horizontal	306	2.08	-	32.22	5.39	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5755MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51032G	53.22	74.00	-20.78	38.25	3	Vertical	223	1.80	-	40.27	7.63	32.93
AV	11.51089G	41.40	54.00	-12.60	26.43	3	Vertical	223	1.80	-	40.27	7.63	32.93

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5755MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5102G	54.15	74.00	-19.85	39.18	3	Horizontal	17	1.24	-	40.27	7.63	32.93
AV	11.50939G	41.61	54.00	-12.39	26.64	3	Horizontal	17	1.24	-	40.27	7.63	32.93

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5795MHz_TX




EUT Z_1TX
Setting 105
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	66.75	68.20	-1.45	61.46	3	Vertical	356	2.34	-	31.60	5.15	31.46
PK	5.811G	116.22	Inf	-Inf	110.71	3	Vertical	356	2.34	-	31.94	5.03	31.46
AV	5.799G	103.10	Inf	-Inf	97.66	3	Vertical	356	2.34	-	31.90	5.00	31.46
PK	5.945G	67.77	68.20	-0.43	61.50	3	Vertical	356	2.34	-	32.28	5.44	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5795MHz_TX




EUT Z_1TX
Setting 105
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.77	68.94	-5.17	58.48	3	Horizontal	307	2.14	-	31.60	5.15	31.46
PK	5.811G	109.97	Inf	-Inf	104.46	3	Horizontal	307	2.14	-	31.94	5.03	31.46
AV	5.799G	97.49	Inf	-Inf	92.05	3	Horizontal	307	2.14	-	31.90	5.00	31.46
PK	5.943G	61.74	68.20	-6.46	55.49	3	Horizontal	307	2.14	-	32.27	5.43	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5795MHz_TX




EUT Z_1TX
Setting 105
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59015G	54.17	74.00	-19.83	39.41	3	Vertical	50	2.52	-	40.03	7.66	32.93
AV	11.58915G	41.11	54.00	-12.89	26.35	3	Vertical	50	2.52	-	40.03	7.66	32.93

802.11ax HEW40_Nss1,(MCS0)_1TX

19/04/2021

5795MHz_TX




EUT Z_1TX
Setting 105
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59081G	53.84	74.00	-20.16	39.08	3	Horizontal	271	1.03	-	40.03	7.66	32.93
AV	11.58908G	41.31	54.00	-12.69	26.55	3	Horizontal	271	1.03	-	40.03	7.66	32.93

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5210MHz_TX




EUT Z_1TX
Setting 76
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	72.00	74.00	-2.00	66.92	3	Vertical	360	2.65	-	31.82	4.99	31.73
AV	5.149G	53.29	54.00	-0.71	48.22	3	Vertical	360	2.65	-	31.80	5.00	31.73
PK	5.2G	104.98	Inf	-Inf	99.97	3	Vertical	360	2.65	-	31.60	5.10	31.69
AV	5.2G	93.34	Inf	-Inf	88.33	3	Vertical	360	2.65	-	31.60	5.10	31.69
PK	5.354G	58.10	74.00	-15.90	53.33	3	Vertical	360	2.65	-	31.33	5.02	31.58
AV	5.35G	46.24	54.00	-7.76	41.49	3	Vertical	360	2.65	-	31.30	5.03	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5210MHz_TX




EUT Z_1TX
Setting 76
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	69.75	74.00	-4.25	64.67	3	Horizontal	310	2.49	-	31.82	4.99	31.73
AV	5.149G	51.43	54.00	-2.57	46.36	3	Horizontal	310	2.49	-	31.80	5.00	31.73
PK	5.223G	104.54	Inf	-Inf	99.61	3	Horizontal	310	2.49	-	31.51	5.09	31.67
AV	5.217G	92.93	Inf	-Inf	87.99	3	Horizontal	310	2.49	-	31.53	5.09	31.68
PK	5.35G	57.89	74.00	-16.11	53.14	3	Horizontal	310	2.49	-	31.30	5.03	31.58
AV	5.359G	45.45	54.00	-8.55	40.63	3	Horizontal	310	2.49	-	31.37	5.02	31.57

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5210MHz_TX




EUT Z_1TX
Setting 76
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63049G	52.45	74.00	-21.55	38.63	3	Vertical	43	1.19	-	37.60	9.07	32.85
AV	15.63097G	40.34	54.00	-13.66	26.52	3	Vertical	43	1.19	-	37.60	9.07	32.85

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5210MHz_TX




EUT Z_1TX
Setting 76
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62903G	52.88	74.00	-21.12	39.06	3	Horizontal	101	2.97	-	37.60	9.07	32.85
AV	15.62981G	40.36	54.00	-13.64	26.54	3	Horizontal	101	2.97	-	37.60	9.07	32.85

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5290MHz_TX




EUT Z_1TX
Setting 75
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	57.28	74.00	-16.72	52.21	3	Vertical	360	2.39	-	31.81	4.99	31.73
AV	5.15G	45.43	54.00	-8.57	40.36	3	Vertical	360	2.39	-	31.80	5.00	31.73
PK	5.303G	105.06	Inf	-Inf	100.33	3	Vertical	360	2.39	-	31.30	5.05	31.62
AV	5.279G	93.20	Inf	-Inf	88.43	3	Vertical	360	2.39	-	31.34	5.06	31.63
PK	5.351G	71.61	74.00	-2.39	66.86	3	Vertical	360	2.39	-	31.31	5.02	31.58
AV	5.351G	53.60	54.00	-0.40	48.85	3	Vertical	360	2.39	-	31.31	5.02	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5290MHz_TX




EUT Z_1TX
Setting 75
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	56.59	74.00	-17.41	51.51	3	Horizontal	308	2.68	-	31.82	4.99	31.73
AV	5.146G	45.10	54.00	-8.90	40.02	3	Horizontal	308	2.68	-	31.82	4.99	31.73
PK	5.28G	104.44	Inf	-Inf	99.67	3	Horizontal	308	2.68	-	31.34	5.06	31.63
AV	5.279G	92.57	Inf	-Inf	87.80	3	Horizontal	308	2.68	-	31.34	5.06	31.63
PK	5.352G	70.65	74.00	-3.35	65.89	3	Horizontal	308	2.68	-	31.32	5.02	31.58
AV	5.357G	50.78	54.00	-3.22	45.98	3	Horizontal	308	2.68	-	31.36	5.02	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5290MHz_TX




EUT Z_1TX
Setting 75
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86985G	53.46	74.00	-20.54	40.02	3	Vertical	98	1.12	-	37.16	9.15	32.87
AV	15.87031G	40.26	54.00	-13.74	26.82	3	Vertical	98	1.12	-	37.16	9.15	32.87

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5290MHz_TX




EUT Z_1TX
Setting 75
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86923G	53.23	74.00	-20.77	39.79	3	Horizontal	23	1.46	-	37.16	9.15	32.87
AV	15.871G	40.22	54.00	-13.78	26.78	3	Horizontal	23	1.46	-	37.16	9.15	32.87

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5530MHz_TX




EUT Z_1TX
Setting 73
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	64.65	74.00	-9.35	59.42	3	Vertical	359	2.50	-	31.70	5.04	31.51
PK	5.466G	68.15	68.20	-0.05	62.88	3	Vertical	359	2.50	-	31.70	5.07	31.50
AV	5.459G	51.15	54.00	-2.85	45.89	3	Vertical	359	2.50	-	31.70	5.06	31.50
PK	5.543G	106.22	Inf	-Inf	100.94	3	Vertical	359	2.50	-	31.61	5.14	31.47
AV	5.541G	93.98	Inf	-Inf	88.69	3	Vertical	359	2.50	-	31.62	5.14	31.47
PK	5.73G	55.61	68.20	-12.59	50.14	3	Vertical	359	2.50	-	31.86	5.07	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5530MHz_TX




EUT Z_1TX
Setting 73
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	63.18	74.00	-10.82	57.93	3	Horizontal	307	2.74	-	31.70	5.05	31.50
AV	5.46G	48.33	54.00	-5.67	43.07	3	Horizontal	307	2.74	-	31.70	5.06	31.50
PK	5.47G	65.97	68.20	-2.23	60.69	3	Horizontal	307	2.74	-	31.70	5.07	31.49
PK	5.529G	102.27	Inf	-Inf	96.97	3	Horizontal	307	2.74	-	31.64	5.13	31.47
AV	5.523G	90.25	Inf	-Inf	84.95	3	Horizontal	307	2.74	-	31.65	5.12	31.47
PK	5.747G	56.07	68.20	-12.13	50.59	3	Horizontal	307	2.74	-	31.89	5.05	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5530MHz_TX




EUT Z_1TX
Setting 73
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05961G	54.33	74.00	-19.67	39.28	3	Vertical	273	2.04	-	40.36	7.47	32.78
AV	11.05957G	41.51	54.00	-12.49	26.46	3	Vertical	273	2.04	-	40.36	7.47	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5530MHz_TX




EUT Z_1TX
Setting 73
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05934G	53.58	74.00	-20.42	38.53	3	Horizontal	164	1.69	-	40.36	7.47	32.78
AV	11.05913G	41.29	54.00	-12.71	26.24	3	Horizontal	164	1.69	-	40.36	7.47	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5610MHz_TX




EUT Z_1TX
Setting 91
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	56.86	68.20	-11.34	52.11	3	Vertical	211	2.13	-	31.30	5.03	31.58
PK	5.4576G	66.76	74.00	-7.24	61.50	3	Vertical	211	2.13	-	31.70	5.06	31.50
AV	5.46G	53.65	54.00	-0.35	48.39	3	Vertical	211	2.13	-	31.70	5.06	31.50
PK	5.4636G	67.40	68.20	-0.80	62.14	3	Vertical	211	2.13	-	31.70	5.06	31.50
PK	5.5884G	110.09	Inf	-Inf	104.77	3	Vertical	211	2.13	-	31.60	5.19	31.47
AV	5.5992G	98.48	Inf	-Inf	93.15	3	Vertical	211	2.13	-	31.60	5.20	31.47
PK	5.7372G	67.39	68.20	-0.81	61.92	3	Vertical	211	2.13	-	31.87	5.06	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5610MHz_TX




EUT Z_1TX
Setting 91
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3496G	55.72	68.20	-12.48	50.97	3	Horizontal	261	2.44	-	31.30	5.03	31.58
PK	5.4456G	66.36	74.00	-7.64	61.12	3	Horizontal	261	2.44	-	31.70	5.05	31.51
PK	5.4624G	66.79	68.20	-1.41	61.53	3	Horizontal	261	2.44	-	31.70	5.06	31.50
AV	5.4588G	52.08	54.00	-1.92	46.82	3	Horizontal	261	2.44	-	31.70	5.06	31.50
PK	5.5884G	107.80	Inf	-Inf	102.48	3	Horizontal	261	2.44	-	31.60	5.19	31.47
AV	5.5992G	96.05	Inf	-Inf	90.72	3	Horizontal	261	2.44	-	31.60	5.20	31.47
PK	5.7276G	64.99	68.20	-3.21	59.52	3	Horizontal	261	2.44	-	31.86	5.07	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5610MHz_TX




EUT Z_1TX
Setting 91
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21358G	54.67	74.00	-19.33	39.97	3	Vertical	282	1.80	-	40.01	7.52	32.83
AV	11.22924G	41.44	54.00	-12.56	26.72	3	Vertical	282	1.80	-	40.03	7.53	32.84

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5610MHz_TX




EUT Z_1TX
Setting 91
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22144G	54.81	74.00	-19.19	40.10	3	Horizontal	349	1.80	-	40.02	7.53	32.84
AV	11.22618G	41.49	54.00	-12.51	26.77	3	Horizontal	349	1.80	-	40.03	7.53	32.84

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 97
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.87	74.00	-11.13	55.41	3	Vertical	44	2.41	-	33.90	5.06	31.50
AV	5.46G	50.21	54.00	-3.79	42.75	3	Vertical	44	2.41	-	33.90	5.06	31.50
PK	5.467G	64.45	68.20	-3.75	56.97	3	Vertical	44	2.41	-	33.90	5.07	31.49
PK	5.689G	111.82	Inf	-Inf	104.45	3	Vertical	44	2.41	-	33.72	5.11	31.46
AV	5.703G	99.70	Inf	-Inf	92.35	3	Vertical	44	2.41	-	33.71	5.10	31.46
PK	5.86G	67.99	68.20	-0.21	60.43	3	Vertical	44	2.41	-	33.84	5.18	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 97
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	59.38	74.00	-14.62	51.93	3	Horizontal	132	2.27	-	33.90	5.05	31.50
AV	5.457G	47.78	54.00	-6.22	40.32	3	Horizontal	132	2.27	-	33.90	5.06	31.50
PK	5.464G	60.63	68.20	-7.57	53.17	3	Horizontal	132	2.27	-	33.90	5.06	31.50
PK	5.689G	106.57	Inf	-Inf	99.20	3	Horizontal	132	2.27	-	33.72	5.11	31.46
AV	5.683G	94.73	Inf	-Inf	87.34	3	Horizontal	132	2.27	-	33.73	5.12	31.46
PK	5.85G	62.47	68.20	-5.73	54.98	3	Horizontal	132	2.27	-	33.80	5.15	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 97
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38058G	53.39	74.00	-20.61	39.92	3	Vertical	101	2.29	-	38.78	7.58	32.89
AV	11.37996G	40.35	54.00	-13.65	26.88	3	Vertical	101	2.29	-	38.78	7.58	32.89

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX

19/04/2021




EUT Z_1TX
 Setting 97
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38046G	52.51	74.00	-21.49	39.04	3	Horizontal	41	2.50	-	38.78	7.58	32.89
AV	11.37943G	40.45	54.00	-13.55	26.98	3	Horizontal	41	2.50	-	38.78	7.58	32.89

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5775MHz_TX




EUT_Z_1TX
Setting 88
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	67.86	68.20	-0.34	62.55	3	Vertical	357	2.35	-	31.60	5.17	31.46
PK	5.774G	109.30	Inf	-Inf	103.83	3	Vertical	357	2.35	-	31.90	5.03	31.46
AV	5.769G	97.44	Inf	-Inf	91.97	3	Vertical	357	2.35	-	31.90	5.03	31.46
PK	5.929G	63.06	68.20	-5.14	56.90	3	Vertical	357	2.35	-	32.22	5.39	31.45

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5775MHz_TX




EUT_Z_1TX
Setting 88
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.34	68.20	-4.86	58.05	3	Horizontal	304	2.18	-	31.60	5.15	31.46
PK	5.765G	103.61	Inf	-Inf	98.13	3	Horizontal	304	2.18	-	31.90	5.04	31.46
AV	5.764G	92.33	Inf	-Inf	86.85	3	Horizontal	304	2.18	-	31.90	5.04	31.46
PK	5.933G	57.84	68.20	-10.36	51.66	3	Horizontal	304	2.18	-	32.23	5.40	31.45

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5775MHz_TX




EUT Z_1TX
Setting 88
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54998G	53.28	74.00	-20.72	38.42	3	Vertical	43	2.04	-	40.15	7.64	32.93
AV	11.54981G	41.11	54.00	-12.89	26.25	3	Vertical	43	2.04	-	40.15	7.64	32.93

802.11ax HEW80_Nss1,(MCS0)_1TX

19/04/2021

5775MHz_TX



EUT Z_1TX
Setting 88
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54958G	53.61	74.00	-20.39	38.75	3	Horizontal	142	2.46	-	40.15	7.64	32.93
AV	11.55023G	41.40	54.00	-12.60	26.54	3	Horizontal	142	2.46	-	40.15	7.64	32.93




For Radio 2 / 1T1S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.99	54.00	-0.01	3	Vertical	283	2.06	-

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5180MHz_TX




EUT Z_1TX
Setting 80
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	72.33	74.00	-1.67	67.26	3	Vertical	286	2.39	-	31.81	4.99	31.73
AV	5.1492G	53.94	54.00	-0.06	48.87	3	Vertical	286	2.39	-	31.80	5.00	31.73
PK	5.1816G	112.70	Inf	-Inf	107.68	3	Vertical	286	2.39	-	31.67	5.06	31.71
AV	5.178G	102.71	Inf	-Inf	97.67	3	Vertical	286	2.39	-	31.69	5.06	31.71

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5180MHz_TX




EUT Z_1TX
Setting 80
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.98	74.00	-5.02	63.90	3	Horizontal	242	2.49	-	31.81	5.00	31.73
AV	5.15G	51.17	54.00	-2.83	46.10	3	Horizontal	242	2.49	-	31.80	5.00	31.73
PK	5.1828G	110.83	Inf	-Inf	105.79	3	Horizontal	242	2.49	-	31.67	5.07	31.70
AV	5.182G	100.75	Inf	-Inf	95.73	3	Horizontal	242	2.49	-	31.67	5.06	31.71

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5180MHz_TX




EUT Z_1TX
Setting 80
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54031G	53.49	74.00	-20.51	39.39	3	Vertical	41	2.77	-	37.90	9.04	32.84
AV	15.53982G	39.66	54.00	-14.34	25.56	3	Vertical	41	2.77	-	37.90	9.04	32.84

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5180MHz_TX




EUT Z_1TX
Setting 80
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54035G	53.42	74.00	-20.58	39.32	3	Horizontal	171	1.29	-	37.90	9.04	32.84
AV	15.53958G	39.73	54.00	-14.27	25.63	3	Horizontal	171	1.29	-	37.90	9.04	32.84

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5200MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	71.28	74.00	-2.72	66.20	3	Vertical	284	2.06	-	31.81	5.00	31.73
AV	5.15G	53.75	54.00	-0.25	48.68	3	Vertical	284	2.06	-	31.80	5.00	31.73
PK	5.2024G	115.04	Inf	-Inf	110.04	3	Vertical	284	2.06	-	31.59	5.10	31.69
AV	5.2028G	105.11	Inf	-Inf	100.11	3	Vertical	284	2.06	-	31.59	5.10	31.69

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5200MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.04	74.00	-3.96	64.96	3	Horizontal	241	2.39	-	31.81	5.00	31.73
AV	5.1496G	53.32	54.00	-0.68	48.25	3	Horizontal	241	2.39	-	31.80	5.00	31.73
PK	5.2048G	113.29	Inf	-Inf	108.30	3	Horizontal	241	2.39	-	31.58	5.10	31.69
AV	5.2028G	103.40	Inf	-Inf	98.40	3	Horizontal	241	2.39	-	31.59	5.10	31.69

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5200MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59966G	52.43	74.00	-21.57	38.62	3	Vertical	194	1.84	-	37.60	9.06	32.85
AV	15.5998G	39.49	54.00	-14.51	25.68	3	Vertical	194	1.84	-	37.60	9.06	32.85

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5200MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6002G	53.09	74.00	-20.91	39.28	3	Horizontal	320	1.27	-	37.60	9.06	32.85
AV	15.60025G	39.46	54.00	-14.54	25.65	3	Horizontal	320	1.27	-	37.60	9.06	32.85

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5240MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	62.01	74.00	-11.99	56.94	3	Vertical	285	2.23	-	31.83	4.98	31.74
AV	5.1464G	47.69	54.00	-6.31	42.62	3	Vertical	285	2.23	-	31.81	4.99	31.73
PK	5.2456G	116.49	Inf	-Inf	111.65	3	Vertical	285	2.23	-	31.42	5.08	31.66
AV	5.2424G	106.39	Inf	-Inf	101.54	3	Vertical	285	2.23	-	31.43	5.08	31.66
PK	5.3504G	59.83	74.00	-14.17	55.09	3	Vertical	285	2.23	-	31.30	5.02	31.58
AV	5.3512G	44.76	54.00	-9.24	40.01	3	Vertical	285	2.23	-	31.31	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5240MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	60.68	74.00	-13.32	55.61	3	Horizontal	241	2.43	-	31.83	4.98	31.74
AV	5.1472G	46.59	54.00	-7.41	41.52	3	Horizontal	241	2.43	-	31.81	4.99	31.73
PK	5.2456G	114.59	Inf	-Inf	109.75	3	Horizontal	241	2.43	-	31.42	5.08	31.66
AV	5.2424G	104.27	Inf	-Inf	99.42	3	Horizontal	241	2.43	-	31.43	5.08	31.66
PK	5.3512G	57.02	74.00	-16.98	52.27	3	Horizontal	241	2.43	-	31.31	5.02	31.58
AV	5.35G	43.89	54.00	-10.11	39.15	3	Horizontal	241	2.43	-	31.30	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5240MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71952G	52.56	74.00	-21.44	38.78	3	Vertical	61	1.30	-	37.54	9.10	32.86
AV	15.72023G	39.40	54.00	-14.60	25.62	3	Vertical	61	1.30	-	37.54	9.10	32.86

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5240MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71997G	52.47	74.00	-21.53	38.69	3	Horizontal	209	2.35	-	37.54	9.10	32.86
AV	15.71953G	39.34	54.00	-14.66	25.56	3	Horizontal	209	2.35	-	37.54	9.10	32.86

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5260MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	58.41	74.00	-15.59	53.34	3	Vertical	281	2.35	-	31.80	5.00	31.73
AV	5.1496G	45.09	54.00	-8.91	40.02	3	Vertical	281	2.35	-	31.80	5.00	31.73
PK	5.2648G	116.33	Inf	-Inf	111.53	3	Vertical	281	2.35	-	31.37	5.07	31.64
AV	5.2624G	106.08	Inf	-Inf	101.28	3	Vertical	281	2.35	-	31.38	5.07	31.65
PK	5.3504G	65.30	74.00	-8.70	60.56	3	Vertical	281	2.35	-	31.30	5.02	31.58
AV	5.3552G	48.12	54.00	-5.88	43.34	3	Vertical	281	2.35	-	31.34	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5260MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	57.33	74.00	-16.67	52.26	3	Horizontal	242	2.24	-	31.80	5.00	31.73
AV	5.1496G	44.43	54.00	-9.57	39.36	3	Horizontal	242	2.24	-	31.80	5.00	31.73
PK	5.2552G	114.70	Inf	-Inf	109.89	3	Horizontal	242	2.24	-	31.39	5.07	31.65
AV	5.2576G	104.43	Inf	-Inf	99.63	3	Horizontal	242	2.24	-	31.38	5.07	31.65
PK	5.3504G	63.00	74.00	-11.00	58.26	3	Horizontal	242	2.24	-	31.30	5.02	31.58
AV	5.3528G	45.83	54.00	-8.17	41.07	3	Horizontal	242	2.24	-	31.32	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5260MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77953G	53.82	74.00	-20.18	40.20	3	Vertical	261	2.59	-	37.36	9.12	32.86
AV	15.78012G	39.53	54.00	-14.47	25.91	3	Vertical	261	2.59	-	37.36	9.12	32.86

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5260MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77968G	53.45	74.00	-20.55	39.83	3	Horizontal	172	2.93	-	37.36	9.12	32.86
AV	15.78035G	39.75	54.00	-14.25	26.13	3	Horizontal	172	2.93	-	37.36	9.12	32.86

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5300MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	115.19	Inf	-Inf	110.46	3	Vertical	281	2.29	-	31.30	5.05	31.62
AV	5.3028G	105.31	Inf	-Inf	100.58	3	Vertical	281	2.29	-	31.30	5.05	31.62
PK	5.35G	71.81	74.00	-2.19	67.06	3	Vertical	281	2.29	-	31.30	5.03	31.58
AV	5.35G	53.94	54.00	-0.06	49.19	3	Vertical	281	2.29	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5300MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	112.86	Inf	-Inf	108.12	3	Horizontal	245	2.42	-	31.31	5.05	31.62
AV	5.2976G	102.84	Inf	-Inf	98.11	3	Horizontal	245	2.42	-	31.30	5.05	31.62
PK	5.3504G	68.71	74.00	-5.29	63.97	3	Horizontal	245	2.42	-	31.30	5.02	31.58
AV	5.35G	51.50	54.00	-2.50	46.75	3	Horizontal	245	2.42	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5300MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90043G	52.33	74.00	-21.67	38.93	3	Vertical	242	2.19	-	37.10	9.17	32.87
AV	15.89987G	39.31	54.00	-14.69	25.92	3	Vertical	242	2.19	-	37.10	9.16	32.87

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5300MHz_TX




EUT Z_1TX
Setting 94
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89966G	52.09	74.00	-21.91	38.70	3	Horizontal	156	1.32	-	37.10	9.16	32.87
AV	15.8998G	39.29	54.00	-14.71	25.90	3	Horizontal	156	1.32	-	37.10	9.16	32.87

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5320MHz_TX




EUT Z_1TX
Setting 84
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	112.64	Inf	-Inf	107.90	3	Vertical	281	2.40	-	31.30	5.04	31.60
AV	5.3216G	102.48	Inf	-Inf	97.74	3	Vertical	281	2.40	-	31.30	5.04	31.60
PK	5.3552G	72.37	74.00	-1.63	67.59	3	Vertical	281	2.40	-	31.34	5.02	31.58
AV	5.35G	53.05	54.00	-0.95	48.30	3	Vertical	281	2.40	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5320MHz_TX




EUT Z_1TX
Setting 84
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	109.92	Inf	-Inf	105.18	3	Horizontal	242	2.52	-	31.30	5.04	31.60
AV	5.318G	99.76	Inf	-Inf	95.02	3	Horizontal	242	2.52	-	31.30	5.04	31.60
PK	5.3548G	69.21	74.00	-4.79	64.43	3	Horizontal	242	2.52	-	31.34	5.02	31.58
AV	5.35G	50.24	54.00	-3.76	45.49	3	Horizontal	242	2.52	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5320MHz_TX




EUT Z_1TX
Setting 84
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96027G	52.52	74.00	-21.48	38.93	3	Vertical	0	1.97	-	37.28	9.19	32.88
AV	15.96029G	39.62	54.00	-14.38	26.03	3	Vertical	0	1.97	-	37.28	9.19	32.88

802.11a_Nss1,(6Mbps)_1TX

23/04/2021

5320MHz_TX




EUT Z_1TX
Setting 84
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95991G	52.84	74.00	-21.16	39.25	3	Horizontal	130	1.32	-	37.28	9.19	32.88
AV	15.96013G	39.88	54.00	-14.12	26.29	3	Horizontal	130	1.32	-	37.28	9.19	32.88

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5180MHz_TX




EUT_Z_1TX
Setting 78
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.79	74.00	-1.21	67.72	3	Vertical	286	2.40	-	31.80	5.00	31.73
AV	5.15G	53.30	54.00	-0.70	48.23	3	Vertical	286	2.40	-	31.80	5.00	31.73
PK	5.1756G	114.08	Inf	-Inf	109.04	3	Vertical	286	2.40	-	31.70	5.05	31.71
AV	5.178G	100.25	Inf	-Inf	95.21	3	Vertical	286	2.40	-	31.69	5.06	31.71

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5180MHz_TX




EUT Z_1TX
Setting 78
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.25	74.00	-3.75	65.18	3	Horizontal	242	2.49	-	31.80	5.00	31.73
AV	5.15G	51.19	54.00	-2.81	46.12	3	Horizontal	242	2.49	-	31.80	5.00	31.73
PK	5.1768G	112.37	Inf	-Inf	107.34	3	Horizontal	242	2.49	-	31.69	5.05	31.71
AV	5.1832G	98.46	Inf	-Inf	93.42	3	Horizontal	242	2.49	-	31.67	5.07	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5180MHz_TX




EUT Z_1TX
Setting 78
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54024G	52.90	74.00	-21.10	38.80	3	Vertical	210	2.03	-	37.90	9.04	32.84
AV	15.54017G	39.07	54.00	-14.93	24.97	3	Vertical	210	2.03	-	37.90	9.04	32.84

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5180MHz_TX




EUT Z_1TX
Setting 78
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53993G	53.38	74.00	-20.62	39.28	3	Horizontal	51	2.71	-	37.90	9.04	32.84
AV	15.5404G	39.08	54.00	-14.92	24.98	3	Horizontal	51	2.71	-	37.90	9.04	32.84

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5200MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	70.67	74.00	-3.33	65.60	3	Vertical	283	2.06	-	31.80	5.00	31.73
AV	5.15G	53.99	54.00	-0.01	48.92	3	Vertical	283	2.06	-	31.80	5.00	31.73
PK	5.1968G	116.83	Inf	-Inf	111.82	3	Vertical	283	2.06	-	31.61	5.09	31.69
AV	5.2032G	102.47	Inf	-Inf	97.47	3	Vertical	283	2.06	-	31.59	5.10	31.69

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5200MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	69.49	74.00	-4.51	64.41	3	Horizontal	242	2.35	-	31.81	5.00	31.73
AV	5.15G	52.60	54.00	-1.40	47.53	3	Horizontal	242	2.35	-	31.80	5.00	31.73
PK	5.1968G	114.97	Inf	-Inf	109.96	3	Horizontal	242	2.35	-	31.61	5.09	31.69
AV	5.2048G	100.83	Inf	-Inf	95.84	3	Horizontal	242	2.35	-	31.58	5.10	31.69

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5200MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59972G	52.74	74.00	-21.26	38.93	3	Vertical	7	1.09	-	37.60	9.06	32.85
AV	15.60031G	38.76	54.00	-15.24	24.95	3	Vertical	7	1.09	-	37.60	9.06	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5200MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60009G	52.71	74.00	-21.29	38.90	3	Horizontal	261	2.80	-	37.60	9.06	32.85
AV	15.5997G	38.75	54.00	-15.25	24.94	3	Horizontal	261	2.80	-	37.60	9.06	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5240MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	63.18	74.00	-10.82	58.09	3	Vertical	282	2.25	-	31.83	4.99	31.73
AV	5.1488G	47.99	54.00	-6.01	42.92	3	Vertical	282	2.25	-	31.80	5.00	31.73
PK	5.2368G	118.73	Inf	-Inf	113.86	3	Vertical	282	2.25	-	31.45	5.08	31.66
AV	5.2384G	104.37	Inf	-Inf	99.50	3	Vertical	282	2.25	-	31.45	5.08	31.66
PK	5.35G	60.80	74.00	-13.20	56.06	3	Vertical	282	2.25	-	31.30	5.02	31.58
AV	5.35G	46.36	54.00	-7.64	41.62	3	Vertical	282	2.25	-	31.30	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5240MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.71	74.00	-10.29	58.63	3	Horizontal	241	2.45	-	31.81	5.00	31.73
AV	5.1496G	47.09	54.00	-6.91	42.02	3	Horizontal	241	2.45	-	31.80	5.00	31.73
PK	5.2328G	116.20	Inf	-Inf	111.32	3	Horizontal	241	2.45	-	31.47	5.08	31.67
AV	5.2432G	102.40	Inf	-Inf	97.55	3	Horizontal	241	2.45	-	31.43	5.08	31.66
PK	5.35G	58.24	74.00	-15.76	53.50	3	Horizontal	241	2.45	-	31.30	5.02	31.58
AV	5.35G	44.58	54.00	-9.42	39.84	3	Horizontal	241	2.45	-	31.30	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5240MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7203G	53.01	74.00	-20.99	39.23	3	Vertical	97	1.63	-	37.54	9.10	32.86
AV	15.71958G	38.82	54.00	-15.18	25.04	3	Vertical	97	1.63	-	37.54	9.10	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5240MHz_TX




EUT Z_1TX
Setting 99
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72034G	52.36	74.00	-21.64	38.58	3	Horizontal	356	1.55	-	37.54	9.10	32.86
AV	15.7196G	38.81	54.00	-15.19	25.03	3	Horizontal	356	1.55	-	37.54	9.10	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5260MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	59.39	74.00	-14.61	54.31	3	Vertical	280	2.22	-	31.81	5.00	31.73
AV	5.1496G	46.07	54.00	-7.93	41.00	3	Vertical	280	2.22	-	31.80	5.00	31.73
PK	5.2672G	116.50	Inf	-Inf	111.70	3	Vertical	280	2.22	-	31.37	5.07	31.64
AV	5.264G	104.23	Inf	-Inf	99.43	3	Vertical	280	2.22	-	31.37	5.07	31.64
PK	5.3504G	67.08	74.00	-6.92	62.34	3	Vertical	280	2.22	-	31.30	5.02	31.58
AV	5.3512G	49.54	54.00	-4.46	44.79	3	Vertical	280	2.22	-	31.31	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5260MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	59.91	74.00	-14.09	54.83	3	Horizontal	244	2.56	-	31.82	4.99	31.73
AV	5.1496G	45.17	54.00	-8.83	40.10	3	Horizontal	244	2.56	-	31.80	5.00	31.73
PK	5.2568G	116.66	Inf	-Inf	111.85	3	Horizontal	244	2.56	-	31.39	5.07	31.65
AV	5.2648G	102.51	Inf	-Inf	97.71	3	Horizontal	244	2.56	-	31.37	5.07	31.64
PK	5.352G	63.04	74.00	-10.96	58.28	3	Horizontal	244	2.56	-	31.32	5.02	31.58
AV	5.35G	46.98	54.00	-7.02	42.24	3	Horizontal	244	2.56	-	31.30	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5260MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78034G	52.90	74.00	-21.10	39.28	3	Vertical	244	1.94	-	37.36	9.12	32.86
AV	15.77951G	39.00	54.00	-15.00	25.38	3	Vertical	244	1.94	-	37.36	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5260MHz_TX




EUT Z_1TX
Setting 100
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77953G	52.53	74.00	-21.47	38.91	3	Horizontal	49	2.92	-	37.36	9.12	32.86
AV	15.77984G	38.99	54.00	-15.01	25.37	3	Horizontal	49	2.92	-	37.36	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5300MHz_TX




EUT_Z_1TX
Setting 92
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	116.82	Inf	-Inf	112.08	3	Vertical	279	2.29	-	31.31	5.05	31.62
AV	5.3028G	102.48	Inf	-Inf	97.75	3	Vertical	279	2.29	-	31.30	5.05	31.62
PK	5.35G	70.85	74.00	-3.15	66.10	3	Vertical	279	2.29	-	31.30	5.03	31.58
AV	5.35G	51.96	54.00	-2.04	47.21	3	Vertical	279	2.29	-	31.30	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5300MHz_TX




EUT_Z_1TX
Setting 92
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	115.86	Inf	-Inf	111.12	3	Horizontal	243	2.43	-	31.31	5.05	31.62
AV	5.2976G	101.34	Inf	-Inf	96.61	3	Horizontal	243	2.43	-	31.30	5.05	31.62
PK	5.3512G	69.05	74.00	-4.95	64.30	3	Horizontal	243	2.43	-	31.31	5.02	31.58
AV	5.35G	50.64	54.00	-3.36	45.89	3	Horizontal	243	2.43	-	31.30	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5300MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8999G	52.37	74.00	-21.63	38.98	3	Vertical	0	1.80	-	37.10	9.16	32.87
AV	15.89958G	38.71	54.00	-15.29	25.32	3	Vertical	0	1.80	-	37.10	9.16	32.87

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5300MHz_TX




EUT Z_1TX
Setting 92
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89991G	52.59	74.00	-21.41	39.20	3	Horizontal	114	1.37	-	37.10	9.16	32.87
AV	15.89988G	38.69	54.00	-15.31	25.30	3	Horizontal	114	1.37	-	37.10	9.16	32.87

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5320MHz_TX




EUT_Z_1TX
Setting 78
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	114.35	Inf	-Inf	109.62	3	Vertical	280	2.06	-	31.30	5.04	31.61
AV	5.3184G	100.29	Inf	-Inf	95.55	3	Vertical	280	2.06	-	31.30	5.04	31.60
PK	5.35G	73.87	74.00	-0.13	69.12	3	Vertical	280	2.06	-	31.30	5.03	31.58
AV	5.35G	50.64	54.00	-3.36	45.89	3	Vertical	280	2.06	-	31.30	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5320MHz_TX




EUT Z_1TX
Setting 78
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	111.95	Inf	-Inf	107.22	3	Horizontal	242	2.52	-	31.30	5.04	31.61
AV	5.318G	97.64	Inf	-Inf	92.90	3	Horizontal	242	2.52	-	31.30	5.04	31.60
PK	5.3516G	70.64	74.00	-3.36	65.89	3	Horizontal	242	2.52	-	31.31	5.02	31.58
AV	5.35G	48.54	54.00	-5.46	43.79	3	Horizontal	242	2.52	-	31.30	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5320MHz_TX




EUT Z_1TX
Setting 78
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96G	53.09	74.00	-20.91	39.50	3	Vertical	178	2.47	-	37.28	9.19	32.88
AV	15.95984G	39.00	54.00	-15.00	25.41	3	Vertical	178	2.47	-	37.28	9.19	32.88

802.11ax HEW20_Nss1,(MCS0)_1TX

23/04/2021

5320MHz_TX




EUT Z_1TX
Setting 78
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96035G	53.04	74.00	-20.96	39.45	3	Horizontal	334	2.46	-	37.28	9.19	32.88
AV	15.96009G	38.99	54.00	-15.01	25.40	3	Horizontal	334	2.46	-	37.28	9.19	32.88

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5190MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	73.86	74.00	-0.14	68.78	3	Vertical	287	2.27	-	31.81	5.00	31.73
AV	5.1496G	53.27	54.00	-0.73	48.20	3	Vertical	287	2.27	-	31.80	5.00	31.73
PK	5.1824G	109.55	Inf	-Inf	104.53	3	Vertical	287	2.27	-	31.67	5.06	31.71
AV	5.194G	97.40	Inf	-Inf	92.39	3	Vertical	287	2.27	-	31.62	5.09	31.70

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5190MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	73.10	74.00	-0.90	68.03	3	Horizontal	242	2.49	-	31.80	5.00	31.73
AV	5.1496G	51.05	54.00	-2.95	45.98	3	Horizontal	242	2.49	-	31.80	5.00	31.73
PK	5.1824G	108.18	Inf	-Inf	103.16	3	Horizontal	242	2.49	-	31.67	5.06	31.71
AV	5.1832G	95.51	Inf	-Inf	90.47	3	Horizontal	242	2.49	-	31.67	5.07	31.70

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5190MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57003G	53.69	74.00	-20.31	39.74	3	Vertical	166	2.44	-	37.75	9.05	32.85
AV	15.57018G	40.56	54.00	-13.44	26.61	3	Vertical	166	2.44	-	37.75	9.05	32.85

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5190MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57025G	53.03	74.00	-20.97	39.08	3	Horizontal	161	1.28	-	37.75	9.05	32.85
AV	15.5695G	40.45	54.00	-13.55	26.50	3	Horizontal	161	1.28	-	37.75	9.05	32.85

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5230MHz_TX




EUT Z_1TX
Setting 89
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.95	74.00	-3.05	65.88	3	Vertical	283	2.24	-	31.80	5.00	31.73
AV	5.1496G	53.87	54.00	-0.13	48.80	3	Vertical	283	2.24	-	31.80	5.00	31.73
PK	5.246G	113.63	Inf	-Inf	108.79	3	Vertical	283	2.24	-	31.42	5.08	31.66
AV	5.2344G	101.36	Inf	-Inf	96.49	3	Vertical	283	2.24	-	31.46	5.08	31.67

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5230MHz_TX




EUT Z_1TX
Setting 89
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	66.19	74.00	-7.81	61.11	3	Horizontal	244	2.70	-	31.81	5.00	31.73
AV	5.1496G	51.52	54.00	-2.48	46.45	3	Horizontal	244	2.70	-	31.80	5.00	31.73
PK	5.246G	111.53	Inf	-Inf	106.69	3	Horizontal	244	2.70	-	31.42	5.08	31.66
AV	5.2344G	99.49	Inf	-Inf	94.62	3	Horizontal	244	2.70	-	31.46	5.08	31.67

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5230MHz_TX




EUT Z_1TX
Setting 89
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69038G	52.62	74.00	-21.38	38.79	3	Vertical	108	2.65	-	37.60	9.09	32.86
AV	15.68978G	40.35	54.00	-13.65	26.52	3	Vertical	108	2.65	-	37.60	9.09	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5230MHz_TX




EUT Z_1TX
Setting 89
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69017G	53.08	74.00	-20.92	39.25	3	Horizontal	271	1.60	-	37.60	9.09	32.86
AV	15.68961G	40.33	54.00	-13.67	26.50	3	Horizontal	271	1.60	-	37.60	9.09	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5270MHz_TX




EUT Z_1TX
Setting 88
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2548G	113.24	Inf	-Inf	108.43	3	Vertical	281	2.30	-	31.39	5.07	31.65
AV	5.2744G	101.47	Inf	-Inf	96.70	3	Vertical	281	2.30	-	31.35	5.06	31.64
PK	5.3536G	68.56	74.00	-5.44	63.79	3	Vertical	281	2.30	-	31.33	5.02	31.58
AV	5.3512G	53.72	54.00	-0.28	48.97	3	Vertical	281	2.30	-	31.31	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5270MHz_TX




EUT Z_1TX
Setting 88
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2624G	111.35	Inf	-Inf	106.55	3	Horizontal	243	2.56	-	31.38	5.07	31.65
AV	5.2744G	99.18	Inf	-Inf	94.41	3	Horizontal	243	2.56	-	31.35	5.06	31.64
PK	5.3532G	65.43	74.00	-8.57	60.66	3	Horizontal	243	2.56	-	31.33	5.02	31.58
AV	5.35G	50.85	54.00	-3.15	46.10	3	Horizontal	243	2.56	-	31.30	5.03	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5270MHz_TX




EUT Z_1TX
Setting 88
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80991G	53.33	74.00	-20.67	39.78	3	Vertical	237	2.85	-	37.28	9.13	32.86
AV	15.80963G	40.55	54.00	-13.45	27.00	3	Vertical	237	2.85	-	37.28	9.13	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5270MHz_TX




EUT Z_1TX
Setting 88
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80988G	53.21	74.00	-20.79	39.66	3	Horizontal	319	2.04	-	37.28	9.13	32.86
AV	15.80962G	40.40	54.00	-13.60	26.85	3	Horizontal	319	2.04	-	37.28	9.13	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5310MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	109.53	Inf	-Inf	104.80	3	Vertical	281	2.19	-	31.30	5.05	31.62
AV	5.316G	97.47	Inf	-Inf	92.74	3	Vertical	281	2.19	-	31.30	5.04	31.61
PK	5.3508G	72.54	74.00	-1.46	67.79	3	Vertical	281	2.19	-	31.31	5.02	31.58
AV	5.3504G	53.95	54.00	-0.05	49.21	3	Vertical	281	2.19	-	31.30	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5310MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	107.29	Inf	-Inf	102.56	3	Horizontal	243	2.51	-	31.30	5.05	31.62
AV	5.316G	94.75	Inf	-Inf	90.02	3	Horizontal	243	2.51	-	31.30	5.04	31.61
PK	5.35G	70.28	74.00	-3.72	65.53	3	Horizontal	243	2.51	-	31.30	5.03	31.58
AV	5.35G	51.09	54.00	-2.91	46.34	3	Horizontal	243	2.51	-	31.30	5.03	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5310MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92963G	52.98	74.00	-21.02	39.48	3	Vertical	31	2.17	-	37.19	9.18	32.87
AV	15.9297G	40.52	54.00	-13.48	27.02	3	Vertical	31	2.17	-	37.19	9.18	32.87

802.11ax HEW40_Nss1,(MCS0)_1TX

23/04/2021

5310MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92987G	53.24	74.00	-20.76	39.74	3	Horizontal	318	2.21	-	37.19	9.18	32.87
AV	15.93039G	40.74	54.00	-13.26	27.24	3	Horizontal	318	2.21	-	37.19	9.18	32.87

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5210MHz_TX




EUT Z_1TX
Setting 72
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	73.17	74.00	-0.83	68.10	3	Vertical	287	2.25	-	31.80	5.00	31.73
AV	5.149G	53.78	54.00	-0.22	48.71	3	Vertical	287	2.25	-	31.80	5.00	31.73
PK	5.189G	105.92	Inf	-Inf	100.90	3	Vertical	287	2.25	-	31.64	5.08	31.70
AV	5.223G	94.04	Inf	-Inf	89.11	3	Vertical	287	2.25	-	31.51	5.09	31.67
PK	5.355G	57.93	74.00	-16.07	53.15	3	Vertical	287	2.25	-	31.34	5.02	31.58
AV	5.358G	45.59	54.00	-8.41	40.79	3	Vertical	287	2.25	-	31.36	5.02	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5210MHz_TX




EUT Z_1TX
Setting 72
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.33	74.00	-4.67	64.26	3	Horizontal	244	2.47	-	31.80	5.00	31.73
AV	5.149G	51.25	54.00	-2.75	46.18	3	Horizontal	244	2.47	-	31.80	5.00	31.73
PK	5.189G	103.72	Inf	-Inf	98.70	3	Horizontal	244	2.47	-	31.64	5.08	31.70
AV	5.217G	92.25	Inf	-Inf	87.31	3	Horizontal	244	2.47	-	31.53	5.09	31.68
PK	5.357G	56.75	74.00	-17.25	51.95	3	Horizontal	244	2.47	-	31.36	5.02	31.58
AV	5.353G	44.75	54.00	-9.25	39.99	3	Horizontal	244	2.47	-	31.32	5.02	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5210MHz_TX




EUT Z_1TX
Setting 72
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62971G	52.73	74.00	-21.27	38.91	3	Vertical	308	2.42	-	37.60	9.07	32.85
AV	15.63027G	40.37	54.00	-13.63	26.55	3	Vertical	308	2.42	-	37.60	9.07	32.85

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5210MHz_TX




EUT Z_1TX
Setting 72
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62952G	52.85	74.00	-21.15	39.03	3	Horizontal	228	2.63	-	37.60	9.07	32.85
AV	15.63002G	40.32	54.00	-13.68	26.50	3	Horizontal	228	2.63	-	37.60	9.07	32.85

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5290MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	56.84	74.00	-17.16	51.74	3	Vertical	282	2.12	-	31.90	4.95	31.75
AV	5.146G	45.44	54.00	-8.56	40.36	3	Vertical	282	2.12	-	31.82	4.99	31.73
PK	5.282G	106.87	Inf	-Inf	102.10	3	Vertical	282	2.12	-	31.34	5.06	31.63
AV	5.279G	94.38	Inf	-Inf	89.61	3	Vertical	282	2.12	-	31.34	5.06	31.63
PK	5.351G	70.50	74.00	-3.50	65.75	3	Vertical	282	2.12	-	31.31	5.02	31.58
AV	5.351G	53.34	54.00	-0.66	48.59	3	Vertical	282	2.12	-	31.31	5.02	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5290MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	57.14	74.00	-16.86	52.06	3	Horizontal	241	2.37	-	31.81	5.00	31.73
AV	5.149G	45.07	54.00	-8.93	40.00	3	Horizontal	241	2.37	-	31.80	5.00	31.73
PK	5.28G	103.78	Inf	-Inf	99.01	3	Horizontal	241	2.37	-	31.34	5.06	31.63
AV	5.279G	92.03	Inf	-Inf	87.26	3	Horizontal	241	2.37	-	31.34	5.06	31.63
PK	5.35G	68.07	74.00	-5.93	63.32	3	Horizontal	241	2.37	-	31.30	5.03	31.58
AV	5.354G	50.72	54.00	-3.28	45.95	3	Horizontal	241	2.37	-	31.33	5.02	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5290MHz_TX




EUT Z_1TX
Setting 71
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86986G	52.67	74.00	-21.33	39.23	3	Vertical	338	1.93	-	37.16	9.15	32.87
AV	15.8697G	40.25	54.00	-13.75	26.81	3	Vertical	338	1.93	-	37.16	9.15	32.87

802.11ax HEW80_Nss1,(MCS0)_1TX

23/04/2021

5290MHz_TX



EUT Z_1TX
Setting 71
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86996G	52.97	74.00	-21.03	39.53	3	Horizontal	76	2.26	-	37.16	9.15	32.87
AV	15.86957G	40.28	54.00	-13.72	26.84	3	Horizontal	76	2.26	-	37.16	9.15	32.87




For Radio 2 / 2T1S and 2T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.99	54.00	-0.01	3	Vertical	324	1.77	-

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5180MHz_TX




EUT X_2TX
Setting 80
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.59	74.00	-1.41	69.27	3	Vertical	326	1.71	-	32.60	5.17	34.45
AV	5.15G	53.90	54.00	-0.10	50.58	3	Vertical	326	1.71	-	32.60	5.17	34.45
PK	5.177G	114.15	Inf	-Inf	110.76	3	Vertical	326	1.71	-	32.65	5.19	34.45
AV	5.177G	105.20	Inf	-Inf	101.81	3	Vertical	326	1.71	-	32.65	5.19	34.45

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5180MHz_TX




EUT X_2TX
Setting 80
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	70.88	74.00	-3.12	67.56	3	Horizontal	289	1.96	-	32.60	5.17	34.45
AV	5.149G	52.26	54.00	-1.74	48.94	3	Horizontal	289	1.96	-	32.60	5.17	34.45
PK	5.1838G	112.53	Inf	-Inf	109.12	3	Horizontal	289	1.96	-	32.67	5.19	34.45
AV	5.1794G	103.15	Inf	-Inf	99.75	3	Horizontal	289	1.96	-	32.66	5.19	34.45

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5180MHz_TX




EUT X_2TX
Setting 80
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54012G	57.32	74.00	-16.68	44.30	3	Vertical	116	1.76	-	38.18	9.21	34.37
AV	15.53576G	44.15	54.00	-9.85	31.14	3	Vertical	116	1.76	-	38.17	9.21	34.37

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5180MHz_TX




EUT X_2TX
Setting 80
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53012G	56.90	74.00	-17.10	43.89	3	Horizontal	274	1.60	-	38.16	9.21	34.36
AV	15.5354G	44.07	54.00	-9.93	31.06	3	Horizontal	274	1.60	-	38.17	9.21	34.37

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5200MHz_TX




EUT X_2TX
Setting 93
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	70.52	74.00	-3.48	67.20	3	Vertical	324	1.67	-	32.60	5.17	34.45
AV	5.1468G	53.88	54.00	-0.12	50.56	3	Vertical	324	1.67	-	32.60	5.17	34.45
PK	5.1976G	117.51	Inf	-Inf	114.06	3	Vertical	324	1.67	-	32.70	5.20	34.45
AV	5.2024G	107.85	Inf	-Inf	104.40	3	Vertical	324	1.67	-	32.70	5.20	34.45

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5200MHz_TX




EUT X_2TX
Setting 93
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	70.47	74.00	-3.53	67.15	3	Horizontal	287	2.04	-	32.60	5.17	34.45
AV	5.1488G	53.10	54.00	-0.90	49.78	3	Horizontal	287	2.04	-	32.60	5.17	34.45
PK	5.2044G	116.57	Inf	-Inf	113.11	3	Horizontal	287	2.04	-	32.71	5.20	34.45
AV	5.2044G	106.34	Inf	-Inf	102.88	3	Horizontal	287	2.04	-	32.71	5.20	34.45

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5200MHz_TX




EUT X_2TX
Setting 93
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60416G	56.54	74.00	-17.46	43.45	3	Vertical	298	2.18	-	38.30	9.22	34.43
AV	15.59052G	44.17	54.00	-9.83	31.09	3	Vertical	298	2.18	-	38.28	9.22	34.42

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5200MHz_TX




EUT X_2TX
Setting 93
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60044G	56.86	74.00	-17.14	43.77	3	Horizontal	222	2.83	-	38.30	9.22	34.43
AV	15.5906G	43.98	54.00	-10.02	30.90	3	Horizontal	222	2.83	-	38.28	9.22	34.42

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5240MHz_TX




EUT X_2TX
Setting 100
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.71	74.00	-4.29	66.39	3	Vertical	324	1.77	-	32.60	5.17	34.45
AV	5.15G	53.99	54.00	-0.01	50.67	3	Vertical	324	1.77	-	32.60	5.17	34.45
PK	5.2472G	119.02	Inf	-Inf	115.42	3	Vertical	324	1.77	-	32.79	5.25	34.44
AV	5.2376G	108.40	Inf	-Inf	104.82	3	Vertical	324	1.77	-	32.78	5.24	34.44
PK	5.3504G	64.30	74.00	-9.70	60.48	3	Vertical	324	1.77	-	32.90	5.35	34.43
AV	5.3504G	49.86	54.00	-4.14	46.04	3	Vertical	324	1.77	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5240MHz_TX




EUT X_2TX
Setting 100
01-F-K-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	68.48	74.00	-5.52	65.16	3	Horizontal	288	2.04	-	32.60	5.17	34.45
AV	5.15G	52.74	54.00	-1.26	49.42	3	Horizontal	288	2.04	-	32.60	5.17	34.45
PK	5.2448G	119.23	Inf	-Inf	115.64	3	Horizontal	288	2.04	-	32.79	5.24	34.44
AV	5.2448G	107.81	Inf	-Inf	104.22	3	Horizontal	288	2.04	-	32.79	5.24	34.44
PK	5.3546G	64.82	74.00	-9.18	60.97	3	Horizontal	288	2.04	-	32.93	5.35	34.43
AV	5.35G	50.15	54.00	-3.85	46.33	3	Horizontal	288	2.04	-	32.90	5.35	34.43

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5240MHz_TX




EUT X_2TX
Setting 100
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72136G	57.01	74.00	-16.99	43.92	3	Vertical	311	1.80	-	38.40	9.24	34.55
AV	15.718G	43.68	54.00	-10.32	30.59	3	Vertical	311	1.80	-	38.40	9.24	34.55

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5240MHz_TX




EUT X_2TX
Setting 100
01-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72052G	56.86	74.00	-17.14	43.77	3	Horizontal	324	1.80	-	38.40	9.24	34.55
AV	15.71796G	43.99	54.00	-10.01	30.90	3	Horizontal	324	1.80	-	38.40	9.24	34.55

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5260MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.06	74.00	-9.94	58.99	3	Vertical	8	2.95	-	31.80	5.00	31.73
AV	5.15G	48.13	54.00	-5.87	43.06	3	Vertical	8	2.95	-	31.80	5.00	31.73
PK	5.2594G	116.35	Inf	-Inf	111.55	3	Vertical	8	2.95	-	31.38	5.07	31.65
AV	5.254G	105.26	Inf	-Inf	100.45	3	Vertical	8	2.95	-	31.39	5.07	31.65
PK	5.3578G	67.91	74.00	-6.09	63.11	3	Vertical	8	2.95	-	31.36	5.02	31.58
AV	5.3524G	51.36	54.00	-2.64	46.60	3	Vertical	8	2.95	-	31.32	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5260MHz_TX




EUT X_2TX
Setting 120
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1328G	65.84	74.00	-8.16	60.74	3	Horizontal	65	1.73	-	31.87	4.97	31.74
AV	5.1478G	51.09	54.00	-2.91	46.01	3	Horizontal	65	1.73	-	31.81	5.00	31.73
PK	5.2672G	118.77	Inf	-Inf	113.97	3	Horizontal	65	1.73	-	31.37	5.07	31.64
AV	5.257G	107.37	Inf	-Inf	102.56	3	Horizontal	65	1.73	-	31.39	5.07	31.65
PK	5.3518G	70.81	74.00	-3.19	66.06	3	Horizontal	65	1.73	-	31.31	5.02	31.58
AV	5.3518G	53.81	54.00	-0.19	49.06	3	Horizontal	65	1.73	-	31.31	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5260MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78G	53.13	74.00	-20.87	39.51	3	Vertical	284	1.43	-	37.36	9.12	32.86
AV	15.77966G	39.81	54.00	-14.19	26.19	3	Vertical	284	1.43	-	37.36	9.12	32.86

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5260MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77908G	53.13	74.00	-20.87	39.51	3	Horizontal	43	1.82	-	37.36	9.12	32.86
AV	15.77986G	39.84	54.00	-14.16	26.22	3	Horizontal	43	1.82	-	37.36	9.12	32.86

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5300MHz_TX




EUT X_2TX
Setting 95
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	114.39	Inf	-Inf	109.65	3	Vertical	43	2.96	-	31.30	5.05	31.61
AV	5.302G	104.32	Inf	-Inf	99.59	3	Vertical	43	2.96	-	31.30	5.05	31.62
PK	5.35G	69.57	74.00	-4.43	64.82	3	Vertical	43	2.96	-	31.30	5.03	31.58
AV	5.35G	52.62	54.00	-1.38	47.87	3	Vertical	43	2.96	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5300MHz_TX




EUT X_2TX
Setting 95
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	115.89	Inf	-Inf	111.16	3	Horizontal	64	1.82	-	31.30	5.05	31.62
AV	5.3028G	106.13	Inf	-Inf	101.40	3	Horizontal	64	1.82	-	31.30	5.05	31.62
PK	5.3516G	70.58	74.00	-3.42	65.83	3	Horizontal	64	1.82	-	31.31	5.02	31.58
AV	5.35G	53.84	54.00	-0.16	49.09	3	Horizontal	64	1.82	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5300MHz_TX




EUT X_2TX
Setting 95
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9G	52.89	74.00	-21.11	39.50	3	Vertical	301	2.86	-	37.10	9.16	32.87
AV	15.89948G	39.54	54.00	-14.46	26.15	3	Vertical	301	2.86	-	37.10	9.16	32.87

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5300MHz_TX




EUT X_2TX
Setting 95
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90082G	53.06	74.00	-20.94	39.66	3	Horizontal	24	1.91	-	37.10	9.17	32.87
AV	15.89908G	39.51	54.00	-14.49	26.12	3	Horizontal	24	1.91	-	37.10	9.16	32.87

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5320MHz_TX




EUT X_2TX
Setting 86
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	112.33	Inf	-Inf	107.60	3	Vertical	42	2.96	-	31.30	5.04	31.61
AV	5.3224G	102.96	Inf	-Inf	98.22	3	Vertical	42	2.96	-	31.30	5.04	31.60
PK	5.3524G	72.12	74.00	-1.88	67.36	3	Vertical	42	2.96	-	31.32	5.02	31.58
AV	5.3524G	51.84	54.00	-2.16	47.08	3	Vertical	42	2.96	-	31.32	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5320MHz_TX




EUT X_2TX
Setting 86
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3174G	112.91	Inf	-Inf	108.18	3	Horizontal	67	1.82	-	31.30	5.04	31.61
AV	5.3176G	103.82	Inf	-Inf	99.08	3	Horizontal	67	1.82	-	31.30	5.04	31.60
PK	5.3546G	73.25	74.00	-0.75	68.47	3	Horizontal	67	1.82	-	31.34	5.02	31.58
AV	5.35G	53.92	54.00	-0.08	49.17	3	Horizontal	67	1.82	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5320MHz_TX




EUT X_2TX
Setting 86
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95915G	52.76	74.00	-21.24	39.17	3	Vertical	4	1.26	-	37.28	9.19	32.88
AV	15.96004G	40.01	54.00	-13.99	26.42	3	Vertical	4	1.26	-	37.28	9.19	32.88

802.11a_Nss1,(6Mbps)_2TX

29/03/2021

5320MHz_TX




EUT X_2TX
Setting 86
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96056G	53.09	74.00	-20.91	39.50	3	Horizontal	230	1.71	-	37.28	9.19	32.88
AV	15.96029G	39.80	54.00	-14.20	26.21	3	Horizontal	230	1.71	-	37.28	9.19	32.88

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5180MHz_TX




EUT X_2TX
Setting 76
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.00	74.00	-5.00	63.93	3	Vertical	36	3.00	-	31.80	5.00	31.73
AV	5.149G	53.35	54.00	-0.65	48.28	3	Vertical	36	3.00	-	31.80	5.00	31.73
PK	5.1754G	111.55	Inf	-Inf	106.51	3	Vertical	36	3.00	-	31.70	5.05	31.71
AV	5.175G	100.27	Inf	-Inf	95.23	3	Vertical	36	3.00	-	31.70	5.05	31.71

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5180MHz_TX




EUT X_2TX
Setting 76
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	71.27	74.00	-2.73	66.20	3	Horizontal	68	1.26	-	31.80	5.00	31.73
AV	5.15G	53.75	54.00	-0.25	48.68	3	Horizontal	68	1.26	-	31.80	5.00	31.73
PK	5.1826G	113.97	Inf	-Inf	108.93	3	Horizontal	68	1.26	-	31.67	5.07	31.70
AV	5.1848G	101.98	Inf	-Inf	96.95	3	Horizontal	68	1.26	-	31.66	5.07	31.70

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5180MHz_TX




EUT X_2TX
Setting 76
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54071G	52.60	74.00	-21.40	38.50	3	Vertical	266	2.21	-	37.90	9.04	32.84
AV	15.54018G	40.82	54.00	-13.18	26.72	3	Vertical	266	2.21	-	37.90	9.04	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5180MHz_TX




EUT X_2TX
Setting 76
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54052G	53.19	74.00	-20.81	39.09	3	Horizontal	199	2.47	-	37.90	9.04	32.84
AV	15.53999G	40.66	54.00	-13.34	26.56	3	Horizontal	199	2.47	-	37.90	9.04	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5200MHz_TX




EUT X_2TX
Setting 89
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.85	74.00	-8.15	60.78	3	Vertical	38	2.97	-	31.80	5.00	31.73
AV	5.15G	50.15	54.00	-3.85	45.08	3	Vertical	38	2.97	-	31.80	5.00	31.73
PK	5.204G	114.50	Inf	-Inf	109.51	3	Vertical	38	2.97	-	31.58	5.10	31.69
AV	5.1964G	102.18	Inf	-Inf	97.17	3	Vertical	38	2.97	-	31.61	5.09	31.69

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5200MHz_TX




EUT X_2TX
Setting 89
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.13	74.00	-2.87	66.06	3	Horizontal	71	1.25	-	31.80	5.00	31.73
AV	5.15G	53.97	54.00	-0.03	48.90	3	Horizontal	71	1.25	-	31.80	5.00	31.73
PK	5.1936G	116.28	Inf	-Inf	111.26	3	Horizontal	71	1.25	-	31.63	5.09	31.70
AV	5.1984G	104.55	Inf	-Inf	99.53	3	Horizontal	71	1.25	-	31.61	5.10	31.69

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5200MHz_TX




EUT X_2TX
Setting 89
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60053G	53.59	74.00	-20.41	39.78	3	Vertical	91	1.17	-	37.60	9.06	32.85
AV	15.60096G	40.44	54.00	-13.56	26.63	3	Vertical	91	1.17	-	37.60	9.06	32.85

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5200MHz_TX




EUT X_2TX
Setting 89
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59964G	53.31	74.00	-20.69	39.50	3	Horizontal	129	2.52	-	37.60	9.06	32.85
AV	15.59913G	40.48	54.00	-13.52	26.67	3	Horizontal	129	2.52	-	37.60	9.06	32.85

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5240MHz_TX




EUT X_2TX
Setting 99
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.21	74.00	-12.79	56.14	3	Vertical	46	2.58	-	31.80	5.00	31.73
AV	5.1494G	46.90	54.00	-7.10	41.83	3	Vertical	46	2.58	-	31.80	5.00	31.73
PK	5.2352G	115.96	Inf	-Inf	111.09	3	Vertical	46	2.58	-	31.46	5.08	31.67
AV	5.2352G	104.54	Inf	-Inf	99.67	3	Vertical	46	2.58	-	31.46	5.08	31.67
PK	5.3516G	57.56	74.00	-16.44	52.81	3	Vertical	46	2.58	-	31.31	5.02	31.58
AV	5.35G	45.62	54.00	-8.38	40.88	3	Vertical	46	2.58	-	31.30	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5240MHz_TX




EUT X_2TX
Setting 99
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.14	74.00	-7.86	61.07	3	Horizontal	66	1.67	-	31.80	5.00	31.73
AV	5.15G	50.56	54.00	-3.44	45.49	3	Horizontal	66	1.67	-	31.80	5.00	31.73
PK	5.2382G	117.88	Inf	-Inf	113.01	3	Horizontal	66	1.67	-	31.45	5.08	31.66
AV	5.2382G	106.55	Inf	-Inf	101.68	3	Horizontal	66	1.67	-	31.45	5.08	31.66
PK	5.35G	59.29	74.00	-14.71	54.55	3	Horizontal	66	1.67	-	31.30	5.02	31.58
AV	5.35G	46.56	54.00	-7.44	41.82	3	Horizontal	66	1.67	-	31.30	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5240MHz_TX




EUT X_2TX
Setting 99
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71986G	52.71	74.00	-21.29	38.93	3	Vertical	107	2.54	-	37.54	9.10	32.86
AV	15.72069G	40.52	54.00	-13.48	26.74	3	Vertical	107	2.54	-	37.54	9.10	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5240MHz_TX




EUT X_2TX
Setting 99
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71985G	53.83	74.00	-20.17	40.05	3	Horizontal	13	2.70	-	37.54	9.10	32.86
AV	15.72002G	40.63	54.00	-13.37	26.85	3	Horizontal	13	2.70	-	37.54	9.10	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5260MHz_TX




EUT X_2TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	57.70	74.00	-16.30	52.62	3	Vertical	46	2.67	-	31.83	4.98	31.73
AV	5.1292G	44.82	54.00	-9.18	39.72	3	Vertical	46	2.67	-	31.88	4.96	31.74
PK	5.2588G	115.61	Inf	-Inf	110.81	3	Vertical	46	2.67	-	31.38	5.07	31.65
AV	5.2552G	104.08	Inf	-Inf	99.27	3	Vertical	46	2.67	-	31.39	5.07	31.65
PK	5.3524G	62.30	74.00	-11.70	57.54	3	Vertical	46	2.67	-	31.32	5.02	31.58
AV	5.3524G	47.70	54.00	-6.30	42.94	3	Vertical	46	2.67	-	31.32	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5260MHz_TX




EUT X_2TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	62.73	74.00	-11.27	57.66	3	Horizontal	64	1.65	-	31.81	4.99	31.73
AV	5.15G	48.01	54.00	-5.99	42.94	3	Horizontal	64	1.65	-	31.80	5.00	31.73
PK	5.2582G	117.30	Inf	-Inf	112.50	3	Horizontal	64	1.65	-	31.38	5.07	31.65
AV	5.2582G	105.97	Inf	-Inf	101.17	3	Horizontal	64	1.65	-	31.38	5.07	31.65
PK	5.3518G	66.19	74.00	-7.81	61.44	3	Horizontal	64	1.65	-	31.31	5.02	31.58
AV	5.3518G	50.42	54.00	-3.58	45.67	3	Horizontal	64	1.65	-	31.31	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5260MHz_TX




EUT X_2TX
Setting 100
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77954G	53.03	74.00	-20.97	39.41	3	Vertical	312	1.04	-	37.36	9.12	32.86
AV	15.78001G	40.58	54.00	-13.42	26.96	3	Vertical	312	1.04	-	37.36	9.12	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5260MHz_TX




EUT X_2TX
Setting 100
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78041G	53.44	74.00	-20.56	39.82	3	Horizontal	85	1.81	-	37.36	9.12	32.86
AV	15.77968G	40.62	54.00	-13.38	27.00	3	Horizontal	85	1.81	-	37.36	9.12	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5300MHz_TX




EUT X_2TX
Setting 93
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	113.57	Inf	-Inf	108.84	3	Vertical	42	3.00	-	31.30	5.05	31.62
AV	5.2984G	101.99	Inf	-Inf	97.26	3	Vertical	42	3.00	-	31.30	5.05	31.62
PK	5.35G	65.18	74.00	-8.82	60.43	3	Vertical	42	3.00	-	31.30	5.03	31.58
AV	5.3508G	49.31	54.00	-4.69	44.56	3	Vertical	42	3.00	-	31.31	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5300MHz_TX




EUT X_2TX
Setting 93
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	115.93	Inf	-Inf	111.20	3	Horizontal	68	2.02	-	31.30	5.05	31.62
AV	5.3016G	104.05	Inf	-Inf	99.32	3	Horizontal	68	2.02	-	31.30	5.05	31.62
PK	5.3508G	69.91	74.00	-4.09	65.16	3	Horizontal	68	2.02	-	31.31	5.02	31.58
AV	5.35G	53.79	54.00	-0.21	49.04	3	Horizontal	68	2.02	-	31.30	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5300MHz_TX




EUT X_2TX
Setting 93
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89904G	52.58	74.00	-21.42	39.19	3	Vertical	234	2.99	-	37.10	9.16	32.87
AV	15.9002G	40.42	54.00	-13.58	27.02	3	Vertical	234	2.99	-	37.10	9.17	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5300MHz_TX




EUT X_2TX
Setting 93
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89927G	52.88	74.00	-21.12	39.49	3	Horizontal	87	1.30	-	37.10	9.16	32.87
AV	15.90076G	40.62	54.00	-13.38	27.22	3	Horizontal	87	1.30	-	37.10	9.17	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5320MHz_TX




EUT X_2TX
Setting 81
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	110.53	Inf	-Inf	105.79	3	Vertical	48	2.49	-	31.30	5.04	31.60
AV	5.3268G	98.65	Inf	-Inf	93.91	3	Vertical	48	2.49	-	31.30	5.04	31.60
PK	5.3516G	69.15	74.00	-4.85	64.40	3	Vertical	48	2.49	-	31.31	5.02	31.58
AV	5.35G	52.82	54.00	-1.18	48.07	3	Vertical	48	2.49	-	31.30	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5320MHz_TX




EUT X_2TX
Setting 81
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	112.80	Inf	-Inf	108.06	3	Horizontal	66	1.82	-	31.30	5.04	31.60
AV	5.3212G	100.98	Inf	-Inf	96.24	3	Horizontal	66	1.82	-	31.30	5.04	31.60
PK	5.3504G	69.64	74.00	-4.36	64.90	3	Horizontal	66	1.82	-	31.30	5.02	31.58
AV	5.35G	53.75	54.00	-0.25	49.00	3	Horizontal	66	1.82	-	31.30	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5320MHz_TX




EUT X_2TX
Setting 81
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95953G	52.79	74.00	-21.21	39.20	3	Vertical	64	2.83	-	37.28	9.19	32.88
AV	15.9594G	40.28	54.00	-13.72	26.69	3	Vertical	64	2.83	-	37.28	9.19	32.88

802.11ax HEW20_Nss2,(MCS0)_2TX

29/03/2021

5320MHz_TX




EUT X_2TX
Setting 81
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95967G	52.77	74.00	-21.23	39.18	3	Horizontal	99	1.56	-	37.28	9.19	32.88
AV	15.96086G	40.63	54.00	-13.37	27.04	3	Horizontal	99	1.56	-	37.28	9.19	32.88

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5190MHz_TX




EUT X_2TX
Setting 66
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	69.74	74.00	-4.26	64.66	3	Vertical	46	2.97	-	31.81	5.00	31.73
AV	5.15G	46.33	54.00	-7.67	41.26	3	Vertical	46	2.97	-	31.80	5.00	31.73
PK	5.1864G	105.68	Inf	-Inf	100.66	3	Vertical	46	2.97	-	31.65	5.07	31.70
AV	5.1852G	93.49	Inf	-Inf	88.46	3	Vertical	46	2.97	-	31.66	5.07	31.70

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5190MHz_TX




EUT X_2TX
Setting 66
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.97	74.00	-0.03	68.90	3	Horizontal	67	1.26	-	31.80	5.00	31.73
AV	5.1496G	48.65	54.00	-5.35	43.58	3	Horizontal	67	1.26	-	31.80	5.00	31.73
PK	5.1864G	108.54	Inf	-Inf	103.52	3	Horizontal	67	1.26	-	31.65	5.07	31.70
AV	5.1856G	95.97	Inf	-Inf	90.94	3	Horizontal	67	1.26	-	31.66	5.07	31.70

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5190MHz_TX




EUT X_2TX
Setting 66
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56952G	53.37	74.00	-20.63	39.42	3	Vertical	139	1.32	-	37.75	9.05	32.85
AV	15.56933G	40.69	54.00	-13.31	26.74	3	Vertical	139	1.32	-	37.75	9.05	32.85

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5190MHz_TX




EUT X_2TX
Setting 66
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57058G	53.17	74.00	-20.83	39.22	3	Horizontal	86	1.57	-	37.75	9.05	32.85
AV	15.57086G	40.76	54.00	-13.24	26.81	3	Horizontal	86	1.57	-	37.75	9.05	32.85

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5230MHz_TX




EUT X_2TX
Setting 89
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.57	74.00	-7.43	61.50	3	Vertical	38	2.93	-	31.80	5.00	31.73
AV	5.15G	50.43	54.00	-3.57	45.36	3	Vertical	38	2.93	-	31.80	5.00	31.73
PK	5.2396G	109.71	Inf	-Inf	104.85	3	Vertical	38	2.93	-	31.44	5.08	31.66
AV	5.2426G	98.54	Inf	-Inf	93.69	3	Vertical	38	2.93	-	31.43	5.08	31.66
PK	5.3518G	62.22	74.00	-11.78	57.47	3	Vertical	38	2.93	-	31.31	5.02	31.58
AV	5.3506G	45.73	54.00	-8.27	40.99	3	Vertical	38	2.93	-	31.30	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5230MHz_TX




EUT X_2TX
Setting 89
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	69.82	74.00	-4.18	64.75	3	Horizontal	68	1.86	-	31.81	4.99	31.73
AV	5.15G	53.78	54.00	-0.22	48.71	3	Horizontal	68	1.86	-	31.80	5.00	31.73
PK	5.2264G	113.63	Inf	-Inf	108.72	3	Horizontal	68	1.86	-	31.49	5.09	31.67
AV	5.2366G	101.07	Inf	-Inf	96.20	3	Horizontal	68	1.86	-	31.45	5.08	31.66
PK	5.3518G	62.19	74.00	-11.81	57.44	3	Horizontal	68	1.86	-	31.31	5.02	31.58
AV	5.3512G	46.01	54.00	-7.99	41.26	3	Horizontal	68	1.86	-	31.31	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5230MHz_TX




EUT X_2TX
Setting 89
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69056G	53.47	74.00	-20.53	39.64	3	Vertical	91	2.85	-	37.60	9.09	32.86
AV	15.69026G	40.45	54.00	-13.55	26.62	3	Vertical	91	2.85	-	37.60	9.09	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5230MHz_TX




EUT X_2TX
Setting 89
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68989G	53.27	74.00	-20.73	39.44	3	Horizontal	168	1.43	-	37.60	9.09	32.86
AV	15.69037G	40.52	54.00	-13.48	26.69	3	Horizontal	168	1.43	-	37.60	9.09	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5270MHz_TX




EUT X_2TX
Setting 88
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.83	74.00	-12.17	56.76	3	Vertical	41	3.00	-	31.80	5.00	31.73
AV	5.1494G	46.14	54.00	-7.86	41.07	3	Vertical	41	3.00	-	31.80	5.00	31.73
PK	5.2802G	110.17	Inf	-Inf	105.40	3	Vertical	41	3.00	-	31.34	5.06	31.63
AV	5.2748G	98.40	Inf	-Inf	93.63	3	Vertical	41	3.00	-	31.35	5.06	31.64
PK	5.3612G	65.27	74.00	-8.73	60.43	3	Vertical	41	3.00	-	31.39	5.02	31.57
AV	5.3504G	49.38	54.00	-4.62	44.64	3	Vertical	41	3.00	-	31.30	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5270MHz_TX




EUT X_2TX
Setting 88
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.41	74.00	-11.59	57.33	3	Horizontal	66	1.64	-	31.81	5.00	31.73
AV	5.1458G	46.77	54.00	-7.23	41.69	3	Horizontal	66	1.64	-	31.82	4.99	31.73
PK	5.2664G	113.15	Inf	-Inf	108.35	3	Horizontal	66	1.64	-	31.37	5.07	31.64
AV	5.2646G	100.39	Inf	-Inf	95.59	3	Horizontal	66	1.64	-	31.37	5.07	31.64
PK	5.3516G	69.28	74.00	-4.72	64.53	3	Horizontal	66	1.64	-	31.31	5.02	31.58
AV	5.35G	53.15	54.00	-0.85	48.41	3	Horizontal	66	1.64	-	31.30	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5270MHz_TX




EUT X_2TX
Setting 88
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81027G	54.34	74.00	-19.66	40.79	3	Vertical	348	2.50	-	37.28	9.13	32.86
AV	15.80971G	40.45	54.00	-13.55	26.90	3	Vertical	348	2.50	-	37.28	9.13	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5270MHz_TX




EUT X_2TX
Setting 88
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80965G	53.29	74.00	-20.71	39.74	3	Horizontal	156	1.48	-	37.28	9.13	32.86
AV	15.80943G	40.39	54.00	-13.61	26.84	3	Horizontal	156	1.48	-	37.28	9.13	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5310MHz_TX




EUT X_2TX
Setting 72
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	105.94	Inf	-Inf	101.21	3	Vertical	50	2.51	-	31.30	5.05	31.62
AV	5.3064G	94.72	Inf	-Inf	89.98	3	Vertical	50	2.51	-	31.30	5.05	31.61
PK	5.3516G	71.42	74.00	-2.58	66.67	3	Vertical	50	2.51	-	31.31	5.02	31.58
AV	5.3508G	50.24	54.00	-3.76	45.49	3	Vertical	50	2.51	-	31.31	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5310MHz_TX




EUT X_2TX
Setting 72
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	109.93	Inf	-Inf	105.19	3	Horizontal	66	1.81	-	31.30	5.05	31.61
AV	5.306G	96.66	Inf	-Inf	91.92	3	Horizontal	66	1.81	-	31.30	5.05	31.61
PK	5.35G	73.75	74.00	-0.25	69.00	3	Horizontal	66	1.81	-	31.30	5.03	31.58
AV	5.35G	53.35	54.00	-0.65	48.60	3	Horizontal	66	1.81	-	31.30	5.03	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5310MHz_TX




EUT X_2TX
Setting 72
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93056G	53.25	74.00	-20.75	39.75	3	Vertical	183	2.70	-	37.19	9.18	32.87
AV	15.93069G	40.89	54.00	-13.11	27.39	3	Vertical	183	2.70	-	37.19	9.18	32.87

802.11ax HEW40_Nss2,(MCS0)_2TX

29/03/2021

5310MHz_TX




EUT X_2TX
Setting 72
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93083G	53.60	74.00	-20.40	40.10	3	Horizontal	206	1.07	-	37.19	9.18	32.87
AV	15.93056G	40.59	54.00	-13.41	27.09	3	Horizontal	206	1.07	-	37.19	9.18	32.87

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2021

5210MHz_TX




EUT X_2TX
Setting 71
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.35	74.00	-5.65	63.28	3	Vertical	37	2.97	-	31.80	5.00	31.73
AV	5.15G	51.25	54.00	-2.75	46.18	3	Vertical	37	2.97	-	31.80	5.00	31.73
PK	5.213G	103.25	Inf	-Inf	98.29	3	Vertical	37	2.97	-	31.55	5.09	31.68
AV	5.201G	92.69	Inf	-Inf	87.68	3	Vertical	37	2.97	-	31.60	5.10	31.69
PK	5.364G	56.55	74.00	-17.45	51.69	3	Vertical	37	2.97	-	31.41	5.02	31.57
AV	5.354G	46.18	54.00	-7.82	41.41	3	Vertical	37	2.97	-	31.33	5.02	31.58

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2021

5210MHz_TX




EUT X_2TX
Setting 71
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.29	74.00	-1.71	67.22	3	Horizontal	67	1.87	-	31.80	5.00	31.73
AV	5.15G	53.77	54.00	-0.23	48.70	3	Horizontal	67	1.87	-	31.80	5.00	31.73
PK	5.231G	106.78	Inf	-Inf	101.89	3	Horizontal	67	1.87	-	31.48	5.08	31.67
AV	5.219G	94.84	Inf	-Inf	89.91	3	Horizontal	67	1.87	-	31.52	5.09	31.68
PK	5.354G	57.65	74.00	-16.35	52.88	3	Horizontal	67	1.87	-	31.33	5.02	31.58
AV	5.364G	46.64	54.00	-7.36	41.78	3	Horizontal	67	1.87	-	31.41	5.02	31.57

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2021

5210MHz_TX




EUT X_2TX
Setting 71
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63056G	53.01	74.00	-20.99	39.19	3	Vertical	231	1.83	-	37.60	9.07	32.85
AV	15.63031G	42.36	54.00	-11.64	28.54	3	Vertical	231	1.83	-	37.60	9.07	32.85

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2021

5210MHz_TX




EUT X_2TX
Setting 71
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62936G	53.00	74.00	-21.00	39.18	3	Horizontal	256	1.19	-	37.60	9.07	32.85
AV	15.63056G	42.41	54.00	-11.59	28.59	3	Horizontal	256	1.19	-	37.60	9.07	32.85

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2021

5290MHz_TX




EUT X_2TX
Setting 70
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	56.69	74.00	-17.31	51.60	3	Vertical	44	2.90	-	31.86	4.97	31.74
AV	5.14G	45.79	54.00	-8.21	40.71	3	Vertical	44	2.90	-	31.84	4.98	31.74
PK	5.281G	101.86	Inf	-Inf	97.09	3	Vertical	44	2.90	-	31.34	5.06	31.63
AV	5.281G	92.26	Inf	-Inf	87.49	3	Vertical	44	2.90	-	31.34	5.06	31.63
PK	5.35G	67.12	74.00	-6.88	62.37	3	Vertical	44	2.90	-	31.30	5.03	31.58
AV	5.353G	52.62	54.00	-1.38	47.86	3	Vertical	44	2.90	-	31.32	5.02	31.58
PK	5.498G	55.64	68.20	-12.56	50.31	3	Vertical	44	2.90	-	31.70	5.10	31.47

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2021

5290MHz_TX




EUT X_2TX
Setting 70
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	57.10	74.00	-16.90	52.00	3	Horizontal	67	1.11	-	31.87	4.97	31.74
AV	5.148G	47.19	54.00	-6.81	42.11	3	Horizontal	67	1.11	-	31.81	5.00	31.73
PK	5.277G	104.25	Inf	-Inf	99.48	3	Horizontal	67	1.11	-	31.35	5.06	31.64
AV	5.275G	93.69	Inf	-Inf	88.92	3	Horizontal	67	1.11	-	31.35	5.06	31.64
PK	5.352G	70.54	74.00	-3.46	65.78	3	Horizontal	67	1.11	-	31.32	5.02	31.58
AV	5.352G	53.51	54.00	-0.49	48.75	3	Horizontal	67	1.11	-	31.32	5.02	31.58
PK	5.469G	55.33	68.20	-12.87	50.05	3	Horizontal	67	1.11	-	31.70	5.07	31.49

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2021

5290MHz_TX




EUT X_2TX
Setting 70
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87055G	52.91	74.00	-21.09	39.47	3	Vertical	173	1.88	-	37.16	9.15	32.87
AV	15.86933G	42.29	54.00	-11.71	28.85	3	Vertical	173	1.88	-	37.16	9.15	32.87

802.11ax HEW80_Nss2,(MCS0)_2TX

29/03/2021

5290MHz_TX



EUT X_2TX
Setting 70
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87018G	53.73	74.00	-20.27	40.29	3	Horizontal	334	2.37	-	37.16	9.15	32.87
AV	15.86945G	41.96	54.00	-12.04	28.52	3	Horizontal	334	2.37	-	37.16	9.15	32.87




For Radio 3 / 2T1S and 2T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	PK	5.7268G	68.18	68.20	-0.02	3	Horizontal	285	2.49	-

802.11a_Nss1,(6Mbps)_2TX

29/04/2021

5180MHz_TX




EUT X_2TX
Setting 102
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	72.45	74.00	-1.55	67.37	3	Vertical	43	2.60	-	31.81	5.00	31.73
AV	5.148G	51.63	54.00	-2.37	46.55	3	Vertical	43	2.60	-	31.81	5.00	31.73
PK	5.1836G	113.68	Inf	-Inf	108.64	3	Vertical	43	2.60	-	31.67	5.07	31.70
AV	5.184G	104.96	Inf	-Inf	99.93	3	Vertical	43	2.60	-	31.66	5.07	31.70

802.11a_Nss1,(6Mbps)_2TX

29/04/2021

5180MHz_TX




EUT X_2TX
Setting 102
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	73.87	74.00	-0.13	68.79	3	Horizontal	68	1.77	-	31.81	5.00	31.73
AV	5.1484G	53.50	54.00	-0.50	48.42	3	Horizontal	68	1.77	-	31.81	5.00	31.73
PK	5.1836G	116.15	Inf	-Inf	111.11	3	Horizontal	68	1.77	-	31.67	5.07	31.70
AV	5.1788G	106.60	Inf	-Inf	101.57	3	Horizontal	68	1.77	-	31.68	5.06	31.71

802.11a_Nss1,(6Mbps)_2TX

29/04/2021

5180MHz_TX




EUT X_2TX
Setting 102
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53728G	53.20	74.00	-20.80	39.09	3	Vertical	299	1.33	-	37.91	9.04	32.84
AV	15.54402G	40.05	54.00	-13.95	25.97	3	Vertical	299	1.33	-	37.88	9.04	32.84

802.11a_Nss1,(6Mbps)_2TX

29/04/2021

5180MHz_TX




EUT X_2TX
Setting 102
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53912G	53.76	74.00	-20.24	39.66	3	Horizontal	96	1.80	-	37.90	9.04	32.84
AV	15.53526G	39.60	54.00	-14.40	25.48	3	Horizontal	96	1.80	-	37.92	9.04	32.84

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5200MHz_TX




EUT X_2TX
Setting 116
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.34	74.00	-7.66	61.27	3	Vertical	40	2.96	-	31.80	5.00	31.73
AV	5.1496G	50.58	54.00	-3.42	45.51	3	Vertical	40	2.96	-	31.80	5.00	31.73
PK	5.1988G	116.92	Inf	-Inf	111.91	3	Vertical	40	2.96	-	31.60	5.10	31.69
AV	5.1988G	107.05	Inf	-Inf	102.04	3	Vertical	40	2.96	-	31.60	5.10	31.69

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5200MHz_TX




EUT X_2TX
Setting 116
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.65	74.00	-4.35	64.58	3	Horizontal	70	1.41	-	31.80	5.00	31.73
AV	5.1496G	53.83	54.00	-0.17	48.76	3	Horizontal	70	1.41	-	31.80	5.00	31.73
PK	5.1936G	118.64	Inf	-Inf	113.62	3	Horizontal	70	1.41	-	31.63	5.09	31.70
AV	5.194G	108.75	Inf	-Inf	103.74	3	Horizontal	70	1.41	-	31.62	5.09	31.70

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5200MHz_TX




EUT X_2TX
Setting 116
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6002G	53.60	74.00	-20.40	39.79	3	Vertical	33	2.44	-	37.60	9.06	32.85
AV	15.59838G	39.68	54.00	-14.32	25.86	3	Vertical	33	2.44	-	37.61	9.06	32.85

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5200MHz_TX




EUT X_2TX
Setting 116
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60254G	53.77	74.00	-20.23	39.96	3	Horizontal	74	1.80	-	37.60	9.06	32.85
AV	15.60294G	40.25	54.00	-13.75	26.44	3	Horizontal	74	1.80	-	37.60	9.06	32.85

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5240MHz_TX




EUT X_2TX
Setting 120
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.28	74.00	-3.72	65.21	3	Vertical	355	1.67	-	31.80	5.00	31.73
AV	5.1488G	50.29	54.00	-3.71	45.22	3	Vertical	355	1.67	-	31.80	5.00	31.73
PK	5.2448G	119.21	Inf	-Inf	114.37	3	Vertical	355	1.67	-	31.42	5.08	31.66
AV	5.244G	108.43	Inf	-Inf	103.59	3	Vertical	355	1.67	-	31.42	5.08	31.66
PK	5.35G	64.77	74.00	-9.23	60.03	3	Vertical	355	1.67	-	31.30	5.02	31.58
AV	5.3504G	48.91	54.00	-5.09	44.17	3	Vertical	355	1.67	-	31.30	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5240MHz_TX




EUT X_2TX
Setting 120
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.53	74.00	-6.47	62.46	3	Horizontal	292	2.61	-	31.80	5.00	31.73
AV	5.1496G	50.33	54.00	-3.67	45.26	3	Horizontal	292	2.61	-	31.80	5.00	31.73
PK	5.242G	123.32	Inf	-Inf	118.49	3	Horizontal	292	2.61	-	31.41	5.08	31.66
AV	5.2424G	113.13	Inf	-Inf	108.28	3	Horizontal	292	2.61	-	31.43	5.08	31.66
PK	5.36G	66.91	74.00	-7.09	62.08	3	Horizontal	292	2.61	-	31.38	5.02	31.57
AV	5.3504G	50.44	54.00	-3.56	45.70	3	Horizontal	292	2.61	-	31.30	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5240MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72018G	52.34	74.00	-21.66	38.56	3	Vertical	228	1.98	-	37.54	9.10	32.86
AV	15.72362G	39.36	54.00	-14.64	25.59	3	Vertical	228	1.98	-	37.53	9.10	32.86

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5240MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.719G	52.72	74.00	-21.28	38.94	3	Horizontal	232	1.38	-	37.54	9.10	32.86
AV	15.71962G	40.40	54.00	-13.60	26.62	3	Horizontal	232	1.38	-	37.54	9.10	32.86

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5260MHz_TX




EUT X_2TX
Setting 120
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.13	74.00	-9.87	59.06	3	Vertical	357	1.75	-	31.80	5.00	31.73
AV	5.1488G	47.72	54.00	-6.28	42.65	3	Vertical	357	1.75	-	31.80	5.00	31.73
PK	5.2552G	118.63	Inf	-Inf	113.82	3	Vertical	357	1.75	-	31.39	5.07	31.65
AV	5.2552G	108.31	Inf	-Inf	103.50	3	Vertical	357	1.75	-	31.39	5.07	31.65
PK	5.356G	69.25	74.00	-4.75	64.46	3	Vertical	357	1.75	-	31.35	5.02	31.58
AV	5.3504G	51.45	54.00	-2.55	46.71	3	Vertical	357	1.75	-	31.30	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5260MHz_TX




EUT X_2TX
Setting 120
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	64.96	74.00	-9.04	59.88	3	Horizontal	289	2.69	-	31.82	4.99	31.73
AV	5.1496G	49.08	54.00	-4.92	44.01	3	Horizontal	289	2.69	-	31.80	5.00	31.73
PK	5.2672G	123.57	Inf	-Inf	118.77	3	Horizontal	289	2.69	-	31.37	5.07	31.64
AV	5.2624G	113.10	Inf	-Inf	108.30	3	Horizontal	289	2.69	-	31.38	5.07	31.65
PK	5.3584G	70.82	74.00	-3.18	66.00	3	Horizontal	289	2.69	-	31.37	5.02	31.57
AV	5.3536G	52.54	54.00	-1.46	47.77	3	Horizontal	289	2.69	-	31.33	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5260MHz_TX




EUT X_2TX
Setting 120
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77928G	52.54	74.00	-21.46	38.92	3	Vertical	278	1.41	-	37.36	9.12	32.86
AV	15.77704G	39.46	54.00	-14.54	25.83	3	Vertical	278	1.41	-	37.37	9.12	32.86

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5260MHz_TX




EUT X_2TX
Setting 120
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7826G	52.56	74.00	-21.44	38.95	3	Horizontal	213	2.03	-	37.35	9.12	32.86
AV	15.78216G	40.54	54.00	-13.46	26.93	3	Horizontal	213	2.03	-	37.35	9.12	32.86

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5300MHz_TX




EUT X_2TX
Setting 113
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	116.57	Inf	-Inf	111.83	3	Vertical	42	2.13	-	31.31	5.05	31.62
AV	5.294G	106.99	Inf	-Inf	102.25	3	Vertical	42	2.13	-	31.31	5.05	31.62
PK	5.3516G	69.14	74.00	-4.86	64.39	3	Vertical	42	2.13	-	31.31	5.02	31.58
AV	5.35G	51.38	54.00	-2.62	46.63	3	Vertical	42	2.13	-	31.30	5.03	31.58

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5300MHz_TX




EUT X_2TX
Setting 113
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	120.52	Inf	-Inf	115.78	3	Horizontal	291	2.67	-	31.30	5.05	31.61
AV	5.3024G	110.80	Inf	-Inf	106.07	3	Horizontal	291	2.67	-	31.30	5.05	31.62
PK	5.3508G	71.15	74.00	-2.85	66.40	3	Horizontal	291	2.67	-	31.31	5.02	31.58
AV	5.3512G	53.38	54.00	-0.62	48.63	3	Horizontal	291	2.67	-	31.31	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5300MHz_TX




EUT X_2TX
Setting 113
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90234G	52.36	74.00	-21.64	38.95	3	Vertical	168	2.86	-	37.11	9.17	32.87
AV	15.90074G	39.34	54.00	-14.66	25.94	3	Vertical	168	2.86	-	37.10	9.17	32.87

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5300MHz_TX




EUT X_2TX
Setting 113
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89856G	52.46	74.00	-21.54	39.07	3	Horizontal	300	2.11	-	37.10	9.16	32.87
AV	15.89686G	40.17	54.00	-13.83	26.77	3	Horizontal	300	2.11	-	37.11	9.16	32.87

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5320MHz_TX




EUT X_2TX
Setting 101
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	113.56	Inf	-Inf	108.83	3	Vertical	3	1.80	-	31.30	5.04	31.61
AV	5.3152G	103.91	Inf	-Inf	99.18	3	Vertical	3	1.80	-	31.30	5.04	31.61
PK	5.351G	71.47	74.00	-2.53	66.72	3	Vertical	3	1.80	-	31.31	5.02	31.58
AV	5.3506G	52.04	54.00	-1.96	47.30	3	Vertical	3	1.80	-	31.30	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5320MHz_TX




EUT X_2TX
Setting 101
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	118.25	Inf	-Inf	113.52	3	Horizontal	292	2.67	-	31.30	5.04	31.61
AV	5.3222G	108.71	Inf	-Inf	103.97	3	Horizontal	292	2.67	-	31.30	5.04	31.60
PK	5.3532G	72.96	74.00	-1.04	68.19	3	Horizontal	292	2.67	-	31.33	5.02	31.58
AV	5.3532G	53.85	54.00	-0.15	49.08	3	Horizontal	292	2.67	-	31.33	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

01/05/2021

5320MHz_TX



EUT X_2TX
Setting 101
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96194G	52.53	74.00	-21.47	38.93	3	Vertical	351	2.42	-	37.29	9.19	32.88
AV	15.96028G	39.00	54.00	-15.00	25.41	3	Vertical	351	2.42	-	37.28	9.19	32.88