



Profile: 2032034R	Page No.: 136
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.775	27.604	-33.225	74.000	13.171	PK
2	*	17010.000	45.729	28.034	-28.271	74.000	17.695	PK

Profile: 2032034R	Page No.: 137
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	39.644	28.410	-34.356	74.000	11.234	PK
2	*	15780.000	46.672	28.005	-27.328	74.000	18.667	PK

Profile: 2032034R	Page No.: 138
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.481	29.247	-33.519	74.000	11.234	PK
2	*	15780.000	47.317	28.650	-26.683	74.000	18.667	PK

Profile: 2032034R	Page No.: 139
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.288	28.859	-32.712	74.000	12.429	PK
2	*	15900.000	46.797	28.328	-27.203	74.000	18.469	PK

Profile: 2032034R	Page No.: 140
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.399	28.970	-32.601	74.000	12.429	PK
2	*	15900.000	47.307	28.838	-26.693	74.000	18.469	PK

Profile: 2032034R	Page No.: 141
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.622	30.360	-32.378	74.000	11.262	PK
2	*	15960.000	46.075	27.859	-27.925	74.000	18.216	PK

Profile: 2032034R	Page No.: 142
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.101	29.839	-32.899	74.000	11.262	PK
2	*	15960.000	45.897	27.681	-28.103	74.000	18.216	PK


Profile: 2032034R	Page No.: 143
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.160	28.407	-33.840	74.000	11.752	PK
2	*	16500.000	48.202	30.018	-25.798	74.000	18.184	PK




Profile: 2032034R	Page No.: 144
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.926	28.173	-34.074	74.000	11.752	PK
2	*	16500.000	47.072	28.888	-26.928	74.000	18.184	PK

Profile: 2032034R	Page No.: 145
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.186	28.458	-32.814	74.000	12.728	PK
2	*	16560.000	46.979	28.345	-27.021	74.000	18.634	PK

Profile: 2032034R	Page No.: 146
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.245	28.517	-32.755	74.000	12.728	PK
2	*	16560.000	47.090	28.456	-26.910	74.000	18.634	PK

Profile: 2032034R	Page No.: 147
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.842	28.322	-34.158	74.000	11.521	PK
2	*	16740.000	47.488	27.894	-26.512	74.000	19.594	PK

Profile: 2032034R	Page No.: 148
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	38.679	27.159	-35.321	74.000	11.521	PK
2	*	16740.000	48.116	28.522	-25.884	74.000	19.594	PK

Profile: 2032034R	Page No.: 149
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.409	27.887	-33.591	74.000	12.523	PK
2	*	17100.000	44.422	26.821	-29.578	74.000	17.601	PK

Profile: 2032034R	Page No.: 150
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.546	27.024	-34.454	74.000	12.523	PK
2	*	17100.000	44.740	27.139	-29.260	74.000	17.601	PK


Profile: 2032034R	Page No.: 151
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.472	28.344	-33.528	74.000	12.128	PK
2	*	15810.000	47.485	29.294	-26.515	74.000	18.190	PK




Profile: 2032034R	Page No.: 152
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.795	29.667	-32.205	74.000	12.128	PK
2	*	15810.000	46.193	28.002	-27.807	74.000	18.190	PK

Profile: 2032034R	Page No.: 153
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.741	28.294	-34.259	74.000	11.448	PK
2	*	15930.000	46.709	28.354	-27.291	74.000	18.355	PK

Profile: 2032034R	Page No.: 154
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	38.882	27.435	-35.118	74.000	11.448	PK
2	*	15930.000	47.141	28.786	-26.859	74.000	18.355	PK

Profile: 2032034R	Page No.: 155
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.742	28.453	-33.258	74.000	12.289	PK
2	*	16530.000	47.756	29.391	-26.244	74.000	18.366	PK

Profile: 2032034R	Page No.: 156
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.048	28.759	-32.952	74.000	12.289	PK
2	*	16530.000	46.275	27.910	-27.725	74.000	18.366	PK

Profile: 2032034R	Page No.: 157
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.915	27.752	-34.085	74.000	12.163	PK
2	*	16650.000	49.147	29.586	-24.853	74.000	19.562	PK

Profile: 2032034R	Page No.: 158
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.951	27.788	-34.049	74.000	12.163	PK
2	*	16650.000	48.164	28.603	-25.836	74.000	19.562	PK


Profile: 2032034R	Page No.: 159
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.075	26.904	-33.925	74.000	13.171	PK
2	*	17010.000	45.437	27.742	-28.563	74.000	17.695	PK




Profile: 2032034R	Page No.: 160
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.309	27.138	-33.691	74.000	13.171	PK
2	*	17010.000	45.890	28.195	-28.110	74.000	17.695	PK

Profile: 2032034R	Page No.: 161
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.522	29.025	-32.478	74.000	12.497	PK
2	*	15870.000	46.793	28.302	-27.207	74.000	18.490	PK

Profile: 2032034R	Page No.: 162
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.516	30.019	-31.484	74.000	12.497	PK
2	*	15870.000	47.729	29.238	-26.271	74.000	18.490	PK

Profile: 2032034R	Page No.: 163
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.590	27.793	-33.410	74.000	12.798	PK
2	*	16590.000	47.608	28.586	-26.392	74.000	19.022	PK

Profile: 2032034R	Page No.: 164
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.129	28.332	-32.871	74.000	12.798	PK
2	*	16590.000	46.704	27.682	-27.296	74.000	19.022	PK

Profile: 2032034R	Page No.: 167
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	39.674	28.440	-34.326	74.000	11.234	PK
2	*	15780.000	47.360	28.693	-26.640	74.000	18.667	PK

Profile: 2032034R	Page No.: 168
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5260MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	38.821	27.587	-35.179	74.000	11.234	PK
2	*	15780.000	47.226	28.559	-26.774	74.000	18.667	PK


Profile: 2032034R	Page No.: 169
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5300MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.798	28.369	-33.202	74.000	12.429	PK
2	*	15900.000	47.341	28.872	-26.659	74.000	18.469	PK




Profile: 2032034R	Page No.: 170
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.435	29.006	-32.565	74.000	12.429	PK
2	*	15900.000	46.820	28.351	-27.180	74.000	18.469	PK

Profile: 2032034R	Page No.: 171
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	38.825	27.563	-35.175	74.000	11.262	PK
2	*	15960.000	47.234	29.018	-26.766	74.000	18.216	PK

Profile: 2032034R	Page No.: 172
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.775	28.513	-34.225	74.000	11.262	PK
2	*	15960.000	45.709	27.493	-28.291	74.000	18.216	PK

Profile: 2032034R	Page No.: 173
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.632	28.879	-33.368	74.000	11.752	PK
2	*	16500.000	47.273	29.089	-26.727	74.000	18.184	PK

Profile: 2032034R	Page No.: 174
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.012	28.259	-33.988	74.000	11.752	PK
2	*	16500.000	47.457	29.273	-26.543	74.000	18.184	PK

Profile: 2032034R	Page No.: 175
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.006	29.278	-31.994	74.000	12.728	PK
2	*	16560.000	48.160	29.526	-25.840	74.000	18.634	PK

Profile: 2032034R	Page No.: 176
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.096	28.368	-32.904	74.000	12.728	PK
2	*	16560.000	47.915	29.281	-26.085	74.000	18.634	PK


Profile: 2032034R	Page No.: 177
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5580MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.381	27.861	-34.619	74.000	11.521	PK
2	*	16740.000	47.963	28.369	-26.037	74.000	19.594	PK




Profile: 2032034R	Page No.: 178
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.086	27.566	-34.914	74.000	11.521	PK
2	*	16740.000	47.037	27.443	-26.963	74.000	19.594	PK

Profile: 2032034R	Page No.: 179
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.400	27.878	-33.600	74.000	12.523	PK
2	*	17100.000	44.677	27.076	-29.323	74.000	17.601	PK

Profile: 2032034R	Page No.: 180
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.517	27.995	-33.483	74.000	12.523	PK
2	*	17100.000	45.970	28.369	-28.030	74.000	17.601	PK

Profile: 2032034R	Page No.: 181
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.265	29.137	-32.735	74.000	12.128	PK
2	*	15810.000	46.037	27.846	-27.963	74.000	18.190	PK

Profile: 2032034R	Page No.: 182
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.931	28.803	-33.069	74.000	12.128	PK
2	*	15810.000	46.074	27.883	-27.926	74.000	18.190	PK

Profile: 2032034R	Page No.: 183
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.479	28.032	-34.521	74.000	11.448	PK
2	*	15930.000	46.730	28.375	-27.270	74.000	18.355	PK

Profile: 2032034R	Page No.: 184
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.444	28.997	-33.556	74.000	11.448	PK
2	*	15930.000	47.106	28.751	-26.894	74.000	18.355	PK


Profile: 2032034R	Page No.: 185
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.048	27.759	-33.952	74.000	12.289	PK
2	*	16530.000	48.090	29.725	-25.910	74.000	18.366	PK




Profile: 2032034R	Page No.: 186
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.452	28.163	-33.548	74.000	12.289	PK
2	*	16530.000	46.903	28.538	-27.097	74.000	18.366	PK

Profile: 2032034R	Page No.: 187
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.828	27.665	-34.172	74.000	12.163	PK
2	*	16650.000	48.295	28.734	-25.705	74.000	19.562	PK

Profile: 2032034R	Page No.: 188
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.482	28.319	-33.518	74.000	12.163	PK
2	*	16650.000	47.777	28.216	-26.223	74.000	19.562	PK

Profile: 2032034R	Page No.: 189
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.569	27.398	-33.431	74.000	13.171	PK
2	*	17010.000	45.430	27.735	-28.570	74.000	17.695	PK

Profile: 2032034R	Page No.: 190
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.114	26.943	-33.886	74.000	13.171	PK
2	*	17010.000	45.561	27.866	-28.439	74.000	17.695	PK

Profile: 2032034R	Page No.: 191
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.091	29.594	-31.909	74.000	12.497	PK
2	*	15870.000	46.030	27.539	-27.970	74.000	18.490	PK

Profile: 2032034R	Page No.: 192
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	40.459	27.962	-33.541	74.000	12.497	PK
2	*	15870.000	46.527	28.036	-27.473	74.000	18.490	PK


Profile: 2032034R	Page No.: 193
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.122	28.325	-32.878	74.000	12.798	PK
2	*	16590.000	48.875	29.853	-25.125	74.000	19.022	PK




Profile: 2032034R	Page No.: 194
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.720	28.923	-32.280	74.000	12.798	PK
2	*	16590.000	47.547	28.525	-26.453	74.000	19.022	PK

Profile: 2032034R	Page No.: 29
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.140	33.677	-28.860	74.000	11.463	PK
2	*	15750.000	51.060	32.343	-22.940	74.000	18.717	PK

Profile: 2032034R	Page No.: 30
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.517	33.054	-29.483	74.000	11.463	PK
2	*	15750.000	52.334	33.617	-21.666	74.000	18.717	PK

Profile: 2032034R	Page No.: 31
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.271	32.813	-29.729	74.000	11.458	PK
2	*	16710.000	53.168	33.316	-20.832	74.000	19.852	PK


Profile: 2032034R	Page No.: 32
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.700	33.242	-29.300	74.000	11.458	PK
2	*	16710.000	54.981	35.129	-19.019	74.000	19.852	PK


### Radio3-5G high band mode-2\*2 CDD

Profile: 2032034R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.605	27.852	-34.395	74.000	11.752	PK
2	*	16500.000	46.916	28.732	-27.084	74.000	18.184	PK

Profile: 2032034R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.253	27.500	-34.747	74.000	11.752	PK
2	*	16500.000	48.391	30.207	-25.609	74.000	18.184	PK


Profile: 2032034R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5520MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.705	27.977	-33.295	74.000	12.728	PK
2	*	16560.000	47.643	29.009	-26.357	74.000	18.634	PK




Profile: 2032034R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.132	27.404	-33.868	74.000	12.728	PK
2	*	16560.000	47.274	28.640	-26.726	74.000	18.634	PK

Profile: 2032034R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	38.930	27.410	-35.070	74.000	11.521	PK
2	*	16740.000	47.951	28.357	-26.049	74.000	19.594	PK

Profile: 2032034R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.440	27.920	-34.560	74.000	11.521	PK
2	*	16740.000	47.527	27.933	-26.473	74.000	19.594	PK

Profile: 2032034R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.243	27.721	-33.757	74.000	12.523	PK
2	*	17100.000	45.191	27.590	-28.809	74.000	17.601	PK

Profile: 2032034R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.598	27.076	-34.402	74.000	12.523	PK
2	*	17100.000	44.436	26.835	-29.564	74.000	17.601	PK

Profile: 2032034R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.938	28.185	-34.062	74.000	11.752	PK
2	*	16500.000	46.851	28.667	-27.149	74.000	18.184	PK

Profile: 2032034R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.166	28.413	-33.834	74.000	11.752	PK
2	*	16500.000	46.652	28.468	-27.348	74.000	18.184	PK


Profile: 2032034R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.639	27.911	-33.361	74.000	12.728	PK
2	*	16560.000	47.928	29.294	-26.072	74.000	18.634	PK




Profile: 2032034R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.429	29.701	-31.571	74.000	12.728	PK
2	*	16560.000	47.133	28.499	-26.867	74.000	18.634	PK

Profile: 2032034R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.035	28.515	-33.965	74.000	11.521	PK
2	*	16740.000	48.904	29.310	-25.096	74.000	19.594	PK

Profile: 2032034R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.494	28.974	-33.506	74.000	11.521	PK
2	*	16740.000	48.189	28.595	-25.811	74.000	19.594	PK

Profile: 2032034R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.784	27.262	-34.216	74.000	12.523	PK
2	*	17100.000	44.402	26.801	-29.598	74.000	17.601	PK

Profile: 2032034R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.762	27.240	-34.238	74.000	12.523	PK
2	*	17100.000	43.730	26.129	-30.270	74.000	17.601	PK

Profile: 2032034R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	39.319	27.030	-34.681	74.000	12.289	PK
2	*	16530.000	46.159	27.794	-27.841	74.000	18.366	PK

Profile: 2032034R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.110	29.821	-31.890	74.000	12.289	PK
2	*	16530.000	48.297	29.932	-25.703	74.000	18.366	PK


Profile: 2032034R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.109	27.946	-33.891	74.000	12.163	PK
2	*	16650.000	48.145	28.584	-25.855	74.000	19.562	PK




Profile: 2032034R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.127	26.964	-34.873	74.000	12.163	PK
2	*	16650.000	49.608	30.047	-24.392	74.000	19.562	PK

Profile: 2032034R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.279	27.108	-33.721	74.000	13.171	PK
2	*	17010.000	45.471	27.776	-28.529	74.000	17.695	PK

Profile: 2032034R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	39.972	26.801	-34.028	74.000	13.171	PK
2	*	17010.000	46.252	28.557	-27.748	74.000	17.695	PK

Profile: 2032034R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.365	28.612	-33.635	74.000	11.752	PK
2	*	16500.000	46.467	28.283	-27.533	74.000	18.184	PK

Profile: 2032034R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.842	28.089	-34.158	74.000	11.752	PK
2	*	16500.000	46.302	28.118	-27.698	74.000	18.184	PK

Profile: 2032034R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.382	27.654	-33.618	74.000	12.728	PK
2	*	16560.000	46.892	28.258	-27.108	74.000	18.634	PK

Profile: 2032034R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.204	28.476	-32.796	74.000	12.728	PK
2	*	16560.000	47.626	28.992	-26.374	74.000	18.634	PK


Profile: 2032034R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.609	28.089	-34.391	74.000	11.521	PK
2	*	16740.000	47.463	27.869	-26.537	74.000	19.594	PK




Profile: 2032034R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.480	27.960	-34.520	74.000	11.521	PK
2	*	16740.000	48.044	28.450	-25.956	74.000	19.594	PK

Profile: 2032034R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.622	27.100	-34.378	74.000	12.523	PK
2	*	17100.000	45.592	27.991	-28.408	74.000	17.601	PK

Profile: 2032034R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.486	26.964	-34.514	74.000	12.523	PK
2	*	17100.000	44.296	26.695	-29.704	74.000	17.601	PK

Profile: 2032034R	Page No.: 89
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.204	27.915	-33.796	74.000	12.289	PK
2	*	16530.000	48.022	29.657	-25.978	74.000	18.366	PK

Profile: 2032034R	Page No.: 90
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	39.696	27.407	-34.304	74.000	12.289	PK
2	*	16530.000	47.024	28.659	-26.976	74.000	18.366	PK

Profile: 2032034R	Page No.: 91
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.987	27.824	-34.013	74.000	12.163	PK
2	*	16650.000	47.016	27.455	-26.984	74.000	19.562	PK

Profile: 2032034R	Page No.: 92
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.090	27.927	-33.910	74.000	12.163	PK
2	*	16650.000	47.465	27.904	-26.535	74.000	19.562	PK


Profile: 2032034R	Page No.: 93
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.656	27.485	-33.344	74.000	13.171	PK
2	*	17010.000	45.715	28.020	-28.285	74.000	17.695	PK




Profile: 2032034R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	39.785	26.614	-34.215	74.000	13.171	PK
2	*	17010.000	45.894	28.199	-28.106	74.000	17.695	PK

Profile: 2032034R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.499	28.702	-32.501	74.000	12.798	PK
2	*	16590.000	47.494	28.472	-26.506	74.000	19.022	PK

Profile: 2032034R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.574	28.777	-32.426	74.000	12.798	PK
2	*	16590.000	47.474	28.452	-26.526	74.000	19.022	PK

Profile: 2032034R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.523	28.770	-33.477	74.000	11.752	PK
2	*	16500.000	46.526	28.342	-27.474	74.000	18.184	PK

Profile: 2032034R	Page No.: 100
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.236	27.483	-34.764	74.000	11.752	PK
2	*	16500.000	46.963	28.779	-27.037	74.000	18.184	PK

Profile: 2032034R	Page No.: 101
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.631	28.903	-32.369	74.000	12.728	PK
2	*	16560.000	47.393	28.759	-26.607	74.000	18.634	PK

Profile: 2032034R	Page No.: 102
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.299	28.571	-32.701	74.000	12.728	PK
2	*	16560.000	48.348	29.714	-25.652	74.000	18.634	PK


Profile: 2032034R	Page No.: 103
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5580MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.540	28.020	-34.460	74.000	11.521	PK
2	*	16740.000	48.372	28.778	-25.628	74.000	19.594	PK




Profile: 2032034R	Page No.: 104
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.747	29.227	-33.253	74.000	11.521	PK
2	*	16740.000	49.475	29.881	-24.525	74.000	19.594	PK

Profile: 2032034R	Page No.: 105
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.438	27.916	-33.562	74.000	12.523	PK
2	*	17100.000	46.014	28.413	-27.986	74.000	17.601	PK

Profile: 2032034R	Page No.: 106
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.686	27.164	-34.314	74.000	12.523	PK
2	*	17100.000	44.324	26.723	-29.676	74.000	17.601	PK

Profile: 2032034R	Page No.: 107
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	39.507	27.218	-34.493	74.000	12.289	PK
2	*	16530.000	47.057	28.692	-26.943	74.000	18.366	PK

Profile: 2032034R	Page No.: 108
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.451	28.162	-33.549	74.000	12.289	PK
2	*	16530.000	46.316	27.951	-27.684	74.000	18.366	PK

Profile: 2032034R	Page No.: 109
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.431	28.268	-33.569	74.000	12.163	PK
2	*	16650.000	48.403	28.842	-25.597	74.000	19.562	PK

Profile: 2032034R	Page No.: 110
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.776	27.613	-34.224	74.000	12.163	PK
2	*	16650.000	47.195	27.634	-26.805	74.000	19.562	PK


Profile: 2032034R	Page No.: 111
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.220	27.049	-33.780	74.000	13.171	PK
2	*	17010.000	46.135	28.440	-27.865	74.000	17.695	PK




Profile: 2032034R	Page No.: 112
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	39.711	26.540	-34.289	74.000	13.171	PK
2	*	17010.000	45.004	27.309	-28.996	74.000	17.695	PK

Profile: 2032034R	Page No.: 113
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.704	28.907	-32.296	74.000	12.798	PK
2	*	16590.000	47.737	28.715	-26.263	74.000	19.022	PK

Profile: 2032034R	Page No.: 114
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.388	28.591	-32.612	74.000	12.798	PK
2	*	16590.000	46.806	27.784	-27.194	74.000	19.022	PK

Profile: 2032034R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.156	32.698	-29.844	74.000	11.458	PK
2	*	16710.000	53.067	33.215	-20.933	74.000	19.852	PK

Profile: 2032034R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.926	33.468	-29.074	74.000	11.458	PK
2	*	16710.000	53.376	33.524	-20.624	74.000	19.852	PK

Profile: 2032034R	Page No.: 8
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.110	28.359	-32.890	74.000	12.751	PK
2	*	17235.000	52.022	31.796	-21.978	74.000	20.226	PK

Profile: 2032034R	Page No.: 9
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.771	26.020	-35.229	74.000	12.751	PK
2	*	17235.000	48.586	28.360	-25.414	74.000	20.226	PK


Profile: 2032034R	Page No.: 10
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.074	28.918	-31.926	74.000	13.156	PK
2	*	17355.000	52.989	29.991	-21.011	74.000	22.998	PK




Profile: 2032034R	Page No.: 11
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.678	27.522	-33.322	74.000	13.156	PK
2	*	17355.000	51.939	28.941	-22.061	74.000	22.998	PK

Profile: 2032034R	Page No.: 12
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.135	25.246	-34.865	74.000	13.889	PK
2	*	17475.000	52.307	30.724	-21.693	74.000	21.583	PK

Profile: 2032034R	Page No.: 13
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.073	26.184	-33.927	74.000	13.889	PK
2	*	17475.000	51.328	29.745	-22.672	74.000	21.583	PK

Profile: 2032034R	Page No.: 20
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.069	26.318	-34.931	74.000	12.751	PK
2	*	17235.000	50.232	30.006	-23.768	74.000	20.226	PK

Profile: 2032034R	Page No.: 21
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.203	26.452	-34.797	74.000	12.751	PK
2	*	17235.000	50.789	30.563	-23.211	74.000	20.226	PK

Profile: 2032034R	Page No.: 22
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.631	26.475	-34.369	74.000	13.156	PK
2	*	17355.000	52.783	29.785	-21.217	74.000	22.998	PK

Profile: 2032034R	Page No.: 23
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.686	26.530	-34.314	74.000	13.156	PK
2	*	17355.000	53.763	30.765	-20.237	74.000	22.998	PK


Profile: 2032034R	Page No.: 24
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.041	25.152	-34.959	74.000	13.889	PK
2	*	17475.000	50.171	28.588	-23.829	74.000	21.583	PK




Profile: 2032034R	Page No.: 25
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.320	25.431	-34.680	74.000	13.889	PK
2	*	17475.000	51.178	29.595	-22.822	74.000	21.583	PK

Profile: 2032034R	Page No.: 30
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.884	25.833	-35.116	74.000	13.051	PK
2	*	17265.000	51.260	30.532	-22.740	74.000	20.728	PK

Profile: 2032034R	Page No.: 31
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.395	25.344	-35.605	74.000	13.051	PK
2	*	17265.000	50.842	30.114	-23.158	74.000	20.728	PK

Profile: 2032034R	Page No.: 32
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	38.980	25.656	-35.020	74.000	13.324	PK
2	*	17385.000	51.547	29.372	-22.453	74.000	22.175	PK

Profile: 2032034R	Page No.: 33
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.149	25.825	-34.851	74.000	13.324	PK
2	*	17385.000	51.614	29.439	-22.386	74.000	22.175	PK

Profile: 2032034R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.472	25.721	-35.528	74.000	12.751	PK
2	*	17235.000	50.252	30.026	-23.748	74.000	20.226	PK

Profile: 2032034R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.224	26.473	-34.776	74.000	12.751	PK
2	*	17235.000	50.050	29.824	-23.950	74.000	20.226	PK


Profile: 2032034R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.632	26.476	-34.368	74.000	13.156	PK
2	*	17355.000	53.109	30.111	-20.891	74.000	22.998	PK




Profile: 2032034R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.158	26.002	-34.842	74.000	13.156	PK
2	*	17355.000	52.275	29.277	-21.725	74.000	22.998	PK

Profile: 2032034R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.953	26.064	-34.047	74.000	13.889	PK
2	*	17475.000	51.043	29.460	-22.957	74.000	21.583	PK

Profile: 2032034R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.146	26.257	-33.854	74.000	13.889	PK
2	*	17475.000	51.838	30.255	-22.162	74.000	21.583	PK

Profile: 2032034R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	39.153	26.102	-34.847	74.000	13.051	PK
2	*	17265.000	51.161	30.433	-22.839	74.000	20.728	PK

Profile: 2032034R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	39.045	25.994	-34.955	74.000	13.051	PK
2	*	17265.000	51.499	30.771	-22.501	74.000	20.728	PK

Profile: 2032034R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	40.101	26.777	-33.899	74.000	13.324	PK
2	*	17385.000	51.271	29.096	-22.729	74.000	22.175	PK

Profile: 2032034R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	40.144	26.820	-33.856	74.000	13.324	PK
2	*	17385.000	51.512	29.337	-22.488	74.000	22.175	PK


Profile: 2032034R	Page No.: 162
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.606	28.334	-32.394	74.000	13.272	PK
2	*	17325.000	53.529	31.249	-20.471	74.000	22.280	PK




Profile: 2032034R	Page No.: 163
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	39.254	25.982	-34.746	74.000	13.272	PK
2	*	17325.000	51.755	29.475	-22.245	74.000	22.280	PK

Profile: 2032034R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.607	27.856	-33.393	74.000	12.751	PK
2	*	17235.000	51.942	31.716	-22.058	74.000	20.226	PK

Profile: 2032034R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	37.782	25.031	-36.218	74.000	12.751	PK
2	*	17235.000	50.236	30.010	-23.764	74.000	20.226	PK

Profile: 2032034R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.690	28.534	-32.310	74.000	13.156	PK
2	*	17355.000	53.223	30.225	-20.777	74.000	22.998	PK

Profile: 2032034R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.129	25.973	-34.871	74.000	13.156	PK
2	*	17355.000	53.124	30.126	-20.876	74.000	22.998	PK

Profile: 2032034R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.728	25.839	-34.272	74.000	13.889	PK
2	*	17475.000	50.858	29.275	-23.142	74.000	21.583	PK

Profile: 2032034R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.423	25.534	-34.577	74.000	13.889	PK
2	*	17475.000	50.897	29.314	-23.103	74.000	21.583	PK


Profile: 2032034R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	39.807	26.756	-34.193	74.000	13.051	PK
2	*	17265.000	51.931	31.203	-22.069	74.000	20.728	PK




Profile: 2032034R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	39.059	26.008	-34.941	74.000	13.051	PK
2	*	17265.000	52.035	31.307	-21.965	74.000	20.728	PK

Profile: 2032034R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	38.821	25.497	-35.179	74.000	13.324	PK
2	*	17385.000	52.721	30.546	-21.279	74.000	22.175	PK

Profile: 2032034R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	40.033	26.709	-33.967	74.000	13.324	PK
2	*	17385.000	54.032	31.857	-19.968	74.000	22.175	PK

Profile: 2032034R	Page No.: 166
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.031	27.759	-32.969	74.000	13.272	PK
2	*	17325.000	53.937	31.657	-20.063	74.000	22.280	PK


Profile: 2032034R	Page No.: 167
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	39.481	26.209	-34.519	74.000	13.272	PK
2	*	17325.000	52.743	30.463	-21.257	74.000	22.280	PK


### Radio3-5G high band mode-4\*4 CDD

Profile: 2032034R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.435	28.682	-33.565	74.000	11.752	PK
2	*	16500.000	45.928	27.744	-28.072	74.000	18.184	PK

Profile: 2032034R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.285	27.532	-34.715	74.000	11.752	PK
2	*	16500.000	48.192	30.008	-25.808	74.000	18.184	PK


Profile: 2032034R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.510	28.782	-32.490	74.000	12.728	PK
2	*	16560.000	47.967	29.333	-26.033	74.000	18.634	PK




Profile: 2032034R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.214	29.486	-31.786	74.000	12.728	PK
2	*	16560.000	46.990	28.356	-27.010	74.000	18.634	PK

Profile: 2032034R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.245	28.725	-33.755	74.000	11.521	PK
2	*	16740.000	47.459	27.865	-26.541	74.000	19.594	PK

Profile: 2032034R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.590	28.070	-34.410	74.000	11.521	PK
2	*	16740.000	48.291	28.697	-25.709	74.000	19.594	PK

Profile: 2032034R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.067	27.545	-33.933	74.000	12.523	PK
2	*	17100.000	44.907	27.306	-29.093	74.000	17.601	PK

Profile: 2032034R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.807	27.285	-34.193	74.000	12.523	PK
2	*	17100.000	43.991	26.390	-30.009	74.000	17.601	PK

Profile: 2032034R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.795	30.042	-32.205	74.000	11.752	PK
2	*	16500.000	47.836	29.652	-26.164	74.000	18.184	PK

Profile: 2032034R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.871	29.118	-33.129	74.000	11.752	PK
2	*	16500.000	47.523	29.339	-26.477	74.000	18.184	PK


Profile: 2032034R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.561	27.833	-33.439	74.000	12.728	PK
2	*	16560.000	46.837	28.203	-27.163	74.000	18.634	PK




Profile: 2032034R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.298	27.570	-33.702	74.000	12.728	PK
2	*	16560.000	47.274	28.640	-26.726	74.000	18.634	PK

Profile: 2032034R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.244	27.724	-34.756	74.000	11.521	PK
2	*	16740.000	49.868	30.274	-24.132	74.000	19.594	PK

Profile: 2032034R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	38.961	27.441	-35.039	74.000	11.521	PK
2	*	16740.000	49.019	29.425	-24.981	74.000	19.594	PK

Profile: 2032034R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.057	27.535	-33.943	74.000	12.523	PK
2	*	17100.000	46.051	28.450	-27.949	74.000	17.601	PK

Profile: 2032034R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.817	27.295	-34.183	74.000	12.523	PK
2	*	17100.000	45.145	27.544	-28.855	74.000	17.601	PK

Profile: 2032034R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.012	28.723	-32.988	74.000	12.289	PK
2	*	16530.000	47.469	29.104	-26.531	74.000	18.366	PK

Profile: 2032034R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.661	28.372	-33.339	74.000	12.289	PK
2	*	16530.000	48.289	29.924	-25.711	74.000	18.366	PK


Profile: 2032034R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.680	27.517	-34.320	74.000	12.163	PK
2	*	16650.000	48.192	28.631	-25.808	74.000	19.562	PK




Profile: 2032034R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.557	28.394	-33.443	74.000	12.163	PK
2	*	16650.000	47.585	28.024	-26.415	74.000	19.562	PK

Profile: 2032034R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	39.928	26.757	-34.072	74.000	13.171	PK
2	*	17010.000	46.498	28.803	-27.502	74.000	17.695	PK

Profile: 2032034R	Page No.: 80
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.407	27.236	-33.593	74.000	13.171	PK
2	*	17010.000	46.337	28.642	-27.663	74.000	17.695	PK

Profile: 2032034R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.042	27.289	-34.958	74.000	11.752	PK
2	*	16500.000	47.609	29.425	-26.391	74.000	18.184	PK

Profile: 2032034R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.216	27.463	-34.784	74.000	11.752	PK
2	*	16500.000	46.304	28.120	-27.696	74.000	18.184	PK

Profile: 2032034R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.092	27.364	-33.908	74.000	12.728	PK
2	*	16560.000	46.705	28.071	-27.295	74.000	18.634	PK

Profile: 2032034R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.192	28.464	-32.808	74.000	12.728	PK
2	*	16560.000	46.626	27.992	-27.374	74.000	18.634	PK


Profile: 2032034R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.640	28.120	-34.360	74.000	11.521	PK
2	*	16740.000	47.145	27.551	-26.855	74.000	19.594	PK




Profile: 2032034R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	38.999	27.479	-35.001	74.000	11.521	PK
2	*	16740.000	49.543	29.949	-24.457	74.000	19.594	PK

Profile: 2032034R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.624	27.102	-34.376	74.000	12.523	PK
2	*	17100.000	44.611	27.010	-29.389	74.000	17.601	PK

Profile: 2032034R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.647	28.125	-33.353	74.000	12.523	PK
2	*	17100.000	44.633	27.032	-29.367	74.000	17.601	PK

Profile: 2032034R	Page No.: 89
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.552	28.263	-33.448	74.000	12.289	PK
2	*	16530.000	48.028	29.663	-25.972	74.000	18.366	PK

Profile: 2032034R	Page No.: 90
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.585	29.296	-32.415	74.000	12.289	PK
2	*	16530.000	48.253	29.888	-25.747	74.000	18.366	PK

Profile: 2032034R	Page No.: 91
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.327	28.164	-33.673	74.000	12.163	PK
2	*	16650.000	46.940	27.379	-27.060	74.000	19.562	PK

Profile: 2032034R	Page No.: 92
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 05:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	41.140	28.977	-32.860	74.000	12.163	PK
2	*	16650.000	48.484	28.923	-25.516	74.000	19.562	PK