


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8902G	107.95	Inf	-Inf	98.96	3	Horizontal	56	1.47	-	36.44	5.79	33.24
RMS	6.9022G	98.35	Inf	-Inf	89.37	3	Horizontal	56	1.47	-	36.42	5.80	33.24
PK	7.1506G	61.47	88.20	-26.73	51.86	3	Horizontal	56	1.47	-	37.10	5.98	33.47
RMS	7.1254G	51.12	68.20	-17.08	41.70	3	Horizontal	56	1.47	-	36.90	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79392G	60.86	88.20	-27.34	46.57	3	Vertical	140	1.05	-	40.49	8.64	34.84
AV	13.78764G	46.64	68.20	-21.56	32.35	3	Vertical	140	1.05	-	40.49	8.64	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7936G	60.21	88.20	-27.99	45.92	3	Horizontal	65	1.90	-	40.49	8.64	34.84
AV	13.79366G	46.50	68.20	-21.70	32.21	3	Horizontal	65	1.90	-	40.49	8.64	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6802G	49.31	83.54	-34.23	45.41	1	Vertical	255	1.53	-	37.92	15.81	49.83
AV	20.68918G	36.03	63.54	-27.51	32.11	1	Vertical	255	1.53	-	37.93	15.81	49.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68458G	49.46	83.54	-34.08	45.56	1	Horizontal	206	1.54	-	37.92	15.81	49.83
AV	20.68828G	36.08	63.54	-27.46	32.16	1	Horizontal	206	1.54	-	37.93	15.81	49.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9894G	98.35	Inf	-Inf	89.10	3	Vertical	269	1.80	-	36.64	5.89	33.28
RMS	6.9902G	88.31	Inf	-Inf	79.07	3	Vertical	269	1.80	-	36.64	5.89	33.29
PK	7.1342G	61.56	88.20	-26.64	52.07	3	Vertical	269	1.80	-	36.97	5.97	33.45
RMS	7.127G	51.21	68.20	-16.99	41.77	3	Vertical	269	1.80	-	36.92	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9926G	110.11	Inf	-Inf	100.88	3	Horizontal	54	1.43	-	36.63	5.89	33.29
RMS	6.9878G	99.38	Inf	-Inf	90.12	3	Horizontal	54	1.43	-	36.65	5.89	33.28
PK	7.179G	62.36	88.20	-25.84	52.65	3	Horizontal	54	1.43	-	37.22	5.99	33.50
RMS	7.127G	51.28	68.20	-16.92	41.84	3	Horizontal	54	1.43	-	36.92	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99176G	60.31	88.20	-27.89	45.76	3	Vertical	101	1.01	-	40.88	8.60	34.93
AV	13.99492G	46.61	68.20	-21.59	32.06	3	Vertical	101	1.01	-	40.88	8.60	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9946G	60.24	88.20	-27.96	45.69	3	Horizontal	354	1.10	-	40.88	8.60	34.93
AV	13.99408G	46.45	68.20	-21.75	31.90	3	Horizontal	354	1.10	-	40.88	8.60	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9858G	48.27	83.54	-35.27	44.42	1	Vertical	294	1.53	-	37.62	15.94	49.71
AV	20.98316G	35.54	63.54	-28.00	31.68	1	Vertical	294	1.53	-	37.63	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 23
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98946G	48.59	83.54	-34.95	44.72	1	Horizontal	89	1.57	-	37.62	15.95	49.70
AV	20.9803G	35.41	63.54	-28.13	31.55	1	Horizontal	89	1.57	-	37.63	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1018G	102.64	Inf	-Inf	93.39	3	Vertical	339	2.72	-	36.71	5.95	33.41
RMS	7.103G	92.50	Inf	-Inf	83.24	3	Vertical	339	2.72	-	36.72	5.95	33.41
PK	7.193G	63.37	88.20	-24.83	53.62	3	Vertical	339	2.72	-	37.27	6.00	33.52
RMS	7.1262G	51.32	68.20	-16.88	41.89	3	Vertical	339	2.72	-	36.91	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1018G	111.07	Inf	-Inf	101.82	3	Horizontal	55	1.68	-	36.71	5.95	33.41
RMS	7.1002G	100.91	Inf	-Inf	91.67	3	Horizontal	55	1.68	-	36.70	5.95	33.41
PK	7.125G	62.79	88.20	-25.41	53.37	3	Horizontal	55	1.68	-	36.90	5.96	33.44
RMS	7.1262G	51.80	68.20	-16.40	42.37	3	Horizontal	55	1.68	-	36.91	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18756G	59.00	88.20	-29.20	44.44	3	Vertical	237	2.60	-	40.81	8.65	34.90
AV	14.18694G	45.61	68.20	-22.59	31.05	3	Vertical	237	2.60	-	40.81	8.65	34.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19182G	60.09	88.20	-28.11	45.53	3	Horizontal	57	1.03	-	40.81	8.65	34.90
AV	14.19136G	45.67	68.20	-22.53	31.11	3	Horizontal	57	1.03	-	40.81	8.65	34.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28994G	50.07	83.54	-33.47	45.98	1	Vertical	20	1.52	-	37.65	16.08	49.64
AV	21.2854G	36.97	63.54	-26.57	32.89	1	Vertical	20	1.52	-	37.64	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 28
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28906G	50.79	83.54	-32.75	46.70	1	Horizontal	197	1.55	-	37.65	16.08	49.64
AV	21.28282G	36.90	63.54	-26.64	32.82	1	Horizontal	197	1.55	-	37.64	16.08	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.40	88.20	-26.80	54.34	3	Vertical	49	2.59	-	35.05	5.36	33.35
RMS	5.9238G	49.90	68.20	-18.30	42.85	3	Vertical	49	2.59	-	35.04	5.36	33.35
PK	5.947G	99.03	Inf	-Inf	91.84	3	Vertical	49	2.59	-	35.18	5.37	33.36
RMS	5.9474G	88.16	Inf	-Inf	80.97	3	Vertical	49	2.59	-	35.18	5.37	33.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 32
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	68.96	88.20	-19.24	61.91	3	Horizontal	311	2.17	-	35.04	5.36	33.35
RMS	5.925G	56.04	68.20	-12.16	48.98	3	Horizontal	311	2.17	-	35.05	5.36	33.35
PK	5.9538G	107.92	Inf	-Inf	100.68	3	Horizontal	311	2.17	-	35.22	5.38	33.36
RMS	5.9546G	96.40	Inf	-Inf	89.16	3	Horizontal	311	2.17	-	35.22	5.38	33.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92842G	56.78	74.00	-17.22	43.64	3	Vertical	108	2.45	-	39.11	8.95	34.92
AV	11.9258G	42.51	54.00	-11.49	29.36	3	Vertical	108	2.45	-	39.12	8.95	34.92

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT X_4TX
Setting 32
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9348G	56.96	74.00	-17.04	43.84	3	Horizontal	113	2.08	-	39.10	8.95	34.93
AV	11.93228G	42.53	54.00	-11.47	29.40	3	Horizontal	113	2.08	-	39.10	8.95	34.92

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	59.57	88.20	-28.63	52.58	3	Vertical	96	1.96	-	34.98	5.36	33.35
RMS	5.9214G	47.95	68.20	-20.25	40.91	3	Vertical	96	1.96	-	35.03	5.36	33.35
PK	6.1506G	100.85	Inf	-Inf	93.18	3	Vertical	96	1.96	-	35.40	5.55	33.28
RMS	6.1494G	90.31	Inf	-Inf	82.64	3	Vertical	96	1.96	-	35.40	5.55	33.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8698G	59.09	88.20	-29.11	52.25	3	Horizontal	47	1.68	-	34.84	5.33	33.33
RMS	5.9238G	48.03	68.20	-20.17	40.98	3	Horizontal	47	1.68	-	35.04	5.36	33.35
PK	6.147G	109.84	Inf	-Inf	102.16	3	Horizontal	47	1.68	-	35.41	5.55	33.28
RMS	6.147G	100.02	Inf	-Inf	92.34	3	Horizontal	47	1.68	-	35.41	5.55	33.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32558G	56.03	74.00	-17.97	43.17	3	Vertical	116	1.45	-	38.78	8.93	34.85
AV	12.32788G	41.99	54.00	-12.01	29.13	3	Vertical	116	1.45	-	38.78	8.93	34.85

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32744G	56.05	74.00	-17.95	43.19	3	Horizontal	195	2.83	-	38.78	8.93	34.85
AV	12.32538G	41.94	54.00	-12.06	29.08	3	Horizontal	195	2.83	-	38.78	8.93	34.85

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49572G	48.17	83.54	-35.37	45.58	1	Vertical	80	1.55	-	37.79	14.90	50.10
AV	18.4951G	34.78	63.54	-28.76	32.19	1	Vertical	80	1.55	-	37.79	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4971G	48.35	83.54	-35.19	45.75	1	Horizontal	300	1.55	-	37.80	14.90	50.10
AV	18.4979G	34.73	63.54	-28.81	32.13	1	Horizontal	300	1.55	-	37.80	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8962G	59.19	88.20	-29.01	52.29	3	Vertical	32	2.93	-	34.89	5.35	33.34
RMS	5.9202G	47.92	68.20	-20.28	40.89	3	Vertical	32	2.93	-	35.02	5.36	33.35
PK	6.4002G	101.71	Inf	-Inf	93.42	3	Vertical	32	2.93	-	35.70	5.70	33.11
RMS	6.4074G	90.17	Inf	-Inf	81.88	3	Vertical	32	2.93	-	35.69	5.70	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8482G	59.75	88.20	-28.45	52.96	3	Horizontal	52	1.84	-	34.79	5.32	33.32
RMS	5.9226G	47.93	68.20	-20.27	40.88	3	Horizontal	52	1.84	-	35.04	5.36	33.35
PK	6.4026G	107.85	Inf	-Inf	99.57	3	Horizontal	52	1.84	-	35.69	5.70	33.11
RMS	6.4002G	97.33	Inf	-Inf	89.04	3	Horizontal	52	1.84	-	35.70	5.70	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8087G	56.55	88.20	-31.65	43.04	3	Vertical	93	2.29	-	39.41	8.84	34.74
AV	12.80778G	42.83	68.20	-25.37	29.32	3	Vertical	93	2.29	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81452G	57.06	88.20	-31.14	43.55	3	Horizontal	155	1.37	-	39.41	8.84	34.74
AV	12.80562G	42.75	68.20	-25.45	29.24	3	Horizontal	155	1.37	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21418G	48.27	83.54	-35.27	44.98	1	Vertical	258	1.56	-	37.74	15.19	49.64
AV	19.21866G	34.58	63.54	-28.96	31.29	1	Vertical	258	1.56	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom








EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21488G	48.04	83.54	-35.50	44.75	1	Horizontal	261	1.51	-	37.74	15.19	49.64
AV	19.21856G	34.64	63.54	-28.90	31.35	1	Horizontal	261	1.51	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT_X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8964G	58.91	88.20	-29.29	52.01	3	Vertical	101	1.80	-	34.89	5.35	33.34
RMS	5.8938G	47.95	68.20	-20.25	41.05	3	Vertical	101	1.80	-	34.89	5.35	33.34
PK	6.432G	99.81	Inf	-Inf	91.56	3	Vertical	101	1.80	-	35.64	5.70	33.09
RMS	6.432G	88.74	Inf	-Inf	80.49	3	Vertical	101	1.80	-	35.64	5.70	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.12	88.20	-29.08	52.06	3	Horizontal	54	1.66	-	35.05	5.36	33.35
RMS	5.8938G	47.95	68.20	-20.25	41.05	3	Horizontal	54	1.66	-	34.89	5.35	33.34
PK	6.4606G	107.71	Inf	-Inf	99.44	3	Horizontal	54	1.66	-	35.64	5.70	33.07
RMS	6.458G	98.43	Inf	-Inf	90.17	3	Horizontal	54	1.66	-	35.63	5.70	33.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88746G	56.58	88.20	-31.62	42.99	3	Vertical	323	1.31	-	39.49	8.82	34.72
AV	12.8935G	42.46	68.20	-25.74	28.87	3	Vertical	323	1.31	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89012G	56.89	88.20	-31.31	43.30	3	Horizontal	311	2.85	-	39.49	8.82	34.72
AV	12.88734G	42.53	68.20	-25.67	28.94	3	Horizontal	311	2.85	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33768G	48.16	83.54	-35.38	44.82	1	Vertical	206	1.58	-	37.77	15.24	49.67
AV	19.33538G	34.92	63.54	-28.62	31.59	1	Vertical	206	1.58	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33918G	49.27	83.54	-34.27	45.93	1	Horizontal	272	1.50	-	37.77	15.24	49.67
AV	19.33212G	34.98	63.54	-28.56	31.65	1	Horizontal	272	1.50	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9054G	59.23	88.20	-28.97	52.29	3	Vertical	110	1.20	-	34.93	5.35	33.34
RMS	5.8914G	47.96	68.20	-20.24	41.07	3	Vertical	110	1.20	-	34.88	5.35	33.34
PK	6.4878G	99.17	Inf	-Inf	90.77	3	Vertical	110	1.20	-	35.75	5.70	33.05
RMS	6.4906G	89.35	Inf	-Inf	80.94	3	Vertical	110	1.20	-	35.76	5.70	33.05
PK	7.1598G	61.91	88.20	-26.29	52.27	3	Vertical	110	1.20	-	37.14	5.98	33.48
RMS	7.143G	50.91	68.20	-17.29	41.36	3	Vertical	110	1.20	-	37.04	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	58.99	88.20	-29.21	52.09	3	Horizontal	50	1.44	-	34.89	5.35	33.34
RMS	5.8802G	48.00	68.20	-20.20	41.13	3	Horizontal	50	1.44	-	34.86	5.34	33.33
PK	6.4822G	108.14	Inf	-Inf	99.76	3	Horizontal	50	1.44	-	35.73	5.70	33.05
RMS	6.4822G	98.10	Inf	-Inf	89.72	3	Horizontal	50	1.44	-	35.73	5.70	33.05
PK	7.1262G	61.63	88.20	-26.57	52.20	3	Horizontal	50	1.44	-	36.91	5.96	33.44
RMS	7.1458G	50.91	68.20	-17.29	41.33	3	Horizontal	50	1.44	-	37.07	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96784G	57.02	88.20	-31.18	43.28	3	Vertical	90	1.57	-	39.64	8.81	34.71
AV	12.96826G	42.90	68.20	-25.30	29.16	3	Vertical	90	1.57	-	39.64	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.974G	57.23	88.20	-30.97	43.48	3	Horizontal	180	2.11	-	39.65	8.81	34.71
AV	12.9679G	42.95	68.20	-25.25	29.21	3	Horizontal	180	2.11	-	39.64	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45176G	49.82	83.54	-33.72	46.37	1	Vertical	128	1.54	-	37.86	15.28	49.69
AV	19.45576G	35.61	63.54	-27.93	32.16	1	Vertical	128	1.54	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TnomVnom



EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45068G	48.74	83.54	-34.80	45.29	1	Horizontal	59	1.57	-	37.86	15.28	49.69
AV	19.45298G	35.50	63.54	-28.04	32.05	1	Horizontal	59	1.57	-	37.86	15.28	49.69


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
 Setting 35
 04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	59.24	88.20	-28.96	52.35	3	Vertical	99	1.18	-	34.88	5.35	33.34
RMS	5.923G	48.03	68.20	-20.17	40.98	3	Vertical	99	1.18	-	35.04	5.36	33.35
PK	6.539G	98.11	Inf	-Inf	89.51	3	Vertical	99	1.18	-	35.96	5.70	33.06
RMS	6.539G	88.76	Inf	-Inf	80.16	3	Vertical	99	1.18	-	35.96	5.70	33.06
PK	7.1494G	61.86	88.20	-26.34	52.26	3	Vertical	99	1.18	-	37.10	5.97	33.47
RMS	7.1438G	50.93	68.20	-17.27	41.37	3	Vertical	99	1.18	-	37.05	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
 Setting 35
 04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.895G	58.57	88.20	-29.63	51.67	3	Horizontal	286	1.82	-	34.89	5.35	33.34
RMS	5.925G	48.00	68.20	-20.20	40.94	3	Horizontal	286	1.82	-	35.05	5.36	33.35
PK	6.5334G	107.38	Inf	-Inf	98.81	3	Horizontal	286	1.82	-	35.93	5.70	33.06
RMS	6.5362G	97.44	Inf	-Inf	88.86	3	Horizontal	286	1.82	-	35.94	5.70	33.06
PK	7.1718G	61.76	88.20	-26.44	52.08	3	Horizontal	286	1.82	-	37.19	5.99	33.50
RMS	7.1438G	50.99	68.20	-17.21	41.43	3	Horizontal	286	1.82	-	37.05	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0511G	56.97	88.20	-31.23	43.18	3	Vertical	128	1.08	-	39.70	8.79	34.70
AV	13.05444G	42.80	68.20	-25.40	29.01	3	Vertical	128	1.08	-	39.70	8.79	34.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05068G	56.96	88.20	-31.24	43.17	3	Horizontal	276	1.59	-	39.70	8.79	34.70
AV	13.05166G	42.83	68.20	-25.37	29.04	3	Horizontal	276	1.59	-	39.70	8.79	34.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57652G	49.58	83.54	-33.96	46.08	1	Vertical	170	1.52	-	37.87	15.33	49.70
AV	19.57548G	35.23	63.54	-28.31	31.73	1	Vertical	170	1.52	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz_TnomVnom




EUT_X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57556G	49.13	83.54	-34.41	45.63	1	Horizontal	287	1.57	-	37.87	15.33	49.70
AV	19.5783G	35.30	63.54	-28.24	31.80	1	Horizontal	287	1.57	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5794G	100.88	Inf	-Inf	92.20	3	Vertical	336	2.95	-	36.06	5.70	33.08
RMS	6.577G	90.60	Inf	-Inf	81.93	3	Vertical	336	2.95	-	36.05	5.70	33.08
PK	7.1338G	61.75	88.20	-26.45	52.26	3	Vertical	336	2.95	-	36.97	5.97	33.45
RMS	7.1314G	50.96	68.20	-17.24	41.49	3	Vertical	336	2.95	-	36.95	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5458G	106.66	Inf	-Inf	98.04	3	Horizontal	293	1.87	-	35.98	5.70	33.06
RMS	6.5482G	97.64	Inf	-Inf	89.01	3	Horizontal	293	1.87	-	35.99	5.70	33.06
PK	7.1458G	61.39	88.20	-26.81	51.81	3	Horizontal	293	1.87	-	37.07	5.97	33.46
RMS	7.1434G	50.99	68.20	-17.21	41.43	3	Horizontal	293	1.87	-	37.05	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13446G	57.39	88.20	-30.81	43.56	3	Vertical	75	1.71	-	39.77	8.77	34.71
AV	13.12558G	43.21	68.20	-24.99	29.40	3	Vertical	75	1.71	-	39.75	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13108G	57.24	88.20	-30.96	43.42	3	Horizontal	304	2.31	-	39.76	8.77	34.71
AV	13.13106G	43.19	68.20	-25.01	29.37	3	Horizontal	304	2.31	-	39.76	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69236G	49.11	83.54	-34.43	45.61	1	Vertical	93	1.58	-	37.82	15.38	49.70
AV	19.69544G	35.50	63.54	-28.04	32.00	1	Vertical	93	1.58	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69184G	49.73	83.54	-33.81	46.23	1	Horizontal	28	1.57	-	37.82	15.38	49.70
AV	19.6955G	35.43	63.54	-28.11	31.93	1	Horizontal	28	1.57	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	99.58	Inf	-Inf	90.81	3	Vertical	114	1.28	-	36.20	5.70	33.13
RMS	6.689G	88.45	Inf	-Inf	79.68	3	Vertical	114	1.28	-	36.20	5.70	33.13
PK	7.173G	61.61	88.20	-26.59	51.93	3	Vertical	114	1.28	-	37.19	5.99	33.50
RMS	7.139G	51.12	68.20	-17.08	41.60	3	Vertical	114	1.28	-	37.01	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	109.13	Inf	-Inf	100.36	3	Horizontal	303	1.77	-	36.20	5.70	33.13
RMS	6.691G	99.20	Inf	-Inf	90.44	3	Horizontal	303	1.77	-	36.20	5.70	33.14
PK	7.131G	61.78	88.20	-26.42	52.31	3	Horizontal	303	1.77	-	36.95	5.97	33.45
RMS	7.143G	51.08	68.20	-17.12	41.53	3	Horizontal	303	1.77	-	37.04	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36804G	58.38	74.00	-15.62	44.22	3	Vertical	193	2.43	-	40.14	8.73	34.71
AV	13.36986G	43.73	54.00	-10.27	29.57	3	Vertical	193	2.43	-	40.14	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3725G	57.79	74.00	-16.21	43.62	3	Horizontal	100	2.79	-	40.15	8.73	34.71
AV	13.37208G	43.71	54.00	-10.29	29.55	3	Horizontal	100	2.79	-	40.14	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05244G	47.59	83.54	-35.95	44.35	1	Vertical	315	1.53	-	37.44	15.52	49.72
AV	20.05106G	34.10	63.54	-29.44	30.86	1	Vertical	315	1.53	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 37
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0547G	47.27	83.54	-36.27	44.03	1	Horizontal	360	1.58	-	37.44	15.52	49.72
AV	20.05128G	34.04	63.54	-29.50	30.80	1	Horizontal	360	1.58	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 40
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8498G	98.76	Inf	-Inf	89.62	3	Vertical	267	1.79	-	36.60	5.75	33.21
RMS	6.8514G	87.50	Inf	-Inf	78.38	3	Vertical	267	1.79	-	36.59	5.75	33.22
PK	7.2178G	62.36	88.20	-25.84	52.56	3	Vertical	267	1.79	-	37.34	6.01	33.55
RMS	7.2386G	51.19	68.20	-17.01	41.37	3	Vertical	267	1.79	-	37.38	6.02	33.58

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 40
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	110.49	Inf	-Inf	101.38	3	Horizontal	52	1.52	-	36.57	5.76	33.22
RMS	6.8578G	99.79	Inf	-Inf	90.68	3	Horizontal	52	1.52	-	36.57	5.76	33.22
PK	7.1474G	62.29	88.20	-25.91	52.71	3	Horizontal	52	1.52	-	37.08	5.97	33.47
RMS	7.1298G	51.25	68.20	-16.95	41.80	3	Horizontal	52	1.52	-	36.94	5.96	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6923G	58.86	88.20	-29.34	44.62	3	Vertical	144	2.18	-	40.38	8.66	34.80
AV	13.69384G	44.74	68.20	-23.46	30.49	3	Vertical	144	2.18	-	40.39	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6908G	58.79	88.20	-29.41	44.55	3	Horizontal	196	1.27	-	40.38	8.66	34.80
AV	13.68932G	44.63	68.20	-23.57	30.39	3	Horizontal	196	1.27	-	40.38	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53308G	50.28	83.54	-33.26	46.69	1	Vertical	215	1.51	-	37.74	15.74	49.89
AV	20.53216G	36.03	63.54	-27.51	32.44	1	Vertical	215	1.51	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53856G	49.54	83.54	-34.00	45.93	1	Horizontal	266	1.50	-	37.75	15.74	49.88
AV	20.53556G	35.96	63.54	-27.58	32.37	1	Horizontal	266	1.50	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
Setting 35
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8766G	100.87	Inf	-Inf	91.83	3	Vertical	101	2.55	-	36.49	5.78	33.23
RMS	6.8892G	90.48	Inf	-Inf	81.48	3	Vertical	101	2.55	-	36.44	5.79	33.23
PK	7.1538G	62.52	88.20	-25.68	52.89	3	Vertical	101	2.55	-	37.12	5.98	33.47
RMS	7.1384G	51.24	68.20	-16.96	41.72	3	Vertical	101	2.55	-	37.01	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 35
 04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8794G	105.84	Inf	-Inf	96.81	3	Horizontal	309	1.51	-	36.48	5.78	33.23
RMS	6.878G	96.01	Inf	-Inf	86.97	3	Horizontal	309	1.51	-	36.49	5.78	33.23
PK	7.1748G	62.32	88.20	-25.88	52.63	3	Horizontal	309	1.51	-	37.20	5.99	33.50
RMS	7.137G	51.22	68.20	-16.98	41.70	3	Horizontal	309	1.51	-	37.00	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76552G	60.31	88.20	-27.89	46.02	3	Vertical	143	1.04	-	40.47	8.65	34.83
AV	13.77434G	46.00	68.20	-22.20	31.72	3	Vertical	143	1.04	-	40.47	8.65	34.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz_TnomVnom




EUT_X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77412G	60.89	88.20	-27.31	46.61	3	Horizontal	139	2.84	-	40.47	8.65	34.84
AV	13.77092G	45.87	68.20	-22.33	31.58	3	Horizontal	139	2.84	-	40.47	8.65	34.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65952G	49.10	83.54	-34.44	45.25	1	Vertical	236	1.51	-	37.89	15.80	49.84
AV	20.65364G	35.73	63.54	-27.81	31.90	1	Vertical	236	1.51	-	37.88	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65356G	50.19	83.54	-33.35	46.36	1	Horizontal	247	1.58	-	37.88	15.79	49.84
AV	20.6509G	35.80	63.54	-27.74	31.97	1	Horizontal	247	1.58	-	37.88	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 35
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	99.84	Inf	-Inf	90.73	3	Vertical	264	1.82	-	36.54	5.82	33.25
RMS	6.9166G	89.04	Inf	-Inf	79.94	3	Vertical	264	1.82	-	36.53	5.82	33.25
PK	7.1458G	63.02	88.20	-25.18	53.44	3	Vertical	264	1.82	-	37.07	5.97	33.46
RMS	7.1254G	51.28	68.20	-16.92	41.86	3	Vertical	264	1.82	-	36.90	5.96	33.44

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 35
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9382G	108.93	Inf	-Inf	99.64	3	Horizontal	274	1.64	-	36.71	5.84	33.26
RMS	6.9394G	97.17	Inf	-Inf	87.87	3	Horizontal	274	1.64	-	36.72	5.84	33.26
PK	7.141G	62.59	88.20	-25.61	53.05	3	Horizontal	274	1.64	-	37.03	5.97	33.46
RMS	7.1386G	51.46	68.20	-16.74	41.94	3	Horizontal	274	1.64	-	37.01	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84506G	60.51	88.20	-27.69	46.19	3	Vertical	312	1.59	-	40.55	8.63	34.86
AV	13.85044G	46.09	68.20	-22.11	31.78	3	Vertical	312	1.59	-	40.55	8.63	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84526G	60.60	88.20	-27.60	46.29	3	Horizontal	223	2.68	-	40.55	8.63	34.87
AV	13.848G	46.07	68.20	-22.13	31.76	3	Horizontal	223	2.68	-	40.55	8.63	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77118G	49.26	83.54	-34.28	45.23	1	Vertical	211	1.58	-	37.97	15.85	49.79
AV	20.77118G	35.85	63.54	-27.69	31.82	1	Vertical	211	1.58	-	37.97	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7777G	49.03	83.54	-34.51	45.01	1	Horizontal	254	1.57	-	37.96	15.85	49.79
AV	20.77686G	35.76	63.54	-27.78	31.74	1	Horizontal	254	1.57	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 35
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	100.16	Inf	-Inf	90.94	3	Vertical	266	2.30	-	36.61	5.90	33.29
RMS	7.0018G	90.14	Inf	-Inf	80.92	3	Vertical	266	2.30	-	36.61	5.90	33.29
PK	7.153G	62.14	88.20	-26.06	52.52	3	Vertical	266	2.30	-	37.11	5.98	33.47
RMS	7.1298G	51.35	68.20	-16.85	41.90	3	Vertical	266	2.30	-	36.94	5.96	33.45

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 35
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0234G	110.91	Inf	-Inf	101.63	3	Horizontal	296	1.68	-	36.69	5.91	33.32
RMS	7.0234G	99.63	Inf	-Inf	90.35	3	Horizontal	296	1.68	-	36.69	5.91	33.32
PK	7.1338G	63.19	88.20	-25.01	53.70	3	Horizontal	296	1.68	-	36.97	5.97	33.45
RMS	7.129G	51.48	68.20	-16.72	42.03	3	Horizontal	296	1.68	-	36.93	5.96	33.44

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0148G	60.04	88.20	-28.16	45.47	3	Vertical	186	2.56	-	40.90	8.60	34.93
AV	14.0063G	45.92	68.20	-22.28	31.35	3	Vertical	186	2.56	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01028G	60.22	88.20	-27.98	45.65	3	Horizontal	232	2.00	-	40.90	8.60	34.93
AV	14.00636G	45.98	68.20	-22.22	31.41	3	Horizontal	232	2.00	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01388G	49.52	83.54	-34.02	45.66	1	Vertical	271	1.50	-	37.60	15.96	49.70
AV	21.01964G	35.37	63.54	-28.17	31.51	1	Vertical	271	1.50	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01928G	49.18	83.54	-34.36	45.32	1	Horizontal	142	1.54	-	37.60	15.96	49.70
AV	21.01982G	35.38	63.54	-28.16	31.52	1	Horizontal	142	1.54	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0774G	99.49	Inf	-Inf	90.18	3	Vertical	23	2.95	-	36.75	5.94	33.38
RMS	7.077G	88.82	Inf	-Inf	79.51	3	Vertical	23	2.95	-	36.75	5.94	33.38
PK	7.127G	63.77	88.20	-24.43	54.33	3	Vertical	23	2.95	-	36.92	5.96	33.44
RMS	7.1258G	52.34	68.20	-15.86	42.91	3	Vertical	23	2.95	-	36.91	5.96	33.44

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.097G	108.17	Inf	-Inf	98.92	3	Horizontal	54	1.54	-	36.71	5.95	33.41
RMS	7.0982G	97.28	Inf	-Inf	88.04	3	Horizontal	54	1.54	-	36.70	5.95	33.41
PK	7.129G	67.59	88.20	-20.61	58.14	3	Horizontal	54	1.54	-	36.93	5.96	33.44
RMS	7.1266G	54.62	68.20	-13.58	45.19	3	Horizontal	54	1.54	-	36.91	5.96	33.44

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16854G	59.15	88.20	-29.05	44.58	3	Vertical	317	2.74	-	40.83	8.64	34.90
AV	14.1665G	45.16	68.20	-23.04	30.59	3	Vertical	317	2.74	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1662G	59.68	88.20	-28.52	45.11	3	Horizontal	152	2.16	-	40.83	8.64	34.90
AV	14.17112G	45.21	68.20	-22.99	30.64	3	Horizontal	152	2.16	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25634G	49.28	83.54	-34.26	45.25	1	Vertical	62	1.50	-	37.61	16.07	49.65
AV	21.2563G	36.08	63.54	-27.46	32.05	1	Vertical	62	1.50	-	37.61	16.07	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 27
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25834G	49.04	83.54	-34.50	45.01	1	Horizontal	326	1.56	-	37.61	16.07	49.65
AV	21.25618G	36.09	63.54	-27.45	32.06	1	Horizontal	326	1.56	-	37.61	16.07	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.912G	62.07	88.20	-26.13	55.08	3	Vertical	231.9	1.91	-	34.97	5.36	33.34
RMS	5.915G	51.29	68.20	-16.91	44.29	3	Vertical	231.9	1.91	-	34.99	5.36	33.35
PK	5.959G	100.15	Inf	-Inf	92.89	3	Vertical	231.9	1.91	-	35.24	5.38	33.36
RMS	6.022G	88.41	Inf	-Inf	80.96	3	Vertical	231.9	1.91	-	35.40	5.42	33.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	72.25	88.20	-15.95	65.20	3	Horizontal	304.5	1.80	-	35.04	5.36	33.35
RMS	5.925G	60.08	68.20	-8.12	53.02	3	Horizontal	304.5	1.80	-	35.05	5.36	33.35
PK	5.954G	108.38	Inf	-Inf	101.14	3	Horizontal	304.5	1.80	-	35.22	5.38	33.36
RMS	5.993G	98.07	Inf	-Inf	90.68	3	Horizontal	304.5	1.80	-	35.37	5.40	33.38

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97186G	57.03	74.00	-16.97	44.01	3	Vertical	242	1.01	-	38.98	8.98	34.94
AV	11.96612G	42.97	54.00	-11.03	29.93	3	Vertical	242	1.01	-	39.00	8.98	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9659G	56.61	74.00	-17.39	43.57	3	Horizontal	140	2.78	-	39.00	8.98	34.94
AV	11.96932G	42.97	54.00	-11.03	29.94	3	Horizontal	140	2.78	-	38.99	8.98	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	60.00	88.20	-28.20	53.05	3	Vertical	101	1.79	-	34.94	5.35	33.34
RMS	5.923G	48.27	68.20	-19.93	41.22	3	Vertical	101	1.79	-	35.04	5.36	33.35
PK	6.15G	101.96	Inf	-Inf	94.29	3	Vertical	101	1.79	-	35.40	5.55	33.28
RMS	6.151G	90.31	Inf	-Inf	82.63	3	Vertical	101	1.79	-	35.41	5.55	33.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	59.58	88.20	-28.62	52.66	3	Horizontal	54	1.80	-	34.91	5.35	33.34
RMS	5.925G	48.53	68.20	-19.67	41.47	3	Horizontal	54	1.80	-	35.05	5.36	33.35
PK	6.132G	111.23	Inf	-Inf	103.55	3	Horizontal	54	1.80	-	35.44	5.53	33.29
RMS	6.135G	100.07	Inf	-Inf	92.39	3	Horizontal	54	1.80	-	35.43	5.54	33.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29446G	55.91	74.00	-18.09	43.12	3	Vertical	294	2.19	-	38.71	8.94	34.86
AV	12.28502G	42.65	54.00	-11.35	29.86	3	Vertical	294	2.19	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29472G	56.88	74.00	-17.12	44.09	3	Horizontal	156	1.95	-	38.71	8.94	34.86
AV	12.28908G	42.68	54.00	-11.32	29.89	3	Horizontal	156	1.95	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4333G	48.63	83.54	-34.91	46.17	1	Vertical	288	1.54	-	37.72	14.87	50.13
AV	18.4305G	35.19	63.54	-28.35	32.73	1	Vertical	288	1.54	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43532G	48.49	83.54	-35.05	46.03	1	Horizontal	109	1.57	-	37.72	14.87	50.13
AV	18.43286G	35.22	63.54	-28.32	32.76	1	Horizontal	109	1.57	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	59.11	88.20	-29.09	52.30	3	Vertical	148	1.75	-	34.80	5.33	33.32
RMS	5.9242G	48.20	68.20	-20.00	41.14	3	Vertical	148	1.75	-	35.05	5.36	33.35
PK	6.361G	100.32	Inf	-Inf	92.15	3	Vertical	148	1.75	-	35.62	5.68	33.13
RMS	6.3562G	89.34	Inf	-Inf	81.19	3	Vertical	148	1.75	-	35.61	5.68	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8834G	58.93	88.20	-29.27	52.05	3	Horizontal	295	1.69	-	34.87	5.34	33.33
RMS	5.9242G	48.51	68.20	-19.69	41.45	3	Horizontal	295	1.69	-	35.05	5.36	33.35
PK	6.4042G	109.51	Inf	-Inf	101.23	3	Horizontal	295	1.69	-	35.69	5.70	33.11
RMS	6.4018G	98.55	Inf	-Inf	90.26	3	Horizontal	295	1.69	-	35.70	5.70	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77312G	57.36	88.20	-30.84	43.89	3	Vertical	333	1.40	-	39.37	8.85	34.75
AV	12.7715G	43.37	68.20	-24.83	29.90	3	Vertical	333	1.40	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77118G	57.05	88.20	-31.15	43.58	3	Horizontal	308	1.54	-	39.37	8.85	34.75
AV	12.76584G	43.30	68.20	-24.90	29.83	3	Horizontal	308	1.54	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15236G	48.78	83.54	-34.76	45.43	1	Vertical	330	1.57	-	37.82	15.16	49.63
AV	19.15608G	35.49	63.54	-28.05	32.15	1	Vertical	330	1.57	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15284G	48.81	83.54	-34.73	45.46	1	Horizontal	309	1.57	-	37.82	15.16	49.63
AV	19.15042G	35.54	63.54	-28.00	32.19	1	Horizontal	309	1.57	-	37.82	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9164G	59.18	88.20	-29.02	52.17	3	Vertical	88	1.07	-	35.00	5.36	33.35
RMS	5.8826G	48.22	68.20	-19.98	41.34	3	Vertical	88	1.07	-	34.87	5.34	33.33
PK	6.4338G	101.07	Inf	-Inf	92.83	3	Vertical	88	1.07	-	35.63	5.70	33.09
RMS	6.4364G	90.55	Inf	-Inf	82.30	3	Vertical	88	1.07	-	35.63	5.70	33.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8904G	59.13	88.20	-29.07	52.24	3	Horizontal	54	1.69	-	34.88	5.35	33.34
RMS	5.9242G	48.31	68.20	-19.89	41.25	3	Horizontal	54	1.69	-	35.05	5.36	33.35
PK	6.452G	108.73	Inf	-Inf	100.49	3	Horizontal	54	1.69	-	35.61	5.70	33.07
RMS	6.4572G	98.59	Inf	-Inf	90.33	3	Horizontal	54	1.69	-	35.63	5.70	33.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93096G	56.79	88.20	-31.41	43.13	3	Vertical	96	2.65	-	39.56	8.81	34.71
AV	12.93068G	42.65	68.20	-25.55	28.99	3	Vertical	96	2.65	-	39.56	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93394G	56.75	88.20	-31.45	43.08	3	Horizontal	12	2.01	-	39.57	8.81	34.71
AV	12.93484G	42.72	68.20	-25.48	29.05	3	Horizontal	12	2.01	-	39.57	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39328G	49.19	83.54	-34.35	45.80	1	Vertical	194	1.55	-	37.81	15.26	49.68
AV	19.39834G	35.41	63.54	-28.13	32.01	1	Vertical	194	1.55	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3909G	49.07	83.54	-34.47	45.68	1	Horizontal	128	1.57	-	37.81	15.26	49.68
AV	19.3987G	35.46	63.54	-28.08	32.06	1	Horizontal	128	1.57	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
Setting 52
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	59.29	88.20	-28.91	52.46	3	Vertical	146	1.80	-	34.83	5.33	33.33
RMS	5.925G	48.18	68.20	-20.02	41.12	3	Vertical	146	1.80	-	35.05	5.36	33.35
PK	6.5534G	98.48	Inf	-Inf	89.84	3	Vertical	146	1.80	-	36.01	5.70	33.07
RMS	6.5534G	89.12	Inf	-Inf	80.48	3	Vertical	146	1.80	-	36.01	5.70	33.07
PK	7.2086G	61.93	88.20	-26.27	52.15	3	Vertical	146	1.80	-	37.32	6.00	33.54
RMS	7.245G	51.23	68.20	-16.97	41.40	3	Vertical	146	1.80	-	37.39	6.02	33.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
 Setting 52
 04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	59.34	88.20	-28.86	52.44	3	Horizontal	285	1.80	-	34.89	5.35	33.34
RMS	5.925G	48.32	68.20	-19.88	41.26	3	Horizontal	285	1.80	-	35.05	5.36	33.35
PK	6.5366G	109.51	Inf	-Inf	100.92	3	Horizontal	285	1.80	-	35.95	5.70	33.06
RMS	6.5366G	99.07	Inf	-Inf	90.48	3	Horizontal	285	1.80	-	35.95	5.70	33.06
PK	7.1442G	62.10	88.20	-26.10	52.54	3	Horizontal	285	1.80	-	37.05	5.97	33.46
RMS	7.2394G	51.29	68.20	-16.91	41.47	3	Horizontal	285	1.80	-	37.38	6.02	33.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz_TnomVnom




EUT X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09422G	57.55	88.20	-30.65	43.77	3	Vertical	119	2.48	-	39.70	8.78	34.70
AV	13.0853G	43.57	68.20	-24.63	29.79	3	Vertical	119	2.48	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08578G	57.27	88.20	-30.93	43.49	3	Horizontal	69	1.82	-	39.70	8.78	34.70
AV	13.0859G	43.60	68.20	-24.60	29.82	3	Horizontal	69	1.82	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz_TnomVnom




EUT X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63088G	49.11	83.54	-34.43	45.61	1	Vertical	276	1.50	-	37.85	15.35	49.70
AV	19.63602G	35.61	63.54	-27.93	32.11	1	Vertical	276	1.50	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz_TnomVnom




EUT X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63642G	48.89	83.54	-34.65	45.39	1	Horizontal	56	1.52	-	37.85	15.35	49.70
AV	19.63292G	35.68	63.54	-27.86	32.18	1	Horizontal	56	1.52	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.649G	101.20	Inf	-Inf	92.41	3	Vertical	111	1.21	-	36.20	5.70	33.11
RMS	6.649G	91.01	Inf	-Inf	82.22	3	Vertical	111	1.21	-	36.20	5.70	33.11
PK	7.1434G	61.94	88.20	-26.26	52.38	3	Vertical	111	1.21	-	37.05	5.97	33.46
RMS	7.1314G	51.24	68.20	-16.96	41.77	3	Vertical	111	1.21	-	36.95	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6178G	108.28	Inf	-Inf	99.54	3	Horizontal	295	1.78	-	36.14	5.70	33.10
RMS	6.6202G	98.59	Inf	-Inf	89.85	3	Horizontal	295	1.78	-	36.14	5.70	33.10
PK	7.1314G	62.68	88.20	-25.52	53.21	3	Horizontal	295	1.78	-	36.95	5.97	33.45
RMS	7.1338G	51.32	68.20	-16.88	41.83	3	Horizontal	295	1.78	-	36.97	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24626G	57.63	88.20	-30.57	43.64	3	Vertical	81	2.07	-	39.95	8.75	34.71
AV	13.2523G	44.17	54.00	-9.83	30.18	3	Vertical	81	2.07	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24916G	57.56	88.20	-30.64	43.57	3	Horizontal	160	1.24	-	39.95	8.75	34.71
AV	13.25446G	44.12	54.00	-9.88	30.13	3	Horizontal	160	1.24	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87834G	48.67	83.54	-34.87	45.33	1	Vertical	194	1.53	-	37.59	15.45	49.70
AV	19.87142G	35.47	63.54	-28.07	32.11	1	Vertical	194	1.53	-	37.61	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8788G	49.02	83.54	-34.52	45.68	1	Horizontal	195	1.50	-	37.59	15.45	49.70
AV	19.8782G	35.55	63.54	-27.99	32.21	1	Horizontal	195	1.50	-	37.59	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.737G	99.05	Inf	-Inf	90.16	3	Vertical	117.8	1.03	-	36.35	5.70	33.16
RMS	6.737G	88.97	Inf	-Inf	80.08	3	Vertical	117.8	1.03	-	36.35	5.70	33.16
PK	7.141G	61.97	88.20	-26.23	52.43	3	Vertical	117.8	1.03	-	37.03	5.97	33.46
RMS	7.133G	51.37	68.20	-16.83	41.89	3	Vertical	117.8	1.03	-	36.96	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.691G	109.34	Inf	-Inf	100.58	3	Horizontal	301	1.75	-	36.20	5.70	33.14
RMS	6.689G	97.11	Inf	-Inf	88.34	3	Horizontal	301	1.75	-	36.20	5.70	33.13
PK	7.149G	62.33	88.20	-25.87	52.74	3	Horizontal	301	1.75	-	37.09	5.97	33.47
RMS	7.127G	49.89	68.20	-18.31	40.45	3	Horizontal	301	1.75	-	36.92	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40622G	57.83	88.20	-30.37	43.63	3	Vertical	132	1.76	-	40.20	8.72	34.72
AV	13.40706G	44.16	68.20	-24.04	29.96	3	Vertical	132	1.76	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40758G	57.71	88.20	-30.49	43.51	3	Horizontal	317	1.28	-	40.20	8.72	34.72
AV	13.40938G	44.18	68.20	-24.02	29.98	3	Horizontal	317	1.28	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11738G	49.46	83.54	-34.08	46.17	1	Vertical	319	1.52	-	37.49	15.55	49.75
AV	20.1181G	36.02	63.54	-27.52	32.73	1	Vertical	319	1.52	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1173G	48.78	83.54	-34.76	45.49	1	Horizontal	250	1.58	-	37.49	15.55	49.75
AV	20.115G	35.90	63.54	-27.64	32.61	1	Horizontal	250	1.58	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7778G	101.51	Inf	-Inf	92.65	3	Vertical	103	2.54	-	36.34	5.70	33.18
RMS	6.7886G	90.35	Inf	-Inf	81.51	3	Vertical	103	2.54	-	36.32	5.70	33.18
PK	7.154G	62.15	88.20	-26.05	52.52	3	Vertical	103	2.54	-	37.12	5.98	33.47
RMS	7.1432G	51.48	68.20	-16.72	41.92	3	Vertical	103	2.54	-	37.05	5.97	33.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7814G	108.38	Inf	-Inf	99.52	3	Horizontal	302	1.53	-	36.34	5.70	33.18
RMS	6.7832G	97.12	Inf	-Inf	88.27	3	Horizontal	302	1.53	-	36.33	5.70	33.18
PK	7.2008G	62.46	88.20	-25.74	52.69	3	Horizontal	302	1.53	-	37.30	6.00	33.53
RMS	7.1432G	51.55	68.20	-16.65	41.99	3	Horizontal	302	1.53	-	37.05	5.97	33.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5686G	57.86	88.20	-30.34	43.72	3	Vertical	304	2.27	-	40.20	8.69	34.75
AV	13.57298G	43.82	68.20	-24.38	29.68	3	Vertical	304	2.27	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57284G	57.12	88.20	-31.08	42.98	3	Horizontal	3	2.13	-	40.20	8.69	34.75
AV	13.57278G	43.75	68.20	-24.45	29.61	3	Horizontal	3	2.13	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35598G	48.36	83.54	-35.18	44.90	1	Vertical	211	1.53	-	37.64	15.66	49.84
AV	20.35132G	35.23	63.54	-28.31	31.77	1	Vertical	211	1.53	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35022G	48.75	83.54	-34.79	45.29	1	Horizontal	347	1.53	-	37.64	15.66	49.84
AV	20.3562G	35.24	63.54	-28.30	31.78	1	Horizontal	347	1.53	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 56
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8972G	102.44	Inf	-Inf	93.47	3	Vertical	48	2.88	-	36.41	5.80	33.24
RMS	6.8972G	92.06	Inf	-Inf	83.09	3	Vertical	48	2.88	-	36.41	5.80	33.24
PK	7.1548G	62.62	88.20	-25.58	53.00	3	Vertical	48	2.88	-	37.12	5.98	33.48
RMS	7.1268G	51.53	68.20	-16.67	42.10	3	Vertical	48	2.88	-	36.91	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 56
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.858G	110.09	Inf	-Inf	100.98	3	Horizontal	59	1.60	-	36.57	5.76	33.22
RMS	6.8594G	99.75	Inf	-Inf	90.65	3	Horizontal	59	1.60	-	36.56	5.76	33.22
PK	7.1394G	62.45	88.20	-25.75	52.92	3	Horizontal	59	1.60	-	37.02	5.97	33.46
RMS	7.1324G	51.78	68.20	-16.42	42.30	3	Horizontal	59	1.60	-	36.96	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz_TnomVnom




EUT_X_4TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73336G	59.14	88.20	-29.06	44.88	3	Vertical	280	1.83	-	40.43	8.65	34.82
AV	13.72856G	45.81	68.20	-22.39	31.55	3	Vertical	280	1.83	-	40.43	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz_TnomVnom




EUT X_4TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73084G	59.08	88.20	-29.12	44.82	3	Horizontal	149	1.50	-	40.43	8.65	34.82
AV	13.733G	46.06	68.20	-22.14	31.80	3	Horizontal	149	1.50	-	40.43	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz_TnomVnom




EUT_X_4TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5935G	50.36	83.54	-33.18	46.64	1	Vertical	237	1.55	-	37.81	15.77	49.86
AV	20.59006G	36.30	63.54	-27.24	32.58	1	Vertical	237	1.55	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz_TnomVnom




EUT X_4TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59922G	49.02	83.54	-34.52	45.29	1	Horizontal	104	1.50	-	37.82	15.77	49.86
AV	20.5961G	36.16	63.54	-27.38	32.43	1	Horizontal	104	1.50	-	37.82	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.93G	100.51	Inf	-Inf	91.29	3	Vertical	290	1.80	-	36.64	5.83	33.25
RMS	6.931G	89.62	Inf	-Inf	80.40	3	Vertical	290	1.80	-	36.65	5.83	33.26
PK	7.133G	62.44	88.20	-25.76	52.96	3	Vertical	290	1.80	-	36.96	5.97	33.45
RMS	7.135G	51.52	68.20	-16.68	42.02	3	Vertical	290	1.80	-	36.98	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.914G	111.26	Inf	-Inf	102.19	3	Horizontal	54	1.53	-	36.51	5.81	33.25
RMS	6.911G	99.85	Inf	-Inf	90.80	3	Horizontal	54	1.53	-	36.49	5.81	33.25
PK	7.136G	63.34	88.20	-24.86	53.83	3	Horizontal	54	1.53	-	36.99	5.97	33.45
RMS	7.128G	51.98	68.20	-16.22	42.54	3	Horizontal	54	1.53	-	36.92	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89088G	59.80	88.20	-28.40	45.47	3	Vertical	247	1.98	-	40.59	8.62	34.88
AV	13.8929G	46.41	68.20	-21.79	32.09	3	Vertical	247	1.98	-	40.59	8.62	34.89

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88754G	60.19	88.20	-28.01	45.86	3	Horizontal	323	1.26	-	40.59	8.62	34.88
AV	13.89216G	46.53	68.20	-21.67	32.20	3	Horizontal	323	1.26	-	40.59	8.62	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83064G	49.28	83.54	-34.26	45.31	1	Vertical	90	1.50	-	37.87	15.87	49.77
AV	20.83412G	35.85	63.54	-27.69	31.87	1	Vertical	90	1.50	-	37.87	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83238G	49.77	83.54	-33.77	45.80	1	Horizontal	355	1.50	-	37.87	15.87	49.77
AV	20.83986G	35.88	63.54	-27.66	31.90	1	Horizontal	355	1.50	-	37.86	15.88	49.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 47
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9874G	100.58	Inf	-Inf	91.32	3	Vertical	273	1.79	-	36.65	5.89	33.28
RMS	6.9874G	90.38	Inf	-Inf	81.12	3	Vertical	273	1.79	-	36.65	5.89	33.28
PK	7.1354G	62.96	88.20	-25.24	53.46	3	Vertical	273	1.79	-	36.98	5.97	33.45
RMS	7.125G	51.77	68.20	-16.43	42.35	3	Vertical	273	1.79	-	36.90	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0458G	110.77	Inf	-Inf	101.41	3	Horizontal	53	1.72	-	36.78	5.92	33.34
RMS	7.0442G	100.66	Inf	-Inf	91.30	3	Horizontal	53	1.72	-	36.78	5.92	33.34
PK	7.1258G	66.47	88.20	-21.73	57.04	3	Horizontal	53	1.72	-	36.91	5.96	33.44
RMS	7.125G	54.20	68.20	-14.00	44.78	3	Horizontal	53	1.72	-	36.90	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05306G	59.37	88.20	-28.83	44.78	3	Vertical	133	2.52	-	40.90	8.61	34.92
AV	14.0464G	46.03	68.20	-22.17	31.44	3	Vertical	133	2.52	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05432G	59.54	88.20	-28.66	44.95	3	Horizontal	70	1.20	-	40.90	8.61	34.92
AV	14.0483G	46.08	68.20	-22.12	31.49	3	Horizontal	70	1.20	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07544G	48.68	83.54	-34.86	44.78	1	Vertical	220	1.57	-	37.60	15.98	49.68
AV	21.07176G	35.52	63.54	-28.02	31.63	1	Vertical	220	1.57	-	37.60	15.98	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07074G	48.66	83.54	-34.88	44.77	1	Horizontal	108	1.55	-	37.60	15.98	49.69
AV	21.07798G	35.55	63.54	-27.99	31.64	1	Horizontal	108	1.55	-	37.60	15.99	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 57
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	59.43	88.20	-28.77	52.56	3	Vertical	89	1.80	-	34.86	5.34	33.33
RMS	5.9242G	46.89	68.20	-21.31	39.83	3	Vertical	89	1.80	-	35.05	5.36	33.35
PK	6.0522G	96.10	Inf	-Inf	88.59	3	Vertical	89	1.80	-	35.40	5.45	33.34
RMS	6.0522G	85.10	Inf	-Inf	77.59	3	Vertical	89	1.80	-	35.40	5.45	33.34

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 57
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	64.45	88.20	-23.75	57.46	3	Horizontal	293	1.74	-	34.97	5.36	33.34
RMS	5.9242G	52.71	68.20	-15.49	45.65	3	Horizontal	293	1.74	-	35.05	5.36	33.35
PK	6.0426G	109.61	Inf	-Inf	102.12	3	Horizontal	293	1.74	-	35.40	5.44	33.35
RMS	6.0426G	98.64	Inf	-Inf	91.15	3	Horizontal	293	1.74	-	35.40	5.44	33.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0456G	56.42	74.00	-17.58	43.47	3	Vertical	1	1.06	-	38.90	8.99	34.94
AV	12.0466G	42.28	54.00	-11.72	29.33	3	Vertical	1	1.06	-	38.90	8.99	34.94

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04864G	56.02	74.00	-17.98	43.07	3	Horizontal	121	2.73	-	38.90	8.99	34.94
AV	12.04648G	42.20	54.00	-11.80	29.25	3	Horizontal	121	2.73	-	38.90	8.99	34.94

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0767G	47.24	83.54	-36.30	45.14	1	Vertical	128	1.58	-	37.64	14.73	50.27
AV	18.0793G	33.53	63.54	-30.01	31.43	1	Vertical	128	1.58	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07006G	47.28	83.54	-36.26	45.18	1	Horizontal	55	1.57	-	37.64	14.73	50.27
AV	18.0764G	33.48	63.54	-30.06	31.38	1	Horizontal	55	1.57	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	59.13	88.20	-29.07	52.24	3	Vertical	109	1.64	-	34.88	5.35	33.34
RMS	5.9242G	48.35	68.20	-19.85	41.29	3	Vertical	109	1.64	-	35.05	5.36	33.35
PK	6.1642G	102.58	Inf	-Inf	94.80	3	Vertical	109	1.64	-	35.49	5.56	33.27
RMS	6.1642G	92.34	Inf	-Inf	84.56	3	Vertical	109	1.64	-	35.49	5.56	33.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	64.37	88.20	-23.83	57.32	3	Horizontal	55	1.83	-	35.04	5.36	33.35
RMS	5.921G	47.61	68.20	-20.59	40.57	3	Horizontal	55	1.83	-	35.03	5.36	33.35
PK	6.1162G	113.97	Inf	-Inf	106.28	3	Horizontal	55	1.83	-	35.47	5.52	33.30
RMS	6.1274G	97.58	Inf	-Inf	89.89	3	Horizontal	55	1.83	-	35.45	5.53	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




16/01/2022

EUT_X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36986G	55.93	74.00	-18.07	42.93	3	Vertical	210	2.48	-	38.91	8.93	34.84
AV	12.36762G	41.88	54.00	-12.12	28.89	3	Vertical	210	2.48	-	38.90	8.93	34.84

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37236G	56.61	74.00	-17.39	43.60	3	Horizontal	218	1.60	-	38.92	8.93	34.84
AV	12.36862G	41.94	54.00	-12.06	28.94	3	Horizontal	218	1.60	-	38.91	8.93	34.84

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55938G	48.63	83.54	-34.91	45.97	1	Vertical	172	1.50	-	37.78	14.92	50.04
AV	18.55034G	34.55	63.54	-28.99	31.90	1	Vertical	172	1.50	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55254G	47.83	83.54	-35.71	45.18	1	Horizontal	93	1.51	-	37.78	14.92	50.05
AV	18.55148G	34.43	63.54	-29.11	31.78	1	Horizontal	93	1.51	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8002G	59.44	88.20	-28.76	52.94	3	Vertical	89	1.01	-	34.50	5.30	33.30
RMS	5.925G	46.52	68.20	-21.68	39.46	3	Vertical	89	1.01	-	35.05	5.36	33.35
PK	6.3786G	103.90	Inf	-Inf	95.67	3	Vertical	89	1.01	-	35.66	5.69	33.12
RMS	6.3786G	93.59	Inf	-Inf	85.36	3	Vertical	89	1.01	-	35.66	5.69	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	59.90	88.20	-28.30	52.87	3	Horizontal	289	1.49	-	35.02	5.36	33.35
RMS	5.925G	49.05	68.20	-19.15	41.99	3	Horizontal	289	1.49	-	35.05	5.36	33.35
PK	6.3738G	110.36	Inf	-Inf	102.15	3	Horizontal	289	1.49	-	35.65	5.69	33.13
RMS	6.3762G	100.08	Inf	-Inf	91.86	3	Horizontal	289	1.49	-	35.65	5.69	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6897G	56.74	74.00	-17.26	43.38	3	Vertical	269	2.80	-	39.26	8.86	34.76
AV	12.69402G	42.64	54.00	-11.36	29.26	3	Vertical	269	2.80	-	39.28	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69166G	56.50	74.00	-17.50	43.13	3	Horizontal	60	2.64	-	39.27	8.86	34.76
AV	12.69148G	42.81	54.00	-11.19	29.44	3	Horizontal	60	2.64	-	39.27	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03152G	48.86	83.54	-34.68	45.40	1	Vertical	6	1.50	-	37.96	15.11	49.61
AV	19.03812G	35.41	63.54	-28.13	31.95	1	Vertical	6	1.50	-	37.95	15.12	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TnomVnom



EUT_X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03216G	48.87	83.54	-34.67	45.41	1	Horizontal	193	1.54	-	37.96	15.11	49.61
AV	19.03G	35.40	63.54	-28.14	31.94	1	Horizontal	193	1.54	-	37.96	15.11	49.61


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 65
 04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8784G	58.63	88.20	-29.57	51.76	3	Vertical	90	1.00	-	34.86	5.34	33.33
RMS	5.894G	48.14	68.20	-20.06	41.24	3	Vertical	90	1.00	-	34.89	5.35	33.34
PK	6.4426G	105.37	Inf	-Inf	97.14	3	Vertical	90	1.00	-	35.61	5.70	33.08
RMS	6.44G	91.81	Inf	-Inf	83.57	3	Vertical	90	1.00	-	35.62	5.70	33.08
PK	7.1342G	61.82	88.20	-26.38	52.33	3	Vertical	90	1.00	-	36.97	5.97	33.45
RMS	7.1264G	51.12	68.20	-17.08	41.69	3	Vertical	90	1.00	-	36.91	5.96	33.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
 Setting 65
 04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9044G	59.24	88.20	-28.96	52.30	3	Horizontal	283	1.56	-	34.93	5.35	33.34
RMS	5.9226G	48.27	68.20	-19.93	41.22	3	Horizontal	283	1.56	-	35.04	5.36	33.35
PK	6.5414G	108.15	Inf	-Inf	99.54	3	Horizontal	283	1.56	-	35.97	5.70	33.06
RMS	6.4842G	98.62	Inf	-Inf	90.23	3	Horizontal	283	1.56	-	35.74	5.70	33.05
PK	7.1316G	61.56	88.20	-26.64	52.09	3	Horizontal	283	1.56	-	36.95	5.97	33.45
RMS	7.1316G	51.28	68.20	-16.92	41.81	3	Horizontal	283	1.56	-	36.95	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01144G	57.16	88.20	-31.04	43.36	3	Vertical	101	2.66	-	39.70	8.80	34.70
AV	13.01354G	43.40	68.20	-24.80	29.60	3	Vertical	101	2.66	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0069G	57.09	88.20	-31.11	43.29	3	Horizontal	319	2.37	-	39.70	8.80	34.70
AV	13.00542G	43.52	68.20	-24.68	29.72	3	Horizontal	319	2.37	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51622G	50.01	83.54	-33.53	46.51	1	Vertical	184	1.52	-	37.89	15.31	49.70
AV	19.51672G	36.18	63.54	-27.36	32.68	1	Vertical	184	1.52	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51884G	49.84	83.54	-33.70	46.34	1	Horizontal	306	1.53	-	37.89	15.31	49.70
AV	19.51676G	36.08	63.54	-27.46	32.58	1	Horizontal	306	1.53	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6408G	101.19	Inf	-Inf	92.42	3	Vertical	20.1	2.31	-	36.18	5.70	33.11
RMS	6.6408G	90.53	Inf	-Inf	81.76	3	Vertical	20.1	2.31	-	36.18	5.70	33.11
PK	7.1886G	62.62	88.20	-25.58	52.90	3	Vertical	20.1	2.31	-	37.25	5.99	33.52
RMS	7.1336G	51.25	68.20	-16.95	41.76	3	Vertical	20.1	2.31	-	36.97	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6936G	109.07	Inf	-Inf	100.31	3	Horizontal	313.3	1.81	-	36.20	5.70	33.14
RMS	6.6936G	98.38	Inf	-Inf	89.62	3	Horizontal	313.3	1.81	-	36.20	5.70	33.14
PK	7.1314G	62.56	88.20	-25.64	53.09	3	Horizontal	313.3	1.81	-	36.95	5.97	33.45
RMS	7.1336G	51.51	68.20	-16.69	42.02	3	Horizontal	313.3	1.81	-	36.97	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32506G	58.09	74.00	-15.91	44.02	3	Vertical	45	2.91	-	40.05	8.73	34.71
AV	13.3252G	44.44	54.00	-9.56	30.37	3	Vertical	45	2.91	-	40.05	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32884G	57.84	74.00	-16.16	43.76	3	Horizontal	175	1.13	-	40.06	8.73	34.71
AV	13.32916G	44.50	54.00	-9.50	30.42	3	Horizontal	175	1.13	-	40.06	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99994G	47.48	83.54	-36.06	44.28	1	Vertical	10	1.51	-	37.40	15.50	49.70
AV	19.99908G	34.11	63.54	-29.43	30.91	1	Vertical	10	1.51	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99606G	47.34	83.54	-36.20	44.13	1	Horizontal	6	1.53	-	37.41	15.50	49.70
AV	19.99356G	34.12	63.54	-29.42	30.91	1	Horizontal	6	1.53	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
Setting 64
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7732G	99.08	Inf	-Inf	90.21	3	Vertical	284	2.04	-	36.35	5.70	33.18
RMS	6.7718G	86.46	Inf	-Inf	77.58	3	Vertical	284	2.04	-	36.36	5.70	33.18
PK	7.1414G	62.64	88.20	-25.56	53.10	3	Vertical	284	2.04	-	37.03	5.97	33.46
RMS	7.1428G	49.47	68.20	-18.73	39.92	3	Vertical	284	2.04	-	37.04	5.97	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 64
 04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.811G	110.35	Inf	-Inf	101.47	3	Horizontal	53	1.51	-	36.37	5.71	33.20
RMS	6.8558G	100.74	Inf	-Inf	91.62	3	Horizontal	53	1.51	-	36.58	5.76	33.22
PK	7.1288G	64.99	88.20	-23.21	55.54	3	Horizontal	53	1.51	-	36.93	5.96	33.44
RMS	7.1428G	52.58	68.20	-15.62	43.03	3	Horizontal	53	1.51	-	37.04	5.97	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz_TnomVnom




EUT_X_4TX
Setting 64
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6457G	59.20	88.20	-29.00	45.02	3	Vertical	309	2.71	-	40.29	8.67	34.78
AV	13.64706G	44.58	68.20	-23.62	30.40	3	Vertical	309	2.71	-	40.29	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz_TnomVnom




EUT_X_4TX
Setting 64
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65052G	58.64	88.20	-29.56	44.45	3	Horizontal	344	1.65	-	40.30	8.67	34.78
AV	13.649G	44.57	68.20	-23.63	30.38	3	Horizontal	344	1.65	-	40.30	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz_TnomVnom




EUT_X_4TX
Setting 64
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4752G	48.89	83.54	-34.65	45.38	1	Vertical	348	1.57	-	37.69	15.71	49.89
AV	20.47742G	35.39	63.54	-28.15	31.88	1	Vertical	348	1.57	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz_TnomVnom




EUT_X_4TX
Setting 64
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47512G	49.08	83.54	-34.46	45.57	1	Horizontal	142	1.55	-	37.69	15.71	49.89
AV	20.47222G	35.47	63.54	-28.07	31.96	1	Horizontal	142	1.55	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 61
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.012G	104.72	Inf	-Inf	95.46	3	Vertical	330.9	2.87	-	36.65	5.91	33.30
RMS	7.016G	91.83	Inf	-Inf	82.57	3	Vertical	330.9	2.87	-	36.66	5.91	33.31
PK	7.134G	69.65	88.20	-18.55	60.16	3	Vertical	330.9	2.87	-	36.97	5.97	33.45
RMS	7.131G	50.31	68.20	-17.89	40.84	3	Vertical	330.9	2.87	-	36.95	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 61
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.045G	111.80	Inf	-Inf	102.44	3	Horizontal	51	1.71	-	36.78	5.92	33.34
RMS	7.045G	100.96	Inf	-Inf	91.60	3	Horizontal	51	1.71	-	36.78	5.92	33.34
PK	7.129G	76.17	88.20	-12.03	66.72	3	Horizontal	51	1.71	-	36.93	5.96	33.44
RMS	7.126G	53.82	68.20	-14.38	44.39	3	Horizontal	51	1.71	-	36.91	5.96	33.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97154G	60.23	88.20	-27.97	45.73	3	Vertical	30	1.65	-	40.81	8.61	34.92
AV	13.96846G	46.04	68.20	-22.16	31.54	3	Vertical	30	1.65	-	40.81	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97014G	59.42	88.20	-28.78	44.92	3	Horizontal	52	1.05	-	40.81	8.61	34.92
AV	13.96598G	46.10	68.20	-22.10	31.61	3	Horizontal	52	1.05	-	40.80	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95254G	48.45	83.54	-35.09	44.56	1	Vertical	267	1.58	-	37.68	15.93	49.72
AV	20.95752G	35.19	63.54	-28.35	31.31	1	Vertical	267	1.58	-	37.67	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT_X_4TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9544G	48.85	83.54	-34.69	44.97	1	Horizontal	212	1.51	-	37.67	15.93	49.72
AV	20.95178G	35.20	63.54	-28.34	31.31	1	Horizontal	212	1.51	-	37.68	15.93	49.72




For Scanning radio 1 / 2T2S

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2.(MCS0)_2TX	Pass	RMS	5.925G	68.18	68.20	-0.02	3	Horizontal	292	1.80	-

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TnomVnom




EUT_X_2TX
Setting 100
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	76.50	88.20	-11.70	80.97	3	Vertical	296	1.70	-	32.15	6.03	42.65
RMS	5.925G	65.24	68.20	-2.96	69.71	3	Vertical	296	1.70	-	32.15	6.03	42.65
PK	5.957G	116.91	Inf	-Inf	121.28	3	Vertical	296	1.70	-	32.20	6.06	42.63
RMS	5.957G	106.96	Inf	-Inf	111.33	3	Vertical	296	1.70	-	32.20	6.06	42.63

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TnomVnom




EUT_X_2TX
Setting 100
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.67	88.20	-9.53	83.14	3	Horizontal	292	1.80	-	32.15	6.03	42.65
RMS	5.925G	68.18	68.20	-0.02	72.65	3	Horizontal	292	1.80	-	32.15	6.03	42.65
PK	5.951G	118.14	Inf	-Inf	122.51	3	Horizontal	292	1.80	-	32.20	6.06	42.63
RMS	5.956G	110.36	Inf	-Inf	114.73	3	Horizontal	292	1.80	-	32.20	6.06	42.63

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TnomVnom




EUT_X_2TX
Setting 100
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91016G	52.09	74.00	-21.91	38.27	3	Vertical	106	2.89	-	39.09	8.06	33.33
AV	11.9096G	38.90	54.00	-15.10	25.08	3	Vertical	106	2.89	-	39.09	8.06	33.33
PK	17.86488G	62.48	74.00	-11.52	36.02	3	Vertical	270	1.54	-	49.09	10.93	33.56
AV	17.86483G	47.51	54.00	-6.49	21.05	3	Vertical	270	1.54	-	49.09	10.93	33.56

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TnomVnom




EUT X_2TX
Setting 100
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90974G	51.70	74.00	-22.30	37.88	3	Horizontal	0	1.83	-	39.09	8.06	33.33
AV	11.91037G	38.67	54.00	-15.33	24.85	3	Horizontal	0	1.83	-	39.09	8.06	33.33
PK	17.86477G	62.58	74.00	-11.42	36.12	3	Horizontal	356	1.56	-	49.09	10.93	33.56
AV	17.86497G	47.53	54.00	-6.47	21.07	3	Horizontal	356	1.56	-	49.09	10.93	33.56

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	55.40	88.20	-32.80	49.64	3	Vertical	29	2.31	-	32.20	5.72	32.16
RMS	5.767G	44.29	68.20	-23.91	38.84	3	Vertical	29	2.31	-	32.00	5.60	32.15
PK	6.171G	99.88	Inf	-Inf	93.60	3	Vertical	29	2.31	-	32.64	5.80	32.16
RMS	6.177G	89.35	Inf	-Inf	83.06	3	Vertical	29	2.31	-	32.65	5.80	32.16

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	55.64	88.20	-32.56	50.01	3	Horizontal	286	1.79	-	32.10	5.68	32.15
RMS	5.883G	43.99	68.20	-24.21	38.36	3	Horizontal	286	1.79	-	32.10	5.68	32.15
PK	6.177G	106.18	Inf	-Inf	99.89	3	Horizontal	286	1.79	-	32.65	5.80	32.16
RMS	6.177G	94.10	Inf	-Inf	87.81	3	Horizontal	286	1.79	-	32.65	5.80	32.16

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34967G	51.51	74.00	-22.49	37.97	3	Vertical	75	1.20	-	38.70	8.27	33.43
AV	12.35032G	39.35	54.00	-14.65	25.80	3	Vertical	75	1.20	-	38.70	8.28	33.43

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35015G	53.01	74.00	-20.99	39.46	3	Horizontal	8	1.57	-	38.70	8.28	33.43
AV	12.35012G	39.72	54.00	-14.28	26.17	3	Horizontal	8	1.57	-	38.70	8.28	33.43

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.523G	48.96	83.54	-34.58	46.34	1	Vertical	79	1.58	-	37.79	14.91	50.08
AV	18.5243G	35.74	63.54	-27.80	33.12	1	Vertical	79	1.58	-	37.79	14.91	50.08

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5268G	48.03	83.54	-35.51	45.40	1	Horizontal	147	1.51	-	37.79	14.91	50.07
AV	18.52786G	35.80	63.54	-27.74	33.17	1	Horizontal	147	1.51	-	37.79	14.91	50.07

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	55.58	88.20	-32.62	49.82	3	Vertical	45	1.35	-	32.20	5.72	32.16
RMS	5.8578G	43.79	68.20	-24.41	38.18	3	Vertical	45	1.35	-	32.10	5.66	32.15
PK	6.4122G	97.63	Inf	-Inf	90.44	3	Vertical	45	1.35	-	33.55	5.80	32.16
RMS	6.4122G	87.66	Inf	-Inf	80.47	3	Vertical	45	1.35	-	33.55	5.80	32.16

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	55.49	88.20	-32.71	49.75	3	Horizontal	71	1.79	-	32.17	5.72	32.15
RMS	5.9222G	43.99	68.20	-24.21	38.24	3	Horizontal	71	1.79	-	32.19	5.72	32.16
PK	6.4178G	103.00	Inf	-Inf	95.79	3	Horizontal	71	1.79	-	33.57	5.80	32.16
RMS	6.4178G	92.47	Inf	-Inf	85.26	3	Horizontal	71	1.79	-	33.57	5.80	32.16

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82984G	52.10	88.20	-36.10	37.87	3	Vertical	356	1.29	-	39.00	8.51	33.28
RMS	12.82966G	39.74	68.20	-28.46	25.51	3	Vertical	356	1.29	-	39.00	8.51	33.28

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83014G	52.47	88.20	-35.73	38.23	3	Horizontal	130	2.75	-	39.00	8.52	33.28
RMS	12.83013G	39.88	68.20	-28.32	25.64	3	Horizontal	130	2.75	-	39.00	8.52	33.28

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24158G	46.58	83.54	-36.96	43.32	1	Vertical	121	1.53	-	37.71	15.20	49.65
AV	19.24938G	34.63	63.54	-28.91	31.38	1	Vertical	121	1.53	-	37.70	15.20	49.65

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2479G	47.26	83.54	-36.28	44.01	1	Horizontal	62	1.55	-	37.70	15.20	49.65
AV	19.24062G	34.56	63.54	-28.98	31.30	1	Horizontal	62	1.55	-	37.71	15.20	49.65

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	54.95	88.20	-33.25	49.25	3	Vertical	312	1.80	-	32.14	5.71	32.15
RMS	5.8708G	43.60	68.20	-24.60	37.98	3	Vertical	312	1.80	-	32.10	5.67	32.15
PK	6.4402G	97.53	Inf	-Inf	90.23	3	Vertical	312	1.80	-	33.66	5.80	32.16
RMS	6.4376G	86.40	Inf	-Inf	79.11	3	Vertical	312	1.80	-	33.65	5.80	32.16

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8422G	55.36	88.20	-32.84	49.79	3	Horizontal	72	1.94	-	32.08	5.64	32.15
RMS	5.8578G	43.76	68.20	-24.44	38.15	3	Horizontal	72	1.94	-	32.10	5.66	32.15
PK	6.435G	103.14	Inf	-Inf	95.86	3	Horizontal	72	1.94	-	33.64	5.80	32.16
RMS	6.4376G	92.17	Inf	-Inf	84.88	3	Horizontal	72	1.94	-	33.65	5.80	32.16

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86976G	52.33	88.20	-35.87	38.06	3	Vertical	33	1.84	-	39.00	8.53	33.26
RMS	12.87023G	39.89	68.20	-28.31	25.61	3	Vertical	33	1.84	-	39.00	8.54	33.26

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87017G	52.42	88.20	-35.78	38.14	3	Horizontal	197	2.48	-	39.00	8.54	33.26
RMS	12.87033G	40.29	68.20	-27.91	26.01	3	Horizontal	197	2.48	-	39.00	8.54	33.26

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30366G	47.28	83.54	-36.26	43.98	1	Vertical	184	1.55	-	37.74	15.22	49.66
AV	19.30858G	35.50	63.54	-28.04	32.19	1	Vertical	184	1.55	-	37.75	15.22	49.66

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30732G	47.88	83.54	-35.66	44.57	1	Horizontal	225	1.56	-	37.75	15.22	49.66
AV	19.30834G	35.13	63.54	-28.41	31.82	1	Horizontal	225	1.56	-	37.75	15.22	49.66

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.859G	55.09	88.20	-33.11	49.48	3	Vertical	286	1.46	-	32.10	5.66	32.15
RMS	5.9094G	43.67	68.20	-24.53	37.97	3	Vertical	286	1.46	-	32.14	5.71	32.15
PK	6.4778G	97.80	Inf	-Inf	90.29	3	Vertical	286	1.46	-	33.87	5.80	32.16
RMS	6.475G	86.28	Inf	-Inf	78.79	3	Vertical	286	1.46	-	33.85	5.80	32.16
PK	7.1666G	62.38	88.20	-25.82	52.72	3	Vertical	286	1.46	-	36.13	6.10	32.57
RMS	7.1554G	50.79	68.20	-17.41	41.13	3	Vertical	286	1.46	-	36.11	6.10	32.55

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8646G	55.53	88.20	-32.67	49.92	3	Horizontal	81	1.77	-	32.10	5.66	32.15
RMS	5.8534G	43.70	68.20	-24.50	38.10	3	Horizontal	81	1.77	-	32.10	5.65	32.15
PK	6.475G	102.40	Inf	-Inf	94.91	3	Horizontal	81	1.77	-	33.85	5.80	32.16
RMS	6.475G	91.78	Inf	-Inf	84.29	3	Horizontal	81	1.77	-	33.85	5.80	32.16
PK	7.147G	62.46	88.20	-25.74	52.82	3	Horizontal	81	1.77	-	36.08	6.10	32.54
RMS	7.1666G	50.85	68.20	-17.35	41.19	3	Horizontal	81	1.77	-	36.13	6.10	32.57

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94989G	53.31	88.20	-34.89	38.90	3	Vertical	57	2.15	-	39.05	8.57	33.21
RMS	12.94966G	40.42	68.20	-27.78	26.01	3	Vertical	57	2.15	-	39.05	8.57	33.21

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94999G	52.89	88.20	-35.31	38.48	3	Horizontal	207	2.91	-	39.05	8.57	33.21
RMS	12.9495G	40.42	68.20	-27.78	26.01	3	Horizontal	207	2.91	-	39.05	8.57	33.21

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42642G	48.62	83.54	-34.92	45.20	1	Vertical	9	1.51	-	37.84	15.27	49.69
AV	19.42224G	35.65	63.54	-27.89	32.22	1	Vertical	9	1.51	-	37.84	15.27	49.68

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42412G	48.16	83.54	-35.38	44.73	1	Horizontal	17	1.51	-	37.84	15.27	49.68
AV	19.42906G	35.99	63.54	-27.55	32.57	1	Horizontal	17	1.51	-	37.84	15.27	49.69

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	54.76	88.20	-33.44	49.14	3	Vertical	293	1.48	-	32.10	5.67	32.15
RMS	5.871G	43.69	68.20	-24.51	38.07	3	Vertical	293	1.48	-	32.10	5.67	32.15
PK	6.5122G	97.84	Inf	-Inf	90.20	3	Vertical	293	1.48	-	34.00	5.80	32.16
RMS	6.5178G	86.47	Inf	-Inf	78.83	3	Vertical	293	1.48	-	34.00	5.80	32.16
PK	7.1982G	62.50	88.20	-25.70	52.82	3	Vertical	293	1.48	-	36.20	6.10	32.62
RMS	7.1786G	50.68	68.20	-17.52	41.01	3	Vertical	293	1.48	-	36.16	6.10	32.59

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	55.68	88.20	-32.52	50.02	3	Horizontal	74	1.88	-	32.11	5.70	32.15
RMS	5.913G	43.71	68.20	-24.49	38.00	3	Horizontal	74	1.88	-	32.15	5.71	32.15
PK	6.5178G	103.26	Inf	-Inf	95.62	3	Horizontal	74	1.88	-	34.00	5.80	32.16
RMS	6.5122G	92.60	Inf	-Inf	84.96	3	Horizontal	74	1.88	-	34.00	5.80	32.16
PK	7.1674G	62.12	88.20	-26.08	52.46	3	Horizontal	74	1.88	-	36.13	6.10	32.57
RMS	7.1506G	50.80	68.20	-17.40	41.14	3	Horizontal	74	1.88	-	36.10	6.10	32.54

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0295G	52.81	88.20	-35.39	38.32	3	Vertical	237	1.52	-	39.07	8.61	33.19
RMS	13.03045G	40.41	68.20	-27.79	25.91	3	Vertical	237	1.52	-	39.07	8.62	33.19

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03039G	52.82	88.20	-35.38	38.32	3	Horizontal	70	1.88	-	39.07	8.62	33.19
RMS	13.02989G	40.40	68.20	-27.80	25.91	3	Horizontal	70	1.88	-	39.07	8.61	33.19

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54288G	48.68	83.54	-34.86	45.18	1	Vertical	129	1.57	-	37.88	15.32	49.70
AV	19.54672G	36.33	63.54	-27.21	32.83	1	Vertical	129	1.57	-	37.88	15.32	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54064G	48.88	83.54	-34.66	45.38	1	Horizontal	286	1.53	-	37.88	15.32	49.70
AV	19.54212G	36.61	63.54	-26.93	33.11	1	Horizontal	286	1.53	-	37.88	15.32	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8742G	55.49	88.20	-32.71	49.87	3	Vertical	22	2.90	-	32.10	5.67	32.15
RMS	5.8602G	43.54	68.20	-24.66	37.93	3	Vertical	22	2.90	-	32.10	5.66	32.15
PK	6.5378G	98.27	Inf	-Inf	90.64	3	Vertical	22	2.90	-	34.00	5.80	32.17
RMS	6.5434G	86.67	Inf	-Inf	79.04	3	Vertical	22	2.90	-	34.00	5.80	32.17
PK	7.1482G	62.02	88.20	-26.18	52.37	3	Vertical	22	2.90	-	36.09	6.10	32.54
RMS	7.1678G	50.72	68.20	-17.48	41.05	3	Vertical	22	2.90	-	36.14	6.10	32.57

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8518G	54.63	88.20	-33.57	49.03	3	Horizontal	73	1.85	-	32.10	5.65	32.15
RMS	5.905G	43.69	68.20	-24.51	38.02	3	Horizontal	73	1.85	-	32.12	5.70	32.15
PK	6.5378G	103.21	Inf	-Inf	95.58	3	Horizontal	73	1.85	-	34.00	5.80	32.17
RMS	6.5378G	92.08	Inf	-Inf	84.45	3	Horizontal	73	1.85	-	34.00	5.80	32.17
PK	7.1678G	62.08	88.20	-26.12	52.41	3	Horizontal	73	1.85	-	36.14	6.10	32.57
RMS	7.1706G	50.92	68.20	-17.28	41.26	3	Horizontal	73	1.85	-	36.14	6.10	32.58

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0705G	51.91	88.20	-36.29	37.45	3	Vertical	17	2.22	-	39.03	8.64	33.21
RMS	13.07019G	40.24	68.20	-27.96	25.78	3	Vertical	17	2.22	-	39.03	8.64	33.21

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06993G	52.57	88.20	-35.63	38.12	3	Horizontal	178	1.91	-	39.03	8.63	33.21
RMS	13.06971G	40.15	68.20	-28.05	25.70	3	Horizontal	178	1.91	-	39.03	8.63	33.21

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6082G	48.26	83.54	-35.28	44.76	1	Vertical	34	1.51	-	37.86	15.34	49.70
AV	19.60756G	35.79	63.54	-27.75	32.29	1	Vertical	34	1.51	-	37.86	15.34	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT_X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60318G	48.57	83.54	-34.97	45.07	1	Horizontal	132	1.55	-	37.86	15.34	49.70
AV	19.60008G	36.07	63.54	-27.47	32.57	1	Horizontal	132	1.55	-	37.86	15.34	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	98.27	Inf	-Inf	90.17	3	Vertical	290	1.58	-	34.37	5.94	32.21
RMS	6.6928G	87.08	Inf	-Inf	78.98	3	Vertical	290	1.58	-	34.37	5.94	32.21
PK	7.1768G	62.39	88.20	-25.81	52.73	3	Vertical	290	1.58	-	36.15	6.10	32.59
RMS	7.1504G	50.68	68.20	-17.52	41.02	3	Vertical	290	1.58	-	36.10	6.10	32.54

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	104.25	Inf	-Inf	96.15	3	Horizontal	286	1.40	-	34.37	5.94	32.21
RMS	6.695G	92.78	Inf	-Inf	84.67	3	Horizontal	286	1.40	-	34.38	5.94	32.21
PK	7.1658G	62.31	88.20	-25.89	52.65	3	Horizontal	286	1.40	-	36.13	6.10	32.57
RMS	7.1592G	50.91	68.20	-17.29	41.25	3	Horizontal	286	1.40	-	36.12	6.10	32.56

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39013G	53.60	74.00	-20.40	38.27	3	Vertical	211	1.23	-	39.85	8.80	33.32
AV	13.38993G	41.50	54.00	-12.50	26.18	3	Vertical	211	1.23	-	39.85	8.79	33.32

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39034G	53.43	74.00	-20.57	38.10	3	Horizontal	233	2.75	-	39.85	8.80	33.32
AV	13.38962G	41.14	54.00	-12.86	25.82	3	Horizontal	233	2.75	-	39.85	8.79	33.32

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08388G	47.93	83.54	-35.61	44.65	1	Vertical	272	1.54	-	37.47	15.54	49.73
AV	20.08972G	35.90	63.54	-27.64	32.63	1	Vertical	272	1.54	-	37.47	15.54	49.74

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08514G	48.62	83.54	-34.92	45.34	1	Horizontal	194	1.50	-	37.47	15.54	49.73
AV	20.0839G	36.23	63.54	-27.31	32.95	1	Horizontal	194	1.50	-	37.47	15.54	49.73

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	99.95	Inf	-Inf	91.44	3	Vertical	12	2.04	-	34.66	6.10	32.25
RMS	6.8536G	89.43	Inf	-Inf	80.94	3	Vertical	12	2.04	-	34.63	6.10	32.24
PK	7.17G	62.21	88.20	-25.99	52.55	3	Vertical	12	2.04	-	36.14	6.10	32.58
RMS	7.1588G	50.60	68.20	-17.60	40.94	3	Vertical	12	2.04	-	36.12	6.10	32.56

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8606G	105.39	Inf	-Inf	96.86	3	Horizontal	74	1.91	-	34.68	6.10	32.25
RMS	6.8564G	94.24	Inf	-Inf	85.74	3	Horizontal	74	1.91	-	34.65	6.10	32.25
PK	7.1378G	62.36	88.20	-25.84	52.78	3	Horizontal	74	1.91	-	36.00	6.10	32.52
RMS	7.1462G	51.11	68.20	-17.09	41.47	3	Horizontal	74	1.91	-	36.07	6.10	32.53

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70971G	53.95	88.20	-34.25	38.25	3	Vertical	305	2.07	-	40.12	8.95	33.37
RMS	13.70971G	41.54	68.20	-26.66	25.84	3	Vertical	305	2.07	-	40.12	8.95	33.37

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70956G	54.03	88.20	-34.17	38.33	3	Horizontal	147	1.55	-	40.12	8.95	33.37
RMS	13.71011G	41.52	68.20	-26.68	25.81	3	Horizontal	147	1.55	-	40.12	8.96	33.37

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56638G	49.53	83.54	-34.01	45.87	1	Vertical	119	1.58	-	37.78	15.75	49.87
AV	20.56934G	36.16	63.54	-27.38	32.49	1	Vertical	119	1.58	-	37.78	15.76	49.87

802.11ax HEW20_Nss2,(MCS0)_2TX


6855MHz_TnomVnom



EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56444G	48.77	83.54	-34.77	45.11	1	Horizontal	84	1.53	-	37.78	15.75	49.87
AV	20.56102G	36.16	63.54	-27.38	32.52	1	Horizontal	84	1.53	-	37.77	15.75	49.88


802.11ax HEW20_Nss2,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 38
 02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8714G	99.80	Inf	-Inf	91.18	3	Vertical	12	2.36	-	34.77	6.10	32.25
RMS	6.8786G	88.99	Inf	-Inf	80.31	3	Vertical	12	2.36	-	34.83	6.10	32.25
PK	7.1486G	62.35	88.20	-25.85	52.70	3	Vertical	12	2.36	-	36.09	6.10	32.54
RMS	7.1294G	50.71	68.20	-17.49	41.18	3	Vertical	12	2.36	-	35.94	6.10	32.51

802.11ax HEW20_Nss2,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
 Setting 38
 02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8786G	105.52	Inf	-Inf	96.84	3	Horizontal	70	1.99	-	34.83	6.10	32.25
RMS	6.8786G	94.39	Inf	-Inf	85.71	3	Horizontal	70	1.99	-	34.83	6.10	32.25
PK	7.1678G	61.86	88.20	-26.34	52.19	3	Horizontal	70	1.99	-	36.14	6.10	32.57
RMS	7.1342G	50.75	68.20	-17.45	41.19	3	Horizontal	70	1.99	-	35.97	6.10	32.51

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74977G	54.25	88.20	-33.95	38.45	3	Vertical	117	1.54	-	40.20	8.97	33.37
RMS	13.7502G	41.91	68.20	-26.29	26.10	3	Vertical	117	1.54	-	40.20	8.98	33.37

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 38
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74955G	54.11	88.20	-34.09	38.31	3	Horizontal	312	2.68	-	40.20	8.97	33.37
RMS	13.74974G	41.95	68.20	-26.25	26.15	3	Horizontal	312	2.68	-	40.20	8.97	33.37

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62808G	49.76	83.54	-33.78	45.98	1	Vertical	10	1.55	-	37.85	15.78	49.85
AV	20.62694G	36.91	63.54	-26.63	33.13	1	Vertical	10	1.55	-	37.85	15.78	49.85

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 38
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62024G	49.20	83.54	-34.34	45.43	1	Horizontal	347	1.50	-	37.84	15.78	49.85
AV	20.62584G	37.07	63.54	-26.47	33.29	1	Horizontal	347	1.50	-	37.85	15.78	49.85

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.901G	100.78	Inf	-Inf	91.94	3	Vertical	11	2.10	-	35.00	6.10	32.26
RMS	6.901G	89.34	Inf	-Inf	80.50	3	Vertical	11	2.10	-	35.00	6.10	32.26
PK	7.1482G	62.64	88.20	-25.56	52.99	3	Vertical	11	2.10	-	36.09	6.10	32.54
RMS	7.1302G	50.80	68.20	-17.40	41.27	3	Vertical	11	2.10	-	35.94	6.10	32.51

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8974G	106.17	Inf	-Inf	97.35	3	Horizontal	72	1.80	-	34.98	6.10	32.26
RMS	6.8986G	94.67	Inf	-Inf	85.84	3	Horizontal	72	1.80	-	34.99	6.10	32.26
PK	7.1362G	62.71	88.20	-25.49	53.14	3	Horizontal	72	1.80	-	35.99	6.10	32.52
RMS	7.1494G	50.96	68.20	-17.24	41.30	3	Horizontal	72	1.80	-	36.10	6.10	32.54

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78965G	54.12	88.20	-34.08	38.22	3	Vertical	309	2.17	-	40.28	8.99	33.37
RMS	13.78996G	41.87	68.20	-26.33	25.97	3	Vertical	309	2.17	-	40.28	8.99	33.37

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78997G	54.61	88.20	-33.59	38.71	3	Horizontal	211	2.60	-	40.28	8.99	33.37
RMS	13.78958G	41.85	68.20	-26.35	25.95	3	Horizontal	211	2.60	-	40.28	8.99	33.37

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68046G	48.95	83.54	-34.59	45.05	1	Vertical	277	1.58	-	37.92	15.81	49.83
AV	20.68688G	36.73	63.54	-26.81	32.83	1	Vertical	277	1.58	-	37.92	15.81	49.83

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68036G	49.07	83.54	-34.47	45.17	1	Horizontal	318	1.50	-	37.92	15.81	49.83
AV	20.6894G	36.94	63.54	-26.60	33.02	1	Horizontal	318	1.50	-	37.93	15.81	49.82

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9926G	100.73	Inf	-Inf	91.62	3	Vertical	20	1.59	-	35.29	6.10	32.28
RMS	6.9966G	90.23	Inf	-Inf	81.12	3	Vertical	20	1.59	-	35.29	6.10	32.28
PK	7.1366G	62.44	88.20	-25.76	52.87	3	Vertical	20	1.59	-	35.99	6.10	32.52
RMS	7.1342G	50.83	68.20	-17.37	41.27	3	Vertical	20	1.59	-	35.97	6.10	32.51

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.991G	107.42	Inf	-Inf	98.32	3	Horizontal	58	1.95	-	35.28	6.10	32.28
RMS	6.999G	95.82	Inf	-Inf	86.70	3	Horizontal	58	1.95	-	35.30	6.10	32.28
PK	7.167G	62.43	88.20	-25.77	52.77	3	Horizontal	58	1.95	-	36.13	6.10	32.57
RMS	7.1502G	50.86	68.20	-17.34	41.20	3	Horizontal	58	1.95	-	36.10	6.10	32.54

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99049G	55.37	88.20	-32.83	38.77	3	Vertical	167	1.67	-	40.88	9.10	33.38
RMS	13.98997G	42.55	68.20	-25.65	25.96	3	Vertical	167	1.67	-	40.88	9.09	33.38

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT_X_2TX
Setting 37
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98952G	54.93	88.20	-33.27	38.34	3	Horizontal	116	1.52	-	40.88	9.09	33.38
RMS	13.98962G	42.99	68.20	-25.21	26.40	3	Horizontal	116	1.52	-	40.88	9.09	33.38

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98556G	46.79	83.54	-36.75	42.94	1	Vertical	43	1.55	-	37.62	15.94	49.71
AV	20.98434G	34.65	63.54	-28.89	30.79	1	Vertical	43	1.55	-	37.63	15.94	49.71

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 37
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98286G	46.85	83.54	-36.69	42.99	1	Horizontal	277	1.50	-	37.63	15.94	49.71
AV	20.9879G	34.67	63.54	-28.87	30.81	1	Horizontal	277	1.50	-	37.62	15.94	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 90
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0944G	115.26	Inf	-Inf	115.19	3	Vertical	24	1.80	-	35.56	6.59	42.08
RMS	7.0902G	104.64	Inf	-Inf	104.61	3	Vertical	24	1.80	-	35.52	6.59	42.08
PK	7.128G	71.79	88.20	-16.41	71.49	3	Vertical	24	1.80	-	35.77	6.60	42.07
RMS	7.125G	61.09	68.20	-7.11	60.82	3	Vertical	24	1.80	-	35.75	6.60	42.08

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 90
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.089G	121.82	Inf	-Inf	121.81	3	Horizontal	80	1.56	-	35.51	6.59	42.09
RMS	7.0986G	111.49	Inf	-Inf	111.39	3	Horizontal	80	1.56	-	35.59	6.59	42.08
PK	7.125G	78.96	88.20	-9.24	78.69	3	Horizontal	80	1.56	-	35.75	6.60	42.08
RMS	7.125G	68.12	68.20	-0.08	67.85	3	Horizontal	80	1.56	-	35.75	6.60	42.08

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 90
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19043G	55.52	88.20	-32.68	38.12	3	Vertical	327	1.55	-	41.56	9.19	33.35
RMS	14.18993G	43.54	68.20	-24.66	26.14	3	Vertical	327	1.55	-	41.56	9.19	33.35

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT_X_2TX
Setting 90
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19022G	55.15	88.20	-33.05	37.75	3	Horizontal	61	2.04	-	41.56	9.19	33.35
RMS	14.18964G	43.22	68.20	-24.98	25.82	3	Horizontal	61	2.04	-	41.56	9.19	33.35

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 90
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28376G	49.20	83.54	-34.34	45.12	1	Vertical	298	1.54	-	37.64	16.08	49.64
AV	21.28806G	37.01	63.54	-26.53	32.92	1	Vertical	298	1.54	-	37.65	16.08	49.64

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 90
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2807G	49.58	83.54	-33.96	45.50	1	Horizontal	84	1.57	-	37.64	16.08	49.64
AV	21.28224G	37.08	63.54	-26.46	33.00	1	Horizontal	84	1.57	-	37.64	16.08	49.64

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TnomVnom




EUT_X_2TX
Setting 86
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9236G	74.98	88.20	-13.22	79.45	3	Vertical	302	1.80	-	32.15	6.03	42.65
RMS	5.9248G	61.41	68.20	-6.79	65.88	3	Vertical	302	1.80	-	32.15	6.03	42.65
PK	5.9692G	110.54	Inf	-Inf	114.88	3	Vertical	302	1.80	-	32.20	6.08	42.62
RMS	5.959G	100.09	Inf	-Inf	104.46	3	Vertical	302	1.80	-	32.20	6.06	42.63

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TnomVnom




EUT_X_2TX
Setting 86
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	79.25	88.20	-8.95	83.74	3	Horizontal	293	1.53	-	32.14	6.02	42.65
RMS	5.9248G	67.72	68.20	-0.48	72.19	3	Horizontal	293	1.53	-	32.15	6.03	42.65
PK	5.983G	116.61	Inf	-Inf	120.93	3	Horizontal	293	1.53	-	32.20	6.09	42.61
RMS	5.971G	105.74	Inf	-Inf	110.08	3	Horizontal	293	1.53	-	32.20	6.08	42.62

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TnomVnom




EUT X_2TX
Setting 86
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9296G	51.63	74.00	-22.37	37.82	3	Vertical	346	2.38	-	39.07	8.07	33.33
AV	11.93038G	37.69	54.00	-16.31	23.88	3	Vertical	346	2.38	-	39.07	8.07	33.33
PK	17.89474G	64.10	74.00	-9.90	36.98	3	Vertical	273	2.52	-	49.78	10.95	33.61
AV	17.89531G	47.39	54.00	-6.61	20.26	3	Vertical	273	2.52	-	49.79	10.95	33.61

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TnomVnom




EUT X_2TX
Setting 86
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93017G	51.77	74.00	-22.23	37.96	3	Horizontal	330	2.98	-	39.07	8.07	33.33
AV	11.93047G	37.69	54.00	-16.31	23.88	3	Horizontal	330	2.98	-	39.07	8.07	33.33
PK	17.895G	63.64	74.00	-10.36	36.52	3	Horizontal	274	1.10	-	49.78	10.95	33.61
AV	17.89523G	47.42	54.00	-6.58	20.29	3	Horizontal	274	1.10	-	49.79	10.95	33.61

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	54.75	88.20	-33.45	49.09	3	Vertical	288	1.76	-	32.11	5.70	32.15
RMS	5.925G	43.62	68.20	-24.58	37.86	3	Vertical	288	1.76	-	32.20	5.72	32.16
PK	6.1674G	96.23	Inf	-Inf	89.96	3	Vertical	288	1.76	-	32.63	5.80	32.16
RMS	6.1758G	85.02	Inf	-Inf	78.73	3	Vertical	288	1.76	-	32.65	5.80	32.16

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8902G	55.28	88.20	-32.92	49.64	3	Horizontal	287	1.79	-	32.10	5.69	32.15
RMS	5.9106G	43.89	68.20	-24.31	38.19	3	Horizontal	287	1.79	-	32.14	5.71	32.15
PK	6.171G	103.79	Inf	-Inf	97.51	3	Horizontal	287	1.79	-	32.64	5.80	32.16
RMS	6.171G	92.26	Inf	-Inf	85.98	3	Horizontal	287	1.79	-	32.64	5.80	32.16

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33013G	51.46	74.00	-22.54	37.88	3	Vertical	297	1.94	-	38.74	8.27	33.43
AV	12.33039G	39.59	54.00	-14.41	26.01	3	Vertical	297	1.94	-	38.74	8.27	33.43

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32965G	52.23	74.00	-21.77	38.66	3	Horizontal	289	1.76	-	38.74	8.26	33.43
AV	12.32954G	39.65	54.00	-14.35	26.08	3	Horizontal	289	1.76	-	38.74	8.26	33.43

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT X_2TX
Setting 47
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49162G	47.71	83.54	-35.83	45.12	1	Vertical	196	1.57	-	37.79	14.90	50.10
AV	18.49524G	35.47	63.54	-28.07	32.88	1	Vertical	196	1.57	-	37.79	14.90	50.10

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 47
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49796G	47.99	83.54	-35.55	45.39	1	Horizontal	346	1.50	-	37.80	14.90	50.10
AV	18.495G	35.71	63.54	-27.83	33.12	1	Horizontal	346	1.50	-	37.79	14.90	50.10

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT X_2TX
Setting 51
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8602G	55.16	88.20	-33.04	49.55	3	Vertical	44	1.66	-	32.10	5.66	32.15
RMS	5.9106G	43.56	68.20	-24.64	37.86	3	Vertical	44	1.66	-	32.14	5.71	32.15
PK	6.393G	98.95	Inf	-Inf	91.85	3	Vertical	44	1.66	-	33.46	5.80	32.16
RMS	6.393G	86.94	Inf	-Inf	79.84	3	Vertical	44	1.66	-	33.46	5.80	32.16

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT X_2TX
Setting 51
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8554G	55.29	88.20	-32.91	49.68	3	Horizontal	71	1.80	-	32.10	5.66	32.15
RMS	5.9034G	43.58	68.20	-24.62	37.92	3	Horizontal	71	1.80	-	32.11	5.70	32.15
PK	6.3882G	103.37	Inf	-Inf	96.30	3	Horizontal	71	1.80	-	33.43	5.80	32.16
RMS	6.3882G	91.82	Inf	-Inf	84.75	3	Horizontal	71	1.80	-	33.43	5.80	32.16

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 51
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81047G	52.07	88.20	-36.13	37.85	3	Vertical	227	1.45	-	39.00	8.51	33.29
RMS	12.80978G	39.73	68.20	-28.47	25.52	3	Vertical	227	1.45	-	39.00	8.50	33.29

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 51
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81026G	52.00	88.20	-36.20	37.78	3	Horizontal	360	1.11	-	39.00	8.51	33.29
RMS	12.81032G	39.82	68.20	-28.38	25.60	3	Horizontal	360	1.11	-	39.00	8.51	33.29

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT X_2TX
Setting 51
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21688G	47.21	83.54	-36.33	43.92	1	Vertical	316	1.54	-	37.74	15.19	49.64
AV	19.21274G	35.00	63.54	-28.54	31.71	1	Vertical	316	1.54	-	37.74	15.19	49.64

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 51
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21426G	47.89	83.54	-35.65	44.60	1	Horizontal	264	1.54	-	37.74	15.19	49.64
AV	19.21256G	34.78	63.54	-28.76	31.49	1	Horizontal	264	1.54	-	37.74	15.19	49.64

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 47
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8886G	55.23	88.20	-32.97	49.59	3	Vertical	310	3.00	-	32.10	5.69	32.15
RMS	5.8756G	43.61	68.20	-24.59	37.98	3	Vertical	310	3.00	-	32.10	5.68	32.15
PK	6.4554G	98.74	Inf	-Inf	91.37	3	Vertical	310	3.00	-	33.73	5.80	32.16
RMS	6.4476G	86.78	Inf	-Inf	79.45	3	Vertical	310	3.00	-	33.69	5.80	32.16

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 47
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8912G	55.19	88.20	-33.01	49.55	3	Horizontal	73	1.93	-	32.10	5.69	32.15
RMS	5.8392G	43.73	68.20	-24.47	38.16	3	Horizontal	73	1.93	-	32.08	5.64	32.15
PK	6.4398G	102.91	Inf	-Inf	95.61	3	Horizontal	73	1.93	-	33.66	5.80	32.16
RMS	6.4502G	92.34	Inf	-Inf	85.00	3	Horizontal	73	1.93	-	33.70	5.80	32.16

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88964G	52.43	88.20	-35.77	38.13	3	Vertical	275	2.09	-	39.00	8.54	33.24
RMS	12.88968G	39.95	68.20	-28.25	25.65	3	Vertical	275	2.09	-	39.00	8.54	33.24

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88996G	53.44	88.20	-34.76	39.14	3	Horizontal	37	2.26	-	39.00	8.54	33.24
RMS	12.89028G	40.31	68.20	-27.89	26.00	3	Horizontal	37	2.26	-	39.00	8.55	33.24

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 47
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33408G	48.30	83.54	-35.24	44.97	1	Vertical	189	1.54	-	37.77	15.23	49.67
AV	19.33908G	35.12	63.54	-28.42	31.78	1	Vertical	189	1.54	-	37.77	15.24	49.67

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 47
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33646G	47.36	83.54	-36.18	44.03	1	Horizontal	38	1.56	-	37.77	15.23	49.67
AV	19.3353G	35.37	63.54	-28.17	32.04	1	Horizontal	38	1.56	-	37.77	15.23	49.67

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	55.63	88.20	-32.57	49.88	3	Vertical	318.1	2.98	-	32.19	5.72	32.16
RMS	5.8858G	43.82	68.20	-24.38	38.18	3	Vertical	318.1	2.98	-	32.10	5.69	32.15
PK	6.4822G	98.42	Inf	-Inf	90.89	3	Vertical	318.1	2.98	-	33.89	5.80	32.16
RMS	6.4906G	86.88	Inf	-Inf	79.30	3	Vertical	318.1	2.98	-	33.94	5.80	32.16
PK	7.1598G	61.81	88.20	-26.39	52.15	3	Vertical	318.1	2.98	-	36.12	6.10	32.56
RMS	7.157G	50.94	68.20	-17.26	41.28	3	Vertical	318.1	2.98	-	36.11	6.10	32.55

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8214G	55.01	88.20	-33.19	49.50	3	Horizontal	71	1.84	-	32.04	5.62	32.15
RMS	5.9026G	43.69	68.20	-24.51	38.03	3	Horizontal	71	1.84	-	32.11	5.70	32.15
PK	6.4906G	103.43	Inf	-Inf	95.85	3	Horizontal	71	1.84	-	33.94	5.80	32.16
RMS	6.4794G	92.78	Inf	-Inf	85.26	3	Horizontal	71	1.84	-	33.88	5.80	32.16
PK	7.1486G	61.92	88.20	-26.28	52.27	3	Horizontal	71	1.84	-	36.09	6.10	32.54
RMS	7.1486G	50.86	68.20	-17.34	41.21	3	Horizontal	71	1.84	-	36.09	6.10	32.54

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96964G	52.84	88.20	-35.36	38.39	3	Vertical	272	2.58	-	39.07	8.58	33.20
RMS	12.96992G	40.46	68.20	-27.74	26.01	3	Vertical	272	2.58	-	39.07	8.58	33.20

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96983G	53.17	88.20	-35.03	38.72	3	Horizontal	202	2.26	-	39.07	8.58	33.20
RMS	12.97016G	40.30	68.20	-27.90	25.84	3	Horizontal	202	2.26	-	39.07	8.59	33.20

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45338G	48.54	83.54	-35.00	45.09	1	Vertical	130	1.54	-	37.86	15.28	49.69
AV	19.45134G	35.89	63.54	-27.65	32.44	1	Vertical	130	1.54	-	37.86	15.28	49.69

802.11ax HEW40_Nss2,(MCS0)_2TX


6485MHz_TnomVnom



EUT X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4535G	48.69	83.54	-34.85	45.24	1	Horizontal	115	1.55	-	37.86	15.28	49.69
AV	19.45622G	35.88	63.54	-27.66	32.43	1	Horizontal	115	1.55	-	37.86	15.28	49.69


802.11ax HEW40_Nss2,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
 Setting 48
 02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	55.03	88.20	-33.17	49.41	3	Vertical	28	2.91	-	32.10	5.67	32.15
RMS	5.8698G	43.64	68.20	-24.56	38.02	3	Vertical	28	2.91	-	32.10	5.67	32.15
PK	6.5334G	97.21	Inf	-Inf	89.58	3	Vertical	28	2.91	-	34.00	5.80	32.17
RMS	6.5306G	86.23	Inf	-Inf	78.60	3	Vertical	28	2.91	-	34.00	5.80	32.17
PK	7.1494G	62.57	88.20	-25.63	52.91	3	Vertical	28	2.91	-	36.10	6.10	32.54
RMS	7.155G	50.91	68.20	-17.29	41.25	3	Vertical	28	2.91	-	36.11	6.10	32.55

802.11ax HEW40_Nss2,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
 Setting 48
 02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8306G	56.05	88.20	-32.15	50.51	3	Horizontal	73.9	1.90	-	32.06	5.63	32.15
RMS	5.9034G	43.64	68.20	-24.56	37.98	3	Horizontal	73.9	1.90	-	32.11	5.70	32.15
PK	6.5222G	103.51	Inf	-Inf	95.88	3	Horizontal	73.9	1.90	-	34.00	5.80	32.17
RMS	6.5306G	92.56	Inf	-Inf	84.93	3	Horizontal	73.9	1.90	-	34.00	5.80	32.17
PK	7.1718G	61.80	88.20	-26.40	52.14	3	Horizontal	73.9	1.90	-	36.14	6.10	32.58
RMS	7.1382G	50.72	68.20	-17.48	41.13	3	Horizontal	73.9	1.90	-	36.01	6.10	32.52

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04969G	52.72	88.20	-35.48	38.25	3	Vertical	299	1.55	-	39.05	8.62	33.20
RMS	13.04963G	40.15	68.20	-28.05	25.68	3	Vertical	299	1.55	-	39.05	8.62	33.20

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0498G	52.38	88.20	-35.82	37.91	3	Horizontal	317	1.63	-	39.05	8.62	33.20
RMS	13.04952G	40.16	68.20	-28.04	25.69	3	Horizontal	317	1.63	-	39.05	8.62	33.20

802.11ax HEW40_Nss2,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57454G	48.17	83.54	-35.37	44.67	1	Vertical	3	1.52	-	37.87	15.33	49.70
AV	19.57514G	36.01	63.54	-27.53	32.51	1	Vertical	3	1.52	-	37.87	15.33	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
 Setting 48
 01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57184G	48.06	83.54	-35.48	44.56	1	Horizontal	59	1.50	-	37.87	15.33	49.70
AV	19.57768G	35.98	63.54	-27.56	32.48	1	Horizontal	59	1.50	-	37.87	15.33	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 48
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.577G	99.02	Inf	-Inf	91.35	3	Vertical	27	2.11	-	34.05	5.80	32.18
RMS	6.5698G	86.16	Inf	-Inf	78.50	3	Vertical	27	2.11	-	34.04	5.80	32.18
PK	7.129G	62.70	88.20	-25.50	53.17	3	Vertical	27	2.11	-	35.93	6.10	32.50
RMS	7.1434G	50.63	68.20	-17.57	41.01	3	Vertical	27	2.11	-	36.05	6.10	32.53

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom



EUT_X_2TX
Setting 48
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	103.56	Inf	-Inf	95.91	3	Horizontal	73	1.80	-	34.03	5.80	32.18
RMS	6.5794G	92.59	Inf	-Inf	84.91	3	Horizontal	73	1.80	-	34.06	5.80	32.18
PK	7.1602G	62.32	88.20	-25.88	52.66	3	Horizontal	73	1.80	-	36.12	6.10	32.56
RMS	7.1506G	50.82	68.20	-17.38	41.16	3	Horizontal	73	1.80	-	36.10	6.10	32.54