


802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 61
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6498G	59.35	88.20	-28.85	52.99	3	Vertical	103	1.78	-	34.30	5.30	33.24
RMS	5.921G	49.23	68.20	-18.97	42.19	3	Vertical	103	1.78	-	35.03	5.36	33.35
PK	6.1466G	100.80	Inf	-Inf	93.12	3	Vertical	103	1.78	-	35.41	5.55	33.28
RMS	6.1274G	90.42	Inf	-Inf	82.73	3	Vertical	103	1.78	-	35.45	5.53	33.29

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 61
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	60.29	88.20	-27.91	53.38	3	Horizontal	312	1.80	-	34.90	5.35	33.34
RMS	5.925G	50.30	68.20	-17.90	43.24	3	Horizontal	312	1.80	-	35.05	5.36	33.35
PK	6.1298G	107.86	Inf	-Inf	100.18	3	Horizontal	312	1.80	-	35.44	5.53	33.29
RMS	6.1586G	98.29	Inf	-Inf	90.55	3	Horizontal	312	1.80	-	35.45	5.56	33.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 61
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37344G	56.14	74.00	-17.86	43.13	3	Vertical	88	1.14	-	38.92	8.93	34.84
AV	12.36646G	45.63	54.00	-8.37	32.64	3	Vertical	88	1.14	-	38.90	8.93	34.84

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 61
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37472G	56.61	74.00	-17.39	43.60	3	Horizontal	125	1.41	-	38.92	8.93	34.84
AV	12.36586G	45.54	54.00	-8.46	32.55	3	Horizontal	125	1.41	-	38.90	8.93	34.84

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55094G	47.92	83.54	-35.62	45.27	1	Vertical	336	1.57	-	37.78	14.92	50.05
AV	18.55072G	37.39	63.54	-26.15	34.74	1	Vertical	336	1.57	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55026G	48.43	83.54	-35.11	45.78	1	Horizontal	145	1.56	-	37.78	14.92	50.05
AV	18.55282G	37.43	63.54	-26.11	34.78	1	Horizontal	145	1.56	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	59.18	88.20	-29.02	52.20	3	Vertical	108	1.00	-	34.96	5.36	33.34
RMS	5.916G	49.15	68.20	-19.05	42.14	3	Vertical	108	1.00	-	35.00	5.36	33.35
PK	6.303G	99.41	Inf	-Inf	91.33	3	Vertical	108	1.00	-	35.60	5.65	33.17
RMS	6.363G	89.97	Inf	-Inf	81.79	3	Vertical	108	1.00	-	35.63	5.68	33.13

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88G	59.67	88.20	-28.53	52.80	3	Horizontal	314	2.60	-	34.86	5.34	33.33
RMS	5.925G	49.46	68.20	-18.74	42.40	3	Horizontal	314	2.60	-	35.05	5.36	33.35
PK	6.327G	108.17	Inf	-Inf	100.07	3	Horizontal	314	2.60	-	35.60	5.66	33.16
RMS	6.372G	98.27	Inf	-Inf	90.07	3	Horizontal	314	2.60	-	35.64	5.69	33.13

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 60
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69446G	57.01	74.00	-16.99	43.63	3	Vertical	260	1.25	-	39.28	8.86	34.76
AV	12.69192G	46.85	54.00	-7.15	33.48	3	Vertical	260	1.25	-	39.27	8.86	34.76

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 60
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68814G	57.13	74.00	-16.87	43.78	3	Horizontal	188	1.87	-	39.25	8.86	34.76
AV	12.69178G	46.20	54.00	-7.80	32.83	3	Horizontal	188	1.87	-	39.27	8.86	34.76

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0367G	49.38	83.54	-34.16	45.92	1	Vertical	239	1.57	-	37.96	15.11	49.61
AV	19.03898G	38.40	63.54	-25.14	34.94	1	Vertical	239	1.57	-	37.95	15.12	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03824G	49.44	83.54	-34.10	45.98	1	Horizontal	138	1.52	-	37.95	15.12	49.61
AV	19.03702G	38.43	63.54	-25.11	34.97	1	Horizontal	138	1.52	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	60.07	88.20	-28.13	53.08	3	Vertical	101	2.78	-	34.97	5.36	33.34
RMS	5.8694G	49.11	68.20	-19.09	42.27	3	Vertical	101	2.78	-	34.84	5.33	33.33
PK	6.4686G	100.25	Inf	-Inf	91.94	3	Vertical	101	2.78	-	35.67	5.70	33.06
RMS	6.4854G	91.19	Inf	-Inf	82.80	3	Vertical	101	2.78	-	35.74	5.70	33.05
PK	7.1322G	62.67	88.20	-25.53	53.19	3	Vertical	101	2.78	-	36.96	5.97	33.45
RMS	7.1854G	52.42	68.20	-15.78	42.70	3	Vertical	101	2.78	-	37.24	5.99	33.51

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.80	88.20	-29.40	51.74	3	Horizontal	303	1.89	-	35.05	5.36	33.35
RMS	5.8862G	49.22	68.20	-18.98	42.34	3	Horizontal	303	1.89	-	34.87	5.34	33.33
PK	6.5302G	109.18	Inf	-Inf	100.62	3	Horizontal	303	1.89	-	35.92	5.70	33.06
RMS	6.4798G	99.68	Inf	-Inf	91.31	3	Horizontal	303	1.89	-	35.72	5.70	33.05
PK	7.191G	63.42	88.20	-24.78	53.68	3	Horizontal	303	1.89	-	37.26	6.00	33.52
RMS	7.1266G	52.14	68.20	-16.06	42.71	3	Horizontal	303	1.89	-	36.91	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01486G	58.07	88.20	-30.13	44.27	3	Vertical	55	1.14	-	39.70	8.80	34.70
RMS	13.00526G	46.57	68.20	-21.63	32.77	3	Vertical	55	1.14	-	39.70	8.80	34.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00704G	57.77	88.20	-30.43	43.97	3	Horizontal	14	2.07	-	39.70	8.80	34.70
RMS	13.00552G	46.40	68.20	-21.80	32.60	3	Horizontal	14	2.07	-	39.70	8.80	34.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51026G	49.29	83.54	-34.25	45.79	1	Vertical	277	1.53	-	37.90	15.30	49.70
AV	19.51602G	38.28	63.54	-25.26	34.78	1	Vertical	277	1.53	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51306G	49.63	83.54	-33.91	46.13	1	Horizontal	342	1.50	-	37.89	15.31	49.70
AV	19.51372G	38.50	63.54	-25.04	35.00	1	Horizontal	342	1.50	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6386G	101.96	Inf	-Inf	93.19	3	Vertical	116	1.04	-	36.18	5.70	33.11
RMS	6.6386G	91.10	Inf	-Inf	82.33	3	Vertical	116	1.04	-	36.18	5.70	33.11
PK	7.2018G	62.70	88.20	-25.50	52.93	3	Vertical	116	1.04	-	37.30	6.00	33.53
RMS	7.1644G	52.62	68.20	-15.58	42.97	3	Vertical	116	1.04	-	37.16	5.98	33.49

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6408G	108.98	Inf	-Inf	100.21	3	Horizontal	285	1.80	-	36.18	5.70	33.11
RMS	6.6958G	99.26	Inf	-Inf	90.50	3	Horizontal	285	1.80	-	36.20	5.70	33.14
PK	7.1512G	62.76	88.20	-25.44	53.15	3	Horizontal	285	1.80	-	37.10	5.98	33.47
RMS	7.127G	52.53	68.20	-15.67	43.09	3	Horizontal	285	1.80	-	36.92	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 65
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33336G	58.20	74.00	-15.80	44.11	3	Vertical	182	1.77	-	40.07	8.73	34.71
AV	13.32604G	47.34	54.00	-6.66	33.27	3	Vertical	182	1.77	-	40.05	8.73	34.71

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 65
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33048G	58.56	74.00	-15.44	44.48	3	Horizontal	268	1.42	-	40.06	8.73	34.71
AV	13.32958G	47.81	54.00	-6.19	33.73	3	Horizontal	268	1.42	-	40.06	8.73	34.71

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99614G	47.23	83.54	-36.31	44.02	1	Vertical	156	1.53	-	37.41	15.50	49.70
AV	19.99042G	36.45	63.54	-27.09	33.23	1	Vertical	156	1.53	-	37.42	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 65
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99422G	46.84	83.54	-36.70	43.63	1	Horizontal	112	1.58	-	37.41	15.50	49.70
AV	19.9901G	36.64	63.54	-26.90	33.42	1	Horizontal	112	1.58	-	37.42	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	100.83	Inf	-Inf	91.71	3	Vertical	95	2.61	-	36.58	5.75	33.21
RMS	6.8034G	90.94	Inf	-Inf	82.11	3	Vertical	95	2.61	-	36.32	5.70	33.19
PK	7.1562G	54.60	88.20	-33.60	44.98	3	Vertical	95	2.61	-	37.12	5.98	33.48
RMS	7.1274G	43.10	68.20	-25.10	33.66	3	Vertical	95	2.61	-	36.92	5.96	33.44
PK	7.3938G	52.95	74.00	-21.05	42.93	3	Vertical	95	2.61	-	37.68	6.10	33.76
RMS	7.6242G	43.13	54.00	-10.87	33.35	3	Vertical	95	2.61	-	37.45	6.29	33.96

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7818G	108.45	Inf	-Inf	99.59	3	Horizontal	291	1.94	-	36.34	5.70	33.18
RMS	6.7962G	97.92	Inf	-Inf	89.10	3	Horizontal	291	1.94	-	36.31	5.70	33.19
PK	7.1418G	59.94	88.20	-28.26	50.40	3	Horizontal	291	1.94	-	37.03	5.97	33.46
RMS	7.1274G	49.01	68.20	-19.19	39.57	3	Horizontal	291	1.94	-	36.92	5.96	33.44
PK	7.25G	55.27	74.00	-18.73	45.43	3	Horizontal	291	1.94	-	37.40	6.03	33.59
RMS	7.257G	45.10	54.00	-8.90	35.26	3	Horizontal	291	1.94	-	37.41	6.03	33.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




16/01/2022

EUT_X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65452G	59.25	88.20	-28.95	45.05	3	Vertical	347	1.24	-	40.31	8.67	34.78
RMS	13.64926G	48.03	68.20	-20.17	33.84	3	Vertical	347	1.24	-	40.30	8.67	34.78

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




16/01/2022

EUT X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64822G	59.51	88.20	-28.69	45.32	3	Horizontal	299	2.87	-	40.30	8.67	34.78
RMS	13.65054G	48.21	68.20	-19.99	34.02	3	Horizontal	299	2.87	-	40.30	8.67	34.78

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47732G	48.80	83.54	-34.74	45.29	1	Vertical	95	1.51	-	37.69	15.71	49.89
AV	20.47572G	37.76	63.54	-25.78	34.25	1	Vertical	95	1.51	-	37.69	15.71	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47802G	48.41	83.54	-35.13	44.89	1	Horizontal	40	1.58	-	37.69	15.72	49.89
AV	20.47896G	37.81	63.54	-25.73	34.29	1	Horizontal	40	1.58	-	37.69	15.72	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 63
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9594G	101.65	Inf	-Inf	92.30	3	Vertical	25	2.55	-	36.76	5.86	33.27
RMS	6.9642G	91.03	Inf	-Inf	81.70	3	Vertical	25	2.55	-	36.74	5.86	33.27
PK	7.1402G	66.83	88.20	-21.37	57.30	3	Vertical	25	2.55	-	37.02	5.97	33.46
RMS	7.1354G	50.87	68.20	-17.33	41.37	3	Vertical	25	2.55	-	36.98	5.97	33.45
PK	7.2602G	52.44	74.00	-21.56	42.59	3	Vertical	25	2.55	-	37.42	6.03	33.60
RMS	7.2634G	41.21	54.00	-12.79	31.36	3	Vertical	25	2.55	-	37.43	6.03	33.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 63
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0058G	109.48	Inf	-Inf	100.26	3	Horizontal	288	1.76	-	36.62	5.90	33.30
RMS	7.0154G	98.56	Inf	-Inf	89.30	3	Horizontal	288	1.76	-	36.66	5.91	33.31
PK	7.1258G	74.12	88.20	-14.08	64.69	3	Horizontal	288	1.76	-	36.91	5.96	33.44
RMS	7.1274G	57.04	68.20	-11.16	47.60	3	Horizontal	288	1.76	-	36.92	5.96	33.44
PK	7.2522G	58.06	74.00	-15.94	48.22	3	Horizontal	288	1.76	-	37.40	6.03	33.59
RMS	7.2522G	46.27	54.00	-7.73	36.43	3	Horizontal	288	1.76	-	37.40	6.03	33.59

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9659G	59.92	88.20	-28.28	45.43	3	Vertical	354	1.12	-	40.80	8.61	34.92
RMS	13.9665G	48.98	68.20	-19.22	34.49	3	Vertical	354	1.12	-	40.80	8.61	34.92

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97476G	59.90	88.20	-28.30	45.39	3	Horizontal	149	1.55	-	40.82	8.61	34.92
RMS	13.9715G	49.04	68.20	-19.16	34.54	3	Horizontal	149	1.55	-	40.81	8.61	34.92

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95822G	48.51	83.54	-35.03	44.63	1	Vertical	221	1.50	-	37.67	15.93	49.72
AV	20.95938G	37.61	63.54	-25.93	33.74	1	Vertical	221	1.50	-	37.66	15.93	49.72

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95174G	48.07	83.54	-35.47	44.18	1	Horizontal	312	1.51	-	37.68	15.93	49.72
AV	20.95814G	37.46	63.54	-26.08	33.58	1	Horizontal	312	1.51	-	37.67	15.93	49.72




For non beamforming mode / 4T4S

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	7.2522G	48.42	54.00	-5.58	3	Horizontal	285	1.80	-

802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 40
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9176G	59.25	88.20	-28.95	52.23	3	Vertical	321	2.33	-	35.01	5.36	33.35
RMS	5.9246G	45.63	68.20	-22.57	38.57	3	Vertical	321	2.33	-	35.05	5.36	33.35
PK	5.951G	99.71	Inf	-Inf	92.49	3	Vertical	321	2.33	-	35.20	5.38	33.36
RMS	5.9588G	84.55	Inf	-Inf	77.29	3	Vertical	321	2.33	-	35.24	5.38	33.36

802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TnomVnom




EUT X_4TX
Setting 40
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.65	88.20	-28.55	52.59	3	Horizontal	302	1.84	-	35.05	5.36	33.35
RMS	5.925G	46.99	68.20	-21.21	39.93	3	Horizontal	302	1.84	-	35.05	5.36	33.35
PK	5.9618G	109.11	Inf	-Inf	101.84	3	Horizontal	302	1.84	-	35.25	5.38	33.36
RMS	5.9588G	92.71	Inf	-Inf	85.45	3	Horizontal	302	1.84	-	35.24	5.38	33.36

802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 40
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9214G	57.10	74.00	-16.90	43.94	3	Vertical	210	1.80	-	39.14	8.94	34.92
AV	11.92338G	43.82	54.00	-10.18	30.66	3	Vertical	210	1.80	-	39.13	8.95	34.92
PK	17.86834G	57.16	74.00	-16.84	40.25	3	Vertical	302	1.08	-	41.91	9.75	34.75
AV	17.86664G	44.65	54.00	-9.35	27.75	3	Vertical	302	1.08	-	41.90	9.75	34.75

802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 40
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92044G	56.70	74.00	-17.30	43.54	3	Horizontal	179	1.77	-	39.14	8.94	34.92
AV	11.91744G	44.15	54.00	-9.85	30.98	3	Horizontal	179	1.77	-	39.15	8.94	34.92
PK	17.86958G	57.38	74.00	-16.62	40.47	3	Horizontal	0	2.09	-	41.91	9.75	34.75
AV	17.86514G	44.76	54.00	-9.24	27.86	3	Horizontal	0	2.09	-	41.90	9.75	34.75

802.11ax HEW20_Nss4,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8614G	59.18	88.20	-29.02	52.35	3	Vertical	97	1.06	-	34.82	5.33	33.32
RMS	5.8694G	47.57	68.20	-20.63	40.73	3	Vertical	97	1.06	-	34.84	5.33	33.33
PK	6.1782G	100.76	Inf	-Inf	92.87	3	Vertical	97	1.06	-	35.57	5.58	33.26
RMS	6.1814G	89.05	Inf	-Inf	81.14	3	Vertical	97	1.06	-	35.59	5.58	33.26

802.11ax HEW20_Nss4,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	59.08	88.20	-29.12	52.03	3	Horizontal	58	1.80	-	35.04	5.36	33.35
RMS	5.9222G	48.49	68.20	-19.71	41.45	3	Horizontal	58	1.80	-	35.03	5.36	33.35
PK	6.1782G	106.85	Inf	-Inf	98.96	3	Horizontal	58	1.80	-	35.57	5.58	33.26
RMS	6.1782G	96.94	Inf	-Inf	89.05	3	Horizontal	58	1.80	-	35.57	5.58	33.26

802.11ax HEW20_Nss4,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34982G	55.68	74.00	-18.32	42.75	3	Vertical	295	1.55	-	38.85	8.93	34.85
AV	12.35072G	43.24	54.00	-10.76	30.30	3	Vertical	295	1.55	-	38.85	8.93	34.84

802.11ax HEW20_Nss4,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3401G	55.40	74.00	-18.60	42.50	3	Horizontal	90	1.28	-	38.82	8.93	34.85
AV	12.36458G	43.23	54.00	-10.77	30.25	3	Horizontal	90	1.28	-	38.89	8.93	34.84

802.11ax HEW20_Nss4,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52078G	48.17	83.54	-35.37	45.55	1	Vertical	130	1.53	-	37.79	14.91	50.08
AV	18.52998G	36.17	63.54	-27.37	33.54	1	Vertical	130	1.53	-	37.79	14.91	50.07

802.11ax HEW20_Nss4,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52504G	48.39	83.54	-35.15	45.76	1	Horizontal	251	1.53	-	37.79	14.91	50.07
AV	18.52996G	35.88	63.54	-27.66	33.25	1	Horizontal	251	1.53	-	37.79	14.91	50.07

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	59.74	88.20	-28.46	52.70	3	Vertical	108	1.00	-	35.03	5.36	33.35
RMS	5.8802G	48.37	68.20	-19.83	41.50	3	Vertical	108	1.00	-	34.86	5.34	33.33
PK	6.4234G	100.84	Inf	-Inf	92.58	3	Vertical	108	1.00	-	35.65	5.70	33.09
RMS	6.4178G	91.31	Inf	-Inf	83.05	3	Vertical	108	1.00	-	35.66	5.70	33.10

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	59.09	88.20	-29.11	52.23	3	Horizontal	316	2.61	-	34.85	5.34	33.33
RMS	5.9026G	48.32	68.20	-19.88	41.39	3	Horizontal	316	2.61	-	34.92	5.35	33.34
PK	6.4178G	108.55	Inf	-Inf	100.29	3	Horizontal	316	2.61	-	35.66	5.70	33.10
RMS	6.4122G	98.37	Inf	-Inf	90.09	3	Horizontal	316	2.61	-	35.68	5.70	33.10

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8186G	56.61	88.20	-31.59	43.09	3	Vertical	60	1.80	-	39.42	8.84	34.74
RMS	12.82274G	44.21	68.20	-23.99	30.69	3	Vertical	60	1.80	-	39.42	8.84	34.74

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84008G	56.90	88.20	-31.30	43.36	3	Horizontal	233	1.80	-	39.44	8.83	34.73
RMS	12.8426G	43.80	68.20	-24.40	30.26	3	Horizontal	233	1.80	-	39.44	8.83	34.73

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2433G	48.05	83.54	-35.49	44.79	1	Vertical	112	1.54	-	37.71	15.20	49.65
AV	19.24658G	35.90	63.54	-27.64	32.65	1	Vertical	112	1.54	-	37.70	15.20	49.65

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24662G	48.10	83.54	-35.44	44.85	1	Horizontal	181	1.55	-	37.70	15.20	49.65
AV	19.24724G	35.87	63.54	-27.67	32.62	1	Horizontal	181	1.55	-	37.70	15.20	49.65

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	58.33	88.20	-29.87	51.30	3	Vertical	108	1.00	-	35.02	5.36	33.35
RMS	5.9228G	48.31	68.20	-19.89	41.26	3	Vertical	108	1.00	-	35.04	5.36	33.35
PK	6.4298G	100.68	Inf	-Inf	92.43	3	Vertical	108	1.00	-	35.64	5.70	33.09
RMS	6.4298G	91.12	Inf	-Inf	82.87	3	Vertical	108	1.00	-	35.64	5.70	33.09

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7928G	58.74	88.20	-29.46	52.25	3	Horizontal	317	2.57	-	34.49	5.30	33.30
RMS	5.9202G	48.33	68.20	-19.87	41.30	3	Horizontal	317	2.57	-	35.02	5.36	33.35
PK	6.4402G	108.85	Inf	-Inf	100.61	3	Horizontal	317	2.57	-	35.62	5.70	33.08
RMS	6.4402G	98.37	Inf	-Inf	90.13	3	Horizontal	317	2.57	-	35.62	5.70	33.08

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8598G	56.39	88.20	-31.81	42.83	3	Vertical	2	2.02	-	39.46	8.83	34.73
RMS	12.85566G	43.56	68.20	-24.64	30.00	3	Vertical	2	2.02	-	39.46	8.83	34.73

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86484G	56.38	88.20	-31.82	42.82	3	Horizontal	189	2.05	-	39.46	8.83	34.73
RMS	12.86442G	43.93	68.20	-24.27	30.37	3	Horizontal	189	2.05	-	39.46	8.83	34.73

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30176G	48.62	83.54	-34.92	45.32	1	Vertical	236	1.57	-	37.74	15.22	49.66
AV	19.30332G	36.15	63.54	-27.39	32.85	1	Vertical	236	1.57	-	37.74	15.22	49.66

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30222G	49.25	83.54	-34.29	45.95	1	Horizontal	274	1.55	-	37.74	15.22	49.66
AV	19.3067G	36.24	63.54	-27.30	32.93	1	Horizontal	274	1.55	-	37.75	15.22	49.66

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.767G	59.64	88.20	-28.56	53.20	3	Vertical	21	2.97	-	34.43	5.30	33.29
RMS	5.923G	48.34	68.20	-19.86	41.29	3	Vertical	21	2.97	-	35.04	5.36	33.35
PK	6.478G	100.27	Inf	-Inf	91.91	3	Vertical	21	2.97	-	35.71	5.70	33.05
RMS	6.481G	91.34	Inf	-Inf	82.97	3	Vertical	21	2.97	-	35.72	5.70	33.05
PK	7.183G	62.03	88.20	-26.17	52.32	3	Vertical	21	2.97	-	37.23	5.99	33.51
RMS	7.144G	51.36	68.20	-16.84	41.80	3	Vertical	21	2.97	-	37.05	5.97	33.46

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.836G	58.99	88.20	-29.21	52.26	3	Horizontal	316	2.56	-	34.72	5.32	33.31
RMS	5.923G	48.36	68.20	-19.84	41.31	3	Horizontal	316	2.56	-	35.04	5.36	33.35
PK	6.481G	107.74	Inf	-Inf	99.37	3	Horizontal	316	2.56	-	35.72	5.70	33.05
RMS	6.472G	98.52	Inf	-Inf	90.19	3	Horizontal	316	2.56	-	35.69	5.70	33.06
PK	7.144G	61.57	88.20	-26.63	52.01	3	Horizontal	316	2.56	-	37.05	5.97	33.46
RMS	7.144G	51.30	68.20	-16.90	41.74	3	Horizontal	316	2.56	-	37.05	5.97	33.46

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94058G	55.89	88.20	-32.31	42.21	3	Vertical	116	1.99	-	39.58	8.81	34.71
RMS	12.95426G	44.01	68.20	-24.19	30.30	3	Vertical	116	1.99	-	39.61	8.81	34.71

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95258G	56.93	88.20	-31.27	43.22	3	Horizontal	38	2.43	-	39.61	8.81	34.71
RMS	12.94484G	43.95	68.20	-24.25	30.26	3	Horizontal	38	2.43	-	39.59	8.81	34.71

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42186G	49.06	83.54	-34.48	45.63	1	Vertical	313	1.57	-	37.84	15.27	49.68
AV	19.42608G	36.59	63.54	-26.95	33.17	1	Vertical	313	1.57	-	37.84	15.27	49.69

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.421G	49.28	83.54	-34.26	45.85	1	Horizontal	301	1.54	-	37.84	15.27	49.68
AV	19.42574G	36.41	63.54	-27.13	32.99	1	Horizontal	301	1.54	-	37.84	15.27	49.69

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8402G	58.94	88.20	-29.26	52.20	3	Vertical	98	2.85	-	34.74	5.32	33.32
RMS	5.9214G	48.27	68.20	-19.93	41.23	3	Vertical	98	2.85	-	35.03	5.36	33.35
PK	6.5094G	100.04	Inf	-Inf	91.54	3	Vertical	98	2.85	-	35.84	5.70	33.04
RMS	6.5122G	90.34	Inf	-Inf	81.84	3	Vertical	98	2.85	-	35.85	5.70	33.05
PK	7.1254G	62.04	88.20	-26.16	52.62	3	Vertical	98	2.85	-	36.90	5.96	33.44
RMS	7.1282G	51.41	68.20	-16.79	41.96	3	Vertical	98	2.85	-	36.93	5.96	33.44

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	58.78	88.20	-29.42	51.89	3	Horizontal	311	2.62	-	34.88	5.35	33.34
RMS	5.9242G	48.28	68.20	-19.92	41.22	3	Horizontal	311	2.62	-	35.05	5.36	33.35
PK	6.5206G	106.66	Inf	-Inf	98.13	3	Horizontal	311	2.62	-	35.88	5.70	33.05
RMS	6.5122G	97.31	Inf	-Inf	88.81	3	Horizontal	311	2.62	-	35.85	5.70	33.05
PK	7.1982G	61.50	88.20	-26.70	51.74	3	Horizontal	311	2.62	-	37.29	6.00	33.53
RMS	7.1282G	51.37	68.20	-16.83	41.92	3	Horizontal	311	2.62	-	36.93	5.96	33.44

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0183G	55.84	88.20	-32.36	42.04	3	Vertical	72	1.84	-	39.70	8.80	34.70
RMS	13.02016G	43.91	68.20	-24.29	30.11	3	Vertical	72	1.84	-	39.70	8.80	34.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04092G	56.26	88.20	-31.94	42.47	3	Horizontal	137	2.23	-	39.70	8.79	34.70
RMS	13.01806G	43.87	68.20	-24.33	30.07	3	Horizontal	137	2.23	-	39.70	8.80	34.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54194G	48.83	83.54	-34.71	45.33	1	Vertical	296	1.54	-	37.88	15.32	49.70
AV	19.54864G	36.15	63.54	-27.39	32.65	1	Vertical	296	1.54	-	37.88	15.32	49.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5456G	48.45	83.54	-35.09	44.95	1	Horizontal	41	1.51	-	37.88	15.32	49.70
AV	19.54438G	36.25	63.54	-27.29	32.75	1	Horizontal	41	1.51	-	37.88	15.32	49.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	58.75	88.20	-29.45	51.86	3	Vertical	337	3.00	-	34.88	5.35	33.34
RMS	5.8798G	48.29	68.20	-19.91	41.42	3	Vertical	337	3.00	-	34.86	5.34	33.33
PK	6.5434G	100.70	Inf	-Inf	92.09	3	Vertical	337	3.00	-	35.97	5.70	33.06
RMS	6.5406G	90.31	Inf	-Inf	81.71	3	Vertical	337	3.00	-	35.96	5.70	33.06
PK	7.1342G	61.80	88.20	-26.40	52.31	3	Vertical	337	3.00	-	36.97	5.97	33.45
RMS	7.137G	51.36	68.20	-16.84	41.84	3	Vertical	337	3.00	-	37.00	5.97	33.45

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	58.78	88.20	-29.42	51.87	3	Horizontal	310	2.58	-	34.90	5.35	33.34
RMS	5.8854G	48.27	68.20	-19.93	41.39	3	Horizontal	310	2.58	-	34.87	5.34	33.33
PK	6.5434G	107.43	Inf	-Inf	98.82	3	Horizontal	310	2.58	-	35.97	5.70	33.06
RMS	6.5434G	97.19	Inf	-Inf	88.58	3	Horizontal	310	2.58	-	35.97	5.70	33.06
PK	7.2238G	62.01	88.20	-26.19	52.21	3	Horizontal	310	2.58	-	37.35	6.01	33.56
RMS	7.137G	51.37	68.20	-16.83	41.85	3	Horizontal	310	2.58	-	37.00	5.97	33.45

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05788G	56.23	88.20	-31.97	42.44	3	Vertical	102	2.47	-	39.70	8.79	34.70
RMS	13.07054G	43.89	68.20	-24.31	30.10	3	Vertical	102	2.47	-	39.70	8.79	34.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07642G	56.14	88.20	-32.06	42.36	3	Horizontal	353	2.91	-	39.70	8.78	34.70
RMS	13.0742G	43.81	68.20	-24.39	30.02	3	Horizontal	353	2.91	-	39.70	8.79	34.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60426G	49.53	83.54	-34.01	46.03	1	Vertical	204	1.54	-	37.86	15.34	49.70
AV	19.60876G	36.79	63.54	-26.75	33.29	1	Vertical	204	1.54	-	37.86	15.34	49.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 39
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60088G	49.13	83.54	-34.41	45.63	1	Horizontal	349	1.58	-	37.86	15.34	49.70
AV	19.60208G	36.98	63.54	-26.56	33.48	1	Horizontal	349	1.58	-	37.86	15.34	49.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	102.29	Inf	-Inf	93.52	3	Vertical	111	2.52	-	36.20	5.70	33.13
RMS	6.6906G	90.67	Inf	-Inf	81.91	3	Vertical	111	2.52	-	36.20	5.70	33.14
PK	7.2406G	62.42	88.20	-25.78	52.60	3	Vertical	111	2.52	-	37.38	6.02	33.58
RMS	7.2406G	51.35	68.20	-16.85	41.53	3	Vertical	111	2.52	-	37.38	6.02	33.58

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 42
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	109.67	Inf	-Inf	100.91	3	Horizontal	288	1.86	-	36.20	5.70	33.14
RMS	6.6906G	98.81	Inf	-Inf	90.05	3	Horizontal	288	1.86	-	36.20	5.70	33.14
PK	7.2296G	61.70	88.20	-26.50	51.90	3	Horizontal	288	1.86	-	37.36	6.01	33.57
RMS	7.2384G	51.45	68.20	-16.75	41.63	3	Horizontal	288	1.86	-	37.38	6.02	33.58

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38866G	57.67	74.00	-16.33	43.49	3	Vertical	329	2.13	-	40.18	8.72	34.72
AV	13.38648G	44.94	54.00	-9.06	30.77	3	Vertical	329	2.13	-	40.17	8.72	34.72

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39112G	57.36	74.00	-16.64	43.18	3	Horizontal	163	1.76	-	40.18	8.72	34.72
AV	13.39308G	44.68	54.00	-9.32	30.49	3	Horizontal	163	1.76	-	40.19	8.72	34.72

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08632G	47.05	83.54	-36.49	43.77	1	Vertical	179	1.50	-	37.47	15.54	49.73
AV	20.0851G	34.71	63.54	-28.83	31.43	1	Vertical	179	1.50	-	37.47	15.54	49.73

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08216G	47.01	83.54	-36.53	43.73	1	Horizontal	291	1.52	-	37.47	15.54	49.73
AV	20.08024G	34.73	63.54	-28.81	31.46	1	Horizontal	291	1.52	-	37.46	15.54	49.73

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8508G	102.85	Inf	-Inf	93.72	3	Vertical	120	2.33	-	36.60	5.75	33.22
RMS	6.8508G	90.36	Inf	-Inf	81.23	3	Vertical	120	2.33	-	36.60	5.75	33.22
PK	7.1574G	62.16	88.20	-26.04	52.53	3	Vertical	120	2.33	-	37.13	5.98	33.48
RMS	7.1252G	51.50	68.20	-16.70	42.08	3	Vertical	120	2.33	-	36.90	5.96	33.44

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	108.10	Inf	-Inf	98.96	3	Horizontal	289	1.79	-	36.60	5.75	33.21
RMS	6.8564G	97.78	Inf	-Inf	88.67	3	Horizontal	289	1.79	-	36.57	5.76	33.22
PK	7.135G	62.25	88.20	-25.95	52.75	3	Horizontal	289	1.79	-	36.98	5.97	33.45
RMS	7.1252G	51.64	68.20	-16.56	42.22	3	Horizontal	289	1.79	-	36.90	5.96	33.44

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71134G	58.30	88.20	-29.90	44.04	3	Vertical	18	2.34	-	40.41	8.66	34.81
RMS	13.7075G	45.62	68.20	-22.58	31.36	3	Vertical	18	2.34	-	40.41	8.66	34.81

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70724G	58.53	88.20	-29.67	44.27	3	Horizontal	292	2.91	-	40.41	8.66	34.81
RMS	13.71296G	45.73	68.20	-22.47	31.47	3	Horizontal	292	2.91	-	40.41	8.66	34.81

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5647G	50.05	83.54	-33.49	46.39	1	Vertical	341	1.55	-	37.78	15.75	49.87
AV	20.56532G	36.63	63.54	-26.91	32.97	1	Vertical	341	1.55	-	37.78	15.75	49.87

802.11ax HEW20_Nss4,(MCS0)_4TX


6855MHz_TnomVnom



EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56138G	49.40	83.54	-34.14	45.76	1	Horizontal	204	1.52	-	37.77	15.75	49.88
AV	20.56268G	36.63	63.54	-26.91	32.97	1	Horizontal	204	1.52	-	37.78	15.75	49.87

802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 41
 04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.868G	101.93	Inf	-Inf	92.85	3	Vertical	107	2.59	-	36.53	5.77	33.22
RMS	6.8694G	90.66	Inf	-Inf	81.59	3	Vertical	107	2.59	-	36.52	5.77	33.22
PK	7.1998G	62.42	88.20	-25.78	52.65	3	Vertical	107	2.59	-	37.30	6.00	33.53
RMS	7.1368G	51.46	68.20	-16.74	41.95	3	Vertical	107	2.59	-	36.99	5.97	33.45

802.11ax HEW20_Nss4,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8694G	108.41	Inf	-Inf	99.34	3	Horizontal	288	1.78	-	36.52	5.77	33.22
RMS	6.8708G	98.13	Inf	-Inf	89.07	3	Horizontal	288	1.78	-	36.52	5.77	33.23
PK	7.2124G	62.55	88.20	-25.65	52.76	3	Horizontal	288	1.78	-	37.32	6.01	33.54
RMS	7.134G	51.58	68.20	-16.62	42.09	3	Horizontal	288	1.78	-	36.97	5.97	33.45

802.11ax HEW20_Nss4,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




16/01/2022

EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75356G	58.93	88.20	-29.27	44.66	3	Vertical	123	1.75	-	40.45	8.65	34.83
RMS	13.75332G	46.40	68.20	-21.80	32.13	3	Vertical	123	1.75	-	40.45	8.65	34.83

802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
 Setting 41
 04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7536G	58.73	88.20	-29.47	44.46	3	Horizontal	304	2.30	-	40.45	8.65	34.83
RMS	13.75418G	46.50	68.20	-21.70	32.23	3	Horizontal	304	2.30	-	40.45	8.65	34.83

802.11ax HEW20_Nss4,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6287G	48.82	83.54	-34.72	45.04	1	Vertical	172	1.57	-	37.85	15.78	49.85
AV	20.62578G	36.47	63.54	-27.07	32.69	1	Vertical	172	1.57	-	37.85	15.78	49.85

802.11ax HEW20_Nss4,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62766G	48.50	83.54	-35.04	44.72	1	Horizontal	224	1.53	-	37.85	15.78	49.85
AV	20.6255G	36.59	63.54	-26.95	32.81	1	Horizontal	224	1.53	-	37.85	15.78	49.85

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.902G	98.60	Inf	-Inf	89.62	3	Vertical	277	2.18	-	36.42	5.80	33.24
RMS	6.8908G	88.56	Inf	-Inf	79.57	3	Vertical	277	2.18	-	36.44	5.79	33.24
PK	7.2212G	62.26	88.20	-25.94	52.47	3	Vertical	277	2.18	-	37.34	6.01	33.56
RMS	7.1372G	51.58	68.20	-16.62	42.06	3	Vertical	277	2.18	-	37.00	5.97	33.45

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8978G	107.93	Inf	-Inf	98.96	3	Horizontal	285	1.80	-	36.41	5.80	33.24
RMS	6.8908G	98.20	Inf	-Inf	89.21	3	Horizontal	285	1.80	-	36.44	5.79	33.24
PK	7.231G	62.96	88.20	-25.24	53.15	3	Horizontal	285	1.80	-	37.36	6.02	33.57
RMS	7.1372G	51.66	68.20	-16.54	42.14	3	Horizontal	285	1.80	-	37.00	5.97	33.45

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78878G	58.94	88.20	-29.26	44.65	3	Vertical	198	2.32	-	40.49	8.64	34.84
RMS	13.78736G	46.89	68.20	-21.31	32.60	3	Vertical	198	2.32	-	40.49	8.64	34.84

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 41
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78764G	58.87	88.20	-29.33	44.58	3	Horizontal	136	2.46	-	40.49	8.64	34.84
RMS	13.78794G	46.87	68.20	-21.33	32.58	3	Horizontal	136	2.46	-	40.49	8.64	34.84

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68152G	48.95	83.54	-34.59	45.05	1	Vertical	179	1.58	-	37.92	15.81	49.83
AV	20.689G	36.52	63.54	-27.02	32.60	1	Vertical	179	1.58	-	37.93	15.81	49.82

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 41
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68004G	48.81	83.54	-34.73	44.91	1	Horizontal	184	1.51	-	37.92	15.81	49.83
AV	20.68056G	36.63	63.54	-26.91	32.73	1	Horizontal	184	1.51	-	37.92	15.81	49.83

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 35
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.988G	98.79	Inf	-Inf	89.53	3	Vertical	264	2.23	-	36.65	5.89	33.28
RMS	7.002G	88.76	Inf	-Inf	79.54	3	Vertical	264	2.23	-	36.61	5.90	33.29
PK	7.202G	64.10	88.20	-24.10	54.33	3	Vertical	264	2.23	-	37.30	6.00	33.53
RMS	7.132G	51.56	68.20	-16.64	42.08	3	Vertical	264	2.23	-	36.96	5.97	33.45

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 35
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.991G	109.56	Inf	-Inf	100.32	3	Horizontal	281	1.76	-	36.64	5.89	33.29
RMS	6.993G	98.49	Inf	-Inf	89.26	3	Horizontal	281	1.76	-	36.63	5.89	33.29
PK	7.13G	62.63	88.20	-25.57	53.18	3	Horizontal	281	1.76	-	36.94	5.96	33.45
RMS	7.135G	51.65	68.20	-16.55	42.15	3	Horizontal	281	1.76	-	36.98	5.97	33.45

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99528G	59.59	88.20	-28.61	45.03	3	Vertical	232	1.54	-	40.89	8.60	34.93
RMS	13.99804G	47.07	68.20	-21.13	32.51	3	Vertical	232	1.54	-	40.89	8.60	34.93

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99012G	59.87	88.20	-28.33	45.33	3	Horizontal	144	1.80	-	40.87	8.60	34.93
RMS	13.99216G	47.63	68.20	-20.57	33.08	3	Horizontal	144	1.80	-	40.88	8.60	34.93

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98832G	48.67	83.54	-34.87	44.81	1	Vertical	275	1.53	-	37.62	15.94	49.70
AV	20.98636G	35.95	63.54	-27.59	32.10	1	Vertical	275	1.53	-	37.62	15.94	49.71

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 35
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98312G	49.59	83.54	-33.95	45.73	1	Horizontal	279	1.58	-	37.63	15.94	49.71
AV	20.98874G	35.89	63.54	-27.65	32.03	1	Horizontal	279	1.58	-	37.62	15.94	49.70

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 38
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	101.18	Inf	-Inf	91.94	3	Vertical	29	2.36	-	36.70	5.95	33.41
RMS	7.0986G	91.19	Inf	-Inf	81.95	3	Vertical	29	2.36	-	36.70	5.95	33.41
PK	7.1634G	62.81	88.20	-25.39	53.17	3	Vertical	29	2.36	-	37.15	5.98	33.49
RMS	7.1258G	51.93	68.20	-16.27	42.50	3	Vertical	29	2.36	-	36.91	5.96	33.44

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 38
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	110.09	Inf	-Inf	100.82	3	Horizontal	285	1.79	-	36.72	5.95	33.40
RMS	7.0926G	99.50	Inf	-Inf	90.24	3	Horizontal	285	1.79	-	36.71	5.95	33.40
PK	7.1298G	63.45	88.20	-24.75	54.00	3	Horizontal	285	1.79	-	36.94	5.96	33.45
RMS	7.1262G	52.81	68.20	-15.39	43.38	3	Horizontal	285	1.79	-	36.91	5.96	33.44

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 38
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20386G	58.46	88.20	-29.74	43.91	3	Vertical	113	2.13	-	40.79	8.65	34.89
RMS	14.18046G	46.23	68.20	-21.97	31.66	3	Vertical	113	2.13	-	40.82	8.65	34.90

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 38
04-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19336G	58.99	88.20	-29.21	44.43	3	Horizontal	298	2.57	-	40.81	8.65	34.90
RMS	14.18064G	46.10	68.20	-22.10	31.53	3	Horizontal	298	2.57	-	40.82	8.65	34.90

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28814G	50.53	83.54	-33.01	46.44	1	Vertical	255	1.54	-	37.65	16.08	49.64
AV	21.28788G	37.54	63.54	-26.00	33.45	1	Vertical	255	1.54	-	37.65	16.08	49.64

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 38
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28504G	50.08	83.54	-33.46	46.00	1	Horizontal	6	1.52	-	37.64	16.08	49.64
AV	21.28514G	37.43	63.54	-26.11	33.35	1	Horizontal	6	1.52	-	37.64	16.08	49.64

802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 48
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	63.49	88.20	-24.71	56.44	3	Vertical	320	2.34	-	35.04	5.36	33.35
AV	5.9234G	52.81	68.20	-15.39	45.76	3	Vertical	320	2.34	-	35.04	5.36	33.35
PK	5.9506G	97.97	Inf	-Inf	90.75	3	Vertical	320	2.34	-	35.20	5.38	33.36
AV	5.9538G	88.46	Inf	-Inf	81.22	3	Vertical	320	2.34	-	35.22	5.38	33.36

802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 48
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	69.71	88.20	-18.49	62.65	3	Horizontal	302	1.74	-	35.05	5.36	33.35
AV	5.925G	59.57	68.20	-8.63	52.51	3	Horizontal	302	1.74	-	35.05	5.36	33.35
PK	5.9722G	107.54	Inf	-Inf	100.23	3	Horizontal	302	1.74	-	35.29	5.39	33.37
AV	5.9738G	96.70	Inf	-Inf	89.38	3	Horizontal	302	1.74	-	35.30	5.39	33.37

802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9277G	56.84	74.00	-17.16	43.69	3	Vertical	208	1.07	-	39.12	8.95	34.92
AV	11.9304G	45.51	54.00	-8.49	32.37	3	Vertical	208	1.07	-	39.11	8.95	34.92
PK	17.89718G	55.39	74.00	-18.61	38.41	3	Vertical	279	1.98	-	41.99	9.76	34.77
AV	17.8923G	44.63	54.00	-9.37	27.66	3	Vertical	279	1.98	-	41.98	9.76	34.77

802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9276G	57.61	74.00	-16.39	44.46	3	Horizontal	65	2.72	-	39.12	8.95	34.92
AV	11.9295G	45.82	54.00	-8.18	32.68	3	Horizontal	65	2.72	-	39.11	8.95	34.92
PK	17.89782G	55.60	74.00	-18.40	38.62	3	Horizontal	224	2.31	-	41.99	9.76	34.77
AV	17.89118G	44.84	54.00	-9.16	27.88	3	Horizontal	224	2.31	-	41.97	9.76	34.77

802.11ax HEW40_Nss4,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9154G	59.15	88.20	-29.05	52.15	3	Vertical	106	1.00	-	34.99	5.36	33.35
RMS	5.9218G	48.49	68.20	-19.71	41.45	3	Vertical	106	1.00	-	35.03	5.36	33.35
PK	6.1698G	101.21	Inf	-Inf	93.38	3	Vertical	106	1.00	-	35.52	5.57	33.26
RMS	6.1618G	91.92	Inf	-Inf	84.16	3	Vertical	106	1.00	-	35.47	5.56	33.27

802.11ax HEW40_Nss4,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7826G	59.20	88.20	-29.00	52.72	3	Horizontal	308	1.80	-	34.47	5.30	33.29
RMS	5.9234G	48.84	68.20	-19.36	41.79	3	Horizontal	308	1.80	-	35.04	5.36	33.35
PK	6.173G	109.23	Inf	-Inf	101.38	3	Horizontal	308	1.80	-	35.54	5.57	33.26
RMS	6.1538G	98.58	Inf	-Inf	90.89	3	Horizontal	308	1.80	-	35.42	5.55	33.28

802.11ax HEW40_Nss4,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 51
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33408G	55.96	74.00	-18.04	43.08	3	Vertical	279	2.91	-	38.80	8.93	34.85
AV	12.32934G	45.41	54.00	-8.59	32.54	3	Vertical	279	2.91	-	38.79	8.93	34.85

802.11ax HEW40_Nss4,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 51
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3348G	56.18	74.00	-17.82	43.30	3	Horizontal	325	1.82	-	38.80	8.93	34.85
AV	12.33112G	45.21	54.00	-8.79	32.34	3	Horizontal	325	1.82	-	38.79	8.93	34.85

802.11ax HEW40_Nss4,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49326G	48.11	83.54	-35.43	45.52	1	Vertical	43	1.50	-	37.79	14.90	50.10
AV	18.49996G	37.33	63.54	-26.21	34.73	1	Vertical	43	1.50	-	37.80	14.90	50.10

802.11ax HEW40_Nss4,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49014G	48.51	83.54	-35.03	45.92	1	Horizontal	236	1.53	-	37.79	14.90	50.10
AV	18.49774G	37.56	63.54	-25.98	34.96	1	Horizontal	236	1.53	-	37.80	14.90	50.10

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	59.16	88.20	-29.04	52.33	3	Vertical	106	1.01	-	34.82	5.33	33.32
RMS	5.9094G	48.45	68.20	-19.75	41.48	3	Vertical	106	1.01	-	34.96	5.35	33.34
PK	6.4106G	100.29	Inf	-Inf	92.01	3	Vertical	106	1.01	-	35.68	5.70	33.10
RMS	6.4106G	90.89	Inf	-Inf	82.61	3	Vertical	106	1.01	-	35.68	5.70	33.10

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 49
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.817G	59.08	88.20	-29.12	52.48	3	Horizontal	300	1.80	-	34.60	5.31	33.31
RMS	5.9234G	48.57	68.20	-19.63	41.52	3	Horizontal	300	1.80	-	35.04	5.36	33.35
PK	6.3966G	106.75	Inf	-Inf	98.47	3	Horizontal	300	1.80	-	35.69	5.70	33.11
RMS	6.4022G	96.95	Inf	-Inf	88.66	3	Horizontal	300	1.80	-	35.70	5.70	33.11

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80864G	57.16	88.20	-31.04	43.65	3	Vertical	345	1.58	-	39.41	8.84	34.74
RMS	12.80896G	46.10	68.20	-22.10	32.59	3	Vertical	345	1.58	-	39.41	8.84	34.74

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80588G	56.64	88.20	-31.56	43.13	3	Horizontal	280	2.25	-	39.41	8.84	34.74
RMS	12.8104G	46.00	68.20	-22.20	32.49	3	Horizontal	280	2.25	-	39.41	8.84	34.74

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2155G	48.01	83.54	-35.53	44.72	1	Vertical	272	1.51	-	37.74	15.19	49.64
AV	19.21502G	37.18	63.54	-26.36	33.89	1	Vertical	272	1.51	-	37.74	15.19	49.64

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21486G	48.24	83.54	-35.30	44.95	1	Horizontal	221	1.56	-	37.74	15.19	49.64
AV	19.2153G	37.31	63.54	-26.23	34.02	1	Horizontal	221	1.56	-	37.74	15.19	49.64

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	59.38	88.20	-28.82	52.46	3	Vertical	101	2.78	-	34.91	5.35	33.34
RMS	5.8946G	48.49	68.20	-19.71	41.59	3	Vertical	101	2.78	-	34.89	5.35	33.34
PK	6.4546G	100.82	Inf	-Inf	92.57	3	Vertical	101	2.78	-	35.62	5.70	33.07
RMS	6.461G	90.75	Inf	-Inf	82.48	3	Vertical	101	2.78	-	35.64	5.70	33.07
PK	7.181G	61.80	88.20	-26.40	52.10	3	Vertical	101	2.78	-	37.22	5.99	33.51
RMS	7.245G	51.56	68.20	-16.64	41.73	3	Vertical	101	2.78	-	37.39	6.02	33.58

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8914G	58.63	88.20	-29.57	51.74	3	Horizontal	315	2.59	-	34.88	5.35	33.34
RMS	5.925G	48.56	68.20	-19.64	41.50	3	Horizontal	315	2.59	-	35.05	5.36	33.35
PK	6.429G	108.45	Inf	-Inf	100.20	3	Horizontal	315	2.59	-	35.64	5.70	33.09
RMS	6.429G	98.29	Inf	-Inf	90.04	3	Horizontal	315	2.59	-	35.64	5.70	33.09
PK	7.1362G	62.68	88.20	-25.52	53.17	3	Horizontal	315	2.59	-	36.99	5.97	33.45
RMS	7.2418G	51.53	68.20	-16.67	41.71	3	Horizontal	315	2.59	-	37.38	6.02	33.58

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89148G	56.13	88.20	-32.07	42.54	3	Vertical	8	2.25	-	39.49	8.82	34.72
RMS	12.88984G	45.67	68.20	-22.53	32.08	3	Vertical	8	2.25	-	39.49	8.82	34.72

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89118G	56.86	88.20	-31.34	43.27	3	Horizontal	152	1.99	-	39.49	8.82	34.72
RMS	12.8926G	45.67	68.20	-22.53	32.08	3	Horizontal	152	1.99	-	39.49	8.82	34.72

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33196G	48.31	83.54	-35.23	44.98	1	Vertical	212	1.58	-	37.77	15.23	49.67
AV	19.33948G	37.75	63.54	-25.79	34.41	1	Vertical	212	1.58	-	37.77	15.24	49.67

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33498G	49.08	83.54	-34.46	45.75	1	Horizontal	206	1.57	-	37.77	15.23	49.67
AV	19.33428G	37.43	63.54	-26.11	34.10	1	Horizontal	206	1.57	-	37.77	15.23	49.67

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	58.29	88.20	-29.91	51.41	3	Vertical	21	3.00	-	34.87	5.34	33.33
RMS	5.912G	48.42	68.20	-19.78	41.43	3	Vertical	21	3.00	-	34.97	5.36	33.34
PK	6.473G	102.56	Inf	-Inf	94.23	3	Vertical	21	3.00	-	35.69	5.70	33.06
RMS	6.473G	91.52	Inf	-Inf	83.19	3	Vertical	21	3.00	-	35.69	5.70	33.06
PK	7.232G	61.89	88.20	-26.31	52.08	3	Vertical	21	3.00	-	37.36	6.02	33.57
RMS	7.232G	51.37	68.20	-16.83	41.56	3	Vertical	21	3.00	-	37.36	6.02	33.57

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.807G	58.68	88.20	-29.52	52.14	3	Horizontal	314	2.66	-	34.54	5.30	33.30
RMS	5.921G	48.51	68.20	-19.69	41.47	3	Horizontal	314	2.66	-	35.03	5.36	33.35
PK	6.488G	107.87	Inf	-Inf	99.47	3	Horizontal	314	2.66	-	35.75	5.70	33.05
RMS	6.488G	98.16	Inf	-Inf	89.76	3	Horizontal	314	2.66	-	35.75	5.70	33.05
PK	7.145G	61.44	88.20	-26.76	51.87	3	Horizontal	314	2.66	-	37.06	5.97	33.46
RMS	7.22G	51.36	68.20	-16.84	41.56	3	Horizontal	314	2.66	-	37.34	6.01	33.55

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97064G	57.25	88.20	-30.95	43.51	3	Vertical	323	1.28	-	39.64	8.81	34.71
RMS	12.9664G	46.55	68.20	-21.65	32.82	3	Vertical	323	1.28	-	39.63	8.81	34.71

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97326G	57.72	88.20	-30.48	43.97	3	Horizontal	200	2.57	-	39.65	8.81	34.71
RMS	12.96504G	46.25	68.20	-21.95	32.52	3	Horizontal	200	2.57	-	39.63	8.81	34.71

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.456G	48.93	83.54	-34.61	45.48	1	Vertical	334	1.57	-	37.86	15.28	49.69
AV	19.45912G	38.05	63.54	-25.49	34.59	1	Vertical	334	1.57	-	37.87	15.28	49.69

802.11ax HEW40_Nss4,(MCS0)_4TX


6485MHz_TnomVnom



EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45342G	49.30	83.54	-34.24	45.85	1	Horizontal	65	1.56	-	37.86	15.28	49.69
AV	19.45476G	37.82	63.54	-25.72	34.37	1	Horizontal	65	1.56	-	37.86	15.28	49.69


802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 49
 04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.825G	59.25	88.20	-28.95	52.60	3	Vertical	100	2.92	-	34.65	5.31	33.31
RMS	5.925G	48.52	68.20	-19.68	41.46	3	Vertical	100	2.92	-	35.05	5.36	33.35
PK	6.511G	100.07	Inf	-Inf	91.58	3	Vertical	100	2.92	-	35.84	5.70	33.05
RMS	6.5334G	90.75	Inf	-Inf	82.18	3	Vertical	100	2.92	-	35.93	5.70	33.06
PK	7.2138G	62.31	88.20	-25.89	52.52	3	Vertical	100	2.92	-	37.33	6.01	33.55
RMS	7.1438G	51.50	68.20	-16.70	41.94	3	Vertical	100	2.92	-	37.05	5.97	33.46

802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
 Setting 49
 04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8698G	59.05	88.20	-29.15	52.21	3	Horizontal	314	2.64	-	34.84	5.33	33.33
RMS	5.923G	48.50	68.20	-19.70	41.45	3	Horizontal	314	2.64	-	35.04	5.36	33.35
PK	6.5222G	108.37	Inf	-Inf	99.83	3	Horizontal	314	2.64	-	35.89	5.70	33.05
RMS	6.5278G	97.81	Inf	-Inf	89.25	3	Horizontal	314	2.64	-	35.91	5.70	33.05
PK	7.1606G	61.83	88.20	-26.37	52.19	3	Horizontal	314	2.64	-	37.14	5.98	33.48
RMS	7.1438G	51.50	68.20	-16.70	41.94	3	Horizontal	314	2.64	-	37.05	5.97	33.46

802.11ax HEW40_Nss4,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05326G	56.89	88.20	-31.31	43.10	3	Vertical	21	2.59	-	39.70	8.79	34.70
RMS	13.0455G	46.49	68.20	-21.71	32.70	3	Vertical	21	2.59	-	39.70	8.79	34.70

802.11ax HEW40_Nss4,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 49
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04998G	56.90	88.20	-31.30	43.11	3	Horizontal	226	1.01	-	39.70	8.79	34.70
RMS	13.04692G	46.20	68.20	-22.00	32.41	3	Horizontal	226	1.01	-	39.70	8.79	34.70


802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
 Setting 49
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57026G	48.86	83.54	-34.68	45.36	1	Vertical	20	1.58	-	37.87	15.33	49.70
AV	19.57984G	38.13	63.54	-25.41	34.63	1	Vertical	20	1.58	-	37.87	15.33	49.70

802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
 Setting 49
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5734G	48.39	83.54	-35.15	44.89	1	Horizontal	15	1.56	-	37.87	15.33	49.70
AV	19.57996G	37.80	63.54	-25.74	34.30	1	Horizontal	15	1.56	-	37.87	15.33	49.70

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	101.13	Inf	-Inf	92.48	3	Vertical	98	2.84	-	36.02	5.70	33.07
RMS	6.553G	91.48	Inf	-Inf	82.84	3	Vertical	98	2.84	-	36.01	5.70	33.07
PK	7.1482G	61.89	88.20	-26.31	52.30	3	Vertical	98	2.84	-	37.09	5.97	33.47
RMS	7.1434G	51.50	68.20	-16.70	41.94	3	Vertical	98	2.84	-	37.05	5.97	33.46

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.553G	108.66	Inf	-Inf	100.02	3	Horizontal	289	1.51	-	36.01	5.70	33.07
RMS	6.553G	98.56	Inf	-Inf	89.92	3	Horizontal	289	1.51	-	36.01	5.70	33.07
PK	7.1266G	62.32	88.20	-25.88	52.89	3	Horizontal	289	1.51	-	36.91	5.96	33.44
RMS	7.1338G	51.54	68.20	-16.66	42.05	3	Horizontal	289	1.51	-	36.97	5.97	33.45

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13124G	58.10	88.20	-30.10	44.28	3	Vertical	341	2.78	-	39.76	8.77	34.71
RMS	13.12516G	46.17	68.20	-22.03	32.36	3	Vertical	341	2.78	-	39.75	8.77	34.71

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.133G	57.25	88.20	-30.95	43.42	3	Horizontal	167	1.52	-	39.77	8.77	34.71
RMS	13.13212G	46.91	68.20	-21.29	33.09	3	Horizontal	167	1.52	-	39.76	8.77	34.71

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69316G	48.97	83.54	-34.57	45.47	1	Vertical	259	1.55	-	37.82	15.38	49.70
AV	19.6941G	38.20	63.54	-25.34	34.70	1	Vertical	259	1.55	-	37.82	15.38	49.70

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69222G	48.75	83.54	-34.79	45.25	1	Horizontal	309	1.58	-	37.82	15.38	49.70
AV	19.69364G	38.29	63.54	-25.25	34.79	1	Horizontal	309	1.58	-	37.82	15.38	49.70

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6762G	101.89	Inf	-Inf	93.12	3	Vertical	106	2.52	-	36.20	5.70	33.13
RMS	6.6784G	91.28	Inf	-Inf	82.51	3	Vertical	106	2.52	-	36.20	5.70	33.13
PK	7.1756G	61.35	88.20	-26.85	51.66	3	Vertical	106	2.52	-	37.20	5.99	33.50
RMS	7.1426G	51.51	68.20	-16.69	41.96	3	Vertical	106	2.52	-	37.04	5.97	33.46

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 52
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6982G	108.63	Inf	-Inf	99.87	3	Horizontal	286	1.80	-	36.20	5.70	33.14
RMS	6.696G	98.53	Inf	-Inf	89.77	3	Horizontal	286	1.80	-	36.20	5.70	33.14
PK	7.2218G	61.90	88.20	-26.30	52.11	3	Horizontal	286	1.80	-	37.34	6.01	33.56
RMS	7.125G	51.66	68.20	-16.54	42.24	3	Horizontal	286	1.80	-	36.90	5.96	33.44

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36978G	57.64	74.00	-16.36	43.48	3	Vertical	208	1.06	-	40.14	8.73	34.71
RMS	13.37154G	47.02	54.00	-6.98	32.86	3	Vertical	208	1.06	-	40.14	8.73	34.71

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37334G	57.65	74.00	-16.35	43.48	3	Horizontal	337	2.68	-	40.15	8.73	34.71
RMS	13.36512G	47.24	54.00	-6.76	33.09	3	Horizontal	337	2.68	-	40.13	8.73	34.71

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05416G	47.60	83.54	-35.94	44.36	1	Vertical	31	1.55	-	37.44	15.52	49.72
AV	20.05836G	36.40	63.54	-27.14	33.14	1	Vertical	31	1.55	-	37.45	15.53	49.72

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05168G	47.17	83.54	-36.37	43.93	1	Horizontal	293	1.55	-	37.44	15.52	49.72
AV	20.05828G	36.20	63.54	-27.34	32.94	1	Horizontal	293	1.55	-	37.45	15.53	49.72

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.837G	100.91	Inf	-Inf	91.86	3	Vertical	100	2.51	-	36.52	5.74	33.21
RMS	6.837G	90.59	Inf	-Inf	81.54	3	Vertical	100	2.51	-	36.52	5.74	33.21
PK	7.229G	61.69	88.20	-26.51	51.88	3	Vertical	100	2.51	-	37.36	6.01	33.56
RMS	7.237G	51.56	68.20	-16.64	41.74	3	Vertical	100	2.51	-	37.37	6.02	33.57

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 50
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	107.74	Inf	-Inf	98.63	3	Horizontal	291	1.80	-	36.57	5.76	33.22
RMS	6.8578G	97.54	Inf	-Inf	88.43	3	Horizontal	291	1.80	-	36.57	5.76	33.22
PK	7.2418G	61.95	88.20	-26.25	52.13	3	Horizontal	291	1.80	-	37.38	6.02	33.58
RMS	7.1298G	51.72	68.20	-16.48	42.27	3	Horizontal	291	1.80	-	36.94	5.96	33.45

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68856G	58.81	88.20	-29.39	44.57	3	Vertical	245	2.83	-	40.38	8.66	34.80
RMS	13.6884G	47.86	68.20	-20.34	33.62	3	Vertical	245	2.83	-	40.38	8.66	34.80

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6873G	59.13	88.20	-29.07	44.90	3	Horizontal	102	2.95	-	40.37	8.66	34.80
RMS	13.69186G	47.83	68.20	-20.37	33.59	3	Horizontal	102	2.95	-	40.38	8.66	34.80

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5343G	48.91	83.54	-34.63	45.32	1	Vertical	295	1.57	-	37.74	15.74	49.89
AV	20.5307G	38.44	63.54	-25.10	34.85	1	Vertical	295	1.57	-	37.74	15.74	49.89

802.11ax HEW40_Nss4,(MCS0)_4TX


6845MHz_TnomVnom



EUT X_4TX
Setting 50
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5305G	48.95	83.54	-34.59	45.36	1	Horizontal	212	1.58	-	37.74	15.74	49.89
AV	20.53862G	38.54	63.54	-25.00	34.93	1	Horizontal	212	1.58	-	37.75	15.74	49.88


802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 53
 04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8668G	102.50	Inf	-Inf	93.42	3	Vertical	106	2.58	-	36.53	5.77	33.22
RMS	6.878G	91.25	Inf	-Inf	82.21	3	Vertical	106	2.58	-	36.49	5.78	33.23
PK	7.1342G	62.50	88.20	-25.70	53.01	3	Vertical	106	2.58	-	36.97	5.97	33.45
RMS	7.1412G	51.64	68.20	-16.56	42.10	3	Vertical	106	2.58	-	37.03	5.97	33.46


802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 53
 04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8808G	108.89	Inf	-Inf	99.86	3	Horizontal	57	1.62	-	36.48	5.78	33.23
RMS	6.8822G	98.50	Inf	-Inf	89.48	3	Horizontal	57	1.62	-	36.47	5.78	33.23
PK	7.1258G	62.06	88.20	-26.14	52.63	3	Horizontal	57	1.62	-	36.91	5.96	33.44
RMS	7.1426G	51.79	68.20	-16.41	42.24	3	Horizontal	57	1.62	-	37.04	5.97	33.46


802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom







EUT_X_4TX
 Setting 53
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76596G	60.30	88.20	-27.90	46.01	3	Vertical	61	1.27	-	40.47	8.65	34.83
RMS	13.76786G	48.77	68.20	-19.43	34.48	3	Vertical	61	1.27	-	40.47	8.65	34.83

802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT X_4TX
 Setting 53
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77044G	59.92	88.20	-28.28	45.63	3	Horizontal	149	1.62	-	40.47	8.65	34.83
RMS	13.76514G	48.93	68.20	-19.27	34.64	3	Horizontal	149	1.62	-	40.47	8.65	34.83

802.11ax HEW40_Nss4,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 53
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65402G	50.07	83.54	-33.47	46.24	1	Vertical	215	1.54	-	37.88	15.79	49.84
AV	20.65556G	38.11	63.54	-25.43	34.26	1	Vertical	215	1.54	-	37.89	15.80	49.84

802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
 Setting 53
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65372G	48.98	83.54	-34.56	45.15	1	Horizontal	315	1.53	-	37.88	15.79	49.84
AV	20.65896G	38.19	63.54	-25.35	34.34	1	Horizontal	315	1.53	-	37.89	15.80	49.84

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 46
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	99.04	Inf	-Inf	89.93	3	Vertical	270	2.15	-	36.54	5.82	33.25
RMS	6.9226G	89.08	Inf	-Inf	79.93	3	Vertical	270	2.15	-	36.58	5.82	33.25
PK	7.1962G	62.84	88.20	-25.36	53.09	3	Vertical	270	2.15	-	37.28	6.00	33.53
RMS	7.1326G	51.68	68.20	-16.52	42.20	3	Vertical	270	2.15	-	36.96	5.97	33.45

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 46
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9346G	109.01	Inf	-Inf	99.76	3	Horizontal	286	1.77	-	36.68	5.83	33.26
RMS	6.9226G	98.67	Inf	-Inf	89.52	3	Horizontal	286	1.77	-	36.58	5.82	33.25
PK	7.1326G	62.46	88.20	-25.74	52.98	3	Horizontal	286	1.77	-	36.96	5.97	33.45
RMS	7.1266G	52.07	68.20	-16.13	42.64	3	Horizontal	286	1.77	-	36.91	5.96	33.44

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84908G	60.41	88.20	-27.79	46.10	3	Vertical	263	2.99	-	40.55	8.63	34.87
RMS	13.84998G	49.47	68.20	-18.73	35.16	3	Vertical	263	2.99	-	40.55	8.63	34.87

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8545G	60.25	88.20	-27.95	45.94	3	Horizontal	31	2.96	-	40.55	8.63	34.87
RMS	13.85086G	49.20	68.20	-19.00	34.89	3	Horizontal	31	2.96	-	40.55	8.63	34.87

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77454G	49.06	83.54	-34.48	45.04	1	Vertical	171	1.50	-	37.96	15.85	49.79
AV	20.77196G	38.00	63.54	-25.54	33.98	1	Vertical	171	1.50	-	37.96	15.85	49.79

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77096G	48.55	83.54	-34.99	44.52	1	Horizontal	145	1.56	-	37.97	15.85	49.79
AV	20.77464G	37.98	63.54	-25.56	33.96	1	Horizontal	145	1.56	-	37.96	15.85	49.79

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0138G	102.26	Inf	-Inf	93.00	3	Vertical	334	2.91	-	36.66	5.91	33.31
RMS	7.013G	91.89	Inf	-Inf	82.64	3	Vertical	334	2.91	-	36.65	5.91	33.31
PK	7.1706G	62.26	88.20	-25.94	52.58	3	Vertical	334	2.91	-	37.18	5.99	33.49
RMS	7.1322G	51.77	68.20	-16.43	42.29	3	Vertical	334	2.91	-	36.96	5.97	33.45

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 47
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0138G	108.73	Inf	-Inf	99.47	3	Horizontal	284	1.80	-	36.66	5.91	33.31
RMS	7.0026G	98.65	Inf	-Inf	89.43	3	Horizontal	284	1.80	-	36.61	5.90	33.29
PK	7.1466G	63.38	88.20	-24.82	53.81	3	Horizontal	284	1.80	-	37.07	5.97	33.47
RMS	7.1274G	52.04	68.20	-16.16	42.60	3	Horizontal	284	1.80	-	36.92	5.96	33.44

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00832G	59.97	88.20	-28.23	45.40	3	Vertical	199	2.53	-	40.90	8.60	34.93
RMS	14.00688G	49.29	68.20	-18.91	34.72	3	Vertical	199	2.53	-	40.90	8.60	34.93

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00814G	60.07	88.20	-28.13	45.50	3	Horizontal	236	1.84	-	40.90	8.60	34.93
RMS	14.00716G	49.06	68.20	-19.14	34.49	3	Horizontal	236	1.84	-	40.90	8.60	34.93

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01672G	49.01	83.54	-34.53	45.15	1	Vertical	103	1.53	-	37.60	15.96	49.70
AV	21.01586G	38.15	63.54	-25.39	34.29	1	Vertical	103	1.53	-	37.60	15.96	49.70

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01388G	48.82	83.54	-34.72	44.96	1	Horizontal	0	1.55	-	37.60	15.96	49.70
AV	21.0143G	37.94	63.54	-25.60	34.08	1	Horizontal	0	1.55	-	37.60	15.96	49.70

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 48
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0734G	101.19	Inf	-Inf	91.88	3	Vertical	28	2.68	-	36.75	5.94	33.38
AV	7.0738G	90.86	Inf	-Inf	81.55	3	Vertical	28	2.68	-	36.75	5.94	33.38
PK	7.127G	66.81	88.20	-21.39	57.37	3	Vertical	28	2.68	-	36.92	5.96	33.44
AV	7.1254G	55.02	68.20	-13.18	45.60	3	Vertical	28	2.68	-	36.90	5.96	33.44

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 48
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0798G	109.43	Inf	-Inf	100.14	3	Horizontal	284	1.80	-	36.74	5.94	33.39
AV	7.0866G	98.40	Inf	-Inf	89.12	3	Horizontal	284	1.80	-	36.73	5.94	33.39
PK	7.125G	73.59	88.20	-14.61	64.17	3	Horizontal	284	1.80	-	36.90	5.96	33.44
AV	7.1254G	61.99	68.20	-6.21	52.57	3	Horizontal	284	1.80	-	36.90	5.96	33.44

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17496G	59.24	88.20	-28.96	44.67	3	Vertical	206	1.62	-	40.83	8.64	34.90
RMS	14.1715G	48.31	68.20	-19.89	33.74	3	Vertical	206	1.62	-	40.83	8.64	34.90

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16618G	59.48	88.20	-28.72	44.91	3	Horizontal	305	1.63	-	40.83	8.64	34.90
RMS	14.17106G	48.23	68.20	-19.97	33.66	3	Horizontal	305	1.63	-	40.83	8.64	34.90

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2575G	49.39	83.54	-34.15	45.36	1	Vertical	36	1.51	-	37.61	16.07	49.65
AV	21.25024G	38.29	63.54	-25.25	34.28	1	Vertical	36	1.51	-	37.60	16.06	49.65

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25424G	49.55	83.54	-33.99	45.53	1	Horizontal	95	1.58	-	37.61	16.06	49.65
AV	21.25574G	38.51	63.54	-25.03	34.48	1	Horizontal	95	1.58	-	37.61	16.07	49.65

802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 62
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	65.63	88.20	-22.57	58.61	3	Vertical	323	2.51	-	35.01	5.36	33.35
AV	5.9202G	55.84	68.20	-12.36	48.81	3	Vertical	323	2.51	-	35.02	5.36	33.35
PK	6.0202G	99.72	Inf	-Inf	92.27	3	Vertical	323	2.51	-	35.40	5.42	33.37
AV	6.0154G	89.45	Inf	-Inf	82.00	3	Vertical	323	2.51	-	35.40	5.42	33.37

802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 62
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	72.05	88.20	-16.15	65.06	3	Horizontal	303	1.76	-	34.98	5.36	33.35
AV	5.925G	61.90	68.20	-6.30	54.84	3	Horizontal	303	1.76	-	35.05	5.36	33.35
PK	5.9722G	108.62	Inf	-Inf	101.31	3	Horizontal	303	1.76	-	35.29	5.39	33.37
AV	5.9738G	97.61	Inf	-Inf	90.29	3	Horizontal	303	1.76	-	35.30	5.39	33.37

802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97414G	56.46	74.00	-17.54	43.44	3	Vertical	244	1.78	-	38.98	8.98	34.94
AV	11.96708G	45.40	54.00	-8.60	32.36	3	Vertical	244	1.78	-	39.00	8.98	34.94
PK	17.95556G	55.31	74.00	-18.69	38.29	3	Vertical	179	2.74	-	42.06	9.78	34.82
AV	17.95012G	44.82	54.00	-9.18	27.80	3	Vertical	179	2.74	-	42.05	9.78	34.81

802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96636G	56.56	74.00	-17.44	43.52	3	Horizontal	37	2.13	-	39.00	8.98	34.94
AV	11.97168G	46.06	54.00	-7.94	33.04	3	Horizontal	37	2.13	-	38.98	8.98	34.94
PK	17.95202G	56.22	74.00	-17.78	39.20	3	Horizontal	266	2.14	-	42.05	9.78	34.81
AV	17.95074G	44.92	54.00	-9.08	27.90	3	Horizontal	266	2.14	-	42.05	9.78	34.81

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 59
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	59.47	88.20	-28.73	52.43	3	Vertical	90	1.00	-	35.03	5.36	33.35
RMS	5.923G	48.75	68.20	-19.45	41.70	3	Vertical	90	1.00	-	35.04	5.36	33.35
PK	6.141G	101.50	Inf	-Inf	93.82	3	Vertical	90	1.00	-	35.42	5.54	33.28
RMS	6.129G	91.42	Inf	-Inf	83.74	3	Vertical	90	1.00	-	35.44	5.53	33.29

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 59
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.10	88.20	-29.10	52.04	3	Horizontal	306	1.78	-	35.05	5.36	33.35
RMS	5.923G	49.46	68.20	-18.74	42.41	3	Horizontal	306	1.78	-	35.04	5.36	33.35
PK	6.133G	108.97	Inf	-Inf	101.30	3	Horizontal	306	1.78	-	35.43	5.53	33.29
RMS	6.133G	98.18	Inf	-Inf	90.51	3	Horizontal	306	1.78	-	35.43	5.53	33.29

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28658G	55.95	74.00	-18.05	43.16	3	Vertical	99	2.90	-	38.71	8.94	34.86
AV	12.29006G	45.21	54.00	-8.79	32.42	3	Vertical	99	2.90	-	38.71	8.94	34.86

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29142G	56.56	74.00	-17.44	43.77	3	Horizontal	283	2.45	-	38.71	8.94	34.86
AV	12.29292G	45.18	54.00	-8.82	32.39	3	Horizontal	283	2.45	-	38.71	8.94	34.86

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43562G	48.07	83.54	-35.47	45.61	1	Vertical	142	1.58	-	37.72	14.87	50.13
AV	18.43804G	37.71	63.54	-25.83	35.22	1	Vertical	142	1.58	-	37.73	14.88	50.12

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43124G	47.98	83.54	-35.56	45.52	1	Horizontal	138	1.52	-	37.72	14.87	50.13
AV	18.43056G	37.32	63.54	-26.22	34.86	1	Horizontal	138	1.52	-	37.72	14.87	50.13

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6962G	58.71	88.20	-29.49	52.46	3	Vertical	109	1.00	-	34.21	5.30	33.26
RMS	5.925G	48.69	68.20	-19.51	41.63	3	Vertical	109	1.00	-	35.05	5.36	33.35
PK	6.3738G	100.03	Inf	-Inf	91.82	3	Vertical	109	1.00	-	35.65	5.69	33.13
RMS	6.371G	90.55	Inf	-Inf	82.35	3	Vertical	109	1.00	-	35.64	5.69	33.13

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.31	88.20	-28.89	52.25	3	Horizontal	315	2.63	-	35.05	5.36	33.35
RMS	5.925G	48.93	68.20	-19.27	41.87	3	Horizontal	315	2.63	-	35.05	5.36	33.35
PK	6.3682G	107.67	Inf	-Inf	99.48	3	Horizontal	315	2.63	-	35.64	5.68	33.13
RMS	6.3682G	97.96	Inf	-Inf	89.77	3	Horizontal	315	2.63	-	35.64	5.68	33.13

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77194G	57.22	88.20	-30.98	43.75	3	Vertical	207	1.63	-	39.37	8.85	34.75
RMS	12.76804G	46.13	68.20	-22.07	32.66	3	Vertical	207	1.63	-	39.37	8.85	34.75

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76634G	56.97	88.20	-31.23	43.50	3	Horizontal	113	1.13	-	39.37	8.85	34.75
RMS	12.76556G	45.71	68.20	-22.49	32.24	3	Horizontal	113	1.13	-	39.37	8.85	34.75

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15352G	49.02	83.54	-34.52	45.67	1	Vertical	354	1.57	-	37.82	15.16	49.63
AV	19.15036G	37.94	63.54	-25.60	34.59	1	Vertical	354	1.57	-	37.82	15.16	49.63

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15136G	48.37	83.54	-35.17	45.02	1	Horizontal	91	1.50	-	37.82	15.16	49.63
AV	19.1576G	37.85	63.54	-25.69	34.51	1	Horizontal	91	1.50	-	37.81	15.16	49.63

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 58
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	59.40	88.20	-28.80	52.45	3	Vertical	18	3.00	-	34.94	5.35	33.34
RMS	5.88G	48.55	68.20	-19.65	41.68	3	Vertical	18	3.00	-	34.86	5.34	33.33
PK	6.453G	101.95	Inf	-Inf	93.71	3	Vertical	18	3.00	-	35.61	5.70	33.07
RMS	6.453G	91.53	Inf	-Inf	83.29	3	Vertical	18	3.00	-	35.61	5.70	33.07
PK	7.185G	61.83	88.20	-26.37	52.11	3	Vertical	18	3.00	-	37.24	5.99	33.51
RMS	7.137G	51.63	68.20	-16.57	42.11	3	Vertical	18	3.00	-	37.00	5.97	33.45

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 58
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.883G	59.24	88.20	-28.96	52.36	3	Horizontal	317	2.59	-	34.87	5.34	33.33
RMS	5.925G	48.65	68.20	-19.55	41.59	3	Horizontal	317	2.59	-	35.05	5.36	33.35
PK	6.45G	106.84	Inf	-Inf	98.61	3	Horizontal	317	2.59	-	35.60	5.70	33.07
RMS	6.45G	97.13	Inf	-Inf	88.90	3	Horizontal	317	2.59	-	35.60	5.70	33.07
PK	7.158G	61.65	88.20	-26.55	52.02	3	Horizontal	317	2.59	-	37.13	5.98	33.48
RMS	7.14G	51.59	68.20	-16.61	42.06	3	Horizontal	317	2.59	-	37.02	5.97	33.46

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93464G	57.03	88.20	-31.17	43.36	3	Vertical	82	1.37	-	39.57	8.81	34.71
RMS	12.92982G	45.71	68.20	-22.49	32.05	3	Vertical	82	1.37	-	39.56	8.81	34.71

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92702G	56.93	88.20	-31.27	43.28	3	Horizontal	358	2.37	-	39.55	8.81	34.71
RMS	12.93328G	45.59	68.20	-22.61	31.92	3	Horizontal	358	2.37	-	39.57	8.81	34.71

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39304G	48.76	83.54	-34.78	45.37	1	Vertical	171	1.51	-	37.81	15.26	49.68
AV	19.39408G	38.23	63.54	-25.31	34.83	1	Vertical	171	1.51	-	37.82	15.26	49.68

802.11ax HEW80_Nss4,(MCS0)_4TX


6465MHz_TnomVnom



EUT_X_4TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39292G	49.15	83.54	-34.39	45.76	1	Horizontal	51	1.56	-	37.81	15.26	49.68
AV	19.39578G	38.36	63.54	-25.18	34.96	1	Horizontal	51	1.56	-	37.82	15.26	49.68


802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 61
 04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	58.56	88.20	-29.64	51.69	3	Vertical	337	3.00	-	34.86	5.34	33.33
RMS	5.9178G	48.55	68.20	-19.65	41.53	3	Vertical	337	3.00	-	35.01	5.36	33.35
PK	6.531G	100.85	Inf	-Inf	92.29	3	Vertical	337	3.00	-	35.92	5.70	33.06
RMS	6.559G	91.04	Inf	-Inf	82.39	3	Vertical	337	3.00	-	36.02	5.70	33.07
PK	7.217G	61.72	88.20	-26.48	51.93	3	Vertical	337	3.00	-	37.33	6.01	33.55
RMS	7.245G	51.67	68.20	-16.53	41.84	3	Vertical	337	3.00	-	37.39	6.02	33.58

802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
 Setting 61
 04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8646G	58.90	88.20	-29.30	52.07	3	Horizontal	282	1.67	-	34.83	5.33	33.33
RMS	5.9234G	48.63	68.20	-19.57	41.58	3	Horizontal	282	1.67	-	35.04	5.36	33.35
PK	6.5114G	106.46	Inf	-Inf	97.96	3	Horizontal	282	1.67	-	35.85	5.70	33.05
RMS	6.5506G	97.22	Inf	-Inf	88.59	3	Horizontal	282	1.67	-	36.00	5.70	33.07
PK	7.2254G	62.26	88.20	-25.94	52.46	3	Horizontal	282	1.67	-	37.35	6.01	33.56
RMS	7.2422G	51.66	68.20	-16.54	41.84	3	Horizontal	282	1.67	-	37.38	6.02	33.58

802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT_X_4TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08684G	57.19	88.20	-31.01	43.41	3	Vertical	165	1.76	-	39.70	8.78	34.70
RMS	13.09078G	46.04	68.20	-22.16	32.26	3	Vertical	165	1.76	-	39.70	8.78	34.70

802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT X_4TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08872G	56.87	88.20	-31.33	43.09	3	Horizontal	202	2.13	-	39.70	8.78	34.70
RMS	13.0868G	46.28	68.20	-21.92	32.50	3	Horizontal	202	2.13	-	39.70	8.78	34.70

802.11ax HEW80_Nss4,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63178G	48.46	83.54	-35.08	44.96	1	Vertical	302	1.53	-	37.85	15.35	49.70
AV	19.63116G	38.32	63.54	-25.22	34.82	1	Vertical	302	1.53	-	37.85	15.35	49.70

802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
 Setting 61
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63906G	48.97	83.54	-34.57	45.47	1	Horizontal	172	1.58	-	37.84	15.36	49.70
AV	19.63132G	37.96	63.54	-25.58	34.46	1	Horizontal	172	1.58	-	37.85	15.35	49.70

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 62
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5962G	100.69	Inf	-Inf	91.99	3	Vertical	107	1.11	-	36.09	5.70	33.09
RMS	6.6346G	90.75	Inf	-Inf	81.99	3	Vertical	107	1.11	-	36.17	5.70	33.11
PK	7.2202G	61.39	88.20	-26.81	51.59	3	Vertical	107	1.11	-	37.34	6.01	33.55
RMS	7.1434G	51.60	68.20	-16.60	42.04	3	Vertical	107	1.11	-	37.05	5.97	33.46

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.637G	107.22	Inf	-Inf	98.46	3	Horizontal	287	1.81	-	36.17	5.70	33.11
RMS	6.637G	97.87	Inf	-Inf	89.11	3	Horizontal	287	1.81	-	36.17	5.70	33.11
PK	7.129G	62.19	88.20	-26.01	52.74	3	Horizontal	287	1.81	-	36.93	5.96	33.44
RMS	7.1434G	51.73	68.20	-16.47	42.17	3	Horizontal	287	1.81	-	37.05	5.97	33.46

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24572G	57.14	88.20	-31.06	43.15	3	Vertical	147	2.87	-	39.95	8.75	34.71
RMS	13.2445G	46.60	68.20	-21.60	32.62	3	Vertical	147	2.87	-	39.94	8.75	34.71

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24516G	57.56	88.20	-30.64	43.57	3	Horizontal	163	2.37	-	39.95	8.75	34.71
RMS	13.2448G	46.58	68.20	-21.62	32.60	3	Horizontal	163	2.37	-	39.94	8.75	34.71

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87226G	48.56	83.54	-34.98	45.21	1	Vertical	316	1.50	-	37.60	15.45	49.70
AV	19.87852G	37.70	63.54	-25.84	34.36	1	Vertical	316	1.50	-	37.59	15.45	49.70

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87428G	48.48	83.54	-35.06	45.13	1	Horizontal	173	1.56	-	37.60	15.45	49.70
AV	19.87602G	37.46	63.54	-26.08	34.11	1	Horizontal	173	1.56	-	37.60	15.45	49.70

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.721G	100.00	Inf	-Inf	91.17	3	Vertical	119	1.13	-	36.28	5.70	33.15
RMS	6.721G	90.25	Inf	-Inf	81.42	3	Vertical	119	1.13	-	36.28	5.70	33.15
PK	7.155G	61.63	88.20	-26.57	52.01	3	Vertical	119	1.13	-	37.12	5.98	33.48
RMS	7.139G	51.71	68.20	-16.49	42.19	3	Vertical	119	1.13	-	37.01	5.97	33.46

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.699G	108.69	Inf	-Inf	99.93	3	Horizontal	288	1.79	-	36.20	5.70	33.14
RMS	6.717G	98.17	Inf	-Inf	89.35	3	Horizontal	288	1.79	-	36.27	5.70	33.15
PK	7.139G	62.23	88.20	-25.97	52.71	3	Horizontal	288	1.79	-	37.01	5.97	33.46
RMS	7.139G	52.00	68.20	-16.20	42.48	3	Horizontal	288	1.79	-	37.01	5.97	33.46

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41434G	57.79	88.20	-30.41	43.59	3	Vertical	141	1.53	-	40.20	8.72	34.72
RMS	13.40774G	46.41	68.20	-21.79	32.21	3	Vertical	141	1.53	-	40.20	8.72	34.72

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4147G	57.59	88.20	-30.61	43.39	3	Horizontal	114	2.85	-	40.20	8.72	34.72
RMS	13.41296G	47.00	68.20	-21.20	32.80	3	Horizontal	114	2.85	-	40.20	8.72	34.72

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11144G	48.91	83.54	-34.63	45.61	1	Vertical	267	1.55	-	37.49	15.55	49.74
AV	20.11768G	38.12	63.54	-25.42	34.83	1	Vertical	267	1.55	-	37.49	15.55	49.75

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 60
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11776G	48.99	83.54	-34.55	45.70	1	Horizontal	260	1.56	-	37.49	15.55	49.75
AV	20.11276G	38.24	63.54	-25.30	34.95	1	Horizontal	260	1.56	-	37.49	15.55	49.75

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7994G	101.00	Inf	-Inf	92.19	3	Vertical	99	2.61	-	36.30	5.70	33.19
RMS	6.7994G	90.77	Inf	-Inf	81.96	3	Vertical	99	2.61	-	36.30	5.70	33.19
PK	7.1522G	62.55	88.20	-25.65	52.93	3	Vertical	99	2.61	-	37.11	5.98	33.47
RMS	7.1432G	51.69	68.20	-16.51	42.13	3	Vertical	99	2.61	-	37.05	5.97	33.46

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TnomVnom








EUT_X_4TX
Setting 62
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.758G	108.12	Inf	-Inf	99.21	3	Horizontal	289	1.80	-	36.38	5.70	33.17
RMS	6.7562G	97.49	Inf	-Inf	88.57	3	Horizontal	289	1.80	-	36.39	5.70	33.17
PK	7.2188G	62.74	88.20	-25.46	52.94	3	Horizontal	289	1.80	-	37.34	6.01	33.55
RMS	7.1342G	52.38	68.20	-15.82	42.89	3	Horizontal	289	1.80	-	36.97	5.97	33.45

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57196G	57.51	88.20	-30.69	43.37	3	Vertical	261	1.92	-	40.20	8.69	34.75
RMS	13.57052G	46.57	68.20	-21.63	32.43	3	Vertical	261	1.92	-	40.20	8.69	34.75

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57264G	57.29	88.20	-30.91	43.15	3	Horizontal	95	1.93	-	40.20	8.69	34.75
RMS	13.5669G	46.23	68.20	-21.97	32.09	3	Horizontal	95	1.93	-	40.20	8.69	34.75

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3552G	48.23	83.54	-35.31	44.77	1	Vertical	215	1.50	-	37.64	15.66	49.84
AV	20.35682G	37.24	63.54	-26.30	33.78	1	Vertical	215	1.50	-	37.64	15.66	49.84

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.353G	48.48	83.54	-35.06	45.02	1	Horizontal	261	1.57	-	37.64	15.66	49.84
AV	20.35974G	37.61	63.54	-25.93	34.15	1	Horizontal	261	1.57	-	37.64	15.66	49.84

802.11ax HEW80_Nss4,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
Setting 63
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8986G	101.31	Inf	-Inf	92.34	3	Vertical	99	2.56	-	36.41	5.80	33.24
RMS	6.8972G	91.08	Inf	-Inf	82.11	3	Vertical	99	2.56	-	36.41	5.80	33.24
PK	7.166G	62.06	88.20	-26.14	52.41	3	Vertical	99	2.56	-	37.16	5.98	33.49
RMS	7.1268G	51.68	68.20	-16.52	42.25	3	Vertical	99	2.56	-	36.91	5.96	33.44

802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 63
 04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8832G	109.72	Inf	-Inf	100.70	3	Horizontal	288	1.70	-	36.47	5.78	33.23
RMS	6.879G	97.85	Inf	-Inf	88.82	3	Horizontal	288	1.70	-	36.48	5.78	33.23
PK	7.1478G	61.95	88.20	-26.25	52.37	3	Horizontal	288	1.70	-	37.08	5.97	33.47
RMS	7.1282G	52.13	68.20	-16.07	42.68	3	Horizontal	288	1.70	-	36.93	5.96	33.44

802.11ax HEW80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




16/01/2022

EUT X_4TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.733G	59.17	88.20	-29.03	44.91	3	Vertical	74	1.47	-	40.43	8.65	34.82
RMS	13.72972G	48.59	68.20	-19.61	34.33	3	Vertical	74	1.47	-	40.43	8.65	34.82


802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
 Setting 63
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73226G	59.78	88.20	-28.42	45.52	3	Horizontal	241	2.29	-	40.43	8.65	34.82
RMS	13.7263G	48.27	68.20	-19.93	34.01	3	Horizontal	241	2.29	-	40.43	8.65	34.82


802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 63
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59048G	49.00	83.54	-34.54	45.28	1	Vertical	290	1.58	-	37.81	15.77	49.86
AV	20.5972G	38.39	63.54	-25.15	34.66	1	Vertical	290	1.58	-	37.82	15.77	49.86

802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 63
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59344G	49.58	83.54	-33.96	45.86	1	Horizontal	181	1.52	-	37.81	15.77	49.86
AV	20.59728G	38.60	63.54	-24.94	34.87	1	Horizontal	181	1.52	-	37.82	15.77	49.86

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 59
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9582G	101.50	Inf	-Inf	92.14	3	Vertical	104	2.54	-	36.77	5.86	33.27
RMS	6.9594G	90.85	Inf	-Inf	81.50	3	Vertical	104	2.54	-	36.76	5.86	33.27
PK	7.1298G	62.42	88.20	-25.78	52.97	3	Vertical	104	2.54	-	36.94	5.96	33.45
RMS	7.1334G	51.66	68.20	-16.54	42.17	3	Vertical	104	2.54	-	36.97	5.97	33.45

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 59
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.963G	107.81	Inf	-Inf	98.47	3	Horizontal	289	1.74	-	36.75	5.86	33.27
RMS	6.9822G	97.32	Inf	-Inf	88.05	3	Horizontal	289	1.74	-	36.67	5.88	33.28
PK	7.1418G	62.33	88.20	-25.87	52.79	3	Horizontal	289	1.74	-	37.03	5.97	33.46
RMS	7.1322G	52.41	68.20	-15.79	42.93	3	Horizontal	289	1.74	-	36.96	5.97	33.45

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88792G	59.64	88.20	-28.56	45.31	3	Vertical	238	1.28	-	40.59	8.62	34.88
RMS	13.8894G	49.36	68.20	-18.84	35.03	3	Vertical	238	1.28	-	40.59	8.62	34.88

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88962G	59.73	88.20	-28.47	45.40	3	Horizontal	274	1.13	-	40.59	8.62	34.88
RMS	13.89294G	49.23	68.20	-18.97	34.91	3	Horizontal	274	1.13	-	40.59	8.62	34.89

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83432G	48.85	83.54	-34.69	44.87	1	Vertical	127	1.58	-	37.87	15.88	49.77
AV	20.83536G	37.63	63.54	-25.91	33.66	1	Vertical	127	1.58	-	37.86	15.88	49.77

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83422G	48.97	83.54	-34.57	44.99	1	Horizontal	280	1.54	-	37.87	15.88	49.77
AV	20.8335G	37.70	63.54	-25.84	33.72	1	Horizontal	280	1.54	-	37.87	15.88	49.77

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 59
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0322G	100.84	Inf	-Inf	91.52	3	Vertical	27	2.60	-	36.73	5.92	33.33
AV	7.0466G	90.75	Inf	-Inf	81.39	3	Vertical	27	2.60	-	36.79	5.92	33.35
PK	7.201G	61.69	88.20	-26.51	51.92	3	Vertical	27	2.60	-	37.30	6.00	33.53
AV	7.1322G	52.34	68.20	-15.86	42.86	3	Vertical	27	2.60	-	36.96	5.97	33.45

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 59
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0242G	106.82	Inf	-Inf	97.53	3	Horizontal	288	1.80	-	36.70	5.91	33.32
AV	7.037G	97.03	Inf	-Inf	87.69	3	Horizontal	288	1.80	-	36.75	5.92	33.33
PK	7.125G	67.21	88.20	-20.99	57.79	3	Horizontal	288	1.80	-	36.90	5.96	33.44
AV	7.125G	55.71	68.20	-12.49	46.29	3	Horizontal	288	1.80	-	36.90	5.96	33.44

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04544G	60.18	88.20	-28.02	45.59	3	Vertical	145	1.90	-	40.90	8.61	34.92
RMS	14.04988G	48.70	68.20	-19.50	34.11	3	Vertical	145	1.90	-	40.90	8.61	34.92

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05082G	59.33	88.20	-28.87	44.74	3	Horizontal	163	2.50	-	40.90	8.61	34.92
RMS	14.0516G	48.43	68.20	-19.77	33.84	3	Horizontal	163	2.50	-	40.90	8.61	34.92

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07148G	48.61	83.54	-34.93	44.72	1	Vertical	16	1.51	-	37.60	15.98	49.69
AV	21.07676G	38.03	63.54	-25.51	34.13	1	Vertical	16	1.51	-	37.60	15.98	49.68

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07182G	48.86	83.54	-34.68	44.97	1	Horizontal	311	1.56	-	37.60	15.98	49.69
AV	21.07808G	38.08	63.54	-25.46	34.17	1	Horizontal	311	1.56	-	37.60	15.99	49.68

802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 66
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	61.80	88.20	-26.40	54.81	3	Vertical	94	2.01	-	34.98	5.36	33.35
AV	5.913G	52.68	68.20	-15.52	45.69	3	Vertical	94	2.01	-	34.98	5.36	33.35
PK	6.033G	96.98	Inf	-Inf	89.51	3	Vertical	94	2.01	-	35.40	5.43	33.36
AV	6.0538G	87.95	Inf	-Inf	80.43	3	Vertical	94	2.01	-	35.41	5.45	33.34

802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 66
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	68.53	88.20	-19.67	61.54	3	Horizontal	304	1.75	-	34.98	5.36	33.35
AV	5.913G	60.14	68.20	-8.06	53.15	3	Horizontal	304	1.75	-	34.98	5.36	33.35
PK	6.0538G	106.50	Inf	-Inf	98.98	3	Horizontal	304	1.75	-	35.41	5.45	33.34
AV	6.057G	95.92	Inf	-Inf	88.39	3	Horizontal	304	1.75	-	35.41	5.46	33.34

802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 66
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05092G	56.33	74.00	-17.67	43.37	3	Vertical	211	2.62	-	38.90	8.99	34.93
AV	12.04804G	45.39	54.00	-8.61	32.44	3	Vertical	211	2.62	-	38.90	8.99	34.94

802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 66
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05324G	56.28	74.00	-17.72	43.32	3	Horizontal	87	1.88	-	38.90	8.99	34.93
AV	12.05448G	45.46	54.00	-8.54	32.50	3	Horizontal	87	1.88	-	38.90	8.99	34.93

802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07212G	47.26	83.54	-36.28	45.16	1	Vertical	212	1.52	-	37.64	14.73	50.27
AV	18.07192G	36.15	63.54	-27.39	34.05	1	Vertical	212	1.52	-	37.64	14.73	50.27

802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0701G	46.77	83.54	-36.77	44.67	1	Horizontal	37	1.52	-	37.64	14.73	50.27
AV	18.07212G	36.54	63.54	-27.00	34.44	1	Horizontal	37	1.52	-	37.64	14.73	50.27

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 66
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	59.42	88.20	-28.78	52.40	3	Vertical	95	1.00	-	35.01	5.36	33.35
RMS	5.9246G	49.17	68.20	-19.03	42.11	3	Vertical	95	1.00	-	35.05	5.36	33.35
PK	6.221G	99.90	Inf	-Inf	91.95	3	Vertical	95	1.00	-	35.57	5.61	33.23
RMS	6.2078G	90.56	Inf	-Inf	82.55	3	Vertical	95	1.00	-	35.65	5.60	33.24

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 66
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	65.56	88.20	-22.64	58.55	3	Horizontal	305	1.80	-	35.00	5.36	33.35
RMS	5.9246G	51.41	68.20	-16.79	44.35	3	Horizontal	305	1.80	-	35.05	5.36	33.35
PK	6.1334G	106.16	Inf	-Inf	98.49	3	Horizontal	305	1.80	-	35.43	5.53	33.29
RMS	6.1538G	96.67	Inf	-Inf	88.98	3	Horizontal	305	1.80	-	35.42	5.55	33.28

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT X_4TX
Setting 66
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3682G	56.84	74.00	-17.16	43.85	3	Vertical	31	2.69	-	38.90	8.93	34.84
AV	12.36746G	45.15	54.00	-8.85	32.16	3	Vertical	31	2.69	-	38.90	8.93	34.84

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 66
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37342G	55.99	74.00	-18.01	42.98	3	Horizontal	225	1.96	-	38.92	8.93	34.84
AV	12.37034G	44.85	54.00	-9.15	31.85	3	Horizontal	225	1.96	-	38.91	8.93	34.84

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT X_4TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55288G	48.47	83.54	-35.07	45.82	1	Vertical	54	1.53	-	37.78	14.92	50.05
AV	18.55148G	37.14	63.54	-26.40	34.49	1	Vertical	54	1.53	-	37.78	14.92	50.05

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT X_4TX
Setting 66
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55304G	48.39	83.54	-35.15	45.74	1	Horizontal	356	1.50	-	37.78	14.92	50.05
AV	18.55948G	37.24	63.54	-26.30	34.58	1	Horizontal	356	1.50	-	37.78	14.92	50.04

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 68
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	60.25	88.20	-27.95	53.30	3	Vertical	105	1.01	-	34.94	5.35	33.34
RMS	5.923G	48.83	68.20	-19.37	41.78	3	Vertical	105	1.01	-	35.04	5.36	33.35
PK	6.353G	100.05	Inf	-Inf	91.90	3	Vertical	105	1.01	-	35.61	5.68	33.14
RMS	6.369G	90.63	Inf	-Inf	82.44	3	Vertical	105	1.01	-	35.64	5.68	33.13

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 68
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	59.29	88.20	-28.91	52.35	3	Horizontal	53	2.58	-	34.93	5.35	33.34
RMS	5.923G	49.65	68.20	-18.55	42.60	3	Horizontal	53	2.58	-	35.04	5.36	33.35
PK	6.373G	108.27	Inf	-Inf	100.06	3	Horizontal	53	2.58	-	35.65	5.69	33.13
RMS	6.373G	98.64	Inf	-Inf	90.43	3	Horizontal	53	2.58	-	35.65	5.69	33.13

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 68
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69394G	57.29	74.00	-16.71	43.91	3	Vertical	230	2.05	-	39.28	8.86	34.76
AV	12.68884G	45.64	54.00	-8.36	32.28	3	Vertical	230	2.05	-	39.26	8.86	34.76

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 68
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68568G	56.25	74.00	-17.75	42.91	3	Horizontal	138	1.38	-	39.24	8.86	34.76
AV	12.69162G	45.76	54.00	-8.24	32.39	3	Horizontal	138	1.38	-	39.27	8.86	34.76

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.039G	48.59	83.54	-34.95	45.13	1	Vertical	160	1.55	-	37.95	15.12	49.61
AV	19.03506G	38.60	63.54	-24.94	35.14	1	Vertical	160	1.55	-	37.96	15.11	49.61

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 68
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03972G	48.81	83.54	-34.73	45.35	1	Horizontal	172	1.50	-	37.95	15.12	49.61
AV	19.03692G	38.40	63.54	-25.14	34.94	1	Horizontal	172	1.50	-	37.96	15.11	49.61

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 74
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	59.84	88.20	-28.36	52.94	3	Vertical	22	2.97	-	34.89	5.35	33.34
RMS	5.9226G	48.67	68.20	-19.53	41.62	3	Vertical	22	2.97	-	35.04	5.36	33.35
PK	6.5386G	101.30	Inf	-Inf	92.71	3	Vertical	22	2.97	-	35.95	5.70	33.06
RMS	6.4938G	92.01	Inf	-Inf	83.57	3	Vertical	22	2.97	-	35.78	5.70	33.04
PK	7.1406G	61.91	88.20	-26.29	52.38	3	Vertical	22	2.97	-	37.02	5.97	33.46
RMS	7.1434G	51.43	68.20	-16.77	41.87	3	Vertical	22	2.97	-	37.05	5.97	33.46

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom








EUT_X_4TX
Setting 74
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8862G	58.20	88.20	-30.00	51.32	3	Horizontal	312	2.60	-	34.87	5.34	33.33
RMS	5.925G	48.81	68.20	-19.39	41.75	3	Horizontal	312	2.60	-	35.05	5.36	33.35
PK	6.533G	107.93	Inf	-Inf	99.36	3	Horizontal	312	2.60	-	35.93	5.70	33.06
RMS	6.533G	98.59	Inf	-Inf	90.02	3	Horizontal	312	2.60	-	35.93	5.70	33.06
PK	7.1546G	61.35	88.20	-26.85	51.73	3	Horizontal	312	2.60	-	37.12	5.98	33.48
RMS	7.1434G	51.43	68.20	-16.77	41.87	3	Horizontal	312	2.60	-	37.05	5.97	33.46

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022





EUT X_4TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00686G	56.72	88.20	-31.48	42.92	3	Vertical	282	2.44	-	39.70	8.80	34.70
RMS	13.0115G	46.46	68.20	-21.74	32.66	3	Vertical	282	2.44	-	39.70	8.80	34.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT X_4TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00646G	56.81	88.20	-31.39	43.01	3	Horizontal	44	1.91	-	39.70	8.80	34.70
RMS	13.0064G	46.06	68.20	-22.14	32.26	3	Horizontal	44	1.91	-	39.70	8.80	34.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51038G	48.86	83.54	-34.68	45.36	1	Vertical	187	1.56	-	37.90	15.30	49.70
AV	19.5133G	38.73	63.54	-24.81	35.23	1	Vertical	187	1.56	-	37.89	15.31	49.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5192G	49.31	83.54	-34.23	45.81	1	Horizontal	23	1.53	-	37.89	15.31	49.70
AV	19.519G	38.55	63.54	-24.99	35.05	1	Horizontal	23	1.53	-	37.89	15.31	49.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 72
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6474G	99.86	Inf	-Inf	91.08	3	Vertical	108	1.10	-	36.19	5.70	33.11
RMS	6.632G	90.31	Inf	-Inf	81.56	3	Vertical	108	1.10	-	36.16	5.70	33.11
PK	7.2106G	60.98	88.20	-27.22	51.19	3	Vertical	108	1.10	-	37.32	6.01	33.54
RMS	7.1336G	51.47	68.20	-16.73	41.98	3	Vertical	108	1.10	-	36.97	5.97	33.45

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 72
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7002G	107.90	Inf	-Inf	99.14	3	Horizontal	286	1.77	-	36.20	5.70	33.14
RMS	6.6386G	98.33	Inf	-Inf	89.56	3	Horizontal	286	1.77	-	36.18	5.70	33.11
PK	7.1688G	62.32	88.20	-25.88	52.65	3	Horizontal	286	1.77	-	37.18	5.98	33.49
RMS	7.127G	52.25	68.20	-15.95	42.81	3	Horizontal	286	1.77	-	36.92	5.96	33.44

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 72
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3281G	58.45	74.00	-15.55	44.37	3	Vertical	295	1.40	-	40.06	8.73	34.71
AV	13.32728G	47.20	54.00	-6.80	33.13	3	Vertical	295	1.40	-	40.05	8.73	34.71

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 72
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33056G	58.05	74.00	-15.95	43.97	3	Horizontal	278	1.69	-	40.06	8.73	34.71
AV	13.32634G	46.87	54.00	-7.13	32.80	3	Horizontal	278	1.69	-	40.05	8.73	34.71

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 72
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99602G	46.88	83.54	-36.66	43.67	1	Vertical	23	1.55	-	37.41	15.50	49.70
AV	19.99958G	36.00	63.54	-27.54	32.80	1	Vertical	23	1.55	-	37.40	15.50	49.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 72
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99914G	46.85	83.54	-36.69	43.65	1	Horizontal	45	1.57	-	37.40	15.50	49.70
AV	19.99874G	36.49	63.54	-27.05	33.29	1	Horizontal	45	1.57	-	37.40	15.50	49.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 69
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8586G	100.55	Inf	-Inf	91.44	3	Vertical	107	2.59	-	36.57	5.76	33.22
RMS	6.8586G	89.87	Inf	-Inf	80.76	3	Vertical	107	2.59	-	36.57	5.76	33.22
PK	7.2058G	61.90	88.20	-26.30	52.13	3	Vertical	107	2.59	-	37.31	6.00	33.54
RMS	7.1386G	51.70	68.20	-16.50	42.18	3	Vertical	107	2.59	-	37.01	5.97	33.46

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 69
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8586G	106.54	Inf	-Inf	97.43	3	Horizontal	292	1.73	-	36.57	5.76	33.22
RMS	6.7994G	96.99	Inf	-Inf	88.18	3	Horizontal	292	1.73	-	36.30	5.70	33.19
PK	7.1258G	64.37	88.20	-23.83	54.94	3	Horizontal	292	1.73	-	36.91	5.96	33.44
RMS	7.1258G	53.74	68.20	-14.46	44.31	3	Horizontal	292	1.73	-	36.91	5.96	33.44

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65398G	58.60	88.20	-29.60	44.40	3	Vertical	347	2.68	-	40.31	8.67	34.78
RMS	13.6496G	47.57	68.20	-20.63	33.38	3	Vertical	347	2.68	-	40.30	8.67	34.78

802.11ax HEW160_Nss4,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64898G	58.79	88.20	-29.41	44.60	3	Horizontal	56	1.57	-	40.30	8.67	34.78
RMS	13.64734G	47.98	68.20	-20.22	33.80	3	Horizontal	56	1.57	-	40.29	8.67	34.78


802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 69
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47548G	48.87	83.54	-34.67	45.36	1	Vertical	54	1.55	-	37.69	15.71	49.89
AV	20.47114G	37.80	63.54	-25.74	34.29	1	Vertical	54	1.55	-	37.69	15.71	49.89

802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 69
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47864G	48.42	83.54	-35.12	44.90	1	Horizontal	171	1.58	-	37.69	15.72	49.89
AV	20.47882G	37.80	63.54	-25.74	34.28	1	Horizontal	171	1.58	-	37.69	15.72	49.89

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 69
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9626G	99.95	Inf	-Inf	90.61	3	Vertical	27	2.45	-	36.75	5.86	33.27
AV	7.0138G	90.00	Inf	-Inf	80.74	3	Vertical	27	2.45	-	36.66	5.91	33.31
PK	7.1354G	72.75	88.20	-15.45	63.25	3	Vertical	27	2.45	-	36.98	5.97	33.45
AV	7.1338G	54.59	68.20	-13.61	45.10	3	Vertical	27	2.45	-	36.97	5.97	33.45
PK	7.2954G	55.73	74.00	-18.27	45.83	3	Vertical	27	2.45	-	37.49	6.05	33.64
AV	7.2602G	44.02	54.00	-9.98	34.17	3	Vertical	27	2.45	-	37.42	6.03	33.60

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom








EUT_X_4TX
Setting 69
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.041G	107.13	Inf	-Inf	97.79	3	Horizontal	285	1.80	-	36.76	5.92	33.34
AV	7.0042G	96.24	Inf	-Inf	87.02	3	Horizontal	285	1.80	-	36.62	5.90	33.30
PK	7.1322G	78.64	88.20	-9.56	69.16	3	Horizontal	285	1.80	-	36.96	5.97	33.45
AV	7.1322G	61.86	68.20	-6.34	52.38	3	Horizontal	285	1.80	-	36.96	5.97	33.45
PK	7.25G	60.01	74.00	-13.99	50.17	3	Horizontal	285	1.80	-	37.40	6.03	33.59
AV	7.2522G	48.42	54.00	-5.58	38.58	3	Horizontal	285	1.80	-	37.40	6.03	33.59

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT X_4TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97082G	60.26	88.20	-27.94	45.76	3	Vertical	261	2.44	-	40.81	8.61	34.92
RMS	13.97244G	49.06	68.20	-19.14	34.55	3	Vertical	261	2.44	-	40.82	8.61	34.92

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
 Setting 69
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97262G	60.42	88.20	-27.78	45.91	3	Horizontal	17	1.11	-	40.82	8.61	34.92
RMS	13.9712G	49.17	68.20	-19.03	34.67	3	Horizontal	17	1.11	-	40.81	8.61	34.92

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95638G	49.11	83.54	-34.43	45.23	1	Vertical	101	1.57	-	37.67	15.93	49.72
AV	20.95448G	38.15	63.54	-25.39	34.27	1	Vertical	101	1.57	-	37.67	15.93	49.72

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom



EUT_X_4TX
Setting 69
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95732G	49.67	83.54	-33.87	45.79	1	Horizontal	343	1.53	-	37.67	15.93	49.72
AV	20.95744G	37.50	63.54	-26.04	33.62	1	Horizontal	343	1.53	-	37.67	15.93	49.72




For beamforming mode / 2T1S

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.1298G	67.44	68.20	-0.76	3	Horizontal	290	1.79	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.894G	59.63	88.20	-28.57	52.73	3	Vertical	0	1.78	-	34.89	5.35	33.34
RMS	5.893G	46.78	68.20	-21.42	39.88	3	Vertical	0	1.78	-	34.89	5.35	33.34
PK	5.948G	99.38	Inf	-Inf	92.18	3	Vertical	0	1.78	-	35.19	5.37	33.36
RMS	5.957G	88.55	Inf	-Inf	81.30	3	Vertical	0	1.78	-	35.23	5.38	33.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_X_2TX
Setting 46
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.64	88.20	-28.56	52.58	3	Horizontal	300	1.98	-	35.05	5.36	33.35
RMS	5.925G	49.79	68.20	-18.41	42.73	3	Horizontal	300	1.98	-	35.05	5.36	33.35
PK	5.947G	109.89	Inf	-Inf	102.70	3	Horizontal	300	1.98	-	35.18	5.37	33.36
RMS	5.947G	100.48	Inf	-Inf	93.29	3	Horizontal	300	1.98	-	35.18	5.37	33.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUTX_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90548G	56.39	74.00	-17.61	43.19	3	Vertical	300	1.26	-	39.18	8.93	34.91
AV	11.91156G	43.00	54.00	-11.00	29.81	3	Vertical	300	1.26	-	39.17	8.94	34.92
PK	17.86G	61.42	74.00	-12.58	44.54	3	Vertical	103	2.58	-	41.88	9.75	34.75
AV	17.86788G	47.85	54.00	-6.15	30.95	3	Vertical	103	2.58	-	41.90	9.75	34.75

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUTX_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90574G	57.26	74.00	-16.74	44.06	3	Horizontal	354	2.24	-	39.18	8.93	34.91
AV	11.90642G	43.34	54.00	-10.66	30.14	3	Horizontal	354	2.24	-	39.18	8.93	34.91
PK	17.86008G	60.98	74.00	-13.02	44.10	3	Horizontal	1	2.89	-	41.88	9.75	34.75
AV	17.86222G	48.01	54.00	-5.99	31.12	3	Horizontal	1	2.89	-	41.89	9.75	34.75

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 40
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8024G	60.09	88.20	-28.11	53.58	3	Vertical	106	1.00	-	34.51	5.30	33.30
RMS	5.878G	48.25	68.20	-19.95	41.38	3	Vertical	106	1.00	-	34.86	5.34	33.33
PK	6.1804G	101.13	Inf	-Inf	93.23	3	Vertical	106	1.00	-	35.58	5.58	33.26
RMS	6.1804G	91.15	Inf	-Inf	83.25	3	Vertical	106	1.00	-	35.58	5.58	33.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 40
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8456G	59.36	88.20	-28.84	52.59	3	Horizontal	299	2.03	-	34.77	5.32	33.32
RMS	5.923G	48.34	68.20	-19.86	41.29	3	Horizontal	299	2.03	-	35.04	5.36	33.35
PK	6.1768G	106.78	Inf	-Inf	98.90	3	Horizontal	299	2.03	-	35.56	5.58	33.26
RMS	6.1786G	96.84	Inf	-Inf	88.95	3	Horizontal	299	2.03	-	35.57	5.58	33.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3489G	56.16	74.00	-17.84	43.23	3	Vertical	166	2.21	-	38.85	8.93	34.85
AV	12.35434G	42.71	54.00	-11.29	29.76	3	Vertical	166	2.21	-	38.86	8.93	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35328G	56.14	74.00	-17.86	43.19	3	Horizontal	138	2.67	-	38.86	8.93	34.84
AV	12.35126G	42.73	54.00	-11.27	29.79	3	Horizontal	138	2.67	-	38.85	8.93	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52654G	48.37	83.54	-35.17	45.74	1	Vertical	269	1.55	-	37.79	14.91	50.07
AV	18.5212G	35.05	63.54	-28.49	32.43	1	Vertical	269	1.55	-	37.79	14.91	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 40
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52938G	48.02	83.54	-35.52	45.39	1	Horizontal	346	1.56	-	37.79	14.91	50.07
AV	18.52686G	35.17	63.54	-28.37	32.54	1	Horizontal	346	1.56	-	37.79	14.91	50.07

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom



EUT_X_2TX
Setting 38
04-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8174G	58.87	88.20	-29.33	52.27	3	Vertical	110	1.02	-	34.60	5.31	33.31
RMS	5.925G	48.30	68.20	-19.90	41.24	3	Vertical	110	1.02	-	35.05	5.36	33.35
PK	6.4174G	102.09	Inf	-Inf	93.82	3	Vertical	110	1.02	-	35.67	5.70	33.10
RMS	6.4078G	93.85	Inf	-Inf	85.57	3	Vertical	110	1.02	-	35.68	5.70	33.10