


802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_X_1TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0517G	47.59	83.54	-35.95	44.35	1	Horizontal	214	1.52	-	37.44	15.52	49.72
AV	20.05508G	35.12	63.54	-28.42	31.88	1	Horizontal	214	1.52	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT_X_1TX
Setting 77
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8562G	105.93	Inf	-Inf	96.81	3	Vertical	121	1.00	-	36.58	5.76	33.22
RMS	6.8514G	93.82	Inf	-Inf	84.70	3	Vertical	121	1.00	-	36.59	5.75	33.22
PK	7.2034G	62.23	88.20	-25.97	52.45	3	Vertical	121	1.00	-	37.31	6.00	33.53
RMS	7.2274G	51.07	68.20	-17.13	41.27	3	Vertical	121	1.00	-	37.35	6.01	33.56

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT_X_1TX
Setting 77
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	111.36	Inf	-Inf	102.24	3	Horizontal	310	2.48	-	36.58	5.75	33.21
RMS	6.8578G	98.84	Inf	-Inf	89.73	3	Horizontal	310	2.48	-	36.57	5.76	33.22
PK	7.197G	62.78	88.20	-25.42	53.02	3	Horizontal	310	2.48	-	37.29	6.00	33.53
RMS	7.2146G	51.03	68.20	-17.17	41.24	3	Horizontal	310	2.48	-	37.33	6.01	33.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT X_1TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68814G	59.01	88.20	-29.19	44.77	3	Vertical	149	2.10	-	40.38	8.66	34.80
RMS	13.68698G	45.78	68.20	-22.42	31.55	3	Vertical	149	2.10	-	40.37	8.66	34.80

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT_X_1TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69128G	58.28	88.20	-29.92	44.04	3	Horizontal	75	2.19	-	40.38	8.66	34.80
RMS	13.68612G	45.99	68.20	-22.21	31.76	3	Horizontal	75	2.19	-	40.37	8.66	34.80

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT_X_1TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5379G	49.94	83.54	-33.60	46.33	1	Vertical	223	1.57	-	37.75	15.74	49.88
AV	20.53584G	37.24	63.54	-26.30	33.65	1	Vertical	223	1.57	-	37.74	15.74	49.89

802.11ax HEW40_Nss1,(MCS0)_1TX


6845MHz_TnomVnom



EUT X_1TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5385G	49.63	83.54	-33.91	46.02	1	Horizontal	308	1.57	-	37.75	15.74	49.88
AV	20.533G	36.85	63.54	-26.69	33.26	1	Horizontal	308	1.57	-	37.74	15.74	49.89


802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_1TX
 Setting 77
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8724G	105.19	Inf	-Inf	96.14	3	Vertical	120	1.00	-	36.51	5.77	33.23
RMS	6.8822G	93.90	Inf	-Inf	84.88	3	Vertical	120	1.00	-	36.47	5.78	33.23
PK	7.1986G	62.37	88.20	-25.83	52.61	3	Vertical	120	1.00	-	37.29	6.00	33.53
RMS	7.2294G	51.20	68.20	-17.00	41.40	3	Vertical	120	1.00	-	37.36	6.01	33.57


802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTX_1TX
 Setting 77
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8808G	109.47	Inf	-Inf	100.44	3	Horizontal	281	2.90	-	36.48	5.78	33.23
RMS	6.8668G	98.16	Inf	-Inf	89.08	3	Horizontal	281	2.90	-	36.53	5.77	33.22
PK	7.1398G	62.21	88.20	-25.99	52.68	3	Horizontal	281	2.90	-	37.02	5.97	33.46
RMS	7.1706G	50.86	68.20	-17.34	41.18	3	Horizontal	281	2.90	-	37.18	5.99	33.49

802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
 Setting 77
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76714G	59.62	88.20	-28.58	45.33	3	Vertical	26	2.65	-	40.47	8.65	34.83
RMS	13.77214G	47.19	68.20	-21.01	32.90	3	Vertical	26	2.65	-	40.47	8.65	34.83

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_1TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77016G	59.83	88.20	-28.37	45.54	3	Horizontal	126	1.97	-	40.47	8.65	34.83
RMS	13.76518G	47.21	68.20	-20.99	32.92	3	Horizontal	126	1.97	-	40.47	8.65	34.83

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz_TnomVnom




EUT X_1TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65078G	49.95	83.54	-33.59	46.12	1	Vertical	12	1.58	-	37.88	15.79	49.84
AV	20.6544G	36.80	63.54	-26.74	32.96	1	Vertical	12	1.58	-	37.89	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz_TnomVnom




EUT X_1TX
Setting 77
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65968G	49.84	83.54	-33.70	45.99	1	Horizontal	292	1.54	-	37.89	15.80	49.84
AV	20.65796G	36.95	63.54	-26.59	33.10	1	Horizontal	292	1.54	-	37.89	15.80	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUTX_1TX
Setting 71
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9262G	102.95	Inf	-Inf	93.76	3	Vertical	281	2.20	-	36.61	5.83	33.25
RMS	6.931G	91.09	Inf	-Inf	81.87	3	Vertical	281	2.20	-	36.65	5.83	33.26
PK	7.1974G	63.50	88.20	-24.70	53.74	3	Vertical	281	2.20	-	37.29	6.00	33.53
RMS	7.2082G	50.76	68.20	-17.44	40.98	3	Vertical	281	2.20	-	37.32	6.00	33.54

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUTX_1TX
Setting 71
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9082G	110.53	Inf	-Inf	101.49	3	Horizontal	286	2.97	-	36.47	5.81	33.24
RMS	6.9082G	98.32	Inf	-Inf	89.28	3	Horizontal	286	2.97	-	36.47	5.81	33.24
PK	7.1866G	62.37	88.20	-25.83	52.64	3	Horizontal	286	2.97	-	37.25	5.99	33.51
RMS	7.201G	51.03	68.20	-17.17	41.26	3	Horizontal	286	2.97	-	37.30	6.00	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8466G	59.34	88.20	-28.86	45.03	3	Vertical	61	2.01	-	40.55	8.63	34.87
RMS	13.8466G	47.38	68.20	-20.82	33.07	3	Vertical	61	2.01	-	40.55	8.63	34.87

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8541G	59.83	88.20	-28.37	45.52	3	Horizontal	275	2.80	-	40.55	8.63	34.87
RMS	13.84506G	47.60	68.20	-20.60	33.28	3	Horizontal	275	2.80	-	40.55	8.63	34.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77194G	49.23	83.54	-34.31	45.21	1	Vertical	71	1.56	-	37.96	15.85	49.79
AV	20.77852G	36.83	63.54	-26.71	32.82	1	Vertical	71	1.56	-	37.95	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77508G	49.46	83.54	-34.08	45.44	1	Horizontal	138	1.51	-	37.96	15.85	49.79
AV	20.77556G	36.83	63.54	-26.71	32.81	1	Horizontal	138	1.51	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUTX_1TX
Setting 71
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9946G	104.00	Inf	-Inf	94.78	3	Vertical	18	1.11	-	36.62	5.89	33.29
RMS	6.9922G	92.35	Inf	-Inf	83.12	3	Vertical	18	1.11	-	36.63	5.89	33.29
PK	7.1314G	62.18	88.20	-26.02	52.71	3	Vertical	18	1.11	-	36.95	5.97	33.45
RMS	7.2002G	50.83	68.20	-17.37	41.06	3	Vertical	18	1.11	-	37.30	6.00	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUTX_1TX
Setting 71
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.009G	109.88	Inf	-Inf	100.64	3	Horizontal	279	2.90	-	36.64	5.90	33.30
RMS	7.0138G	98.04	Inf	-Inf	88.78	3	Horizontal	279	2.90	-	36.66	5.91	33.31
PK	7.1994G	63.17	88.20	-25.03	53.40	3	Horizontal	279	2.90	-	37.30	6.00	33.53
RMS	7.1986G	51.05	68.20	-17.15	41.29	3	Horizontal	279	2.90	-	37.29	6.00	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0077G	59.33	88.20	-28.87	44.76	3	Vertical	353	1.63	-	40.90	8.60	34.93
RMS	14.0058G	47.09	68.20	-21.11	32.52	3	Vertical	353	1.63	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0097G	59.57	88.20	-28.63	45.00	3	Horizontal	92	1.67	-	40.90	8.60	34.93
RMS	14.01192G	47.15	68.20	-21.05	32.58	3	Horizontal	92	1.67	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01182G	48.58	83.54	-34.96	44.72	1	Vertical	63	1.52	-	37.60	15.96	49.70
AV	21.01686G	36.50	63.54	-27.04	32.64	1	Vertical	63	1.52	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_X_1TX
Setting 71
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01338G	48.63	83.54	-34.91	44.77	1	Horizontal	186	1.50	-	37.60	15.96	49.70
AV	21.0199G	36.57	63.54	-26.97	32.71	1	Horizontal	186	1.50	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUTX_1TX
Setting 76
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0778G	104.80	Inf	-Inf	95.50	3	Vertical	21	1.84	-	36.74	5.94	33.38
RMS	7.0786G	92.83	Inf	-Inf	83.53	3	Vertical	21	1.84	-	36.74	5.94	33.38
PK	7.1254G	74.54	88.20	-13.66	65.12	3	Vertical	21	1.84	-	36.90	5.96	33.44
RMS	7.1254G	58.89	68.20	-9.31	49.47	3	Vertical	21	1.84	-	36.90	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUTX_1TX
Setting 76
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0782G	109.65	Inf	-Inf	100.35	3	Horizontal	288	1.80	-	36.74	5.94	33.38
RMS	7.0834G	97.99	Inf	-Inf	88.71	3	Horizontal	288	1.80	-	36.73	5.94	33.39
PK	7.1254G	77.52	88.20	-10.68	68.10	3	Horizontal	288	1.80	-	36.90	5.96	33.44
RMS	7.125G	63.50	68.20	-4.70	54.08	3	Horizontal	288	1.80	-	36.90	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16578G	60.30	88.20	-27.90	45.73	3	Vertical	61	3.00	-	40.83	8.64	34.90
RMS	14.16546G	46.49	68.20	-21.71	31.92	3	Vertical	61	3.00	-	40.83	8.64	34.90

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17174G	59.05	88.20	-29.15	44.48	3	Horizontal	248	2.59	-	40.83	8.64	34.90
RMS	14.1656G	46.54	68.20	-21.66	31.97	3	Horizontal	248	2.59	-	40.83	8.64	34.90

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUTX_1TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25254G	49.49	83.54	-34.05	45.48	1	Vertical	300	1.51	-	37.60	16.06	49.65
AV	21.25056G	37.25	63.54	-26.29	33.24	1	Vertical	300	1.51	-	37.60	16.06	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUTX_1TX
Setting 76
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2501G	49.39	83.54	-34.15	45.38	1	Horizontal	294	1.52	-	37.60	16.06	49.65
AV	21.25478G	37.18	63.54	-26.36	33.16	1	Horizontal	294	1.52	-	37.61	16.06	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_X_1TX
Setting 84
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	70.23	88.20	-17.97	63.21	3	Vertical	90	2.01	-	35.01	5.36	33.35
RMS	5.925G	58.03	68.20	-10.17	50.97	3	Vertical	90	2.01	-	35.05	5.36	33.35
PK	6.0138G	101.70	Inf	-Inf	94.26	3	Vertical	90	2.01	-	35.40	5.41	33.37
RMS	6.0138G	89.61	Inf	-Inf	82.17	3	Vertical	90	2.01	-	35.40	5.41	33.37

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_X_1TX
Setting 84
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	77.80	88.20	-10.40	70.76	3	Horizontal	294	2.67	-	35.03	5.36	33.35
RMS	5.9226G	64.66	68.20	-3.54	57.61	3	Horizontal	294	2.67	-	35.04	5.36	33.35
PK	5.9946G	108.60	Inf	-Inf	101.20	3	Horizontal	294	2.67	-	35.38	5.40	33.38
RMS	5.9994G	97.16	Inf	-Inf	89.74	3	Horizontal	294	2.67	-	35.40	5.40	33.38

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_X_1TX
Setting 84
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9672G	56.55	74.00	-17.45	43.51	3	Vertical	56	2.52	-	39.00	8.98	34.94
AV	11.97108G	43.98	54.00	-10.02	30.95	3	Vertical	56	2.52	-	38.99	8.98	34.94

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUTX_1TX
Setting 84
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97124G	56.27	74.00	-17.73	43.24	3	Horizontal	140	2.07	-	38.99	8.98	34.94
AV	11.96762G	43.90	54.00	-10.10	30.86	3	Horizontal	140	2.07	-	39.00	8.98	34.94

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUTX_1TX
Setting 79
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	59.15	88.20	-29.05	52.29	3	Vertical	18	2.92	-	34.85	5.34	33.33
RMS	5.883G	47.72	68.20	-20.48	40.84	3	Vertical	18	2.92	-	34.87	5.34	33.33
PK	6.143G	102.04	Inf	-Inf	94.37	3	Vertical	18	2.92	-	35.41	5.54	33.28
RMS	6.157G	90.59	Inf	-Inf	82.86	3	Vertical	18	2.92	-	35.44	5.56	33.27

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT_X_1TX
Setting 79
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	59.33	88.20	-28.87	52.45	3	Horizontal	52	1.91	-	34.88	5.34	33.34
RMS	5.917G	47.59	68.20	-20.61	40.58	3	Horizontal	52	1.91	-	35.00	5.36	33.35
PK	6.129G	106.30	Inf	-Inf	98.62	3	Horizontal	52	1.91	-	35.44	5.53	33.29
RMS	6.117G	93.72	Inf	-Inf	86.03	3	Horizontal	52	1.91	-	35.47	5.52	33.30

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT X_1TX
Setting 79
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28796G	56.97	74.00	-17.03	44.18	3	Vertical	69	2.38	-	38.71	8.94	34.86
AV	12.2899G	43.55	54.00	-10.45	30.76	3	Vertical	69	2.38	-	38.71	8.94	34.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT X_1TX
Setting 79
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29218G	55.53	74.00	-18.47	42.74	3	Horizontal	331	1.63	-	38.71	8.94	34.86
AV	12.29456G	43.43	54.00	-10.57	30.64	3	Horizontal	331	1.63	-	38.71	8.94	34.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUTX_1TX
Setting 79
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43704G	48.25	83.54	-35.29	45.79	1	Vertical	311	1.51	-	37.72	14.87	50.13
AV	18.4337G	35.94	63.54	-27.60	33.48	1	Vertical	311	1.51	-	37.72	14.87	50.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT X_1TX
Setting 79
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43628G	48.84	83.54	-34.70	46.38	1	Horizontal	211	1.53	-	37.72	14.87	50.13
AV	18.43992G	35.90	63.54	-27.64	33.41	1	Horizontal	211	1.53	-	37.73	14.88	50.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT X_1TX
Setting 83
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8194G	59.00	88.20	-29.20	52.38	3	Vertical	1	2.83	-	34.62	5.31	33.31
RMS	5.8698G	47.62	68.20	-20.58	40.78	3	Vertical	1	2.83	-	34.84	5.33	33.33
PK	6.3738G	101.47	Inf	-Inf	93.26	3	Vertical	1	2.83	-	35.65	5.69	33.13
RMS	6.3766G	90.77	Inf	-Inf	82.55	3	Vertical	1	2.83	-	35.65	5.69	33.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUTX_1TX
Setting 83
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8838G	59.89	88.20	-28.31	53.01	3	Horizontal	324	2.63	-	34.87	5.34	33.33
RMS	5.8698G	47.58	68.20	-20.62	40.74	3	Horizontal	324	2.63	-	34.84	5.33	33.33
PK	6.3486G	106.76	Inf	-Inf	98.63	3	Horizontal	324	2.63	-	35.60	5.67	33.14
RMS	6.3766G	95.81	Inf	-Inf	87.59	3	Horizontal	324	2.63	-	35.65	5.69	33.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUTX_1TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76582G	56.69	88.20	-31.51	43.22	3	Vertical	301	2.13	-	39.37	8.85	34.75
RMS	12.76894G	44.16	68.20	-24.04	30.69	3	Vertical	301	2.13	-	39.37	8.85	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76738G	56.89	88.20	-31.31	43.42	3	Horizontal	246	1.35	-	39.37	8.85	34.75
RMS	12.7727G	44.31	68.20	-23.89	30.84	3	Horizontal	246	1.35	-	39.37	8.85	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT X_1TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15012G	48.75	83.54	-34.79	45.40	1	Vertical	233	1.58	-	37.82	15.16	49.63
AV	19.1576G	35.98	63.54	-27.56	32.64	1	Vertical	233	1.58	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15018G	48.09	83.54	-35.45	44.74	1	Horizontal	261	1.56	-	37.82	15.16	49.63
AV	19.15992G	36.04	63.54	-27.50	32.70	1	Horizontal	261	1.56	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 83
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.778G	58.48	88.20	-29.72	52.01	3	Vertical	118	1.01	-	34.46	5.30	33.29
RMS	5.793G	47.49	68.20	-20.71	41.00	3	Vertical	118	1.01	-	34.49	5.30	33.30
PK	6.504G	103.46	Inf	-Inf	94.98	3	Vertical	118	1.01	-	35.82	5.70	33.04
RMS	6.48G	92.41	Inf	-Inf	84.04	3	Vertical	118	1.01	-	35.72	5.70	33.05
PK	7.137G	62.16	88.20	-26.04	52.64	3	Vertical	118	1.01	-	37.00	5.97	33.45
RMS	7.203G	50.93	68.20	-17.27	41.15	3	Vertical	118	1.01	-	37.31	6.00	33.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 83
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.904G	58.74	88.20	-29.46	51.81	3	Horizontal	54	2.01	-	34.92	5.35	33.34
RMS	5.898G	47.76	68.20	-20.44	40.85	3	Horizontal	54	2.01	-	34.90	5.35	33.34
PK	6.45G	106.43	Inf	-Inf	98.20	3	Horizontal	54	2.01	-	35.60	5.70	33.07
RMS	6.453G	94.99	Inf	-Inf	86.75	3	Horizontal	54	2.01	-	35.61	5.70	33.07
PK	7.209G	62.02	88.20	-26.18	52.24	3	Horizontal	54	2.01	-	37.32	6.00	33.54
RMS	7.194G	50.88	68.20	-17.32	41.12	3	Horizontal	54	2.01	-	37.28	6.00	33.52

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93086G	56.27	88.20	-31.93	42.61	3	Vertical	269	2.90	-	39.56	8.81	34.71
RMS	12.93112G	43.93	68.20	-24.27	30.27	3	Vertical	269	2.90	-	39.56	8.81	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT X_1TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9336G	56.39	88.20	-31.81	42.72	3	Horizontal	34	2.01	-	39.57	8.81	34.71
RMS	12.93328G	44.11	68.20	-24.09	30.44	3	Horizontal	34	2.01	-	39.57	8.81	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3944G	48.93	83.54	-34.61	45.53	1	Vertical	314	1.56	-	37.82	15.26	49.68
AV	19.3954G	36.49	63.54	-27.05	33.09	1	Vertical	314	1.56	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX


6465MHz_TnomVnom



EUT_X_1TX
Setting 83
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39992G	48.65	83.54	-34.89	45.25	1	Horizontal	235	1.54	-	37.82	15.26	49.68
AV	19.39848G	36.44	63.54	-27.10	33.04	1	Horizontal	235	1.54	-	37.82	15.26	49.68


802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_1TX
 Setting 85
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	58.75	88.20	-29.45	51.75	3	Vertical	115	1.04	-	34.99	5.36	33.35
RMS	5.9234G	47.59	68.20	-20.61	40.54	3	Vertical	115	1.04	-	35.04	5.36	33.35
PK	6.573G	104.14	Inf	-Inf	95.47	3	Vertical	115	1.04	-	36.05	5.70	33.08
RMS	6.5534G	92.90	Inf	-Inf	84.26	3	Vertical	115	1.04	-	36.01	5.70	33.07
PK	7.2366G	61.78	88.20	-26.42	51.96	3	Vertical	115	1.04	-	37.37	6.02	33.57
RMS	7.2226G	51.07	68.20	-17.13	41.27	3	Vertical	115	1.04	-	37.35	6.01	33.56

802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
 Setting 85
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8646G	58.58	88.20	-29.62	51.75	3	Horizontal	57	1.95	-	34.83	5.33	33.33
RMS	5.9178G	47.32	68.20	-20.88	40.30	3	Horizontal	57	1.95	-	35.01	5.36	33.35
PK	6.5338G	107.42	Inf	-Inf	98.84	3	Horizontal	57	1.95	-	35.94	5.70	33.06
RMS	6.5338G	96.06	Inf	-Inf	87.48	3	Horizontal	57	1.95	-	35.94	5.70	33.06
PK	7.1918G	62.49	88.20	-25.71	52.74	3	Horizontal	57	1.95	-	37.27	6.00	33.52
RMS	7.1974G	50.94	68.20	-17.26	41.18	3	Horizontal	57	1.95	-	37.29	6.00	33.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022





EUT X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0927G	57.04	88.20	-31.16	43.26	3	Vertical	178	2.72	-	39.70	8.78	34.70
RMS	13.09378G	44.46	68.20	-23.74	30.68	3	Vertical	178	2.72	-	39.70	8.78	34.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUTX_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0905G	57.00	88.20	-31.20	43.22	3	Horizontal	215	1.39	-	39.70	8.78	34.70
RMS	13.09226G	44.33	68.20	-23.87	30.55	3	Horizontal	215	1.39	-	39.70	8.78	34.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6302G	48.78	83.54	-34.76	45.28	1	Vertical	320	1.52	-	37.85	15.35	49.70
AV	19.63872G	36.43	63.54	-27.11	32.93	1	Vertical	320	1.52	-	37.84	15.36	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63832G	48.82	83.54	-34.72	45.32	1	Horizontal	359	1.55	-	37.84	15.36	49.70
AV	19.63014G	36.64	63.54	-26.90	33.14	1	Horizontal	359	1.55	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 85
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5962G	105.28	Inf	-Inf	96.58	3	Vertical	114	1.01	-	36.09	5.70	33.09
RMS	6.6154G	93.35	Inf	-Inf	84.62	3	Vertical	114	1.01	-	36.13	5.70	33.10
PK	7.1506G	62.15	88.20	-26.05	52.54	3	Vertical	114	1.01	-	37.10	5.98	33.47
RMS	7.2178G	50.93	68.20	-17.27	41.13	3	Vertical	114	1.01	-	37.34	6.01	33.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 85
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6178G	108.54	Inf	-Inf	99.80	3	Horizontal	55	2.17	-	36.14	5.70	33.10
RMS	6.6202G	96.98	Inf	-Inf	88.24	3	Horizontal	55	2.17	-	36.14	5.70	33.10
PK	7.153G	61.97	88.20	-26.23	52.35	3	Horizontal	55	2.17	-	37.11	5.98	33.47
RMS	7.201G	50.82	68.20	-17.38	41.05	3	Horizontal	55	2.17	-	37.30	6.00	33.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUTX_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25506G	57.68	74.00	-16.32	43.68	3	Vertical	299	1.39	-	39.96	8.75	34.71
AV	13.25482G	44.86	54.00	-9.14	30.87	3	Vertical	299	1.39	-	39.95	8.75	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25948G	57.70	74.00	-16.30	43.70	3	Horizontal	290	1.97	-	39.96	8.75	34.71
AV	13.25374G	45.04	54.00	-8.96	31.05	3	Horizontal	290	1.97	-	39.95	8.75	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87166G	48.83	83.54	-34.71	45.47	1	Vertical	44	1.53	-	37.61	15.45	49.70
AV	19.87436G	36.32	63.54	-27.22	32.97	1	Vertical	44	1.53	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87648G	48.60	83.54	-34.94	45.25	1	Horizontal	310	1.50	-	37.60	15.45	49.70
AV	19.8718G	36.41	63.54	-27.13	33.05	1	Horizontal	310	1.50	-	37.61	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 85
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.697G	104.81	Inf	-Inf	96.05	3	Vertical	119	1.08	-	36.20	5.70	33.14
RMS	6.693G	92.91	Inf	-Inf	84.15	3	Vertical	119	1.08	-	36.20	5.70	33.14
PK	7.147G	62.34	88.20	-25.86	52.76	3	Vertical	119	1.08	-	37.08	5.97	33.47
RMS	7.197G	50.91	68.20	-17.29	41.15	3	Vertical	119	1.08	-	37.29	6.00	33.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 85
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.715G	109.88	Inf	-Inf	101.07	3	Horizontal	304	2.50	-	36.26	5.70	33.15
RMS	6.693G	97.91	Inf	-Inf	89.15	3	Horizontal	304	2.50	-	36.20	5.70	33.14
PK	7.195G	62.69	88.20	-25.51	52.93	3	Horizontal	304	2.50	-	37.28	6.00	33.52
RMS	7.181G	50.89	68.20	-17.31	41.19	3	Horizontal	304	2.50	-	37.22	5.99	33.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40712G	57.14	88.20	-31.06	42.94	3	Vertical	346	1.33	-	40.20	8.72	34.72
RMS	13.4069G	44.90	68.20	-23.30	30.70	3	Vertical	346	1.33	-	40.20	8.72	34.72

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40696G	58.47	88.20	-29.73	44.27	3	Horizontal	181	2.27	-	40.20	8.72	34.72
RMS	13.40786G	44.79	68.20	-23.41	30.59	3	Horizontal	181	2.27	-	40.20	8.72	34.72

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1145G	49.53	83.54	-34.01	46.24	1	Vertical	282	1.50	-	37.49	15.55	49.75
AV	20.11554G	36.66	63.54	-26.88	33.37	1	Vertical	282	1.50	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11232G	49.12	83.54	-34.42	45.82	1	Horizontal	309	1.56	-	37.49	15.55	49.74
AV	20.11602G	36.68	63.54	-26.86	33.39	1	Horizontal	309	1.56	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 86
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7958G	103.87	Inf	-Inf	95.05	3	Vertical	121	1.07	-	36.31	5.70	33.19
RMS	6.7976G	92.33	Inf	-Inf	83.52	3	Vertical	121	1.07	-	36.30	5.70	33.19
PK	7.2116G	63.24	88.20	-24.96	53.45	3	Vertical	121	1.07	-	37.32	6.01	33.54
RMS	7.2206G	51.12	68.20	-17.08	41.32	3	Vertical	121	1.07	-	37.34	6.01	33.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 86
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7832G	109.98	Inf	-Inf	101.13	3	Horizontal	304	2.55	-	36.33	5.70	33.18
RMS	6.7742G	97.85	Inf	-Inf	88.98	3	Horizontal	304	2.55	-	36.35	5.70	33.18
PK	7.2044G	63.78	88.20	-24.42	54.01	3	Horizontal	304	2.55	-	37.31	6.00	33.54
RMS	7.1936G	51.02	68.20	-17.18	41.27	3	Horizontal	304	2.55	-	37.27	6.00	33.52

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT X_1TX
Setting 86
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57254G	56.96	88.20	-31.24	42.82	3	Vertical	68	1.22	-	40.20	8.69	34.75
RMS	13.57266G	44.51	68.20	-23.69	30.37	3	Vertical	68	1.22	-	40.20	8.69	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 86
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56914G	57.03	88.20	-31.17	42.89	3	Horizontal	129	1.54	-	40.20	8.69	34.75
RMS	13.56688G	44.43	68.20	-23.77	30.29	3	Horizontal	129	1.54	-	40.20	8.69	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 86
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35496G	49.55	83.54	-33.99	46.09	1	Vertical	171	1.50	-	37.64	15.66	49.84
AV	20.35092G	36.00	63.54	-27.54	32.54	1	Vertical	171	1.50	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TnomVnom



EUT_X_1TX
Setting 86
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35742G	48.34	83.54	-35.20	44.88	1	Horizontal	239	1.56	-	37.64	15.66	49.84
AV	20.3538G	36.41	63.54	-27.13	32.95	1	Horizontal	239	1.56	-	37.64	15.66	49.84


802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_1TX
 Setting 85
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8496G	104.95	Inf	-Inf	95.81	3	Vertical	120	1.01	-	36.60	5.75	33.21
RMS	6.8524G	92.68	Inf	-Inf	83.56	3	Vertical	120	1.01	-	36.59	5.75	33.22
PK	7.1366G	62.92	88.20	-25.28	53.41	3	Vertical	120	1.01	-	36.99	5.97	33.45
RMS	7.1926G	50.83	68.20	-17.37	41.08	3	Vertical	120	1.01	-	37.27	6.00	33.52

802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
 Setting 85
 04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8846G	110.51	Inf	-Inf	101.50	3	Horizontal	314	2.49	-	36.46	5.78	33.23
RMS	6.8748G	98.74	Inf	-Inf	89.70	3	Horizontal	314	2.49	-	36.50	5.77	33.23
PK	7.1716G	62.15	88.20	-26.05	52.47	3	Horizontal	314	2.49	-	37.19	5.99	33.50
RMS	7.1618G	51.08	68.20	-17.12	41.43	3	Horizontal	314	2.49	-	37.15	5.98	33.48

802.11ax HEW80_Nss1,(MCS0)_1TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73118G	59.16	88.20	-29.04	44.90	3	Vertical	107	2.64	-	40.43	8.65	34.82
RMS	13.73334G	46.76	68.20	-21.44	32.50	3	Vertical	107	2.64	-	40.43	8.65	34.82

802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_1TX
 Setting 85
 04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72694G	59.00	88.20	-29.20	44.74	3	Horizontal	266	2.59	-	40.43	8.65	34.82
RMS	13.72986G	46.82	68.20	-21.38	32.56	3	Horizontal	266	2.59	-	40.43	8.65	34.82

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59008G	49.21	83.54	-34.33	45.49	1	Vertical	276	1.54	-	37.81	15.77	49.86
AV	20.59576G	37.01	63.54	-26.53	33.29	1	Vertical	276	1.54	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TnomVnom




EUT_X_1TX
Setting 85
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59322G	49.16	83.54	-34.38	45.44	1	Horizontal	301	1.58	-	37.81	15.77	49.86
AV	20.59008G	36.93	63.54	-26.61	33.21	1	Horizontal	301	1.58	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_X_1TX
Setting 81
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9582G	102.87	Inf	-Inf	93.51	3	Vertical	276	2.03	-	36.77	5.86	33.27
RMS	6.9534G	90.89	Inf	-Inf	81.52	3	Vertical	276	2.03	-	36.79	5.85	33.27
PK	7.221G	62.36	88.20	-25.84	52.57	3	Vertical	276	2.03	-	37.34	6.01	33.56
RMS	7.2102G	50.92	68.20	-17.28	41.13	3	Vertical	276	2.03	-	37.32	6.01	33.54

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUTX_1TX
Setting 81
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.909G	108.45	Inf	-Inf	99.41	3	Horizontal	279	2.97	-	36.47	5.81	33.24
RMS	6.9078G	97.28	Inf	-Inf	88.25	3	Horizontal	279	2.97	-	36.46	5.81	33.24
PK	7.143G	62.89	88.20	-25.31	53.34	3	Horizontal	279	2.97	-	37.04	5.97	33.46
RMS	7.1826G	51.54	68.20	-16.66	41.83	3	Horizontal	279	2.97	-	37.23	5.99	33.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




16/01/2022

EUT X_1TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88882G	59.62	88.20	-28.58	45.29	3	Vertical	298	1.67	-	40.59	8.62	34.88
RMS	13.8902G	47.21	68.20	-20.99	32.88	3	Vertical	298	1.67	-	40.59	8.62	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_X_1TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88862G	60.00	88.20	-28.20	45.67	3	Horizontal	192	1.63	-	40.59	8.62	34.88
RMS	13.88976G	47.47	68.20	-20.73	33.14	3	Horizontal	192	1.63	-	40.59	8.62	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_X_1TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83388G	49.19	83.54	-34.35	45.21	1	Vertical	132	1.52	-	37.87	15.88	49.77
AV	20.83736G	36.86	63.54	-26.68	32.89	1	Vertical	132	1.52	-	37.86	15.88	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_X_1TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83452G	48.98	83.54	-34.56	45.01	1	Horizontal	129	1.57	-	37.86	15.88	49.77
AV	20.83818G	36.93	63.54	-26.61	32.95	1	Horizontal	129	1.57	-	37.86	15.88	49.76

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 81
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0426G	105.78	Inf	-Inf	96.43	3	Vertical	27	2.52	-	36.77	5.92	33.34
RMS	7.0378G	93.15	Inf	-Inf	83.82	3	Vertical	27	2.52	-	36.75	5.92	33.34
PK	7.125G	71.02	88.20	-17.18	61.60	3	Vertical	27	2.52	-	36.90	5.96	33.44
RMS	7.125G	56.81	68.20	-11.39	47.39	3	Vertical	27	2.52	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUTX_1TX
Setting 81
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.013G	108.30	Inf	-Inf	99.05	3	Horizontal	288	2.88	-	36.65	5.91	33.31
RMS	7.0194G	95.74	Inf	-Inf	86.46	3	Horizontal	288	2.88	-	36.68	5.91	33.31
PK	7.125G	70.29	88.20	-17.91	60.87	3	Horizontal	288	2.88	-	36.90	5.96	33.44
RMS	7.125G	57.58	68.20	-10.62	48.16	3	Horizontal	288	2.88	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05222G	58.95	88.20	-29.25	44.36	3	Vertical	37	1.51	-	40.90	8.61	34.92
RMS	14.04506G	46.93	68.20	-21.27	32.34	3	Vertical	37	1.51	-	40.90	8.61	34.92

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT X_1TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.053G	60.06	88.20	-28.14	45.47	3	Horizontal	131	1.33	-	40.90	8.61	34.92
RMS	14.04644G	46.67	68.20	-21.53	32.08	3	Horizontal	131	1.33	-	40.90	8.61	34.92

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07406G	48.66	83.54	-34.88	44.77	1	Vertical	291	1.53	-	37.60	15.98	49.69
AV	21.07576G	36.22	63.54	-27.32	32.32	1	Vertical	291	1.53	-	37.60	15.98	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 81
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07438G	49.09	83.54	-34.45	45.20	1	Horizontal	51	1.54	-	37.60	15.98	49.69
AV	21.07456G	36.45	63.54	-27.09	32.56	1	Horizontal	51	1.54	-	37.60	15.98	49.69

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 88
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	78.20	88.20	-10.00	71.21	3	Vertical	117	1.00	-	34.97	5.36	33.34
RMS	5.917G	64.92	68.20	-3.28	57.91	3	Vertical	117	1.00	-	35.00	5.36	33.35
PK	6.055G	101.49	Inf	-Inf	93.96	3	Vertical	117	1.00	-	35.41	5.46	33.34
RMS	6.059G	90.57	Inf	-Inf	83.03	3	Vertical	117	1.00	-	35.42	5.46	33.34

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 88
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	80.07	88.20	-8.13	73.08	3	Horizontal	54	2.63	-	34.97	5.36	33.34
RMS	5.919G	68.14	68.20	-0.06	61.12	3	Horizontal	54	2.63	-	35.01	5.36	33.35
PK	6.003G	105.67	Inf	-Inf	98.25	3	Horizontal	54	2.63	-	35.40	5.40	33.38
RMS	6.053G	94.68	Inf	-Inf	87.16	3	Horizontal	54	2.63	-	35.41	5.45	33.34

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 88
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05258G	56.45	74.00	-17.55	43.49	3	Vertical	75	1.85	-	38.90	8.99	34.93
AV	12.04926G	45.55	54.00	-8.45	32.60	3	Vertical	75	1.85	-	38.90	8.99	34.94

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 88
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05142G	55.97	74.00	-18.03	43.01	3	Horizontal	146	1.26	-	38.90	8.99	34.93
AV	12.05384G	45.14	54.00	-8.86	32.18	3	Horizontal	146	1.26	-	38.90	8.99	34.93

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUTX_1TX
Setting 88
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07154G	47.18	83.54	-36.36	45.08	1	Vertical	57	1.51	-	37.64	14.73	50.27
AV	18.0787G	36.39	63.54	-27.15	34.29	1	Vertical	57	1.51	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUTX_1TX
Setting 88
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07802G	47.91	83.54	-35.63	45.81	1	Horizontal	297	1.52	-	37.64	14.73	50.27
AV	18.0712G	36.28	63.54	-27.26	34.18	1	Horizontal	297	1.52	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 88
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	62.58	88.20	-25.62	55.53	3	Vertical	259	1.14	-	35.04	5.36	33.35
RMS	5.9246G	52.40	68.20	-15.80	45.34	3	Vertical	259	1.14	-	35.05	5.36	33.35
PK	6.161G	101.52	Inf	-Inf	93.76	3	Vertical	259	1.14	-	35.47	5.56	33.27
RMS	6.1586G	91.51	Inf	-Inf	83.77	3	Vertical	259	1.14	-	35.45	5.56	33.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUTX_1TX
Setting 88
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	66.43	88.20	-21.77	59.39	3	Horizontal	306	2.66	-	35.03	5.36	33.35
RMS	5.9246G	55.30	68.20	-12.90	48.24	3	Horizontal	306	2.66	-	35.05	5.36	33.35
PK	6.1658G	109.24	Inf	-Inf	101.45	3	Horizontal	306	2.66	-	35.49	5.57	33.27
RMS	6.1562G	98.51	Inf	-Inf	90.78	3	Horizontal	306	2.66	-	35.44	5.56	33.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 88
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37356G	55.62	74.00	-18.38	42.61	3	Vertical	202	2.77	-	38.92	8.93	34.84
AV	12.3704G	44.66	54.00	-9.34	31.66	3	Vertical	202	2.77	-	38.91	8.93	34.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 88
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36796G	55.55	74.00	-18.45	42.56	3	Horizontal	111	2.28	-	38.90	8.93	34.84
AV	12.36974G	45.22	54.00	-8.78	32.22	3	Horizontal	111	2.28	-	38.91	8.93	34.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUTX_1TX
Setting 88
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5523G	49.01	83.54	-34.53	46.36	1	Vertical	108	1.54	-	37.78	14.92	50.05
AV	18.55148G	37.41	63.54	-26.13	34.76	1	Vertical	108	1.54	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 88
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5516G	47.81	83.54	-35.73	45.16	1	Horizontal	221	1.50	-	37.78	14.92	50.05
AV	18.55174G	37.28	63.54	-26.26	34.63	1	Horizontal	221	1.50	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




12/01/2022

EUTX_1TX
Setting 94
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	61.15	88.20	-27.05	54.33	3	Vertical	148	1.80	-	34.81	5.33	33.32
RMS	5.911G	49.99	68.20	-18.21	43.00	3	Vertical	148	1.80	-	34.97	5.36	33.34
PK	6.313G	100.32	Inf	-Inf	92.23	3	Vertical	148	1.80	-	35.60	5.66	33.17
RMS	6.317G	89.93	Inf	-Inf	81.83	3	Vertical	148	1.80	-	35.60	5.66	33.16

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUTX_1TX
Setting 94
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	60.48	88.20	-27.72	53.44	3	Horizontal	51	2.57	-	35.03	5.36	33.35
RMS	5.921G	50.42	68.20	-17.78	43.38	3	Horizontal	51	2.57	-	35.03	5.36	33.35
PK	6.325G	107.28	Inf	-Inf	99.18	3	Horizontal	51	2.57	-	35.60	5.66	33.16
RMS	6.321G	96.45	Inf	-Inf	88.35	3	Horizontal	51	2.57	-	35.60	5.66	33.16

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 94
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68546G	56.70	74.00	-17.30	43.36	3	Vertical	309	1.58	-	39.24	8.86	34.76
AV	12.6939G	45.59	54.00	-8.41	32.21	3	Vertical	309	1.58	-	39.28	8.86	34.76

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT X_1TX
Setting 94
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68752G	56.68	74.00	-17.32	43.33	3	Horizontal	235	2.05	-	39.25	8.86	34.76
AV	12.69134G	45.62	54.00	-8.38	32.25	3	Horizontal	235	2.05	-	39.27	8.86	34.76

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 94
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03262G	48.77	83.54	-34.77	45.31	1	Vertical	195	1.58	-	37.96	15.11	49.61
AV	19.03428G	38.06	63.54	-25.48	34.60	1	Vertical	195	1.58	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 94
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03222G	48.82	83.54	-34.72	45.36	1	Horizontal	121	1.57	-	37.96	15.11	49.61
AV	19.03336G	38.31	63.54	-25.23	34.85	1	Horizontal	121	1.57	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 96
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	59.97	88.20	-28.23	53.03	3	Vertical	107	1.00	-	34.93	5.35	33.34
RMS	5.9114G	49.91	68.20	-18.29	42.92	3	Vertical	107	1.00	-	34.97	5.36	33.34
PK	6.4882G	103.89	Inf	-Inf	95.49	3	Vertical	107	1.00	-	35.75	5.70	33.05
RMS	6.4826G	94.36	Inf	-Inf	85.98	3	Vertical	107	1.00	-	35.73	5.70	33.05
PK	7.1938G	61.59	88.20	-26.61	51.83	3	Vertical	107	1.00	-	37.28	6.00	33.52
RMS	7.205G	50.91	68.20	-17.29	41.14	3	Vertical	107	1.00	-	37.31	6.00	33.54

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 96
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	60.30	88.20	-27.90	53.40	3	Horizontal	50	1.88	-	34.89	5.35	33.34
RMS	5.917G	49.89	68.20	-18.31	42.88	3	Horizontal	50	1.88	-	35.00	5.36	33.35
PK	6.4882G	105.73	Inf	-Inf	97.33	3	Horizontal	50	1.88	-	35.75	5.70	33.05
RMS	6.4798G	95.73	Inf	-Inf	87.36	3	Horizontal	50	1.88	-	35.72	5.70	33.05
PK	7.205G	62.75	88.20	-25.45	52.98	3	Horizontal	50	1.88	-	37.31	6.00	33.54
RMS	7.205G	50.91	68.20	-17.29	41.14	3	Horizontal	50	1.88	-	37.31	6.00	33.54

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 96
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0067G	57.21	88.20	-30.99	43.41	3	Vertical	136	1.02	-	39.70	8.80	34.70
RMS	13.00836G	46.16	68.20	-22.04	32.36	3	Vertical	136	1.02	-	39.70	8.80	34.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT_X_1TX
Setting 96
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00592G	57.06	88.20	-31.14	43.26	3	Horizontal	124	1.91	-	39.70	8.80	34.70
RMS	13.01084G	46.12	68.20	-22.08	32.32	3	Horizontal	124	1.91	-	39.70	8.80	34.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TnomVnom




EUT_X_1TX
Setting 96
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51844G	49.45	83.54	-34.09	45.95	1	Vertical	231	1.56	-	37.89	15.31	49.70
AV	19.51014G	38.45	63.54	-25.09	34.95	1	Vertical	231	1.56	-	37.90	15.30	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TnomVnom




EUT_X_1TX
Setting 96
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5161G	49.34	83.54	-34.20	45.84	1	Horizontal	342	1.58	-	37.89	15.31	49.70
AV	19.51918G	38.24	63.54	-25.30	34.74	1	Horizontal	342	1.58	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 99
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6716G	105.53	Inf	-Inf	96.76	3	Vertical	109	1.08	-	36.20	5.70	33.13
RMS	6.6386G	94.09	Inf	-Inf	85.32	3	Vertical	109	1.08	-	36.18	5.70	33.11
PK	7.193G	62.38	88.20	-25.82	52.63	3	Vertical	109	1.08	-	37.27	6.00	33.52
RMS	7.1292G	51.88	68.20	-16.32	42.44	3	Vertical	109	1.08	-	36.93	5.96	33.45

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 99
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.588G	106.86	Inf	-Inf	98.16	3	Horizontal	50	2.01	-	36.08	5.70	33.08
RMS	6.6012G	96.88	Inf	-Inf	88.17	3	Horizontal	50	2.01	-	36.10	5.70	33.09
PK	7.149G	62.84	88.20	-25.36	53.25	3	Horizontal	50	2.01	-	37.09	5.97	33.47
RMS	7.1292G	52.37	68.20	-15.83	42.93	3	Horizontal	50	2.01	-	36.93	5.96	33.45

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 99
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33334G	57.62	74.00	-16.38	43.53	3	Vertical	90	1.16	-	40.07	8.73	34.71
AV	13.33412G	46.70	54.00	-7.30	32.61	3	Vertical	90	1.16	-	40.07	8.73	34.71

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 99
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33118G	57.37	74.00	-16.63	43.29	3	Horizontal	282	1.43	-	40.06	8.73	34.71
AV	13.3279G	46.73	54.00	-7.27	32.65	3	Horizontal	282	1.43	-	40.06	8.73	34.71

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 99
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99582G	47.84	83.54	-35.70	44.63	1	Vertical	229	1.57	-	37.41	15.50	49.70
AV	19.9969G	36.40	63.54	-27.14	33.20	1	Vertical	229	1.57	-	37.40	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 99
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99704G	48.06	83.54	-35.48	44.86	1	Horizontal	74	1.50	-	37.40	15.50	49.70
AV	19.9969G	36.83	63.54	-26.71	33.63	1	Horizontal	74	1.50	-	37.40	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 97
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8106G	102.61	Inf	-Inf	93.74	3	Vertical	271	2.09	-	36.36	5.71	33.20
RMS	6.857G	92.29	Inf	-Inf	83.18	3	Vertical	271	2.09	-	36.57	5.76	33.22
PK	7.1626G	67.82	88.20	-20.38	58.18	3	Vertical	271	2.09	-	37.15	5.98	33.49
RMS	7.1258G	56.35	68.20	-11.85	46.92	3	Vertical	271	2.09	-	36.91	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 97
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8058G	108.08	Inf	-Inf	99.23	3	Horizontal	344	2.48	-	36.33	5.71	33.19
RMS	6.7962G	97.08	Inf	-Inf	88.26	3	Horizontal	344	2.48	-	36.31	5.70	33.19
PK	7.1306G	71.48	88.20	-16.72	62.02	3	Horizontal	344	2.48	-	36.94	5.97	33.45
RMS	7.1258G	59.83	68.20	-8.37	50.40	3	Horizontal	344	2.48	-	36.91	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom








EUT_X_1TX
Setting 97
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65412G	58.52	88.20	-29.68	44.32	3	Vertical	25	1.62	-	40.31	8.67	34.78
RMS	13.64528G	47.52	68.20	-20.68	33.34	3	Vertical	25	1.62	-	40.29	8.67	34.78

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT_X_1TX
Setting 97
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65454G	58.61	88.20	-29.59	44.41	3	Horizontal	343	2.16	-	40.31	8.67	34.78
RMS	13.64764G	47.57	68.20	-20.63	33.38	3	Horizontal	343	2.16	-	40.30	8.67	34.78

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TnomVnom




EUT_X_1TX
Setting 97
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47736G	49.52	83.54	-34.02	46.01	1	Vertical	294	1.58	-	37.69	15.71	49.89
AV	20.47778G	37.81	63.54	-25.73	34.29	1	Vertical	294	1.58	-	37.69	15.72	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TnomVnom




EUT_X_1TX
Setting 97
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47174G	49.92	83.54	-33.62	46.41	1	Horizontal	59	1.51	-	37.69	15.71	49.89
AV	20.47858G	38.00	63.54	-25.54	34.48	1	Horizontal	59	1.51	-	37.69	15.72	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 80
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.955G	101.34	Inf	-Inf	91.97	3	Vertical	19	1.12	-	36.78	5.86	33.27
RMS	6.958G	90.69	Inf	-Inf	81.33	3	Vertical	19	1.12	-	36.77	5.86	33.27
PK	7.132G	75.48	88.20	-12.72	66.00	3	Vertical	19	1.12	-	36.96	5.97	33.45
RMS	7.144G	61.35	68.20	-6.85	51.79	3	Vertical	19	1.12	-	37.05	5.97	33.46
PK	7.267G	59.74	74.00	-14.26	49.89	3	Vertical	19	1.12	-	37.43	6.03	33.61
AV	7.273G	48.38	54.00	-5.62	38.51	3	Vertical	19	1.12	-	37.45	6.04	33.62

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 80
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.961G	105.83	Inf	-Inf	96.48	3	Horizontal	282	2.94	-	36.76	5.86	33.27
RMS	6.964G	95.63	Inf	-Inf	86.30	3	Horizontal	282	2.94	-	36.74	5.86	33.27
PK	7.132G	81.92	88.20	-6.28	72.44	3	Horizontal	282	2.94	-	36.96	5.97	33.45
RMS	7.132G	67.66	68.20	-0.54	58.18	3	Horizontal	282	2.94	-	36.96	5.97	33.45
PK	7.255G	63.92	74.00	-10.08	54.08	3	Horizontal	282	2.94	-	37.41	6.03	33.60
AV	7.25G	53.77	54.00	-0.23	43.93	3	Horizontal	282	2.94	-	37.40	6.03	33.59

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96874G	59.39	88.20	-28.81	44.89	3	Vertical	116	2.56	-	40.81	8.61	34.92
RMS	13.9659G	48.74	68.20	-19.46	34.25	3	Vertical	116	2.56	-	40.80	8.61	34.92

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96676G	60.46	88.20	-27.74	45.97	3	Horizontal	48	2.91	-	40.80	8.61	34.92
RMS	13.9655G	48.97	68.20	-19.23	34.48	3	Horizontal	48	2.91	-	40.80	8.61	34.92

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95026G	49.38	83.54	-34.16	45.49	1	Vertical	88	1.55	-	37.68	15.93	49.72
AV	20.95564G	37.69	63.54	-25.85	33.81	1	Vertical	88	1.55	-	37.67	15.93	49.72

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom



EUT_X_1TX
Setting 80
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95504G	48.82	83.54	-34.72	44.94	1	Horizontal	307	1.50	-	37.67	15.93	49.72
AV	20.9582G	37.95	63.54	-25.59	34.07	1	Horizontal	307	1.50	-	37.67	15.93	49.72




For non beamforming mode / 2T2S

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	RMS	5.919G	67.85	68.20	-0.35	3	Horizontal	312	2.70	-

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TnomVnom




EUTX_2TX
Setting 52
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8698G	59.37	88.20	-28.83	52.53	3	Vertical	356	2.02	-	34.84	5.33	33.33
RMS	5.9218G	47.08	68.20	-21.12	40.04	3	Vertical	356	2.02	-	35.03	5.36	33.35
PK	5.9502G	101.29	Inf	-Inf	94.07	3	Vertical	356	2.02	-	35.20	5.38	33.36
RMS	5.9534G	89.24	Inf	-Inf	82.01	3	Vertical	356	2.02	-	35.21	5.38	33.36

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TnomVnom




EUTX_2TX
Setting 52
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.33	88.20	-26.87	54.27	3	Horizontal	294	1.73	-	35.05	5.36	33.35
RMS	5.9242G	48.32	68.20	-19.88	41.26	3	Horizontal	294	1.73	-	35.05	5.36	33.35
PK	5.9542G	108.27	Inf	-Inf	101.03	3	Horizontal	294	1.73	-	35.22	5.38	33.36
RMS	5.9566G	96.89	Inf	-Inf	89.64	3	Horizontal	294	1.73	-	35.23	5.38	33.36

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TnomVnom




EUTX_2TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90516G	56.60	74.00	-17.40	43.40	3	Vertical	272	2.80	-	39.18	8.93	34.91
AV	11.90582G	43.90	54.00	-10.10	30.70	3	Vertical	272	2.80	-	39.18	8.93	34.91
PK	17.86296G	61.00	74.00	-13.00	44.11	3	Vertical	60	1.17	-	41.89	9.75	34.75
AV	17.86764G	49.03	54.00	-4.97	32.13	3	Vertical	60	1.17	-	41.90	9.75	34.75

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TnomVnom




EUTX_2TX
Setting 52
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91416G	56.55	74.00	-17.45	43.37	3	Horizontal	22	2.53	-	39.16	8.94	34.92
AV	11.91476G	43.99	54.00	-10.01	30.81	3	Horizontal	22	2.53	-	39.16	8.94	34.92
PK	17.86926G	61.80	74.00	-12.20	44.89	3	Horizontal	315	2.10	-	41.91	9.75	34.75
AV	17.86796G	48.95	54.00	-5.05	32.05	3	Horizontal	315	2.10	-	41.90	9.75	34.75

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 48
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	60.37	88.20	-27.83	53.38	3	Vertical	117	1.00	-	34.97	5.36	33.34
RMS	5.9218G	49.52	68.20	-18.68	42.48	3	Vertical	117	1.00	-	35.03	5.36	33.35
PK	6.169G	103.70	Inf	-Inf	95.89	3	Vertical	117	1.00	-	35.51	5.57	33.27
RMS	6.1678G	91.71	Inf	-Inf	83.90	3	Vertical	117	1.00	-	35.51	5.57	33.27

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 48
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	60.57	88.20	-27.63	53.56	3	Horizontal	311	2.65	-	35.00	5.36	33.35
RMS	5.9242G	49.58	68.20	-18.62	42.52	3	Horizontal	311	2.65	-	35.05	5.36	33.35
PK	6.1774G	108.71	Inf	-Inf	100.83	3	Horizontal	311	2.65	-	35.56	5.58	33.26
RMS	6.1702G	98.81	Inf	-Inf	90.98	3	Horizontal	311	2.65	-	35.52	5.57	33.26

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3453G	56.20	74.00	-17.80	43.28	3	Vertical	300	2.85	-	38.84	8.93	34.85
AV	12.34884G	43.16	54.00	-10.84	30.23	3	Vertical	300	2.85	-	38.85	8.93	34.85

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3535G	55.80	74.00	-18.20	42.85	3	Horizontal	3	2.06	-	38.86	8.93	34.84
AV	12.35494G	43.25	54.00	-10.75	30.30	3	Horizontal	3	2.06	-	38.86	8.93	34.84

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52862G	48.88	83.54	-34.66	46.25	1	Vertical	315	1.51	-	37.79	14.91	50.07
AV	18.52578G	35.73	63.54	-27.81	33.10	1	Vertical	315	1.51	-	37.79	14.91	50.07

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TnomVnom




EUT_X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52956G	48.49	83.54	-35.05	45.86	1	Horizontal	273	1.58	-	37.79	14.91	50.07
AV	18.52716G	35.75	63.54	-27.79	33.12	1	Horizontal	273	1.58	-	37.79	14.91	50.07

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT_X_2TX
Setting 48
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	60.10	88.20	-28.10	53.10	3	Vertical	24	1.98	-	34.99	5.36	33.35
RMS	5.915G	49.54	68.20	-18.66	42.54	3	Vertical	24	1.98	-	34.99	5.36	33.35
PK	6.419G	100.38	Inf	-Inf	92.12	3	Vertical	24	1.98	-	35.66	5.70	33.10
RMS	6.417G	90.39	Inf	-Inf	82.12	3	Vertical	24	1.98	-	35.67	5.70	33.10

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom








EUT_X_2TX
Setting 48
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.18	88.20	-29.02	52.12	3	Horizontal	284	1.70	-	35.05	5.36	33.35
RMS	5.915G	49.49	68.20	-18.71	42.49	3	Horizontal	284	1.70	-	34.99	5.36	33.35
PK	6.415G	108.66	Inf	-Inf	100.39	3	Horizontal	284	1.70	-	35.67	5.70	33.10
RMS	6.409G	97.78	Inf	-Inf	89.50	3	Horizontal	284	1.70	-	35.68	5.70	33.10

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


16/01/2022

EUT X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83126G	56.78	88.20	-31.42	43.25	3	Vertical	195	1.93	-	39.43	8.83	34.73
RMS	12.82608G	44.16	68.20	-24.04	30.63	3	Vertical	195	1.93	-	39.43	8.83	34.73

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8334G	56.56	88.20	-31.64	43.03	3	Horizontal	166	1.07	-	39.43	8.83	34.73
RMS	12.83054G	43.93	68.20	-24.27	30.40	3	Horizontal	166	1.07	-	39.43	8.83	34.73

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24238G	48.82	83.54	-34.72	45.56	1	Vertical	40	1.57	-	37.71	15.20	49.65
AV	19.24178G	35.67	63.54	-27.87	32.41	1	Vertical	40	1.57	-	37.71	15.20	49.65

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TnomVnom




EUT X_2TX
Setting 48
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24178G	48.50	83.54	-35.04	45.24	1	Horizontal	265	1.53	-	37.71	15.20	49.65
AV	19.24482G	35.88	63.54	-27.66	32.62	1	Horizontal	265	1.53	-	37.71	15.20	49.65

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 47
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	60.23	88.20	-27.97	53.29	3	Vertical	8	1.90	-	34.93	5.35	33.34
RMS	5.9202G	49.45	68.20	-18.75	42.42	3	Vertical	8	1.90	-	35.02	5.36	33.35
PK	6.4324G	99.26	Inf	-Inf	91.01	3	Vertical	8	1.90	-	35.64	5.70	33.09
RMS	6.4376G	89.37	Inf	-Inf	81.13	3	Vertical	8	1.90	-	35.62	5.70	33.08

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT_X_2TX
Setting 47
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9124G	59.78	88.20	-28.42	52.79	3	Horizontal	287	1.76	-	34.97	5.36	33.34
RMS	5.9202G	49.50	68.20	-18.70	42.47	3	Horizontal	287	1.76	-	35.02	5.36	33.35
PK	6.4376G	106.96	Inf	-Inf	98.72	3	Horizontal	287	1.76	-	35.62	5.70	33.08
RMS	6.4298G	97.51	Inf	-Inf	89.26	3	Horizontal	287	1.76	-	35.64	5.70	33.09

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8737G	56.72	88.20	-31.48	43.15	3	Vertical	165	1.34	-	39.47	8.83	34.73
RMS	12.8652G	43.76	68.20	-24.44	30.19	3	Vertical	165	1.34	-	39.47	8.83	34.73

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT X_2TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87154G	56.16	88.20	-32.04	42.59	3	Horizontal	198	2.46	-	39.47	8.83	34.73
RMS	12.874G	44.12	68.20	-24.08	30.55	3	Horizontal	198	2.46	-	39.47	8.83	34.73

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT_X_2TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30252G	48.66	83.54	-34.88	45.36	1	Vertical	53	1.57	-	37.74	15.22	49.66
AV	19.30666G	36.60	63.54	-26.94	33.29	1	Vertical	53	1.57	-	37.75	15.22	49.66

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TnomVnom




EUT_X_2TX
Setting 47
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30332G	48.84	83.54	-34.70	45.54	1	Horizontal	11	1.53	-	37.74	15.22	49.66
AV	19.30716G	36.10	63.54	-27.44	32.79	1	Horizontal	11	1.53	-	37.75	15.22	49.66

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 46
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8198G	60.29	88.20	-27.91	53.67	3	Vertical	114	1.05	-	34.62	5.31	33.31
RMS	5.9234G	49.46	68.20	-18.74	42.41	3	Vertical	114	1.05	-	35.04	5.36	33.35
PK	6.4694G	101.01	Inf	-Inf	92.69	3	Vertical	114	1.05	-	35.68	5.70	33.06
RMS	6.4806G	90.87	Inf	-Inf	82.50	3	Vertical	114	1.05	-	35.72	5.70	33.05
PK	7.147G	61.06	88.20	-27.14	51.48	3	Vertical	114	1.05	-	37.08	5.97	33.47
RMS	7.1414G	50.26	68.20	-17.94	40.72	3	Vertical	114	1.05	-	37.03	5.97	33.46

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 46
04-K-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	60.60	88.20	-27.60	53.70	3	Horizontal	113	1.06	-	34.89	5.35	33.34
RMS	5.9178G	49.43	68.20	-18.77	42.41	3	Horizontal	113	1.06	-	35.01	5.36	33.35
PK	6.4778G	100.77	Inf	-Inf	92.42	3	Horizontal	113	1.06	-	35.71	5.70	33.06
RMS	6.4722G	91.09	Inf	-Inf	82.76	3	Horizontal	113	1.06	-	35.69	5.70	33.06
PK	7.1442G	61.17	88.20	-27.03	51.61	3	Horizontal	113	1.06	-	37.05	5.97	33.46
RMS	7.1442G	50.24	68.20	-17.96	40.68	3	Horizontal	113	1.06	-	37.05	5.97	33.46

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94518G	56.91	88.20	-31.29	43.22	3	Vertical	40	2.73	-	39.59	8.81	34.71
RMS	12.94534G	44.50	68.20	-23.70	30.81	3	Vertical	40	2.73	-	39.59	8.81	34.71

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95096G	56.61	88.20	-31.59	42.91	3	Horizontal	208	2.88	-	39.60	8.81	34.71
RMS	12.9547G	44.32	68.20	-23.88	30.61	3	Horizontal	208	2.88	-	39.61	8.81	34.71

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42936G	49.07	83.54	-34.47	45.65	1	Vertical	87	1.54	-	37.84	15.27	49.69
AV	19.42436G	36.57	63.54	-26.97	33.14	1	Vertical	87	1.54	-	37.84	15.27	49.68

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TnomVnom




EUT X_2TX
Setting 46
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42398G	48.99	83.54	-34.55	45.56	1	Horizontal	209	1.53	-	37.84	15.27	49.68
AV	19.42446G	36.49	63.54	-27.05	33.06	1	Horizontal	209	1.53	-	37.84	15.27	49.68

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 43
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	60.58	88.20	-27.62	53.64	3	Vertical	146	1.96	-	34.93	5.35	33.34
RMS	5.9214G	50.22	68.20	-17.98	43.18	3	Vertical	146	1.96	-	35.03	5.36	33.35
PK	6.5178G	98.00	Inf	-Inf	89.48	3	Vertical	146	1.96	-	35.87	5.70	33.05
RMS	6.5122G	88.85	Inf	-Inf	80.35	3	Vertical	146	1.96	-	35.85	5.70	33.05
PK	7.1394G	61.63	88.20	-26.57	52.10	3	Vertical	146	1.96	-	37.02	5.97	33.46
RMS	7.1786G	52.14	68.20	-16.06	42.44	3	Vertical	146	1.96	-	37.21	5.99	33.50

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 43
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	61.65	88.20	-26.55	54.73	3	Horizontal	287	1.80	-	34.91	5.35	33.34
RMS	5.913G	50.20	68.20	-18.00	43.21	3	Horizontal	287	1.80	-	34.98	5.36	33.35
PK	6.5234G	106.72	Inf	-Inf	98.18	3	Horizontal	287	1.80	-	35.89	5.70	33.05
RMS	6.5122G	96.85	Inf	-Inf	88.35	3	Horizontal	287	1.80	-	35.85	5.70	33.05
PK	7.2066G	61.60	88.20	-26.60	51.83	3	Horizontal	287	1.80	-	37.31	6.00	33.54
RMS	7.2094G	51.93	68.20	-16.27	42.15	3	Horizontal	287	1.80	-	37.32	6.00	33.54

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02856G	56.41	88.20	-31.79	42.62	3	Vertical	23	2.83	-	39.70	8.79	34.70
RMS	13.02994G	44.16	68.20	-24.04	30.37	3	Vertical	23	2.83	-	39.70	8.79	34.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03124G	56.40	88.20	-31.80	42.61	3	Horizontal	34	1.92	-	39.70	8.79	34.70
RMS	13.02576G	44.17	68.20	-24.03	30.38	3	Horizontal	34	1.92	-	39.70	8.79	34.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54456G	48.35	83.54	-35.19	44.85	1	Vertical	239	1.58	-	37.88	15.32	49.70
AV	19.54552G	36.21	63.54	-27.33	32.71	1	Vertical	239	1.58	-	37.88	15.32	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TnomVnom




EUT_X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5452G	48.62	83.54	-34.92	45.12	1	Horizontal	177	1.58	-	37.88	15.32	49.70
AV	19.54552G	36.12	63.54	-27.42	32.62	1	Horizontal	177	1.58	-	37.88	15.32	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT_X_2TX
Setting 44
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	60.78	88.20	-27.42	53.72	3	Vertical	112	1.00	-	35.05	5.36	33.35
RMS	5.9218G	50.05	68.20	-18.15	43.01	3	Vertical	112	1.00	-	35.03	5.36	33.35
PK	6.5378G	100.79	Inf	-Inf	92.20	3	Vertical	112	1.00	-	35.95	5.70	33.06
RMS	6.535G	90.68	Inf	-Inf	82.10	3	Vertical	112	1.00	-	35.94	5.70	33.06
PK	7.207G	62.48	88.20	-25.72	52.71	3	Vertical	112	1.00	-	37.31	6.00	33.54
RMS	7.221G	51.93	68.20	-16.27	42.14	3	Vertical	112	1.00	-	37.34	6.01	33.56

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT_X_2TX
Setting 44
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	60.71	88.20	-27.49	53.69	3	Horizontal	284	1.80	-	35.01	5.36	33.35
RMS	5.9246G	50.06	68.20	-18.14	43.00	3	Horizontal	284	1.80	-	35.05	5.36	33.35
PK	6.5406G	107.35	Inf	-Inf	98.75	3	Horizontal	284	1.80	-	35.96	5.70	33.06
RMS	6.5322G	97.64	Inf	-Inf	89.07	3	Horizontal	284	1.80	-	35.93	5.70	33.06
PK	7.2126G	62.49	88.20	-25.71	52.70	3	Horizontal	284	1.80	-	37.33	6.01	33.55
RMS	7.2238G	51.93	68.20	-16.27	42.13	3	Horizontal	284	1.80	-	37.35	6.01	33.56

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.067G	56.79	88.20	-31.41	43.00	3	Vertical	189	2.24	-	39.70	8.79	34.70
RMS	13.0745G	44.41	68.20	-23.79	30.62	3	Vertical	189	2.24	-	39.70	8.79	34.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06694G	56.82	88.20	-31.38	43.03	3	Horizontal	242	1.39	-	39.70	8.79	34.70
RMS	13.06506G	44.15	68.20	-24.05	30.36	3	Horizontal	242	1.39	-	39.70	8.79	34.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60136G	49.24	83.54	-34.30	45.74	1	Vertical	232	1.55	-	37.86	15.34	49.70
AV	19.60232G	36.77	63.54	-26.77	33.27	1	Vertical	232	1.55	-	37.86	15.34	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6018G	49.56	83.54	-33.98	46.06	1	Horizontal	304	1.55	-	37.86	15.34	49.70
AV	19.60728G	36.91	63.54	-26.63	33.41	1	Horizontal	304	1.55	-	37.86	15.34	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 42
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	98.40	Inf	-Inf	89.64	3	Vertical	112	1.08	-	36.20	5.70	33.14
RMS	6.6906G	88.67	Inf	-Inf	79.91	3	Vertical	112	1.08	-	36.20	5.70	33.14
PK	7.1724G	62.66	88.20	-25.54	52.98	3	Vertical	112	1.08	-	37.19	5.99	33.50
RMS	7.2186G	51.68	68.20	-16.52	41.88	3	Vertical	112	1.08	-	37.34	6.01	33.55

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 42
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	107.43	Inf	-Inf	98.67	3	Horizontal	288	1.84	-	36.20	5.70	33.14
RMS	6.6906G	97.23	Inf	-Inf	88.47	3	Horizontal	288	1.84	-	36.20	5.70	33.14
PK	7.2318G	62.59	88.20	-25.61	52.78	3	Horizontal	288	1.84	-	37.36	6.02	33.57
RMS	7.201G	51.81	68.20	-16.39	42.04	3	Horizontal	288	1.84	-	37.30	6.00	33.53

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39472G	57.38	74.00	-16.62	43.19	3	Vertical	307	2.77	-	40.19	8.72	34.72
AV	13.38928G	45.12	54.00	-8.88	30.94	3	Vertical	307	2.77	-	40.18	8.72	34.72

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38682G	58.05	74.00	-15.95	43.88	3	Horizontal	355	1.03	-	40.17	8.72	34.72
AV	13.39058G	44.99	54.00	-9.01	30.81	3	Horizontal	355	1.03	-	40.18	8.72	34.72

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0829G	47.47	83.54	-36.07	44.19	1	Vertical	273	1.58	-	37.47	15.54	49.73
AV	20.08996G	34.69	63.54	-28.85	31.42	1	Vertical	273	1.58	-	37.47	15.54	49.74

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TnomVnom




EUT_X_2TX
Setting 42
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08314G	47.41	83.54	-36.13	44.13	1	Horizontal	117	1.50	-	37.47	15.54	49.73
AV	20.08018G	34.71	63.54	-28.83	31.44	1	Horizontal	117	1.50	-	37.46	15.54	49.73

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUTX_2TX
Setting 53
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8592G	103.74	Inf	-Inf	94.64	3	Vertical	332	2.90	-	36.56	5.76	33.22
RMS	6.8508G	93.89	Inf	-Inf	84.76	3	Vertical	332	2.90	-	36.60	5.75	33.22
PK	7.1868G	61.99	88.20	-26.21	52.26	3	Vertical	332	2.90	-	37.25	5.99	33.51
RMS	7.184G	51.47	68.20	-16.73	41.75	3	Vertical	332	2.90	-	37.24	5.99	33.51

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT_X_2TX
Setting 53
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	110.96	Inf	-Inf	101.85	3	Horizontal	292	1.79	-	36.57	5.76	33.22
RMS	6.8564G	100.13	Inf	-Inf	91.02	3	Horizontal	292	1.79	-	36.57	5.76	33.22
PK	7.1728G	62.54	88.20	-25.66	52.86	3	Horizontal	292	1.79	-	37.19	5.99	33.50
RMS	7.156G	51.82	68.20	-16.38	42.20	3	Horizontal	292	1.79	-	37.12	5.98	33.48

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT X_2TX
Setting 53
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7061G	58.71	88.20	-29.49	44.45	3	Vertical	102	1.37	-	40.41	8.66	34.81
RMS	13.71136G	46.30	68.20	-21.90	32.04	3	Vertical	102	1.37	-	40.41	8.66	34.81

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT X_2TX
Setting 53
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71472G	58.83	88.20	-29.37	44.57	3	Horizontal	336	2.12	-	40.41	8.66	34.81
RMS	13.71484G	46.43	68.20	-21.77	32.17	3	Horizontal	336	2.12	-	40.41	8.66	34.81

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT X_2TX
Setting 53
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56878G	49.09	83.54	-34.45	45.42	1	Vertical	78	1.54	-	37.78	15.76	49.87
AV	20.56764G	36.46	63.54	-27.08	32.79	1	Vertical	78	1.54	-	37.78	15.76	49.87

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TnomVnom




EUT X_2TX
Setting 53
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56176G	48.98	83.54	-34.56	45.34	1	Horizontal	115	1.50	-	37.77	15.75	49.88
AV	20.56466G	36.81	63.54	-26.73	33.15	1	Horizontal	115	1.50	-	37.78	15.75	49.87

802.11ax HEW20_Nss2,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
Setting 51
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8806G	100.87	Inf	-Inf	91.84	3	Vertical	26	2.50	-	36.48	5.78	33.23
RMS	6.8792G	90.45	Inf	-Inf	81.42	3	Vertical	26	2.50	-	36.48	5.78	33.23
PK	7.2054G	62.85	88.20	-25.35	53.08	3	Vertical	26	2.50	-	37.31	6.00	33.54
RMS	7.2166G	51.81	68.20	-16.39	42.02	3	Vertical	26	2.50	-	37.33	6.01	33.55

802.11ax HEW20_Nss2,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
 Setting 51
 04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8778G	109.31	Inf	-Inf	100.27	3	Horizontal	289	1.70	-	36.49	5.78	33.23
RMS	6.8764G	99.21	Inf	-Inf	90.17	3	Horizontal	289	1.70	-	36.49	5.78	33.23
PK	7.1886G	63.10	88.20	-25.10	53.38	3	Horizontal	289	1.70	-	37.25	5.99	33.52
RMS	7.218G	51.68	68.20	-16.52	41.88	3	Horizontal	289	1.70	-	37.34	6.01	33.55

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75052G	59.72	88.20	-28.48	45.45	3	Vertical	352	1.81	-	40.45	8.65	34.83
RMS	13.75408G	47.13	68.20	-21.07	32.86	3	Vertical	352	1.81	-	40.45	8.65	34.83

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




16/01/2022

EUT X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74908G	59.71	88.20	-28.49	45.43	3	Horizontal	146	2.90	-	40.45	8.65	34.82
RMS	13.74752G	46.94	68.20	-21.26	32.66	3	Horizontal	146	2.90	-	40.45	8.65	34.82

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz_TnomVnom




EUT X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62822G	49.35	83.54	-34.19	45.57	1	Vertical	253	1.57	-	37.85	15.78	49.85
AV	20.62546G	36.20	63.54	-27.34	32.42	1	Vertical	253	1.57	-	37.85	15.78	49.85

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz_TnomVnom




EUT X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62696G	49.09	83.54	-34.45	45.31	1	Horizontal	290	1.51	-	37.85	15.78	49.85
AV	20.62564G	36.49	63.54	-27.05	32.71	1	Horizontal	290	1.51	-	37.85	15.78	49.85

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT_X_2TX
Setting 51
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8894G	104.24	Inf	-Inf	95.24	3	Vertical	26	2.28	-	36.44	5.79	33.23
RMS	6.8908G	92.17	Inf	-Inf	83.18	3	Vertical	26	2.28	-	36.44	5.79	33.24
PK	7.2324G	62.44	88.20	-25.76	52.63	3	Vertical	26	2.28	-	37.36	6.02	33.57
RMS	7.2128G	51.68	68.20	-16.52	41.89	3	Vertical	26	2.28	-	37.33	6.01	33.55

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUTX_2TX
Setting 51
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8922G	109.71	Inf	-Inf	100.73	3	Horizontal	286	1.68	-	36.43	5.79	33.24
RMS	6.8894G	99.50	Inf	-Inf	90.50	3	Horizontal	286	1.68	-	36.44	5.79	33.23
PK	7.217G	63.55	88.20	-24.65	53.76	3	Horizontal	286	1.68	-	37.33	6.01	33.55
RMS	7.2198G	51.94	68.20	-16.26	42.14	3	Horizontal	286	1.68	-	37.34	6.01	33.55

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7933G	60.21	88.20	-27.99	45.92	3	Vertical	351	2.73	-	40.49	8.64	34.84
RMS	13.79006G	47.43	68.20	-20.77	33.14	3	Vertical	351	2.73	-	40.49	8.64	34.84

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78942G	59.69	88.20	-28.51	45.40	3	Horizontal	106	2.33	-	40.49	8.64	34.84
RMS	13.78898G	47.43	68.20	-20.77	33.14	3	Horizontal	106	2.33	-	40.49	8.64	34.84

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT_X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68082G	49.55	83.54	-33.99	45.65	1	Vertical	266	1.56	-	37.92	15.81	49.83
AV	20.68606G	36.78	63.54	-26.76	32.88	1	Vertical	266	1.56	-	37.92	15.81	49.83

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TnomVnom




EUT X_2TX
Setting 51
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68876G	49.47	83.54	-34.07	45.55	1	Horizontal	141	1.52	-	37.93	15.81	49.82
AV	20.68102G	36.50	63.54	-27.04	32.60	1	Horizontal	141	1.52	-	37.92	15.81	49.83

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 43
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.999G	103.73	Inf	-Inf	94.52	3	Vertical	333	3.00	-	36.60	5.90	33.29
RMS	6.993G	93.85	Inf	-Inf	84.62	3	Vertical	333	3.00	-	36.63	5.89	33.29
PK	7.203G	62.45	88.20	-25.75	52.67	3	Vertical	333	3.00	-	37.31	6.00	33.53
RMS	7.213G	51.81	68.20	-16.39	42.02	3	Vertical	333	3.00	-	37.33	6.01	33.55

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT_X_2TX
Setting 43
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.996G	109.60	Inf	-Inf	100.37	3	Horizontal	283	1.73	-	36.62	5.90	33.29
RMS	6.99G	99.55	Inf	-Inf	90.30	3	Horizontal	283	1.73	-	36.64	5.89	33.28
PK	7.192G	62.89	88.20	-25.31	53.14	3	Horizontal	283	1.73	-	37.27	6.00	33.52
RMS	7.193G	51.84	68.20	-16.36	42.09	3	Horizontal	283	1.73	-	37.27	6.00	33.52

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9857G	60.33	88.20	-27.87	45.79	3	Vertical	58	1.46	-	40.86	8.60	34.92
RMS	13.9887G	47.14	68.20	-21.06	32.60	3	Vertical	58	1.46	-	40.87	8.60	34.93

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98836G	59.11	88.20	-29.09	44.57	3	Horizontal	338	1.09	-	40.87	8.60	34.93
RMS	13.98676G	47.21	68.20	-20.99	32.67	3	Horizontal	338	1.09	-	40.86	8.60	34.92

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9813G	48.39	83.54	-35.15	44.53	1	Vertical	283	1.56	-	37.63	15.94	49.71
AV	20.98G	36.19	63.54	-27.35	32.33	1	Vertical	283	1.56	-	37.63	15.94	49.71

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TnomVnom




EUT X_2TX
Setting 43
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98038G	48.30	83.54	-35.24	44.44	1	Horizontal	90	1.54	-	37.63	15.94	49.71
AV	20.98984G	35.96	63.54	-27.58	32.09	1	Horizontal	90	1.54	-	37.62	15.95	49.70

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUTX_2TX
Setting 44
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.092G	101.70	Inf	-Inf	92.43	3	Vertical	27	2.36	-	36.72	5.95	33.40
RMS	7.089G	90.75	Inf	-Inf	81.49	3	Vertical	27	2.36	-	36.72	5.94	33.40
PK	7.2336G	62.86	88.20	-25.34	53.04	3	Vertical	27	2.36	-	37.37	6.02	33.57
RMS	7.2312G	51.81	68.20	-16.39	42.00	3	Vertical	27	2.36	-	37.36	6.02	33.57

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 44
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0938G	109.00	Inf	-Inf	99.74	3	Horizontal	284	1.79	-	36.71	5.95	33.40
RMS	7.0998G	99.02	Inf	-Inf	89.78	3	Horizontal	284	1.79	-	36.70	5.95	33.41
PK	7.239G	63.41	88.20	-24.79	53.59	3	Horizontal	284	1.79	-	37.38	6.02	33.58
RMS	7.125G	52.07	68.20	-16.13	42.65	3	Horizontal	284	1.79	-	36.90	5.96	33.44

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18966G	59.22	88.20	-28.98	44.66	3	Vertical	142	1.65	-	40.81	8.65	34.90
RMS	14.19318G	46.42	68.20	-21.78	31.86	3	Vertical	142	1.65	-	40.81	8.65	34.90

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1921G	59.14	88.20	-29.06	44.58	3	Horizontal	223	1.70	-	40.81	8.65	34.90
RMS	14.18928G	46.50	68.20	-21.70	31.94	3	Horizontal	223	1.70	-	40.81	8.65	34.90

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28198G	50.01	83.54	-33.53	45.93	1	Vertical	34	1.55	-	37.64	16.08	49.64
AV	21.2871G	37.20	63.54	-26.34	33.12	1	Vertical	34	1.55	-	37.64	16.08	49.64

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TnomVnom




EUT X_2TX
Setting 44
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28848G	49.54	83.54	-34.00	45.45	1	Horizontal	295	1.52	-	37.65	16.08	49.64
AV	21.28974G	37.25	63.54	-26.29	33.16	1	Horizontal	295	1.52	-	37.65	16.08	49.64

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TnomVnom




EUTX_2TX
Setting 63
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	64.84	88.20	-23.36	57.78	3	Vertical	356	2.02	-	35.05	5.36	33.35
RMS	5.9242G	51.00	68.20	-17.20	43.94	3	Vertical	356	2.02	-	35.05	5.36	33.35
PK	5.9674G	101.12	Inf	-Inf	93.84	3	Vertical	356	2.02	-	35.27	5.38	33.37
RMS	5.9666G	88.60	Inf	-Inf	81.32	3	Vertical	356	2.02	-	35.27	5.38	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TnomVnom




EUT X_2TX
Setting 63
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	71.11	88.20	-17.09	64.05	3	Horizontal	295	1.86	-	35.05	5.36	33.35
RMS	5.9242G	57.18	68.20	-11.02	50.12	3	Horizontal	295	1.86	-	35.05	5.36	33.35
PK	5.969G	108.25	Inf	-Inf	100.96	3	Horizontal	295	1.86	-	35.28	5.38	33.37
RMS	5.9714G	96.56	Inf	-Inf	89.25	3	Horizontal	295	1.86	-	35.29	5.39	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TnomVnom




EUTX_2TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92894G	56.73	74.00	-17.27	43.59	3	Vertical	28	2.71	-	39.11	8.95	34.92
AV	11.92986G	43.99	54.00	-10.01	30.85	3	Vertical	28	2.71	-	39.11	8.95	34.92
PK	17.89346G	61.96	74.00	-12.04	44.99	3	Vertical	137	1.61	-	41.98	9.76	34.77
AV	17.8925G	49.21	54.00	-4.79	32.24	3	Vertical	137	1.61	-	41.98	9.76	34.77

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TnomVnom




EUTX_2TX
Setting 63
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93194G	56.83	74.00	-17.17	43.70	3	Horizontal	164	1.79	-	39.10	8.95	34.92
AV	11.9265G	44.14	54.00	-9.86	30.99	3	Horizontal	164	1.79	-	39.12	8.95	34.92
PK	17.89572G	61.55	74.00	-12.45	44.57	3	Horizontal	53	1.66	-	41.99	9.76	34.77
AV	17.8907G	49.20	54.00	-4.80	32.24	3	Horizontal	53	1.66	-	41.97	9.76	34.77

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUTX_2TX
Setting 58
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	61.15	88.20	-27.05	54.17	3	Vertical	118	1.00	-	34.96	5.36	33.34
RMS	5.9186G	50.05	68.20	-18.15	43.03	3	Vertical	118	1.00	-	35.01	5.36	33.35
PK	6.1602G	103.55	Inf	-Inf	95.80	3	Vertical	118	1.00	-	35.46	5.56	33.27
RMS	6.1634G	91.75	Inf	-Inf	83.98	3	Vertical	118	1.00	-	35.48	5.56	33.27

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 58
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8402G	60.44	88.20	-27.76	53.70	3	Horizontal	297	2.65	-	34.74	5.32	33.32
RMS	5.9042G	50.18	68.20	-18.02	43.24	3	Horizontal	297	2.65	-	34.93	5.35	33.34
PK	6.1666G	108.79	Inf	-Inf	100.99	3	Horizontal	297	2.65	-	35.50	5.57	33.27
RMS	6.1586G	98.05	Inf	-Inf	90.31	3	Horizontal	297	2.65	-	35.45	5.56	33.27

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT X_2TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32758G	55.72	74.00	-18.28	42.86	3	Vertical	66	2.43	-	38.78	8.93	34.85
AV	12.3281G	43.42	54.00	-10.58	30.56	3	Vertical	66	2.43	-	38.78	8.93	34.85

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT X_2TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33338G	55.95	74.00	-18.05	43.07	3	Horizontal	24	1.10	-	38.80	8.93	34.85
AV	12.33072G	43.29	54.00	-10.71	30.42	3	Horizontal	24	1.10	-	38.79	8.93	34.85

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4964G	48.81	83.54	-34.73	46.21	1	Vertical	293	1.54	-	37.80	14.90	50.10
AV	18.4968G	35.84	63.54	-27.70	33.24	1	Vertical	293	1.54	-	37.80	14.90	50.10

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TnomVnom




EUT_X_2TX
Setting 58
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49732G	48.47	83.54	-35.07	45.87	1	Horizontal	104	1.51	-	37.80	14.90	50.10
AV	18.49736G	35.84	63.54	-27.70	33.24	1	Horizontal	104	1.51	-	37.80	14.90	50.10

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT X_2TX
Setting 59
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	60.82	88.20	-27.38	53.77	3	Vertical	111	1.05	-	35.04	5.36	33.35
RMS	5.9122G	49.87	68.20	-18.33	42.88	3	Vertical	111	1.05	-	34.97	5.36	33.34
PK	6.4022G	102.66	Inf	-Inf	94.37	3	Vertical	111	1.05	-	35.70	5.70	33.11
RMS	6.4134G	91.64	Inf	-Inf	83.37	3	Vertical	111	1.05	-	35.67	5.70	33.10

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT X_2TX
Setting 59
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7526G	60.28	88.20	-27.92	53.85	3	Horizontal	290	1.70	-	34.41	5.30	33.28
RMS	5.925G	50.05	68.20	-18.15	42.99	3	Horizontal	290	1.70	-	35.05	5.36	33.35
PK	6.4106G	107.47	Inf	-Inf	99.19	3	Horizontal	290	1.70	-	35.68	5.70	33.10
RMS	6.4078G	97.31	Inf	-Inf	89.03	3	Horizontal	290	1.70	-	35.68	5.70	33.10

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT X_2TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81466G	57.08	88.20	-31.12	43.57	3	Vertical	36	2.76	-	39.41	8.84	34.74
RMS	12.80646G	44.13	68.20	-24.07	30.62	3	Vertical	36	2.76	-	39.41	8.84	34.74

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT X_2TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8056G	56.56	88.20	-31.64	43.05	3	Horizontal	33	1.23	-	39.41	8.84	34.74
RMS	12.8138G	44.30	68.20	-23.90	30.79	3	Horizontal	33	1.23	-	39.41	8.84	34.74

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21976G	47.87	83.54	-35.67	44.58	1	Vertical	352	1.58	-	37.74	15.19	49.64
AV	19.21978G	35.72	63.54	-27.82	32.43	1	Vertical	352	1.58	-	37.74	15.19	49.64

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TnomVnom




EUT_X_2TX
Setting 59
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21898G	47.99	83.54	-35.55	44.70	1	Horizontal	333	1.57	-	37.74	15.19	49.64
AV	19.2145G	35.40	63.54	-28.14	32.11	1	Horizontal	333	1.57	-	37.74	15.19	49.64

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUTX_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9172G	60.20	88.20	-28.00	53.19	3	Vertical	109	1.00	-	35.00	5.36	33.35
RMS	5.9172G	49.87	68.20	-18.33	42.86	3	Vertical	109	1.00	-	35.00	5.36	33.35
PK	6.4398G	103.84	Inf	-Inf	95.60	3	Vertical	109	1.00	-	35.62	5.70	33.08
RMS	6.4372G	92.85	Inf	-Inf	84.60	3	Vertical	109	1.00	-	35.63	5.70	33.08

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT_X_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8912G	61.97	88.20	-26.23	55.08	3	Horizontal	287	1.73	-	34.88	5.35	33.34
RMS	5.925G	49.88	68.20	-18.32	42.82	3	Horizontal	287	1.73	-	35.05	5.36	33.35
PK	6.4554G	109.82	Inf	-Inf	101.57	3	Horizontal	287	1.73	-	35.62	5.70	33.07
RMS	6.432G	98.76	Inf	-Inf	90.51	3	Horizontal	287	1.73	-	35.64	5.70	33.09

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89174G	56.37	88.20	-31.83	42.78	3	Vertical	68	1.03	-	39.49	8.82	34.72
RMS	12.88576G	43.82	68.20	-24.38	30.23	3	Vertical	68	1.03	-	39.49	8.82	34.72

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89418G	56.58	88.20	-31.62	42.99	3	Horizontal	122	1.26	-	39.49	8.82	34.72
RMS	12.8894G	43.89	68.20	-24.31	30.30	3	Horizontal	122	1.26	-	39.49	8.82	34.72

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33602G	48.52	83.54	-35.02	45.19	1	Vertical	61	1.50	-	37.77	15.23	49.67
AV	19.3342G	35.76	63.54	-27.78	32.43	1	Vertical	61	1.50	-	37.77	15.23	49.67

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3313G	48.96	83.54	-34.58	45.63	1	Horizontal	13	1.51	-	37.77	15.23	49.67
AV	19.33826G	35.95	63.54	-27.59	32.61	1	Horizontal	13	1.51	-	37.77	15.24	49.67

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.834G	61.09	88.20	-27.11	54.38	3	Vertical	108	1.07	-	34.70	5.32	33.31
RMS	5.915G	50.03	68.20	-18.17	43.03	3	Vertical	108	1.07	-	34.99	5.36	33.35
PK	6.503G	102.26	Inf	-Inf	93.79	3	Vertical	108	1.07	-	35.81	5.70	33.04
RMS	6.491G	92.32	Inf	-Inf	83.91	3	Vertical	108	1.07	-	35.76	5.70	33.05
PK	7.145G	62.66	88.20	-25.54	53.09	3	Vertical	108	1.07	-	37.06	5.97	33.46
RMS	7.22G	51.55	68.20	-16.65	41.75	3	Vertical	108	1.07	-	37.34	6.01	33.55

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.912G	60.66	88.20	-27.54	53.67	3	Horizontal	283	1.72	-	34.97	5.36	33.34
RMS	5.915G	49.86	68.20	-18.34	42.86	3	Horizontal	283	1.72	-	34.99	5.36	33.35
PK	6.482G	108.72	Inf	-Inf	100.34	3	Horizontal	283	1.72	-	35.73	5.70	33.05
RMS	6.491G	98.87	Inf	-Inf	90.46	3	Horizontal	283	1.72	-	35.76	5.70	33.05
PK	7.19G	62.41	88.20	-25.79	52.67	3	Horizontal	283	1.72	-	37.26	6.00	33.52
RMS	7.202G	51.68	68.20	-16.52	41.91	3	Horizontal	283	1.72	-	37.30	6.00	33.53

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97006G	57.22	88.20	-30.98	43.48	3	Vertical	170	2.79	-	39.64	8.81	34.71
RMS	12.96888G	44.19	68.20	-24.01	30.45	3	Vertical	170	2.79	-	39.64	8.81	34.71

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97244G	57.13	88.20	-31.07	43.39	3	Horizontal	144	2.66	-	39.64	8.81	34.71
RMS	12.96838G	44.30	68.20	-23.90	30.56	3	Horizontal	144	2.66	-	39.64	8.81	34.71

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45112G	48.46	83.54	-35.08	45.01	1	Vertical	85	1.56	-	37.86	15.28	49.69
AV	19.45968G	36.33	63.54	-27.21	32.87	1	Vertical	85	1.56	-	37.87	15.28	49.69

802.11ax HEW40_Nss2,(MCS0)_2TX


6485MHz_TnomVnom



EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45858G	49.04	83.54	-34.50	45.58	1	Horizontal	170	1.57	-	37.87	15.28	49.69
AV	19.45684G	36.22	63.54	-27.32	32.76	1	Horizontal	170	1.57	-	37.87	15.28	49.69

802.11ax HEW40_Nss2,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
 Setting 62
 04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	60.62	88.20	-27.58	53.59	3	Vertical	112	1.04	-	35.02	5.36	33.35
RMS	5.925G	49.88	68.20	-18.32	42.82	3	Vertical	112	1.04	-	35.05	5.36	33.35
PK	6.5138G	103.33	Inf	-Inf	94.82	3	Vertical	112	1.04	-	35.86	5.70	33.05
RMS	6.5222G	92.79	Inf	-Inf	84.25	3	Vertical	112	1.04	-	35.89	5.70	33.05
PK	7.2166G	62.14	88.20	-26.06	52.35	3	Vertical	112	1.04	-	37.33	6.01	33.55
RMS	7.211G	51.42	68.20	-16.78	41.63	3	Vertical	112	1.04	-	37.32	6.01	33.54

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	60.48	88.20	-27.72	53.60	3	Horizontal	284	1.80	-	34.87	5.34	33.33
RMS	5.8894G	49.96	68.20	-18.24	43.08	3	Horizontal	284	1.80	-	34.88	5.34	33.34
PK	6.539G	108.76	Inf	-Inf	100.16	3	Horizontal	284	1.80	-	35.96	5.70	33.06
RMS	6.5306G	98.86	Inf	-Inf	90.30	3	Horizontal	284	1.80	-	35.92	5.70	33.06
PK	7.211G	61.86	88.20	-26.34	52.07	3	Horizontal	284	1.80	-	37.32	6.01	33.54
RMS	7.2166G	51.54	68.20	-16.66	41.75	3	Horizontal	284	1.80	-	37.33	6.01	33.55

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04904G	56.52	88.20	-31.68	42.73	3	Vertical	158	1.82	-	39.70	8.79	34.70
RMS	13.05478G	44.13	68.20	-24.07	30.34	3	Vertical	158	1.82	-	39.70	8.79	34.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0533G	56.32	88.20	-31.88	42.53	3	Horizontal	165	2.30	-	39.70	8.79	34.70
RMS	13.0484G	44.26	68.20	-23.94	30.47	3	Horizontal	165	2.30	-	39.70	8.79	34.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57156G	48.60	83.54	-34.94	45.10	1	Vertical	331	1.53	-	37.87	15.33	49.70
AV	19.5796G	36.25	63.54	-27.29	32.75	1	Vertical	331	1.53	-	37.87	15.33	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57252G	48.85	83.54	-34.69	45.35	1	Horizontal	338	1.50	-	37.87	15.33	49.70
AV	19.57314G	36.12	63.54	-27.42	32.62	1	Horizontal	338	1.50	-	37.87	15.33	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUTX_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	103.36	Inf	-Inf	94.70	3	Vertical	112	1.04	-	36.03	5.70	33.07
RMS	6.553G	93.01	Inf	-Inf	84.37	3	Vertical	112	1.04	-	36.01	5.70	33.07
PK	7.1578G	61.63	88.20	-26.57	52.00	3	Vertical	112	1.04	-	37.13	5.98	33.48
RMS	7.153G	51.16	68.20	-17.04	41.54	3	Vertical	112	1.04	-	37.11	5.98	33.47

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5482G	109.32	Inf	-Inf	100.69	3	Horizontal	285	1.66	-	35.99	5.70	33.06
RMS	6.553G	98.75	Inf	-Inf	90.11	3	Horizontal	285	1.66	-	36.01	5.70	33.07
PK	7.1338G	61.25	88.20	-26.95	51.76	3	Horizontal	285	1.66	-	36.97	5.97	33.45
RMS	7.1506G	51.17	68.20	-17.03	41.56	3	Horizontal	285	1.66	-	37.10	5.98	33.47

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12772G	57.34	88.20	-30.86	43.52	3	Vertical	251	1.25	-	39.76	8.77	34.71
RMS	13.1253G	44.56	68.20	-23.64	30.75	3	Vertical	251	1.25	-	39.75	8.77	34.71

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13368G	57.28	88.20	-30.92	43.45	3	Horizontal	1	2.80	-	39.77	8.77	34.71
RMS	13.12656G	44.60	68.20	-23.60	30.79	3	Horizontal	1	2.80	-	39.75	8.77	34.71

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69076G	48.69	83.54	-34.85	45.19	1	Vertical	124	1.50	-	37.82	15.38	49.70
AV	19.69562G	36.31	63.54	-27.23	32.81	1	Vertical	124	1.50	-	37.82	15.38	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69024G	48.92	83.54	-34.62	45.42	1	Horizontal	248	1.54	-	37.82	15.38	49.70
AV	19.69346G	36.22	63.54	-27.32	32.72	1	Horizontal	248	1.54	-	37.82	15.38	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6762G	101.50	Inf	-Inf	92.73	3	Vertical	119	1.12	-	36.20	5.70	33.13
RMS	6.6784G	91.68	Inf	-Inf	82.91	3	Vertical	119	1.12	-	36.20	5.70	33.13
PK	7.1932G	61.84	88.20	-26.36	52.09	3	Vertical	119	1.12	-	37.27	6.00	33.52
RMS	7.2196G	51.55	68.20	-16.65	41.75	3	Vertical	119	1.12	-	37.34	6.01	33.55

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7004G	109.64	Inf	-Inf	100.88	3	Horizontal	290	1.84	-	36.20	5.70	33.14
RMS	6.6916G	99.37	Inf	-Inf	90.61	3	Horizontal	290	1.84	-	36.20	5.70	33.14
PK	7.2262G	62.05	88.20	-26.15	52.25	3	Horizontal	290	1.84	-	37.35	6.01	33.56
RMS	7.2108G	51.55	68.20	-16.65	41.76	3	Horizontal	290	1.84	-	37.32	6.01	33.54

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37082G	57.42	74.00	-16.58	43.26	3	Vertical	188	1.57	-	40.14	8.73	34.71
AV	13.37302G	45.04	54.00	-8.96	30.87	3	Vertical	188	1.57	-	40.15	8.73	34.71

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36504G	57.74	74.00	-16.26	43.59	3	Horizontal	307	2.73	-	40.13	8.73	34.71
AV	13.36972G	44.96	54.00	-9.04	30.80	3	Horizontal	307	2.73	-	40.14	8.73	34.71

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05156G	47.74	83.54	-35.80	44.50	1	Vertical	281	1.52	-	37.44	15.52	49.72
AV	20.05732G	34.79	63.54	-28.75	31.53	1	Vertical	281	1.52	-	37.45	15.53	49.72

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.051G	46.93	83.54	-36.61	43.69	1	Horizontal	45	1.57	-	37.44	15.52	49.72
AV	20.05938G	34.99	63.54	-28.55	31.73	1	Horizontal	45	1.57	-	37.45	15.53	49.72

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUTX_2TX
Setting 61
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	99.92	Inf	-Inf	90.81	3	Vertical	107	1.94	-	36.57	5.76	33.22
RMS	6.8594G	90.23	Inf	-Inf	81.13	3	Vertical	107	1.94	-	36.56	5.76	33.22
PK	7.2354G	62.56	88.20	-25.64	52.74	3	Vertical	107	1.94	-	37.37	6.02	33.57
RMS	7.2258G	51.80	68.20	-16.40	42.00	3	Vertical	107	1.94	-	37.35	6.01	33.56

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 61
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.837G	109.09	Inf	-Inf	100.04	3	Horizontal	289	1.70	-	36.52	5.74	33.21
RMS	6.837G	98.51	Inf	-Inf	89.46	3	Horizontal	289	1.70	-	36.52	5.74	33.21
PK	7.2306G	62.74	88.20	-25.46	52.93	3	Horizontal	289	1.70	-	37.36	6.02	33.57
RMS	7.213G	51.94	68.20	-16.26	42.15	3	Horizontal	289	1.70	-	37.33	6.01	33.55

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT X_2TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6899G	59.36	88.20	-28.84	45.12	3	Vertical	299	1.96	-	40.38	8.66	34.80
RMS	13.68736G	46.20	68.20	-22.00	31.97	3	Vertical	299	1.96	-	40.37	8.66	34.80

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT_X_2TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69274G	58.23	88.20	-29.97	43.98	3	Horizontal	180	1.27	-	40.39	8.66	34.80
RMS	13.69032G	45.97	68.20	-22.23	31.73	3	Horizontal	180	1.27	-	40.38	8.66	34.80

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT X_2TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53226G	48.99	83.54	-34.55	45.40	1	Vertical	268	1.54	-	37.74	15.74	49.89
AV	20.53822G	36.78	63.54	-26.76	33.17	1	Vertical	268	1.54	-	37.75	15.74	49.88

802.11ax HEW40_Nss2,(MCS0)_2TX


6845MHz_TnomVnom



EUT X_2TX
Setting 61
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53958G	48.94	83.54	-34.60	45.33	1	Horizontal	245	1.56	-	37.75	15.74	49.88
AV	20.5361G	36.62	63.54	-26.92	33.03	1	Horizontal	245	1.56	-	37.74	15.74	49.89

802.11ax HEW40_Nss2,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTX_2TX
 Setting 62
 04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8808G	101.12	Inf	-Inf	92.09	3	Vertical	117	1.13	-	36.48	5.78	33.23
RMS	6.8766G	90.85	Inf	-Inf	81.81	3	Vertical	117	1.13	-	36.49	5.78	33.23
PK	7.193G	62.28	88.20	-25.92	52.53	3	Vertical	117	1.13	-	37.27	6.00	33.52
RMS	7.2168G	51.67	68.20	-16.53	41.88	3	Vertical	117	1.13	-	37.33	6.01	33.55

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTX_2TX
Setting 62
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.892G	109.68	Inf	-Inf	100.70	3	Horizontal	286	1.68	-	36.43	5.79	33.24
RMS	6.8892G	99.38	Inf	-Inf	90.38	3	Horizontal	286	1.68	-	36.44	5.79	33.23
PK	7.2266G	62.36	88.20	-25.84	52.56	3	Horizontal	286	1.68	-	37.35	6.01	33.56
RMS	7.2168G	51.93	68.20	-16.27	42.14	3	Horizontal	286	1.68	-	37.33	6.01	33.55

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76856G	59.85	88.20	-28.35	45.56	3	Vertical	252	1.56	-	40.47	8.65	34.83
RMS	13.76546G	47.35	68.20	-20.85	33.06	3	Vertical	252	1.56	-	40.47	8.65	34.83

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76986G	60.00	88.20	-28.20	45.71	3	Horizontal	214	2.16	-	40.47	8.65	34.83
RMS	13.77294G	47.51	68.20	-20.69	33.22	3	Horizontal	214	2.16	-	40.47	8.65	34.83

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6512G	49.59	83.54	-33.95	45.76	1	Vertical	171	1.50	-	37.88	15.79	49.84
AV	20.65704G	36.38	63.54	-27.16	32.53	1	Vertical	171	1.50	-	37.89	15.80	49.84

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz_TnomVnom




EUT X_2TX
Setting 62
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65426G	49.39	83.54	-34.15	45.55	1	Horizontal	210	1.55	-	37.89	15.79	49.84
AV	20.65936G	36.23	63.54	-27.31	32.38	1	Horizontal	210	1.55	-	37.89	15.80	49.84

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUTX_2TX
Setting 56
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9394G	102.66	Inf	-Inf	93.36	3	Vertical	14	2.19	-	36.72	5.84	33.26
RMS	6.9214G	92.59	Inf	-Inf	83.45	3	Vertical	14	2.19	-	36.57	5.82	33.25
PK	7.1962G	62.86	88.20	-25.34	53.11	3	Vertical	14	2.19	-	37.28	6.00	33.53
RMS	7.2166G	51.81	68.20	-16.39	42.02	3	Vertical	14	2.19	-	37.33	6.01	33.55

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUTX_2TX
Setting 56
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9214G	111.28	Inf	-Inf	102.14	3	Horizontal	283	1.59	-	36.57	5.82	33.25
RMS	6.9202G	100.04	Inf	-Inf	90.91	3	Horizontal	283	1.59	-	36.56	5.82	33.25
PK	7.1374G	63.13	88.20	-25.07	53.61	3	Horizontal	283	1.59	-	37.00	5.97	33.45
RMS	7.2118G	52.07	68.20	-16.13	42.28	3	Horizontal	283	1.59	-	37.32	6.01	33.54

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84994G	59.91	88.20	-28.29	45.60	3	Vertical	355	1.91	-	40.55	8.63	34.87
RMS	13.85416G	47.54	68.20	-20.66	33.23	3	Vertical	355	1.91	-	40.55	8.63	34.87

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85412G	60.01	88.20	-28.19	45.70	3	Horizontal	10	1.80	-	40.55	8.63	34.87
RMS	13.85198G	47.36	68.20	-20.84	33.05	3	Horizontal	10	1.80	-	40.55	8.63	34.87

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77432G	48.66	83.54	-34.88	44.64	1	Vertical	17	1.50	-	37.96	15.85	49.79
AV	20.77734G	36.50	63.54	-27.04	32.48	1	Vertical	17	1.50	-	37.96	15.85	49.79

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 56
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77142G	50.08	83.54	-33.46	46.05	1	Horizontal	256	1.58	-	37.97	15.85	49.79
AV	20.77502G	36.39	63.54	-27.15	32.37	1	Horizontal	256	1.58	-	37.96	15.85	49.79

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUTX_2TX
Setting 57
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9914G	99.35	Inf	-Inf	90.12	3	Vertical	326	1.80	-	36.63	5.89	33.29
RMS	6.993G	89.30	Inf	-Inf	80.07	3	Vertical	326	1.80	-	36.63	5.89	33.29
PK	7.1986G	62.14	88.20	-26.06	52.38	3	Vertical	326	1.80	-	37.29	6.00	33.53
RMS	7.1394G	51.24	68.20	-16.96	41.71	3	Vertical	326	1.80	-	37.02	5.97	33.46

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 57
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9954G	110.86	Inf	-Inf	101.63	3	Horizontal	284	1.66	-	36.62	5.90	33.29
RMS	6.9946G	99.94	Inf	-Inf	90.72	3	Horizontal	284	1.66	-	36.62	5.89	33.29
PK	7.1978G	63.11	88.20	-25.09	53.35	3	Horizontal	284	1.66	-	37.29	6.00	33.53
RMS	7.1282G	51.97	68.20	-16.23	42.52	3	Horizontal	284	1.66	-	36.93	5.96	33.44

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0053G	59.31	88.20	-28.89	44.74	3	Vertical	213	1.72	-	40.90	8.60	34.93
RMS	14.0135G	47.47	68.20	-20.73	32.90	3	Vertical	213	1.72	-	40.90	8.60	34.93

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01378G	59.98	88.20	-28.22	45.41	3	Horizontal	351	2.88	-	40.90	8.60	34.93
RMS	14.00714G	47.24	68.20	-20.96	32.67	3	Horizontal	351	2.88	-	40.90	8.60	34.93

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01932G	48.58	83.54	-34.96	44.72	1	Vertical	128	1.53	-	37.60	15.96	49.70
AV	21.0196G	36.08	63.54	-27.46	32.22	1	Vertical	128	1.53	-	37.60	15.96	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01716G	49.15	83.54	-34.39	45.29	1	Horizontal	26	1.57	-	37.60	15.96	49.70
AV	21.01758G	36.25	63.54	-27.29	32.39	1	Horizontal	26	1.57	-	37.60	15.96	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUTX_2TX
Setting 57
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0786G	101.67	Inf	-Inf	92.37	3	Vertical	24	2.64	-	36.74	5.94	33.38
RMS	7.0838G	89.84	Inf	-Inf	80.56	3	Vertical	24	2.64	-	36.73	5.94	33.39
PK	7.1258G	69.75	88.20	-18.45	60.32	3	Vertical	24	2.64	-	36.91	5.96	33.44
RMS	7.125G	55.23	68.20	-12.97	45.81	3	Vertical	24	2.64	-	36.90	5.96	33.44

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUTX_2TX
Setting 57
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	110.74	Inf	-Inf	101.47	3	Horizontal	284	1.80	-	36.72	5.95	33.40
RMS	7.0878G	98.14	Inf	-Inf	88.88	3	Horizontal	284	1.80	-	36.72	5.94	33.40
PK	7.127G	74.08	88.20	-14.12	64.64	3	Horizontal	284	1.80	-	36.92	5.96	33.44
RMS	7.125G	61.94	68.20	-6.26	52.52	3	Horizontal	284	1.80	-	36.90	5.96	33.44

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17414G	59.10	88.20	-29.10	44.53	3	Vertical	113	2.37	-	40.83	8.64	34.90
RMS	14.17482G	46.53	68.20	-21.67	31.96	3	Vertical	113	2.37	-	40.83	8.64	34.90

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16666G	59.39	88.20	-28.81	44.82	3	Horizontal	346	2.64	-	40.83	8.64	34.90
RMS	14.1741G	46.54	68.20	-21.66	31.97	3	Horizontal	346	2.64	-	40.83	8.64	34.90

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2532G	49.63	83.54	-33.91	45.62	1	Vertical	90	1.58	-	37.60	16.06	49.65
AV	21.25952G	37.05	63.54	-26.49	33.02	1	Vertical	90	1.58	-	37.61	16.07	49.65

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 57
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25052G	48.92	83.54	-34.62	44.91	1	Horizontal	360	1.51	-	37.60	16.06	49.65
AV	21.25024G	37.15	63.54	-26.39	33.14	1	Horizontal	360	1.51	-	37.60	16.06	49.65

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
Setting 74
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8698G	59.37	88.20	-28.83	52.53	3	Vertical	356	2.02	-	34.84	5.33	33.33
RMS	5.9218G	47.08	68.20	-21.12	40.04	3	Vertical	356	2.02	-	35.03	5.36	33.35
PK	5.9502G	101.29	Inf	-Inf	94.07	3	Vertical	356	2.02	-	35.20	5.38	33.36
RMS	5.9534G	89.24	Inf	-Inf	82.01	3	Vertical	356	2.02	-	35.21	5.38	33.36

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
Setting 74
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.33	88.20	-26.87	54.27	3	Horizontal	294	1.73	-	35.05	5.36	33.35
RMS	5.9242G	48.32	68.20	-19.88	41.26	3	Horizontal	294	1.73	-	35.05	5.36	33.35
PK	5.9542G	108.27	Inf	-Inf	101.03	3	Horizontal	294	1.73	-	35.22	5.38	33.36
RMS	5.9566G	96.89	Inf	-Inf	89.64	3	Horizontal	294	1.73	-	35.23	5.38	33.36

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUTX_2TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90516G	56.60	74.00	-17.40	43.40	3	Vertical	272	2.80	-	39.18	8.93	34.91
AV	11.90582G	43.90	54.00	-10.10	30.70	3	Vertical	272	2.80	-	39.18	8.93	34.91
PK	17.95342G	61.78	74.00	-12.22	44.77	3	Vertical	201	2.41	-	42.05	9.78	34.82
AV	17.95258G	48.97	54.00	-5.03	31.95	3	Vertical	201	2.41	-	42.05	9.78	34.81

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91416G	56.55	74.00	-17.45	43.37	3	Horizontal	22	2.53	-	39.16	8.94	34.92
AV	11.91476G	43.99	54.00	-10.01	30.81	3	Horizontal	22	2.53	-	39.16	8.94	34.92
PK	17.95976G	61.18	74.00	-12.82	44.15	3	Horizontal	71	2.21	-	42.06	9.79	34.82
AV	17.95936G	49.07	54.00	-4.93	32.04	3	Horizontal	71	2.21	-	42.06	9.79	34.82

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 74
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	61.34	88.20	-26.86	54.41	3	Vertical	119	1.00	-	34.92	5.35	33.34
RMS	5.9066G	51.43	68.20	-16.77	44.48	3	Vertical	119	1.00	-	34.94	5.35	33.34
PK	6.1754G	103.18	Inf	-Inf	95.31	3	Vertical	119	1.00	-	35.55	5.58	33.26
RMS	6.1594G	93.53	Inf	-Inf	85.78	3	Vertical	119	1.00	-	35.46	5.56	33.27

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 74
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	61.83	88.20	-26.37	54.84	3	Horizontal	316	2.65	-	34.97	5.36	33.34
RMS	5.921G	52.16	68.20	-16.04	45.12	3	Horizontal	316	2.65	-	35.03	5.36	33.35
PK	6.1274G	110.77	Inf	-Inf	103.08	3	Horizontal	316	2.65	-	35.45	5.53	33.29
RMS	6.1594G	102.02	Inf	-Inf	94.27	3	Horizontal	316	2.65	-	35.46	5.56	33.27

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28548G	55.80	74.00	-18.20	43.01	3	Vertical	293	1.31	-	38.71	8.94	34.86
AV	12.28934G	45.10	54.00	-8.90	32.31	3	Vertical	293	1.31	-	38.71	8.94	34.86

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28532G	55.97	74.00	-18.03	43.18	3	Horizontal	345	1.13	-	38.71	8.94	34.86
AV	12.28612G	45.24	54.00	-8.76	32.45	3	Horizontal	345	1.13	-	38.71	8.94	34.86

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43242G	48.65	83.54	-34.89	46.19	1	Vertical	78	1.54	-	37.72	14.87	50.13
AV	18.4357G	37.40	63.54	-26.14	34.94	1	Vertical	78	1.54	-	37.72	14.87	50.13

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 74
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43162G	49.11	83.54	-34.43	46.65	1	Horizontal	317	1.56	-	37.72	14.87	50.13
AV	18.43644G	37.41	63.54	-26.13	34.95	1	Horizontal	317	1.56	-	37.72	14.87	50.13

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 70
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	60.46	88.20	-27.74	53.46	3	Vertical	110	1.02	-	34.99	5.36	33.35
RMS	5.9034G	51.27	68.20	-16.93	44.34	3	Vertical	110	1.02	-	34.92	5.35	33.34
PK	6.413G	102.64	Inf	-Inf	94.37	3	Vertical	110	1.02	-	35.67	5.70	33.10
RMS	6.357G	93.68	Inf	-Inf	85.53	3	Vertical	110	1.02	-	35.61	5.68	33.14

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 70
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8894G	60.38	88.20	-27.82	53.50	3	Horizontal	291	1.72	-	34.88	5.34	33.34
RMS	5.9146G	51.45	68.20	-16.75	44.45	3	Horizontal	291	1.72	-	34.99	5.36	33.35
PK	6.3906G	108.40	Inf	-Inf	100.13	3	Horizontal	291	1.72	-	35.68	5.70	33.11
RMS	6.3542G	98.31	Inf	-Inf	90.16	3	Horizontal	291	1.72	-	35.61	5.68	33.14

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT X_2TX
Setting 70
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77226G	56.61	88.20	-31.59	43.14	3	Vertical	116	1.82	-	39.37	8.85	34.75
RMS	12.77328G	45.79	68.20	-22.41	32.32	3	Vertical	116	1.82	-	39.37	8.85	34.75

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 70
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7718G	56.79	88.20	-31.41	43.32	3	Horizontal	167	1.17	-	39.37	8.85	34.75
RMS	12.76692G	45.64	68.20	-22.56	32.17	3	Horizontal	167	1.17	-	39.37	8.85	34.75

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 70
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15212G	48.89	83.54	-34.65	45.54	1	Vertical	306	1.58	-	37.82	15.16	49.63
AV	19.15922G	37.52	63.54	-26.02	34.18	1	Vertical	306	1.58	-	37.81	15.16	49.63

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 70
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15598G	48.56	83.54	-34.98	45.22	1	Horizontal	302	1.58	-	37.81	15.16	49.63
AV	19.15698G	37.33	63.54	-26.21	33.99	1	Horizontal	302	1.58	-	37.81	15.16	49.63

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 75
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8696G	60.88	88.20	-27.32	54.04	3	Vertical	115	1.04	-	34.84	5.33	33.33
RMS	5.9034G	51.41	68.20	-16.79	44.48	3	Vertical	115	1.04	-	34.92	5.35	33.34
PK	6.4858G	104.77	Inf	-Inf	96.38	3	Vertical	115	1.04	-	35.74	5.70	33.05
RMS	6.4832G	94.29	Inf	-Inf	85.91	3	Vertical	115	1.04	-	35.73	5.70	33.05

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 75
04-K-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	60.89	88.20	-27.31	53.93	3	Horizontal	286	1.76	-	34.95	5.35	33.34
RMS	5.9242G	51.61	68.20	-16.59	44.55	3	Horizontal	286	1.76	-	35.05	5.36	33.35
PK	6.478G	109.56	Inf	-Inf	101.20	3	Horizontal	286	1.76	-	35.71	5.70	33.05
RMS	6.4364G	100.35	Inf	-Inf	92.10	3	Horizontal	286	1.76	-	35.63	5.70	33.08

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92642G	56.50	88.20	-31.70	42.85	3	Vertical	287	2.17	-	39.55	8.81	34.71
RMS	12.93288G	45.82	68.20	-22.38	32.15	3	Vertical	287	2.17	-	39.57	8.81	34.71

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom



EUT X_2TX
Setting 75
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92536G	56.28	88.20	-31.92	42.63	3	Horizontal	333	2.18	-	39.55	8.81	34.71
RMS	12.9265G	45.52	68.20	-22.68	31.87	3	Horizontal	333	2.18	-	39.55	8.81	34.71