


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

EBW

6825MHz Straddle 6.525-6.875GHz

22/01/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

EBW

6985MHz

22/01/2022



For beamforming mode / 4T1S

Summary

| Mode | Max-N dB (Hz) | Max-OBW (Hz) | ITU-Code | Min-N dB (Hz) | Min-OBW (Hz) |
|------------------------------------|------------------|-----------------|----------|------------------|-----------------|
| 5.925-6.425GHz | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 27.09M | 19.31M | 19M3D1D | 22.23M | 19.22M |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 45.06M | 38.321M | 38M3D1D | 41.88M | 38.141M |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 87.72M | 78.201M | 78M2D1D | 83.16M | 77.961M |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 166.56M | 158.321M | 158MD1D | 164.88M | 156.402M |
| 6.425-6.525GHz | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 27.24M | 19.31M | 19M3D1D | 23.01M | 19.22M |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 45.72M | 38.261M | 38M3D1D | 42.42M | 38.141M |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 88.2M | 78.201M | 78M2D1D | 84.24M | 77.961M |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 165.36M | 156.882M | 157MD1D | 164.88M | 156.642M |
| 6.525-6.875GHz | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 28.68M | 19.28M | 19M3D1D | 22.32M | 19.22M |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 44.22M | 38.321M | 38M3D1D | 42.36M | 38.081M |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 87.48M | 78.201M | 78M2D1D | 83.64M | 78.081M |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 166.8M | 157.121M | 157MD1D | 164.4M | 156.402M |
| 6.875-7.125GHz | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 27.24M | 19.28M | 19M3D1D | 22.95M | 19.22M |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 46.92M | 38.321M | 38M3D1D | 41.94M | 38.141M |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 87.12M | 78.201M | 78M2D1D | 84M | 77.961M |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 165.84M | 156.882M | 157MD1D | 165.12M | 156.402M |

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth

Result

| Mode | Result | Limit (Hz) | Port 1-N dB (Hz) | Port 1-OBW (Hz) | Port 2-N dB (Hz) | Port 2-OBW (Hz) | Port 3-N dB (Hz) | Port 3-OBW (Hz) | Port 4-N dB (Hz) | Port 4-OBW (Hz) |
|------------------------------------|--------|------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - |
| 5955MHz | Pass | Inf | 22.47M | 19.22M | 22.71M | 19.25M | 25.95M | 19.25M | 24.3M | 19.28M |
| 6175MHz | Pass | Inf | 24.12M | 19.28M | 24.81M | 19.22M | 22.23M | 19.31M | 22.35M | 19.22M |
| 6415MHz | Pass | Inf | 27.09M | 19.25M | 24.3M | 19.25M | 23.91M | 19.25M | 22.53M | 19.25M |
| 6435MHz | Pass | Inf | 23.91M | 19.28M | 23.01M | 19.28M | 24.78M | 19.28M | 27M | 19.28M |
| 6475MHz | Pass | Inf | 25.8M | 19.25M | 25.08M | 19.22M | 27.24M | 19.25M | 26.25M | 19.22M |
| 6515MHz | Pass | Inf | 25.65M | 19.25M | 26.13M | 19.31M | 25.05M | 19.25M | 23.28M | 19.25M |
| 6535MHz | Pass | Inf | 22.32M | 19.22M | 26.37M | 19.22M | 28.68M | 19.28M | 23.49M | 19.25M |
| 6695MHz | Pass | Inf | 26.07M | 19.22M | 22.86M | 19.28M | 24.15M | 19.28M | 23.61M | 19.28M |
| 6855MHz | Pass | Inf | 24.45M | 19.28M | 22.38M | 19.22M | 26.64M | 19.28M | 24M | 19.25M |
| 6875MHz Straddle 6.525-6.875GHz | Pass | Inf | 26.49M | 19.22M | 24.06M | 19.25M | 22.89M | 19.28M | 24.66M | 19.28M |
| 6895MHz | Pass | Inf | 27.24M | 19.25M | 25.29M | 19.28M | 24.96M | 19.25M | 23.73M | 19.25M |
| 6995MHz | Pass | Inf | 23.37M | 19.28M | 23.85M | 19.22M | 23.76M | 19.25M | 24.69M | 19.22M |
| 7095MHz | Pass | Inf | 23.37M | 19.25M | 22.95M | 19.25M | 24.3M | 19.25M | 23.55M | 19.28M |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - |
| 5965MHz | Pass | Inf | 43.2M | 38.201M | 42M | 38.201M | 43.86M | 38.201M | 42.12M | 38.141M |
| 6165MHz | Pass | Inf | 41.88M | 38.201M | 43.62M | 38.141M | 44.04M | 38.321M | 43.08M | 38.141M |
| 6405MHz | Pass | Inf | 42.12M | 38.201M | 42.78M | 38.201M | 43.14M | 38.201M | 45.06M | 38.201M |
| 6445MHz | Pass | Inf | 43.92M | 38.201M | 43.68M | 38.201M | 44.1M | 38.201M | 42.42M | 38.201M |
| 6485MHz | Pass | Inf | 42.66M | 38.141M | 45.72M | 38.201M | 42.54M | 38.201M | 42.66M | 38.201M |
| 6525MHz Straddle 6.425-6.525GHz | Pass | Inf | 43.74M | 38.201M | 44.04M | 38.201M | 43.98M | 38.201M | 43.8M | 38.261M |
| 6565MHz | Pass | Inf | 43.86M | 38.201M | 42.96M | 38.201M | 44.22M | 38.201M | 42.42M | 38.141M |
| 6685MHz | Pass | Inf | 42.96M | 38.201M | 43.56M | 38.081M | 42.96M | 38.141M | 43.08M | 38.141M |
| 6845MHz | Pass | Inf | 42.54M | 38.141M | 43.38M | 38.201M | 43.26M | 38.141M | 42.66M | 38.201M |
| 6885MHz Straddle 6.525-6.875GHz | Pass | Inf | 43.26M | 38.201M | 42.36M | 38.201M | 44.1M | 38.321M | 42.6M | 38.201M |
| 6925MHz | Pass | Inf | 42.54M | 38.141M | 43.32M | 38.201M | 43.74M | 38.261M | 42.06M | 38.201M |
| 7005MHz | Pass | Inf | 44.46M | 38.201M | 41.94M | 38.141M | 43.26M | 38.201M | 42.18M | 38.201M |
| 7085MHz | Pass | Inf | 46.92M | 38.261M | 42.6M | 38.201M | 42.36M | 38.321M | 42.54M | 38.201M |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - |
| 5985MHz | Pass | Inf | 85.8M | 78.201M | 85.2M | 78.081M | 85.68M | 77.961M | 83.16M | 78.081M |
| 6145MHz | Pass | Inf | 87.6M | 77.961M | 85.44M | 78.201M | 85.68M | 78.081M | 87.12M | 78.081M |
| 6385MHz | Pass | Inf | 87.72M | 78.081M | 86.16M | 78.081M | 84.72M | 77.961M | 86.28M | 77.961M |
| 6465MHz | Pass | Inf | 85.32M | 77.961M | 86.4M | 78.081M | 85.32M | 78.081M | 86.76M | 78.081M |
| 6545MHz Straddle 6.425-6.525GHz | Pass | Inf | 85.44M | 78.201M | 84.24M | 78.081M | 88.08M | 78.201M | 88.2M | 78.201M |
| 6625MHz | Pass | Inf | 85.32M | 78.081M | 86.04M | 78.081M | 87.48M | 78.201M | 86.28M | 78.081M |
| 6705MHz | Pass | Inf | 87.48M | 78.081M | 85.68M | 78.201M | 87M | 78.201M | 85.32M | 78.081M |
| 6785MHz | Pass | Inf | 83.64M | 78.201M | 84.72M | 78.081M | 85.08M | 78.081M | 86.28M | 78.201M |
| 6865MHz Straddle 6.525-6.875GHz | Pass | Inf | 85.68M | 78.081M | 86.4M | 78.201M | 85.32M | 78.201M | 86.52M | 78.201M |
| 6945MHz | Pass | Inf | 85.92M | 78.201M | 84.24M | 77.961M | 85.08M | 78.081M | 84.72M | 78.081M |
| 7025MHz | Pass | Inf | 84M | 78.081M | 85.44M | 77.961M | 87.12M | 78.201M | 84.36M | 78.081M |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - |
| 6025MHz | Pass | Inf | 165.36M | 156.642M | 165.84M | 156.642M | 165.6M | 156.882M | 164.88M | 156.402M |
| 6185MHz | Pass | Inf | 166.32M | 157.121M | 166.08M | 157.121M | 165.12M | 156.882M | 165.6M | 158.321M |
| 6345MHz | Pass | Inf | 166.56M | 156.882M | 165.6M | 156.642M | 165.6M | 156.882M | 165.12M | 156.402M |
| 6505MHz Straddle 6.425-6.525GHz | Pass | Inf | 165.36M | 156.642M | 165.36M | 156.642M | 164.88M | 156.882M | 164.88M | 156.642M |
| 6665MHz | Pass | Inf | 166.8M | 156.642M | 165.36M | 156.882M | 164.4M | 156.642M | 164.88M | 156.402M |
| 6825MHz Straddle 6.525-6.875GHz | Pass | Inf | 165.6M | 157.121M | 165.6M | 156.882M | 165.36M | 156.882M | 165.36M | 156.882M |
| 6985MHz | Pass | Inf | 165.36M | 156.642M | 165.84M | 156.882M | 165.36M | 156.642M | 165.12M | 156.402M |


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
 Port X-OBW = Port X 99% occupied bandwidth

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

5955MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6175MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6415MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6435MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6475MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6515MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6535MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6695MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6855MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6875MHz Straddle 6.525-6.875GHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6895MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

6995MHz

21/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

7095MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

5965MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6165MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6405MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6445MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6485MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6525MHz Straddle 6.425-6.525GHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6565MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6685MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6845MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6885MHz Straddle 6.525-6.875GHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

6925MHz

21/01/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW


7005MHz

21/01/2022

CF
7.005GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.005GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 44.46M | 6.9831G | 7.02756G | 38.201M | 6.98587G | 7.02407G | Inf | 1 |
| 41.94M | 6.98418G | 7.02612G | 38.141M | 6.98593G | 7.02407G | Inf | 2 |
| 43.26M | 6.98334G | 7.0266G | 38.201M | 6.98593G | 7.02413G | Inf | 3 |
| 42.18M | 6.9837G | 7.02588G | 38.201M | 6.98581G | 7.02401G | Inf | 4 |


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW


7085MHz

21/01/2022

CF
7.085GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.085GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 46.92M | 7.06088G | 7.1078G | 38.261M | 7.06581G | 7.10407G | Inf | 1 |
| 42.6M | 7.0637G | 7.1063G | 38.201M | 7.06587G | 7.10407G | Inf | 2 |
| 42.36M | 7.0634G | 7.10576G | 38.321M | 7.06581G | 7.10413G | Inf | 3 |
| 42.54M | 7.0634G | 7.10594G | 38.201M | 7.06581G | 7.10401G | Inf | 4 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

5985MHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

6145MHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

6385MHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

6465MHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

6545MHz Straddle 6.425-6.525GHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

6625MHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

6705MHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

6785MHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

6865MHz Straddle 6.525-6.875GHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

6945MHz

21/01/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW

7025MHz

21/01/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

EBW

6025MHz

21/01/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

EBW

6185MHz

21/01/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

EBW

6345MHz

22/01/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

EBW

6505MHz Straddle 6.425-6.525GHz

22/01/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

EBW

6665MHz

22/01/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

EBW

6825MHz Straddle 6.525-6.875GHz

22/01/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

EBW

6985MHz

22/01/2022



**For Scanning radio 1 / 2T2S
Summary**

| Mode | Max-N dB (Hz) | Max-OBW (Hz) | ITU-Code | Min-N dB (Hz) | Min-OBW (Hz) |
|---------------------------------|------------------|-----------------|----------|------------------|-----------------|
| 5.925-6.425GHz | - | - | - | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 26.7M | 19.25M | 19M2D1D | 22.23M | 19.22M |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 43.62M | 38.201M | 38M2D1D | 41.58M | 38.081M |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 84.84M | 78.081M | 78M1D1D | 81.96M | 77.841M |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 166.08M | 158.081M | 158MD1D | 163.92M | 156.882M |
| 6.425-6.525GHz | - | - | - | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 25.05M | 19.25M | 19M2D1D | 23.58M | 19.22M |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 43.2M | 38.261M | 38M3D1D | 41.52M | 38.141M |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 83.88M | 78.201M | 78M2D1D | 82.68M | 77.961M |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 165.84M | 156.882M | 157MD1D | 164.4M | 156.882M |
| 6.525-6.875GHz | - | - | - | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 27.84M | 19.28M | 19M3D1D | 22.65M | 19.22M |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 44.76M | 38.321M | 38M3D1D | 41.58M | 38.141M |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 85.32M | 78.081M | 78M1D1D | 82.2M | 77.841M |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 165.36M | 157.361M | 157MD1D | 164.4M | 156.882M |
| 6.875-7.125GHz | - | - | - | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 26.43M | 19.28M | 19M3D1D | 23.85M | 19.19M |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 43.74M | 38.261M | 38M3D1D | 41.22M | 38.141M |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 86.4M | 78.201M | 78M2D1D | 82.56M | 78.081M |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 165.6M | 157.361M | 157MD1D | 164.64M | 157.121M |

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth

Result

| Mode | Result | Limit (Hz) | Port 1-N dB (Hz) | Port 1-OBW (Hz) | Port 2-N dB (Hz) | Port 2-OBW (Hz) |
|---------------------------------|--------|------------|------------------|-----------------|------------------|-----------------|
| 802.11ax HEW20_Nss2,(MCS0)_2TX | - | - | - | - | - | - |
| 5955MHz | Pass | Inf | 23.61M | 19.25M | 22.23M | 19.22M |
| 6175MHz | Pass | Inf | 26.31M | 19.22M | 26.16M | 19.22M |
| 6415MHz | Pass | Inf | 26.7M | 19.22M | 24.87M | 19.25M |
| 6435MHz | Pass | Inf | 24.03M | 19.25M | 25.05M | 19.22M |
| 6475MHz | Pass | Inf | 24.6M | 19.22M | 24.87M | 19.25M |
| 6515MHz | Pass | Inf | 24.18M | 19.25M | 23.58M | 19.22M |
| 6535MHz | Pass | Inf | 26.49M | 19.25M | 24.66M | 19.25M |
| 6695MHz | Pass | Inf | 27.33M | 19.28M | 25.77M | 19.22M |
| 6855MHz | Pass | Inf | 23.19M | 19.28M | 22.65M | 19.25M |
| 6875MHz Straddle 6.525-6.875GHz | Pass | Inf | 22.71M | 19.22M | 27.84M | 19.25M |
| 6875MHz Straddle 6.875-7.125GHz | | | | | | |
| 6895MHz | Pass | Inf | 25.32M | 19.25M | 26.04M | 19.22M |
| 6995MHz | Pass | Inf | 24.72M | 19.22M | 24.42M | 19.19M |
| 7095MHz | Pass | Inf | 26.43M | 19.28M | 23.85M | 19.25M |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | - | - | - | - | - | - |
| 5965MHz | Pass | Inf | 41.58M | 38.141M | 41.94M | 38.141M |
| 6165MHz | Pass | Inf | 43.62M | 38.081M | 42.06M | 38.081M |
| 6405MHz | Pass | Inf | 42.3M | 38.201M | 41.94M | 38.201M |
| 6445MHz | Pass | Inf | 42.3M | 38.261M | 43.2M | 38.141M |
| 6485MHz | Pass | Inf | 42.42M | 38.261M | 43.2M | 38.201M |
| 6525MHz Straddle 6.425-6.525GHz | Pass | Inf | 41.52M | 38.201M | 41.7M | 38.141M |
| 6525MHz Straddle 6.525-6.875GHz | | | | | | |
| 6565MHz | Pass | Inf | 41.88M | 38.201M | 42.06M | 38.261M |
| 6685MHz | Pass | Inf | 42.54M | 38.321M | 43.62M | 38.261M |
| 6845MHz | Pass | Inf | 41.58M | 38.201M | 44.76M | 38.201M |
| 6885MHz Straddle 6.525-6.875GHz | Pass | Inf | 41.7M | 38.141M | 42.12M | 38.141M |
| 6885MHz Straddle 6.875-7.125GHz | | | | | | |
| 6925MHz | Pass | Inf | 41.4M | 38.261M | 43.56M | 38.141M |
| 7005MHz | Pass | Inf | 43.74M | 38.261M | 42.18M | 38.261M |
| 7085MHz | Pass | Inf | 41.22M | 38.141M | 41.88M | 38.201M |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | - | - | - | - | - | - |
| 5985MHz | Pass | Inf | 81.96M | 77.841M | 83.16M | 78.081M |
| 6145MHz | Pass | Inf | 83.28M | 78.081M | 83.52M | 77.961M |
| 6385MHz | Pass | Inf | 84.84M | 77.961M | 82.32M | 78.081M |
| 6465MHz | Pass | Inf | 83.88M | 77.961M | 83.16M | 78.201M |
| 6545MHz Straddle 6.425-6.525GHz | Pass | Inf | 83.04M | 77.961M | 82.68M | 78.201M |
| 6545MHz Straddle 6.525-6.875GHz | | | | | | |
| 6625MHz | Pass | Inf | 82.2M | 77.961M | 85.32M | 77.961M |
| 6705MHz | Pass | Inf | 82.56M | 77.961M | 82.8M | 78.081M |
| 6785MHz | Pass | Inf | 82.44M | 77.961M | 82.56M | 77.841M |
| 6865MHz Straddle 6.525-6.875GHz | Pass | Inf | 84.96M | 78.081M | 83.16M | 78.081M |
| 6865MHz Straddle 6.875-7.125GHz | | | | | | |
| 6945MHz | Pass | Inf | 82.56M | 78.081M | 82.8M | 78.081M |
| 7025MHz | Pass | Inf | 86.4M | 78.081M | 83.28M | 78.201M |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | - | - | - | - | - | - |
| 6025MHz | Pass | Inf | 166.08M | 157.121M | 164.64M | 157.121M |
| 6185MHz | Pass | Inf | 165.36M | 157.121M | 164.4M | 158.081M |
| 6345MHz | Pass | Inf | 165.6M | 156.882M | 163.92M | 157.121M |
| 6505MHz Straddle 6.425-6.525GHz | Pass | Inf | 165.84M | 156.882M | 164.4M | 156.882M |
| 6505MHz Straddle 6.525-6.875GHz | | | | | | |
| 6665MHz | Pass | Inf | 165.36M | 156.882M | 165.12M | 157.121M |
| 6825MHz Straddle 6.525-6.875GHz | Pass | Inf | 165.12M | 157.121M | 164.4M | 157.361M |
| 6825MHz Straddle 6.875-7.125GHz | | | | | | |
| 6985MHz | Pass | Inf | 165.6M | 157.121M | 164.64M | 157.361M |



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth


802.11ax HEW20_Nss2,(MCS0)_2TX

EBW


5955MHz

23/04/2022

CF
5.955GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.955GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 23.61M | 5.943G | 5.96661G | 19.25M | 5.945225G | 5.964475G | Inf | 1 |
| 22.23M | 5.9436G | 5.96583G | 19.22M | 5.945225G | 5.964445G | Inf | 2 |


802.11ax HEW20_Nss2,(MCS0)_2TX

EBW


6175MHz

23/04/2022

CF
6.175GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.175GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 26.31M | 6.16228G | 6.18859G | 19.22M | 6.165225G | 6.184445G | Inf | 1 |
| 26.16M | 6.16036G | 6.18652G | 19.22M | 6.165225G | 6.184445G | Inf | 2 |

802.11ax HEW20_Nss2,(MCS0)_2TX

EBW

6415MHz

23/04/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

EBW

6435MHz

23/04/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

EBW


6475MHz

23/04/2022

CF
6.475GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.475GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 24.6M | 6.46207G | 6.48667G | 19.22M | 6.465195G | 6.484415G | Inf | 1 |
| 24.87M | 6.46276G | 6.48763G | 19.25M | 6.465165G | 6.484415G | Inf | 2 |


802.11ax HEW20_Nss2,(MCS0)_2TX

EBW


6515MHz

23/04/2022

CF
6.515GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.515GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 24.18M | 6.50297G | 6.52715G | 19.25M | 6.505195G | 6.524445G | Inf | 1 |
| 23.58M | 6.50339G | 6.52697G | 19.22M | 6.505225G | 6.524445G | Inf | 2 |

802.11ax HEW20_Nss2,(MCS0)_2TX

EBW

6535MHz

23/04/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

EBW

6695MHz

23/04/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

EBW

6855MHz

23/04/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

EBW

6875MHz Straddle 6.525-6.875GHz

23/04/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

EBW


6895MHz

23/04/2022

CF
6.895GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.895GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 25.32M | 6.88345G | 6.90877G | 19.25M | 6.885225G | 6.904475G | Inf | 1 |
| 26.04M | 6.88207G | 6.90811G | 19.22M | 6.885195G | 6.904415G | Inf | 2 |


802.11ax HEW20_Nss2,(MCS0)_2TX

EBW


6995MHz

23/04/2022

CF
6.995GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.995GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 24.72M | 6.98348G | 7.0082G | 19.22M | 6.985165G | 7.004385G | Inf | 1 |
| 24.42M | 6.98348G | 7.0079G | 19.19M | 6.985195G | 7.004385G | Inf | 2 |

802.11ax HEW20_Nss2,(MCS0)_2TX

EBW

7095MHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW

5965MHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW

6165MHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW

6405MHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW

6445MHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW

6485MHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW

6525MHz Straddle 6.425-6.525GHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW

6565MHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW


6685MHz

23/04/2022

CF
6.685GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.685GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 42.54M | 6.66364G | 6.70618G | 38.321M | 6.66569G | 6.70401G | Inf | 1 |
| 43.62M | 6.66196G | 6.70558G | 38.261M | 6.66563G | 6.703891G | Inf | 2 |


802.11ax HEW40_Nss2,(MCS0)_2TX

EBW


6845MHz

23/04/2022

CF
6.845GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.845GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 41.58M | 6.82394G | 6.86552G | 38.201M | 6.82569G | 6.863891G | Inf | 1 |
| 44.76M | 6.8219G | 6.86666G | 38.201M | 6.82569G | 6.863891G | Inf | 2 |

802.11ax HEW40_Nss2,(MCS0)_2TX

EBW

6885MHz Straddle 6.525-6.875GHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW

6925MHz

23/04/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

EBW


7005MHz

23/04/2022

CF
7.005GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.005GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 43.74M | 6.98178G | 7.02552G | 38.261M | 6.98563G | 7.023891G | Inf | 1 |
| 42.18M | 6.98358G | 7.02576G | 38.261M | 6.98563G | 7.023891G | Inf | 2 |


802.11ax HEW40_Nss2,(MCS0)_2TX

EBW


7085MHz

23/04/2022

CF
7.085GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.085GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 41.22M | 7.06412G | 7.10534G | 38.141M | 7.06575G | 7.103891G | Inf | 1 |
| 41.88M | 7.06358G | 7.10546G | 38.201M | 7.06569G | 7.103891G | Inf | 2 |

802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

5985MHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

6145MHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

6385MHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

6465MHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

6545MHz Straddle 6.425-6.525GHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

6625MHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

6705MHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

6785MHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

6865MHz Straddle 6.525-6.875GHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW

6945MHz

23/04/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

EBW


7025MHz

23/04/2022

CF
7.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.025GHz
Span
240MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 86.4M | 6.98024G | 7.06664G | 78.081M | 6.98566G | 7.063741G | Inf | 1 |
| 83.28M | 6.98336G | 7.06664G | 78.201M | 6.98578G | 7.063981G | Inf | 2 |


802.11ax HEW160_Nss2,(MCS0)_2TX

EBW


6025MHz

23/04/2022

CF
6.025GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.025GHz
Span
480MHz
RBW
3MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|----------|------------|------------|-----------|------|
| 166.08M | 5.94244G | 6.10852G | 157.121M | 5.946319G | 6.103441G | Inf | 1 |
| 164.64M | 5.94292G | 6.10756G | 157.121M | 5.946319G | 6.103441G | Inf | 2 |

802.11ax HEW160_Nss2,(MCS0)_2TX

EBW

6185MHz

23/04/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

EBW

6345MHz

23/04/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

EBW

6505MHz Straddle 6.425-6.525GHz

23/04/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

EBW

6665MHz

23/04/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

EBW

6825MHz Straddle 6.525-6.875GHz

23/04/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

EBW

6985MHz

23/04/2022





For Radio 3 / non beamforming mode / 1T1S
Summary



| Mode | EIRP (dBm) | EIRP (W) |
|---------------------------------|------------|----------|
| 5.925-6.425GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | 19.81 | 0.09572 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | 23.03 | 0.20091 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | 25.54 | 0.35810 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 27.52 | 0.56494 |
| 6.425-6.525GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | 20.10 | 0.10233 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | 22.66 | 0.18450 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | 25.74 | 0.37497 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 27.84 | 0.60814 |
| 6.525-6.875GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | 21.95 | 0.15668 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | 24.94 | 0.31189 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | 26.48 | 0.44463 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 29.06 | 0.80538 |
| 6.875-7.125GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | 21.85 | 0.15311 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | 24.86 | 0.30620 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | 26.05 | 0.40272 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 25.52 | 0.35645 |






Result


| Mode | Result | EIRP (dBm) | EIRP Limit (dBm) | Conducted setting |
|---------------------------------|--------|------------|------------------|-------------------|
| 802.11ax HEW20_Nss1,(MCS0)_1TX | - | - | - | - |
| 5955MHz | Pass | 19.71 | 30.00 | 16.25 |
| 6175MHz | Pass | 18.98 | 30.00 | 13.75 |
| 6415MHz | Pass | 19.81 | 30.00 | 15 |
| 6435MHz | Pass | 19.92 | 30.00 | 15 |
| 6475MHz | Pass | 20.10 | 30.00 | 15 |
| 6515MHz | Pass | 19.82 | 30.00 | 15.25 |
| 6535MHz | Pass | 19.66 | 30.00 | 15.25 |
| 6695MHz | Pass | 21.95 | 30.00 | 17 |
| 6855MHz | Pass | 21.91 | 30.00 | 16.25 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 21.72 | 30.00 | 16.5 |
| 6895MHz | Pass | 21.85 | 30.00 | 16.5 |
| 6995MHz | Pass | 21.37 | 30.00 | 14.5 |
| 7095MHz | Pass | 20.67 | 30.00 | 14.5 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | - | - | - | - |
| 5965MHz | Pass | 22.88 | 30.00 | 19 |
| 6165MHz | Pass | 21.98 | 30.00 | 16.5 |
| 6405MHz | Pass | 23.03 | 30.00 | 17.75 |
| 6445MHz | Pass | 22.66 | 30.00 | 17.25 |
| 6485MHz | Pass | 22.57 | 30.00 | 17.25 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 22.55 | 30.00 | 17.5 |
| 6565MHz | Pass | 22.74 | 30.00 | 17.75 |
| 6685MHz | Pass | 24.52 | 30.00 | 19.25 |
| 6845MHz | Pass | 24.94 | 30.00 | 19.25 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 24.34 | 30.00 | 19.25 |
| 6925MHz | Pass | 24.13 | 30.00 | 17.75 |
| 7005MHz | Pass | 23.97 | 30.00 | 17.75 |
| 7085MHz | Pass | 24.86 | 30.00 | 19 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | - | - | - | - |
| 5985MHz | Pass | 24.86 | 30.00 | 21 |
| 6145MHz | Pass | 25.01 | 30.00 | 19.75 |
| 6385MHz | Pass | 25.54 | 30.00 | 20.75 |
| 6465MHz | Pass | 25.52 | 30.00 | 20.75 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 25.74 | 30.00 | 21.25 |
| 6625MHz | Pass | 26.45 | 30.00 | 21.25 |
| 6705MHz | Pass | 26.40 | 30.00 | 21.25 |
| 6785MHz | Pass | 26.46 | 30.00 | 21.5 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 26.48 | 30.00 | 21.25 |
| 6945MHz | Pass | 26.05 | 30.00 | 20.25 |
| 7025MHz | Pass | 25.77 | 30.00 | 20.25 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | - | - | - | - |
| 6025MHz | Pass | 25.85 | 30.00 | 22 |
| 6185MHz | Pass | 26.66 | 30.00 | 22 |
| 6345MHz | Pass | 27.52 | 30.00 | 23.5 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 27.84 | 30.00 | 24 |
| 6665MHz | Pass | 29.06 | 30.00 | 24.75 |
| 6825MHz Straddle 6.525-6.875GHz | Pass | 28.79 | 30.00 | 24.25 |
| 6985MHz | Pass | 25.52 | 30.00 | 20 |



DG = Directional Gain; Port X = Port X output power
 Note : Conducted setting = Pass conducted setting division 4


































































For non beamforming mode / 2T2S

Summary

| Mode | EIRP (dBm) | EIRP (W) |
|---------------------------------|------------|----------|
| 5.925-6.425GHz | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 18.06 | 0.06397 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 20.96 | 0.12474 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 24.04 | 0.25351 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 27.56 | 0.57016 |
| 6.425-6.525GHz | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 16.85 | 0.04842 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 21.01 | 0.12618 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 24.22 | 0.26424 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 26.94 | 0.49431 |
| 6.525-6.875GHz | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 18.92 | 0.07798 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 21.60 | 0.14454 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 24.46 | 0.27925 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 27.80 | 0.60256 |
| 6.875-7.125GHz | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 18.26 | 0.06699 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 21.28 | 0.13428 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 23.80 | 0.23988 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 24.51 | 0.28249 |







Result



| Mode | Result | EIRP (dBm) | EIRP Limit (dBm) | Conducted setting |
|---------------------------------|--------|------------|------------------|-------------------|
| 802.11ax HEW20_Nss2,(MCS0)_2TX | - | - | - | - |
| 5955MHz | Pass | 17.70 | 30.00 | 13 |
| 6175MHz | Pass | 18.06 | 30.00 | 12 |
| 6415MHz | Pass | 17.83 | 30.00 | 12 |
| 6435MHz | Pass | 16.85 | 30.00 | 11.75 |
| 6475MHz | Pass | 16.40 | 30.00 | 11.5 |
| 6515MHz | Pass | 15.65 | 30.00 | 10.75 |
| 6535MHz | Pass | 15.73 | 30.00 | 11 |
| 6695MHz | Pass | 16.07 | 30.00 | 10.5 |
| 6855MHz | Pass | 18.92 | 30.00 | 13.25 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 18.21 | 30.00 | 12.75 |
| 6895MHz | Pass | 18.16 | 30.00 | 12.75 |
| 6995MHz | Pass | 18.11 | 30.00 | 10.75 |
| 7095MHz | Pass | 18.26 | 30.00 | 11 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | - | - | - | - |
| 5965MHz | Pass | 20.76 | 30.00 | 15.75 |
| 6165MHz | Pass | 20.59 | 30.00 | 14.5 |
| 6405MHz | Pass | 20.96 | 30.00 | 14.75 |
| 6445MHz | Pass | 20.58 | 30.00 | 15.5 |
| 6485MHz | Pass | 21.01 | 30.00 | 15.5 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 20.74 | 30.00 | 15.5 |
| 6565MHz | Pass | 20.94 | 30.00 | 15.5 |
| 6685MHz | Pass | 21.60 | 30.00 | 15.5 |
| 6845MHz | Pass | 20.72 | 30.00 | 15.25 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 20.79 | 30.00 | 15.5 |
| 6925MHz | Pass | 21.28 | 30.00 | 14 |
| 7005MHz | Pass | 21.18 | 30.00 | 14.25 |
| 7085MHz | Pass | 21.15 | 30.00 | 14.25 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | - | - | - | - |
| 5985MHz | Pass | 23.81 | 30.00 | 18.5 |
| 6145MHz | Pass | 23.97 | 30.00 | 18.5 |
| 6385MHz | Pass | 24.04 | 30.00 | 17.5 |
| 6465MHz | Pass | 24.09 | 30.00 | 18.75 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 24.22 | 30.00 | 19 |
| 6625MHz | Pass | 24.10 | 30.00 | 18.25 |
| 6705MHz | Pass | 24.46 | 30.00 | 18.25 |
| 6785MHz | Pass | 24.29 | 30.00 | 18.25 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 24.16 | 30.00 | 18.25 |
| 6945MHz | Pass | 23.80 | 30.00 | 17.25 |
| 7025MHz | Pass | 23.24 | 30.00 | 17.25 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | - | - | - | - |
| 6025MHz | Pass | 26.05 | 30.00 | 20.75 |
| 6185MHz | Pass | 27.56 | 30.00 | 20.5 |
| 6345MHz | Pass | 24.98 | 30.00 | 19.75 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 26.94 | 30.00 | 21.5 |
| 6665MHz | Pass | 27.80 | 30.00 | 21.25 |
| 6825MHz Straddle 6.525-6.875GHz | Pass | 26.86 | 30.00 | 20 |
| 6985MHz | Pass | 24.51 | 30.00 | 18.25 |



DG = Directional Gain; Port X = Port X output power



Note : Conducted setting = Pass conducted setting division 4





































































For non beamforming mode / 4T1S

Summary

| Mode | EIRP (dBm) | EIRP (W) |
|---------------------------------|------------|----------|
| 5.925-6.425GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | 14.99 | 0.03155 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | 17.95 | 0.06237 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | 20.09 | 0.10209 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | 23.22 | 0.20989 |
| 6.425-6.525GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | 16.15 | 0.04121 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | 17.64 | 0.05808 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | 21.38 | 0.13740 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | 24.34 | 0.27164 |
| 6.525-6.875GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | 15.61 | 0.03639 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | 18.19 | 0.06592 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | 20.32 | 0.10765 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | 23.80 | 0.23988 |
| 6.875-7.125GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | 14.46 | 0.02793 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | 18.48 | 0.07047 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | 20.65 | 0.11614 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | 22.69 | 0.18578 |






Result



| Mode | Result | EIRP (dBm) | EIRP Limit (dBm) | Conducted setting |
|---------------------------------|--------|------------|------------------|-------------------|
| 802.11ax HEW20_Nss1,(MCS0)_4TX | - | - | - | - |
| 5955MHz | Pass | 14.30 | 30.00 | 6.75 |
| 6175MHz | Pass | 14.38 | 30.00 | 7 |
| 6415MHz | Pass | 14.99 | 30.00 | 7.75 |
| 6435MHz | Pass | 15.41 | 30.00 | 7.75 |
| 6475MHz | Pass | 16.15 | 30.00 | 8 |
| 6515MHz | Pass | 15.53 | 30.00 | 7.75 |
| 6535MHz | Pass | 15.61 | 30.00 | 7.75 |
| 6695MHz | Pass | 14.27 | 30.00 | 8.25 |
| 6855MHz | Pass | 15.35 | 30.00 | 8.25 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 15.12 | 30.00 | 8 |
| 6895MHz | Pass | 14.32 | 30.00 | 7.75 |
| 6995MHz | Pass | 14.18 | 30.00 | 5.75 |
| 7095MHz | Pass | 14.46 | 30.00 | 6.75 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | - | - | - | - |
| 5965MHz | Pass | 16.74 | 30.00 | 9.5 |
| 6165MHz | Pass | 17.10 | 30.00 | 9.5 |
| 6405MHz | Pass | 17.95 | 30.00 | 10.25 |
| 6445MHz | Pass | 16.83 | 30.00 | 9.75 |
| 6485MHz | Pass | 17.64 | 30.00 | 9.75 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 17.42 | 30.00 | 9.75 |
| 6565MHz | Pass | 18.19 | 30.00 | 10.25 |
| 6685MHz | Pass | 16.74 | 30.00 | 10.25 |
| 6845MHz | Pass | 17.82 | 30.00 | 10.5 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 16.38 | 30.00 | 9.75 |
| 6925MHz | Pass | 17.11 | 30.00 | 8.75 |
| 7005MHz | Pass | 17.51 | 30.00 | 9.5 |
| 7085MHz | Pass | 18.48 | 30.00 | 10.75 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | - | - | - | - |
| 5985MHz | Pass | 19.44 | 30.00 | 12.25 |
| 6145MHz | Pass | 19.36 | 30.00 | 12.25 |
| 6385MHz | Pass | 20.09 | 30.00 | 12.5 |
| 6465MHz | Pass | 21.38 | 30.00 | 13 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 20.73 | 30.00 | 12.5 |
| 6625MHz | Pass | 20.25 | 30.00 | 12.5 |
| 6705MHz | Pass | 19.54 | 30.00 | 13 |
| 6785MHz | Pass | 20.11 | 30.00 | 13.75 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 20.32 | 30.00 | 13 |
| 6945MHz | Pass | 20.65 | 30.00 | 12.75 |
| 7025MHz | Pass | 20.62 | 30.00 | 13.5 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | - | - | - | - |
| 6025MHz | Pass | 22.03 | 30.00 | 14.5 |
| 6185MHz | Pass | 22.89 | 30.00 | 15.25 |
| 6345MHz | Pass | 23.22 | 30.00 | 15 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 24.34 | 30.00 | 16.25 |
| 6665MHz | Pass | 23.80 | 30.00 | 16.25 |
| 6825MHz Straddle 6.525-6.875GHz | Pass | 22.99 | 30.00 | 15.75 |
| 6985MHz | Pass | 22.69 | 30.00 | 15.75 |

DG = Directional Gain; Port X = Port X output power


Note : Conducted setting = Pass conducted setting division 4































































For non beamforming mode / 4T4S

Summary

| Mode | EIRP (dBm) | EIRP (W) |
|---------------------------------|------------|----------|
| 5.925-6.425GHz | - | - |
| 802.11ax HEW20_Nss4,(MCS0)_4TX | 18.05 | 0.06383 |
| 802.11ax HEW40_Nss4,(MCS0)_4TX | 20.43 | 0.11041 |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | 22.41 | 0.17418 |
| 802.11ax HEW160_Nss4,(MCS0)_4TX | 24.57 | 0.28642 |
| 6.425-6.525GHz | - | - |
| 802.11ax HEW20_Nss4,(MCS0)_4TX | 17.87 | 0.06124 |
| 802.11ax HEW40_Nss4,(MCS0)_4TX | 20.81 | 0.12050 |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | 22.88 | 0.19409 |
| 802.11ax HEW160_Nss4,(MCS0)_4TX | 24.73 | 0.29717 |
| 6.525-6.875GHz | - | - |
| 802.11ax HEW20_Nss4,(MCS0)_4TX | 17.64 | 0.05808 |
| 802.11ax HEW40_Nss4,(MCS0)_4TX | 21.07 | 0.12794 |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | 22.04 | 0.15996 |
| 802.11ax HEW160_Nss4,(MCS0)_4TX | 24.80 | 0.30200 |
| 6.875-7.125GHz | - | - |
| 802.11ax HEW20_Nss4,(MCS0)_4TX | 17.87 | 0.06124 |
| 802.11ax HEW40_Nss4,(MCS0)_4TX | 19.99 | 0.09977 |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | 22.73 | 0.18750 |
| 802.11ax HEW160_Nss4,(MCS0)_4TX | 23.91 | 0.24604 |






Result



| Mode | Result | EIRP (dBm) | EIRP Limit (dBm) | Conducted setting |
|---------------------------------|--------|------------|------------------|-------------------|
| 802.11ax HEW20_Nss4,(MCS0)_4TX | - | - | - | - |
| 5955MHz | Pass | 17.36 | 30.00 | 10 |
| 6175MHz | Pass | 17.39 | 30.00 | 9.75 |
| 6415MHz | Pass | 18.05 | 30.00 | 10.25 |
| 6435MHz | Pass | 17.45 | 30.00 | 10.25 |
| 6475MHz | Pass | 17.87 | 30.00 | 10.25 |
| 6515MHz | Pass | 17.03 | 30.00 | 9.75 |
| 6535MHz | Pass | 17.64 | 30.00 | 9.75 |
| 6695MHz | Pass | 17.22 | 30.00 | 10.5 |
| 6855MHz | Pass | 17.52 | 30.00 | 10.25 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 17.43 | 30.00 | 10.25 |
| 6895MHz | Pass | 17.40 | 30.00 | 10.25 |
| 6995MHz | Pass | 17.25 | 30.00 | 8.75 |
| 7095MHz | Pass | 17.87 | 30.00 | 9.5 |
| 802.11ax HEW40_Nss4,(MCS0)_4TX | - | - | - | - |
| 5965MHz | Pass | 19.60 | 30.00 | 12 |
| 6165MHz | Pass | 20.43 | 30.00 | 12.75 |
| 6405MHz | Pass | 20.07 | 30.00 | 12.25 |
| 6445MHz | Pass | 20.24 | 30.00 | 12.5 |
| 6485MHz | Pass | 19.84 | 30.00 | 12.25 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 20.81 | 30.00 | 12.25 |
| 6565MHz | Pass | 21.07 | 30.00 | 12.75 |
| 6685MHz | Pass | 19.90 | 30.00 | 13 |
| 6845MHz | Pass | 20.13 | 30.00 | 12.5 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 19.99 | 30.00 | 13.25 |
| 6925MHz | Pass | 19.89 | 30.00 | 11.5 |
| 7005MHz | Pass | 19.99 | 30.00 | 11.75 |
| 7085MHz | Pass | 19.73 | 30.00 | 12 |
| 802.11ax HEW80_Nss4,(MCS0)_4TX | - | - | - | - |
| 5985MHz | Pass | 22.41 | 30.00 | 15.5 |
| 6145MHz | Pass | 21.64 | 30.00 | 14.75 |
| 6385MHz | Pass | 22.24 | 30.00 | 15 |
| 6465MHz | Pass | 21.35 | 30.00 | 14.5 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 22.88 | 30.00 | 15.25 |
| 6625MHz | Pass | 21.93 | 30.00 | 15.5 |
| 6705MHz | Pass | 21.65 | 30.00 | 15 |
| 6785MHz | Pass | 21.81 | 30.00 | 15.5 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 22.04 | 30.00 | 15.75 |
| 6945MHz | Pass | 21.93 | 30.00 | 14.75 |
| 7025MHz | Pass | 22.73 | 30.00 | 14.75 |
| 802.11ax HEW160_Nss4,(MCS0)_4TX | - | - | - | - |
| 6025MHz | Pass | 23.66 | 30.00 | 16.5 |
| 6185MHz | Pass | 24.29 | 30.00 | 16.5 |
| 6345MHz | Pass | 24.57 | 30.00 | 17 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 24.73 | 30.00 | 18.5 |
| 6665MHz | Pass | 24.80 | 30.00 | 18 |
| 6825MHz Straddle 6.525-6.875GHz | Pass | 24.05 | 30.00 | 17.25 |
| 6985MHz | Pass | 23.91 | 30.00 | 17.25 |



DG = Directional Gain; Port X = Port X output power



Note : Conducted setting = Pass conducted setting division 4
































































For beamforming mode / 2T1S
Summary

| Mode | EIRP (dBm) | EIRP (W) |
|------------------------------------|------------|----------|
| 5.925-6.425GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | 23.39 | 0.21827 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | 20.05 | 0.10116 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | 22.50 | 0.17783 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | 25.92 | 0.39084 |
| 6.425-6.525GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | 24.45 | 0.27861 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | 20.91 | 0.12331 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | 23.25 | 0.21135 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | 24.94 | 0.31189 |
| 6.525-6.875GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | 24.31 | 0.26977 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | 20.19 | 0.10447 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | 23.54 | 0.22594 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | 26.10 | 0.40738 |
| 6.875-7.125GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | 26.27 | 0.42364 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | 21.10 | 0.12882 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | 24.11 | 0.25763 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | 25.35 | 0.34277 |







Result



| Mode | Result | EIRP (dBm) | EIRP Limit (dBm) | Conducted setting |
|------------------------------------|--------|------------|------------------|-------------------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | - | - | - | - |
| 5955MHz | Pass | 18.16 | 30.00 | 11.5 |
| 6175MHz | Pass | 16.41 | 30.00 | 10 |
| 6415MHz | Pass | 23.39 | 30.00 | 9.5 |
| 6435MHz | Pass | 17.21 | 30.00 | 10.75 |
| 6475MHz | Pass | 24.45 | 30.00 | 9.25 |
| 6515MHz | Pass | 16.06 | 30.00 | 10.5 |
| 6535MHz | Pass | 24.31 | 30.00 | 9.75 |
| 6695MHz | Pass | 17.99 | 30.00 | 11.5 |
| 6855MHz | Pass | 18.98 | 30.00 | 12 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 18.32 | 30.00 | 11 |
| 6895MHz | Pass | 16.94 | 30.00 | 11.5 |
| 6995MHz | Pass | 21.93 | 30.00 | 6.5 |
| 7095MHz | Pass | 26.27 | 30.00 | 9.75 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | - | - | - | - |
| 5965MHz | Pass | 19.25 | 30.00 | 13 |
| 6165MHz | Pass | 18.97 | 30.00 | 12.25 |
| 6405MHz | Pass | 20.05 | 30.00 | 14.75 |
| 6445MHz | Pass | 18.70 | 30.00 | 13 |
| 6485MHz | Pass | 20.91 | 30.00 | 14.25 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 20.78 | 30.00 | 14.25 |
| 6565MHz | Pass | 17.16 | 30.00 | 11.75 |
| 6685MHz | Pass | 19.04 | 30.00 | 12.5 |
| 6845MHz | Pass | 20.19 | 30.00 | 14 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 20.00 | 30.00 | 14 |
| 6925MHz | Pass | 20.56 | 30.00 | 11.5 |
| 7005MHz | Pass | 18.54 | 30.00 | 10.25 |
| 7085MHz | Pass | 21.10 | 30.00 | 12.25 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | - | - | - | - |
| 5985MHz | Pass | 21.74 | 30.00 | 16.5 |
| 6145MHz | Pass | 21.96 | 30.00 | 16 |
| 6385MHz | Pass | 22.50 | 30.00 | 16.5 |
| 6465MHz | Pass | 22.51 | 30.00 | 16.5 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 23.25 | 30.00 | 17.25 |
| 6625MHz | Pass | 23.48 | 30.00 | 17 |
| 6705MHz | Pass | 23.54 | 30.00 | 16.75 |
| 6785MHz | Pass | 22.80 | 30.00 | 16.25 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 22.79 | 30.00 | 16.25 |
| 6945MHz | Pass | 24.11 | 30.00 | 16.5 |
| 7025MHz | Pass | 19.89 | 30.00 | 15.5 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | - | - | - | - |
| 6025MHz | Pass | 25.66 | 30.00 | 20.5 |
| 6185MHz | Pass | 25.92 | 30.00 | 20 |
| 6345MHz | Pass | 25.05 | 30.00 | 20 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 24.94 | 30.00 | 19 |
| 6665MHz | Pass | 26.10 | 30.00 | 19.25 |
| 6825MHz Straddle 6.525-6.875GHz | Pass | 24.68 | 30.00 | 18.25 |
| 6985MHz | Pass | 25.35 | 30.00 | 18.75 |



DG = Directional Gain; Port X = Port X output power



Note : Conducted setting = Pass conducted setting division 4


































































For beamforming mode / 4T1S
 Summary

| Mode | EIRP (dBm) | EIRP (W) |
|------------------------------------|------------|----------|
| 5.925-6.425GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 17.44 | 0.05546 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 21.58 | 0.14388 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 22.16 | 0.16444 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 25.81 | 0.38107 |
| 6.425-6.525GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 17.49 | 0.05610 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 20.67 | 0.11668 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 23.21 | 0.20941 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 26.29 | 0.42560 |
| 6.525-6.875GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 18.78 | 0.07551 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 21.38 | 0.13740 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 24.43 | 0.27733 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 24.68 | 0.29376 |
| 6.875-7.125GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 18.46 | 0.07015 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 19.38 | 0.08670 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 23.76 | 0.23768 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 25.37 | 0.34435 |







Result



| Mode | Result | EIRP (dBm) | EIRP Limit (dBm) | Conducted setting |
|------------------------------------|--------|------------|------------------|-------------------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | - | - | - | - |
| 5955MHz | Pass | 17.44 | 30.00 | 7.25 |
| 6175MHz | Pass | 16.39 | 30.00 | 7 |
| 6415MHz | Pass | 15.49 | 30.00 | 5.75 |
| 6435MHz | Pass | 16.67 | 30.00 | 6.5 |
| 6475MHz | Pass | 17.49 | 30.00 | 7.75 |
| 6515MHz | Pass | 16.59 | 30.00 | 6.75 |
| 6535MHz | Pass | 14.70 | 30.00 | 5.75 |
| 6695MHz | Pass | 18.78 | 30.00 | 8 |
| 6855MHz | Pass | 15.77 | 30.00 | 7 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 15.58 | 30.00 | 6.5 |
| 6895MHz | Pass | 16.41 | 30.00 | 7 |
| 6995MHz | Pass | 17.47 | 30.00 | 5.75 |
| 7095MHz | Pass | 18.46 | 30.00 | 7 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | - | - | - | - |
| 5965MHz | Pass | 17.71 | 30.00 | 8 |
| 6165MHz | Pass | 21.58 | 30.00 | 9.75 |
| 6405MHz | Pass | 21.28 | 30.00 | 9.25 |
| 6445MHz | Pass | 20.67 | 30.00 | 9.25 |
| 6485MHz | Pass | 19.65 | 30.00 | 9.25 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 19.42 | 30.00 | 8.75 |
| 6565MHz | Pass | 19.17 | 30.00 | 9.25 |
| 6685MHz | Pass | 19.91 | 30.00 | 9.25 |
| 6845MHz | Pass | 21.38 | 30.00 | 10 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 16.23 | 30.00 | 8.75 |
| 6925MHz | Pass | 18.49 | 30.00 | 8.75 |
| 7005MHz | Pass | 19.38 | 30.00 | 8.75 |
| 7085MHz | Pass | 18.03 | 30.00 | 6.75 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | - | - | - | - |
| 5985MHz | Pass | 22.16 | 30.00 | 12.25 |
| 6145MHz | Pass | 22.05 | 30.00 | 12.5 |
| 6385MHz | Pass | 21.39 | 30.00 | 12.75 |
| 6465MHz | Pass | 21.84 | 30.00 | 11.5 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 23.21 | 30.00 | 13 |
| 6625MHz | Pass | 21.50 | 30.00 | 12.5 |
| 6705MHz | Pass | 20.66 | 30.00 | 10.5 |
| 6785MHz | Pass | 20.46 | 30.00 | 11.75 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 24.43 | 30.00 | 14 |
| 6945MHz | Pass | 23.76 | 30.00 | 12.5 |
| 7025MHz | Pass | 21.10 | 30.00 | 11.75 |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | - | - | - | - |
| 6025MHz | Pass | 22.09 | 30.00 | 14.25 |
| 6185MHz | Pass | 25.81 | 30.00 | 15.75 |
| 6345MHz | Pass | 24.45 | 30.00 | 15.5 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 26.29 | 30.00 | 16.25 |
| 6665MHz | Pass | 24.68 | 30.00 | 15 |
| 6825MHz Straddle 6.525-6.875GHz | Pass | 24.56 | 30.00 | 16 |
| 6985MHz | Pass | 25.37 | 30.00 | 15.25 |



DG = Directional Gain; Port X = Port X output power



Note : Conducted setting = Pass conducted setting division 4








































































For Scanning radio 1 / 2T2S
Summary

| Mode | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|---------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz | - | - | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 12.50 | 0.01778 | 18.50 | 0.07079 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 15.50 | 0.03548 | 21.50 | 0.14125 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 17.99 | 0.06295 | 23.99 | 0.25061 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 20.35 | 0.10839 | 26.35 | 0.43152 |
| 6.425-6.525GHz | - | - | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 12.51 | 0.01782 | 18.51 | 0.07096 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 15.42 | 0.03483 | 21.42 | 0.13868 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 17.76 | 0.05970 | 23.76 | 0.23768 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 20.32 | 0.10765 | 26.32 | 0.42855 |
| 6.525-6.875GHz | - | - | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 12.53 | 0.01791 | 18.53 | 0.07129 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 15.60 | 0.03631 | 21.60 | 0.14454 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 18.19 | 0.06592 | 24.19 | 0.26242 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 20.41 | 0.10990 | 26.41 | 0.43752 |
| 6.875-7.125GHz | - | - | - | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | 12.35 | 0.01718 | 18.35 | 0.06839 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | 15.48 | 0.03532 | 21.48 | 0.14060 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | 18.25 | 0.06683 | 24.25 | 0.26607 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | 20.40 | 0.10965 | 26.40 | 0.43652 |



Result

| Mode | Result | DG (dBi) | Port 1 (dBm) | Port 2 (dBm) | Total Power (dBm) | Power Limit (dBm) | EIRP (dBm) | EIRP Limit (dBm) |
|---------------------------------|--------|----------|--------------|--------------|-------------------|-------------------|------------|------------------|
| 802.11ax HEW20_Nss2,(MCS0)_2TX | - | - | - | - | - | - | - | - |
| 5955MHz | Pass | 6.00 | 8.86 | 9.63 | 12.27 | Inf | 18.27 | 30.00 |
| 6175MHz | Pass | 6.00 | 9.16 | 9.74 | 12.47 | Inf | 18.47 | 30.00 |
| 6415MHz | Pass | 6.00 | 9.53 | 9.45 | 12.50 | Inf | 18.50 | 30.00 |
| 6435MHz | Pass | 6.00 | 9.05 | 9.23 | 12.15 | Inf | 18.15 | 30.00 |
| 6475MHz | Pass | 6.00 | 9.60 | 8.91 | 12.28 | Inf | 18.28 | 30.00 |
| 6515MHz | Pass | 6.00 | 9.88 | 9.09 | 12.51 | Inf | 18.51 | 30.00 |
| 6535MHz | Pass | 6.00 | 9.48 | 9.07 | 12.29 | Inf | 18.29 | 30.00 |
| 6695MHz | Pass | 6.00 | 9.49 | 9.23 | 12.37 | Inf | 18.37 | 30.00 |
| 6855MHz | Pass | 6.00 | 9.49 | 9.43 | 12.47 | Inf | 18.47 | 30.00 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 6.00 | 9.57 | 9.47 | 12.53 | Inf | 18.53 | 30.00 |
| 6875MHz Straddle 6.875-7.125GHz | | | | | | | | |
| 6895MHz | Pass | 6.00 | 9.51 | 9.09 | 12.32 | Inf | 18.32 | 30.00 |
| 6995MHz | Pass | 6.00 | 9.12 | 9.55 | 12.35 | Inf | 18.35 | 30.00 |
| 7095MHz | Pass | 6.00 | 8.97 | 9.67 | 12.34 | Inf | 18.34 | 30.00 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | - | - | - | - | - | - | - | - |
| 5965MHz | Pass | 6.00 | 12.21 | 12.76 | 15.50 | Inf | 21.50 | 30.00 |
| 6165MHz | Pass | 6.00 | 12.14 | 12.52 | 15.34 | Inf | 21.34 | 30.00 |
| 6405MHz | Pass | 6.00 | 12.25 | 12.44 | 15.36 | Inf | 21.36 | 30.00 |
| 6445MHz | Pass | 6.00 | 12.20 | 12.28 | 15.25 | Inf | 21.25 | 30.00 |
| 6485MHz | Pass | 6.00 | 12.43 | 12.39 | 15.42 | Inf | 21.42 | 30.00 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 6.00 | 12.18 | 12.37 | 15.29 | Inf | 21.29 | 30.00 |
| 6525MHz Straddle 6.525-6.875GHz | | | | | | | | |
| 6565MHz | Pass | 6.00 | 12.25 | 12.51 | 15.39 | Inf | 21.39 | 30.00 |
| 6685MHz | Pass | 6.00 | 12.43 | 12.40 | 15.43 | Inf | 21.43 | 30.00 |
| 6845MHz | Pass | 6.00 | 12.45 | 12.60 | 15.54 | Inf | 21.54 | 30.00 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 6.00 | 12.52 | 12.65 | 15.60 | Inf | 21.60 | 30.00 |
| 6885MHz Straddle 6.875-7.125GHz | | | | | | | | |
| 6925MHz | Pass | 6.00 | 12.20 | 12.72 | 15.48 | Inf | 21.48 | 30.00 |
| 7005MHz | Pass | 6.00 | 12.16 | 12.72 | 15.46 | Inf | 21.46 | 30.00 |
| 7085MHz | Pass | 6.00 | 12.01 | 12.61 | 15.33 | Inf | 21.33 | 30.00 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | - | - | - | - | - | - | - | - |
| 5985MHz | Pass | 6.00 | 14.79 | 14.84 | 17.83 | Inf | 23.83 | 30.00 |
| 6145MHz | Pass | 6.00 | 14.73 | 15.21 | 17.99 | Inf | 23.99 | 30.00 |
| 6385MHz | Pass | 6.00 | 14.77 | 15.17 | 17.98 | Inf | 23.98 | 30.00 |
| 6465MHz | Pass | 6.00 | 14.58 | 14.92 | 17.76 | Inf | 23.76 | 30.00 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 6.00 | 14.51 | 14.96 | 17.75 | Inf | 23.75 | 30.00 |
| 6545MHz Straddle 6.525-6.875GHz | | | | | | | | |
| 6625MHz | Pass | 6.00 | 14.99 | 15.37 | 18.19 | Inf | 24.19 | 30.00 |
| 6705MHz | Pass | 6.00 | 14.90 | 15.18 | 18.05 | Inf | 24.05 | 30.00 |
| 6785MHz | Pass | 6.00 | 14.98 | 14.90 | 17.95 | Inf | 23.95 | 30.00 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 6.00 | 15.02 | 15.01 | 18.03 | Inf | 24.03 | 30.00 |
| 6865MHz Straddle 6.875-7.125GHz | | | | | | | | |
| 6945MHz | Pass | 6.00 | 15.04 | 15.43 | 18.25 | Inf | 24.25 | 30.00 |
| 7025MHz | Pass | 6.00 | 14.90 | 15.53 | 18.24 | Inf | 24.24 | 30.00 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | - | - | - | - | - | - | - | - |
| 6025MHz | Pass | 6.00 | 17.22 | 17.24 | 20.24 | Inf | 26.24 | 30.00 |
| 6185MHz | Pass | 6.00 | 17.16 | 17.52 | 20.35 | Inf | 26.35 | 30.00 |
| 6345MHz | Pass | 6.00 | 16.80 | 17.33 | 20.08 | Inf | 26.08 | 30.00 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 6.00 | 17.05 | 17.55 | 20.32 | Inf | 26.32 | 30.00 |
| 6505MHz Straddle 6.525-6.875GHz | | | | | | | | |
| 6665MHz | Pass | 6.00 | 17.21 | 17.58 | 20.41 | Inf | 26.41 | 30.00 |
| 6825MHz Straddle 6.525-6.875GHz | Pass | 6.00 | 16.89 | 17.70 | 20.32 | Inf | 26.32 | 30.00 |
| 6825MHz Straddle 6.875-7.125GHz | | | | | | | | |
| 6985MHz | Pass | 6.00 | 17.16 | 17.60 | 20.40 | Inf | 26.40 | 30.00 |

DG = Directional Gain; Port X = Port X output power

For Radio 3 / non beamforming mode / 1T1S
Summary

| Mode | PD (dBm/RBW) | EIRP PD (dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | 4.97 | 4.97 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | 4.97 | 4.97 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | 4.97 | 4.97 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 4.92 | 4.92 |
| 6.425-6.525GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | 4.95 | 4.95 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | 4.97 | 4.97 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | 4.94 | 4.94 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 4.92 | 4.92 |
| 6.525-6.875GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | 4.98 | 4.98 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | 4.95 | 4.95 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | 4.98 | 4.98 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 4.92 | 4.92 |
| 6.875-7.125GHz | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | 4.99 | 4.99 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | 4.94 | 4.94 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | 4.94 | 4.94 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 4.96 | 4.96 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

| Mode | Result | EIRP PD (dBm/RBW) | EIRP PD Limit (dBm/RBW) |
|---------------------------------|--------|----------------------|----------------------------|
| 802.11ax HEW20_Nss1,(MCS0)_1TX | - | - | - |
| 5955MHz | Pass | 4.97 | 5.00 |
| 6175MHz | Pass | 4.74 | 5.00 |
| 6415MHz | Pass | 4.83 | 5.00 |
| 6435MHz | Pass | 4.77 | 5.00 |
| 6475MHz | Pass | 4.78 | 5.00 |
| 6515MHz | Pass | 4.95 | 5.00 |
| 6535MHz | Pass | 4.79 | 5.00 |
| 6695MHz | Pass | 4.92 | 5.00 |
| 6855MHz | Pass | 4.87 | 5.00 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 4.98 | 5.00 |
| 6895MHz | Pass | 4.92 | 5.00 |
| 6995MHz | Pass | 4.95 | 5.00 |
| 7095MHz | Pass | 4.99 | 5.00 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | - | - | - |
| 5965MHz | Pass | 4.86 | 5.00 |
| 6165MHz | Pass | 4.97 | 5.00 |
| 6405MHz | Pass | 4.92 | 5.00 |
| 6445MHz | Pass | 4.96 | 5.00 |
| 6485MHz | Pass | 4.81 | 5.00 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 4.97 | 5.00 |
| 6565MHz | Pass | 4.90 | 5.00 |
| 6685MHz | Pass | 4.81 | 5.00 |
| 6845MHz | Pass | 4.95 | 5.00 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 4.90 | 5.00 |
| 6925MHz | Pass | 4.94 | 5.00 |
| 7005MHz | Pass | 4.88 | 5.00 |
| 7085MHz | Pass | 4.84 | 5.00 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | - | - | - |
| 5985MHz | Pass | 4.88 | 5.00 |
| 6145MHz | Pass | 4.97 | 5.00 |
| 6385MHz | Pass | 4.94 | 5.00 |
| 6465MHz | Pass | 4.89 | 5.00 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 4.94 | 5.00 |
| 6625MHz | Pass | 4.98 | 5.00 |
| 6705MHz | Pass | 4.75 | 5.00 |
| 6785MHz | Pass | 4.95 | 5.00 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 4.97 | 5.00 |
| 6945MHz | Pass | 4.94 | 5.00 |
| 7025MHz | Pass | 4.89 | 5.00 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | - | - | - |
| 6025MHz | Pass | 4.32 | 5.00 |
| 6185MHz | Pass | 4.75 | 5.00 |
| 6345MHz | Pass | 4.92 | 5.00 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 4.92 | 5.00 |
| 6665MHz | Pass | 4.92 | 5.00 |
| 6825MHz Straddle 6.875-7.125GHz | Pass | 4.96 | 5.00 |
| 6985MHz | Pass | 1.65 | 5.00 |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

